



STATE OF CONNECTICUT  
CONNECTICUT SITING COUNCIL

Ten Franklin Square, New Britain, CT 06051

Phone: (860) 827-2935 Fax: (860) 827-2950

E-Mail: [siting.council@ct.gov](mailto:siting.council@ct.gov)

Web Site: [portal.ct.gov/csc](http://portal.ct.gov/csc)

VIA ELECTRONIC MAIL

November 29, 2022

Katie Adams  
SR Site Acquisition Specialist  
Network Building & Consulting  
100 Apollo Drive, Suite 303  
Chelmsford, MA 01824  
[kadams@nbcllc.com](mailto:kadams@nbcllc.com)

RE: **EM-AT&T-164-221013** – AT&T notice of intent to modify an existing telecommunications facility located at 50 Pine Lane, Windsor, Connecticut.

Dear Katie Adams:

The Connecticut Siting Council (Council) is in receipt of your email of November 28, 2022 requesting an extension of time to submit documentation required to make the above-referenced filing complete in response to the Council's incomplete notice dated November 4, 2022.

The Council hereby grants an extension of time to submit the required documentation by December 29, 2022.

Thank you for your attention to this matter.

Sincerely,

A handwritten signature in dark ink, appearing to read "Melanie A. Bachman".

Melanie A. Bachman  
Executive Director

MAB/RDM/emr

Enclosures: Email from Katie Adams of November 28, 2022  
Incomplete filing letter dated November 4, 2022

**From:** Katie Adams <kadams@nbcllc.com>  
**Sent:** Monday, November 28, 2022 2:06 PM  
**To:** Robidoux, Evan <Evan.Robidoux@ct.gov>  
**Cc:** CSC-DL Siting Council <Siting.Council@ct.gov>  
**Subject:** RE: Council Incomplete Letter for EM-AT&T-164-221013 (50 Pine Lane, Windsor)

EXTERNAL EMAIL: This email originated from outside of the organization. Do not click any links or open any attachments unless you trust the sender and know the content is safe.

Good afternoon,

I would like to request an extension of time to provide the updated EME for AT&Ts application please.

Thank you!

**Katie Adams**  
*SR Site Acquisition Specialist*

**NETWORK BUILDING + CONSULTING**  
100 Apollo Drive | Suite 303 | Chelmsford, MA | 01824  
M 781-392-7547





STATE OF CONNECTICUT  
*CONNECTICUT SITING COUNCIL*

Ten Franklin Square, New Britain, CT 06051

Phone: (860) 827-2935 Fax: (860) 827-2950

E-Mail: [siting.council@ct.gov](mailto:siting.council@ct.gov)

Web Site: [portal.ct.gov/csc](http://portal.ct.gov/csc)

**VIA ELECTRONIC MAIL**

November 4, 2022

Katie Adams  
SR Site Acquisition Specialist  
Network Building & Consulting  
100 Apollo Drive, Suite 303  
Chelmsford, MA 01824  
[kadams@nbcllc.com](mailto:kadams@nbcllc.com)

RE: **EM-AT&T-164-221013** – AT&T notice of intent to modify an existing telecommunications facility located at 50 Pine Lane, Windsor, Connecticut.

Dear Katie Adams:

The Connecticut Siting Council (Council) received a notice of intent to modify the above-referenced facility on October 13, 2022.

According to Section 16-50j-71 of the Regulations of Connecticut State Agencies, "...any modification, as defined in Section 16-50j-2a of the Regulations of Connecticut State Agencies, to an existing tower site, except as specified in Sections 16-50j-72 and 16-50j-88 of the Regulations of Connecticut State Agencies, may have a substantial adverse environmental effect."

Staff has reviewed this exempt modification request for completeness and has identified a deficiency in the radio frequency power density analysis.

On September 23, 2022, the Council issued a memorandum to telecommunications industry representatives requiring a cumulative far-field Radio Frequency Power Density Analysis to be provided with all telecommunications exempt modification requests. The radio frequency emissions report dated January 20, 2022 provided with the request does not include a cumulative far-field analysis. A copy of the memorandum is available on the Council's website at the following link: [20220923-farfieldmemo\\_final.pdf \(ct.gov\)](#).

Therefore, the exempt modification request is incomplete at this time. The Council recommends that AT&T provide an RF Analysis including a rigorous cumulative far-field analysis for all carriers on the tower that accounts for a 6-foot tall person and the actual antenna pattern for the proposed modifications to the facility with a cumulative %MPE at or below 100%, on or before November 25, 2022. If additional time is needed to gather the requested information, please submit a written request for an extension of time prior to November 25, 2022. **Please provide an electronic version of the requested information for the incomplete exempt modification to be rendered complete and processed. Please include the Council's exempt modification identification number referenced above with the submittal.**

This notice of incompleteness shall have the effect of tolling the Federal Communications Commission (FCC) 60-day timeframe in accordance with Paragraph 217 of the FCC Wireless Infrastructure Report and Order issued on October 21, 2014 (FCC 14-153).

Thank you for your attention to this matter. Should you have any questions, please feel free to contact me at 860-827-2951.

Sincerely,

A handwritten signature in dark ink, appearing to read "Melanie Bachman". The signature is fluid and cursive, with a long horizontal stroke at the end.

Melanie Bachman  
Executive Director