



STATE OF CONNECTICUT
CONNECTICUT SITING COUNCIL

Ten Franklin Square, New Britain, CT 06051
Phone: (860) 827-2935 Fax: (860) 827-2950
E-Mail: siting.council@ct.gov
Web Site: portal.ct.gov/csc

VIA ELECTRONIC MAIL

November 4, 2022

Katie Adams
SR Site Acquisition Specialist
Network Building & Consulting
100 Apollo Drive, Suite 303
Chelmsford, MA 01824
kadams@nbcllc.com

RE: **EM-AT&T-164-221013** – AT&T notice of intent to modify an existing telecommunications facility located at 50 Pine Lane, Windsor, Connecticut.

Dear Katie Adams:

The Connecticut Siting Council (Council) received a notice of intent to modify the above-referenced facility on October 13, 2022.

According to Section 16-50j-71 of the Regulations of Connecticut State Agencies, "...any modification, as defined in Section 16-50j-2a of the Regulations of Connecticut State Agencies, to an existing tower site, except as specified in Sections 16-50j-72 and 16-50j-88 of the Regulations of Connecticut State Agencies, may have a substantial adverse environmental effect."

Staff has reviewed this exempt modification request for completeness and has identified a deficiency in the radio frequency power density analysis.

On September 23, 2022, the Council issued a memorandum to telecommunications industry representatives requiring a cumulative far-field Radio Frequency Power Density Analysis to be provided with all telecommunications exempt modification requests. The radio frequency emissions report dated January 20, 2022 provided with the request does not include a cumulative far-field analysis. A copy of the memorandum is available on the Council's website at the following link: [20220923-farfieldmemo_final.pdf \(ct.gov\)](http://portal.ct.gov/20220923-farfieldmemo_final.pdf).

Therefore, the exempt modification request is incomplete at this time. The Council recommends that AT&T provide an RF Analysis including a rigorous cumulative far-field analysis for all carriers on the tower that accounts for a 6-foot tall person and the actual antenna pattern for the proposed modifications to the facility with a cumulative %MPE at or below 100%, on or before November 25, 2022. If additional time is needed to gather the requested information, please submit a written request for an extension of time prior to November 25, 2022. **Please provide an electronic version of the requested information for the incomplete exempt modification to be rendered complete and processed. Please include the Council's exempt modification identification number referenced above with the submittal.**

This notice of incompleteness shall have the effect of tolling the Federal Communications Commission (FCC) 60-day timeframe in accordance with Paragraph 217 of the FCC Wireless Infrastructure Report and Order issued on October 21, 2014 (FCC 14-153).

Thank you for your attention to this matter. Should you have any questions, please feel free to contact me at 860-827-2951.

Sincerely,

A handwritten signature in dark ink, appearing to read "Melanie Bachman". The signature is fluid and cursive, with the first name being the most prominent.

Melanie Bachman
Executive Director