



STATE OF CONNECTICUT  
*CONNECTICUT SITING COUNCIL*

Ten Franklin Square, New Britain, CT 06051  
Phone: (860) 827-2935 Fax: (860) 827-2950  
E-Mail: [siting.council@ct.gov](mailto:siting.council@ct.gov)  
Web Site: [portal.ct.gov/csc](http://portal.ct.gov/csc)

**VIA ELECTRONIC MAIL**

March 8, 2023

Ersilia Davis  
Project Manager  
Network building & Consulting  
1777 Sentry Parkway VEVA 17, Suite 210  
Blue Bell, PA 19422  
[edavis@nbcllc.com](mailto:edavis@nbcllc.com)

RE: **EM-VER-164-230203** – Cellco Partnership d/b/a Verizon Wireless notice of intent to modify an existing telecommunications facility located at 750 Rainbow Road, Windsor, Connecticut.

Dear Ersilia Davis:

The Connecticut Siting Council (Council) is in receipt of your email of March 6, 2023 requesting an extension of time to submit documentation required to make the above-referenced filing complete in response to the Council's incomplete notice dated February 15, 2023.

The Council hereby grants an extension of time to submit the required documentation by April 15, 2023.

Thank you for your attention to this matter.

Sincerely,

A handwritten signature in dark ink, appearing to read "Melanie Bachman".

Melanie Bachman  
Executive Director

MAB/ANM/laf

Enclosures: Email from Ersilia Davis of March 6, 2023  
Incomplete filing letter dated February 15, 2023

**From:** Ersilia Davis <edavis@nbcllc.com>  
**Sent:** Monday, March 6, 2023 4:48 PM  
**To:** Fontaine, Lisa <Lisa.Fontaine@ct.gov>  
**Cc:** CSC-DL Siting Council <Siting.Council@ct.gov>  
**Subject:** RE: Council Incomplete Letter - EM-VER-164-230203 Verizon/Rainbow Rd., Windsor

Good afternoon Lisa,

I have attached the updated Mount Analysis that specifically cites the 2022 Connecticut State Building Code (CSBC) effective October 1, 2022

The updated cumulative far-field Radio Frequency Power Density Analysis has been ordered. I would like to request an extension of time to provide the updated report

Thank you

**Ersilia Davis**  
*Project Manager*

**NETWORK BUILDING + CONSULTING**  
1777 Sentry Parkway W | VEVA 17, Suite 400 | Blue Bell, PA | 19422  
M 551-804-0667



**From:** Ersilia Davis <edavis@nbcllc.com>  
**Sent:** Monday, March 6, 2023 4:48 PM  
**To:** Fontaine, Lisa <Lisa.Fontaine@ct.gov>  
**Cc:** CSC-DL Siting Council <Siting.Council@ct.gov>  
**Subject:** RE: Council Incomplete Letter - EM-VER-164-230203 Verizon/Rainbow Rd., Windsor

Good afternoon Lisa,

I have attached the updated Mount Analysis that specifically cites the 2022 Connecticut State Building Code (CSBC) effective October 1, 2022

The updated cumulative far-field Radio Frequency Power Density Analysis has been ordered. I would like to request an extension of time to provide the updated report

Thank you

**Ersilia Davis**  
*Project Manager*

**NETWORK BUILDING + CONSULTING**  
1777 Sentry Parkway W | VEVA 17, Suite 400 | Blue Bell, PA | 19422  
M 551-804-0667





STATE OF CONNECTICUT  
*CONNECTICUT SITING COUNCIL*

Ten Franklin Square, New Britain, CT 06051  
Phone: (860) 827-2935 Fax: (860) 827-2950

E-Mail: [siting.council@ct.gov](mailto:siting.council@ct.gov)

Web Site: [portal.ct.gov/csc](http://portal.ct.gov/csc)

**VIA ELECTRONIC MAIL**

February 15, 2023

Ersilia Davis  
Project Manager  
Network building & Consulting  
1777 Sentry Parkway VEVA 17, Suite 210  
Blue Bell, PA 19422  
[edavis@nbcllc.com](mailto:edavis@nbcllc.com)

RE: **EM-VER-164-230203** – Cellco Partnership d/b/a Verizon Wireless notice of intent to modify an existing telecommunications facility located at 750 Rainbow Road, Windsor, Connecticut.

Dear Ersilia Davis

The Connecticut Siting Council (Council) received a notice of intent to modify the above-referenced facility on February 3, 2023.

According to Section 16-50j-71 of the Regulations of Connecticut State Agencies, "...any modification, as defined in Section 16-50j-2a of the Regulations of Connecticut State Agencies, to an existing tower site, except as specified in Sections 16-50j-72 and 16-50j-88 of the Regulations of Connecticut State Agencies, may have a substantial adverse environmental effect."

Staff has reviewed this exempt modification request for completeness and has identified the following deficiencies:

- a. the Mount Analysis dated April 14, 2022, cites ANSI/TIA-222-H but does not specifically cite the 2022 Connecticut State Building Code (CSBC) effective October 1, 2022 and
- b. On September 23, 2022, the Council issued a memorandum to telecommunications industry representatives requiring a cumulative far-field Radio Frequency Power Density Analysis to be provided with all telecommunications exempt modification requests. The radio frequency emissions report provided with the request includes a far-field analysis for Verizon but does not include a cumulative far-field analysis for all entities on the tower. A copy of the memorandum is available on the Council's website at the following link: [20220923-farfieldmemo\\_final.pdf\(ct.gov\)](#)

Therefore, the exempt modification request is incomplete at this time. The Council recommends that Verizon provide an updated Mount Analysis that comports with the current 2022 CSBC and an RF Analysis including a rigorous cumulative far-field analysis for all entities located on the tower that accounts for a 6-foot tall person and the actual antenna pattern for the proposed modifications to the facility with a cumulative %MPE at or below 100%, on or before March 15, 2023. If additional time is needed to gather the requested information, please submit a written request for an extension of time prior to March 15, 2023. **Please provide an electronic version of the requested information for the incomplete exempt modification to be rendered complete and processed. Please include the Council's exempt modification identification number referenced above with the submittal.**

This notice of incompleteness shall have the effect of tolling the Federal Communications Commission (FCC) 60-day timeframe in accordance with Paragraph 217 of the FCC Wireless Infrastructure Report and Order issued on October 21, 2014 (FCC 14-153).

Thank you for your attention to this matter. Should you have any questions, please feel free to contact me at 860-827-2951.

Sincerely,

A handwritten signature in dark ink, appearing to read "Melanie Bachman". The signature is fluid and cursive, with a long horizontal stroke at the end.

Melanie Bachman  
Executive Director

MAB/ANM/laf