



Northeast Site Solutions  
Denise Sabo  
4 Angela's Way, Burlington CT 06013  
860-209-4690  
denise@northeastsitesolutions.com

November 5, 2018

Members of the Siting Council  
Connecticut Siting Council  
Ten Franklin Square  
New Britain, CT 06051

RE: Notice of Exempt Modification  
225 S Main Street, Windsor Locks CT 06096  
Latitude: 41.9133  
Longitude: -72.626219  
T-Mobile Site#: CT11064F\_L700 4x2

Dear Ms. Bachman:

T-Mobile currently maintains six (6) antennas at the 150-foot level of the existing 150-foot monopole tower at 225 S Main Street, Windsor Locks CT 06096. The 150-foot tower is owned by Amtrak. The property is owned by Town of Windsor Locks. T-Mobile now intends to replace six (6) of its existing antennas with six (6) new 600/700 MHz and 1900/2100 MHz antenna. The new antennas would be installed at the 150-foot level of the tower.

**Planned Modifications:**

Tower:

Remove: NONE

Remove and Replace:

- (3) AIR21 Antenna (REMOVE) - (3) AIR32 Antenna 1900/2100 MHz (**REPLACE**)
- (3) SBNH-1D65C Antenna (REMOVE) - (3) RFS-APXVAARR24\_43U-NA20 Antenna 600/700 MHz (**REPLACE**)
- (3) KRY TMA – (Remove) – (3) ATMA4D-VA20 TMA (**Replace**)
- (6) RRU (Remove) – (3) Radio 449 B71+B12 (**Replace**)

Install New:

- (2) Fiber Lines

Existing to Remain:

- (6) 1-1/4" Coax
- (1) Fiber Line

This facility was approved as exempt by the Town of Windsor planning and zoning—on September 28, Please see attached.

Please accept this letter as notification pursuant to Regulations of Connecticut State Agencies § 16-50j-73, for construction that constitutes an exempt modification pursuant to R.C.S.A. § 16-50j-72(b)(2). In accordance with R.C.S.A. § 16-50j-73, a copy of this letter is being sent to First Selectman J. Christopher Kervick, Elected Official and Jennifer Rodriguez, Zoning Official for the Town of Windsor Locks, as well as the property owner and the tower owner.

The planned modifications to the facility fall squarely within those activities explicitly provided for in R.C.S.A. § 16-50j-72(b)(2).

1. The proposed modifications will not result in an increase in the height of the existing structure.
2. The proposed modifications will not require the extension of the site boundary.
3. The proposed modifications will not increase noise levels at the facility by six decibels or more, or to levels that exceed state and local criteria.
4. The operation of the replacement antennas will not increase radio frequency emissions at the facility to a level at or above the Federal Communications Commission safety standard.
5. The proposed modifications will not cause a change or alteration in the physical or environmental characteristics of the site.
6. The existing structure and its foundation can support the proposed loading.

For the foregoing reasons, T-Mobile respectfully submits that the proposed modifications to the above referenced telecommunications facility constitute an exempt modification under R.C.S.A. § 16-50j-72(b)(2).

Sincerely,

**Denise Sabo**

Mobile: 860-209-4690

Fax: 413-521-0558

Office: 4 Angela's Way, Burlington CT 06013

Email: [denise@northeastsitesolutions.com](mailto:denise@northeastsitesolutions.com)


Attachments

cc: First Selectman J. Christopher Kervick, Elected Official  
Jennifer Rodriguez – Windsor Locks Zoning Enforcement Officer  
Amtrak - as tower owner  
Town of Windsor Locks - as property owner

# Exhibit A

# Town of Windsor Locks

Catherine Dorau  
Assistant Zoning & Wetland Officer  
Planning Coordinator



Building / Zoning &  
Planning Department  
Phone 860-627-1447  
Fax 860-292-1121

September 28, 2000

Attorney Christopher R. Stone  
Chadwick, Libbey, & Stone  
555 Franklin Avenue  
Hartford, CT 06114

Re: Amtrak Telecommunication Tower -- Antenna

Dear Chris:

The original installation of the Amtrak tower was determined to be exempt from compliance with the Windsor Locks Zoning Ordinances (see attached copy of your letter dated November 17, 1998).

I'm enclosing a copy of a letter from LCC International, Inc. indicated interest in adding an antenna to the existing tower. Please advise if any additional antennas to this tower would also be exempt from the site plan review process.

Thank you for your anticipated response to this matter.

Very truly yours,

Catherine Dorau  
Assistant Zoning & Wetlands Officer

Enclosures

File:p/townatty/2000/amtraktower092800

**PER PHONE CALL W/ C. STONE – 10-11-2000,  
Lcc international, Inc., should file for a site plan review before the PZC.  
Advised Christine Belvin on October 12, 2000.**


C.D.

Mario L. Gatti Town Office Building / 50 Church Street / Windsor Locks, CT 06096

*original  
attached*

# *Town of Windsor Locks*

*Catherine Dorau  
Assistant Zoning/Wetlands Officer  
Planning Coordinator*



*Building / Zoning &  
Planning Department  
Phone 860-627-1447  
Fax 860-292-1121*

September 28, 2000

Attorney Christopher R. Stone  
Chadwick, Libbey, & Stone  
555 Franklin Avenue  
Hartford, CT 06114

Re: Amtrak Telecommunication Tower – Antenna

Dear Chris:

The original installation of the Amtrak tower was determined to be exempt from compliance with the Windsor Locks Zoning Ordinances (see attached copy of your letter dated November 17, 1998).

I'm enclosing a copy of a letter from LCC International, Inc. indicated interest in adding an antenna to the existing tower. Please advise if any additional antennas to this tower would also be exempt from the site plan review process.

Thank you for your anticipated response to this matter.

Very truly yours,

Catherine Dorau  
Assistant Zoning & Wetlands Officer

Enclosures

File p\format\2000\amtrak\over092000

*Mario L. Gatti Town Office Building / 50 Church Street / Windsor Locks, CT 06096*

**CHADWICK, LIBBEY, SZILAGYI & STONE**

ATTORNEYS AT LAW  
555 FRANKLIN AVENUE  
HARTFORD, CONNECTICUT 06114  
(860) 298-4500  
FAX (860) 298-3838

BOSTON OFFICE  
124 MAIN STREET  
SUITE 103  
BOSTON, CT 06010  
(203) 500-9700

EAST HARTFORD OFFICE  
111 FOUNDERS PLAZA  
SUITE 1403  
EAST HARTFORD, CT 06108  
(860) 610-4300  
FAX (860) 610-4500

November 17, 1998

REPLY TO EAST HARTFORD OFFICE

VIA FACSIMILE 292-1121

Douglas Glazier, First Selectman  
Town of Windsor Locks  
50 Church Street  
Windsor Locks, CT 06096

**RE: Application of Omnipoint Communications Enterprises, Inc.  
For Installation of Certain Wireless Communication Facilities  
Within Amtrak Property in the Town of Windsor Locks**


Dear First Selectman Glazier:

Please be advised that I have reviewed several letters from Attorney John Harrington representing Omnipoint and the relevant federal statutes regarding the above-referenced application. As you recall, Omnipoint is seeking permission for the installation of a monopole within Amtrak property and has requested a determination that such activity is exempt from our zoning process.

Pursuant to 49 U.S.C.A. Section 24902(j), no local building, zoning, subdivision, or similar related law shall apply in connection with the construction or operation of any improvement undertaken by or for the benefit of Amtrak within the Northeast Corridor Improvement Project. The proposed improvements are within this Project, and have been undertaken by Amtrak for its benefit. As such, it is the opinion of this office that this particular proposal is exempt from compliance with the Windsor Locks Zoning Ordinances.

If you have any comments or questions, please feel free to contact me.

Very truly yours,



Christopher R. Stone

**RECEIVED**

DEC 11 1998

BUILDING DEPARTMENT  
WINDSOR LOCKS

CRS/mjg

# LCC, International

1792 Main Street  
East Hartford, CT 06108

September 14, 2000

Catherine C. Dorau  
Planning Coordinator  
Town of Windsor Locks  
Town Hall  
50 Church Street  
Windsor Locks, CT 06096-2343

Dear Sir or Madam:

Thank you for taking the time to speak with my colleague Stephen Schadler and myself, Tuesday morning September 12, 2000. We are a telecommunications consulting company developing a network for XM Radio. We are interested in adding a 70" whip antenna to the top of the Amtrak tower located at the Amtrak Station on Rte. 159 and a 4' X 4' X 5' repeater box between the Amtrak shelter and the tower with a 26" diameter dish off the repeater (see attachment 1).

Attached, please find a brief description of LCC and XM Radio. I have also enclosed pictures of the existing tower and a photo simulation of the tower with our 70" antenna on top.

I am interested in properly zoning and building these proposed changes. We are currently working with Amtrak on a lease. We will have an Architecture and Engineering firm out to prepare official drawings for submission at a later date. I appreciate any and all procedural help you can provide.

If you have any questions or need more information please contact me at (860) 833-9039.

Sincerely,



Christine Belvin  
Zoning Specialist

# Exhibit B





91

42

91

91

Stanton Rd

Windsor Locks

Dibble Hollow Brook

Stanton Rd

Lawnacre Rd

River Rd

99

103

107

113

115

121

123

159

Dibble



91

42

91

91

91

Stanton Rd

Windsor Locks

Stanton Rd

Dibble Hollow Brook

Lawmacre Rd

Dibbl

99

103

107

113

115

121

123

River Rd

159

# Exhibit C



# .. T .. Mobile ..

NORTHEAST LLC.

SITE NAME: **AMTRAK - WINDSOR LOCKS**

SITE ID NUMBER: **CT11064F**

SITE ADDRESS: 225 S MAIN STREET/AMTRAK STATION,  
WINDSOR LOCKS, CT 06096

AMTRAK FILE NO: 626.32

WORK CATEGORY: L600 - CABINET, RRU AND ANTENNA REPLACEMENT

## Tectonic

PRACTICAL SOLUTIONS. EXCEPTIONAL SERVICE.  
Tectonic Engineering & Surveying Consultants P.C.  
1279 Route 300 Phone: (845) 567-6656  
Newburgh, NY 12550 (800) 829-6531  
www.tectonicengineering.com

### .. T .. Mobile ..

12050 BALTIMORE AVENUE  
BELTSVILLE, MD 20705

#### PROJECT SUMMARY

SITE NUMBER: CT11064F  
AMTRAK FILE #: 626.32  
MILEPOST: 47  
SITE NAME: AMTRAK-WINDSOR LOCKS  
SITE ADDRESS: 225 S MAIN STREET/AMTRAK STATION,  
WINDSOR LOCKS, CT 06096  
COUNTY: HARTFORD  
PROPERTY OWNER: AMTRAK (NATIONAL RAILROAD  
PASSENGER CORPORATION)  
APPLICANT: T-MOBILE NORTHEAST, LLC.  
4 SYLVAN WAY  
PARSIPPANY, NJ 07054  
(914) 696-5243  
CONTACT: ANDREW STROCK  
PHONE: (215) 917-9950  
ENGINEER/  
SURVEYOR/  
STRUCTURAL ENG: TECTONIC ENGINEERING &  
SURVEYING CONSULTANTS P.C.  
1279 ROUTE 300  
NEWBURGH, NY 12550  
CONTACT: MIKE PATEL  
PHONE: (845) 567-6656 EXT. 2808  
LATITUDE: (NAD 83) 41.9133  
LONGITUDE: (NAD 83) -72.626219

#### SITE DIRECTIONS

HEAD NORTHWEST ON SYLVAN WAY. TURN RIGHT ONTO US-202 N. CONTINUE ONTO LITTLETON ROAD AND TAKE THE RAMP ONTO I-287 N. TAKE THE I-87 S/I-287/NEW YORK THRUWAY EXIT TOWARD TAPPAN ZEE BR/NYC. MERGE ONTO I-287 E/I-87 S. KEEP LEFT AT THE FORK TO CONTINUE ON I-287 E AND FOLLOW SIGNS FOR WHITE PLAINS/RYE. TAKE EXIT 9N-9S FOR HUTCHINSON PKWY TOWARD WHITESTONE BRIDGE/ MERRITT PKWY. MERGE ONTO WESTCHESTER AVE. TAKE THE HUTCHINSON PKWY N RAMP TO MERRITT PKWY. KEEP RIGHT AT THE FORK TO STAY ON HUTCHINSON RIVER PKWY N. CONTINUE ONTO CT-15 N AND KEEP LEFT. TAKE EXIT 68 N-E TO MERGE ONTO I-91 N TOWARD CT-66 E/HARTFORD/MIDDLETOWN. TAKE EXIT 42 FOR CT-159 TOWARD WINDSOR LOCKS. TURN LEFT ONTO LAWNACRE ROAD THEN CONTINUE ONTO S MAIN ST. THE DESTINATION WILL BE ON THE RIGHT.


#### LOCATION MAP

SCALE: NTS



#### SHEET INDEX

SHEET NO	DESCRIPTION	REV NO
T-1	TITLE SHEET	3
T-2	NOTES	3
A-1	KEY & SITE PLAN	3
A-2	EQUIPMENT PLAN & PHOTO	3
A-3	ELEVATION & PHOTO	3
A-4	ANTENNA PLAN, DETAILS & PHOTO	3
A-5	WIRING DIAGRAMS	3
A-6	SPECIFICATIONS	3
A-7	SPECIFICATIONS	3




APPROXIMATE  
LOCATION OF EXIST  
T-MOBILE SITE



REV	DATE	REVISION	DRAWN BY
0	07/2/18	FOR COMMENT	DE
1	07/19/18	PER COMMENT	DE
2	08/9/18	PER COMMENT	BW
3	09/17/18	PER COMMENT	JT

PROJECT NUMBER: 7421.CT11064F  
DESIGNED BY: MP

ISSUED BY: \_\_\_\_\_ DATE: \_\_\_\_\_



SITE INFORMATION  
CT11064F  
AMTRAK-WINDSOR LOCKS  
225 S MAIN STREET/  
AMTRAK STATION,  
WINDSOR LOCKS, CT  
06096

SHEET TITLE  
TITLE SHEET

SHEET NUMBER  
T-1



**GENERAL NOTES**

- ALL APPLICABLE PERMITS MUST BE OBTAINED AND INSURANCE REQUIREMENTS MUST BE MET PRIOR TO CONSTRUCTION.
- THESE PROJECT DRAWINGS ARE IN ACCORDANCE WITH AMTRAK STANDARDS AND ENGINEERING PRACTICES. PRIOR TO ENTERING AMTRAK'S PROPERTY, THE CONTRACTOR MUST NOTIFY PAUL MARTIN (203) 948-9039.
- T-MOBILE IS RESPONSIBLE FOR ALL COSTS AND EXPENSES INCURRED BY ANY PARTY IN ASSOCIATION WITH THIS PROJECT. ALL WORK ASSOCIATED WITH THIS PROJECT WILL BE PERFORMED AT T-MOBILE'S SOLE EXPENSE. THIS INCLUDES 1) AMTRAK'S SAFETY ORIENTATION CLASS, 2) WIRE AND TRACK OUTAGES DURING CONSTRUCTION, 3) MODIFICATIONS TO THE CATENARY AND TRANSMISSION SYSTEMS IF REQUIRED, 4) MODIFICATIONS TO CATENARY POLE GUY WIRE ANCHORS IF REQUIRED.
- UPGRADE OF EXISTING T-MOBILE TELECOMMUNICATIONS FACILITY. THE PROPOSED T-MOBILE PLANNED WORK INVOLVES THE REMOVAL OF ONE (1) EXIST 3106 CABINET, THE INSTALLATION OF ONE (1) PROPOSED 6131 CABINET, THE REPLACEMENT OF THREE (3) ANTENNAS & THE REPLACEMENT OF THREE (3) RRUs. THE EXISTING CIRCUIT BREAKER WILL BE UPGRADED TO A LARGER SIZE. NO DIGGING OR SOIL DISTURBANCE WILL OCCUR DURING THE PROJECT. NO MODIFICATIONS TO THE CATENARY AND TRANSMISSION SYSTEMS ARE REQUIRED TO ACCOMMODATE THIS PROJECT.
- IF MODIFICATIONS TO THE CATENARY AND TRANSMISSION SYSTEMS ARE REQUIRED TO ACCOMMODATE THIS PROJECT A QUALIFIED ELECTRICAL CONSULTANT MUST BE RETAINED TO PERFORM THIS DESIGN.
- THESE PROJECT DRAWINGS ARE IN COMPLIANCE WITH AED-1; AED-2; CE-4; EP3005-02081A & EP3014-01141A.
- ALL WORK SHALL BE PERFORMED IN ACCORDANCE WITH THE AMTRAK-APPROVED PROJECT DRAWINGS, STATEMENTS OF WORK, PLANS AND SCHEDULES AND ALL OTHER AMTRAK REQUIREMENTS.
- NO WORK MAY BE PERFORMED UNTIL AMTRAK ENGINEERING HAS APPROVED T-MOBILE'S SITE/JOB SPECIFIC SAFETY WORK PLAN (SSSWP) AND HAZARD ASSESSMENT FOR THE PROJECT.
- ONCE AMTRAK APPROVES AN APPLICATION AND THE LICENSE AGREEMENT ISSUED, NO VARIANCE FROM THE PLANS, SPECIFICATIONS, METHODS OF CONSTRUCTION, ETC WILL BE CONSIDERED OR PERMITTED WITHOUT RESUBMISSION OF PLANS TO AND RECEIPT OF APPROVAL FROM AMTRAK

**CONTRACTOR OPERATIONS AND SAFETY COORDINATION NOTES**

- BEFORE ENTRY OF PERMITTEE AND/OR CONTRACTORS ONTO RAILROAD'S PROPERTY, A PRE-ENTRY MEETING SHALL BE HELD WITH THE AMTRAK RAILROAD PROTECTION PERSONNEL.
- CONTRACTORS SHALL CONDUCT THEIR OPERATIONS IN COMPLIANCE WITH ALL RULES, REGULATIONS, AND REQUIREMENTS OF RAILROAD WITH RESPECT TO ANY WORK PERFORMED ON, OVER, UNDER, WITHIN OR ADJACENT TO RAILROAD'S PROPERTY. CONTRACTORS SHALL BE RESPONSIBLE FOR ACQUAINTING THEMSELVES WITH SUCH RULES, REGULATIONS AND REQUIREMENTS. ANY VIOLATION OF RAILROAD'S SAFETY RULES, REGULATIONS, OR REQUIREMENTS SHALL BE GROUNDS FOR THE IMMEDIATE SUSPENSION OF THE CONTRACTOR WORK, AND THE RE-TRAINING OF ALL PERSONNEL, AT THE CONTRACTOR'S EXPENSE.
- CONTRACTOR SHALL KEEP RAILROAD'S PROPERTY CLEAR OF ALL REFUSE AND DEBRIS FROM ITS OPERATIONS. UPON COMPLETION OF THE WORK, THE CONTRACTOR MUST REMOVE ALL MACHINERY, EQUIPMENT, SURPLUS MATERIALS, FALSE WORK, RUBBISH, TEMPORARY STRUCTURES, AND OTHER ITEMS BELONGING TO THE CONTRACTOR FROM RAILROAD'S PROPERTY.
- IF TRACKS OR OTHER PROPERTY OF RAILROAD ARE ENDANGERED DURING THE WORK, THE CONTRACTOR SHALL IMMEDIATELY TAKE SUCH STEPS AS MAY BE DIRECTED BY RAILROAD TO RESTORE SAFE CONDITIONS, AND UPON FAILURE OF THE CONTRACTOR TO IMMEDIATELY CARRY OUT SUCH DIRECTION, RAILROAD MAY TAKE WHATEVER STEPS ARE REASONABLY NECESSARY TO RESTORE SAFE CONDITIONS. ALL COSTS AND EXPENSES OF RESTORING SAFE CONDITIONS, AND OF REPAIRING ANY DAMAGE TO RAILROAD'S TRAINS, TRACKS, RIGHT-OF-WAY OR OTHER PROPERTY CAUSED BY THE OPERATIONS OF CONTRACTORS, SHALL BE PAID BY CONTRACTOR.
- WHENEVER WORK IS PERFORMED IN THE VICINITY OF ELECTRIFIED TRACKS AND/OR HIGH VOLTAGE WIRES, PARTICULAR CARE MUST BE EXERCISED, AND RAILROAD'S REQUIREMENTS REGARDING CLEARANCE TO BE MAINTAINED BETWEEN EQUIPMENT AND TRACKS AND/OR ENERGIZED WIRES, AND OTHERWISE REGARDING WORK IN THE VICINITY OF ELECTRIFIED TRACKS, MUST BE STRICTLY OBSERVED. NO EMPLOYEES OR EQUIPMENT WILL BE PERMITTED TO WORK NEAR OVERHEAD WIRES, EXCEPT WHEN PROTECTED BY A CLASS "A" EMPLOYEE OF THE RAILROAD. THE CONTRACTORS MUST SUPPLY AN ADEQUATE LENGTH OF GROUNDING CABLE (4/0 COPPER WITH APPROVED CLAMPS) FOR EACH PIECE OF EQUIPMENT WORKING NEAR OR ADJACENT TO ANY OVERHEAD WIRE.
- NO WORK WILL BE PERMITTED WITHIN TWENTY-FIVE (25) FEET OF THE CENTERLINE OF TRACK OR THE ENERGIZED WIRE OR HAVE POTENTIAL OF GETTING WITHIN TWENTY-FIVE (25) FEET OF TRACK WIRE WITHOUT THE APPROVAL OF THE CHIEF ENGINEER'S REPRESENTATIVE. CONTRACTORS SHALL CONDUCT THEIR WORK SO THAT NO PART OF ANY EQUIPMENT OR MATERIAL SHALL FOUL AN ACTIVE TRACK OR OVERHEAD WIRE WITHOUT THE WRITTEN PERMISSION OF THE CHIEF ENGINEER'S REPRESENTATIVE. ANY EQUIPMENT SHALL BE CONSIDERED TO BE FOULING A TRACK OR OVERHEAD WIRE WHEN LOCATED (A) WITHIN FIFTEEN (15) FEET FROM THE CENTERLINE OF THE TRACK OR WITHIN FIFTEEN (15) FEET FROM THE WIRE, OR (B) IN SUCH A POSITION THAT FAILURE OF SAME, WITH


OR WITHOUT A LOAD, WOULD BRING IT WITHIN FIFTEEN (15) FEET FROM THE CENTERLINE OF THE TRACK OR WITHIN FIFTEEN (15) FEET FROM THE WIRE AND REQUIRES THE PRESENCE OF THE PROPER RAILROAD PROTECTION PERSONNEL.

- DURING CONSTRUCTION, JACKING, BORING OR TUNNELING, TRENCHES SHALL BE FENCED, LIGHTED AND OTHERWISE PROTECTED AS DIRECTED BY AMTRAK DESIGNATED FIELD REPRESENTATIVE.
- CONTRACTORS SHALL SCHEDULE ALL WORK TO BE PERFORMED IN SUCH A MANNER AS NOT TO INTERFERE WITH RAILROAD OPERATIONS. CONTRACTORS SHALL USE ALL NECESSARY CARE AND PRECAUTION TO AVOID ACCIDENTS, DELAY OR INTERFERENCE WITH RAILROAD'S PROPERTY.
- THROUGHOUT ALL PHASES OF THE PROJECT (INCLUDING DURING PREPARATION FOR CONSTRUCTION OR INSTALLATION ACTIVITIES, DURING CONSTRUCTION OR INSTALLATION ACTIVITIES, AND, DURING CLEAN UP) ACCESS ROADS, ROUTES OR PATHS TO OR ALONG AMTRAK'S RIGHTS-OF-WAY SHALL REMAIN UNOBSTRUCTED AND IF ANY OBSTRUCTION EXISTS IT SHALL NOT BE EXACERBATED.
- ALL EQUIPMENT TO BE USED IN THE VICINITY OF OPERATING TRACKS SHALL BE IN "CERTIFIED" FIRST-CLASS CONDITION SO AS TO PREVENT FAILURES THAT MIGHT CAUSE DAMAGE TO RAILROAD'S PROPERTY. NO EQUIPMENT SHALL BE PLACED OR PUT INTO OPERATION NEAR OR ADJACENT TO OPERATING TRACKS AND UNDER NO CIRCUMSTANCES SHALL ANY EQUIPMENT OR MATERIALS BE PLACED OR STORED WITHIN TWENTY-FIVE (25) FEET FROM THE CENTERLINE OF AN OUTSIDE TRACK, EXCEPT AS APPROVED BY THE SITE SPECIFIC SAFETY WORK PLAN. TO INSURE COMPLIANCE WITH THIS REQUIREMENT, CONTRACTORS MUST ESTABLISH A TWENTY-FIVE (25) FOOT FOUL LINE PRIOR TO THE START OF WORK BY TAPING OFF THE AREA.
- NO MATERIAL OR EQUIPMENT SHALL BE STORED ON RAILROAD'S PROPERTY UNLESS APPROVED BY THE SITE SPECIFIC SAFETY WORK PLAN. ANY SUCH STORAGE WILL BE ON THE CONDITION THAT RAILROAD WILL NOT BE LIABLE FOR LOSS OF OR DAMAGE TO SUCH MATERIALS OR EQUIPMENT FROM ANY CAUSE.
- PRIOR TO ENTERING ONTO AMTRAK'S PROPERTY, EACH EMPLOYEE OF T-MOBILE AND/OR ITS CONTRACTORS THAT IS TO ENTER ONTO AMTRAK'S PROPERTY WITHIN THE 12 MONTH PERIOD PRIOR TO ENTERING ONTO AMTRAK'S PROPERTY, EACH SHALL HAVE COMPLETED AMTRAK'S SAFETY ORIENTATION CLASS. WHILE ON AMTRAK'S PROPERTY, EACH SHALL BE IN POSSESSION OF A VALID, CURRENT AMTRAK SAFETY TRAINING BADGE AND WHILE ON AMTRAK'S PROPERTY, EACH SHALL FOLLOW ALL SAFETY RULES AND PROCEDURES AS DIRECTED BY AMTRAK (INCLUDING AMTRAK'S ON-SITE REPRESENTATIVE).
- PRIOR TO COMMENCING WORK, T-MOBILE AND/OR ITS CONTRACTORS WILL LOCATE UNDERGROUND UTILITIES AND ANY OTHER FACILITIES (BELONGING TO AMTRAK AND/OR ANY OTHER PARTY. THROUGHOUT THE ENTIRE PROJECT, INCLUDING ALL PHASES OF CONSTRUCTION, EXCAVATION, TRENCHING, AND/OR BORING ACTIVITIES; T-MOBILE AND/OR ITS CONTRACTOR WILL PROTECT ALL SUCH UNDERGROUND UTILITIES AND OTHER FACILITIES. AMTRAK IS NOT A PART OF THE ONE-CALL SYSTEM AND, THEREFORE, T-MOBILE AND/OR ITS CONTRACTORS MUST WORK DIRECTLY WITH AMTRAK TO IDENTIFY AMTRAK'S BURIED UTILITIES AND FACILITIES.
- T-MOBILE AND/OR ITS CONTRACTOR IS RESPONSIBLE FOR MAKING THE ONE-CALL. AMTRAK IS NOT PART OF THE ONE-CALL SYSTEM AND THEREFORE AMTRAK UTILITIES AND FACILITIES WILL NOT BE LOCATED OR PROTECTED THROUGH THE ONE-CALL SYSTEM. INSTEAD, T-MOBILE AND/OR ITS CONTRACTOR MUST WORK WITH AMTRAK TO IDENTIFY AND PROTECT ALL BURIED UTILITIES AND FACILITIES. T-MOBILE AND/OR ITS CONTRACTOR MUST IDENTIFY AND PROTECT ALL BURIED UTILITIES AND FACILITIES THROUGHOUT THE ENTIRE PROJECT, INCLUDING ALL PHASES OF CONSTRUCTION, EXCAVATION, TRENCHING AND/OR BORING ACTIVITIES.
- NO CONSTRUCTION, EXCAVATION, TRENCHING AND/OR BORING ACTIVITIES MAY BE PERFORMED IN CLOSE PROXIMITY TO THE AMTRAK DUCT LINE UNLESS MONITORED BY ON-SITE AMTRAK COMMUNICATIONS AND SIGNAL DEPARTMENT PERSONNEL. HAND DIGGING MAY BE REQUIRED, AS DIRECTED BY AMTRAK THROUGH THE ON-SITE AMTRAK COMMUNICATIONS AND SIGNAL SUPPORT PERSONNEL OR OTHERWISE.
- EQUIPMENT OR PERSONNEL WORKING CLOSER THAN 15 FEET TO THE CENTERLINE OF AN ADJACENT TRACK SHALL BE CONSIDERED AS FOULING THAT TRACK. INsofar AS POSSIBLE, ALL OPERATIONS SHALL BE CONDUCTED NO LESS THAN THIS DISTANCE. OPERATIONS CLOSER THAN 15' TO THE CENTERLINE OF A TRACK SHALL BE CONDUCTED ONLY WITH THE PERMISSION OF, AND AS DIRECTED BY A DULY QUALIFIED AMTRAK EMPLOYEE PRESENT AT THE WORKSITE. SPECIAL ARRANGEMENTS MUST BE MADE AT LEAST 21 WORKING DAYS IN ADVANCE OF THE WORK, WHERE FOULING OF TRACK OR STRUCTURES IS REQUIRED FOR ACCESS. THESE OPERATIONS REQUIRE THE PRIOR APPROVAL OF AMTRAK. CROSSING OF TRACKS AT GRADE BY EQUIPMENT AND PERSONNEL IS PROHIBITED, EXCEPT BY PRIOR ARRANGEMENT WITH, AND AS DIRECTED BY AMTRAK.
- IF ASBESTOS OR OTHER HAZARDOUS MATERIAL IS ENCOUNTERED T-MOBILE SHALL IMMEDIATELY NOTIFY AMTRAK AND ALL WORK UNDER THIS PROJECT SHALL CEASE UNTIL AMTRAK HAS APPROVED (IN WRITING) A PLAN FOR T-MOBILE TO ADDRESS (AT T-MOBILE'S OWN COSTS AND EXPENSE) THE MATERIAL THROUGH THE SERVICES OF AN AMTRAK-APPROVED, LICENSED INSPECTOR/MONITORING CONTRACTOR.

**LIFT NOTES:**


- THE LIFT PLANS AND THE SOW OUTLINE A COMPLETE PROCEDURE, TIME SCHEDULE, THE ORDER OF LIFTS AND A MANEUVERING ENVELOPE REFLECTING THE AREA ALLOWED FOR THE EQUIPMENT TO REPOSITION IF DESIRED IS INCLUDED.
- THIS LIFT PLAN IS IN COMPLIANCE WITH SECTION 01142A OF EP-3014 AND THE DOCUMENT CAPTIONED "AMTRAK ELECTRIFIED TERRITORY EQUIPMENT BONDING AND GROUNDING", ATTACHED TO THE SOW. THE CONTRACTOR AND THE OPERATOR ARE RESPONSIBLE FOR ADHERENCE TO ALL BONDING AND GROUNDING REQUIREMENTS. SUBSTITUTIONS TO THE MATERIALS LISTED ARE PROHIBITED

- UNLESS OTHERWISE APPROVED BY AMTRAK IN WRITING, THE EQUIPMENT SHALL BE POSITIONED SO THAT THE BOOM IS NOT PERPENDICULAR TO THE TRACK, WHILE ALSO MAINTAINING ALL OTHER SAFETY REQUIREMENTS (INCLUDING CLEARANCES, ETC.), AND THE BOOM SHALL BE MECHANICALLY RESTRICTED TO PREVENT IT FROM ENCRoACHING UPON AMTRAK'S INFRASTRUCTURE (WHICH INCLUDES, WITHOUT LIMITATION, ANY TRACK AND/OR CATENARY STRUCTURES) ANY MORE THAN WHAT IS ABSOLUTELY NECESSARY FOR THE IMPLEMENTATION OF THE WORK OUTLINED IN THESE PLANS. IDEALLY THE BOOM WILL BE RESTRICTED TO THE 180-DEGREE SEMI-CIRCLE AWAY FROM ALL TRACKS.
- FINAL EQUIPMENT LOCATION WILL BE WITHIN THE RESTRICTED MANEUVERING ENVELOPE AS OUTLINED IN THIS APPROVED LIFT PLAN.
- CONTRACTOR TO VERIFY ALL DIMENSIONS AND SITE CONDITIONS PRIOR TO COMMENCING WORK.
- THE NOTES HEREIN ARE OFFERED FOR INFORMATION AND GUIDANCE AND ARE NOT TO BE TAKEN TO INFER THE ENGINEER IS IN ANY WAY INVOLVED IN OR IS RESPONSIBLE FOR THE ACTUAL LIFT IN THE FIELD.
- DO NOT OPERATE IN WINDS OVER 30 MPH.
- OPERATIONS TO BE CONDUCTED IN ACCORDANCE WITH OSHA AND AMTRAK REGULATIONS AND ALL OTHER APPLICABLE RULES AND CODES.
- SWING PATH OF BOOM SHALL NOT BE OVER ADJACENT BUILDINGS, WORKERS OR OCCUPIED VEHICLES WHILE LIFTING LOADS.
- BARRICADES SHALL BE INSTALLED AROUND THE LIFT ZONE AND ANY SWING AREAS AS NECESSARY TO ENSURE OTHERS NOT INVOLVED IN THE LIFT PROCESS DO NOT ENTER INTO THOSE AREAS.
- THE TOTAL ESTIMATED DURATION OF LIFT ACTIVITIES ON SITE IS ONE EVENT LASTING (8) EIGHT HOURS.
- CHECK ALL OF THE PARTS OF THE EQUIPMENT EACH NEW WORK SHIFT, INCLUDING ALL OF THE CABLES, EQUIPMENT PARTS AND ENGINE PARTS.
- THE EQUIPMENT OPERATOR MUST CONFIRM THE HAND SIGNALS THAT WILL BE USED DURING THE LIFT WITH THE SUPPORT GROUND CREW PRIOR TO THE START OF ANY LIFT.
- ALWAYS INSPECT THE AREA PRIOR TO LIFTING A LOAD TO MAKE SURE THERE ARE NO PEOPLE BELOW.
- NO SIDE PULLS ALLOWED WHEN PERFORMING A LIFT.
- EQUIPMENT OPERATOR TO KEEP THE GUY CABLES IN VIEW TO MAKE SURE THEY'RE NOT HIT IN ANY WAY. HIGH VISIBILITY RIBBON SHOULD BE INSTALLED TEMPORARILY TO ASSIST IN KEEPING TRACK OF THE GUY WIRE LOCATIONS.
- ALL EQUIPMENT TO BE USED IN THE VICINITY OF OPERATING TRACKS SHALL BE IN "CERTIFIED" FIRST-CLASS CONDITION SO AS TO PREVENT FAILURES THAT MIGHT CAUSE DELAY TO TRAINS OR DAMAGE TO RAILROAD'S PROPERTY. NO EQUIPMENT SHALL BE PLACED NEAR OR PUT INTO OPERATION NEAR OR ADJACENT TO OPERATING TRACKS WITHOUT FIRST OBTAINING PERMISSION FROM THE CHIEF ENGINEER'S REPRESENTATIVE. UNDER NO CIRCUMSTANCES SHALL ANY EQUIPMENT OR MATERIALS BE PLACED OR STORED WITHIN TWENTY-FIVE (25) - FEET FROM THE CENTERLINE OF AN OUTSIDE TRACK, EXCEPT AS APPROVED BY THE SITE SPECIFIC SAFETY WORK PLAN.
- NO MATERIAL OR EQUIPMENT SHALL BE STORED ON RAILROAD'S PROPERTY WITHOUT FIRST HAVING OBTAINED PERMISSION FROM THE CHIEF ENGINEER. ANY SUCH STORAGE WILL BE ON THE CONDITION THAT RAILROAD WILL NOT BE LIABLE FOR LOSS OF OR DAMAGE TO SUCH MATERIALS OR EQUIPMENT FROM ANY CAUSE.
- PERMITTEE AND/OR CONTRACTORS SHALL KEEP RAILROAD'S PROPERTY CLEAR OF ALL REFUSE AND DEBRIS FROM ITS OPERATIONS, UPON COMPLETION OF THE WORK, PERMITTEE AND/OR CONTRACTORS SHALL REMOVE FROM RAILROAD'S PROPERTY ALL MACHINERY, EQUIPMENT, SURPLUS MATERIALS, FALSEWORK, RUBBISH, TEMPORARY STRUCTURES, AND OTHER PROPERTY OF THE PERMITTEE AND/OR CONTRACTORS AND SHALL LEAVE RAILROAD'S PROPERTY IN A CONDITION SATISFACTORY TO THE CHIEF ENGINEER.
- THIS LIFT PLAN INCLUDES THE DESIRED LOCATION OF THE EQUIPMENT, THE OPERATING RADII, AND STAGING/DISPOSAL AREAS. ALL ITEMS HAVE BEEN DIMENSIONED FOR LOCATING THE ELEMENTS IN THE FIELD.
- THE EQUIPMENT IS CAPABLE OF PICKING 150% OF THE LOAD, WHILE MAINTAINING NORMAL, RECOMMENDED FACTORS OF SAFETY. THE ADEQUACY OF THE EQUIPMENT FOR THE PROPOSED PICK SHALL BE DETERMINED BY USING THE MANUFACTURER'S PUBLISHED LOAD RATING CHARTS AND NOT THE MAXIMUM CAPACITY IF THE BOOM.
- THE LIFT PLAN OUTLINES THE EXISTING OBSTRUCTIONS AND THE PROPOSED SWING BEING USED FOR THE LIFT. "WALKING" OF LOAD USING TWO PIECES OF EQUIPMENT WILL NOT BE PERMITTED, RATHER, MULTIPLE PICKS AND REPOSITIONING OF THE EQUIPMENT MAY BE PERMITTED TO GET THE LOAD TO THE NEEDED LOCATION FOR THE FINAL PICK, IF NECESSARY.
- IF THERE ARE OVERHEAD POWER LINES PRESENT. ALL AERIAL WORK WILL BE PERFORMED WITH THE POWER LINES DE-ENERGIZED. NO WORK WILL BE PERFORMED AROUND OR NEAR THE POWER LINES WITHOUT AN AMTRAK E.T. LINEMAN'S AUTHORIZATION.



**Tectonic**  
 PRACTICAL SOLUTIONS. EXCEPTIONAL SERVICE.  
 Tectonic Engineering & Surveying Consultants P.C.  
 1279 Route 300 Phone: (845) 567-6658  
 Newburgh, NY 12550 (800) 829-6531  
 www.tectonicengineering.com


**T-Mobile**  
 12050 BALTIMORE AVENUE  
 BELTSVILLE, MD 20705



PROJECT NUMBER	DESIGNED BY
7421.CT11064F	MP

REV	DATE	REVISION	DRAWN BY
Δ	07/2/18	FOR COMMENT	DE
Δ	07/19/18	PER COMMENT	DE
Δ	08/9/18	PER COMMENT	BW
Δ	09/17/18	PER COMMENT	JT


ISSUED BY	DATE



SITE INFORMATION  
 CT11064F  
 AMTRAK-WINDSOR LOCKS  
 225 S MAIN STREET/  
 AMTRAK STATION,  
 WINDSOR LOCKS, CT  
 06096

SHEET TITLE  
 NOTES

SHEET NUMBER  
 T-2



1  
A-1  
**KEY PLAN**  
SCALE: 1/128" = 1'-0"

2  
A-1  
**SITE PLAN**  
SCALE: 1/16" = 1'-0"




**Tectonic**  
 PRACTICAL SOLUTIONS. EXCEPTIONAL SERVICE.  
 Tectonic Engineering & Surveying Consultants P.C.  
 1279 Route 300 Phone: (845) 567-6556  
 Newburgh, NY 12550 (800) 829-6531  
 www.tectonicengineering.com

**T-Mobile**  
 12050 BALTIMORE AVENUE  
 BELTSVILLE, MD 20705

PROJECT NUMBER		DESIGNED BY	
7421.CT11064F		MP	
REV	DATE	REVISION	DRAWN BY
△	07/2/18	FOR COMMENT	DE
△	07/19/18	PER COMMENT	DE
△	08/9/18	PER COMMENT	BW
△	09/17/18	PER COMMENT	JT

ISSUED BY \_\_\_\_\_ DATE \_\_\_\_\_




SITE INFORMATION  
 CT11064F  
 AMTRAK-WINDSOR LOCKS  
 225 S MAIN STREET/  
 AMTRAK STATION,  
 WINDSOR LOCKS, CT  
 06096

SHEET TITLE  
**KEY & SITE PLAN**

SHEET NUMBER  
**A-1**





1 EQUIPMENT PLAN  
A-2 SCALE: 3/16" = 1'-0"


**Tectonic**  
PRACTICAL SOLUTIONS. EXCEPTIONAL SERVICE.  
Tectonic Engineering & Surveying Consultants P.C.  
1279 Route 300 Phone: (845) 567-6856  
Newburgh, NY 12550 (800) 829-6531  
www.tectonicengineering.com

..T..Mobile..  
12050 BALTIMORE AVENUE  
BELTSVILLE, MD 20705

PROJECT NUMBER 7421.CT11064F  
DESIGNED BY MP

REV	DATE	REVISION	DRAWN BY
△	07/2/18	FOR COMMENT	DE
△	07/19/18	PER COMMENT	DE
△	08/9/18	PER COMMENT	BW
△	09/17/18	PER COMMENT	JT


ISSUED BY DATE



SITE INFORMATION  
CT11064F  
AMTRAK-WINDSOR LOCKS  
225 S MAIN STREET/  
AMTRAK STATION,  
WINDSOR LOCKS, CT  
06096

SHEET TITLE  
EQUIPMENT PLAN  
& PHOTO

SHEET NUMBER  
A-2




2 PHOTO  
A-2 SCALE: N.T.S.








PROJECT NUMBER		DESIGNED BY	
7421.CT11064F		MP	
REV	DATE	REVISION	DRAWN BY
△	07/2/18	FOR COMMENT	DE
△	07/19/18	PER COMMENT	DE
△	08/9/18	PER COMMENT	BW
△	09/17/18	PER COMMENT	JT
ISSUED BY		DATE	



SITE INFORMATION  
 CT11064F  
 AMTRAK-WINDSOR LOCKS  
 225 S MAIN STREET/  
 AMTRAK STATION,  
 WINDSOR LOCKS, CT  
 06096

SHEET TITLE  
 ELEVATION & PHOTO

SHEET NUMBER  
 A-3




1 ELEVATION  
 A-3 SCALE: 1/16" = 1'-0"




2 PHOTO  
 A-3 SCALE: N.T.S.









1 ANTENNA PLAN  
A-4 SCALE: 3/8" = 1'-0"




4 ANTENNA (EXIST)  
A-4 SCALE: 1/2" = 1'-0"



5 ANTENNA (EXIST)  
A-4 SCALE: 1/2" = 1'-0"




6 ANTENNA (PROPOSED)  
A-4 SCALE: 1/2" = 1'-0"




7 ANTENNA (PROPOSED)  
A-4 SCALE: 1/2" = 1'-0"




2 PHOTO  
A-4 SCALE: N.T.S.



3 CABLE MOUNTING DETAIL  
A-4 SCALE: 1" = 1'-0"



8 TMA (EXIST)  
A-4 SCALE: 1" = 1'-0"




9 TMA (PROPOSED)  
A-4 SCALE: 1" = 1'-0"



**Tectonic**  
PRACTICAL SOLUTIONS. EXCEPTIONAL SERVICE.  
Tectonic Engineering & Surveying Consultants P.C.  
1279 Route 300 Phone: (845) 567-6556  
Newburgh, NY 12550 (800) 829-6531  
www.tectonicengineering.com

**T-Mobile**  
12050 BALTIMORE AVENUE  
BELTSVILLE, MD 20705

PROJECT NUMBER		DESIGNED BY	
7421.CT11064F		MP	
REV	DATE	REVISION	DRAWN BY
△	07/2/18	FOR COMMENT	DE
△	07/19/18	PER COMMENT	DE
△	08/9/18	PER COMMENT	BW
△	09/17/18	PER COMMENT	JT
ISSUED BY		DATE	




SITE INFORMATION  
CT11064F  
AMTRAK-WINDSOR LOCKS  
225 S MAIN STREET/  
AMTRAK STATION,  
WINDSOR LOCKS, CT  
06096


SHEET TITLE  
ANTENNA PLAN,  
DETAILS, & PHOTO

SHEET NUMBER  
A-4

**Mobile**  
 12050 BALTIMORE AVENUE  
 BELTSVILLE, MD 20705




1 GROUNDING RISER DIAGRAM  
 A-5 SCALE: NTS



2 ONE-LINE POWER DIAGRAM  
 A-5 SCALE: NTS


PROJECT NUMBER		DESIGNED BY	
7421.CT11064F		MP	
REV	DATE	REVISION	DRAWN BY
Δ	07/2/18	FOR COMMENT	DE
Δ	07/19/18	PER COMMENT	DE
Δ	08/9/18	PER COMMENT	BW
Δ	09/17/18	PER COMMENT	JT
ISSUED BY		DATE	



SITE INFORMATION  
 CT11064F  
 AMTRAK-WINDSOR LOCKS  
 225 S MAIN STREET/  
 AMTRAK STATION,  
 WINDSOR LOCKS, CT  
 06096


SHEET TITLE  
 WIRING DIAGRAMS

SHEET NUMBER  
 A-5





Unit	Dimensions (mm)
Height (including installation frame)	1626
Width	1300
Depth	710
Depth including door	926



1  
A-6  
3106 CABINET (EXIST)  
SCALE: NTS

## Product Specifications

COMMScope<sup>SM</sup>



AVA6-50  
AVA6-50, HELIAX<sup>®</sup> Andrew Virtual Air<sup>™</sup> Coaxial Cable, corrugated copper, 1-1/4 in, black PE jacket

### Construction Materials

Jacket Material	PE
Outer Conductor Material	Corrugated copper
Dielectric Material	Foam PE
Flexibility	Standard
Inner Conductor Material	Corrugated copper tube
Jacket Color	Black

### Dimensions

Nominal Size	1-1/4 in
Cable Weight	0.46 lb/ft   0.63 kg/m
Diameter Over Dielectric	34.036 mm   1.340 in
Diameter Over Jacket	39.624 mm   1.560 in
Inner Conductor OD	14.0268 mm   0.5520 in
Outer Conductor OD	36.068 mm   1.420 in

### Electrical Specifications

Cable Impedance	50 ohm ±1 ohm
Capacitance	22.0 pF/ft   72.0 pF/m
dc Resistance, Inner Conductor	0.530 ohms/kft   1.740 ohms/km
dc Resistance, Outer Conductor	0.230 ohms/kft   0.750 ohms/km
dc Test Voltage	8500 V
Inductance	0.057 µH/ft   0.187 µH/m
Insulation Resistance	100000 Mohms*km
Jacket Spark Test Voltage (rms)	10000 V
Operating Frequency Band	1 - 3700 MHz
Peak Power	180.0 kW
Velocity	92%

### Environmental Specifications

Installation Temperature	-40 °C to +60 °C (-40 °F to +140 °F)
Operating Temperature	-55 °C to +85 °C (-67 °F to +185 °F)
Storage Temperature	-70 °C to +85 °C (-94 °F to +185 °F)


### General Specifications

Brand	HELIAX <sup>®</sup>
-------	---------------------

©2015 CommScope, Inc. All rights reserved. All trademarks identified by ® or ™ are registered trademarks, respectively, of CommScope. All specifications are subject to change without notice. See www.commscope.com for the most current information. Revised: February 9, 2015 page 1 of 3 February 12, 2015


2  
A-6  
COAX CABLE (EXIST)  
SCALE: NTS

## Remote Radio Unit – RRUS11 B12



\* RRUS 11 B12 is exactly the same size as RRUS 11 B2 or B4 that T-Mobile is currently using.

Dimensions with Solar Shield and Handle	
Height	500 mm
Width	431 mm
Depth	182 mm
Weight	
RRUS 11	23 kg
Color	
Grey	NCS S2502-R




Unit	Output Power
RRUS 11 B1, B4	2x30W
	2x40W
RRUS 11 B2	2x30W
	2x40W
RRUS 11 B12	2x30W


Position Description	Marking
A Maintenance button	✓
B Optical indicators	①, ②, ③, ④
	⑤-1, ⑤-2
	LMT
C +48 V DC power supply	LMT
D	LMT
E Optical cable 1	⑥-1
F Optical cable 2	⑥-2
G Antenna 1	AI1
H Antenna 2	BI1
I ALD (used for a RET unit for example)	ALD
J External alarm	⊖
K(1) Cross connect RKA	RKA I/O
L(1) RKA co-site	RKA OLT
M(1) Cross connect RKB	RKB I/O
N Grounding	⊕

3  
A-6  
RRU (EXIST)  
SCALE: NTS

## BUILDING PRACTICE CONCEPT



- Optimized for dual band
- Target size: 13.2 x 14.9 x 9.3
  - Volume: 30+L
  - 335mm width; 379.7mm height; 235+mm depth 13.19.
  - Weight: 74 lb +/- 4lb (33.6Kg +/- 1.8kg)
  - 58+mm fin height
- Filter double-sided chassis in-between B12 and B71 R<sub>z</sub>



©n 4449-812-2711 | CommScope is a registered trademark of CommScope. © Ericsson AB 2017 | 2017-09-26 | Page 6

4  
A-6  
RRU (PROPOSED)  
SCALE: NTS




# Tectonic<sup>™</sup>

PRACTICAL SOLUTIONS. EXCEPTIONAL SERVICE.  
Tectonic Engineering & Surveying Consultants P.C.  
1279 Route 300 Phone: (845) 567-6856  
Newburgh, NY 12550 (800) 829-6531  
www.tectonicengineering.com

..T..Mobile..  
12050 BALTIMORE AVENUE  
BELTSVILLE, MD 20705

PROJECT NUMBER	DESIGNED BY		
7421.CT11064F	MP		
REV	DATE	REVISION	DRAWN BY
△	07/2/18	FOR COMMENT	DE
△	07/19/18	PER COMMENT	DE
△	08/9/18	PER COMMENT	BW
△	09/17/18	PER COMMENT	JT
ISSUED BY	DATE		



SITE INFORMATION  
CT11064F  
AMTRAK-WINDSOR LOCKS  
225 S MAIN STREET/  
AMTRAK STATION,  
WINDSOR LOCKS, CT  
06096

SHEET TITLE  
SPECIFICATIONS

SHEET NUMBER  
A-6



# Product Specifications

COMMSCOPE®



ATCBB01-060

Telebit® AISG RET Control Cable, 60 m

- Feeds data and power to RET system components
- AISG and RoHS compliant



## General Specifications

Product Type: AISG standard cable  
Brand: Telebit®

## Electrical Specifications

EU Certification: CB | CE  
Protocol: AISG 1.1 | AISG 2.0  
Voltage, maximum: 300 V

## Mechanical Specifications

AISG Connector A: 8-pin DIN Female  
AISG Connector A Body Style: Straight  
AISG Connector A Standard: IEC 60130-9  
AISG Connector B: 8-pin DIN Male  
AISG Connector B Body Style: Straight  
AISG Connector B Standard: IEC 60130-9  
Data Conductor Type: 0.20 mm<sup>2</sup> (24 AWG) twisted pair  
Power Conductor Type: 0.82 mm<sup>2</sup> (18 AWG) stranded  
Total Conductors, quantity: 6  
Color: Black

## Environmental Specifications

Climatic Sequence Test Method: IEC 60068-2-14  
Cold Exposure Test Method: IEC 60068-2-1  
Damp Heat Exposure Test Method: IEC 60068-2-30, Test Condition Db  
Heat Exposure Test Method: IEC 60068-2-2  
Operating Temperature: -40 °C to +70 °C (-40 °F to +158 °F)  
Rain Simulation Test Method: IEC 60068-2-18, Test Condition Ra, Method 1  
Relative Humidity: Up to 100%  
UV Resistance Test Method: IEC 60068-2-5, Test Condition B  
Ingress Protection Test Method: IEC 60529:2001, IP67

## Dimensions

Length: 60.0 m | 196.9 ft  
Diameter Over Jacket: 8.000 mm | 0.315 in  
Net Weight: 5.2 kg | 11.5 lb

©2015 CommScope, Inc. All rights reserved. All trademarks identified by ® or ™ are registered trademarks, respectively, of CommScope. All specifications are subject to change without notice. See www.commscope.com for the most current information. Revised: February 2, 2015

page 2 of 3  
February 13, 2015


1 RET CABLE (EXIST)  
A-7 SCALE: NTS

PRODUCT DATASHEET  
HB114-05UGS18-30M

RADIO FREQUENCY SYSTEMS  
The Clear Choice



## HYBRIFLEX® RRH Hybrid Feeder Cabling Solution 9x18, 10 AWG, 1-1/4", Single-Mode Fiber, 30m



6412 HYBRIFLEX Pictured

RFS HYBRIFLEX Remote Radio Head (RRH) hybrid feeder cabling solution combines optical fiber and DC power for RRHs in a single lightweight aluminum corrugated cable, making it the world's most innovative solution for RRH deployments. It was developed to reduce installation complexity and costs at cellular sites.

HYBRIFLEX allows mobile operators deploying an RRH architecture to standardize the RRH installation process and eliminate the need for and cost of cable grounding. HYBRIFLEX combines optical fiber multi-mode or single-mode and power in a single corrugated cable. It eliminates the need for junction boxes and can connect multiple RRHs with a single feeder. Standard RFS CELLFLEX accessories can be used with HYBRIFLEX cable. Both pre-terminated and on-site options are available.

### FEATURES / BENEFITS

- Aluminum corrugated armor with outstanding bending characteristics - Minimizes installation time and enables mechanical protection and shielding
- Some versions are 1-1/4" outer diameter
- Outer conductor grounding - Eliminates typical grounding requirements and saves on installation costs
- Lightweight design and compact design - Reduces tower loading
- Rugged cabling - Eliminates need for expensive cable trays and ducts
- Installation of pre-terminated fiber optic cable pairs directly to the RRH - Reduces CAPEx and simplifies field by eliminating need for interconnection
- Optical fiber and power cables housed in single corrugated cable - Saves CAPEX by manufacturing RRH cable termination and reducing installation requirements
- Outdoor, black PE jacket - Standard, protecting cable protection


### Technical Features

STRUCTURE	
Cable Type	HYBRIFLEX
Size	1-1/4"
Length	30 (95)
MECHANICAL SPECIFICATIONS	
Outer Diameter Nominal	mm (in) 32.1 (1.26)
Cable Weight	kg/m (lb/ft) 1.34 (0.5)
Minimum Bending Radius, Single Bend	mm (in) 152 (6)
Minimum Bending Radius, Multi Bends	mm (in) 254 (10)
Recommended / Maximum Clamp Spacing	m (ft) 1.7 (5.6) (2)
DC POWER CABLE SPECIFICATIONS	
Number of DC Pairs	0
Maximum DC-Resistance Power Cable	Ohm (1000) 0.41 (1.04)
Cross Section of Power Cable	mm <sup>2</sup> (in <sup>2</sup> ) 0.3 (1.9)
DC Wire Jacket Material	PVC
DC Cable Diameter	mm (in) 3.0 (1/8)
DC Cable Jacket	PVC
DC Standards (Meets or Exceeds)	For use in UL 2002, PVC 1000, RoHS/REACH Compliant
DC Cable sealing method	Compression force-applied polyethylene with hot melt adhesive
CABLE JACKET	
UV-Protection Individual and External Jacket	Yes
ARMOR SPECIFICATIONS	
Armor Type	Corrugated Aluminum
Maximum DC-Resistance of Armor	Ohm (1000) 0.3 (0.7)
Diameter Corrugated Armor	mm (in) 30 (1.2)
FIBER CABLE SPECIFICATIONS	
Fiber Cable Type	Single-mode
Number of Fiber Pairs	18
Core/Glaze	9/125
Single Bending Radius	mm (in) 152 (6)
Fiber Standards (Meets or Exceeds)	UL Listed Type DFR, UL1000, RoHS Compliant
Optical Loss	
Fiber Termination End 1	dB Km 0.3 @ 1310 nm
Fiber Termination End 2	0.4 @ 1550 nm
Cable sealing method	Compression force-applied polyethylene with hot melt adhesive
TESTING AND ENVIRONMENTAL	
Storage Temperature	°C (°F) -40 to 70 (-40 to 158)
Operation Temperature	°C (°F) -40 to 65 (-40 to 149)
Installation Temperature	°C (°F) -20 to 60 (-4 to 140)
ASSEMBLY LOSS	
Optical Insertion Loss, Assembly or Jumper	0.4 dB (typ) 0.905 (max) @ 1310/1550
SYSTEM LOSS	
Optical Insertion Loss, Total Path	0.06 dB (typ) 1.305 (max) @ 1310/1550

2 FIBER CABLE (EXIST)  
A-7 SCALE: NTS

## Hybrid Cable Solutions (HCS)

- **Commscope (Andrew)**
- 6x6awg, DC conductors + 9 fiber pairs (single-mode) in a 7/8" OD trunk cable with single OVP/junction boxes at top and bottom
- 4 total RRU or AIR can be supported up to 220' (otherwise an additional trunk cable will be needed)
- Larger 1-5/8" trunk cable solution being designed to support greater #RRUs config. and/or longer runs (via 6x4awg, DC conductors + 18 fiber pairs)



3 HYBRID CABLE (PROPOSED)  
A-7 SCALE: NTS



# Tectonic

Practical Solutions. Exceptional Service.  
Tectonic Engineering & Surveying Consultants P.C.  
1279 Route 300 Phone: (845) 567-6656  
Newburgh, NY 12550 (800) 829-6531  
www.tectonicengineering.com

# Mobile

12050 BALTIMORE AVENUE  
BELTSVILLE, MD 20705

REV	DATE	REVISION	DRAWN BY
△	07/2/18	FOR COMMENT	DE
△	07/19/18	PER COMMENT	DE
△	08/9/18	PER COMMENT	BW
△	08/17/18	PER COMMENT	JT

ISSUED BY: DATE:

SITE INFORMATION

CT11064F  
AMTRAK-WINDSOR LOCKS  
225 S MAIN STREET/  
AMTRAK STATION,  
WINDSOR LOCKS, CT  
06096

SHEET TITLE  
SPECIFICATIONS

SHEET NUMBER  
A-7

# Exhibit D

**STRUCTURAL ANALYSIS REPORT – REVISION 6**

**T-MOBILE UPGRADE**

**EXISTING 150' MONOPOLE**

**SITE NAME: WINDSOR / I-91/ X40\_1**

**225 S MAIN STREET/AMTRAK STATION,  
WINDSOR LOCKS, CT 06096**

**MAXIMUM STRUCTURAL RATING: 100%**

**NOVEMBER 01, 2018**

**TEC W.O. 7421.CT11064F**





## **TABLE OF CONTENTS**

### **DESCRIPTION**

STRUCTURAL ANALYSIS REPORT

STRUCTURE INFORMATION

EXISTING APPURTENANCES

PROPOSED APPURTENANCES

ANALYSIS CRITERIA

RESULTS AND CONCLUSION

TNX TOWER OUTPUT

FOUNDATION CALCULATIONS

ADDITIONAL CALCULATIONS

### **APPENDICES**

A. GEOTECHNICAL EVALUATION (1998)

B. MONOPOLE AND FOUNDATION DESIGN (1999)

C. TOWER MAPPING REPORT (2015)

D. CONNECTICUT STATE WIND SPEED REQUIREMENT

Project Information			
W.O. Number:	7421.CT11064F	Report Date:	11/1/2018
Client:	T-Mobile	Revision:	6
Site Name:	Windsor/ I-91/ X40_1		
Owner:	AMTRAK		
Site Address:	225 S Main Street/Amtrak Station	FCC Regulation Number:	--
City, State:	Windsor Locks, CT 06096	County:	Hartford

Structure Information			
Structure Type:	Monopole	Manufacturer:	PiRod
Structure Height:	150 ft.	Year Built:	1999
Original Drawings:	Structure: Yes	Foundation:	Yes
Documents provided:			
	<u>Item</u>	<u>By</u>	<u>No.</u>
	Geotechnical Evaluation (11 pages)	French & Parrello Associates	98A005ER2
	Tower and Foundation Drawings (9 pages)	PiRod Inc.	203977-B
	Tower Mapping Report (14 pages)	Vertical Solutions	141329
	RFDS - Version 3.1 - L600	T-Mobile	-
			<u>Date</u>
			6/22/98
			1/7/99
			1/14/15
			5/4/18

Inspection			
Type: Tower Mapping	Date:	1/14/2015	
Visual Inspection from ground	Date:	4/26/2017	
General Condition:			
Pole:	Good	Finish:	Painted
Foundation:	Good	Condition:	Intact
Observations: Bird's nest at top of the pole			

Existing Appurtenances						
Antennas:						
<u>Height (ft.)</u>	<u>Carrier</u>	<u>Qty</u>	<u>Manuf.</u>	<u>Model</u>	<u>Mount</u>	<u>Comment</u>
150	T-Mobile	3	Ericsson	AIR 21 B4A B2P	(1) 10' Low Profile Platform	To be Removed
		3	Commscope	SBNH-1D65C		
		3	Ericsson	RRUS 11 B2		
		3	Ericsson	RRUS 11 B12		
		3	Ericsson	KRY 112-144-1 TMA		
150	Amtrak	1	Celwave	PD220 (Inverted)		To Remain
98.5	Amtrak	1	Celwave	PD220	(1) 6' Side Arm	To Remain
70.5	Amtrak	1	Celwave	PD220	(1) 6' Side Arm	To Remain
51	--	1	--	--	(1) Spare 6' Side Arm	To Remain
Cables:						
<u>Height (ft.)</u>	<u>Carrier</u>	<u>Qty</u>	<u>Nom. Size</u>	<u>Location / Support</u>		<u>Comment</u>
150	T-Mobile	6	1-1/4" dia	Routed along the interior of the pole		To Remain
150	T-Mobile	1	Hybriflex	Routed along the interior of the pole		To Remain
150	Amtrak	1	1/2" dia	Routed along the interior of the pole		To Remain
98.5	Amtrak	1	1/2" dia	Routed along the interior of the pole		To Remain
70.5	Amtrak	1	1/2" dia	Routed along the interior of the pole		To Remain

Proposed Installation						
T-Mobile is proposing to replace all six (6) existing panel antennas, three (3) existing RRU's and three (3) existing TMA's with newer models. In addition, three (3) existing RRU's will be removed as part of this upgrade. The final T-Mobile configuration upon this installation will be as follows:						
Antennas:						
<u>Height (ft.)</u>	<u>Carrier</u>	<u>Qty</u>	<u>Manuf.</u>	<u>Model</u>	<u>Mount</u>	
150	T-Mobile	3	Ericsson	AIR32 B66A B2A	Existing 10' Low Profile Platform	
		3	RFS	APXVAARR24 43-U-NA20		
		3	Ericsson	Radio 4449 B71+B12 RRU's		
		3	RFS	ATMA4D-VA20 TMA's		
Cables:						
<u>Height (ft.)</u>	<u>Qty</u>	<u>Nom. Size</u>	<u>Location / Support</u>			
150	6	1-1/4"	Existing routed along the interior of the pole to remain			
150	1	Hybriflex Fiber Cable	Existing routed along the interior of the pole to remain			
150	2	Hybriflex Fiber Cable	To be routed along the interior of the pole			



W.O. Number: 7421.CT11064F	Report Date: 11/1/2018
Client: T-Mobile	Revision: 6
Site Name: Windsor/ I-91/ X40_1	

### Analysis Criteria

Design Standard: ANSI/TIA-222-G-2005  
 Building Code: 2016 Connecticut State Building Code

	Capacity (no ice)	Capacity w/ ice	Service
Wind Speed:	97 mph*	50 mph	60 mph
Basic Ice Thickness:	0 inch	1.0 inch	0 inch

\*Nominal 3-second gust wind speed per Appendix N of 2016 Connecticut Building Code

Structure Class: 2 Seismic: No  
 Exposure Category: C  
 Topo Category: 1

- Assumptions:
1. The monopole was designed and constructed in accordance with the applicable codes and standards.
  2. The foundation was designed and constructed based on site-specific geotechnical information.
  3. Wind area and weight of the existing antenna platform has been estimated based on the site specific pictures.
  4. The existing base plate and flange plate have been adequately designed to carry the full capacity of the unreinforced pole shaft. Therefore, the base plate and flange plate capacity is governed by the pole shaft and/or anchor capacity.
  5. The existing appurtenance mounts have not been analyzed in conjunction with this analysis of the overall tower.

### Analysis Results

Element	% Usage
Shaft	96%
Anchor Bolts	54%
Flange Connections	100%
Foundation	39%

Type	Service Load Deflections (Max)		
	At Top	Allowable	Percentage
Horizontal (inch):	20.30	54.00	38%
Twist & Sway (deg):	1.68	4.00	42%

For detailed information, see the attached trxTower output and additional calculations.

#### Foundation Reactions (Envelope):

	Current Analysis <sup>1</sup>
Vertical	46 kips
Shear	15 kips
Moment	1431 kip-ft.

1. Existing foundation has been analyzed to verify its actual reserve capacity. For detailed information, see "Foundation Calculations" section.

W.O. Number: 7421.CT11064F  
Client: T-Mobile  
Site Name: Windsor/ I-91/ X40\_1

Report Date: 11/1/2018  
Revision: 6

### Conclusions

Based on our analysis, the existing monopole and its foundation have adequate capacity to support the proposed T-Mobile upgrade as described herein in accordance with current code requirements.


No structural problems for the monopole or its foundation are anticipated, and no modifications are necessary.

This analysis is based on the information provided by the client and may be affected if any assumptions are not valid or have been made in error. Tectonic should be notified in this event to determine the effect on the structural integrity of the tower.


Any further changes to the antenna configuration or other appurtenances should be reviewed with respect to their effect on structural loads prior to implementation.

Prepared by: Vinod Ramesh, EIT  
Structural Engineer

Approved by:



Antonio A. Gualtieri, P.E.  
Senior Vice President



Date:

11/1/18

**TNX TOWER SUMMARY REPORT**

### DESIGNED APPURTENANCE LOADING


TYPE	ELEVATION	TYPE	ELEVATION
4' Lightning Rod	150	2" STD Pipe (2.375 OD)x6'-0"	150
10' Low Profile Platform	150	PD220	150
APXVAARR24_43-U-NA20 w/ Mount Pipe	150	2" STD Pipe (2.375 OD)x6'-0"	150
APXVAARR24_43-U-NA20 w/ Mount Pipe	150	ATMA4D-VA20	150
APXVAARR24_43-U-NA20 w/ Mount Pipe	150	ATMA4D-VA20	150
APXVAARR24_43-U-NA20 w/ Mount Pipe	150	ATMA4D-VA20	150
AIR 32 B66Aa B2a w/ Mount Pipe	150	6' Side Arm	98.5
AIR 32 B66Aa B2a w/ Mount Pipe	150	PD220	98.5
AIR 32 B66Aa B2a w/ Mount Pipe	150	2" STD Pipe (2.375 OD)x4'-0"	98.5
RADIO 4449 B12/B71	150	6' Side Arm	70.5
RADIO 4449 B12/B71	150	PD220	70.5
RADIO 4449 B12/B71	150	2" STD Pipe (2.375 OD)x4'-0"	70.5
RADIO 4449 B12/B71	150	2" STD Pipe (2.375 OD)x4'-0"	51
2" STD x 5'-0" Pipe Mounts	150	6' Side Arm	51

### MATERIAL STRENGTH


GRADE	Fy	Fu	GRADE	Fy	Fu
A53-B-42	42 ksi	63 ksi			

### TOWER DESIGN NOTES

1. Tower is located in Hartford County, Connecticut.
2. Tower designed for Exposure C to the TIA-222-G Standard.
3. Tower designed for a 97 mph basic wind in accordance with the TIA-222-G Standard.
4. Tower is also designed for a 50 mph basic wind with 1.00 in ice. Ice is considered to increase in thickness with height.
5. Deflections are based upon a 60 mph wind.
6. Tower Structure Class II.
7. Topographic Category 1 with Crest Height of 0.000 ft
8. TOWER RATING: 96.1%




ALL REACTIONS  
ARE FACTORED



Section	Size	Length (ft)	Grade	Weight (K)
1	P12.75x0.375	15.000	A53-B-42	0.7
2	P12.75x0.375	15.000	A53-B-42	0.7
3	P18x0.375	20.000	A53-B-42	1.4
4	P24x0.375	20.000	A53-B-42	1.9
5	P30x0.375	20.000	A53-B-42	2.4
6	P36x0.375	20.000	A53-B-42	2.9
7	P42x0.375	20.000	A53-B-42	3.3
8	P48x0.375	20.000	A53-B-42	3.8
				17.2

**Tectonic**  
 PRACTICAL SOLUTIONS. EXCEPTIONAL SERVICE.  
 1279 Route 300  
 Newburgh, NY 12550  
 Phone: (845) 567 6656  
 FAX: (845) 567 8703

Job: **7421.CT11064F, Revision 6**  
 Project: **Windsor/I-91/X40\_1**  
 Client: T-Mobile  
 Code: TIA-222-G  
 Path:  
 Drawn by: Vinod Ramesh  
 Date: 11/01/18  
 App'd:  
 Scale: NTS  
 Dwg No. E-1

 <p><b>Tectonic</b> PRACTICAL SOLUTIONS. EXCEPTIONAL SERVICE.</p> <p><b>Tectonic</b> 1279 Route 300 Newburgh, NY 12550 Phone: (845) 567 6656 FAX: (845) 567 8703</p>	<b>Job</b> 7421.CT11064F, Revision 6	<b>Page</b> 1 of 14
	<b>Project</b> Windsor/I-91/X40_1	<b>Date</b> 09:02:35 11/01/18
	<b>Client</b> T-Mobile	<b>Designed by</b> Vinod Ramesh

## Tower Input Data

The tower is a monopole.

This tower is designed using the TIA-222-G standard.

The following design criteria apply:

Tower is located in Hartford County, Connecticut.

Basic wind speed of 97 mph.

Structure Class II.

Exposure Category C.

Topographic Category 1.

Crest Height 0.000 ft.

Nominal ice thickness of 1.000 in.

Ice thickness is considered to increase with height.

Ice density of 56.000 pcf.

A wind speed of 50 mph is used in combination with ice.

Temperature drop of 50.000 °F.

Deflections calculated using a wind speed of 60 mph.

A non-linear (P-delta) analysis was used.

Pressures are calculated at each section.

Stress ratio used in pole design is 1.

Local bending stresses due to climbing loads, feed line supports, and appurtenance mounts are not considered.

## Options

<ul style="list-style-type: none"> <li>Consider Moments - Legs</li> <li>Consider Moments - Horizontals</li> <li>Consider Moments - Diagonals</li> <li>Use Moment Magnification</li> <li>√ Use Code Stress Ratios</li> <li>√ Use Code Safety Factors - Guys</li> <li>Escalate Ice</li> <li>Always Use Max Kz</li> <li>Use Special Wind Profile</li> <li>Include Bolts In Member Capacity</li> <li>Leg Bolts Are At Top Of Section</li> <li>Secondary Horizontal Braces Leg</li> <li>Use Diamond Inner Bracing (4 Sided)</li> <li>SR Members Have Cut Ends</li> <li>SR Members Are Concentric</li> </ul>	<ul style="list-style-type: none"> <li>Distribute Leg Loads As Uniform</li> <li>Assume Legs Pinned</li> <li>√ Assume Rigid Index Plate</li> <li>√ Use Clear Spans For Wind Area</li> <li>√ Use Clear Spans For KL/r</li> <li>Retention Guys To Initial Tension</li> <li>√ Bypass Mast Stability Checks</li> <li>Use Azimuth Dish Coefficients</li> <li>√ Project Wind Area of Appurt.</li> <li>Autocalc Torque Arm Areas</li> <li>Add IBC .6D+W Combination</li> <li>√ Sort Capacity Reports By Component</li> <li>Triangulate Diamond Inner Bracing</li> <li>Treat Feed Line Bundles As Cylinder</li> <li>Ignore KL/ry For 60 Deg. Angle Legs</li> </ul>	<ul style="list-style-type: none"> <li>Use ASCE 10 X-Brace Ly Rules</li> <li>Calculate Redundant Bracing Forces</li> <li>Ignore Redundant Members in FEA</li> <li>SR Leg Bolts Resist Compression</li> <li>All Leg Panels Have Same Allowable</li> <li>Offset Girt At Foundation</li> <li>√ Consider Feed Line Torque</li> <li>Include Angle Block Shear Check</li> <li>Use TIA-222-G Bracing Resist. Exemption</li> <li>Use TIA-222-G Tension Splice Exemption</li> <li style="background-color: #e0e0e0;">Poles</li> <li>√ Include Shear-Torsion Interaction</li> <li>Always Use Sub-Critical Flow</li> <li>Use Top Mounted Sockets</li> <li>Pole Without Linear Attachments</li> <li>Pole With Shroud Or No Appurtenances</li> <li>Outside and Inside Corner Radii Are Known</li> </ul>
--	---	--

## Pole Section Geometry

Section	Elevation ft	Section Length ft	Pole Size	Pole Grade	Socket Length ft
L1	150.000-135.000	15.000	P12.75x0.375	A53-B-42 (42 ksi)	
L2	135.000-120.000	15.000	P12.75x0.375	A53-B-42 (42 ksi)	
L3	120.000-100.000	20.000	P18x0.375	A53-B-42 (42 ksi)	



<b>Job</b>	7421.CT11064F, Revision 6	<b>Page</b>	2 of 14
<b>Project</b>	Windsor/I-91/X40_1	<b>Date</b>	09:02:35 11/01/18
<b>Client</b>	T-Mobile	<b>Designed by</b>	Vinod Ramesh

Section	Elevation ft	Section Length ft	Pole Size	Pole Grade	Socket Length ft
L4	100.000-80.000	20.000	P24x0.375	A53-B-42 (42 ksi)	
L5	80.000-60.000	20.000	P30x0.375	A53-B-42 (42 ksi)	
L6	60.000-40.000	20.000	P36x0.375	A53-B-42 (42 ksi)	
L7	40.000-20.000	20.000	P42x0.375	A53-B-42 (42 ksi)	
L8	20.000-0.000	20.000	P48x0.375	A53-B-42 (42 ksi)	

Tower Elevation ft	Gusset Area (per face) ft <sup>2</sup>	Gusset Thickness in	Gusset Grade	Adjust. Factor A <sub>f</sub>	Adjust. Factor A <sub>r</sub>	Weight Mult.	Double Angle Stitch Bolt Spacing Diagonals in	Double Angle Stitch Bolt Spacing Horizontals in	Double Angle Stitch Bolt Spacing Redundants in
L1 150.000-135.000				1	1	1			
L2 135.000-120.000				1	1	1			
L3 120.000-100.000				1	1	1			
L4 100.000-80.000				1	1	1			
L5 80.000-60.000				1	1	1			
L6 60.000-40.000				1	1	1			
L7 40.000-20.000				1	1	1			
L8 20.000-0.000				1	1	1			

### Feed Line/Linear Appurtenances - Entered As Round Or Flat

Description	Sector	Exclude From Torque Calculation	Component Type	Placement ft	Total Number	Number Per Row	Start/End Position	Width or Diameter in	Perimeter in	Weight klf
Climbing Ladder	C	No	Surface Ar (CaAa)	150.000 - 10.500	1	1	0.000 0.000	1.000		0.008
Safety Line 3/8	C	No	Surface Ar (CaAa)	150.000 - 10.500	1	1	0.000 0.000	0.375		0.000

### Feed Line/Linear Appurtenances - Entered As Area

Description	Face or Leg	Allow Shield	Exclude From Torque Calculation	Component Type	Placement ft	Total Number	C <sub>A</sub> A <sub>A</sub> ft <sup>2</sup> /ft	Weight klf
LDF4-50A(1/2")	C	No	No	Inside Pole	150.000 - 0.000	1	No Ice 1/2" Ice 1" Ice	0.000 0.000 0.000



PRactical SOLUTIONS. EXCEPTIONAL SERVICE.

**Tectonic**  
1279 Route 300  
Newburgh, NY 12550  
Phone: (845) 567 6656  
FAX: (845) 567 8703

<b>Job</b>	7421.CT11064F, Revision 6	<b>Page</b>	3 of 14
<b>Project</b>	Windsor/I-91/X40_1	<b>Date</b>	09:02:35 11/01/18
<b>Client</b>	T-Mobile	<b>Designed by</b>	Vinod Ramesh

Description	Face or Leg	Allow Shield	Exclude From Torque Calculation	Component Type	Placement ft	Total Number		C <sub>AA</sub> ft <sup>2</sup> /ft	Weight klf
LDF4-50A(1/2")	C	No	No	Inside Pole	98.500 - 0.000	1	No Ice	0.000	0.000
							1/2" Ice	0.000	0.000
							1" Ice	0.000	0.000
LDF4-50A(1/2")	C	No	No	Inside Pole	70.500 - 0.000	1	No Ice	0.000	0.000
							1/2" Ice	0.000	0.000
							1" Ice	0.000	0.000
LDF6-50(1-1/4")	C	No	No	Inside Pole	150.000 - 0.000	6	No Ice	0.000	0.001
							1/2" Ice	0.000	0.001
							1" Ice	0.000	0.001
HB114-05U9S18-30 M	C	No	No	Inside Pole	150.000 - 0.000	1	No Ice	0.000	0.001
							1/2" Ice	0.000	0.001
							1" Ice	0.000	0.001
HB114-U6S12-120-LI	C	No	No	Inside Pole	150.000 - 0.000	2	No Ice	0.000	0.001
							1/2" Ice	0.000	0.001
							1" Ice	0.000	0.001

### Feed Line/Linear Appurtenances Section Areas

Tower Section	Tower Elevation ft	Face	A <sub>R</sub> ft <sup>2</sup>	A <sub>F</sub> ft <sup>2</sup>	C <sub>AA</sub> In Face ft <sup>2</sup>	C <sub>AA</sub> Out Face ft <sup>2</sup>	Weight K
L1	150.000-135.000	A	0.000	0.000	0.000	0.000	0.000
		B	0.000	0.000	0.000	0.000	0.000
		C	0.000	0.000	2.063	0.000	0.224
L2	135.000-120.000	A	0.000	0.000	0.000	0.000	0.000
		B	0.000	0.000	0.000	0.000	0.000
		C	0.000	0.000	2.063	0.000	0.224
L3	120.000-100.000	A	0.000	0.000	0.000	0.000	0.000
		B	0.000	0.000	0.000	0.000	0.000
		C	0.000	0.000	2.750	0.000	0.299
L4	100.000-80.000	A	0.000	0.000	0.000	0.000	0.000
		B	0.000	0.000	0.000	0.000	0.000
		C	0.000	0.000	2.750	0.000	0.301
L5	80.000-60.000	A	0.000	0.000	0.000	0.000	0.000
		B	0.000	0.000	0.000	0.000	0.000
		C	0.000	0.000	2.750	0.000	0.303
L6	60.000-40.000	A	0.000	0.000	0.000	0.000	0.000
		B	0.000	0.000	0.000	0.000	0.000
		C	0.000	0.000	2.750	0.000	0.305
L7	40.000-20.000	A	0.000	0.000	0.000	0.000	0.000
		B	0.000	0.000	0.000	0.000	0.000
		C	0.000	0.000	2.750	0.000	0.305
L8	20.000-0.000	A	0.000	0.000	0.000	0.000	0.000
		B	0.000	0.000	0.000	0.000	0.000
		C	0.000	0.000	1.306	0.000	0.219

### Feed Line/Linear Appurtenances Section Areas - With Ice

Tower Section	Tower Elevation ft	Face or Leg	Ice Thickness in	A <sub>R</sub> ft <sup>2</sup>	A <sub>F</sub> ft <sup>2</sup>	C <sub>AA</sub> In Face ft <sup>2</sup>	C <sub>AA</sub> Out Face ft <sup>2</sup>	Weight K
L1	150.000-135.000	A	2.315	0.000	0.000	0.000	0.000	0.000
		B		0.000	0.000	0.000	0.000	0.000
		C		0.000	0.000	15.953	0.000	0.479
L2	135.000-120.000	A	2.289	0.000	0.000	0.000	0.000	0.000
		B		0.000	0.000	0.000	0.000	0.000



PRactical SOLUTIONS. EXceptionAL SERVICE.

**Tectonic**  
1279 Route 300  
Newburgh, NY 12550  
Phone: (845) 567 6656  
FAX: (845) 567 8703

<b>Job</b>	7421.CT11064F, Revision 6	<b>Page</b>	4 of 14
<b>Project</b>	Windsor/I-91/X40_1	<b>Date</b>	09:02:35 11/01/18
<b>Client</b>	T-Mobile	<b>Designed by</b>	Vinod Ramesh

Tower Section	Tower Elevation ft	Face or Leg	Ice Thickness in	A <sub>R</sub> ft <sup>2</sup>	A <sub>F</sub> ft <sup>2</sup>	C <sub>AA</sub> In Face ft <sup>2</sup>	C <sub>AA</sub> Out Face ft <sup>2</sup>	Weight K
L3	120.000-100.000	C	2.256	0.000	0.000	15.799	0.000	0.474
		A		0.000	0.000	0.000	0.000	0.000
		B		0.000	0.000	0.000	0.000	0.000
L4	100.000-80.000	C	2.211	0.000	0.000	20.797	0.000	0.623
		A		0.000	0.000	0.000	0.000	0.000
		B		0.000	0.000	0.000	0.000	0.000
L5	80.000-60.000	C	2.156	0.000	0.000	20.439	0.000	0.615
		A		0.000	0.000	0.000	0.000	0.000
		B		0.000	0.000	0.000	0.000	0.000
L6	60.000-40.000	C	2.085	0.000	0.000	20.000	0.000	0.603
		A		0.000	0.000	0.000	0.000	0.000
		B		0.000	0.000	0.000	0.000	0.000
L7	40.000-20.000	C	1.981	0.000	0.000	19.429	0.000	0.587
		A		0.000	0.000	0.000	0.000	0.000
		B		0.000	0.000	0.000	0.000	0.000
L8	20.000-0.000	C	1.775	0.000	0.000	18.598	0.000	0.563
		A		0.000	0.000	0.000	0.000	0.000
		B		0.000	0.000	0.000	0.000	0.000
		C		0.000	0.000	8.051	0.000	0.321

### Feed Line Center of Pressure

Section	Elevation ft	CP <sub>x</sub> Ice in	CP <sub>z</sub> Ice in	CP <sub>x</sub> No Ice in	CP <sub>z</sub> No Ice in
L1	150.000-135.000	0.000	1.205	0.000	2.554
L2	135.000-120.000	0.000	1.205	0.000	2.543
L3	120.000-100.000	0.000	1.248	0.000	2.955
L4	100.000-80.000	0.000	1.276	0.000	3.267
L5	80.000-60.000	0.000	1.294	0.000	3.465
L6	60.000-40.000	0.000	1.307	0.000	3.574
L7	40.000-20.000	0.000	1.316	0.000	3.593
L8	20.000-0.000	0.000	0.647	0.000	1.764

Note: For pole sections, center of pressure calculations do not consider feed line shielding.

### Shielding Factor Ka

Tower Section	Feed Line Record No.	Description	Feed Line Segment Elev.	K <sub>a</sub> No Ice	K <sub>a</sub> Ice
L1	6	Climbing Ladder	135.00 - 150.00	1.0000	1.0000
L1	7	Safety Line 3/8	135.00 - 150.00	1.0000	1.0000
L2	6	Climbing Ladder	120.00 - 135.00	1.0000	1.0000
L2	7	Safety Line 3/8	120.00 - 135.00	1.0000	1.0000
L3	6	Climbing Ladder	100.00 - 120.00	1.0000	1.0000
L3	7	Safety Line 3/8	100.00 - 120.00	1.0000	1.0000
L4	6	Climbing Ladder	80.00 - 100.00	1.0000	1.0000
L4	7	Safety Line 3/8	80.00 - 100.00	1.0000	1.0000
L5	6	Climbing Ladder	60.00 - 80.00	1.0000	1.0000
L5	7	Safety Line 3/8	60.00 - 80.00	1.0000	1.0000
L6	6	Climbing Ladder	40.00 - 60.00	1.0000	1.0000
L6	7	Safety Line 3/8	40.00 - 60.00	1.0000	1.0000





**Tectonic**  
 1279 Route 300  
 Newburgh, NY 12550  
 Phone: (845) 567 6656  
 FAX: (845) 567 8703

<b>Job</b>	7421.CT11064F, Revision 6	<b>Page</b>	5 of 14
<b>Project</b>	Windsor/I-91/X40_1	<b>Date</b>	09:02:35 11/01/18
<b>Client</b>	T-Mobile	<b>Designed by</b>	Vinod Ramesh

Tower Section	Feed Line Record No.	Description	Feed Line Segment Elev.	K <sub>a</sub> No Ice	K <sub>a</sub> Ice
L7	6	Climbing Ladder	20.00 - 40.00	1.0000	1.0000
L7	7	Safety Line 3/8	20.00 - 40.00	1.0000	1.0000
L8	6	Climbing Ladder	10.50 - 20.00	1.0000	1.0000
L8	7	Safety Line 3/8	10.50 - 20.00	1.0000	1.0000

### Discrete Tower Loads

Description	Face or Leg	Offset Type	Offsets:		Azimuth Adjustment	Placement	C <sub>A</sub> A <sub>A</sub> Front	C <sub>A</sub> A <sub>A</sub> Side	Weight	
			Horz Lateral	Vert						
			ft	ft	°	ft	ft <sup>2</sup>	ft <sup>2</sup>	K	
4' Lightning Rod	B	From Leg	4.000	0.000	0.000	150.000	No Ice	0.250	0.250	0.008
			0.000	0.000			1/2" Ice	0.664	0.664	0.010
			5.000	0.000			1" Ice	0.973	0.973	0.016
10' Low Profile Platform	C	None			0.000	150.000	No Ice	14.660	14.660	1.250
							1/2" Ice	18.870	18.870	1.481
							1" Ice	23.080	23.080	1.713
APXVAARR24_43-U-NA20 w/ Mount Pipe	A	From Leg	4.000	0.000	0.000	150.000	No Ice	20.480	11.024	0.161
			0.000	0.000			1/2" Ice	21.231	12.550	0.297
			0.000	0.000			1" Ice	21.990	14.099	0.444
APXVAARR24_43-U-NA20 w/ Mount Pipe	B	From Leg	4.000	0.000	0.000	150.000	No Ice	20.480	11.024	0.161
			0.000	0.000			1/2" Ice	21.231	12.550	0.297
			0.000	0.000			1" Ice	21.990	14.099	0.444
APXVAARR24_43-U-NA20 w/ Mount Pipe	C	From Leg	4.000	0.000	0.000	150.000	No Ice	20.480	11.024	0.161
			0.000	0.000			1/2" Ice	21.231	12.550	0.297
			0.000	0.000			1" Ice	21.990	14.099	0.444
AIR 32 B66Aa B2a w/ Mount Pipe	A	From Leg	4.000	0.000	0.000	150.000	No Ice	6.815	6.137	0.154
			0.000	0.000			1/2" Ice	7.299	6.993	0.216
			0.000	0.000			1" Ice	7.762	7.725	0.284
AIR 32 B66Aa B2a w/ Mount Pipe	B	From Leg	4.000	0.000	0.000	150.000	No Ice	6.815	6.137	0.154
			0.000	0.000			1/2" Ice	7.299	6.993	0.216
			0.000	0.000			1" Ice	7.762	7.725	0.284
AIR 32 B66Aa B2a w/ Mount Pipe	C	From Leg	4.000	0.000	0.000	150.000	No Ice	6.815	6.137	0.154
			0.000	0.000			1/2" Ice	7.299	6.993	0.216
			0.000	0.000			1" Ice	7.762	7.725	0.284
RADIO 4449 B12/B71	A	From Leg	4.000	0.000	0.000	150.000	No Ice	1.650	1.163	0.074
			0.000	0.000			1/2" Ice	1.810	1.301	0.090
			0.000	0.000			1" Ice	1.978	1.447	0.109
RADIO 4449 B12/B71	B	From Leg	4.000	0.000	0.000	150.000	No Ice	1.650	1.163	0.074
			0.000	0.000			1/2" Ice	1.810	1.301	0.090
			0.000	0.000			1" Ice	1.978	1.447	0.109
RADIO 4449 B12/B71	C	From Leg	4.000	0.000	0.000	150.000	No Ice	1.650	1.163	0.074
			0.000	0.000			1/2" Ice	1.810	1.301	0.090
			0.000	0.000			1" Ice	1.978	1.447	0.109
2" STD x 5'-0" Pipe Mounts	A	From Leg	4.000	0.000	0.000	150.000	No Ice	0.917	0.917	0.018
			0.000	0.000			1/2" Ice	1.172	1.172	0.026
			0.000	0.000			1" Ice	1.435	1.435	0.036
2" STD Pipe (2.375 OD)x6'-0"	B	From Leg	4.000	0.000	0.000	150.000	No Ice	1.425	1.425	0.022
			0.000	0.000			1/2" Ice	1.925	1.925	0.033
			0.000	0.000			1" Ice	2.294	2.294	0.048
PD220	B	From Leg	4.000	0.000	0.000	150.000	No Ice	3.560	3.560	0.023
			0.000	0.000			1/2" Ice	7.130	7.130	0.046
			-12.000	0.000			1" Ice	10.700	10.700	0.069
2" STD Pipe (2.375 OD)x6'-0"	C	From Leg	4.000	0.000	0.000	150.000	No Ice	1.425	1.425	0.022
			0.000	0.000			1/2" Ice	1.925	1.925	0.033
			0.000	0.000			1" Ice	2.294	2.294	0.048

\*\*\*



**Tectonic**  
1279 Route 300  
Newburgh, NY 12550  
Phone: (845) 567 6656  
FAX: (845) 567 8703

<b>Job</b>	7421.CT11064F, Revision 6	<b>Page</b>	6 of 14
<b>Project</b>	Windsor/I-91/X40_1	<b>Date</b>	09:02:35 11/01/18
<b>Client</b>	T-Mobile	<b>Designed by</b>	Vinod Ramesh

Description	Face or Leg	Offset Type	Offsets: Horz Lateral Vert	Azimuth Adjustment	Placement	C <sub>AA</sub> Front	C <sub>AA</sub> Side	Weight
			ft ft ft	°	ft	ft <sup>2</sup>	ft <sup>2</sup>	K
6' Side Arm	B	From Leg	3.000 0.000 0.000	0.000	98.500	No Ice 1.000 1/2" Ice 1.250 1" Ice 1.500	1.430 2.050 2.670	0.027 0.038 0.049
PD220	B	From Leg	6.000 0.000 10.000	0.000	98.500	No Ice 3.560 1/2" Ice 7.130 1" Ice 10.700	3.560 7.130 10.700	0.023 0.046 0.069
2" STD Pipe (2.375 OD)x4'-0"	B	From Leg	6.000 0.000 0.000	0.000	98.500	No Ice 0.866 1/2" Ice 1.111 1" Ice 1.365	0.866 1.111 1.365	0.015 0.022 0.032
***								
6' Side Arm	B	From Leg	3.000 0.000 0.000	0.000	70.500	No Ice 1.000 1/2" Ice 1.250 1" Ice 1.500	1.430 2.050 2.670	0.027 0.038 0.049
PD220	B	From Leg	6.000 0.000 10.000	0.000	70.500	No Ice 3.560 1/2" Ice 7.130 1" Ice 10.700	3.560 7.130 10.700	0.023 0.046 0.069
2" STD Pipe (2.375 OD)x4'-0"	B	From Leg	6.000 0.000 0.000	0.000	70.500	No Ice 0.866 1/2" Ice 1.111 1" Ice 1.365	0.866 1.111 1.365	0.015 0.022 0.032
***								
6' Side Arm	B	From Leg	3.000 0.000 0.000	0.000	51.000	No Ice 1.000 1/2" Ice 1.250 1" Ice 1.500	1.430 2.050 2.670	0.027 0.038 0.049
2" STD Pipe (2.375 OD)x4'-0"	B	From Leg	6.000 0.000 0.000	0.000	51.000	No Ice 0.866 1/2" Ice 1.111 1" Ice 1.365	0.866 1.111 1.365	0.015 0.022 0.032
***								
ATMA4D-VA20	A	From Leg	4.000 0.000 0.000	0.000	150.000	No Ice 0.704 1/2" Ice 0.814 1" Ice 0.933	0.354 0.442 0.538	0.008 0.014 0.021
ATMA4D-VA20	B	From Leg	4.000 0.000 0.000	0.000	150.000	No Ice 0.704 1/2" Ice 0.814 1" Ice 0.933	0.354 0.442 0.538	0.008 0.014 0.021
ATMA4D-VA20	C	From Leg	4.000 0.000 0.000	0.000	150.000	No Ice 0.704 1/2" Ice 0.814 1" Ice 0.933	0.354 0.442 0.538	0.008 0.014 0.021
***								

## Load Combinations

Comb. No.	Description
1	Dead Only
2	1.2 Dead+1.6 Wind 0 deg - No Ice
3	0.9 Dead+1.6 Wind 0 deg - No Ice
4	1.2 Dead+1.6 Wind 30 deg - No Ice
5	0.9 Dead+1.6 Wind 30 deg - No Ice
6	1.2 Dead+1.6 Wind 60 deg - No Ice
7	0.9 Dead+1.6 Wind 60 deg - No Ice
8	1.2 Dead+1.6 Wind 90 deg - No Ice
9	0.9 Dead+1.6 Wind 90 deg - No Ice
10	1.2 Dead+1.6 Wind 120 deg - No Ice
11	0.9 Dead+1.6 Wind 120 deg - No Ice
12	1.2 Dead+1.6 Wind 150 deg - No Ice
13	0.9 Dead+1.6 Wind 150 deg - No Ice



PRACTICAL SOLUTIONS. EXCEPTIONAL SERVICE.

**Tectonic**  
 1279 Route 300  
 Newburgh, NY 12550  
 Phone: (845) 567 6656  
 FAX: (845) 567 8703

<b>Job</b>	7421.CT11064F, Revision 6	<b>Page</b>	7 of 14
<b>Project</b>	Windsor/I-91/X40_1	<b>Date</b>	09:02:35 11/01/18
<b>Client</b>	T-Mobile	<b>Designed by</b>	Vinod Ramesh

Comb. No.	Description
14	1.2 Dead+1.6 Wind 180 deg - No Ice
15	0.9 Dead+1.6 Wind 180 deg - No Ice
16	1.2 Dead+1.6 Wind 210 deg - No Ice
17	0.9 Dead+1.6 Wind 210 deg - No Ice
18	1.2 Dead+1.6 Wind 240 deg - No Ice
19	0.9 Dead+1.6 Wind 240 deg - No Ice
20	1.2 Dead+1.6 Wind 270 deg - No Ice
21	0.9 Dead+1.6 Wind 270 deg - No Ice
22	1.2 Dead+1.6 Wind 300 deg - No Ice
23	0.9 Dead+1.6 Wind 300 deg - No Ice
24	1.2 Dead+1.6 Wind 330 deg - No Ice
25	0.9 Dead+1.6 Wind 330 deg - No Ice
26	1.2 Dead+1.0 Ice+1.0 Temp
27	1.2 Dead+1.0 Wind 0 deg+1.0 Ice+1.0 Temp
28	1.2 Dead+1.0 Wind 30 deg+1.0 Ice+1.0 Temp
29	1.2 Dead+1.0 Wind 60 deg+1.0 Ice+1.0 Temp
30	1.2 Dead+1.0 Wind 90 deg+1.0 Ice+1.0 Temp
31	1.2 Dead+1.0 Wind 120 deg+1.0 Ice+1.0 Temp
32	1.2 Dead+1.0 Wind 150 deg+1.0 Ice+1.0 Temp
33	1.2 Dead+1.0 Wind 180 deg+1.0 Ice+1.0 Temp
34	1.2 Dead+1.0 Wind 210 deg+1.0 Ice+1.0 Temp
35	1.2 Dead+1.0 Wind 240 deg+1.0 Ice+1.0 Temp
36	1.2 Dead+1.0 Wind 270 deg+1.0 Ice+1.0 Temp
37	1.2 Dead+1.0 Wind 300 deg+1.0 Ice+1.0 Temp
38	1.2 Dead+1.0 Wind 330 deg+1.0 Ice+1.0 Temp
39	Dead+Wind 0 deg - Service
40	Dead+Wind 30 deg - Service
41	Dead+Wind 60 deg - Service
42	Dead+Wind 90 deg - Service
43	Dead+Wind 120 deg - Service
44	Dead+Wind 150 deg - Service
45	Dead+Wind 180 deg - Service
46	Dead+Wind 210 deg - Service
47	Dead+Wind 240 deg - Service
48	Dead+Wind 270 deg - Service
49	Dead+Wind 300 deg - Service
50	Dead+Wind 330 deg - Service

### Maximum Member Forces

Section No.	Elevation ft	Component Type	Condition	Gov. Load Comb.	Axial K	Major Axis Moment kip-ft	Minor Axis Moment kip-ft
L1	150 - 135	Pole	Max Tension	26	0.000	0.000	0.001
			Max. Compression	26	-10.365	-0.838	-0.927
			Max. Mx	8	-3.491	-80.784	-0.169
			Max. My	14	-3.490	-0.113	-80.834
			Max. Vy	8	5.828	-80.784	-0.169
			Max. Vx	14	5.828	-0.113	-80.834
			Max. Torque	16			0.929
			Max Tension	1	0.000	0.000	0.000
L2	135 - 120	Pole	Max. Compression	26	-12.407	-0.943	-1.287
			Max. Mx	8	-4.788	-172.127	-0.293
			Max. My	14	-4.787	-0.165	-172.268
			Max. Vy	8	6.331	-172.127	-0.293
			Max. Vx	14	6.331	-0.165	-172.268
			Max. Torque	16			0.927
			Max Tension	1	0.000	0.000	0.000
			Max. Compression	26	-15.902	-1.067	-1.852
L3	120 - 100	Pole	Max. Mx	8	-6.965	-308.173	-0.493



PRactical SOLUTIONS. EXceptionAL SERVICE.

**Tectonic**  
 1279 Route 300  
 Newburgh, NY 12550  
 Phone: (845) 567 6656  
 FAX: (845) 567 8703

<b>Job</b>	7421.CT11064F, Revision 6	<b>Page</b>	8 of 14
<b>Project</b>	Windsor/I-91/X40_1	<b>Date</b>	09:02:35 11/01/18
<b>Client</b>	T-Mobile	<b>Designed by</b>	Vinod Ramesh

Section No.	Elevation ft	Component Type	Condition	Gov. Load Comb.	Axial K	Major Axis Moment kip-ft	Minor Axis Moment kip-ft
L4	100 - 80	Pole	Max. My	14	-6.964	-0.224	-308.481
			Max. Vy	8	7.251	-308.173	-0.493
			Max. Vx	14	7.252	-0.224	-308.481
			Max. Torque	4			-0.920
			Max Tension	1	0.000	0.000	0.000
			Max. Compression	26	-20.555	-2.720	-3.405
			Max. Mx	8	-9.755	-472.626	-0.722
			Max. My	14	-9.754	-0.381	-473.189
			Max. Vy	8	8.709	-472.626	-0.722
			Max. Vx	14	8.720	-0.381	-473.189
L5	80 - 60	Pole	Max. Torque	4			-2.785
			Max Tension	1	0.000	0.000	0.000
			Max. Compression	26	-26.043	-4.367	-5.054
			Max. Mx	8	-13.124	-665.569	-0.917
			Max. My	14	-13.123	-0.474	-666.554
			Max. Vy	8	10.344	-665.569	-0.917
			Max. Vx	14	10.366	-0.474	-666.554
			Max. Torque	5			-4.610
			Max Tension	1	0.000	0.000	0.000
			Max. Compression	26	-32.206	-5.188	-6.310
L6	60 - 40	Pole	Max. Mx	8	-17.057	-888.784	-0.908
			Max. My	14	-17.056	-0.263	-890.509
			Max. Vy	8	11.932	-888.784	-0.908
			Max. Vx	14	11.963	-0.263	-890.509
			Max. Torque	4			-5.184
			Max Tension	1	0.000	0.000	0.000
			Max. Compression	26	-38.964	-5.209	-7.147
			Max. Mx	8	-21.526	-1142.871	-0.731
			Max. My	14	-21.526	0.266	-1145.568
			Max. Vy	8	13.466	-1142.871	-0.731
L7	40 - 20	Pole	Max. Vx	14	13.497	0.266	-1145.568
			Max. Torque	4			-5.182
			Max Tension	1	0.000	0.000	0.000
			Max. Compression	26	-46.069	-5.209	-7.542
			Max. Mx	8	-26.479	-1426.989	-0.387
			Max. My	14	-26.479	0.803	-1430.492
			Max. Vy	8	14.937	-1426.989	-0.387
			Max. Vx	14	14.968	0.803	-1430.492
			Max. Torque	4			-5.181
			L8	20 - 0	Pole	Max. Torque	4
Max Tension	1	0.000				0.000	0.000
Max. Compression	26	-46.069				-5.209	-7.542
Max. Mx	8	-26.479				-1426.989	-0.387
Max. My	14	-26.479				0.803	-1430.492
Max. Vy	8	14.937				-1426.989	-0.387
Max. Vx	14	14.968				0.803	-1430.492
Max. Torque	4						-5.181

### Maximum Reactions

Location	Condition	Gov. Load Comb.	Vertical K	Horizontal, X K	Horizontal, Z K
Pole	Max. Vert	26	46.069	-0.000	-0.000
	Max. H <sub>x</sub>	20	26.482	14.931	-0.027
	Max. H <sub>z</sub>	2	26.482	-0.027	14.962
	Max. M <sub>x</sub>	2	1425.652	-0.027	14.962
	Max. M <sub>z</sub>	8	1426.989	-14.931	0.027
	Max. Torsion	16	5.180	7.488	-12.970
	Min. Vert	11	19.862	-12.917	-7.458
	Min. H <sub>x</sub>	8	26.482	-14.931	0.027
	Min. H <sub>z</sub>	14	26.482	0.027	-14.962
	Min. M <sub>x</sub>	14	-1430.492	0.027	-14.962
	Min. M <sub>z</sub>	20	-1424.498	14.931	-0.027
	Min. Torsion	4	-5.180	-7.488	12.970



PRactical SOLUTIONS. EXCEPTIONAL SERVICE.

**Tectonic**  
 1279 Route 300  
 Newburgh, NY 12550  
 Phone: (845) 567 6656  
 FAX: (845) 567 8703

<b>Job</b>	7421.CT11064F, Revision 6	<b>Page</b>	9 of 14
<b>Project</b>	Windsor/I-91/X40_1	<b>Date</b>	09:02:35 11/01/18
<b>Client</b>	T-Mobile	<b>Designed by</b>	Vinod Ramesh

## Tower Mast Reaction Summary

Load Combination	Vertical	Shear <sub>x</sub>	Shear <sub>z</sub>	Overturning Moment, M <sub>x</sub>	Overturning Moment, M <sub>z</sub>	Torque
	K	K	K	kip-ft	kip-ft	kip-ft
Dead Only	22.068	0.000	0.000	1.976	-1.013	-0.000
1.2 Dead+1.6 Wind 0 deg - No Ice	26.482	0.027	-14.962	-1425.652	-3.235	4.436
0.9 Dead+1.6 Wind 0 deg - No Ice	19.862	0.027	-14.962	-1411.317	-2.906	4.436
1.2 Dead+1.6 Wind 30 deg - No Ice	26.482	7.488	-12.970	-1235.352	-715.836	5.180
0.9 Dead+1.6 Wind 30 deg - No Ice	19.862	7.488	-12.970	-1223.010	-708.034	5.180
1.2 Dead+1.6 Wind 60 deg - No Ice	26.482	12.944	-7.504	-713.388	-1236.970	4.536
0.9 Dead+1.6 Wind 60 deg - No Ice	19.862	12.944	-7.504	-706.517	-1223.697	4.535
1.2 Dead+1.6 Wind 90 deg - No Ice	26.482	14.931	-0.027	0.387	-1426.989	2.677
0.9 Dead+1.6 Wind 90 deg - No Ice	19.862	14.931	-0.027	-0.224	-1411.716	2.676
1.2 Dead+1.6 Wind 120 deg - No Ice	26.482	12.917	7.458	714.712	-1234.966	0.100
0.9 Dead+1.6 Wind 120 deg - No Ice	19.862	12.917	7.458	706.614	-1221.702	0.099
1.2 Dead+1.6 Wind 150 deg - No Ice	26.482	7.443	12.944	1238.170	-712.353	-2.503
0.9 Dead+1.6 Wind 150 deg - No Ice	19.862	7.443	12.944	1224.588	-704.568	-2.504
1.2 Dead+1.6 Wind 180 deg - No Ice	26.482	-0.027	14.962	1430.492	0.803	-4.436
0.9 Dead+1.6 Wind 180 deg - No Ice	19.862	-0.027	14.962	1414.903	1.108	-4.436
1.2 Dead+1.6 Wind 210 deg - No Ice	26.482	-7.488	12.970	1240.159	713.401	-5.180
0.9 Dead+1.6 Wind 210 deg - No Ice	19.862	-7.488	12.970	1226.573	706.233	-5.179
1.2 Dead+1.6 Wind 240 deg - No Ice	26.482	-12.944	7.504	718.182	1234.506	-4.536
0.9 Dead+1.6 Wind 240 deg - No Ice	19.862	-12.944	7.504	710.069	1221.874	-4.535
1.2 Dead+1.6 Wind 270 deg - No Ice	26.482	-14.931	0.027	4.425	1424.498	-2.677
0.9 Dead+1.6 Wind 270 deg - No Ice	19.862	-14.931	0.027	3.790	1409.874	-2.676
1.2 Dead+1.6 Wind 300 deg - No Ice	26.482	-12.917	-7.458	-709.867	1232.478	-0.100
0.9 Dead+1.6 Wind 300 deg - No Ice	19.862	-12.917	-7.458	-703.024	1219.862	-0.099
1.2 Dead+1.6 Wind 330 deg - No Ice	26.482	-7.443	-12.944	-1233.311	709.894	2.504
0.9 Dead+1.6 Wind 330 deg - No Ice	19.862	-7.443	-12.944	-1220.988	702.750	2.504
1.2 Dead+1.0 Ice+1.0 Temp	46.069	0.000	0.000	7.542	-5.209	-0.000
1.2 Dead+1.0 Wind 0 deg+1.0 Ice+1.0 Temp	46.069	0.021	-5.497	-525.302	-6.851	3.365
1.2 Dead+1.0 Wind 30 deg+1.0 Ice+1.0 Temp	46.069	2.755	-4.771	-454.741	-272.131	3.911
1.2 Dead+1.0 Wind 60 deg+1.0 Ice+1.0 Temp	46.069	4.750	-2.767	-260.297	-465.903	3.409
1.2 Dead+1.0 Wind 90 deg+1.0 Ice+1.0 Temp	46.069	5.737	-0.021	5.933	-572.558	1.994



PRactical SOLUTIONS. EXceptionAL SERVICE.

**Tectonic**  
1279 Route 300  
Newburgh, NY 12550  
Phone: (845) 567 6656  
FAX: (845) 567 8703

<b>Job</b>	7421.CT11064F, Revision 6	<b>Page</b>	10 of 14
<b>Project</b>	Windsor/I-91/X40_1	<b>Date</b>	09:02:35 11/01/18
<b>Client</b>	T-Mobile	<b>Designed by</b>	Vinod Ramesh

Load Combination	Vertical K	Shear <sub>x</sub> K	Shear <sub>z</sub> K	Overturning Moment, M <sub>x</sub> kip-ft	Overturning Moment, M <sub>z</sub> kip-ft	Torque kip-ft
1.2 Dead+1.0 Wind 120 deg+1.0 Ice+1.0 Temp	46.069	4.730	2.731	272.612	-464.277	0.044
1.2 Dead+1.0 Wind 150 deg+1.0 Ice+1.0 Temp	46.069	2.719	4.750	468.267	-269.307	-1.917
1.2 Dead+1.0 Wind 180 deg+1.0 Ice+1.0 Temp	46.069	-0.021	5.497	540.471	-3.578	-3.365
1.2 Dead+1.0 Wind 210 deg+1.0 Ice+1.0 Temp	46.069	-2.755	4.771	469.882	261.701	-3.911
1.2 Dead+1.0 Wind 240 deg+1.0 Ice+1.0 Temp	46.069	-4.750	2.767	275.425	455.448	-3.409
1.2 Dead+1.0 Wind 270 deg+1.0 Ice+1.0 Temp	46.069	-5.737	0.021	9.207	562.081	-1.994
1.2 Dead+1.0 Wind 300 deg+1.0 Ice+1.0 Temp	46.069	-4.730	-2.731	-257.440	453.800	-0.044
1.2 Dead+1.0 Wind 330 deg+1.0 Ice+1.0 Temp	46.069	-2.719	-4.750	-453.083	258.855	1.918
Dead+Wind 0 deg - Service	22.068	0.006	-3.201	-301.842	-1.463	0.957
Dead+Wind 30 deg - Service	22.068	1.602	-2.775	-261.351	-153.084	1.117
Dead+Wind 60 deg - Service	22.068	2.769	-1.606	-150.290	-263.962	0.979
Dead+Wind 90 deg - Service	22.068	3.195	-0.006	1.579	-304.389	0.578
Dead+Wind 120 deg - Service	22.068	2.764	1.596	153.564	-263.532	0.022
Dead+Wind 150 deg - Service	22.068	1.592	2.769	264.941	-152.339	-0.540
Dead+Wind 180 deg - Service	22.068	-0.006	3.201	305.862	-0.602	-0.957
Dead+Wind 210 deg - Service	22.068	-1.602	2.775	265.369	151.018	-1.117
Dead+Wind 240 deg - Service	22.068	-2.769	1.606	154.309	261.897	-0.979
Dead+Wind 270 deg - Service	22.068	-3.195	0.006	2.440	302.322	-0.578
Dead+Wind 300 deg - Service	22.068	-2.764	-1.596	-149.543	261.465	-0.022
Dead+Wind 330 deg - Service	22.068	-1.592	-2.769	-260.918	150.272	0.540

## Solution Summary

Load Comb.	Sum of Applied Forces			Sum of Reactions			% Error
	PX K	PY K	PZ K	PX K	PY K	PZ K	
1	0.000	-22.068	0.000	0.000	22.068	-0.000	0.000%
2	0.027	-26.482	-14.962	-0.027	26.482	14.962	0.000%
3	0.027	-19.862	-14.962	-0.027	19.862	14.962	0.000%
4	7.488	-26.482	-12.970	-7.488	26.482	12.970	0.000%
5	7.488	-19.862	-12.970	-7.488	19.862	12.970	0.000%
6	12.944	-26.482	-7.504	-12.944	26.482	7.504	0.000%
7	12.944	-19.862	-7.504	-12.944	19.862	7.504	0.000%
8	14.931	-26.482	-0.027	-14.931	26.482	0.027	0.000%
9	14.931	-19.862	-0.027	-14.931	19.862	0.027	0.000%
10	12.917	-26.482	7.458	-12.917	26.482	-7.458	0.000%
11	12.917	-19.862	7.458	-12.917	19.862	-7.458	0.000%
12	7.443	-26.482	12.944	-7.443	26.482	-12.944	0.000%
13	7.443	-19.862	12.944	-7.443	19.862	-12.944	0.000%
14	-0.027	-26.482	14.962	0.027	26.482	-14.962	0.000%
15	-0.027	-19.862	14.962	0.027	19.862	-14.962	0.000%
16	-7.488	-26.482	12.970	7.488	26.482	-12.970	0.000%
17	-7.488	-19.862	12.970	7.488	19.862	-12.970	0.000%
18	-12.944	-26.482	7.504	12.944	26.482	-7.504	0.000%
19	-12.944	-19.862	7.504	12.944	19.862	-7.504	0.000%
20	-14.931	-26.482	0.027	14.931	26.482	-0.027	0.000%
21	-14.931	-19.862	0.027	14.931	19.862	-0.027	0.000%
22	-12.917	-26.482	-7.458	12.917	26.482	7.458	0.000%
23	-12.917	-19.862	-7.458	12.917	19.862	7.458	0.000%
24	-7.443	-26.482	-12.944	7.443	26.482	12.944	0.000%
25	-7.443	-19.862	-12.944	7.443	19.862	12.944	0.000%



PRactical SOLUTIONS. EXCEPTIONAL SERVICE.

**Tectonic**  
 1279 Route 300  
 Newburgh, NY 12550  
 Phone: (845) 567 6656  
 FAX: (845) 567 8703

<b>Job</b>	7421.CT11064F, Revision 6	<b>Page</b>	11 of 14
<b>Project</b>	Windsor/I-91/X40_1	<b>Date</b>	09:02:35 11/01/18
<b>Client</b>	T-Mobile	<b>Designed by</b>	Vinod Ramesh

Load Comb.	Sum of Applied Forces			Sum of Reactions			% Error
	PX K	PY K	PZ K	PX K	PY K	PZ K	
26	0.000	-46.069	0.000	-0.000	46.069	-0.000	0.000%
27	0.021	-46.069	-5.497	-0.021	46.069	5.497	0.000%
28	2.755	-46.069	-4.771	-2.755	46.069	4.771	0.000%
29	4.750	-46.069	-2.767	-4.750	46.069	2.767	0.000%
30	5.737	-46.069	-0.021	-5.737	46.069	0.021	0.000%
31	4.730	-46.069	2.731	-4.730	46.069	-2.731	0.000%
32	2.719	-46.069	4.750	-2.719	46.069	-4.750	0.000%
33	-0.021	-46.069	5.497	0.021	46.069	-5.497	0.000%
34	-2.755	-46.069	4.771	2.755	46.069	-4.771	0.000%
35	-4.750	-46.069	2.767	4.750	46.069	-2.767	0.000%
36	-5.737	-46.069	0.021	5.737	46.069	-0.021	0.000%
37	-4.730	-46.069	-2.731	4.730	46.069	2.731	0.000%
38	-2.719	-46.069	-4.750	2.719	46.069	4.750	0.000%
39	0.006	-22.068	-3.201	-0.006	22.068	3.201	0.000%
40	1.602	-22.068	-2.775	-1.602	22.068	2.775	0.000%
41	2.769	-22.068	-1.606	-2.769	22.068	1.606	0.000%
42	3.195	-22.068	-0.006	-3.195	22.068	0.006	0.000%
43	2.764	-22.068	1.596	-2.764	22.068	-1.596	0.000%
44	1.592	-22.068	2.769	-1.592	22.068	-2.769	0.000%
45	-0.006	-22.068	3.201	0.006	22.068	-3.201	0.000%
46	-1.602	-22.068	2.775	1.602	22.068	-2.775	0.000%
47	-2.769	-22.068	1.606	2.769	22.068	-1.606	0.000%
48	-3.195	-22.068	0.006	3.195	22.068	-0.006	0.000%
49	-2.764	-22.068	-1.596	2.764	22.068	1.596	0.000%
50	-1.592	-22.068	-2.769	1.592	22.068	2.769	0.000%

## Non-Linear Convergence Results

Load Combination	Converged?	Number of Cycles	Displacement Tolerance	Force Tolerance
1	Yes	4	0.00000001	0.00000001
2	Yes	5	0.00000001	0.00081933
3	Yes	5	0.00000001	0.00038281
4	Yes	6	0.00000001	0.00027903
5	Yes	6	0.00000001	0.00008731
6	Yes	6	0.00000001	0.00021542
7	Yes	6	0.00000001	0.00006412
8	Yes	5	0.00000001	0.00052220
9	Yes	5	0.00000001	0.00024198
10	Yes	6	0.00000001	0.00024247
11	Yes	6	0.00000001	0.00007379
12	Yes	6	0.00000001	0.00025729
13	Yes	6	0.00000001	0.00007924
14	Yes	5	0.00000001	0.00080536
15	Yes	5	0.00000001	0.00037611
16	Yes	6	0.00000001	0.00021375
17	Yes	6	0.00000001	0.00006344
18	Yes	6	0.00000001	0.00027476
19	Yes	6	0.00000001	0.00008568
20	Yes	5	0.00000001	0.00053714
21	Yes	5	0.00000001	0.00024890
22	Yes	6	0.00000001	0.00023671
23	Yes	6	0.00000001	0.00007210
24	Yes	6	0.00000001	0.00022458
25	Yes	6	0.00000001	0.00006761
26	Yes	4	0.00000001	0.00041542
27	Yes	6	0.00000001	0.00053251
28	Yes	6	0.00000001	0.00082409
29	Yes	6	0.00000001	0.00064163



**Tectonic**  
 1279 Route 300  
 Newburgh, NY 12550  
 Phone: (845) 567 6656  
 FAX: (845) 567 8703

<b>Job</b>	7421.CT11064F, Revision 6	<b>Page</b>	12 of 14
<b>Project</b>	Windsor/I-91/X40_1	<b>Date</b>	09:02:35 11/01/18
<b>Client</b>	T-Mobile	<b>Designed by</b>	Vinod Ramesh

30	Yes	6	0.00000001	0.00050769
31	Yes	6	0.00000001	0.00067146
32	Yes	6	0.00000001	0.00074124
33	Yes	6	0.00000001	0.00055244
34	Yes	6	0.00000001	0.00066478
35	Yes	6	0.00000001	0.00080057
36	Yes	6	0.00000001	0.00049441
37	Yes	6	0.00000001	0.00060304
38	Yes	6	0.00000001	0.00059168
39	Yes	4	0.00000001	0.00070689
40	Yes	5	0.00000001	0.00008391
41	Yes	4	0.00000001	0.00084966
42	Yes	4	0.00000001	0.00047058
43	Yes	4	0.00000001	0.00093133
44	Yes	5	0.00000001	0.00006574
45	Yes	4	0.00000001	0.00071513
46	Yes	4	0.00000001	0.00090033
47	Yes	5	0.00000001	0.00008024
48	Yes	4	0.00000001	0.00046875
49	Yes	4	0.00000001	0.00084381
50	Yes	4	0.00000001	0.00077683

### Maximum Tower Deflections - Service Wind

Section No.	Elevation ft	Horz. Deflection in	Gov. Load Comb.	Tilt °	Twist °
L1	150 - 135	20.300	44	1.678	0.016
L2	135 - 120	15.160	44	1.550	0.012
L3	120 - 100	10.859	44	1.139	0.008
L4	100 - 80	6.770	44	0.780	0.006
L5	80 - 60	3.978	45	0.536	0.004
L6	60 - 40	2.088	45	0.356	0.002
L7	40 - 20	0.879	45	0.215	0.001
L8	20 - 0	0.213	45	0.098	0.001

### Critical Deflections and Radius of Curvature - Service Wind

Elevation ft	Appurtenance	Gov. Load Comb.	Deflection in	Tilt °	Twist °	Radius of Curvature ft
150.000	4' Lightning Rod	44	20.300	1.678	0.016	8438
98.500	6' Side Arm	44	6.523	0.760	0.006	4059
70.500	6' Side Arm	45	2.983	0.444	0.003	6125
51.000	6' Side Arm	45	1.471	0.289	0.002	8003

### Maximum Tower Deflections - Design Wind

Section No.	Elevation ft	Horz. Deflection in	Gov. Load Comb.	Tilt °	Twist °
L1	150 - 135	94.908	14	7.849	0.073
L2	135 - 120	70.916	14	7.259	0.055
L3	120 - 100	50.811	14	5.335	0.037
L4	100 - 80	31.677	14	3.650	0.029
L5	80 - 60	18.616	14	2.509	0.019
L6	60 - 40	9.771	14	1.667	0.011
L7	40 - 20	4.112	14	1.004	0.006





**Tectonic**  
1279 Route 300  
Newburgh, NY 12550  
Phone: (845) 567 6656  
FAX: (845) 567 8703

<b>Job</b>	7421.CT11064F, Revision 6	<b>Page</b>	13 of 14
<b>Project</b>	Windsor/I-91/X40_1	<b>Date</b>	09:02:35 11/01/18
<b>Client</b>	T-Mobile	<b>Designed by</b>	Vinod Ramesh

Section No.	Elevation ft	Horz. Deflection in	Gov. Load Comb.	Tilt °	Twist °
L8	20 - 0	0.999	16	0.460	0.002

### Critical Deflections and Radius of Curvature - Design Wind

Elevation ft	Appurtenance	Gov. Load Comb.	Deflection in	Tilt °	Twist °	Radius of Curvature ft
150.000	4' Lightning Rod	14	94.908	7.849	0.073	1874
98.500	6' Side Arm	14	30.521	3.557	0.028	872
70.500	6' Side Arm	14	13.960	2.076	0.015	1312
51.000	6' Side Arm	14	6.880	1.352	0.009	1712

### Compression Checks

### Pole Design Data

Section No.	Elevation ft	Size	L ft	L <sub>u</sub> ft	Kl/r	A in <sup>2</sup>	P <sub>u</sub> K	φP <sub>n</sub> K	Ratio $\frac{P_u}{\phi P_n}$
L1	150 - 135 (1)	P12.75x0.375	15.000	0.000	0.0	14.579	-3.490	551.084	0.006
L2	135 - 120 (2)	P12.75x0.375	15.000	0.000	0.0	14.579	-4.788	551.084	0.009
L3	120 - 100 (3)	P18x0.375	20.000	0.000	0.0	20.764	-6.964	784.878	0.009
L4	100 - 80 (4)	P24x0.375	20.000	0.000	0.0	27.833	-9.754	1052.070	0.009
L5	80 - 60 (5)	P30x0.375	20.000	0.000	0.0	34.901	-13.123	1311.060	0.010
L6	60 - 40 (6)	P36x0.375	20.000	0.000	0.0	41.970	-17.056	1490.100	0.011
L7	40 - 20 (7)	P42x0.375	20.000	0.000	0.0	49.038	-21.526	1668.870	0.013
L8	20 - 0 (8)	P48x0.375	20.000	0.000	0.0	56.107	-26.479	1847.490	0.014

### Pole Bending Design Data

Section No.	Elevation ft	Size	M <sub>ux</sub> kip-ft	φM <sub>ux</sub> kip-ft	Ratio $\frac{M_{ux}}{\phi M_{ux}}$	M <sub>uy</sub> kip-ft	φM <sub>uy</sub> kip-ft	Ratio $\frac{M_{uy}}{\phi M_{uy}}$
L1	150 - 135 (1)	P12.75x0.375	80.882	180.952	0.447	0.000	180.952	0.000
L2	135 - 120 (2)	P12.75x0.375	172.303	180.952	0.952	0.000	180.952	0.000
L3	120 - 100 (3)	P18x0.375	308.493	367.000	0.841	0.000	367.000	0.000
L4	100 - 80 (4)	P24x0.375	473.189	623.717	0.759	0.000	623.717	0.000
L5	80 - 60 (5)	P30x0.375	666.554	947.858	0.703	0.000	947.858	0.000
L6	60 - 40 (6)	P36x0.375	890.508	1338.808	0.665	0.000	1338.808	0.000
L7	40 - 20 (7)	P42x0.375	1145.567	1796.558	0.638	0.000	1796.558	0.000
L8	20 - 0 (8)	P48x0.375	1430.708	2321.108	0.616	0.000	2321.108	0.000

### Pole Shear Design Data

Section No.	Elevation ft	Size	Actual V <sub>u</sub> K	φV <sub>n</sub> K	Ratio $\frac{V_u}{\phi V_n}$	Actual T <sub>u</sub> kip-ft	φT <sub>n</sub> kip-ft	Ratio $\frac{T_u}{\phi T_n}$
L1	150 - 135 (1)	P12.75x0.375	5.829	275.542	0.021	0.376	276.048	0.001
L2	135 - 120 (2)	P12.75x0.375	6.331	275.542	0.023	0.373	276.048	0.001



**Tectonic**  
1279 Route 300  
Newburgh, NY 12550  
Phone: (845) 567 6656  
FAX: (845) 567 8703

<b>Job</b>	7421.CT11064F, Revision 6	<b>Page</b>	14 of 14
<b>Project</b>	Windsor/I-91/X40_1	<b>Date</b>	09:02:35 11/01/18
<b>Client</b>	T-Mobile	<b>Designed by</b>	Vinod Ramesh

Section No.	Elevation ft	Size	Actual $V_u$ K	$\phi V_n$ K	Ratio $\frac{V_u}{\phi V_n}$	Actual $T_u$ kip-ft	$\phi T_n$ kip-ft	Ratio $\frac{T_u}{\phi T_n}$
L3	120 - 100 (3)	P18x0.375	7.252	392.439	0.018	0.369	564.642	0.001
L4	100 - 80 (4)	P24x0.375	8.720	526.035	0.017	2.357	1019.708	0.002
L5	80 - 60 (5)	P30x0.375	10.366	655.528	0.016	3.939	1598.367	0.002
L6	60 - 40 (6)	P36x0.375	11.963	745.048	0.016	4.438	2189.067	0.002
L7	40 - 20 (7)	P42x0.375	13.498	834.437	0.016	4.436	2868.842	0.002
L8	20 - 0 (8)	P48x0.375	14.983	923.745	0.016	5.180	3637.700	0.001

### Pole Interaction Design Data

Section No.	Elevation ft	Ratio $\frac{P_u}{\phi P_n}$	Ratio $\frac{M_{ux}}{\phi M_{nx}}$	Ratio $\frac{M_{uy}}{\phi M_{ny}}$	Ratio $\frac{V_u}{\phi V_n}$	Ratio $\frac{T_u}{\phi T_n}$	Comb. Stress Ratio	Allow. Stress Ratio	Criteria
L1	150 - 135 (1)	0.006	0.447	0.000	0.021	0.001	0.454	1.000	4.8.2 ✓
L2	135 - 120 (2)	0.009	0.952	0.000	0.023	0.001	0.961	1.000	4.8.2 ✓
L3	120 - 100 (3)	0.009	0.841	0.000	0.018	0.001	0.850	1.000	4.8.2 ✓
L4	100 - 80 (4)	0.009	0.759	0.000	0.017	0.002	0.768	1.000	4.8.2 ✓
L5	80 - 60 (5)	0.010	0.703	0.000	0.016	0.002	0.714	1.000	4.8.2 ✓
L6	60 - 40 (6)	0.011	0.665	0.000	0.016	0.002	0.677	1.000	4.8.2 ✓
L7	40 - 20 (7)	0.013	0.638	0.000	0.016	0.002	0.651	1.000	4.8.2 ✓
L8	20 - 0 (8)	0.014	0.616	0.000	0.016	0.001	0.631	1.000	4.8.2 ✓

### Section Capacity Table

Section No.	Elevation ft	Component Type	Size	Critical Element	P K	$\phi P_{allow}$ K	% Capacity	Pass Fail
L1	150 - 135	Pole	P12.75x0.375	1	-3.490	551.084	45.4	Pass
L2	135 - 120	Pole	P12.75x0.375	2	-4.788	551.084	96.1	Pass
L3	120 - 100	Pole	P18x0.375	3	-6.964	784.878	85.0	Pass
L4	100 - 80	Pole	P24x0.375	4	-9.754	1052.070	76.8	Pass
L5	80 - 60	Pole	P30x0.375	5	-13.123	1311.060	71.4	Pass
L6	60 - 40	Pole	P36x0.375	6	-17.056	1490.100	67.7	Pass
L7	40 - 20	Pole	P42x0.375	7	-21.526	1668.870	65.1	Pass
L8	20 - 0	Pole	P48x0.375	8	-26.479	1847.490	63.1	Pass
Summary								
Pole (L2)							96.1	Pass
<b>RATING =</b>							<b>96.1</b>	<b>Pass</b>

## FOUNDATION CALCULATIONS

## Stiffened or Unstiffened, UngROUTed, Circular Base Plate - Any Rod Material

**TIA Rev G**

Assumption: Clear space between bottom of leveling nut and top of concrete **not** exceeding (1)\*(Rod Diameter)

### Site Data

WO: 7421.CT11064F

Site Name: Windsor/I-91/X40\_1

Revision: 6

Pole Manufacturer: **Pirol**

### Anchor Rod Data

Qty:	36
Diam:	1 in
Rod Material:	A687
Strength (Fu):	150 ksi
Yield (Fy):	105 ksi
Bolt Circle:	51 in

### Plate Data

Diam:	54 in
Thick:	1.25 in
Grade:	36 ksi
Single-Rod B-eff:	4.19 in

### Stiffener Data (Welding at both sides)

Config:	0	*
Weld Type:		
Groove Depth:		<-- Disregard
Groove Angle:		<-- Disregard
Fillet H. Weld:		in
Fillet V. Weld:		in
Width:		in
Height:		in
Thick:		in
Notch:		in
Grade:		ksi
Weld str.:		ksi

### Pole Data

Diam:	48 in	
Thick:	0.375 in	
Grade:	42 ksi	
# of Sides:	0	"0" IF Round
Fu	63	ksi
Reinf. Fillet Weld	0	"0" if None

### Reactions

Mu:	1431	ft-kips
Axial, Pu:	26	kips
Shear, Vu:	15	kips
Eta Factor, η	0.55	TIA G (Fig. 4-4)

If No stiffeners, Criteria: **AISC LRFD** <-Only Applicable to Unstiffened Cases

### Anchor Rod Results

Max Rod (Cu+ Vu/r): 38.9 Kips  
 Allowable Axial,  $\Phi \cdot Fu \cdot Anet$ : 72.7 Kips  
 Anchor Rod Stress Ratio: 53.5% **Pass**

Rigid
AISC LRFD
$\phi \cdot Tn$

### Base Plate Results

Flexural Check: Rohn/Pirol, OK  
 Base Plate Stress: 32.4 ksi  
 Allowable Plate Stress: Rohn/Pirol, OK  
 Base Plate Stress Ratio: OK

Rigid
AISC LRFD
$\phi \cdot Fy$
Y.L. Length: 17.23



**n/a**

### Stiffener Results

N/A for Rohn / Pirol  
 Horizontal Weld : N/A  
 Vertical Weld: N/A  
 Plate Flex+Shear,  $fb/Fb+(fv/Fv)^2$ : N/A  
 Plate Tension+Shear,  $ft/Ft+(fv/Fv)^2$ : N/A  
 Plate Comp. (AISC Bracket): N/A

### Pole Results

Pole Punching Shear Check: N/A



\* 0 = none, 1 = every bolt, 2 = every 2 bolts, 3 = 2 per bolt

\*\* Note: for complete joint penetration groove welds the groove depth must be exactly 1/2 the stiffener thickness for calculation purposes

## Drilled Pier Foundation

WO # :	7421.CT11064F
Site Name:	Windsor/I-91/X40_1
Rev:	65

TIA-222 Revison:	G
Tower Type:	Monopole

Applied Loads		
	Comp.	Uplift
Moment (kip-ft)	1431	
Axial Force (kips)	26	
Shear Force (kips)	15	

Material Properties		
Concrete Strength, f <sub>c</sub> :	3	ksi
Rebar Strength, F <sub>y</sub> :	60	ksi

Pier Design Data		
Depth	36.5	ft
Ext. Above Grade	0.5	ft
Pier Section 1		
<i>From 0.5' above grade to 36.5' below grade</i>		
Pier Diameter	5.5	ft
Rebar Quantity	26	
Rebar Size	11	
Clear Cover to Ties	3	in
Tie Size	5	

Analysis Results		
Soil Lateral Capacity	Compression	Uplift
D <sub>v=0</sub> (ft from TOC)	31.52	-
Soil Safety Factor	178.87	-
Max Moment (kip-ft)	1844.10	-
Rating	0.7%	-
Soil Vertical Capacity	Compression	Uplift
Skin Friction (kips)	32119.23	-
End Bearing (kips)	213.82	-
Weight of Concrete (kips)	107.53	-
Total Capacity (kips)	32333.05	-
Axial (kips)	133.53	-
Rating	0.4%	-
Reinforced Concrete Capacity	Compression	Uplift
Critical Depth (ft from TOC)	31.58	-
Critical Moment (kip-ft)	1843.72	-
Critical Moment Capacity	4677.52	-
Rating	39.4%	-
<b>Soil Interaction Rating</b>		<b>0.7%</b>
<b>Structural Foundation Rating</b>		<b>39.4%</b>

Check Limitation	
N/A	<input checked="" type="checkbox"/>

Soil Profile			
Groundwater Depth	8	ft	# of Layers
			4

Layer	Top (ft)	Bottom (ft)	Thickness (ft)	γ <sub>soil</sub> (pcf)	γ <sub>concrete</sub> (pcf)	Cohesion (ksf)	Angle of Friction (degrees)	Calculated Ultimate Skin Friction Comp (ksf)	Calculated Ultimate Skin Friction Uplift (ksf)	Ultimate Skin Friction Comp Override (ksf)	Ultimate Skin Friction Uplift Override (ksf)	Ult. Gross Bearing Capacity (ksf)	SPT Blow Count	Soil Type
1	0	3.33	3.33	90	150	0	0	0.000	0.000					Cohesionless
2	3.33	8	4.67	90	150		26	0.120	0.120				3	Cohesionless
3	8	31	23	30	87.6	0	26	0.128	0.128				2	Cohesionless
4	31	36.5	5.5	65	87.6	1000		450.000	450.000			12		Cohesive

**ADDITIONAL CALCULATIONS**

# Stiffened or Unstiffened, Exterior Flange Plate - Any Bolt Material TIA Rev G

## Site Data

WO: 7421.CT11064F  
 Site Name: Windsor/ I-91/ X40\_1

Reactions		
Mu	1145.57	ft-kips
Axial, Pu:	21.53	kips
Shear, Vu:	13.50	kips
Elevation:	20	feet

Bolt Threads:
X-Excluded
$\phi V_n = \phi(0.55 \cdot A_b \cdot F_u)$
$\phi = 0.75, \phi \cdot V_n$ (kips):
38.88

Pole Manufacturer:	Pirod
--------------------	-------

If No stiffeners, Criteria: **TIA G** <-Only Applicable to Unstiffened Cases

Bolt Data			
Qty:	32		
Diameter (in.):	1	Bolt Fu:	120
Bolt Material:	A325	Bolt Fy:	92
N/A:	100	<-- Disregard	
N/A:	75	<-- Disregard	
Circle (in.):	45		

Flange Bolt Results	
Bolt Tension Capacity, $\phi \cdot T_n, B1$ :	54.54 kips
Adjusted $\phi \cdot T_n$ (due to $V_u = V_u / Q_t$ ), <b>B</b> :	54.54 kips
Max Bolt directly applied Tu:	37.51 Kips
Min. PL "tc" for <b>B</b> cap. <b>w/o Pry</b> :	1.006 in
Min PL "treq" for actual <b>T w/ Pry</b> :	0.632 in
Min PL "t1" for actual <b>T w/o Pry</b> :	0.835 in
T allowable w/o Prying:	54.54 kips
Prying Force, q:	0.00 kips
Total Bolt Tension=Tu+q:	37.51 kips
Non-Prying Bolt Stress Ratio, Tu/B:	69% <b>Pass</b>

Rigid
$\phi \cdot T_n$
$\phi T_n [(1 - (V_u / \phi V_n)^2)^{0.5}]$

Plate Data		
Diam:	48	in
Thick, t:	1.25	in
Grade (Fy):	36	ksi
Strength, Fu:	58	ksi
Single-Rod B-eff:	4.12	in

Exterior Flange Plate Results	
Flexural Check	Rohn/Piroc OK
Compression Side Plate Stress:	32.4 ksi
Allowable Plate Stress:	Rohn/Piroc OK
Compression Plate Stress Ratio:	<b>No Prying</b>
Tension Side Stress Ratio, $(treq/t)^2$ :	Rohn/Pirod OK


$\alpha' < 0$  case

Rigid
TIA G
$\phi \cdot F_y$
Comp. Y.L. Length:
16.16

Stiffener Data (Welding at Both Sides)		
Config:	0	*
Weld Type:		
Groove Depth:		<-- Disregard
Groove Angle:		<-- Disregard
Fillet H. Weld:		
Fillet V. Weld:		
Width:		
Height:		
Thick:		
Notch:		
Grade:		
Weld str.:		

Stiffener Results	
Horizontal Weld :	N/A for Rohn / Pirod
Vertical Weld:	N/A
Plate Flex+Shear, $f_b / F_b + (f_v / F_v)^2$ :	N/A
Plate Tension+Shear, $f_t / F_t + (f_v / F_v)^2$ :	N/A
Plate Comp. (AISC Bracket):	N/A
<b>Pole Results</b>	
Pole Punching Shear Check:	N/A

Pole Data		
Diam:	42	in
Thick:	0.375	in
Grade:	42	ksi
# of Sides:	0	"0" IF Round
Fu	63	ksi
Reinf. Fillet Weld	0	"0" if None



\* 0 = none, 1 = every bolt, 2 = every 2 bolts, 3 = 2 per bolt

\*\* Note: for complete joint penetration groove welds the groove depth must be exactly 1/2 the stiffener thickness for calculation purposes

## Stiffened or Unstiffened, Exterior Flange Plate - Any Bolt Material TIA Rev G

### Site Data

WO: 7421.CT11064F  
Site Name: Windsor/ I-91/ X40\_1

Reactions		
Mu	890.51	ft-kips
Axial, Pu:	17.06	kips
Shear, Vu:	11.96	kips
Elevation:	40	feet

Bolt Threads:
X-Excluded
$\phi V_n = \phi(0.55 \cdot A_b \cdot F_u)$
$\phi = 0.75, \phi \cdot V_n$ (kips):
38.88

Pole Manufacturer:	Pirod
--------------------	-------

If No stiffeners, Criteria: **TIA G** <-Only Applicable to Unstiffened Cases

Bolt Data		
Qty:	28	
Diameter (in.):	1	Bolt Fu: 120
Bolt Material:	A325	Bolt Fy: 92
N/A:	100	<-- Disregard
N/A:	75	<-- Disregard
Circle (in.):	39	

Flange Bolt Results	
Bolt Tension Capacity, $\phi \cdot T_n, B1$ :	54.54 kips
Adjusted $\phi \cdot T_n$ (due to $V_u = V_u / Q_t$ ), <b>B</b> :	54.54 kips
Max Bolt directly applied Tu:	38.53 Kips
Min. PL "tc" for <b>B</b> cap. <b>w/o Pry</b> :	1.017 in
Min PL "treq" for actual <b>T w/ Pry</b> :	0.648 in
Min PL "t1" for actual <b>T w/o Pry</b> :	0.855 in
T allowable w/o Prying:	54.54 kips
Prying Force, q:	0.00 kips
Total Bolt Tension=Tu+q:	38.53 kips
Non-Prying Bolt Stress Ratio, Tu/B:	71% <b>Pass</b>

Rigid
$\phi \cdot T_n$
$\phi T_n [(1 - (V_u / \phi V_n)^2)^{0.5}]$

Plate Data		
Diam:	42	in
Thick, t:	1.25	in
Grade (Fy):	36	ksi
Strength, Fu:	58	ksi
Single-Rod B-eff:	4.04	in

Exterior Flange Plate Results	
Flexural Check	Rohn/Piroc OK
Compression Side Plate Stress:	Allowable Plate Stress: 32.4 ksi
Compression Plate Stress Ratio:	Rohn/Piroc OK
<b>No Prying</b>	
Tension Side Stress Ratio, $(treq/t)^2$ :	Rohn/Pirod OK


$\alpha' < 0$  case

Rigid
TIA G
$\phi \cdot F_y$
Comp. Y.L. Length:
15.00

Stiffener Data (Welding at Both Sides)		
Config:	0	*
Weld Type:		
Groove Depth:		<-- Disregard
Groove Angle:		<-- Disregard
Fillet H. Weld:		
Fillet V. Weld:		
Width:		
Height:		
Thick:		
Notch:		
Grade:		
Weld str.:		

Stiffener Results	
Horizontal Weld :	N/A for Rohn / Pirod
Vertical Weld:	N/A
Plate Flex+Shear, $f_b / F_b + (f_v / F_v)^2$ :	N/A
Plate Tension+Shear, $f_t / F_t + (f_v / F_v)^2$ :	N/A
Plate Comp. (AISC Bracket):	N/A
<b>Pole Results</b>	
Pole Punching Shear Check:	N/A

Pole Data		
Diam:	36	in
Thick:	0.375	in
Grade:	42	ksi
# of Sides:	0	"0" IF Round
Fu	63	ksi
Reinf. Fillet Weld	0	"0" if None



\* 0 = none, 1 = every bolt, 2 = every 2 bolts, 3 = 2 per bolt

\*\* Note: for complete joint penetration groove welds the groove depth must be exactly 1/2 the stiffener thickness for calculation purposes



# Stiffened or Unstiffened, Exterior Flange Plate - Any Bolt Material TIA Rev G

### Site Data

WO: 7421.CT11064F  
 Site Name: Windsor/ I-91/ X40\_1

Reactions		
Mu	666.55	ft-kips
Axial, Pu:	13.12	kips
Shear, Vu:	10.37	kips
Elevation:	60	feet

Bolt Threads:
X-Excluded
$\phi V_n = \phi(0.55 \cdot A_b \cdot F_u)$
$\phi = 0.75, \phi \cdot V_n$ (kips):
38.88

Pole Manufacturer:	Pirod
--------------------	-------

If No stiffeners, Criteria: **TIA G** <-Only Applicable to Unstiffened Cases

Bolt Data		
Qty:	24	
Diameter (in.):	1	Bolt Fu: 120
Bolt Material:	A325	Bolt Fy: 92
N/A:	100	<-- Disregard
N/A:	75	<-- Disregard
Circle (in.):	33	

Flange Bolt Results	
Bolt Tension Capacity, $\phi \cdot T_n, B1$ :	54.54 kips
Adjusted $\phi \cdot T_n$ (due to $V_u = V_u / Q_t$ ), <b>B</b> :	54.54 kips
Max Bolt directly applied Tu:	39.85 Kips
Min. PL "tc" for <b>B</b> cap. <b>w/o Pry</b> :	1.031 in
Min PL "treq" for actual <b>T w/ Pry</b> :	0.670 in
Min PL "t1" for actual <b>T w/o Pry</b> :	0.881 in
T allowable w/o Prying:	54.54 kips
Prying Force, q:	0.00 kips
Total Bolt Tension=Tu+q:	39.85 kips
Non-Prying Bolt Stress Ratio, Tu/B:	73% <b>Pass</b>

Rigid
$\phi \cdot T_n$
$\phi T_n [(1 - (V_u / \phi V_n)^2)^{0.5}]$

Plate Data		
Diam:	36	in
Thick, t:	1.25	in
Grade (Fy):	36	ksi
Strength, Fu:	58	ksi
Single-Rod B-eff:	3.93	in

Exterior Flange Plate Results	
Flexural Check	Rohn/Piroc OK
Compression Side Plate Stress:	Allowable Plate Stress: 32.4 ksi
Compression Plate Stress Ratio:	Rohn/Piroc OK
<b>No Prying</b>	
Tension Side Stress Ratio, $(treq/t)^2$ :	Rohn/Pirod OK


$\alpha' < 0$  case

Rigid
TIA G
$\phi \cdot F_y$
Comp. Y.L. Length:
13.75

Stiffener Data (Welding at Both Sides)		
Config:	0	*
Weld Type:		
Groove Depth:		<-- Disregard
Groove Angle:		<-- Disregard
Fillet H. Weld:		
Fillet V. Weld:		
Width:		
Height:		
Thick:		
Notch:		
Grade:		
Weld str.:		

Stiffener Results	
Horizontal Weld :	N/A for Rohn / Pirod
Vertical Weld:	N/A
Plate Flex+Shear, $f_b / F_b + (f_v / F_v)^2$ :	N/A
Plate Tension+Shear, $f_t / F_t + (f_v / F_v)^2$ :	N/A
Plate Comp. (AISC Bracket):	N/A
<b>Pole Results</b>	
Pole Punching Shear Check:	N/A

Pole Data		
Diam:	30	in
Thick:	0.375	in
Grade:	42	ksi
# of Sides:	0	"0" IF Round
Fu	63	ksi
Reinf. Fillet Weld	0	"0" if None



\* 0 = none, 1 = every bolt, 2 = every 2 bolts, 3 = 2 per bolt

\*\* Note: for complete joint penetration groove welds the groove depth must be exactly 1/2 the stiffener thickness for calculation purposes

## Stiffened or Unstiffened, Exterior Flange Plate - Any Bolt Material TIA Rev G

### Site Data

WO: 7421.CT11064F  
 Site Name: Windsor/ I-91/ X40\_1

Reactions		
Mu	473.19	ft-kips
Axial, Pu:	9.75	kips
Shear, Vu:	8.72	kips
Elevation:	80	feet

Bolt Threads:
X-Excluded
$\phi V_n = \phi(0.55 \cdot A_b \cdot F_u)$
$\phi = 0.75, \phi \cdot V_n$ (kips):
38.88

Pole Manufacturer:	Pirod
--------------------	-------

If No stiffeners, Criteria: **TIA G** <-Only Applicable to Unstiffened Cases

Bolt Data			
Qty:	20		
Diameter (in.):	1	Bolt Fu:	120
Bolt Material:	A325	Bolt Fy:	92
N/A:	100	<-- Disregard	
N/A:	75	<-- Disregard	
Circle (in.):	27		

Flange Bolt Results	
Bolt Tension Capacity, $\phi \cdot T_n, B1$ :	54.54 kips
Adjusted $\phi \cdot T_n$ (due to $V_u = V_u / Q_t$ ), <b>B</b> :	54.54 kips
Max Bolt directly applied Tu:	41.57 Kips
Min. PL "tc" for <b>B</b> cap. <b>w/o Pry</b> :	1.052 in
Min PL "treq" for actual <b>T w/ Pry</b> :	0.701 in
Min PL "t1" for actual <b>T w/o Pry</b> :	0.919 in
T allowable w/o Prying:	54.54 kips
Prying Force, q:	0.00 kips
Total Bolt Tension=Tu+q:	41.57 kips
Non-Prying Bolt Stress Ratio, Tu/B:	76% <b>Pass</b>

Rigid
$\phi \cdot T_n$
$\phi T_n [(1 - (V_u / \phi V_n)^2)^{0.5}]$

$\alpha' < 0$  case

Plate Data		
Diam:	30	in
Thick, t:	1.25	in
Grade (Fy):	36	ksi
Strength, Fu:	58	ksi
Single-Rod B-eff:	3.77	in


Exterior Flange Plate Results	
Flexural Check	Rohn/Piroc OK
Compression Side Plate Stress:	Allowable Plate Stress: 32.4 ksi
Compression Plate Stress Ratio:	Rohn/Piroc OK
<b>No Prying</b>	
Tension Side Stress Ratio, $(treq/t)^2$ :	Rohn/Pirod OK

Rigid
TIA G
$\phi \cdot F_y$
Comp. Y.L. Length:
12.37

Stiffener Data (Welding at Both Sides)		
Config:	0	*
Weld Type:		
Groove Depth:		<-- Disregard
Groove Angle:		<-- Disregard
Fillet H. Weld:		
Fillet V. Weld:		
Width:		
Height:		
Thick:		
Notch:		
Grade:		
Weld str.:		

Stiffener Results	
Horizontal Weld :	N/A for Rohn / Pirod
Vertical Weld:	N/A
Plate Flex+Shear, $f_b / F_b + (f_v / F_v)^2$ :	N/A
Plate Tension+Shear, $f_t / F_t + (f_v / F_v)^2$ :	N/A
Plate Comp. (AISC Bracket):	N/A
<b>Pole Results</b>	
Pole Punching Shear Check:	N/A

Pole Data		
Diam:	24	in
Thick:	0.375	in
Grade:	42	ksi
# of Sides:	0	"0" IF Round
Fu	63	ksi
Reinf. Fillet Weld	0	"0" if None



\* 0 = none, 1 = every bolt, 2 = every 2 bolts, 3 = 2 per bolt

\*\* Note: for complete joint penetration groove welds the groove depth must be exactly 1/2 the stiffener thickness for calculation purposes

## Stiffened or Unstiffened, Exterior Flange Plate - Any Bolt Material TIA Rev G

### Site Data

WO: 7421.CT11064F  
 Site Name: Windsor/ I-91/ X40\_1

Reactions		
Mu	308.49	ft-kips
Axial, Pu:	6.96	kips
Shear, Vu:	7.25	kips
Elevation:	100	feet

Bolt Threads:
X-Excluded
$\phi V_n = \phi(0.55 \cdot A_b \cdot F_u)$
$\phi = 0.75, \phi \cdot V_n$ (kips):
38.88

Pole Manufacturer:	Pirod
--------------------	-------

If No stiffeners, Criteria: **TIA G** <-Only Applicable to Unstiffened Cases

Bolt Data			
Qty:	16		
Diameter (in.):	1	Bolt Fu:	120
Bolt Material:	A325	Bolt Fy:	92
N/A:	100	<-- Disregard	
N/A:	75	<-- Disregard	
Circle (in.):	21		

Flange Bolt Results	
Bolt Tension Capacity, $\phi \cdot T_n, B1$ :	54.54 kips
Adjusted $\phi \cdot T_n$ (due to $V_u = V_u / Q_t$ ), <b>B</b> :	54.54 kips
Max Bolt directly applied Tu:	43.64 Kips
Min. PL "tc" for <b>B</b> cap. <b>w/o Pry</b> :	1.087 in
Min PL "treq" for actual <b>T w/ Pry</b> :	0.746 in
Min PL "t1" for actual <b>T w/o Pry</b> :	0.972 in
T allowable w/o Prying:	54.54 kips
Prying Force, q:	0.00 kips
Total Bolt Tension=Tu+q:	43.64 kips
Non-Prying Bolt Stress Ratio, Tu/B:	80% <b>Pass</b>

Rigid
$\phi \cdot T_n$
$\phi T_n [(1 - (V_u / \phi V_n)^2)^{0.5}]$

Plate Data		
Diam:	24	in
Thick, t:	1.25	in
Grade (Fy):	36	ksi
Strength, Fu:	58	ksi
Single-Rod B-eff:	3.53	in

Exterior Flange Plate Results	
Flexural Check	Rohn/Piroc OK
Compression Side Plate Stress:	32.4 ksi
Allowable Plate Stress:	Rohn/Piroc OK
Compression Plate Stress Ratio:	<b>No Prying</b>
Tension Side Stress Ratio, $(treq/t)^2$ :	Rohn/Pirod OK


$\alpha' < 0$  case

Rigid
TIA G
$\phi \cdot F_y$
Comp. Y.L. Length:
10.82

Stiffener Data (Welding at Both Sides)		
Config:	0	*
Weld Type:		
Groove Depth:		<-- Disregard
Groove Angle:		<-- Disregard
Fillet H. Weld:		
Fillet V. Weld:		
Width:		
Height:		
Thick:		
Notch:		
Grade:		
Weld str.:		

Stiffener Results	
Horizontal Weld :	N/A for Rohn / Pirod
Vertical Weld:	N/A
Plate Flex+Shear, $f_b / F_b + (f_v / F_v)^2$ :	N/A
Plate Tension+Shear, $f_t / F_t + (f_v / F_v)^2$ :	N/A
Plate Comp. (AISC Bracket):	N/A
<b>Pole Results</b>	
Pole Punching Shear Check:	N/A

Pole Data		
Diam:	18	in
Thick:	0.375	in
Grade:	42	ksi
# of Sides:	0	"0" IF Round
Fu	63	ksi
Reinf. Fillet Weld	0	"0" if None



\* 0 = none, 1 = every bolt, 2 = every 2 bolts, 3 = 2 per bolt

\*\* Note: for complete joint penetration groove welds the groove depth must be exactly 1/2 the stiffener thickness for calculation purposes

## Stiffened or Unstiffened, Exterior Flange Plate - Any Bolt Material TIA Rev G

### Site Data

WO: 7421.CT11064F  
Site Name: Windsor/ I-91/ X40\_1

Reactions		
Mu	172.30	ft-kips
Axial, Pu:	4.79	kips
Shear, Vu:	6.33	kips
Elevation:	120	feet

Bolt Threads:
X-Excluded
$\phi V_n = \phi(0.55 \cdot A_b \cdot F_u)$
$\phi = 0.75, \phi \cdot V_n$ (kips):
38.88

Pole Manufacturer:	Pirod
--------------------	-------

If No stiffeners, Criteria: **TIA G** <-Only Applicable to Unstiffened Cases

Bolt Data		
Qty:	10	
Diameter (in.):	1	Bolt Fu: 120
Bolt Material:	A325	Bolt Fy: 92
N/A:	100	<-- Disregard
N/A:	75	<-- Disregard
Circle (in.):	15	

**Flange Bolt Results**  
 Bolt Tension Capacity,  $\phi \cdot T_n, B1$ : 54.54 kips  
 Adjusted  $\phi \cdot T_n$  (due to  $V_u = V_u / Q_t$ ), **B**: 54.53 kips  
 Max Bolt directly applied  $T_u$ : 54.66 Kips  
 Min. PL "tc" for **B cap. w/o Pry**:  $T_u > B$  N/A in  
 Min PL "treq" for actual **T w/ Pry**: 0.808 in  
 Min PL "t1" for actual **T w/o Pry**:  $T_u > B$  N/A in  
 T allowable w/o Prying: 54.54 kips  
 Prying Force, q: 0.00 kips  
 Total Bolt Tension =  $T_u + q$ : 54.66 kips  
 Non-Prying Bolt Stress Ratio,  $T_u / B$ : 100% **Pass**

Rigid
$\phi \cdot T_n$
$\phi T_n [(1 - (V_u / \phi V_n)^2)^{0.5}]$

Plate Data		
Diam:	18	in
Thick, t:	1.25	in
Grade (Fy):	36	ksi
Strength, Fu:	58	ksi
Single-Rod B-eff:	4.01	in


**Exterior Flange Plate Results** Flexural Check  
 Compression Side Plate Stress: Rohn/Pirod OK  
 Allowable Plate Stress: 32.4 ksi  
 Compression Plate Stress Ratio: Rohn/Pirod OK  
**No Prying Check for  $T_u > B$**   
 Tension Side Stress Ratio,  $(treq/t)^2$ : Rohn/Pirod OK

Rigid
TIA G
$\phi \cdot F_y$
Comp. Y.L. Length: 7.90

Stiffener Data (Welding at Both Sides)		
Config:	0	*
Weld Type:		
Groove Depth:		<-- Disregard
Groove Angle:		<-- Disregard
Fillet H. Weld:		in
Fillet V. Weld:		in
Width:		in
Height:		in
Thick:		in
Notch:		in
Grade:		ksi
Weld str.:		ksi

**n/a**  
**Stiffener Results** N/A for Rohn / Pirod  
 Horizontal Weld : N/A  
 Vertical Weld: N/A  
 Plate Flex+Shear,  $f_b / F_b + (f_v / F_v)^2$ : N/A  
 Plate Tension+Shear,  $f_t / F_t + (f_v / F_v)^2$ : N/A  
 Plate Comp. (AISC Bracket): N/A  
**Pole Results**  
 Pole Punching Shear Check: N/A

Pole Data		
Diam:	12.75	in
Thick:	0.375	in
Grade:	42	ksi
# of Sides:	0	"0" IF Round
Fu	63	ksi
Reinf. Fillet Weld	0	"0" if None



\* 0 = none, 1 = every bolt, 2 = every 2 bolts, 3 = 2 per bolt

\*\* Note: for complete joint penetration groove welds the groove depth must be exactly 1/2 the stiffener thickness for calculation purposes

**APPENDIX A**



670 NORTH BEERS STREET BLDG. #3  
HOLMDEL, NEW JERSEY 07733  
(732) 888-7700  
<http://www.fpawww.com>  
email: [fpa@fpawww.com](mailto:fpa@fpawww.com)

June 22, 1998

Mr. Dave Weinpahl  
**ARCNET**  
670 N. Beers Street - Bldg. 2  
Holmdel, New Jersey 07733

LAURENCE E. FRENCH, P.E.  
ARGO T. PARRELLO, P.E.  
JAMES B. HELLER, P.E.  
JOSEPH M. EDWARDS, P.E.  
SCOTT D. WATKINS, P.E.

Re: Report of Subsurface Exploration  
and Geotechnical Evaluation  
**Amtrak – Windsor Locks**  
Arcnet No. A96.506-618A  
South Main Street; Milepost 47.2  
Windsor Locks, CT  
*FPA No. 98A005ER2* – Revised for 150 ft. monopole

Dear Mr. Weinpahl:

## INTRODUCTION

Pursuant to your authorization, we have performed a subsurface exploration and geotechnical engineering evaluation in connection with the proposed 150 foot monopole at the above referenced site. The project site is located in the Amtrak right of way at milepost 47.2 off of South Main Street, Windsor Locks, Connecticut. A Regional Location Plan is presented on Drawing No. 1.

The purpose of our participation on the project at this time was to explore the subsurface conditions in the vicinity of the proposed monopole and to develop geotechnical engineering recommendations toward the design and construction of the pole foundation. Our scope of work has been performed in accordance with the scope of services dated May 6, 1998, and included the advancement of two test borings, engineering evaluation, and the generation of our recommendations.

## DESIGN CONSIDERATIONS

It is our understanding that the proposed steel monopole will be approximately 150 feet high. Based on preliminary planning, it is anticipated that the proposed monopole will be founded on a drilled shaft. Design loads for the pole foundation were unavailable at the time this report was prepared.



## SUBSURFACE EXPLORATION

French & Parrello Associates (FPA) performed two test borings on June 1, 1998 to characterize subsurface conditions in the vicinity of the proposed site, as shown on Drawing No. 2 "Site Layout". One boring was advanced to 12 feet in the vicinity of the proposed equipment cabinets and the second was advanced to a depth of 42 feet at the proposed monopole location. The field work was accomplished by a test boring subcontractor while under the full-time technical observation by a representative of FPA. The as-drilled boring locations are presented on Drawing No. 3, "Test Boring Location Plan."

Test boring B-1 was advanced to a depth of 42 feet below grade utilizing hollow stem auger drilling procedures. Test boring B-2 was advanced to 12 feet utilizing hollow stem auger procedures. Soil samples were obtained by advancing a standard 2-inch diameter split-spoon sampler in accordance with ASTM Test Method D-1586, The Standard Penetration Test. All soil samples were classified in the field using the Burmister Soil Classification System and were returned to our laboratory for further review. The samples will be stored for a period of 30 days from the date of this report. Details of the drilling procedures, as well as sample classifications, groundwater depths, and Standard Penetration Test results are presented on the attached boring logs.

## SUBSURFACE CONDITIONS

In general, the soils encountered consisted of medium to fine sand of very loose density with varying fractions of silt and gravel to a depth of 31 feet. Organic fibers and organic odors were encountered from depth of 15 ft to 25 ft below existing grade. From 31 feet to the terminating depth of the boring, the soils encountered consisted of silt and clay of very stiff consistency.

Groundwater was encountered at depths of 8 and 10 feet during our subsurface exploration. For a more detailed description of the subsurface soil and groundwater conditions encountered, please refer to the attached boring logs.

## FOUNDATION RECOMMENDATIONS

Based upon the results of our subsurface exploration and geotechnical engineering evaluation, it is our opinion that the proposed monopole may be supported on a drilled shaft foundation. Design of the foundation should be performed by an engineer licensed to practice in the State of Connecticut and should conform to all governing regulations. The foundation designer should take into account the existing topography when designing the monopole foundation. We recommend that the project specifications be written on a performance basis and that means and methods for installing the foundation be left to the discretion of the contractor. Responsibility for protecting any adjacent structures during installation should be stipulated to be with the contractor. Due to the close proximity to the railroad track and the encountered loose soils we



recommend utilizing permanent steel casing with drilled shaft. The installation should be made such that the steel casing is in firm contact with surrounding soil. Any voids between the steel casing and surrounding soil should be fill with pressure injected cement grout.

To facilitate the design of the monopole foundation, we offer the following soil parameters:

	<u>0 – 31 Feet</u>	<u>31 – 42 Feet</u>
• Total Unit Weight of Soil ( $\gamma$ )	90 pcf	125 pcf
• Buoyant Unit Weight of Soil ( $\gamma'$ )	30 pcf	65 pcf
• Angle of Internal Friction ( $\phi$ )	26°	0°
• Coefficient of At Rest Earth Pressure ( $K_o$ )	0.56	1
• Coefficient of Active Earth Pressure ( $K_a$ )	0.39	--
• Coefficient of Passive Earth Pressure ( $K_p$ )	2.56	--
• Cohesion (c)	--	1,000 psf
• Allowable Bearing Pressure	500 psf	6,000 psf

Care should be taken during construction to preclude disturbance to the adjacent railroad tracks. In addition vibration caused by frequently passing trains should be considered in the design.

## CLOSING

The recommendations contained herein are contingent upon subsurface conditions remaining consistent with those encountered during our subsurface exploration. It is understood that actual subsurface conditions may vary from those which are encountered at the locations of the test borings. French & Parrello will base interpretations and recommendations upon conditions inferred from the conditions encountered. It should be recognized that any future determination of conditions different than those which were encountered at the sampling locations may significantly impact the interpretation and recommendations provided by French & Parrello. Any such variation of conditions should be brought to the prompt attention of French & Parrello to assess the impact of the variations on the previously provided interpretations and recommendations. French & Parrello will take no responsibility for any interpretation or recommendation others may make based upon subsurface data provided by French & Parrello.

## LIMITATIONS

The scope of our work did not include an environmental assessment or investigation for the presence or absence of wetlands. Services performed by FPA for the project have been conducted in a manner consistent with the level of care and skill ordinarily exercised by members of the profession currently practicing in the same locality under similar conditions. No other






representation, expressed or implied, and no warranty or guarantee is included or intended in the services provided.


Should you have any questions or comments, please do not hesitate to contact us.

Very truly yours,

**FRENCH & PARRELLO ASSOCIATES, P.A.**




John Colagrande  
Project Manager



R. Raymond Mankbadi, P.E.  
Project Manager

RRM/ct



---

R. Raymond Mankbadi, P.E.  
CT Professional License No. 16547

# FRENCH & PARRELLO ASSOCIATES, P.A.

670 North Beers Street, Building No. 3  
Holmdel, New Jersey 07733



## TEST BORING LOG

AMTRAK - WINDSOR LOCKS  
(FPA No. 98A005CB1)

BORING NO: B-1  
SHEET 1 OF 2

DATE STARTED: 6-01-98  
DATE FINISHED: 6-01-98

DEPTH OF WATER: 10.0'  
LOCATION: SEE PLAN

GROUND ELEVATION: N/A  
GROUND WATER ELEV.: N/A

DRILLING TECHNIQUE: HOLLOW STEM AUGER

DEPTH FEET	SAMPLE DEPTH	SPT BLOW COUNTS (PER 6")	STRATA	DESCRIPTION OF SOIL
--- 5' ---	S-1 0-2'	1 - 2 - 3 - 9		S-1 Brown mf SAND, trace <sup>+</sup> Silt. (concrete in tip)
	S-2 2-4'	2 - 2 - 2 - 3		S-2 Brown mf SAND, little Silt.
	S-3 4-6'	3 - 1 - 2 - 2		S-3 Brown mf SAND, trace Silt.
	S-4 6-8'	2 - 2 - 1 - 2		S-4 Same as S-3 (2" recovery).
	S-5 8-10"	2 - 2 - 3 - 2		S-5 Same as S-3.
	S-6 10-12'	1 - 1 - 1 - 1		S-6 Brown f SAND, and Silt.
--- 15' ---	S-7 15-17'	1 - 0 - 0 - 0		S-7 Same as S-6.
--- 20' ---	S-8 20-22'	1 - 0 - 1 - 0		S-8 TOP 12": Same as S-6. BOT 12": Grey f SAND and Silt. (slight organic odor)
--- 25' ---	S-9 25-27'	1 - 1 - 2 - 3		S-9 Grey f SAND, some Silt. (trace of organic fibers)
--- 30' ---	S-10 30-32'	10 - 3 - 2 - 2		S-10 TOP 12": Brown mf SAND, some mf Gravel, trace <sup>+</sup> Silt. BOT 12": Reddish Brown SILT & CLAY.
--- 35' ---	S-11 35-37'	15 - 12 - 22 - 16		S-11 Reddish Brown mf SAND, some Silt & Clay, some mf Gravel. (glacial till)
--- 40' ---				

SOILS ENGINEER: R. RAYMOND MANKBADI, P.E..  
DRILLING INSPECTOR: C. HILL

CONTRACTOR: CRAIG TEST BORING COMPANY  
DRILLER: B. KIMLEY

The information shown hereon indicates the subsurface conditions encountered at the specified boring location on the date(s) of drilling. Subsurface Conditions are likely to vary across the project site. Interpretation of the subsurface data shall be at the discretion of the user.



FRENCH & PARRELLO ASSOCIATES, P.A.

670 North Beers Street, Building No. 3  
Holmdel, New Jersey 07733

TEST BORING LOG

AMTRAK - WINDSOR LOCKS  
(FPA No. 98A005CB1)

BORING NO: B-1  
SHEET 2 OF 2

DATE STARTED: 6-01-98  
DATE FINISHED: 6-01-98

DEPTH OF WATER: 10.0'  
LOCATION: SEE PLAN

GROUND ELEVATION: N/A  
GROUND WATER ELEV.: N/A

DRILLING TECHNIQUE: HOLLOW STEM AUGER

DEPTH FEET	SAMPLE DEPTH	SPT BLOW COUNTS (PER 6")	STRATA	DESCRIPTION OF SOIL
	S-12 40-41'6"	23 - 30 - 50/6" X		S-12 Reddish Brown SILT & CLAY, little mf Gravel, little mf Sand. <hr/> END OF BORING AT 41'6"
---45'---				
---50'---				
---55'---				
---60'---				
---65'---				
---70'---				
---75'---				
---80'---				

SOILS ENGINEER: R. RAYMOND MANKBADI P.E.  
DRILLING INSPECTOR: C. HILL

CONTRACTOR: CRAIG TEST BORING COMPANY  
DRILLER: B. KIMLEY

The information shown hereon indicates the subsurface conditions encountered at the specified boring location on the date(s) of drilling. Subsurface Conditions are likely to vary across the project site. Interpretation of the subsurface data shall be at the discretion of the user.

FRENCH & PARRELLO ASSOCIATES, P.A.

670 North Beers Street, Building No. 3  
Holmdel, New Jersey 07733



TEST BORING LOG

AMTRAK - WINDSOR LOCKS  
(FPA No. 98A005CB2)

BORING NO: B-2  
SHEET 1 OF 1

DATE STARTED: 6-01-98  
DATE FINISHED: 6-01-98

DEPTH OF WATER: 8.0'  
LOCATION: SEE PLAN

GROUND ELEVATION: N/A  
GROUND WATER ELEV.: N/A


DRILLING TECHNIQUE: HOLLOW STEM AUGER

DEPTH FEET	SAMPLE DEPTH	SPT BLOW COUNTS (PER 6")	STRATA	DESCRIPTION OF SOIL
	S-1 0-2'	3 - 2 - 2 - 4		S-1 Brown mf SAND, little Silt.
	S-2 2-4'	4 - 4 - 5 - 3		S-2 Brown mf SAND, trace <sup>+</sup> Silt.
--- 5'---	S-3 4-6'	2 - 2 - 2 - 2		S-3 Same as S-2 with railroad tie fragments.
	S-4 6-8'	2 - 3 - 2 - 2		S-4 Brown mf SAND, trace <sup>+</sup> Silt.
---10'---	S-5 8-10"	2 - 1 - 2 - 3		S-5 Brown SILT & CLAY, little <sup>+</sup> mf Sand, little f Gravel.
	S-6 10-12'	2 - 2 - 2 - 2		S-6 Brown f SAND, and Silt.
				END OF BORING AT 12'
---15'---				
---20'---				
---25'---				
---30'---				
---35'---				
---40'---				


SOILS ENGINEER: R. RAYMOND MANKBADI, P.E.  
DRILLING INSPECTOR: C. HILL


CONTRACTOR: CRAIG TEST BORING COMPANY  
DRILLER: B. KIMLEY


The information shown hereon indicates the subsurface conditions encountered at the specified boring location on the date(s) of drilling. Subsurface Conditions are likely to vary across the project site. Interpretation of the subsurface data shall be at the discretion of the user.



## REGIONAL LOCATION PLAN

 <b>FRENCH &amp; PARRELLO</b> ASSOCIATES, P.A. CONSULTING ENGINEERS 670 NORTH DEERS STREET BLDG. #3 TEL: (732) 868-7700	PROJECT: <b>AMTRAK - WINDSOR LOCKS</b> <b>SOUTH MAIN STREET; MILE POST 47.2</b> <b>WINDSOR LOCKS, CT</b>	HOLDDEL, NEW JERSEY 07733 FAX: (732) 858-7622	DRAWN BY: <b>K.G.</b>	CHECKED BY: <b>J.C.</b>	SCALE: <b>N.T.S.</b>	DATE: <b>6/3/98</b>	JOB NO.: <b>98A005E</b>	DRAWING NO.: <b>1</b>
---	---	--	--------------------------	----------------------------	-------------------------	------------------------	----------------------------	--------------------------



 <b>FRENCH &amp; PARRELLO</b> ASSOCIATES, P.A. CONSULTING ENGINEERS 670 NORTH BEERS STREET BLDG. #3 HOLMDEL, NEW JERSEY 07733 TEL: (732) 888-7700 FAX: (732) 888-7622		PROJECT: AMTRAK - WINDSOR LOCKS SOUTH MAIN STREET; MILEPOST 47.2 WINDSOR LOCKS, CT			
DRAWN BY: K.G.	CHECKED BY: J.C.	SCALE: 1"=60'-0"	DATE: 6/3/98	JOB NO.: 98A005E	DRAWING NO.: 2

EXISTING 55' AMTRAK  
RADIO TOWER

EXISTING AMTRAK  
EQUIPMENT SHED.

PROPOSED ICE BRIDGE

EXISTING 65' AMTRAK  
RADIO TOWER

PROPOSED 150'  
MONOPOLE WITH  
PLATFORM MOUNTED  
ON TOP

PROPOSED ICE BRIDGE.

PROPOSED NORTEL S8000  
CABINET MOUNTED ON  
CONCRETE SLAB.

PROPOSED EVERGOOD  
CABINET

PROPOSED  
VYNCKIER  
CABINET

EXISTING  
RAILROAD  
TRACKS

KEY



APPROXIMATE  
BORING  
LOCATION

### TEST BORING LOCATION PLAN



**FRENCH & PARRELLO**  
ASSOCIATES, P.A.  
CONSULTING ENGINEERS

670 NORTH BEERS STREET BLDG. #3    HOLMDEL, NEW JERSEY 07733  
TEL: (732) 865-7700    FAX: (732) 865-7622

PROJECT:

AMTRAK - WINDSOR LOCKS  
SOUTH MAIN STREET; MILE POST. 47.2  
WINDSOR LOCKS, CT

DRAWN BY:  
K.G.

CHECKED BY:  
J.C.

SCALE:  
3/16" = 1'-0"

DATE:  
6/2/98

JOB NO.:  
98A131E

DRAWING NO.:  
3



BURMISTER SOIL CLASSIFICATION SYSTEM

A. Cohesionless Soils: Particle Size Definitions

<u>Soil</u>	<u>Fraction</u>	<u>U.S. Standard Sieve</u>	<u>Actual Size</u>
Gravel	course	3 in. to 1 in.	76 mm to 25 mm
	medium	1 in. to 3/8 in.	25 mm to 9.5 mm
	fine	3/8 in. to No. 10	9.5 mm to 2.0 mm
Sand	course	No. 10 to No. 30	2.0 mm to 0.6 mm
	medium	No. 30 to No. 60	0.6 mm to 0.25 mm
	fine	No. 60 to No. 200	0.25 mm to .075 mm
Silt		< No. 200	< 0.075 mm

B. Terms Describing Gradation of Cohesionless Soils

<u>Written Designation</u>	<u>Symbol/ Designation</u>	<u>Defining Proportions</u>
coarse, medium to fine	cmf	all fractions > 10%
coarse to medium	cm	< 10% fine
medium to fine	mf	< 10% coarse
coarse	c	< 10% medium and fine
medium	m	< 10% coarse and fine
fine	f	< 10% coarse and medium

Note: Use (+) for upper limit and (-) for lower limit.

C. Cohesive Soils: Terms Describing Plasticity

<u>Soil</u>	<u>Plasticity Index</u>	<u>Workability</u>	<u>Plasticity Description</u>
SILT	0	--	Non-Plastic
Clayey SILT	1 to 5	1/4 in. thread	Slightly Plastic
SILT & CLAY	5 to 10	1/8 in. thread	Low Plasticity
CLAY & SILT	10 to 20	1/16 in. thread	Medium Plasticity
Silty CLAY	20 to 40	1/32 in. thread	High Plasticity
CLAY	>40	1/64 in. thread	Very High Plasticity


D. Terms Describing Overall Composition of Soil

<u>Written Proportion</u>	<u>Proportion Symbol</u>	<u>Proportion Percent by Weight</u>
and	a	35 to 50
some	s	20 to 35
little	l	10 to 20
trace	t	1 to 10

Note: Use (+) for upper limit and (-) for lower limit.



**APPENDIX B**




ROTATABLE TOP - TOP VIEW

MONOPOLE SECTION DATA

(ALL BOLTS ARE FOR BOTTOM OF SECTION)

SECTION					CONNECT BOLT			PILOT BOLT		
LENGTH	PART #	SIZE	WALL	WT. *	DIAM	LENGTH	#	DIAM	LENGTH	#
1'	801438	12"	N/A	1020#	1"	4-1/2"	5			
30'	126194	12.75"	0.375"	1739#	1"	4-1/2"	7	1"	5"	3
20'	126055	18"	0.375"	1662#	1"	4-1/2"	13	1"	5"	3
20'	126056	24"	0.375"	2204#	1"	4-1/2"	17	1"	5"	3
20'	126057	30"	0.375"	2747#	1"	4-1/2"	21	1"	5"	3
20'	126058	36"	0.375"	3290#	1"	4-1/2"	25	1"	5"	3
20'	126059	42"	0.375"	3833#	1"	4-1/2"	29	1"	5"	3
20'	126060	48"	0.375"	4376#						

\*THE WEIGHTS LISTED ARE THEORETICAL. THE ACTUAL WEIGHTS WILL VARY. ALL WEIGHTS SHOULD BE CONFIRMED IN THE FIELD PRIOR TO ERECTION.



TOP 1' CONSISTS OF ROTATABLE TOP ASSEMBLY. SEE DWG # 127799-B FOR INSTALLATION DETAILS. JAM NUTS NOT REQUIRED.

ALL CONNECTIONS ARE A-325 BOLTS SEE TABLE ABOVE FOR SIZE & QTY.



TYPICAL FLUSH FLANGE CONNECTION  
VIEW A

SEE PAGE 2 OF THIS DRAWING FOR OPENING INFORMATION.

SEE PAGE 4 OF THIS DRAWING FOR CONNECTION BOLT TIGHTENING SPECIFICATIONS.

SEE PAGE 7 OF THIS DRAWING FOR BASE SECTION INSTALL.

REMOVABLE CLIMBING RUNGS.


REV	DESCRIPTION OF REVISIONS	INI	DATE	DRAWN BY	TSD
K	BECAME A DASH ONE - PGS 1, 4 & 5 (AUTOCAD)	KWD	01/07/1999		
J	BECAME A DASH ONE - PGS. 2, 3, 6, 7, 8 & 9	KWD	01/07/1999		
I	REVISED NOTES.	WBR	12/01/1998		
H	REVISED FOUNDATION PER SITE CHANGE.	WBR	12/01/1998		
G	REVISED SITE NAME - AUTOCAD	KWD	10/29/1998		
F	REVISED SITE NAME	KWD	10/29/1998		


AMTRAK		AMTRAK-WINDSOR LOCKS #CT11064, CT	
		MP48 X 150' ASSEMBLY DRAWING	
CONNECTICUT C. O. A.	PEC. 797		
APPROVED/ENG.	KWD	1/7/1999	
APPROVED/FOUND.	N/A		
COPYRIGHT	2003		
ENG. FILE NO.	A-114828-1	DRAWING NO.	203977-B
ARCHIVE	Q-76039	PAGE	1 OF 9




OPENINGS & BRACKETS WELDED TO POLE					
HEIGHT *H	TYP	DESCRIPTION	ANGL	ASSEMBLY DRAWING#	
148' -11"	13	SAFETY CLIMB BRACKET	0°		
148' -6"	9	4" X 6" PORTHOLE EXITING UP	80°		
148' -6"	9	4" X 6" PORTHOLE EXITING UP	200°		
148' -6"	9	4" X 6" PORTHOLE EXITING UP	320°		
147' -6"	9	4" X 6" PORTHOLE EXITING UP	80°		
147' -6"	9	4" X 6" PORTHOLE EXITING UP	200°		
147' -6"	9	4" X 6" PORTHOLE EXITING UP	320°		
127' -9"	9	4" X 6" PORTHOLE EXITING UP	80°		
127' -9"	9	4" X 6" PORTHOLE EXITING UP	200°		
127' -9"	9	4" X 6" PORTHOLE EXITING UP	320°		
126' -9"	9	4" X 6" PORTHOLE EXITING UP	80°		
126' -9"	9	4" X 6" PORTHOLE EXITING UP	200°		
126' -9"	9	4" X 6" PORTHOLE EXITING UP	320°		
125' -9"	19	PAD EYES FOR FUTURE PLATFORM	SEE>	121975-B	
107' -9"	9	4" X 6" PORTHOLE EXITING UP	80°		
107' -9"	9	4" X 6" PORTHOLE EXITING UP	200°		
107' -9"	9	4" X 6" PORTHOLE EXITING UP	320°		
106' -9"	9	4" X 6" PORTHOLE EXITING UP	80°		
106' -9"	9	4" X 6" PORTHOLE EXITING UP	200°		
106' -9"	9	4" X 6" PORTHOLE EXITING UP	320°		
105' -9"	19	PAD EYES FOR FUTURE PLATFORM	SEE>	121975-B	
97' -6"	9	4" X 6" PORTHOLE EXITING UP	170°		
69'	9	4" X 6" PORTHOLE EXITING UP	170°		
49'	9	4" X 6" PORTHOLE EXITING UP	170°		
10'	8	TRANS. LINE BRIDGE ATTACH BRACKET	30°		
9' -6"	13	SAFETY CLIMB BRACKET	0°		
7' -6"	2	10" X 25" OVAL PORTHOLE	30°		
6' -11"	7	GROUNDING PLATE	30°		
4'	8	TRANS. LINE BRIDGE ATTACH BRACKET	120°		
4'	8	TRANS. LINE BRIDGE ATTACH BRACKET	210°		
1' -6"	2	10" X 25" OVAL PORTHOLE	120°		
1' -6"	2	10" X 25" OVAL PORTHOLE	210°		
1'	7	GROUNDING PLATE	120°		
1'	7	GROUNDING PLATE	210°		
1'	18	GROUNDING ANGLES (3)	SEE>	131093-B	




THE ANGLE TO THE OPENING IS MEASURED CLOCKWISE FROM THE CENTER-LINE OF THE CLIMBING RUNGS WHEN LOOKING DOWN.



\* THE HEIGHT IN THE TABLE IS THE DISTANCE FROM THE BASE OF THE BOTTOM SECTION OF THE POLE TO THE OPENING REFERENCE (R\*) AS SHOWN ON PAGES 2 - 3 OF THIS DRAWING.



TYPE 2  
OPENING




GROUNDING  
PLATE




LINE BRIDGE  
BRACKET

				AMTRAK AMTRAK-WINDSOR LOCKS #CT11064, CT MP48 X 150' OPENINGS	
				CONNECTICUT C. O. A. PEC. 797	
J	BECAME A DASH ONE - PGS. 2, 3, 6, 7, 8 & 9	KWD	01/07/1999	APPROVED/ENG.	KWD 1/7/1999
F	REVISED SITE NAME	KWD	10/29/1998	APPROVED/FOUND.	N/A
C	HEIGHT CHANGE TO MP48 X 150', NEW REACTIONS	TSD	06/23/1998	COPYRIGHT 2003	
REV	DESCRIPTION OF REVISIONS	INI	DATE	DRAWN BY	TSD
From: 76039.DFT - 01/07/99 09:37				ENG FILE NO. A-114828-1	
Printed from: 203977J.DWG - 01/07/1999 10:01 @ 09/10/2003 16:33				DRAWING NO. 203977-B	
				ARCHIVE Q-76039	
				PAGE 2 OF 9	






TYPE 9  
OPENING




GROUNDING ANGLE

				AMTRAK		AMTRAK-WINDSOR LOCKS #CT11064, CT		MP48 X 150' OPENINGS	
				CONNECTICUT C. O. A. PEC. 797					
J	BECAME A DASH ONE - PGS. 2, 3, 6, 7, 8 & 9	KWD	01/07/1999	APPROVED/ENG.	KWD	1/7/1999	 1545 Pidco Dr. Plymouth, IN 46563-0128 219-936-4221		
F	REVISED SITE NAME	KWD	10/29/1998	APPROVED/FOUND.	N/A				
C	HEIGHT CHANGE TO MP48 X 150', NEW REACTIONS	TSD	06/23/1998	COPYRIGHT 2003					
REV	DESCRIPTION OF REVISIONS	INI	DATE	DRAWN BY	TSD				
From: 76039.DFT - 01/07/99 09:37				ENG. FILE NO. A-114828-1		DRAWING NO.		203977-B	
Printed from: 2039773J.DWG - 01/07/1999 10:01 @ 09/10/2003 16:33				ARCHIVE Q-76039		PAGE		3 OF 9	


GENERAL NOTES

1. TOWER DESIGN CONFORMS TO STANDARD EIA/TIA-222-F FOR 85 MPH BASIC WIND SPEED WITH NO ICE.  
TOWER DESIGN CONFORMS TO STANDARD EIA/TIA-222-F FOR 85 MPH BASIC WIND SPEED WITH 0.50" RADIAL ICE WITH LOAD DUE TO WIND REDUCED BY 25% WHEN CONSIDERED SIMULTANEOUSLY WITH ICE.
2. MATERIAL: (A) SOLID RODS CONFORM TO ASTM A-572 GRADE 50 REQUIREMENTS.  
(B) ANGLES CONFORM TO ASTM A-36 REQUIREMENTS.  
(C) PIPE CONFORMS TO ASTM A-53 TYPE E, GRADE B REQUIREMENTS (MIN YIELD STRENGTH=42 KSI)  
(D) ALL STEEL PLATES CONFORM TO ASTM A-36 REQUIREMENTS.  
(E) ALL ANCHOR BOLTS TO CONFORM TO ASTM - A687 SPECIFICATIONS.
3. BASE REACTIONS PER EIA/TIA-222-F FOR 85 MPH BASIC WIND SPEED WITH NO ICE.  
TOTAL WEIGHT= 25.9 KIPS.  
MOMENT= 1489.9 KIP-FT.  
MAXIMUM SHEAR= 15.3 KIPS TOTAL.
4. BASE REACTIONS PER EIA/TIA-222-F FOR 85 MPH BASIC WIND SPEED WITH 0.50" RADIAL ICE:  
TOTAL WEIGHT= 28.7 KIPS.  
MOMENT= 1173.5 KIP-FT.  
MAXIMUM SHEAR= 12.0 KIPS TOTAL.
5. FINISH: HOT DIPPED GALVANIZED AFTER FABRICATION.
6. ANTENNAS: TOP (6) EMSFR65-17-XXDP ANTENNAS MOUNTED ON A LOW PROFILE TOP USING 1-5/8" LINES.  
130' (6) EMSFR65-17-XXDP ANTENNAS MOUNTED ON A LOW PROFILE CLAMP-ON ROTATABLE PLATFORM USING 1-5/8" LINES.  
110' (6) EMSFR65-17-XXDP ANTENNAS MOUNTED ON A LOW PROFILE CLAMP-ON ROTATABLE PLATFORM USING 1-5/8" LINES.  
100' (1) PD220 ANTENNA MOUNTED ON A 4' - 6" SIDE ARM USING 1-5/8" LINE.  
70' (1) PD220 ANTENNA MOUNTED ON A 4' - 6" SIDE ARM USING 1-5/8" LINE.  
50' (1) PD220 ANTENNA MOUNTED ON A 4' - 6" SIDE ARM USING 1-5/8" LINE.
7. INSTALL BASE SECTION WITH MINIMUM OF 2" CLEARANCE ABOVE CONCRETE.
8. MIN. WELDS 5/16" UNLESS OTHERWISE SPECIFIED. ALL WELDING TO CONFORM TO AWS SPECIFICATIONS.
9. ALL BOLTS MUST BE IN PLACE WITH JAM NUTS PRIOR TO ERECTION OF THE STRUCTURE. ALL BOLTS AND NUTS MUST BE IN PLACE AND TIGHTENED BEFORE THE ADJOINING SECTION(S) ARE PLACED.
10. ALL A-325 BOLTS SHALL BE PRE-TENSIONING PER AISC SPECIFICATIONS. REFER TO DRAWING # 123107-A ("BOLT PRE-TENSIONING REQUIREMENTS" )
11. EIA GROUNDING FOR TOWER.
12. OUTSIDE CLIMB RUNGS WITH SAFETY CLIMB.
13. MONOPOLE TO BE PAINTED SLATE GRAY.
14. MONOPOLE REACTIONS WERE NOT RUN WITH A LIGHTNING ROD EXTENDER.

				AMTRAK AMTRAK-WINDSOR LOCKS #CT11064, CT MP48 X 150' NOTES				
K	BECAME A DASH ONE - PGS 1, 4 & 5 (AUTOCAD)	KWD	01/07/1999	CONNECTICUT C. O. A. PEC. 797		 1545 Pidco Dr. Plymouth, IN 46563-0128 219-936-4221		
I	REVISED NOTES.	WBR	12/01/1998	APPROVED/ENG.	KWD			1/7/1999
G	REVISED SITE NAME - AUTOCAD	KWD	10/29/1998	APPROVED/FOUND.	N/A			
E	REVISED SECTION SIZE, ADDED ANCHOR BOLT NOTE	KWD	07/23/1998	COPYRIGHT	2003			
C	HEIGHT CHANGE TO MP48 X 150', NEW REACTIONS	TSD	06/23/1998	DRAWN BY	TSD			
REV	DESCRIPTION OF REVISIONS	INI	DATE	ENG. FILE NO.	A-114828-1	DRAWING NO.	203977-B	
From: 76039.DFT - 06/23/98 08:50				ARCHIVE	Q-76039	PAGE	4 OF 9	
Printed from: 2039774K.DWG * 01/07/1999 10:19 @ 09/10/2003 16:33								

### FOUNDATION NOTES


1. SOIL AS PER REPORT BY FRENCH & PARRELLO ASSOCIATES, P. A. DATED 6/9/98 (FILE #98A005ERI).
2. CONCRETE TO BE 3000 PSI @ 28 DAYS. REINFORCING BAR TO CONFORM TO ASTM A615 GRADE 60 SPECIFICATIONS. CONCRETE INSTALLATION TO CONFORM TO ACI-318 BUILDING REQUIREMENTS FOR REINFORCED CONCRETE. ALL CONCRETE TO BE PLACED AGAINST UNDISTURBED EARTH FREE OF WATER AND ALL FOREIGN OBJECTS AND MATERIALS. A MINIMUM OF THREE' INCHES OF CONCRETE SHALL COVER ALL REINFORCEMENT. WELDING OF REBAR NOT PERMITTED.
3. A COLD JOINT IS PERMISSIBLE UPON CONSULTATION WITH PIR0D. ALL COLD JOINTS SHALL BE COATED WITH BONDING AGENTS PRIOR TO SECOND POUR.
4. ALL REINFORCING STEEL TO BE FORMED INTO A CAGE PRIOR TO SETTING INTO POSITION IN THE EXCAVATED PIER.
5. GROUTING OF MONOPOLE BASE IS OPTIONAL. IF GROUT IS USED, DRAINAGE MUST BE PROVIDED FROM THE INTERIOR OF THE POLE. REFER TO DRAWING # 118492-B FOR BASE SECTION INSTALLATION.
6. BENDING, STRAIGHTENING OR REALIGNING (HOT OR COLD) OF THE ANCHOR BOLTS BY ANY METHOD IS PROHIBITED.
7. CROWN TOP OF FOUNDATION FOR PROPER DRAINAGE.
8. A PERMANENT STEEL CASING IS REQUIRED DUE TO THE PROXIMITY OF THE FOUNDATION TO THE RAILROAD TRACKS. THE CASING SHOULD BE INSTALLED SUCH THAT VOIDS AROUND THE CASING ARE MINIMAL. ANY VOIDS BETWEEN THE STEEL CASING AND THE SOIL MUST BE FILLED BY PRESSURE INJECTED GROUTING TECHNIQUES.
9. A SUMP OR OTHER DEWATERING SYSTEM MAY BE REQUIRED TO CONTROL GROUNDWATER INFILTRATION DURING CONSTRUCTION.

				AMTRAK	
K	BECAME A DASH ONE - PCS 1, 4 & 5 (AUTOCAD)	KWD	01/07/1999	AMTRAK-WINDSOR LOCKS #CT11064, CT MP48 X 150' NOTES	
I	REVISED NOTES.	WBR	12/01/1998		
H	REVISED FOUNDATION PER SITE CHANGE.	WBR	12/01/1998	CONNECTICUT C. O. A. PEC. 797	 1545 Pidco Dr. Plymouth, IN 46563-0128 219-936-4221
F	REVISED SITE NAME	KWD	10/29/1998	APPROVED/ENG. KWD 1/7/1999	
D	REVISED FOUNDATION PER TOWER HEIGHT CHANGE	WRH	06/23/1998	APPROVED/FOUND. WRH 1/7/1999	
C	HEIGHT CHANGE TO MP48 X 150', NEW REACTIONS	TSD	06/23/1998	COPYRIGHT 2003	
REV	DESCRIPTION OF REVISIONS	INI	DATE	DRAWN BY TSD	
From: 76039.DFT - 12/01/98 08:56				ENG. FILE NO. A-114828-1	DRAWING NO. 203977-B
Printed from: 2039775K.DWG * 01/07/1999 13:12 @ 09/10/2003 16:33				ARCHIVE Q-76039	PAGE 5 OF 9

TOP VIEW

TOP AND SIDE VIEWS ARE  
DRAWN TO DIFFERENT SCALE


BASE FLANGE MUST BE CENTERED IN PIER  
WITHIN +/- 10% OF PIER DIAMETER



GROUTING OF MONOPOLE BASE IS OPTIONAL.  
IF GROUT IS USED, DRAINAGE MUST BE  
PROVIDED FROM THE INTERIOR OF POLE.  
CROWN TOP OF FOUNDATION TO  
FACILITATE DRAINAGE.

FOR ANCHOR STEEL IDENTIFICATION AND  
PLACEMENT INFORMATION, SEE PAGE 8.  
FOR BASE SECTION INSTALLATION, SEE PAGE 9

SIDE VIEW




FOR DETAIL VIEW OF REBAR CAGE  
END AREA, SEE PAGE 7. (E)  
# 5 HORIZONTAL TIES -- SEE (B) ON PAGE 7.  
34 PIECES REQUIRED.  
PLACE RINGS AT 0'-11" NOMINAL  
SPACING WITHIN END REGIONS,  
AND 1'-6" NOMINAL SPACING IN  
REMAINDER OF PIER.

#11 VERTICAL REBAR -- SEE (A) ON PAGE 7.  
26 PIECES REQUIRED, EQUALLY SPACED,  
TO BE PLACED INSIDE TIES.

TOWER FOUNDATION

32.6 CUBIC YARDS CONCRETE REQUIRED

FOR INSTALLATION SPECIFICATIONS AND  
ADDITIONAL INFORMATION, SEE PAGE 5  
OF THIS DRAWING.

				AMTRAK	
J	BECAME A DASH ONE - PGS. 2, 3, 6, 7, 8 & 9	KWD	01/07/1999	AMTRAK--WINDSOR LOCKS #CT11064, CT	
H	REVISED FOUNDATION PER SITE CHANGE.	WBR	12/01/1998	MP48 X 150' FOUNDATION	
G	REVISED SITE NAME - AUTOCAD	KWD	10/29/1998	CONNECTICUT C. O. A. PEC. 797	 1545 Pidco Dr Plymouth, IN 46563-0128 219-936-4221
D	REVISED FOUNDATION PER TOWER HEIGHT CHANGE	WRH	06/23/1998	APPROVED/ENG. KWD 1/7/1999	
C	HEIGHT CHANGE TO MP48 X 150', NEW REACTIONS	TSD	06/23/1998	APPROVED/FOUND. WRH 1/7/1999	
B	ADDED FOUNDATION PER SOIL REPORT.	WBR	06/19/1998	COPYRIGHT 2003	
REV	DESCRIPTION OF REVISIONS	INI	DATE	DRAWN BY	TSD
From: 76039.DFT - 01/07/99 09:37				ENG. FILE NO. A-114828-1	DRAWING NO. 203977-B
Printed from: 2039776J.DWG - 01/07/1999 10:01 @ 09/10/2003 16:33				ARCHIVE Q-76039	PAGE 6 OF 9

(A) #11 REBAR - 26 PIECES REQ. TOTAL  
APPROX WT = 193.9# EACH, 5041# TOTAL

5' (B) # 5 REBAR - 34 PIECES REQUIRED TOTAL  
APPROX UNBENT LENGTH = 17'-11- 1/4"  
APPROX WT = 18.7# EACH, 636# TOTAL

LAP DIMENSION: 2'-2- 3/4"  
PLACE REBAR RINGS SO THAT LAPS ON  
ADJACENT RINGS ARE 180 DEGREES APART.  
SEE PAGE 6 FOR RING PLACEMENT.

0'-11" PLACE 8 CIRCULAR TIES WITHIN  
EACH END REGION (TOP AND BOTTOM).  
PLACE FIRST TIE AT END OF VERTICAL  
BARS AND CONTINUE SPACING AS SHOWN.  
SEE PAGE 6 FOR REGION DEFINITION.

PLACE AN ADDITIONAL CIRCULAR  
TIE 4" FROM THE END TIE (TOP  
AND BOTTOM) AS SHOWN.

DETAIL OF REBAR CAGE END  
(E)

REBAR DETAIL

TOTAL APPROX REBAR WEIGHT = 5677#  
REINFORCING BAR TO CONFORM TO  
ASTM A615 GRADE 60 SPECIFICATIONS.


				AMTRAK	
J	BECAME A DASH ONE - PGS. 2,3,6,7,8 & 9	KWD	01/07/1999	AMTRAK-WINDSOR LOCKS #CT11064, CT	
H	REVISED FOUNDATION PER SITE CHANGE.	WBR	12/01/1998	MP48 X 150' REBAR DETAIL	
G	REVISED SITE NAME - AUTOCAD	KWD	10/29/1998	CONNECTICUT C. O. A. PEC. 797	
D	REVISED FOUNDATION PER TOWER HEIGHT CHANGE	WRH	06/23/1998	APPROVED/ENG.	KWD 1/7/1999
C	HEIGHT CHANGE TO MP48 X 150', NEW REACTIONS	TSD	06/23/1998	APPROVED/FOUND.	WRH 1/7/1999
B	ADDED FOUNDATION PER SOIL REPORT.	WBR	06/19/1998	COPYRIGHT 2003	
REV	DESCRIPTION OF REVISIONS	INI	DATE	DRAWN BY	TSD
From: 76039.DFT - 01/07/99 09:37				ENG. FILE NO. A-114828-1	DRAWING NO. 203977-B
Printed from: 203977J.DWG - 01/07/1999 10:01 @ 09/10/2003 16:33				ARCHIVE Q-76039	PAGE 7 OF 9



1545 Pidco Dr.  
Plymouth, IN 46563-0128  
219-936-4221




BASE FLANGE MUST BE CENTERED IN PIER  
WITHIN +/- 10% OF PIER DIAMETER.



GROUTING OF MONOPOLE BASE IS OPTIONAL.  
IF GROUT IS USED, DRAINAGE MUST BE  
PROVIDED FROM THE INTERIOR OF POLE.

PERMANENT FOUNDATION PLATE P/N 118489 MUST BE  
SECURELY DOUBLE-NUTTED TO ANCHOR BOLTS DURING  
CONCRETE INSTALLATION AND MUST BE LEVEL +/- 1/8\"/>



ANCHOR BOLT P/N 123653 - 36 REQUIRED  
DIAMETER= 1.00\"/>

PLATE P/N 118489 SECURELY DOUBLE-NUTTED TO ANCHOR  
BOLTS USED AS EMBEDMENT PLATE IN CONCRETE.

TOWER ANCHOR STEEL PLACEMENT



				AMTRAK AMTRAK-WINDSOR LOCKS #CT11064, CT MP48 X 150' ANCHOR STEEL	
J	BECAME A DASH ONE - PGS. 2, 3, 6, 7, 8 & 9	KWD	01/07/1999	CONNECTICUT C. O. A.	PEC. 797
G	REVISED SITE NAME - AUTOCAD	KWD	10/29/1998	APPROVED/ENG.	KWD 1/7/1999
D	REVISED FOUNDATION PER TOWER HEIGHT CHANGE	WRH	06/23/1998	APPROVED/FOUND.	WRH 1/7/1999
B	ADDED FOUNDATION PER SOIL REPORT.	WBR	06/19/1998	COPYRIGHT 2003	
REV	DESCRIPTION OF REVISIONS	INI	DATE	DRAWN BY	TSD
From: 76039.DFT - 01/07/99 09:37				ENG. FILE NO.	A-114828-1
Printed from: 2039778J.DWG - 01/07/1999 10:01 @ 09/10/2003 16:33				ARCHIVE	Q-76039
				DRAWING NO.	203977-B
				PAGE	8 OF 9



FOUNDATION PLATE (POLE  
TEMPLATE) P/N 118489.  
DO NOT REMOVE. PERMANENT  
PLACEMENT IS REQUIRED.

LEVEL AND PLUMB BASE SECTION  
PRIOR TO ERECTING REMAINDER OF POLE.

CROWN TOP OF CONCRETE  
FOR PROPER DRAINAGE.  
NO GROUTING IS REQUIRED.



TOWER BASE SECTION PLACEMENT

				AMTRAK AMTRAK-WINDSOR LOCKS #CT11064, CT MP48 X 150' BASE SECTION PLACEMENT	
J	BECAME A DASH ONE - PGS. 2, 3, 6, 7, 8 & 9	KWD	01/07/1999	CONNECTICUT C. O. A.	PEC. 797
G	REVISED SITE NAME - AUTOCAD	KWD	10/29/1998	APPROVED/ENG.	KWD 1/7/1999
D	REVISED FOUNDATION PER TOWER HEIGHT CHANGE	WRH	06/23/1998	APPROVED/FOUND.	WRH 1/7/1999
B	ADDED FOUNDATION PER SOIL REPORT.	WBR	06/19/1998	COPYRIGHT 2003	
REV	DESCRIPTION OF REVISIONS	INI	DATE	DRAWN BY	TSD
From: 76039.DFT - 01/07/99 09:37				ENG. FILE NO. A-114828-1	DRAWING NO. 203977-B
Printed from: 2039779J.DWG - 01/07/1999 10:01 09/10/2003 16:34				ARCHIVE Q-76039	PAGE 9 OF 9



**APPENDIX C**



**TOWER ELEVATION PHOTO**

PROJECT INFORMATION:

**150'  
SELF-SUPPORTING  
POLE STRUCTURE**

**TOWER MAPPING**

PROJECT NAME:

**AMTRAK-WINDSOR**

SITE NUMBER:

**CT11064F**

**8 South Main Street,  
Windsor, CT 06096  
(Hartford County)**

MAPPING DATE:

1/14/2015

LATITUDE: N 41° 54' 47.73" N 41.913259°

LONGITUDE: W 72° 37' 34.12" W 72.626145°

GROUND ELEVATION (AMSL): 36'

TOWER MANUFACTURER: PiRod / Valmont

TOWER MODEL OR SERIAL #: -

STRUCTURE HEIGHT: 154'±

FCC REGISTRATION: -

TABLE OF CONTENTS

PAGE #	DESCRIPTION
1	Title Sheet
2	Compound Plan Sketch
3	Base Plate / Top of Foundation Details
4	Stiffener Detail
5	Flange Detail
6	Ladder
7-8	Hand Hole Rims
9	Tower Elevation
10	Feedlines
11-14	Appurtenances & Mounts

FIELD AGENTS:

Robert J. Danze

Will C. Hinkle

PLANS PREPARED FOR:



36 British American Blvd  
Suite 101  
Latham, NY 12110  
Phone: (518) 783-1630  
Fax: (518) 783-1544

REV	DATE:	Issued For:
0	1/20/2015	Tower Mapping Final Report

PLANS PREPARED BY:



113 Edinburgh S. Dr. Ste. 130  
Cary, NC 27511  
Office: (888) 321-6167  
Fax: (919) 321-1768  
www.verticalsolutions-inc.com

SIGNATURE OF CREW LEADER:  
*Robert Danze*

VSI #: 141329  
DRAWN BY: PAA  
CHECKED BY: MRM



113 Edinburgh S. Dr. Suite 130  
 Cary, NC 27511  
 o) 888-321-6167  
 f) 919-321-1768  
 www.verticalsolutions-inc.com

**TOWER MAPPING REPORT**

Site Name Amtrak-Windsor\_CT


VSI # 141329

Client# CT11064F

Date 1/20/2015

Page 2 of 14


**COMPOUND PLAN SKETCH**



Gate Combo	6678
Pedestal # & Location	-
Telephone Company	-
Power Company	-

Carrier	Site ID	Meter #
T-Mobile	CT11064F	-

**BASE PLATE / TOP OF FOUNDATION DETAILS**



<b>Anchor Rod Information</b>		
<b>Qty.</b>	<b>Size</b>	<b>Bolt Circle</b>
36	1" Ø	51"

<b>Base Plate Information</b>		<b>Base Plate Template Information</b>		<b>Stiffener</b>
<b>Dimensions</b>	<b>Thickness</b>	<b>Dimensions</b>	<b>Thickness</b>	<b>Dimensions</b>
4'-6"Ø ±	1 1/4"	4'-6"Ø ±	1"	See Page 4

<b>Foundation Information</b>	
<b>Dimensions</b>	<b>Projection Above Ground</b>
6'Ø ±	3"




113 Edinburgh S. Dr. Suite 130  
Cary, NC 27511  
o) 888-321-6167  
f) 919-321-1768  
www.verticalsolutions-inc.com

# TOWER MAPPING REPORT


Site Name Amtrak-Windsor\_CT  
VSI # 141329  
Client# CT11064F  
Date 1/20/2015  
Page 4 of 14

## STIFFENER DETAIL



**FLANGE DETAILS**

- Note any as-built conditions not depicted in drawings.



Section #	O.D.	I.D.	B.C.	Thickness	Bolts		Stiffener Qty
					Qty	Size	
Bottom #1	54"	48"	51"	1 1/4"	36	1"Ø	18
Top #1	48"	-	45"	1 1/4"	32	1"Ø	-
Bottom #2	48"	42"	45"	1 1/4"	32	1"Ø	16
Top #2	42"	-	39"	1 1/4"	28	1"Ø	-
Bottom #3	42"	36"	39"	1 1/4"	28	1"Ø	14
Top #3	36"	-	33"	1 1/4"	24	1"Ø	-
Bottom #4	36"	-	33"	1 1/4"	24	1"Ø	12
Top #4	-	-	27"	1 1/4"	20	1"Ø	-
Bottom #5	-	24"	27"	1 1/4"	20	1"Ø	10
Top #5	24"	-	-	1 1/4"	16	1"Ø	-
Bottom #6	24"	-	-	1 1/4"	16	1"Ø	16
Top #6	-	-	-	1 1/4"	10	1"Ø	-
Bottom #7	-	-	-	1 1/4"	10	1"Ø	5
Top #7	-	-	-	1 1/4"	D.N.R	D.N.R	5






113 Edinburgh S. Dr. Suite 130  
 Cary, NC 27511  
 o) 888-321-6167  
 f) 919-321-1768  
 www.verticalsolutions-inc.com


**TOWER MAPPING REPORT**

Site Name Amtrak-Windsor\_CT  
 VSI # 141329  
 Client# CT11064F  
 Date 1/20/2015  
 Page 6 of 14

**LADDER**




**HAND HOLE RIMS**



#	Elevation	Width	Height	Thickness	Depth	Projection	Cardinal Direction	Description
1	16"	13"	26"	-	-	4"	E	Covered
2	16"	13"	26"	1"	6"	4"	S	-
3	7"	13"	26"	1"	6"	4"	N	-

**HAND HOLE RIMS**



#	Elevation	Width	Height	Thickness	Depth	Projection	Cardinal Direction	Description
4	59.5'	4"	6" / 9"	1/4"	3" / 8"	1" / 5"	NE, SE, SW	-
5	69.5'	4"	6" / 9"	1/4"	3" / 8"	1" / 5"	NE, SE, SW	-
6	97.5'	4"	6" / 9"	1/4"	3" / 8"	1" / 5"	NE, SE, SW	-
7-9	106'- 9"	4"	6" / 9"	1/4"	3" / 8"	1" / 5"	NE, SE, SW	-
10-12	107'- 9"	4"	6" / 9"	1/4"	3" / 8"	1" / 5"	NE, SE, SW	-
13-15	126'- 9"	4"	6" / 9"	1/4"	3" / 8"	1" / 5"	NE, SE, SW	-
16-18	127'- 9"	4"	6" / 9"	1/4"	3" / 8"	1" / 5"	NE, SE, SW	-
19-21	147'- 4"	4"	6" / 9"	1/4"	3" / 8"	1" / 5"	NE, SE, SW	-
22-24	148'- 4"	4"	6" / 9"	1/4"	3" / 8"	1" / 5"	NE, SE, SW	-















**TOWER MAPPING REPORT**

Site Name Amtrak-Windsor CT  
VSI # 141329  
Client# CT11064F  
Date 1/20/2015  
Page 9 of 14

**STRUCTURE**

SECTION	01	02	03	04	05	06	07
LENGTH	20'	20'	20'	20'	20'	20'	30'
PIROD PN	126060	126059	126058	126057	126056	126055	1266194
NUMBER OF SIDES	ROUND 48"	ROUND 42"	ROUND 36"	ROUND 30"	ROUND 24"	ROUND 18"	ROUND 12"
DIAMETER	0.375"	0.375"	0.375"	0.375"	0.375"	0.375"	0.375"
THICKNESS	-	(32) 1"Ø	(28) 1"Ø	(24) 1"Ø	(20) 1"Ø	(16) 1"Ø	(10) 1"Ø
FLANGE BOLTS	-	-	-	-	-	-	-
ANCHOR RODS	(36) 1"Ø	-	-	-	-	-	-

Used 12.75" OD per the drawings



PLAN VIEW  
SCALE: N.T.S

**APPURTENANCES**

ELEV.	CARRIER	MOUNT	EQUIPMENT		FEEDLINES	
			ANTENNA TYPE	DIMENSIONS	QTY.	SIZE
151'	T-Mobile	10'-6" Low Profile Platform	EMS RR901702DP	59" x 8" x 2.8"	6	1 1/4
			RFS / TMA	14" x 14" x 2"	1	1/2
			Inverted Omni	20'	-	-
98.5'	Amtrack	6' Side Arm	Omni	20'	1	1/2
70.5'	Amtrack	6' Side Arm	Omni	20'	1	1/2
51'	Amtrack	6' Side Arm	Empty Mount	N/A	-	-

**NOTES:**  
1. X DENOTES APPURTENANCE HEIGHT IN FT. (REF. BASE PLATE)  
Y DENOTES PAGE NUMBER OF MAPPING REPORT TO REFER TO FOR MORE DETAIL.






113 Edinburgh S. Dr. Suite 130  
Cary, NC 27511  
o) 888-321-6167  
f) 919-321-1768  
www.verticalsolutions-inc.com

# TOWER MAPPING REPORT

Site Name Amtrak-Windsor\_CT  
VSI # 141329  
Client# CT11064F  
Date 1/20/2015  
Page 10 of 14

## FEEDLINES




**ANTENNA AND MOUNT**



Photo From Ground



Photo From Tower



Plan View

Elevation	Carrier	Mount Type	Leg
51'	N/A	6' Side Arm	N/A
Appurtenances			Feedlines
Type	Dimensions	Azimuth ±	Quantity
Empty Mount	-	90°	-


**ANTENNA AND MOUNT**



Photo From Ground



Photo From Tower



Plan View

Elevation	Carrier	Mount Type	Leg
70.5'	Amtrak	6' Side Arm	N/A
Appurtenances			Feedlines
Type	Dimensions	Azimuth ±	Quantity
Omni	20'	N/A	1
			Size
			1/2




**ANTENNA AND MOUNT**



Photo From Ground



Photo From Tower



Plan View

Elevation	Carrier	Mount Type	Leg
98.5'	Amtrak	6' Side Arm	N/A
Appurtenances			Feedlines
Type	Dimensions	Azimuth ±	Quantity
Omni	20'	N/A	1
			Size
			1/2




**ANTENNA AND MOUNT**




**Photo From Ground**



**Photo From Tower**



**Antenna Label**



**Plan View**

Elevation	Carrier	Mount Type	Leg
151'	T-Mobile	10'- 6" Low Profile Platform	N/A
Appurtenances			Feedlines
Type	Dimensions	Azimuth ±	Quantity
(3) EMS RR901702DP	59" x 8" x 2.8"	85°, 205°, 325°	1
(3) RFS TMA	14" x 14" x 2"		6
(1) Inverted Omni	20'		1 1/4

**APPENDIX D**

2016 CONNECTICUT BUILDING CODE – CHAPTER 16

(Amd) **1609.3 Basic wind speed.** The ultimate design wind speed,  $V_{ult}$ , in mph, for the determination of the wind loads shall be determined by Appendix N.

<b>(APPENDIX N) MUNICIPALITY - SPECIFIC STRUCTURAL DESIGN PARAMETERS</b>												
<b>Municipality</b>	<b>Ground Snow Load</b>	<b>Wind Design Parameters</b>										
		<b>MCE Spectral Accelerations (%g)</b>		<b>Ultimate Design Wind Speeds, <math>V_{ult}</math> (mph)</b>			<b>Nominal Design Wind Speeds, <math>V_{nsd}</math> (mph)</b>			<b>Wind-Borne Debris Regions<sup>1</sup></b>		<b>Hurricane-Prone Regions</b>
		$S_0$	$S_1$	Risk Cat. I	Risk Cat. II	Risk Cat III-IV	Risk Cat. I	Risk Cat. II	Risk Cat. III-IV	Risk Cat. II & III except Occup I-2	Risk Cat III Occup I-2 & Risk Cat. IV	
Hamden	30	0.185	0.063	115	125	135	89	97	105			
Hampton	35	0.172	0.062	120	130	140	93	101	108			Yes
Hartford	30	0.181	0.064	115	125	135	89	97	105			Yes
Hartland	40	0.175	0.065	110	120	125	85	93	97			Yes
Harwinton	35	0.183	0.065	110	120	130	85	93	101			Yes
Hebron	30	0.177	0.063	120	130	140	93	101	108			Yes

# Exhibit E

7421.CT11064F  
T-MOBILE

08/24/18

## STRUCTURAL ANALYSIS OF EXISTING ANTENNA MOUNTS

### SITE NAME

AMTRAK – WINDSOR LOCKS

### SITE ADDRESS

225 S MAIN STREET / AMTRAK STATION  
WINDSOR LOCKS, CT

### PURPOSE

ANALYSIS OF EXISTING ANTENNA MOUNTING SYSTEM INSTALLED TO AN EXISTING MONOPOLE FOR THE PROPOSED T-MOBILE UPGRADE.

### DESIGN CRITERIA

1. ANTENNAS AND EQUIPMENT MANUFACTURERS SPECIFICATIONS.
2. 2016 CONNECTICUT STATE BUILDING CODE.
3. ANSI/TIA-222-G-2005,

### ASSUMPTIONS

1. AS NOTED.

### REFERENCES

1. MANUAL OF STEEL CONSTRUCTION (AISC).
2. TOWER MAPPING REPORT BY VERTICAL SOLUTIONS, DATED 01/14/15.
3. RFDS BY T-MOBILE, DATED 05/04/18.

### PROCEDURE

1. CALCULATE THE DESIGN LOADS TO BE RESISTED.
2. CHECK APPLIED STRESSES ON EXISTING MEMBERS.
3. CHECK CONNECTIONS TO THE SUPPORTING STRUCTURE.

### RESULTS/ CONCLUSIONS

THE EXISTING ANTENNA MOUNTING SYSTEM AND THEIR CONNECTIONS TO THE EXISTING MONOPOLE HAS ADEQUATE CAPACITY TO SUPPORT THE PROPOSED T-MOBILE UPGRADE.

CONTRACTOR SHALL VERIFY EXISTING CONDITIONS AND RECOMMENDATIONS AS NOTED ON THE CONSTRUCTION DRAWINGS AND NOTIFY THE DESIGN ENGINEER OF ANY DISCREPANCIES PRIOR TO FABRICATION OF THE STEEL. ANY FURTHER CHANGES TO THE EQUIPMENT CONFIGURATION SHOULD BE REVIEWED WITH RESPECT TO THEIR EFFECT ON STRUCTURAL LOADS PRIOR TO IMPLEMENTATION.

PREPARED BY: \_\_\_\_\_ I. MARINACCIO \_\_\_\_\_

DATE: \_\_\_\_\_ 08/24/18 \_\_\_\_\_

REVIEWED BY: \_\_\_\_\_ V. RAMESH \_\_\_\_\_

DATE: \_\_\_\_\_ 08/24/18 \_\_\_\_\_





Job No. 7421.CT11064F  
 Sheet No. 1 of 3  
 Calculated By IM Date : 08/22/18  
 Checked By Date : 08/22/18

**WIND AND ICE LOADS PER TIA-222-G**

W.O.	7421.CT11064F
Project Name	AMTRAK - WINDSOR LOCKS
Location	225 S Main Street / Amtrak Station, Windsor Locks, CT
County	Hartford

Tower Type	MP	Monopole
Structure Class	2	Substantial hazard
Exposure Category	C	Open terrain
Topo Category	1	Flat or rolling terrain
Height of crest	0	ft

Basic Wind Speed (3-sec gust):		
Without ice	97	mph*
With ice	50	mph
Maintenance	30	mph
Ice thickness	1.00	in

Converted from 125 mph ultimate wind speed

Importance Factor	
Wind only	1.00
Wind with ice	1.00
Ice thickness	1.00
Supporting Data:	
$K_e$	1.00
$K_t$	N/A
$f$	N/A
$z_g$	900
$\alpha$	9.5
$K_{z,min}$	0.85
$K_d$	0.95
$G_h$	1.00

Height	z (ft)	150
	Kh	N/A
	Kzt	1.00
	Kz	1.38
	Kiz	1.16
Wind Pressure, qz (psf)	No Ice	31.54
	With Ice	8.38
	Maintenance	3.02
(tiz)	Ice Thk	2.33
Appurtenances (qzGh)	No Ice	31.54
	With Ice	8.38
	Maintenance	3.02





### Appurtenance Information

Effective Projected Area for Appurtenance  $(EPA)_A = \text{Max}((EPA)_N, (EPA)_T)$

$$(EPA)_T = \sum (C_a A)_T$$

$$(EPA)_N = \sum (C_a A)_N$$

Reduction Factor = 0.8 Section = 2.6.9.2.4

#### Wind Only Load Combinations

Antenna Configuration	(E) or (P)	Qty	z (ft)	Length or Diameter (ft)	Width (in)	Depth (in)	Flat or Cylindrical?	Antenna $(Ca)_T$	Antenna $(Ca)_N$	Side Face $(A_a)_T$ (ft <sup>2</sup> )	Windward Side Face $(CaA)_T$ (ft <sup>2</sup> )	Face Normal $(A_a)_N$ (ft <sup>2</sup> )	Windward face Normal $(CaA)_N$ (ft <sup>2</sup> )	Normal Antenna Wind Load Each (lb)	Transverse Antenna Wind Load Each (lb)	Antenna Weight (lb)	Total Weight (lb)
PD220 (Amtrak)	E	1	150	22.00	1.40	1.40	Cylindrical	1.2	1.2	2.57	2.46	2.57	2.46	78	78	23.0	23.0
AIR 32 B66A_B2A	P	3	150	4.72	12.90	8.70	Flat	1.38	1.28	3.42	11.31	5.07	15.62	164	119	132.2	396.6
APXVAARR24_43-U-NA20	P	3	150	8.00	19.70	8.50	Flat	1.54	1.31	5.67	20.99	13.13	41.15	433	221	89.3	267.9
Radio 4449 B71+B12 RRU	P	3	150	1.25	13.20	9.25	Flat	1.20	1.20	0.96	2.78	1.38	3.96	42	29	78.0	234.0
ATMA4D-VA20	P	3	150	0.84	8.70	2.80	Flat	1.25	1.20	0.20	0.59	0.61	1.76	18	6	20.0	60.0
										$\sum (CaA)_T$	38.12	$\sum (CaA)_N$	64.95				

#### Wind with Ice Load Combinations

Ice Thk= 2.33 in

Antenna Configuration	(E) or (P)	Qty	z (ft)	Length or Diameter (ft)	Width (in)	Depth (in)	Flat or Cylindrical?	Antenna $(Ca)_T$	Antenna $(Ca)_N$	Side Face $(A_a)_T$ (ft <sup>2</sup> )	Windward Side Face $(CaA)_T$ (ft <sup>2</sup> )	Face Normal $(A_a)_N$ (ft <sup>2</sup> )	Windward Face Normal $(CaA)_N$ (ft <sup>2</sup> )	Normal Antenna Wind Load Each (lb)	Transverse Antenna Wind Load Each (lb)	Ice Area for Weight (ft <sup>2</sup> )	Ice Weight Alone (lbs)
PD220 (Amtrak)	E	1	150	22.39	6.05	6.05	Cylindrical	1.2	1.2	11.29	10.84	11.29	10.84	91	91	8.1	87.5
AIR 32 B66A_B2A	P	3	150	5.10	17.55	13.35	Cylindrical	0.72	0.72	5.68	9.84	7.47	12.94	36	27	17.0	184.4
APXVAARR24_43-U-NA20	P	3	150	8.39	24.35	13.15	Cylindrical	0.74	0.74	9.19	16.25	17.02	30.08	84	45	37.6	408.3
Radio 4449 B71+B12 RRU	P	3	150	1.64	17.85	13.90	Cylindrical	0.7	0.7	1.90	3.19	2.44	4.09	11	9	4.7	50.8
ATMA4D-VA20	P	3	150	1.23	13.35	7.45	Cylindrical	0.7	0.7	0.76	1.28	1.37	2.30	6	4	1.6	17.5
										$\sum (CaA)_T$	41.40	$\sum (CaA)_N$	60.25				

#### Wind Maintenance Load Combinations

Antenna Configuration	(E) or (P)	Qty	z (ft)	Length or Diameter (ft)	Width (in)	Depth (in)	Flat or Cylindrical?	Antenna $(Ca)_T$	Antenna $(Ca)_N$	Side Face $(A_a)_T$ (ft <sup>2</sup> )	Windward Side Face $(CaA)_T$ (ft <sup>2</sup> )	Face Normal $(A_a)_N$ (ft <sup>2</sup> )	Windward Face Normal $(CaA)_N$ (ft <sup>2</sup> )	Normal Antenna Wind Load Each (lb)	Transverse Antenna Wind Load Each (lb)
PD220 (Amtrak)	E	1	150	22.00	1.40	1.40	Cylindrical	1.2	1.2	2.57	2.46	2.57	2.46	7	7
AIR 32 B66A_B2A	P	3	150	4.72	12.90	8.70	Flat	1.38	1.28	3.42	11.31	5.07	15.62	16	11
APXVAARR24_43-U-NA20	P	3	150	8.00	19.70	8.50	Flat	1.54	1.31	5.67	20.99	13.13	41.15	41	21
Radio 4449 B71+B12 RRU	P	3	150	1.25	13.20	9.25	Flat	1.20	1.20	0.96	2.78	1.38	3.96	4	3
ATMA4D-VA20	P	3	150	0.84	8.70	2.80	Flat	1.25	1.20	0.20	0.59	0.61	1.76	2	1






Job No. 7421.CT11064F  
 Sheet No. 3 of 3  
 Calculated By IM Date : 08/22/18  
 Checked By Date : 08/22/18

### Low Profile Platform


Mount Center Line= 150 ft

Member Sizes are based on the mapping report and similarly manufactured mounts Reduction Factor= 0.67 Section= 2.6.9.2.4


Mount Part	Quantity per sector	Length (ft)	Projected Width (in)	Depth (in)	Flat or Cylindrical ?	Drag Factor	Projected Area (ft^2)	Wind Force (lbs/ft)	Ice Weight Area (ft^2)	Ice Weight (lbs/ft)	Projected Area with Ice (ft^2)	Wind Force Ice (lbs/ft)	Maintenance Wind Force (lbs/ft)
Face Horizontal Pipe 4.0" STD	1	10.50	4.50	4.50	Cylindrical	1.2	4.73	9.5	12.36	12.8	9.61	5.1	0.9
Mount pipe 2.0" STD	2	6.00	2.38	2.38	Cylindrical	1.2	2.85	5.0	7.46	6.7	8.43	3.9	0.5
Mount pipe 2.0" STD	1	8.00	2.38	2.38	Cylindrical	1.2	1.90	5.0	4.97	6.7	5.62	3.9	0.5
Standoff HSS 5x5x0.25"	1	2.50	5.00	5.00	Flat	2	2.08	17.6	4.17	18.1	4.02	9.0	1.7
Plate 1/2"x10"	1	1.00	10.00	0.50	Flat	2	1.67	35.2	1.75	19.0	2.44	13.7	3.4
Solid Rod 1.0"	1	0.40	1.00	1.00	Cylindrical	1.2	0.04	2.1	0.10	2.8	0.23	3.2	0.2
Solid Rod 3/4"	1	6.00	0.75	0.75	Cylindrical	1.2	0.45	1.6	1.18	2.1	3.24	3.0	0.2



Tectonic	Low Profile Platform PROPOSED LAYOUT	Aug 22, 2018 at 3:57 PM
IM		7421.CT11064F AMA.r3d
7421.CT11064F		




Tectonic	Low Profile Platform NODES & MEMBER LABELS	Aug 22, 2018 at 4:08 PM
IM		7421.CT11064F AMA.r3d
7421.CT11064F		




Loads: BLC 1, Dead Load

Tectonic	Low Profile Platform	Aug 22, 2018 at 4:19 PM
IM		7421.CT11064F AMA.r3d
7421.CT11064F		




Loads: BLC 2, Wind Load-X

Tectonic	Low Profile Platform	Aug 22, 2018 at 4:09 PM
IM		7421.CT11064F AMA.r3d
7421.CT11064F		



Loads: BLC 3, Wind Load-Z


Tectonic	Low Profile Platform	Aug 22, 2018 at 4:09 PM
IM		7421.CT11064F AMA.r3d
7421.CT11064F		



Loads: BLC 4, Dead Load of Ice (alone)

Tectonic	Low Profile Platform	Aug 22, 2018 at 4:09 PM
IM		7421.CT11064F AMA.r3d
7421.CT11064F		






Loads: BLC 5, Wind Load w/ice-X

Tectonic
IM
7421.CT11064F

Low Profile Platform

Aug 22, 2018 at 4:09 PM

7421.CT11064F AMA.r3d




Loads: BLC 6, Wind Load w/ice-Z

Tectonic	Low Profile Platform	Aug 22, 2018 at 4:09 PM
IM		7421.CT11064F AMA.r3d
7421.CT11064F		



Code Check (Etr)	
■	No Calc
■	> 1.0
■	50-1.0
■	75-90
■	80-75
■	0-50



Member Code Checks Displayed (Enveloped)  
Envelope Only Solution

Tectonic	Low Profile Platform	Aug 22, 2018 at 4:19 PM
IM		7421.CT11064F AMA.r3d
7421.CT11064F		





**Load Combinations (Continued)**

	Description	So...	P...	S...	BLC	Factor	BLC	Factor	BLC	Factor	BLC	Factor	BLC	Factor
23	1.2D+1.0Di+1.0(WLXi+WLZi) - 240 Deg	Yes	Y		1	1.2	4	1	5		6	-87		
24	1.2D+1.0Di+1.0(WLXi+WLZi) - 270 Deg	Yes	Y		1	1.2	4	1	5		6	-1		
25	1.2D+1.0Di+1.0(WLXi+WLZi) - 300 Deg	Yes	Y		1	1.2	4	1	5	.5	6	-87		
26	1.2D+1.0Di+1.0(WLXi+WLZi) - 330 Deg	Yes	Y		1	1.2	4	1	5	.87	6	-5		

**Envelope Joint Reactions USED TO CHECK CONNECTIONS**

Joint		X [lb]	LC	Y [lb]	LC	Z [lb]	LC	MX [lb-ft]	LC	MY [lb-ft]	LC	MZ [lb-ft]	LC	
1	X	max	1381.411	2	1696.102	15	1254.634	5	1249.376	18	3040.53	5	-1678.093	8
2		min	-1384.341	8	681.436	8	-1256.778	11	122.924	11	-3028.69	11	-4404.551	15
3	N13	max	1605.579	2	2076.582	24	1285.603	5	3228.406	18	3593.37	9	5381.194	24
4		min	-1601.888	8	352.121	5	-1287.861	11	1246.464	12	-3584.79	3	-930.521	5
5	N21	max	1256.883	2	2099.422	18	1662.147	5	-1415.727	4	3697.186	13	3167.439	18
6		min	-1257.644	8	321.055	11	-1657.744	11	-4577.34	24	-3683.982	7	-1358.742	11
7	Totals:	max	4243.873	2	5245.26	25	4202.384	5						
8		min	-4243.873	8	2227.737	6	-4202.383	11						

**Envelope AISC 14th(360-10): LRFD Steel Code Checks**

Member	Shape	Cod...	Loc[ft]	LC	Shea...	Loc.....	L..phi*	Pn..phi*	Pn...	phi*Mn y-y [lb-ft]	phi*M.....	Eqn
1	M22	PIPE 4.0	383	5.25	16	.048	5.25	24	65530..93240	10631.25	10631..1..	H1-1b
2	M8	PIPE 4.0	.561	5.25	24	.062	5.25	24	65530..93240	10631.25	10631..1..	H1-1b
3	M15	PIPE 4.0	.446	5.25	18	.061	5.25	25	65530..93240	10631.25	10631..1..	H1-1b
4	M22A	10"x1/2"	.041	.567	2	.330	1.0...	y	1098414..162000	1687.5	33750	1..H1-1b
5	M23A	10"x1/2"	.009	.567	5	.132	0	y	2498414..162000	1687.5	33750	2..H1-1b
6	M25A	10"x1/2"	.014	.567	12	.120	0	y	2498414..162000	1687.5	33750	1..H1-1b
7	M33	SR 1"	.465	0	2	.069	0	2	25116..25446..	424.112	424.112	1..H1-1b
8	M34	SR 1"	.386	0	2	.064	0	2	25116..25446..	424.112	424.112	1..H1-1b
9	M35	SR 1"	.257	0	2	.043	0	2	25116..25446..	424.112	424.112	1..H1-1b
10	M36	SR 1"	.144	0	2	.025	0	2	25116..25446..	424.112	424.112	1..H1-1b
11	M37	SR 1"	.170	0	8	.031	.328	8	25116..25446..	424.112	424.112	1..H1-1b
12	M38	SR 1"	.296	0	8	.051	0	8	25116..25446..	424.112	424.112	1..H1-1b
13	M39	SR 1"	.435	0	8	.072	0	8	25116..25446..	424.112	424.112	1..H1-1b
14	M40	SR 1"	.511	0	8	.075	0	2	25116..25446..	424.112	424.112	1..H1-1b
15	M43	3/4" SR Bar	.313	6.116	8	.019	5.2...	2	12145..14313..	178.929	178.929	1..H1-1b
16	M47	SR 1"	.509	0	10	.077	0	4	25116..25446..	424.112	424.112	1..H1-1b
17	M48	SR 1"	.421	0	10	.072	0	4	25116..25446..	424.112	424.112	1..H1-1b
18	M49	SR 1"	.279	0	10	.049	0	4	25116..25446..	424.112	424.112	1..H1-1b
19	M50	SR 1"	.156	0	10	.033	.328	5	25116..25446..	424.112	424.112	1..H1-1b
20	M51	SR 1"	.174	0	4	.032	.328	10	25116..25446..	424.112	424.112	1..H1-1b
21	M52	SR 1"	.304	0	4	.052	0	4	25116..25446..	424.112	424.112	1..H1-1b
22	M53	SR 1"	.448	0	4	.074	0	4	25116..25446..	424.112	424.112	1..H1-1b
23	M54	SR 1"	.529	0	4	.077	0	10	25116..25446..	424.112	424.112	1..H1-1b
24	M57	3/4" SR Bar	.324	6.116	4	.020	0	11	12145..14313..	178.929	178.929	1..H1-1b
25	M61	SR 1"	.462	0	6	.068	0	12	25116..25446..	424.112	424.112	1..H1-1b
26	M62	SR 1"	.383	0	6	.064	0	6	25116..25446..	424.112	424.112	1..H1-1b
27	M63	SR 1"	.254	0	6	.043	0	6	25116..25446..	424.112	424.112	1..H1-1b
28	M64	SR 1"	.141	0	6	.027	.328	6	25116..25446..	424.112	424.112	1..H1-1b
29	M65	SR 1"	.187	0	12	.040	.328	12	25116..25446..	424.112	424.112	1..H1-1b
30	M66	SR 1"	.324	0	12	.058	0	12	25116..25446..	424.112	424.112	1..H1-1b
31	M67	SR 1"	.479	0	12	.083	0	12	25116..25446..	424.112	424.112	1..H1-1b
32	M68	SR 1"	.566	0	12	.085	0	12	25116..25446..	424.112	424.112	1..H1-1b
33	M71	3/4" SR Bar	.347	6.116	12	.022	6.1...	6	12145..14313..	178.929	178.929	1..H1-1b
34	M76	HSS5x5x4	.187	2.573	5	.091	2.5...	y	1817497..178020	26254.5	26254.5	1..H1-1b
35	M77	HSS5x5x4	.231	2.572	19	.134	2.5...	y	2417497..178020	26254.5	26254.5	1..H1-1b
36	M78	HSS5x5x4	.226	2.572	23	.186	2.5...	y	2417497..178020	26254.5	26254.5	1..H1-1b



**Envelope AISC 14th(360-10): LRFD Steel Code Checks (Continued)**

Member	Shape	Cod...	Loc[ft]	LC	Shea..	Loc.....	L..	phi*Pn..	phi*Pn...	phi*Mn y-y [lb-ft]	phi*M.....	Eqn
37	M62A	PIPE 2.0	.162	3	11	.016	3	11	20866..	32130	1871.625	1871.... 1..H1-1b
38	M63A	PIPE 2.0	.429	3	5	.045	3	5	20866..	32130	1871.625	1871.... 1..H1-1b
39	M73	PIPE 2.0	.025	2	10	.005	2	10	26521..	32130	1871.625	1871.... 1..H1-1b
40	M74	PIPE 2.0	.301	4	8	.016	4	8	14916..	32130	1871.625	1871.... 1..H1-1b
41	M75	PIPE 2.0	.016	2	12	.003	1	12	26521..	32130	1871.625	1871.... 1..H1-1b
42	M46	PIPE 2.0	.162	3	6	.016	3	6	20866..	32130	1871.625	1871.... 1..H1-1b
43	M47A	PIPE 2.0	.429	3	12	.045	3	12	20866..	32130	1871.625	1871.... 1..H1-1b
44	M50A	PIPE 2.0	.162	3	4	.016	3	4	20866..	32130	1871.625	1871.... 1..H1-1b
45	M51A	PIPE 2.0	.430	3	10	.045	3	10	20866..	32130	1871.625	1871.... 1..H1-1b

THE MAXIMUM MEMBER STRESS IS AT 56% OF ITS DESIGN STRENGTH. THEREFORE, THE EXISTING MOUNT IS ADEQUATE TO SUPPORT THE PROPOSED T-MOBILE UPGRADE.

**Existing Connection Check- Low Profile Platform**

Connection Details		
Bolts		
Qty:	4	
Diam:	0.625	in.
VS:	6.5	in.
HS:	6.5	in.
Grade	A325N	
Tult	20.7	k
Vult	12.4	k

Loads per RISA model		
Fx	1.605	k
Fy	2.099	k
Fz	1.286	k
Mx	4.577	k-ft
My	3.697	k-ft
Mz	5.381	k-ft

T max	17.2	k	83%
V max	3.6	k	29%
Interaction	0.77	<	1.0 Pass

Therefore existing connection is adequate under proposed loads



# Exhibit F



## RADIO FREQUENCY EMISSIONS ANALYSIS REPORT EVALUATION OF HUMAN EXPOSURE POTENTIAL TO NON-IONIZING EMISSIONS

T-Mobile Existing Facility

Site ID: CT11064F

Windsor/ I-91/ X40\_1  
225 South Main Street  
AMTRAK Station  
Windsor Locks, CT 06096  
**September 27, 2018**

**EBI Project Number: 6218006385**

Site Compliance Summary	
Compliance Status:	COMPLIANT
Site total MPE% of FCC general population allowable limit:	6.86 %



September 27, 2018

T-Mobile USA  
Attn: Jason Overbey, RF Manager  
35 Griffin Road South  
Bloomfield, CT 06002

## Emissions Analysis for Site: **CT11064F – Windsor/ I-91/ X40\_1**

EBI Consulting was directed to analyze the proposed T-Mobile facility located at **8 Main Street AMTRAK Station, Windsor Locks, CT**, for the purpose of determining whether the emissions from the Proposed T-Mobile Antenna Installation located on this property are within specified federal limits.

All information used in this report was analyzed as a percentage of current Maximum Permissible Exposure (% MPE) as listed in the FCC OET Bulletin 65 Edition 97-01 and ANSI/IEEE Std C95.1. The FCC regulates Maximum Permissible Exposure in units of microwatts per square centimeter ( $\mu\text{W}/\text{cm}^2$ ). The number of  $\mu\text{W}/\text{cm}^2$  calculated at each sample point is called the power density. The exposure limit for power density varies depending upon the frequencies being utilized. Wireless Carriers and Paging Services use different frequency bands each with different exposure limits, therefore it is necessary to report results and limits in terms of percent MPE rather than power density.

All results were compared to the FCC (Federal Communications Commission) radio frequency exposure rules, 47 CFR 1.1307(b)(1) – (b)(3), to determine compliance with the Maximum Permissible Exposure (MPE) limits for General Population/Uncontrolled environments as defined below.

General population/uncontrolled exposure limits apply to situations in which the general population may be exposed or in which persons who are exposed as a consequence of their employment may not be made fully aware of the potential for exposure or cannot exercise control over their exposure. Therefore, members of the general population would always be considered under this category when exposure is not employment related, for example, in the case of a telecommunications tower that exposes persons in a nearby residential area.

Public exposure to radio frequencies is regulated and enforced in units of microwatts per square centimeter ( $\mu\text{W}/\text{cm}^2$ ). The general population exposure limits for the 600 MHz and 700 MHz frequency bands are approximately  $400 \mu\text{W}/\text{cm}^2$  and  $467 \mu\text{W}/\text{cm}^2$  respectively. The general population exposure limit for the 1900 MHz (PCS) and 2100 MHz (AWS) frequency bands is  $1000 \mu\text{W}/\text{cm}^2$ . Because each carrier will be using different frequency bands, and each frequency band has different exposure limits, it is necessary to report percent of MPE rather than power density.



Occupational/controlled exposure limits apply to situations in which persons are exposed as a consequence of their employment and in which those persons who are exposed have been made fully aware of the potential for exposure and can exercise control over their exposure. Occupational/controlled exposure limits also apply where exposure is of a transient nature as a result of incidental passage through a location where exposure levels may be above general population/uncontrolled limits (see below), as long as the exposed person has been made fully aware of the potential for exposure and can exercise control over his or her exposure by leaving the area or by some other appropriate means.

Additional details can be found in FCC OET 65.

## CALCULATIONS

Calculations were done for the proposed T-Mobile Wireless antenna facility located at **8 Main Street AMTRAK Station, Windsor Locks, CT**, using the equipment information listed below. All calculations were performed per the specifications under FCC OET 65. Since T-Mobile is proposing highly focused directional panel antennas, which project most of the emitted energy out toward the horizon, all calculations were performed assuming a lobe representing the maximum gain of the antenna per the antenna manufactures supplied specifications, minus 10 dB for directional panel antennas, was focused at the base of the tower. For this report the sample point is the top of a 6-foot person standing at the base of the tower.

For all calculations, all equipment was calculated using the following assumptions:

- 1) 1 GSM channels (PCS Band - 1900 MHz) was considered for each sector of the proposed installation. These Channels have a transmit power of 15 Watts per Channel.
- 2) 1 UMTS channel (AWS Band – 2100 MHz) was considered for each sector of the proposed installation. These Channels have a transmit power of 40 Watts per Channel.
- 3) 2 LTE channels (PCS Band - 1900 MHz) were considered for each sector of the proposed installation. These Channels have a transmit power of 40 Watts per Channel.
- 4) 2 LTE channels (AWS Band – 2100 MHz) were considered for each sector of the proposed installation. These Channels have a transmit power of 60 Watts per Channel.
- 5) 2 LTE channels (600 MHz Band) were considered for each sector of the proposed installation. These Channels have a transmit power of 40 Watts per Channel.
- 6) 2 LTE channels (700 MHz Band) were considered for each sector of the proposed installation. These Channels have a transmit power of 20 Watts per Channel.



- 7) All radios at the proposed installation were considered to be running at full power and were uncombined in their RF transmissions paths per carrier prescribed configuration. Per FCC OET Bulletin No. 65 - Edition 97-01 recommendations to achieve the maximum anticipated value at each sample point, all power levels emitting from the proposed antenna installation are increased by a factor of 2.56 to account for possible in-phase reflections from the surrounding environment. This is rarely the case, and if so, is never continuous.
- 8) For the following calculations the sample point was the top of a 6-foot person standing at the base of the tower. The maximum gain of the antenna per the antenna manufactures supplied specifications, minus 10 dB for directional panel antennas, was used in this direction. This value is a very conservative estimate as gain reductions for these particular antennas are typically much higher in this direction.
- 9) The antennas used in this modeling are the **Ericsson AIR32 B66A/B2A & RFS APXVAARR24\_43-U-NA20** for 600 MHz, 700 MHz, 1900 MHz (PCS) and 2100 MHz (AWS) channels. This is based on feedback from the carrier with regard to anticipated antenna selection. All Antenna gain values and associated transmit power levels are shown in the Site Inventory and Power Data table below. The maximum gain of the antenna per the antenna manufactures supplied specifications, minus 10 dB for directional panel antennas, was used for all calculations. This value is a very conservative estimate as gain reductions for these particular antennas are typically much higher in this direction.
- 10) The antenna mounting height centerline of the proposed antennas is **150 feet** above ground level (AGL).
- 11) Emissions values for additional carriers were taken from the Connecticut Siting Council active database. Values in this database are provided by the individual carriers themselves.
- 12) All calculations were done with respect to uncontrolled / general population threshold limits.



## T-Mobile Site Inventory and Power Data

Sector:	A	Sector:	B	Sector:	C
Antenna #:	1	Antenna #:	1	Antenna #:	1
Make / Model:	Ericsson AIR32 B66A/B2A	Make / Model:	Ericsson AIR32 B66A/B2A	Make / Model:	Ericsson AIR32 B66A/B2A
Gain:	15.9 dBd	Gain:	15.9 dBd	Gain:	15.9 dBd
Height (AGL):	150 feet	Height (AGL):	150 feet	Height (AGL):	150 feet
Frequency Bands	1900 MHz (PCS) / 2100 MHz (AWS)	Frequency Bands	1900 MHz (PCS) / 2100 MHz (AWS)	Frequency Bands	1900 MHz (PCS) / 2100 MHz (AWS)
Channel Count	5	Channel Count	5	Channel Count	5
Total TX Power(W):	215	Total TX Power(W):	215	Total TX Power(W):	215
ERP (W):	8,364.47	ERP (W):	8,364.47	ERP (W):	8,364.47
Antenna A1 MPE%	1.45	Antenna B1 MPE%	1.45	Antenna C1 MPE%	1.45
Antenna #:	2	Antenna #:	2	Antenna #:	2
Make / Model:	RFS APXVAARR24_43-U- NA20	Make / Model:	RFS APXVAARR24_43-U- NA20	Make / Model:	RFS APXVAARR24_43-U- NA20
Gain:	12.95 / 13.35 / 16.30 dBd	Gain:	12.95 / 13.35 / 16.30 dBd	Gain:	12.95 / 13.35 / 16.30 dBd
Height (AGL):	150 feet	Height (AGL):	150 feet	Height (AGL):	150 feet
Frequency Bands	600 MHz / 700 MHz / 2100 MHz (AWS)	Frequency Bands	600 MHz / 700 MHz / 2100 MHz (AWS)	Frequency Bands	600 MHz / 700 MHz / 2100 MHz (AWS)
Channel Count	5	Channel Count	5	Channel Count	5
Total TX Power(W):	160	Total TX Power(W):	160	Total TX Power(W):	160
ERP (W):	4,169.10	ERP (W):	4,169.10	ERP (W):	4,169.10
Antenna A2 MPE%	1.30	Antenna B2 MPE%	1.30	Antenna C2 MPE%	1.30

Site Composite MPE%	
Carrier	MPE%
T-Mobile (Per Sector Max)	2.75 %
Amtrak	4.11 %
<b>Site Total MPE %:</b>	<b>6.86 %</b>

T-Mobile Sector A Total:	2.75 %
T-Mobile Sector B Total:	2.75 %
T-Mobile Sector C Total:	2.75 %
<b>Site Total:</b>	<b>6.86 %</b>

## T-Mobile Maximum MPE Power Values (Per Sector)

T-Mobile_Frequency Band / Technology (Per Sector)	# Channels	Watts ERP (Per Channel)	Height (feet)	Total Power Density ( $\mu\text{W}/\text{cm}^2$ )	Frequency (MHz)	Allowable MPE ( $\mu\text{W}/\text{cm}^2$ )	Calculated % MPE
T-Mobile PCS - 1900 MHz LTE	2	1,556.18	150	5.40	PCS - 1900 MHz	1000.00	0.54%
T-Mobile PCS - 1900 MHz GSM	1	583.57	150	1.01	PCS - 1900 MHz	1000.00	0.10%
T-Mobile AWS - 2100 MHz LTE	2	2,334.27	150	8.09	AWS - 2100 MHz	1000.00	0.81%
T-Mobile 600 MHz LTE	2	788.97	150	2.74	600 MHz	400.00	0.68%
T-Mobile 700 MHz LTE	2	432.54	150	1.50	700 MHz	467.00	0.32%
T-Mobile AWS - 2100 MHz UMTS	1	1,726.08	150	2.99	AWS - 2100 MHz	1000.00	0.30%
						<b>Total:</b>	<b>2.75%</b>



## Summary

All calculations performed for this analysis yielded results that were **within** the allowable limits for general population exposure to RF Emissions.

The anticipated maximum composite contributions from the T-Mobile facility as well as the site composite emissions value with regards to compliance with FCC's allowable limits for general population exposure to RF Emissions are shown here:


T-Mobile Sector	Power Density Value (%)
Sector A:	2.75 %
Sector B:	2.75 %
Sector C:	2.75 %
T-Mobile Maximum MPE % (Per Sector):	2.75 %
Site Total:	6.86 %
Site Compliance Status:	<b>COMPLIANT</b>

The anticipated composite MPE value for this site assuming all carriers present is **6.86%** of the allowable FCC established general population limit sampled at the ground level. This is based upon values listed in the Connecticut Siting Council database for existing carrier emissions.

FCC guidelines state that if a site is found to be out of compliance (over allowable thresholds), that carriers over a 5% contribution to the composite value will require measures to bring the site into compliance. For this facility, the composite values calculated were well within the allowable 100% threshold standard per the federal government.




# Exhibit G




**Click-N-Ship®**

11/08/2018

Mailed from 06002 062S0000001311



USPS.com  
**US POSTAGE** \$6.70  
 Flat Rate Env



**PRIORITY MAIL 1-DAY™**

Expected Delivery Date: 11/09/18  
 Ref#: 064F L7 4X  
**0024**


DEBORAH CHASE  
 T-MOBILE USA- NSS  
 35 GRIFFIN RD S  
 BLOOMFIELD CT 06002-1351

**Carrier -- Leave if No Response**

C013

SHIP TO: JENNIFER RODRIGUEZ  
 WINDSOR LOCKS ZONING ENFORCEMENT OFFICER  
 50 CHURCH ST  
 WINDSOR LOCKS CT 06096-2331

**USPS TRACKING #**



**9405 5036 9930 0322 4596 84**

Electronic Rate Approved #038555749



Cut on dotted line.

### Instructions

1. Each Click-N-Ship® label is unique. Labels are to be used as printed and used only once. DO NOT PHOTO COPY OR ALTER LABEL.
2. Place your label so it does not wrap around the edge of the package.
3. Adhere your label to the package. A self-adhesive label is recommended. If tape or glue is used, DO NOT TAPE OVER BARCODE. Be sure all edges are secure.
4. To mail your package with PC Postage®, you may schedule a Package Pickup online, hand to your letter carrier, take to a Post Office™, or drop in a USPS collection box.
5. Mail your package on the "Ship Date" you selected when creating this label.

### Click-N-Ship® Label Record

**USPS TRACKING # :**  
**9405 5036 9930 0322 4596 84**

Trans. #: 448326117	Priority Mail® Postage: <b>\$6.70</b>
Print Date: 11/08/2018	Total: <b>\$6.70</b>
Ship Date: 11/08/2018	
Expected Delivery Date: 11/09/2018	

**From:** DEBORAH CHASE  
 T-MOBILE USA- NSS  
 35 GRIFFIN RD S  
 BLOOMFIELD CT 06002-1351


Ref#: 064F L7 4X

**To:** JENNIFER RODRIGUEZ  
 WINDSOR LOCKS ZONING ENFORCEMENT OFFICER  
 50 CHURCH ST  
 WINDSOR LOCKS CT 06096-2331

\* Retail Pricing Priority Mail rates apply. There is no fee for USPS Tracking® service on Priority Mail service with use of this electronic rate shipping label. Refunds for unused postage paid labels can be requested online 30 days from the print date.



Thank you for shipping with the United States Postal Service!  
 Check the status of your shipment on the USPS Tracking® page at [usps.com](http://usps.com)



**UNITED STATES  
POSTAL SERVICE®**

**Click-N-Ship®**

**P**

11/08/2018

Expected Delivery Date: 11/09/18

Ret#: 064F L7 4X

**0024**

USPS.com  
9405 5036 9930 0322 4596 91 0067 0000 0010 6096

**US POSTAGE**  
Flat Rate Env

**\$6.70**

Mailed from 06002 062S00000001308

**PRIORITY MAIL 1-DAY™**


DEBORAH CHASE  
T-MOBILE USA- NSS  
35 GRIFFIN RD S  
BLOOMFIELD CT 06002-1351

SHIP TO: J. CHRISTOPHER KERVICK  
WINDSOR LOCKS FIRST SELECTMAN  
50 CHURCH ST  
WINDSOR LOCKS CT 06096-2331

**Carrier -- Leave if No Response**

**C013**

**USPS TRACKING #**



**9405 5036 9930 0322 4596 91**

Electronic Rate Approved #038555749



Cut on dotted line.

### Instructions

1. Each Click-N-Ship® label is unique. Labels are to be used as printed and used only once. DO NOT PHOTO COPY OR ALTER LABEL.
2. Place your label so it does not wrap around the edge of the package.
3. Adhere your label to the package. A self-adhesive label is recommended. If tape or glue is used, DO NOT TAPE OVER BARCODE. Be sure all edges are secure.
4. To mail your package with PC Postage®, you may schedule a Package Pickup online, hand to your letter carrier, take to a Post Office™, or drop in a USPS collection box.
5. Mail your package on the "Ship Date" you selected when creating this label.

### Click-N-Ship® Label Record

**USPS TRACKING # :**  
**9405 5036 9930 0322 4596 91**

Trans. #: 448326117	Priority Mail® Postage: <b>\$6.70</b>
Print Date: 11/08/2018	Total: <b>\$6.70</b>
Ship Date: 11/08/2018	
Expected Delivery Date: 11/09/2018	

**From:** DEBORAH CHASE  
T-MOBILE USA- NSS  
35 GRIFFIN RD S  
BLOOMFIELD CT 06002-1351


Reff#: 064F L7 4X

**To:** J. CHRISTOPHER KERVICK  
WINDSOR LOCKS FIRST SELECTMAN  
50 CHURCH ST  
WINDSOR LOCKS CT 06096-2331

\* Retail Pricing Priority Mail rates apply. There is no fee for USPS Tracking® service on Priority Mail service with use of this electronic rate shipping label. Refunds for unused postage paid labels can be requested online 30 days from the print date.



Thank you for shipping with the United States Postal Service!  
Check the status of your shipment on the USPS Tracking® page at [usps.com](http://usps.com)



**UNITED STATES  
POSTAL SERVICE®**

**Click-N-Ship®**

**P**

11/08/2018


Expected Delivery Date: 11/09/18

**PRIORITY MAIL 1-DAY™**

USPS.com 9405 5036 9930 0322 4597 21 0067 0000 0010 6096

**US POSTAGE \$6.70**

Flat Rate Envoy



Mailed from 06002 062S0000001311

DEBORAH CHASE  
T-MOBILE USA- NSS  
35 GRIFFIN RD S  
BLOOMFIELD CT 06002-1351


**0024**

**Carrier -- Leave if No Response**

**C013**

SHIP TO: TOWN CLERK  
TOWN OF WINDSOR LOCKS  
50 CHURCH ST  
WINDSOR LOCKS CT 06096-2331

**USPS TRACKING #**



**9405 5036 9930 0322 4597 21**

Electronic Rate Approved #038555749



Cut on dotted line.

### Instructions

1. Each Click-N-Ship® label is unique. Labels are to be used as printed and used only once. DO NOT PHOTO COPY OR ALTER LABEL.
2. Place your label so it does not wrap around the edge of the package.
3. Adhere your label to the package. A self-adhesive label is recommended. If tape or glue is used, DO NOT TAPE OVER BARCODE. Be sure all edges are secure.
4. To mail your package with PC Postage®, you may schedule a Package Pickup online, hand to your letter carrier, take to a Post Office™, or drop in a USPS collection box.
5. Mail your package on the "Ship Date" you selected when creating this label.

### Click-N-Ship® Label Record

**USPS TRACKING # :**  
**9405 5036 9930 0322 4597 21**

Trans. #: 448326117	Priority Mail® Postage: <b>\$6.70</b>
Print Date: 11/08/2018	Total: <b>\$6.70</b>
Ship Date: 11/08/2018	
Expected Delivery Date: 11/09/2018	


**From:** DEBORAH CHASE  
T-MOBILE USA- NSS  
35 GRIFFIN RD S  
BLOOMFIELD CT 06002-1351

**To:** TOWN CLERK  
TOWN OF WINDSOR LOCKS  
50 CHURCH ST  
WINDSOR LOCKS CT 06096-2331

\* Retail Pricing Priority Mail rates apply. There is no fee for USPS Tracking® service on Priority Mail service with use of this electronic rate shipping label. Refunds for unused postage paid labels can be requested online 30 days from the print date.



Thank you for shipping with the United States Postal Service!  
Check the status of your shipment on the USPS Tracking® page at [usps.com](http://usps.com)




**UNITED STATES  
POSTAL SERVICE®**

**Click-N-Ship®**

**P**

11/08/2018

USPS.com  
**US POSTAGE** \$6.70  
 Flat Rate Env  
 9405 5036 9930 0322 4597 38 0067 0000 0032 0002



Mailed from 06002 062S00000001308

**PRIORITY MAIL 2-DAY™**

Expected Delivery Date: 11/10/18

DEBORAH CHASE  
 T-MOBILE USA- NSS  
 35 GRIFFIN RD S  
 BLOOMFIELD CT 06002-1351


**0004**

**Carrier -- Leave if No Response**

**C090**

SHIP TO: REAL ESTATE DEPT.  
 AMTRAK  
 60 MASSACHUSETTS AVE NE  
 WASHINGTON DC 20002-4285

**USPS TRACKING #**



**9405 5036 9930 0322 4597 38**

Electronic Rate Approved #038555749



Cut on dotted line.

### Instructions

1. Each Click-N-Ship® label is unique. Labels are to be used as printed and used only once. DO NOT PHOTO COPY OR ALTER LABEL.
2. Place your label so it does not wrap around the edge of the package.
3. Adhere your label to the package. A self-adhesive label is recommended. If tape or glue is used, DO NOT TAPE OVER BARCODE. Be sure all edges are secure.
4. To mail your package with PC Postage®, you may schedule a Package Pickup online, hand to your letter carrier, take to a Post Office™, or drop in a USPS collection box.
5. Mail your package on the "Ship Date" you selected when creating this label.

### Click-N-Ship® Label Record

**USPS TRACKING # :**  
**9405 5036 9930 0322 4597 38**

Trans. #: 448326117	Priority Mail® Postage: <b>\$6.70</b>
Print Date: 11/08/2018	Total: <b>\$6.70</b>
Ship Date: 11/08/2018	
Expected Delivery Date: 11/10/2018	

**From:** DEBORAH CHASE  
 T-MOBILE USA- NSS  
 35 GRIFFIN RD S  
 BLOOMFIELD CT 06002-1351

**To:** REAL ESTATE DEPT.  
 AMTRAK  
 60 MASSACHUSETTS AVE NE  
 WASHINGTON DC 20002-4285

\* Retail Pricing Priority Mail rates apply. There is no fee for USPS Tracking® service on Priority Mail service with use of this electronic rate shipping label. Refunds for unused postage paid labels can be requested online 30 days from the print date.



Thank you for shipping with the United States Postal Service!  
 Check the status of your shipment on the USPS Tracking® page at [usps.com](http://usps.com)