



Filed by:
G. Scott Shepherd, Site Development Specialist II - SBA Communications
134 Flanders Rd., Suite 125, Westborough, MA 01581
508.251.0720 x 3807 - GShepherd@sbsite.com

June 29, 2021

Melanie A. Bachman
Executive Director
Connecticut Siting Council
Ten Franklin Square
New Britain, CT 06051

Notice of Exempt Modification
2-4 Volunteer Dr., Windsor Locks, CT
Latitude : 41.928100
Longitude : -72.646800
T-Mobile #: CT11311C_Anchor

Dear Ms. Bachman:

T-Mobile currently maintains nine (9) antennas at the 135-foot level of the existing 200-foot Monopole Tower at 2-4 Volunteer Dr., Windsor Locks, CT. The tower is owned by SBA Properties. The property is owned by The Town of Windsor Locks. T-Mobile plans to remove (3) three 1900/2100 MHz antennas and replace with (3) three new 2500MHz antennas.

The new antennas would support 5G services and would be installed at the 135-foot level of the tower.

Please note: Per the Connecticut Siting Council Website: CSC COVID 19 Guidelines.
In order to prevent the spread of Coronavirus and protect the health and safety of our members and staff, as of March 18, 2020, the Connecticut Siting Council shall convert to full remote operations until March 30, 2020. Please be advised that during this time period, all hard copy filing requirements will be waived in lieu of an electronic filing. Please also be advised that the March 26, 2020 regular meeting shall be held via teleconference. The Council's website is not equipped with an on-line filing fee receipt service. Therefore, filing fees and/or direct cost charges associated with matters received electronically during the above-mentioned time period will be directly invoiced at a later date.

Planned Modifications:

TOWER

Remove:

- N/A

Remove and Replace:

- (3) RFS APX16DWV-16DWVS-E-A20 (Remove) – (3) Ericsson AIR6449 B41 2500 MHz Antenna (Replace)
- (3) Ericsson 4449 B71 + B12 RRUs (remove) – (3) Ericsson 4449 B71 + B85 RRUs (replace)
- (3) 1-5/8" coax (remove) – (3) 1-5/8" fiber (replace)

Install New:

- (3) Modified T-Arms: (2) MS-LVPB-2375 V-Bracing Kit; (3) MS-STZ-2PST Stabilizer Kit; (3) MS-STZ-2875 Stabilizer Adaptor kit

Existing Equipment to Remain:

- (3) RFS APXVAARR24_43-U-NA20 600/700/1900 MHz antennas
- (3) Ericsson AIR32 KRD901146-1_B66A 1900/2100 MHz antennas
- (3) T-Arms (Modified)
- (6) Ericsson KRY 112 144/2 TMAs
- (3) Ericsson 4415 B25 RRUs
- (3) 1-1/4" fiber

Entitlements:

- (9) 1-5/8" Coax

GROUND

Remove:

- Ericsson RBS3106 cabinet

Install New:

- (4) 2" conduit
- Ericsson 6160 Equipment cabinet
- Ericsson B160 Battery cabinet
- Slack box

Existing Equipment to Remain:

- T-Mobile Telco Cabinet
- T-Mobile PPC Cabinet
- (1) 1/2" Coax for GPS antenna
- T-Mobile cable bridge

This facility was approved by the Town of Windsor Locks' Building Department on June 29, 1999, Permit No. 23004 to construct a wireless telecommunications facility. A Certificate of Occupancy by the Town of Windsor Locks was later given May 22, 2000 under Permit No. 23004. The Tower was built prior to the statewide change in the law in 2001, which brought it under CSC jurisdiction. The CSC later approved modifications to the Tower under EM-POCKET-165-090713, stipulating that the Tower modifications are in compliance with the exception criteria of the Regulations of Connecticut State Agencies as changes to an existing facility site would not increase tower height, extend the boundaries of the Tower site, increase noise levels and increase total radio frequencies. There were no post construction stipulations made. Please see attached.

Please accept this letter as notification pursuant to Regulations of Connecticut State Agencies §16-50j-73, for construction that constitutes an exempt modification pursuant to R.C.S.A. §16.50j-72(b)(2). In accordance with R.C.S.A. § 16.50j-73, a copy of this letter is being sent to the Town of Windsor Locks' First Selectman J. Christopher Kervick, and Building Official, Housing Code Enforcement Officer, Mark Doody. (Separate notice is not being sent to tower owner, as it belongs to SBA, or the property owner as it belongs to the Town of Windsor Locks.)

The planned modifications to the facility fall squarely within those activities explicitly provided for in R.C.S.A. §16.50j-72(b)(2).

1. The proposed modifications will not result in an increase in the height of the existing structure.
2. The proposed modification will not require the extension of the site boundary.
3. The proposed modifications will not increase noise levels at the facility by six decibels or more, or to levels that exceed state and local criteria.
4. The operation of the replacement antennas will not increase radio frequency emissions at the facility to a level at or above the Federal Communications Commission safety standard.
5. The proposed modification will not cause a change or alteration in the physical or environmental characteristics of the site.
6. The existing structure and its foundation can support the proposed loading.

For the foregoing reasons, T-Mobile respectfully submits that the proposed modifications to the above-referenced telecommunication facility constitute an exempt modifications under R.C.S.A. § 16-50j-72(b)(2).

Sincerely,

G. Scott Shepherd
Site Development Specialist II
SBA COMMUNICATIONS CORPORATION
134 Flanders Rd., Suite 125
Westborough, MA 01581
508.251.0720 x3804 + T
508.366.2610 + F
508.868.6000 + C
GShepherd@sbsite.com

Attachments

cc: First Selectman J. Christopher Kervick / with attachments
Town of Windsor Locks, 50 Church St., Windsor Locks, CT 06096
Mark Doody, Building Official, Housing Code Enforcement Officer / with attachments
Town of Windsor Locks, 50 Church St., Windsor Locks, CT 06096

Exhibit List

Exhibit 1	Check Copy	To be invoiced at a later date per Covid guidelines
Exhibit 2	Notification Receipts	X
Exhibit 3	Property Card	X
Exhibit 4	Property Map	X
Exhibit 5	Original Zoning Approval	Town of Windsor Locks Permit# 23004 (6/29/1999); CSC EM-POCKET-165-090713 (8/4/09)
Exhibit 6	Construction Drawings	Chappell Engineering 6/28/21
Exhibit 7	Structural Analysis	TES 6/29/21
Exhibit 8	Post-Mod Mount Analysis	TES 6/9/21
Exhibit 9	Mount Mod Drawings	TES 6/11/21 Job# 107815
Exhibit 10	EME Report	EBI Consulting 6/17/21

EXHIBIT 1

Normally, Exhibit 1 would contain a copy of the check for the filing fee.

EXHIBIT 2



ORIGIN ID:BFBA (508) 614-0389
RICK WOODS
SBA COMMUNICATIONS CORPORATION
134 FLANDERS RD
SUITE 125
WESTBOROUGH, MA 01581
UNITED STATES US

SHIP DATE: 29 JUN 21
ACTWGT: 1.00 LB
CAD: 105843304#NET4340


BILL SENDER

TO **MELANIE A. BACHMAN EXEC. DIR**
CONNECTICUT SITING COUNCIL
TEN FRANKLIN SQUARE

NEW BRITAIN CT 06051

(508) 251-0720 X 3807 REF: 105692009-6089
INV# PO: DEPT:

56D.J20265/FE4A




J211321033101uv

TRK# 7741 3200 8916
0201
WED - 30 JUN 10:30A
PRIORITY OVERNIGHT

EBBDLA

06051
BDL
CT:US



After printing this label:

1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our ServiceGuide. Written claims must be filed within strict time limits, see current FedEx Service Guide.



ORIGIN ID:BFBA (508) 614-0389
RICK WOODS
SBA COMMUNICATIONS CORPORATION
134 FLANDERS RD
SUITE 125
WESTBOROUGH, MA 01581
UNITED STATES US


SHIP DATE: 29 JUN 21
ACTWGT: 1.00 LB
CAD: 105843304/NET14340

BILL SENDER

TO CHRISTOPHER KERVIK
TOWN OF WINDSOR LOCKS
FIRST SELECTMAN
50 CHURCH ST
WINDSOR LOCKS CT 06096

(508) 251-0720 X 3807 REF: 105692009-6089
INV.
PO: DEPT:

56D.J20265/FE4A




J211321033101uv

TRK# 7741 3205 3920
0201

WED - 30 JUN 10:30A
PRIORITY OVERNIGHT

EB EHTA

06096
CT:US BDL



After printing this label:

1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our ServiceGuide. Written claims must be filed within strict time limits, see current FedEx Service Guide.



ORIGIN ID:BFBA (508) 614-0389
RICK WOODS
SBA COMMUNICATIONS CORPORATION
134 FLANDERS RD
SUITE 125
WESTBOROUGH, MA 01581
UNITED STATES US

SHIP DATE: 29 JUN 21
ACTWGT: 1.00 LB
CAD: 105843304/NET4340

BILL SENDER

TO MARK DOODY

TOWN OF WINDSOR LOCKS

BLG OFFICIAL, CODE ENF. OFFICER

50 CHURCH ST


WINDSOR LOCKS CT 06096

(508) 251-0720 X 3807

REF: 105692009-6089

INV:

DEPT:



56D.J20265/FE4A

TRK# 7741 3208 0382
0201

WED - 30 JUN 10:30A


PRIORITY OVERNIGHT

EB EHTA

CT:US

06096

BDL



After printing this label:

1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our ServiceGuide. Written claims must be filed within strict time limits, see current FedEx Service Guide.

EXHIBIT 3

Windsor Locks, CT : Assessor Database

Property Search:

Parcel ID:	Alternate ID:	Owner 1 Name:	Street Number:	Street Name:
			4	VOLUNTEER DRIVE

Search Reset

Property Detail:

Parcel ID:	Alternate ID/Map Block Lot:	Card:	Card:	Street Name:	Street Number:	Zoning:	LUC:	Acres:
00023300	034-062-080-0004	1	1	VOLUNTEER DRIVE	4	RESA	Municipal Indus	11.20

Owner Information:

Owner 1 Name:	WINDSOR LOCKS TOWN OF
Owner 2 Name:	
Street 1:	50 CHURCH ST
Street 2:	
City:	WINDSOR LOCKS
State:	CT
Zip:	06096
Volume:	113
Page:	299
Deed Date:	0000-00-00

Property Images:

Picture:




Building Information:

Building Number:	1
Units:	0
Structure Type:	POLICE/FIRE STATION
Grade:	C
Identical Units:	1
Year Built:	1975

Valuation:

Appraised Land:	\$562,200.00
Appraised Land PA490:	\$0.00
Appraised Bldg:	\$2,373,700.00
Appraised Total:	\$2,935,900.00
Total Assessment:	\$2,055,130.00

Sketch:



Sales History:

Book:	Page:	Sale Date:	Price:	Validity:	Sale Type:
113	299	11/16/1972			

Out-Buildings:

Code:	Description:	Units:	Year Built:	Size1:	Size2:	Area:	Grade:	Conditio
RG1	FRAME OR CB DETACHED GARAGE	1	1999	0	0	2592	C	GOOD
PA1	PAVING ASPHALT PARKING	1	1999	0	0	46600	C	AVERAGE
RG1	FRAME OR CB DETACHED GARAGE	1	1999	0	0	800	C	GOOD

Building Interior/Exterior Information:


Floor From:	Floor To:	Area:	Use Type:	Exterior Walls:	Construction Type:	Heating:	A/C:	Plumbing:	Functional Util
B1	B1	3056	MUNICIPAL	BRICK VENEER	FIRE RESISTANT	HOT AIR	CENTRAL	NORMAL	3
01	01	5418	MUNICIPAL	BRICK VENEER	FIRE RESISTANT	HOT AIR	CENTRAL	NORMAL	3
01	01	1944	OFFICES	BRICK VENEER	FIRE RESISTANT	HOT AIR	CENTRAL	NORMAL	3
01	01	4860	MUNICIPAL	BRICK VENEER	FIRE RESISTANT	NONE	NONE	NORMAL	3
01	01	432	WAREHOUSE	BRICK VENEER	FIRE RESISTANT	HOT AIR	CENTRAL	NORMAL	3
02	02	5418	MUNICIPAL	BRICK VENEER	FIRE RESISTANT	HOT AIR	CENTRAL	NORMAL	3

The information delivered through this on-line database is provided in the spirit of open access to government information and is intended as an enhanced service and convenience for citizens of Windsor Locks, CT. The providers of this database: Tyler CLT, Big Room Studios, and Windsor Locks, CT assume no liability for any error or omission in the information provided here.

Comments regarding this service should be directed to: tim@bigroomstudios.com

Tue. February 16, 2021 : 11:21 AM : 0.66s : 10mb

EXHIBIT 4



Property Information

Property ID 23300
Location 2 VOLUNTEER DRIVE
Owner WINDSOR LOCKS TOWN OF



MAP FOR REFERENCE ONLY
NOT A LEGAL DOCUMENT

Town of Windsor Locks, CT makes no claims and no warranties, expressed or implied, concerning the validity or accuracy of the GIS data presented on this map.

Geometry updated 11/15/2017
 Data updated 11/15/2017



4 Volunteer Dr



Imagery ©2021 Maxar Technologies, U.S. Geological Survey, USDA Farm Service Agency, Map data ©2021 50 ft

4 Volunteer Dr



Directions



Save



Nearby



Send to your phone



Share



4 Volunteer Dr, Windsor Locks, CT 06096



W9G3+X4 Windsor Locks, Connecticut

Photos



At this place

**Windsor Locks Police
Department**

4.0 ★★★★★ (7)

Police station



EXHIBIT 5

SITE NAME: Windsor Locks @ Volunteer Drive SITE ID: CT22108-A

Transaction: Message Center Management, Inc. (MCM) Nikki/Angela

ZONING/PERMITTING COMPLETION FORM

CT-318

Address: 2-4 Volunteer Drive, Windsor Locks, CT 6096

Jurisdiction: Connecticut Siting Council - Zoning (Currently)* Zoning District:

Town of Windsor Locks - Permitting

Zoning Approval Type: Building Permit at time built Case #:

Approval Date: 6/29/1999 Approved Height: 200

Conditions of Approval:	Yes
Removal Bond _____	<input type="checkbox"/>
Site Plan Submittal _____	<input type="checkbox"/>
Fall Zone _____	<input type="checkbox"/>
Periodic Inspections _____	<input type="checkbox"/>
Periodic Reporting _____	<input type="checkbox"/>
Approval Renewal _____	<input type="checkbox"/>
Additional Conditions _____	<input type="checkbox"/>

Per Mark Doody - Zoning sign off was part of the building permit approval.

*Tower was built prior to statewide change in the law in 2001, which brought it under CSC jurisdiction.

JURISDICTION POC/DEPT.

Planning/Zoning: _____

Phone: _____ Email: _____

Bldg./Code Enforcement: Mark Doody, Building Official/Housing Code Officer

Phone: 860-627-1447 Ext 320 Email: mdoody@Wlocks.com

Submitted by: *Batches Estes* Date: 3/28/2017
Zoning Compliance

TO BE COMPLETED BY CORPORATE

	Yes	No	N/A	
Zoning Approval Attached (required)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Building Permit Attached (required)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>Date Recd</u>
_____ 23004 _____				6/29/1999
Certificate of Occupancy or Compliance (CO) attached (required)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	5/22/2000

Zoning Manager Approval: *Angela* Date: 3/28/2017

**TOWN OF WINDSOR LOCKS, CT
BUILDING PERMIT**

Nº 23004

DATE June 29, 1999
CHECK NO waived CASH
C.O. FEE waived

APPLICANT

NAME Message Center Management
ADDRESS 40 Woodland Street
Hartford, CT 06105

ESTIMATED COST/VALUE \$ 60,000
(EXCLUDING ELECTRICAL, PLUMBING & HVAC)
FEE \$ WAIVED


PHONE 860-418-5706 **LICENSE NO.**
OWNER 860-418-5752-Chris

NAME Town of Windsor Locks
ADDRESS 50 Church Street
Windsor Locks, CT 06096


To construct a Wireless Telecommunication Facility as per drawings
at 2-4 Volunteer Drive.

Ft Front=70' Ft Deep= 54'

All work to be done in accordance with this application
and plans approved by the Building Department



Building Official



5' TALL
SEE D

8' HIGH CHAIN
LINK FENCE
SEE DETAIL

GRAVEL SURFACE
SEE DETAIL 5

12' WIDE GATE
SEE DETAIL 3/C-2

12' WIDE GRAVEL
ACCESS DRIVE
SEE DETAIL 4/C-2

EXIST EDGE OF
PAVEMENT (TYP)

EXIST CONCRETE
CURB (TYP)

HVAC
UNIT (TYP)

CELLULAR/SMR
CARRIER

PCS
EQUIPMENT

1' CLEAR

145' LATTICE
TOWER

CELLULAR/SMR
CARRIER

PCS
EQUIPMENT

CABLE
BRIDGE (TYP)

GENERATOR

TOWN
EQUIPMENT

MCM
EQUIPMENT

10'x20' EQUIPMENT
SHELTER (TYP,
2 HOUR RATED)

EXISTING ONE
STORY GARAGE

EXIST
DOOR

EXISTING PAVED

TOWN OF WINDSOR LOCKS, CT
BUILDING PERMIT

DATE June 29, 1999
CHECK NO waived CASH
C.O. FEE waived

NS 23004


APPLICANT
NAME Message Center Management
ADDRESS 40 Woodland Street
Hartford, CT 06105

ESTIMATED COST/VALUE \$ 60,000
(EXCLUDING ELECTRICAL, PLUMBING & HVAC)
FEE \$ WAIVED

PHONE 860-418-5706 LICENSE NO.
OWNER 860-418-5752-Chris
NAME Town of Windsor Locks
ADDRESS 50 Church Street
Windsor Locks, CT 06096

To construct a Wireless Telecommunication Facility as per drawings
at 2-4 Volunteer Drive.
Ft Front=70' Ft Deep= 54'

All work to be done in accordance with this application
and plans approved by the Building Department



Building Official

BUILDING DEPARTMENT
TOWN OF WINDSOR LOCKS, CONNECTICUT

FEE PAID: \$10.00

CERTIFICATE OF OCCUPANCY

ZONE: Res A


DATED: May 22 19 2000

This to certify that 2-4 Volunteer Drive, Windsor Locks, CT 06096

constructed under permit No. 23004 conforms substantially to the requirements of the building ordinances and the zoning regulations of the Town of Windsor Locks and is hereby approved for occupancy as indicated below.

Approved for Occupancy- As a wireless telecommunication facility

Use Group:
Constr. Type:



Building Official

Notice: If this certificate is lost or destroyed, a duplicate should be obtained immediately from the Building Department.

Any change or extension of the use herein approved requires a new certificate of occupancy.



STATE OF CONNECTICUT

CONNECTICUT SITING COUNCIL

Ten Franklin Square, New Britain, CT 06051

Phone: (860) 827-2935 Fax: (860) 827-2950

E-Mail: siting.council@ct.gov

www.ct.gov/csc

August 4, 2009

Raymond J. Lemley, Consultant
Construction Services
63-3 North Branford Road
Branford, CT 06405-2848

RE: **EM-POCKET-165-090713** – Youghioghenny Communications-Northeast, LLC d/b/a Pocket Communications notice of intent to modify an existing telecommunications facility located at 4 Volunteer Drive, Windsor Locks, Connecticut.

Dear Mr. Lemley:


The Connecticut Siting Council (Council) hereby acknowledges your notice to modify this existing telecommunications facility, pursuant to Section 16-50j-73 of the Regulations of Connecticut State Agencies.

The proposed modifications are to be implemented as specified here and in your notice dated July 8, 2009, including the placement of all necessary equipment and shelters within the tower compound. The modifications are in compliance with the exception criteria in Section 16-50j-72 (b) of the Regulations of Connecticut State Agencies as changes to an existing facility site that would not increase tower height, extend the boundaries of the tower site, increase noise levels at the tower site boundary by six decibels, and increase the total radio frequencies electromagnetic radiation power density measured at the tower site boundary to or above the standard adopted by the State Department of Environmental Protection pursuant to General Statutes § 22a-162. This facility has also been carefully modeled to ensure that radio frequency emissions are conservatively below State and federal standards applicable to the frequencies now used on this tower.

This decision is under the exclusive jurisdiction of the Council. Please be advised that the validity of this action shall expire one year from the date of this letter. Any additional change to this facility will require explicit notice to this agency pursuant to Regulations of Connecticut State Agencies Section 16-50j-73. Such notice shall include all relevant information regarding the proposed change with cumulative worst-case modeling of radio frequency exposure at the closest point of uncontrolled access to the tower base, consistent with Federal Communications Commission, Office of Engineering and Technology, Bulletin 65. Any deviation from this format may result in the Council implementing enforcement proceedings pursuant to General Statutes § 16-50u including, without limitation, imposition of expenses resulting from such failure and of civil penalties in an amount not less than one thousand dollars per day for each day of construction or operation in material violation.

Thank you for your attention and cooperation.

Very truly yours,


S. Derek Phelps
Executive Director

SDP/CDM/laf

c: The Honorable Steven N. Wawruck, Jr., First Selectman, Town of Windsor Locks
Alan Gannuscio, Planning & Zoning Chairman, Town of Windsor Locks

EXHIBIT 6

SCOPE OF WORK
 REMOVE 12 COAX, ADD 3 HYBRID; REMOVE 3 ANTENNAS, ADD 3 ANTENNAS;
 INSTALL 3 RRHS; REMOVE RBS3106, INSTALL 6160 AND B160, ADD
 SLACKBOX, ADD GENERATOR.

APPROVALS			
PROJECT MANAGER:	DATE:	ZONING/SITE ACQ.:	DATE:
CONSTRUCTION:	DATE:	OPERATIONS:	DATE:
RF ENGINEERING:	DATE:	TOWER OWNER:	DATE:

T-MOBILE TECHNICIAN SITE SAFETY NOTES	
LOCATION	SPECIAL RESTRICTIONS
SECTOR A:	ACCESS BY CERTIFIED CLIMBER
SECTOR B:	ACCESS BY CERTIFIED CLIMBER
SECTOR C:	ACCESS BY CERTIFIED CLIMBER
GPS/LMU:	UNRESTRICTED
RADIO CABINETS:	UNRESTRICTED
PPC DISCONNECT:	UNRESTRICTED
MAIN CIRCUIT D/C:	UNRESTRICTED
NIU/T DEMARC:	UNRESTRICTED
OTHER/SPECIAL:	NONE

- GENERAL NOTES**
- THE CONTRACTOR SHALL GIVE ALL NOTICES AND COMPLY WITH ALL LAWS, ORDINANCES, RULES, REGULATIONS AND LAWFUL ORDERS OF ANY PUBLIC AUTHORITY, MUNICIPAL AND UTILITY COMPANY SPECIFICATIONS, AND LOCAL AND STATE JURISDICTIONAL CODES BEARING ON THE PERFORMANCE OF THE WORK. THE WORK PERFORMED ON THE PROJECT AND THE MATERIALS INSTALLED SHALL BE IN STRICT ACCORDANCE WITH ALL APPLICABLE CODES, REGULATIONS, AND ORDINANCES.
 - THE ARCHITECT/ENGINEER HAVE MADE EVERY EFFORT TO SET FORTH IN THE CONSTRUCTION AND CONTRACT DOCUMENTS THE COMPLETE SCOPE OF WORK. THE CONTRACTOR BIDDING THE JOB IS NEVERTHELESS CAUTIONED THAT MINOR OMISSIONS OR ERRORS IN THE DRAWINGS AND OR SPECIFICATIONS SHALL NOT EXCUSE SAID CONTRACTOR FROM COMPLETING THE PROJECT AND IMPROVEMENTS IN ACCORDANCE WITH THE INTENT OF THESE DOCUMENTS.
 - THE CONTRACTOR OR BIDDER SHALL BEAR THE RESPONSIBILITY OF NOTIFYING (IN WRITING) THE OWNERS REPRESENTATIVE OF ANY CONFLICTS, ERRORS, OR OMISSIONS PRIOR TO THE SUBMISSION OF CONTRACTOR'S PROPOSAL OR PERFORMANCE OF WORK. IN THE EVENT OF DISCREPANCIES THE CONTRACTOR SHALL PRICE THE MORE COSTLY OR EXTENSIVE WORK, UNLESS DIRECTED IN WRITING OTHERWISE.
 - THE SCOPE OF WORK SHALL INCLUDE FURNISHING ALL MATERIALS, EQUIPMENT, LABOR AND ALL OTHER MATERIALS AND LABOR DEEMED NECESSARY TO COMPLETE THE WORK/PROJECT AS DESCRIBED HEREIN.
 - THE CONTRACTOR SHALL VISIT THE JOB SITE PRIOR TO THE SUBMISSION OF BIDS OR PERFORMING WORK TO FAMILIARIZE HIMSELF WITH THE FIELD CONDITIONS AND TO VERIFY THAT THE PROJECT CAN BE CONSTRUCTED IN ACCORDANCE WITH THE CONTRACT DOCUMENTS.
 - THE CONTRACTOR SHALL OBTAIN AUTHORIZATION TO PROCEED WITH CONSTRUCTION PRIOR TO STARTING WORK ON ANY ITEM NOT CLEARLY DEFINED BY THE CONSTRUCTION DRAWINGS/CONTRACT DOCUMENTS.
 - THE CONTRACTOR SHALL INSTALL ALL EQUIPMENT AND MATERIALS ACCORDING TO THE MANUFACTURER'S/VENDOR'S SPECIFICATIONS UNLESS NOTED OTHERWISE OR WHERE LOCAL CODES OR ORDINANCES TAKE PRECEDENCE.
 - THE CONTRACTOR SHALL PROVIDE A FULL SET OF CONSTRUCTION DOCUMENTS AT THE SITE, UPDATED WITH THE LATEST REVISIONS AND ADDENDUMS OR CLARIFICATIONS AVAILABLE FOR THE USE BY ALL PERSONNEL INVOLVED WITH THE PROJECT.
 - THE CONTRACTOR SHALL SUPERVISE AND DIRECT THE PROJECT DESCRIBED HEREIN. THE CONTRACTOR SHALL BE SOLELY RESPONSIBLE FOR ALL CONSTRUCTION MEANS, METHODS, TECHNIQUES, SEQUENCES AND PROCEDURES AND FOR COORDINATING ALL PORTIONS OF THE WORK UNDER THE CONTRACT.
 - THE CONTRACTOR IS RESPONSIBLE FOR PROVIDING ALL NECESSARY CONSTRUCTION CONTROL SURVEYS, ESTABLISHING AND MAINTAINING ALL LINES AND GRADES REQUIRED TO CONSTRUCT ALL IMPROVEMENTS AS SHOWN HEREIN.
 - THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL PERMITS AND INSPECTIONS WHICH MAY BE REQUIRED FOR THE WORK BY THE ARCHITECT/ENGINEER, THE STATE, COUNTY OR LOCAL GOVERNMENT AUTHORITY.
 - THE CONTRACTOR SHALL MAKE NECESSARY PROVISIONS TO PROTECT EXISTING IMPROVEMENTS, EASEMENTS, PAVING, CURBING, ETC. DURING CONSTRUCTION. UPON COMPLETION OF WORK, THE CONTRACTOR SHALL REPAIR ANY DAMAGE THAT MAY HAVE OCCURRED DUE TO CONSTRUCTION ON OR ABOUT THE PROPERTY.
 - THE CONTRACTOR SHALL KEEP THE GENERAL WORK AREA CLEAN AND HAZARD FREE DURING CONSTRUCTION AND DISPOSE OF ALL DIRT, DEBRIS, RUBBISH AND REMOVE EQUIPMENT NOT SPECIFIED AS REMAINING ON THE PROPERTY. PREMISES SHALL BE LEFT IN CLEAN CONDITION AND FREE FROM PAINT SPOTS, DUST, OR SMUDGES OF ANY NATURE.
 - THE CONTRACTOR SHALL COMPLY WITH ALL OSHA REQUIREMENTS AS THEY APPLY TO THIS PROJECT.
 - THE CONTRACTOR SHALL NOTIFY THE PROJECT OWNER'S REPRESENTATIVE WHERE A CONFLICT OCCURS ON ANY OF THE CONTRACT DOCUMENTS. THE CONTRACTOR IS NOT TO ORDER MATERIAL OR CONSTRUCT ANY PORTION OF THE WORK THAT IS IN CONFLICT UNTIL CONFLICT IS RESOLVED BY THE LESSEE/LICENSEE REPRESENTATIVE.
 - THE CONTRACTOR SHALL VERIFY ALL DIMENSIONS, ELEVATIONS, PROPERTY LINES, ETC. ON THE JOB.
 - ALL UNDERGROUND UTILITY INFORMATION WAS DETERMINED FROM SURFACE INVESTIGATIONS AND EXISTING PLANS OF RECORD. THE CONTRACTOR SHALL LOCATE ALL UNDERGROUND UTILITIES IN THE FIELD PRIOR TO ANY SITE WORK.

AT LEAST 72 HOURS PRIOR TO DIGGING, THE CONTRACTOR IS REQUIRED TO CALL DIG SAFE AT 811




CT11319C

2-4 VOLUNTEER DRIVE
 WINDSOR LOCKS, CT 06096
 HARTFORD COUNTY

SITE NO.: CT11319C

RF DESIGN GUIDELINE: 67D5A997DB HYBRID

- SITE NOTES**
- THIS IS AN UNMANNED AND RESTRICTED ACCESS TELECOMMUNICATION FACILITY, AND IS NOT FOR HUMAN HABITATION. IT WILL BE USED FOR THE TRANSMISSION OF RADIO SIGNAL FOR THE PURPOSE OF PROVIDING PUBLIC CELLULAR SERVICE.
 - ADA COMPLIANCE NOT REQUIRED.
 - POTABLE WATER OR SANITARY SERVICE IS NOT REQUIRED.
 - NO OUTDOOR STORAGE OR ANY SOLID WASTE RECEPTACLES REQUIRED.
 - CONTRACTOR SHALL VERIFY ALL PLANS, EXISTING DIMENSIONS, AND CONDITIONS ON JOB SITE. CONTRACTOR SHALL IMMEDIATELY NOTIFY THE ARCHITECT/ENGINEER IN WRITING OF ANY DISCREPANCIES BEFORE PROCEEDING WITH THE WORK. FAILURE TO NOTIFY THE ARCHITECT/ENGINEER PLACE THE RESPONSIBILITY ON THE CONTRACTOR TO CORRECT THE DISCREPANCIES AT THE CONTRACTOR'S EXPENSE.
 - NEW CONSTRUCTION WILL CONFORM TO ALL APPLICABLE CODES AND ORDINANCES.
 - BUILDING CODE: 2018 CONNECTICUT STATE BUILDING CODE
 - ELECTRICAL CODE: 2017 NATIONAL ELECTRICAL CODE
 - STRUCTURAL CODE: TIA/EIA-222-G STRUCTURAL STANDARDS FOR ANTENNA SUPPORTING STRUCTURES AND ANTENNAS.



DIRECTIONS

TURN LEFT ONTO S WASHINGTON ST. TURN RIGHT ONTO MA-123 E. TURN LEFT TO MERGE ONTO I-495 NORTH TOWARD MANSFIELD/MARLBORO. MERGE ONTO I-495 NORTH. TAKE EXIT 22 TO MERGE ONTO I-90 WEST. TAKE EXIT 45 TO MERGE ONTO I-91 NORTH. TAKE EXIT 51 FOR I-291 TOWARD SPRINGFIELD/HARTFORD. KEEP RIGHT TO CONTINUE TOWARD I-291 WEST. TURN LEFT ONTO I-291 WEST. TAKE EXIT 1A-2A TO MERGE ONTO I-91 SOUTH. TAKE EXIT 42 FOR CT-159 TOWARD WINDSOR LOCKS. TURN LEFT ONTO CT-159 NORTH/SOUTH MAIN STREET. TURN LEFT ONTO ELM STREET. TURN RIGHT ONTO VOLUNTEER DRIVE. SITE WILL BE ON THE RIGHT.

SHEET INDEX

SHT. NO.	DESCRIPTION	VER.
T-1	TITLE SHEET	1
GN-1	GENERAL NOTES	1
A-1	COMPOUND & EQUIPMENT PLANS	1
A-2	TOWER ELEVATION & ANTENNA PLANS	1
A-3	SITE DETAILS	1
A-4	ANTENNA & FEEDLINE CHARTS	1
E-1	ELECTRIC & GROUNDING DETAILS	1

DO NOT SCALE DRAWINGS

CONTRACTOR SHALL VERIFY ALL PLANS AND EXISTING DIMENSIONS AND CONDITIONS ON THE JOB SITE AND SHALL IMMEDIATELY NOTIFY THE PROJECT OWNER'S REPRESENTATIVE IN WRITING OF DISCREPANCIES BEFORE PROCEEDING WITH THE WORK OR BE RESPONSIBLE FOR SAME.

PROJECT SUMMARY

SITE NUMBER:	CT11319C
SBA SITE NUMBER:	CT22108-A
SBA SITE NAME:	WINDSOR LOCKS @ VOLUNTEER DRIVE
SITE ADDRESS:	2-4 VOLUNTEER DRIVE WINDSOR LOCKS, CT 06096
PROPERTY OWNER:	TOWN OF WINDSOR LOCKS 50 CHURCH STREET WINDSOR LOCKS, CT 06096
TOWER OWNER:	SBA PROPERTIES, LLC 8501 CONGRESS AVENUE BOCA RATON, FL 33487 PHONE: 561-226-9523
COUNTY:	HARTFORD COUNTY
ZONING DISTRICT:	R2 - RESIDENTIAL
STRUCTURE TYPE:	SELF-SUPPORT TOWER
STRUCTURE HEIGHT:	200'
APPLICANT:	T-MOBILE NORTHEAST LLC 15 COMMERCE WAY, SUITE B NORTON, MA 02766
SBA RSM:	STEPHEN ROTH PHONE: 860-539-4920 EMAIL: SROth@sbsite.com
ARCHITECT:	CHAPPELL ENGINEERING ASSOCIATES, LLC. 201 BOSTON POST ROAD WEST, SUITE 101 MARLBOROUGH, MA 01752
STRUCTURAL ENGINEER:	CHAPPELL ENGINEERING ASSOCIATES, LLC. 201 BOSTON POST ROAD WEST, SUITE 101 MARLBOROUGH, MA 01752
SITE CONTROL POINT:	LATITUDE: N.41.928033° N.41°55'40.92" LONGITUDE W.72.646797° W.72°38'48.47"

SPECIAL ZONING NOTE:
 BASED ON INFORMATION PROVIDED BY T-MOBILE REGULATORY COMPLIANCE PROFESSIONALS AND LEGAL COUNSEL, THIS TELECOMMUNICATIONS EQUIPMENT DEPLOYMENT IS CONSIDERED AN ELIGIBLE FACILITY UNDER THE MIDDLE CLASS TAX RELIEF AND JOB CREATION ACT OF 2012, 47 USC 1455(A), SECTION 6409(A), AND IS SUBJECT TO AN ELIGIBLE FACILITY REQUEST, EXPEDITED REVIEW, AND LIMITED/PARTIAL ZONING PRE-EMPTION FOR LOCAL DISCRETIONARY PERMITS (VARIANCE, SPECIAL PERMIT, SITE PLAN REVIEW, OR ADMINISTRATIVE REVIEW).

T-MOBILE NORTHEAST LLC

15 COMMERCE WAY, SUITE B
 NORTON, MA 02766
 (508) 286-2700

SBA

SBA COMMUNICATIONS CORP.
 134 FLANDERS ROAD, SUITE 125
 WESTBOROUGH, MA 01581
 (508) 251-0720

CHAPPELL ENGINEERING ASSOCIATES, LLC
 Civil Structural-Land Surveying

R.K. EXECUTIVE CENTRE
 201 BOSTON POST ROAD WEST, SUITE 101
 MARLBOROUGH, MA 01752
 (508) 481-7400
 www.chappellengineering.com



CHECKED BY: JMT

APPROVED BY: JMT

SUBMITTALS

REV.	DATE	DESCRIPTION	BY
1	06/28/21	ISSUED FOR CONSTRUCTION	CMC
0	03/04/21	ISSUED FOR REVIEW	JRV

SITE NUMBER:
CT11319C


SITE ADDRESS:
 2-4 VOLUNTEER DRIVE
 WINDSOR LOCKS, CT 06096

SHEET TITLE
TITLE SHEET


SHEET NUMBER
T-1

SPECIAL PRE-CONSTRUCTION WORK NOTE (SBA-PROVIDED TOWER STRUCTURAL ANALYSIS SPECIAL EQUIPMENT INSTALLATION REQUIREMENTS):
 GENERAL CONTRACTOR SHALL FURNISH AND INSTALL ALL SPECIAL OR SUPPLEMENTAL ADDITIONAL TOWER-MOUNTED EQUIPMENT PER RECOMMENDATIONS FROM SBA-PROVIDED TOWER STRUCTURAL ANALYSIS FOR ANY SPECIAL SHIELDING OF TOWER TOP EQUIPMENT AND FOR ANY SPECIAL FEEDLINE BUNDLING OR RELOCATION.


SPECIAL CONSTRUCTION NOTE:
 GENERAL CONTRACTOR SHALL FURNISH AND INSTALL ALL ANTENNA MOUNT STRUCTURAL AUGMENTS (STRUCTURAL MODIFICATIONS) AT T-MOBILE'S RAD/VERTICAL EQUIPMENT SPACE PER RECOMMENDATIONS FROM SBA-PROVIDED ANTENNA MOUNT STRUCTURAL ANALYSIS AND ANY SUPPLEMENTAL CONSTRUCTION DRAWINGS (PROVIDED BY OTHERS).



COMPOUND PLAN 1
 SCALE: 1" = 5'-0"
 0 5'-0" 10'-0" 15'-0"



EXISTING EQUIPMENT PLAN 2
 SCALE: 3/8" = 1'-0"
 0 2'-8" 5'-4" 8'-0"




PROPOSED EQUIPMENT PLAN 3
 SCALE: 3/8" = 1'-0"
 0 2'-8" 5'-4" 8'-0"

**T-MOBILE
 NORTHEAST LLC**


15 COMMERCE WAY, SUITE B
 NORTON, MA 02766
 (508) 286-2700



SBA COMMUNICATIONS CORP.
 134 FLANDERS ROAD, SUITE 125
 WESTBOROUGH, MA 01581
 (508) 251-0720



R.K. EXECUTIVE CENTRE
 201 BOSTON POST ROAD WEST, SUITE 101
 MARLBOROUGH, MA 01752
 (508) 481-7400
 www.chappellengineering.com



CHECKED BY: JMT

APPROVED BY: JMT

SUBMITTALS			
REV.	DATE	DESCRIPTION	BY
1	06/28/21	ISSUED FOR CONSTRUCTION	CMC
0	03/04/21	ISSUED FOR REVIEW	JRV

SITE NUMBER:
CT11319C

SITE ADDRESS:
 2-4 VOLUNTEER DRIVE
 WINDSOR LOCKS, CT 06096



SHEET TITLE
**COMPOUND &
 EQUIPMENT PLAN**

SHEET NUMBER
A-1

SPECIAL PRE-CONSTRUCTION WORK NOTE (SBA-PROVIDED TOWER STRUCTURAL ANALYSIS SPECIAL EQUIPMENT INSTALLATION REQUIREMENTS):
 GENERAL CONTRACTOR SHALL FURNISH AND INSTALL ALL SPECIAL OR SUPPLEMENTAL ADDITIONAL TOWER-MOUNTED EQUIPMENT PER RECOMMENDATIONS FROM SBA-PROVIDED TOWER STRUCTURAL ANALYSIS FOR ANY SPECIAL SHIELDING OF TOWER TOP EQUIPMENT AND FOR ANY SPECIAL FEEDLINE BUNDLING OR RELOCATION.


RAD CENTER NOTE:
 T-MOBILE RAD CENTER SHOWN IN RED TEXT BASED ON SBA-PROVIDED CO-LOCATION APPLICATION, EQUIPMENT DATABASE, AND STRUCTURAL ANALYSIS. THE SBA-PROVIDED ANTENNA RAD CENTER SHALL SUPERSEDE ANY CONFLICTING INFORMATION DERIVED FROM THE T-MOBILE RFDs.

SPECIAL CONSTRUCTION NOTE:
 GENERAL CONTRACTOR SHALL FURNISH AND INSTALL ALL ANTENNA MOUNT STRUCTURAL AUGMENTS (STRUCTURAL MODIFICATIONS) AT T-MOBILE'S RAD/VERTICAL EQUIPMENT SPACE PER RECOMMENDATIONS FROM SBA-PROVIDED ANTENNA MOUNT STRUCTURAL ANALYSIS AND ANY SUPPLEMENTAL CONSTRUCTION DRAWINGS (PROVIDED BY OTHERS).




NOTE:
 GROUND EQUIPMENT NOT SHOWN, FOR CLARITY.

EXIST. GENERIC TWIN STYLE 1A PCS TMAS (2 PER SECTOR, TOTAL OF 6) MOUNTED TO EXIST. ANTENNA FRAME ON EXIST. SELF-SUPPORT TOWER (TO BE REMOVED)



EXISTING ANTENNA PLAN
 SCALE: 3/8" = 1'-0"

PROP. T-MOBILE ERICSSON M-MIMO AIR6449 B41 PANEL ANTENNAS (1 PER SECTOR, TOTAL OF 3) MOUNTED TO EXIST. SECTOR FRAME ON EXIST. SELF-SUPPORT TOWER TO REPLACE EXIST. (3) RFS ANTENNA



PROPOSED ANTENNA PLAN
 SCALE: 3/8" = 1'-0"

ANTENNA STATUS LEGEND:

- EMPTY - EMPTY PIPE
- (E) - EXISTING
- (P) - INSTALL
- (F) - FUTURE


NOTE:
 VERIFY PROPOSED AZIMUTHS WITH RF ENGINEER PRIOR TO INSTALLATION.

T-MOBILE NORTHEAST LLC


15 COMMERCE WAY, SUITE B
 NORTON, MA 02766
 (508) 286-2700



SBA COMMUNICATIONS CORP.
 134 FLANDERS ROAD, SUITE 125
 WESTBOROUGH, MA 01581
 (508) 251-0720



R.K. EXECUTIVE CENTRE
 201 BOSTON POST ROAD WEST, SUITE 101
 MARLBOROUGH, MA 01752
 (508) 481-7400
 www.chappellengineering.com



CHECKED BY: JMT

APPROVED BY: JMT

SUBMITTALS			
REV.	DATE	DESCRIPTION	BY
1	06/28/21	ISSUED FOR CONSTRUCTION	CMC
0	03/04/21	ISSUED FOR REVIEW	JRV

SITE NUMBER:
CT11319C

SITE ADDRESS:
 2-4 VOLUNTEER DRIVE
 WINDSOR LOCKS, CT 06096

SHEET TITLE
TOWER ELEVATIONS & ANTENNA PLAN

SHEET NUMBER
A-2

**T-MOBILE
NORTHEAST LLC**


15 COMMERCE WAY, SUITE B
NORTON, MA 02766
(508) 286-2700



SBA COMMUNICATIONS CORP.
134 FLANDERS ROAD, SUITE 125
WESTBOROUGH, MA 01581
(508) 251-0720



R.K. EXECUTIVE CENTRE
201 BOSTON POST ROAD WEST, SUITE 101
MARLBOROUGH, MA 01752
(508) 481-7400
www.chappellengineering.com



CHECKED BY: JMT

APPROVED BY: JMT

SUBMITTALS			
REV.	DATE	DESCRIPTION	BY
1	06/28/21	ISSUED FOR CONSTRUCTION	CMC
0	03/04/21	ISSUED FOR REVIEW	JRV

SITE NUMBER:
CT11319C

SITE ADDRESS:
2-4 VOLUNTEER DRIVE
WINDSOR LOCKS, CT 06096

SHEET TITLE
SITE DETAILS

SHEET NUMBER
A-3




**ERICSSON M-MIMO AIR6449
B41 ANTENNA**
DIMENSIONS: 33.1"H x 20.5"W x 8.3"D
WEIGHT: 103.0 lbs
QUANTITY: 1 PER SECTOR, TOTAL OF 3

ANTENNA DETAILS (1)
SCALE: N.T.S. A-3



ERICSSON RADIO 4415 B25
DIMENSIONS: 16.5"H x 13.4"W x 5.9"D
WEIGHT: 46.0 lbs
QUANTITY: 1 PER SECTOR, TOTAL OF 3

RADIO DETAILS (2)
SCALE: N.T.S. A-3



ERICSSON 6160 SITE SUPPORT CABINET
DIMENSIONS: 63.25"H x 26.0"W x 34.0"D
WEIGHT: 680.0 lbs
QUANTITY: TOTAL OF 1

ERICSSON B160 BATTERY CABINET
DIMENSIONS: 63.25"H x 26.0"W x 26.0"D
WEIGHT: 1771.0 lbs
QUANTITY: TOTAL OF 1

EQUIPMENT DETAIL (3)
SCALE: N.T.S. A-3



SLACK BLOX
MODEL: 32FH91 OR EQUAL
QUANTITY: TOTAL OF 1

SLACKBOX DETAIL (4)
SCALE: N.T.S. A-3

FINAL ANTENNA CONFIGURATION								
SECTOR	ANTENNA	RAD CENTER	AZIMUTH (TRUE NORTH)	MECHANICAL DOWNTILT	ELECTRICAL DOWNTILT	BAND	TMA/RADIOS	SIGNAL CABLES
ALPHA	A1 ERICSSON AIR32 KRD901146-1 B66A/B2A	160'± AGL	40°	0°	4'	L2100/L1900/G1900	-	(3) 1-5/8" (6x12) HCS CABLES (3) 1-5/8" (6x24) HCS FIBER CABLES
	A2 RFS APXWARR24_43-U-NA20	160'± AGL	40°	0°	4'	L700/L600/N600	RADIO 4449 B71+B85	
	A4 ERICSSON M-MIMO AIR6449 B41	160'± AGL	40°	0°	4'	L2500/N2500	-	
BETA	B1 ERICSSON AIR32 KRD901146-1 B66A/B2A	160'± AGL	120°	0°	4'	L2100/L1900/G1900	-	
	B2 RFS APXWARR24_43-U-NA20	160'± AGL	120°	0°	4'	L700/L600/N600	RADIO 4449 B71+B85	
	B4 ERICSSON M-MIMO AIR6449 B41	160'± AGL	120°	0°	4'	L2500/N2500	-	
GAMMA	G1 ERICSSON AIR32 KRD901146-1 B66A/B2A	160'± AGL	220°	0°	4'	L2100/L1900/G1900	-	
	G2 RFS APXWARR24_43-U-NA20	160'± AGL	220°	0°	4'	L700/L600/N600	RADIO 4449 B71+B85	
	G4 ERICSSON M-MIMO AIR6449 B41	160'± AGL	220°	0°	4'	L2500/N2500	-	

CABLE NOTE: EXISTING (12) 1-5/8" COAX CABLES TO BE REMOVED. SEE FEEDLINE SCHEDULE A & B BELOW.
ANCILLARY NOTE: EXISTING (6) GENERIC TWIN STYLE 1A PCS TMAS & (3) GENERIC TWIN STYLE 1B AWS TMAS TO BE REMOVED

NOTE: RFDS REV5 - 01/19/21

FEEDLINE SCHEDULE		
SCHEDULE	FEEDLINES	LOCATION
A	EXISTING TO REMAIN: (1) 1/2" COAX CABLE FOR GPS ANTENNA (3) 1-5/8" (6x12) HCS FIBER CABLES EXISTING TO BE REMOVED: (12) 1-5/8" COAX CABLES	ROUTED PER STRUCTURAL ANALYSIS
B	PROPOSED: (3) 1-5/8" (6x24) HCS FIBER CABLES	


NOTE: EXISTING T-MOBILE EQUIPMENT FEEDLINE INVENTORY BASED ON OBSERVED FIELD CONDITIONS. RFDS AND FEEDLINE LEASING ENTITLEMENTS MAY DIFFER.

**T-MOBILE
NORTHEAST LLC**

15 COMMERCE WAY, SUITE B
NORTON, MA 02766
(508) 286-2700



SBA COMMUNICATIONS CORP.
134 FLANDERS ROAD, SUITE 125
WESTBOROUGH, MA 01581
(508) 251-0720



R.K. EXECUTIVE CENTRE
201 BOSTON POST ROAD WEST, SUITE 101
MARLBOROUGH, MA 01752
(508) 481-7400
www.chappellengineering.com



CHECKED BY: JMT

APPROVED BY: JMT







SUBMITTALS			
REV.	DATE	DESCRIPTION	BY
1	06/28/21	ISSUED FOR CONSTRUCTION	CMC
0	03/04/21	ISSUED FOR REVIEW	JRV

SITE NUMBER:
CT11319C

SITE ADDRESS:
2-4 VOLUNTEER DRIVE
WINDSOR LOCKS, CT 06096

SHEET TITLE
**ANTENNA &
FEEDLINE CHARTS**

SHEET NUMBER
A-4



- NOTES:**
- "DOUBLING UP" OR "STACKING" OF CONNECTION IS NOT PERMITTED.
 - OXIDE INHIBITING COMPOUND TO BE USED AT ALL LOCATIONS.
 - CADWELD DOWNLEADS FROM UPPER EGB, LOWER EGB AND MGB.

TYPICAL GROUND BAR CONNECTIONS DETAIL
SCALE: NOT TO SCALE

3
E-1

ELECTRICAL AND GROUNDING NOTES


- ALL ELECTRICAL WORK SHALL CONFORM TO THE REQUIREMENTS OF THE NATIONAL ELECTRICAL CODE (NEC) AS WELL AS APPLICABLE STATE AND LOCAL CODES.
- ALL ELECTRICAL ITEMS SHALL BE U.L. APPROVED OR LISTED AND PROCURED PER SPECIFICATION REQUIREMENTS.
- THE ELECTRICAL WORK INCLUDES ALL LABOR AND MATERIAL DESCRIBED BY DRAWINGS AND SPECIFICATION INCLUDING INCIDENTAL WORK TO PROVIDE COMPLETE OPERATING AND APPROVED ELECTRICAL SYSTEM.
- GENERAL CONTRACTOR SHALL PAY FEES FOR PERMITS, AND IS RESPONSIBLE FOR OBTAINING SAID PERMITS AND COORDINATION OF INSPECTIONS.
- ELECTRICAL AND TELCO WIRING OUTSIDE A BUILDING AND EXPOSED TO WEATHER SHALL BE IN WATER TIGHT GALVANIZED RIGID STEEL CONDUITS OR SCHEDULE 80 PVC (AS PERMITTED BY CODE) AND WHERE REQUIRED IN LIQUID TIGHT FLEXIBLE METAL OR NONMETALLIC CONDUITS.
- BURIED CONDUIT SHALL BE SCHEDULE 40 PVC.
- ELECTRICAL WIRING SHALL BE COPPER WITH TYPE XHHW, THWN, OR THINSULATION.
- RUN ELECTRICAL CONDUIT OR CABLE BETWEEN ELECTRICAL UTILITY DEMARCATION POINT AND PROJECT OWNER CELL SITE PPC AS INDICATED ON THIS DRAWING. PROVIDE FULL LENGTH PULL ROPE. COORDINATE INSTALLATION WITH UTILITY COMPANY.
- RUN TELCO CONDUIT OR CABLE BETWEEN TELEPHONE UTILITY DEMARCATION POINT AND PROJECT OWNER CELL SITE TELCO CABINET AND BTS CABINET AS INDICATED ON THIS DRAWING PROVIDE FULL LENGTH PULL ROPE IN INSTALLED TELCO CONDUIT. PROVIDE GREENLEE CONDUIT MEASURING TAPE AT EACH END.
- WHERE CONDUIT BETWEEN BTS AND PROJECT OWNER CELL SITE PPC AND BETWEEN BTS AND PROJECT OWNER CELL SITE TELCO SERVICE CABINET ARE UNDERGROUND USE PVC, SCHEDULE 40 CONDUIT. ABOVE THE GROUND PORTION OF THESE CONDUITS SHALL BE PVC CONDUIT.
- ALL EQUIPMENT LOCATED OUTSIDE SHALL HAVE NEMA 3R ENCLOSURE.
- PPC SUPPLIED BY PROJECT OWNER.
- GROUNDING SHALL COMPLY WITH NEC ART. 250. ADDITIONALLY, GROUNDING, BONDING AND LIGHTNING PROTECTION SHALL BE DONE IN ACCORDANCE WITH "T-MOBILE SITE GROUNDING STANDARDS".
- GROUND COAXIAL CABLE SHIELDS MINIMUM AT BOTH ENDS USING MANUFACTURERS COAX CABLE GROUNDING KITS SUPPLIED BY PROJECT OWNER.
- USE #6 COPPER STRANDED WIRE WITH GREEN COLOR INSULATION FOR ABOVE GRADE GROUNDING (UNLESS OTHERWISE SPECIFIED) AND #2 SOLID TINNED BARE COPPER WIRE FOR BELOW GRADE GROUNDING AS INDICATED ON THE DRAWING.
- ALL GROUND CONNECTIONS TO BE BURNDY HYGROUND COMPRESSION TYPE CONNECTORS OR CADWELD EXOTHERMIC WELD. DO NOT ALLOW BARE COPPER WIRE TO BE IN CONTACT WITH GALVANIZED STEEL.
- ROUTE GROUNDING CONDUCTORS ALONG THE SHORTEST AND STRAIGHTEST PATH POSSIBLE, EXCEPT AS OTHERWISE INDICATED. GROUNDING LEADS SHOULD NEVER BE BENT AT RIGHT ANGLE. ALWAYS MAKE AT LEAST 12" RADIUS BENDS. #6 WIRE CAN BE BENT AT 6" RADIUS WHEN NECESSARY. BOND ANY METAL OBJECTS WITHIN 6 FEET OF PROJECT OWNER EQUIPMENT OR CABINET TO MASTER GROUND BAR OR GROUNDING RING.
- CONNECTIONS TO GROUND BARS SHALL BE MADE WITH TWO HOLE COMPRESSION TYPE COPPER LUGS. APPLY OXIDE INHIBITING COMPOUND TO ALL LOCATIONS.
- APPLY OXIDE INHIBITING COMPOUND TO ALL COMPRESSION TYPE GROUND CONNECTIONS.
- CONTRACTOR SHALL PROVIDE AND INSTALL OMNI DIRECTIONAL ELECTRONIC MARKER SYSTEM (EMS) BALLS OVER EACH GROUND ROD AND BONDING POINT BETWEEN EXIST. TOWER/ MONOPOLE GROUNDING RING AND EQUIPMENT GROUNDING RING.
- CONTRACTOR SHALL TEST COMPLETED GROUND SYSTEM AND RECORD RESULTS FOR PROJECT CLOSE-OUT DOCUMENTATION. 5 OHMS MINIMUM RESISTANCE REQUIRED.
- CONTRACTOR SHALL CONDUCT ANTENNA, COAX, AND LNA RETURN-LOSS AND DISTANCE- TO-FAULT MEASUREMENTS (SWEEP TESTS) AND RECORD RESULTS FOR PROJECT CLOSE-OUT.

T-MOBILE NORTHEAST LLC


15 COMMERCE WAY, SUITE B
NORTON, MA 02766
(508) 286-2700



SBA COMMUNICATIONS CORP.
134 FLANDERS ROAD, SUITE 125
WESTBOROUGH, MA 01581
(508) 251-0720



R.K. EXECUTIVE CENTRE
201 BOSTON POST ROAD WEST, SUITE 101
MARLBOROUGH, MA 01752
(508) 481-7400
www.chappellengineering.com



CHECKED BY: JMT

APPROVED BY: JMT

SUBMITTALS			
REV.	DATE	DESCRIPTION	BY
1	06/28/21	ISSUED FOR CONSTRUCTION	CMC
0	03/04/21	ISSUED FOR REVIEW	JRV

SITE NUMBER:
CT11319C

SITE ADDRESS:
2-4 VOLUNTEER DRIVE
WINDSOR LOCKS, CT 06096

SHEET TITLE
ELECTRIC & GROUNDING DETAILS

SHEET NUMBER
E-1

EXHIBIT 7



Tower Engineering Solutions

Phone (972) 483-0607, Fax (972) 975-9615
1320 Greenway Drive, Suite 600, Irving, Texas 75038

Structural Analysis Report

**Existing 195 ft PIROD Self Supporting Tower on 5 ft Piers
(Total 200 ft AGL)**

Customer Name: SBA Communications Corp

Customer Site Number: CT22108-A

Customer Site Name: Windsor Locks @ Volunteer Drive

Carrier Name: T-Mobile (App#: 104041-2)

Carrier Site ID / Name: CT11319C / Windsor locks/Rt 20

Site Location: 2-4 Volunteer Drive

Windsor Locks, Connecticut

HARTFORD County

Latitude: 41.928100

Longitude: -72.646800

Exp.10/31/2021

Analysis Result:

Max Structural Usage: 93.2% [Pass]

Max Foundation Usage: 54.0% [Pass]

Additional Usage Caused by Mount Modification: +2%



06/29/2021

Report Prepared By : Tawfeeq. Alajaj

Introduction

The purpose of this report is to summarize the analysis results on the 195 ft PIROD Self Supporting Tower to support the proposed antennas and transmission lines in addition to those currently installed. Any modification listed under Sources of Information was assumed completed and was included in this analysis.

Sources of Information

Tower Drawings	PiROD Eng. File #A-115761-1, Archive #F-0078802, dated 10/06/00
Foundation Drawing	PiROD Eng. File #A-115761-1, Archive #F-0078802, dated 10/06/00
Geotechnical Report	Tectonic Engineering Consultants W.O. #2295 01, dated 05/18/99
Modification Drawings	N/A
Mount Analysis	T-Mobile MA by TES# 106689. Dated 04/27/2021.

Analysis Criteria

The rigorous analysis was performed in accordance with the requirements and stipulations of the TIA-222-G-2. In accordance with this standard, the structure was analyzed using **TESTowers**, a proprietary analysis software. The program considers the structure as an elastic 3-D model with second-order effects and temperature effects incorporated in the analysis. The analysis was performed using multiple wind directions.

Wind Speed Used in the Analysis:	Ultimate Design Wind Speed $V_{ult} = 125.0$ mph (3-Sec. Gust)/ Nominal Design Wind Speed $V_{asd} = 97.0$ mph (3-Sec. Gust)
Wind Speed with Ice:	50 mph (3-Sec. Gust) with 1" radial ice concurrent
Operational Wind Speed:	60 mph + 0" Radial ice
Standard/Codes:	TIA-222-G-2 / 2015 IBC / 2018 Connecticut State Building Code
Exposure Category:	C
Structure Class:	II
Topographic Category:	1
Crest Height:	0 ft

This structural analysis is based upon the tower being classified as a Structure Class II; however, if a different classification is required subsequent to the date hereof, the tower classification will be changed to meet such requirement and a new structural analysis will be run.

Existing Antennas, Mounts and Transmission Lines

The table below summarizes the antennas, mounts and transmission lines that were considered in the analysis as existing on the tower.

Items	Elevation (ft)	Qty.	Antenna Descriptions	Mount Type & Qty.	Transmission Lines	Owner
1	203.4	1	Andrew - DB224-A	Direct	(1) 7/8"	WLPD
2	183.7	5	Andrew - 20' Dipoles w/ (4) Element	(3) T-Frame	(8) 7/8"	
3	182.8	1	2.5" Ø x 20.0' Omni			
4	180.6	1	1.3" Ø x 13.0' Omni			
5	179.1	1	1.3" Ø x 10.0' Omni			
6	164.0	3	CCI - TPA-65R-LCUUUU-H8 - Panel	(3) Modified Sector Frame with new standoff 2" and 3" SCH.40 pipes at each sector and 3" SCH. 40 vertical pipe per sector	(9) 1 5/8" (1) 2" Conduit** (1) 3" Conduit**	AT&T
7		6	CCI - TPA65R-BU8D - Panel			
8		3	Powerwave LGP21401 TMA			
9		3	Kaelus DBCT108F1V92-1 Diplexer			
10		6	Kathrein 860 10025 RET			
11		3	Ericsson RRUS 32 B30			
12		3	Ericsson 4449 B5/B12			
13		3	Ericsson RRUS 8843 B2 B66A			
14		3	Ericsson RRUS 4478 B14			
15		2	Raycap DC6-48-60-18-8F - OVP			
15	146.8	1	Raycap - RRFDC-3315-PF-48 – SP	Direct	(12) 1 5/8" (1) 1 1/4"	Verizon
16	145.7	1	6.0' x 1.0' x 6.5" Panel	(3) T-Frame		
17		2	Amphenol - BXA-70063/6CF-EDIN - Panel			
18		3	Antel - BXA-171063-12CF-EDIN-5 - Panel			
19	145.5	3	Alcatel-Lucent - 9442 RRH2x40 AWS - RRH	(3) T-Frame w/ Mods (Replace Existing Pipe mast w/ new 2-1/2" std. (2.88" OD) steel pipe mast secured to the existing mount (typ. Of 1 per sector, total of 3); Secure the existing and proposed pipe masts to the existing mount with a minimum of two points of connection (typ. Of 3 per sector, total of 9))	(15) 1 5/8" (3) 1 1/4" Hybrid	T-Mobile
20	135.0	3	Ericsson - AIR32 KRD901146-1_B66A (Octa) - Panel			
21		3	RFS - APX16DWV-16DWVS-E-A20 - Panel			
22		3	RFS - APXVAARR24_43-U-NA20 (Octa) - Panel			
23		6	Ericsson - KRY 112 144/2 - TMA			
24		3	Ericsson - Radio 4449 B71 + B12 - RRU			
25	116.8	3	RFS - APXVSP18-C-A20 - Panel	(3) T-Frame	(4) 1-1/4" Fiber	Sprint Nextel
26	115.0	3	RFS - APXVTM14-C-I20 - Panel			
27		3	Alcatel-Lucent - TD-RRH8x20-25 - RRH			
28	110.3	3	Alcatel-Lucent - 800 MHz RRH	Direct		
29	107.6	3	Alcatel-Lucent - 1900 MHz RRH	Direct		

30	104.6	1	Andrew - 3.3' Dish	(3) Standoffs	(2) 1/2" (1) 1-5/16" Conduit	Clearwire
31	104.0	1	Andrew - VHLP1-23-DW1			
32		3	Argus - LLPX310R-V1 - Panel			
33	103.8	3	Alcatel-Lucent - SPI-22132825WB -			
34	102.4	1	12" x 12" x 6.38" Junction Box	Direct		
35	75.9	1	3.5" Ø x 8" GPS	(1) Standoff	(1) 1/2"	Unknown
36	60.0	1	PCTEL - GPS-TMG-HR-26N - GPS	Direct	(1) 1/2"	Sprint Nextel

*Inside (1) 3" Conduit

**3" (housing (2) 0.78" DC Power & (1) 0.39" Fiber).

**2" (housing (2) 0.78" DC Power & (1) 0.39" Fiber)

Proposed Carrier's Final Configuration of Antennas, Mounts and Transmission Lines

Information pertaining to the proposed carrier's final configuration of antennas and transmission lines was provided by SBA Communications Corp. The proposed antennas and lines are listed below.

Items	Elevation (ft)	Qty.	Antenna Descriptions	Mount Type & Qty.	Transmission Lines	Owner
21	135.0	3	RFS - APXVAARR24_43-U-NA20 (Octa) - Panel	New modification to the (3) T-Frame w/ Mods (Replace Existing Pipe mast w/ new 2-1/2" std. (2.88" OD) steel pipe mast secured to the existing mount (typ. Of 1 per sector, total of 3); Secure the existing and proposed pipe masts to the existing mount with a minimum of two points of connection (typ. Of 3 per sector, total of 9))	(11) 1 5/8" (3) 1.9" Fiber (3) 1-1/4" Hybrid	T-Mobile
22		3	Ericsson - AIR6449 B41 - Panel			
23		3	Ericsson - AIR32 KRD901146-1_B66A (Octa) - Panel			
24		6	Ericsson KRY 112 144/2 TMA			
25		3	Ericsson Radio 4449 B71 + B85			
26		3	Ericsson 4415 B25			

See the attached coax layout for the line placement considered in the analysis.

Analysis Results

The results of the structural analysis, performed for the wind and ice loading and antenna equipment as defined above, are summarized as the following:

Tower Component	Legs	Diagonals	Horizontals
Max. Usage:	69.2%	93.2%	52.9%
Pass/Fail	Pass	Pass	Pass

Foundations

	Compression (Kips)	Uplift (Kips)
Original Design Reactions	369.9	325.9
Analysis Reactions	360.6	311.3
Factored Reactions*	499.4	440.0
% of Design Reactions	72.2%	70.8%

* Per section 15.5.1 of the TIA-222-G standard, factored reactions were obtained by multiplying a 1.35 factor to the original design reactions.

The foundation has been investigated using the supplied documents and soils report and was found adequate. Therefore, no modification to the foundation will be required.

Operational Condition (Rigidity):

Operational characteristics of the tower are found to be within the limits prescribed by TIA-222 for the installed antennas. The maximum twist/sway at the elevation of the proposed equipment is 0.2041 degrees under the operational wind speed as specified in the Analysis Criteria.

Conclusions

Based on the analysis results, the existing structure and its foundation were found to be adequate to safely support the existing and proposed equipment and meet the minimum requirements per the TIA-222 Standard under the design basic wind speed as specified in the Analysis Criteria.

Standard Conditions

1. This analysis was performed based on the information supplied to **(TES) Tower Engineering Solutions, LLC**. Verification of the information provided was not included in the Scope of Work for **TES**. The accuracy of the analysis is dependent on the accuracy of the information provided.
2. The structural analysis was performance based upon the evidence available at the time of this report. All information provided by the client is considered to be accurate.
3. The analyses will be performed based on the codes as specified by the client or based on the best knowledge of the engineering staff of **TES**. In the absence of information to the contrary, all work will be performed in accordance with the latest relevant revision of ANSI/TIA-222. If wind speed and/or ice loads are different from the minimum values recommended by the ANSI/TIA-222 standard or other codes, **TES** should be notified in writing and the applicable minimum values provided by the client.
4. The configuration of the existing mounts, antennas, coax and other appurtenances were supplied by the customer for the current structural analysis. **TES** has not visited the tower site to verify the adequacy of the information provided. If there is any discrepancy found in the report regarding the existing conditions, **TES** should be notified immediately to evaluate the effect of the discrepancy on the analysis results.
5. The client will assume responsibility for rework associated with the differences in initially provided information, including tower and foundation information, existing and/or proposed equipment and transmission lines.
6. If a feasibility analysis was performed, final acceptance of changed conditions shall be based upon a rigorous structural analysis.

Structure: CT22108-A-SBA

Site Name: Windsor Locks @ Volunteer Drive	Code: EIA/TIA-222-G	5/26/2021
Type: Self Support	Base Shape: Triangle	Basic WS: 97.00
Height: 195.00 (ft)	Base Width: 20.00	Basic Ice WS: 50.00
Base Elev: 5.00 (ft)	Top Width: 4.50	Operational WS: 60.00




Page: 1

Section Properties

Sect	Leg Members	Diagonal Members	Horizontal Members
1	12B 12"BD 2.25"	DAE 3.5X3.5X0.3125	
2	12B 12"BD 2.25"	SAE 3.5X3.5X0.3125	
3-4	12B 12"BD 2"	SAE 3X3X0.3125	
5	12B 12"BD 1.75"	SAE 3X3X0.3125	
6	12B 12"BD 1.75"	SAE 3X3X0.1875	
7	12B 12"BD 1.5"	SAE 2.5X2.5X0.1875	SAE 2.5X2.5X0.1875
8	12B 12"BD 1.25"	SAE 2.5X2.5X0.1875	
9	SOL 2" SOLID	SOL 7/8" SOLID	SOL 1" SOLID
10-11	SOL 1 3/4" SOLID	SOL 3/4" SOLID	SOL 7/8" SOLID

Discrete Appurtenances

Attach Elev (ft)	Force Elev (ft)	Qty	Description
195.00	195.00	1	Lightning Rod
195.00	195.00	1	Beacon
195.00	203.40	1	Andrew - DB224-A
171.50	171.50	3	15' T-Frame
171.50	183.70	5	Andrew - 20' Dipoles w/ (4) Element
171.50	182.80	1	2.5" Ø x 20.0' Omni
171.50	180.60	1	1.3" Ø x 13.0' Omni
171.50	179.10	1	1.3" Ø x 10.0' Omni
164.00	164.00	3	T-Frame
164.00	164.00	1	Mount Mods
164.00	164.00	3	TPA-65R-LCUUUU-H8
164.00	164.00	6	TPA65R-BU8D
164.00	164.00	3	Powerwave LGP21401 TMA
164.00	164.00	3	Kaelus DBCT108F1V92-1 Diplexer
164.00	164.00	6	Kathrein 860 10025 RET
164.00	164.00	3	RRUS 32 B30
164.00	164.00	3	Ericsson 4449 B5/B12
164.00	164.00	3	Ericsson RRUS 8843 B2 B66A
164.00	164.00	3	Ericsson RRUS 4478 B14
164.00	164.00	2	Raycap DC6-48-60-18-8F
146.80	146.80	1	Raycap - RRFDC-3315-PF-48 - SP
146.00	146.00	3	Sector Frame
146.00	145.70	1	6.0' x 1.0' x 6.5" Panel
146.00	145.70	2	Amphenol - BXA-70063/6CF-EDIN
146.00	145.70	3	Antel - BXA-171063-12CF-EDIN-5
146.00	145.50	3	Alcatel-Lucent - 9442 RRH2x40 AWS - RRH
135.00	135.00	3	Sector Frame
135.00	135.00	3	APXVAARR24_43-U-NA20 (Octa)
135.00	135.00	3	AIR6449 B41
135.00	135.00	3	AIR32 KRD901146-1_B66A (Octa)
135.00	135.00	6	Ericsson KRY 112 144/2 TMA
135.00	135.00	3	Ericsson Radio 4449 B71 + B85
135.00	135.00	3	Ericsson 4415 B25
135.00	135.00	1	New T-arms Mods1
135.00	135.00	1	New T-arms Mods2
112.30	112.30	3	Sector Frame-Pipe/Rod
112.30	116.80	3	RFS - APXVSPP18-C-A20
112.30	115.00	3	RFS - APXVTM14-C-I20
112.30	115.00	3	Alcatel-Lucent - TD-RRH8x20-25 - RRH
110.30	110.30	3	Alcatel-Lucent - 800 MHz RRH



Structure: CT22108-A-SBA

Site Name: Windsor Locks @ Volunteer Drive	Code: EIA/TIA-222-G	5/26/2021
Type: Self Support	Base Shape: Triangle	Basic WS: 97.00
Height: 195.00 (ft)	Base Width: 20.00	Basic Ice WS: 50.00
Base Elev: 5.00 (ft)	Top Width: 4.50	Operational WS: 60.00



Page: 2

107.60	107.60	3	Alcatel-Lucent - 1900 MHz RRH
102.40	102.40	1	12" x 12" x 6.38" Junction Box
101.40	101.40	3	Standoffs
101.40	104.60	1	Andrew - 3.3' Dish
101.40	104.00	1	Andrew - VHLP1-23-DW1
101.40	104.00	3	Argus - LLPX310R-V4
101.40	103.80	3	Alcatel-Lucent - SPI-22132825WB
74.00	75.90	1	3.5" Ø x 8" GPS
74.00	74.00	1	Standoff
60.00	60.00	1	PCTEL - GPS-TMG-HR-26N - GPS

Linear Appurtenances

Elev From (ft)	Elev To (ft)	Qty	Description
0.00	195.00	1	7/8" Coax
0.00	171.50	8	7/8" Coax
0.00	164.00	9	1 5/8" Coax
0.00	164.00	1	2" Conduit
0.00	164.00	1	3" Conduit
0.00	146.00	1	1 1/4" Coax
0.00	146.00	6	1 5/8" Coax
0.00	146.00	6	1 5/8" Coax
0.00	135.00	11	1 5/8" Coax
0.00	135.00	3	1,9" Fiber
0.00	135.00	3	1-1/4" Hybrid
0.00	112.30	4	1-1/4" Fiber
0.00	101.40	1	1-5/16" Conduit
0.00	101.40	2	1/2" Coax
0.00	74.00	1	1/2" Coax
0.00	60.00	1	1/2" Coax

Base Reactions

Leg	Overturning
Max Uplift: -311.31 (kips)	Moment: 5879.04 (ft-kips)
Max Down: 360.62 (kips)	Total Down: 63.57 (kips)
Max Shear: 37.58 (kips)	Total Shear: 55.64 (kips)


Structure: CT22108-A-SBA

Site Name: Windsor Locks @ Volunteer Drive
Type: Self Support
Height: 195.00 (ft)
Base Elev: 5.00 (ft)

Code: EIA/TIA-222-G
Base Shape: Triangle
Basic WS: 97.00
Basic Ice WS: 50.00
Operational WS: 60.00

5/26/2021

Page: 3




Structure: CT22108-A-SBA - Coax Line Placement

Type: Self Support
Site Name: Windsor Locks @ Volunteer Drive
Height: 195.00 (ft)

5/26/2021

Page: 4



Loading Summary

Structure: CT22108-A-SBA	Code: EIA/TIA-222-G	5/26/2021
Site Name: Windsor Locks @ Volunteer Drive	Exposure: C	
Height: 195.00 (ft)	Crest Height: 0.00	
Base Elev: 5.000 (ft)	Site Class: D - Stiff Soil	
Gh: 0.85	Topography: 1	Struct Class: II



Page: 5

Discrete Appurtenances Properties

Attach Elev (ft)	Description	Qty	No Ice		Ice		Len (in)	Width (in)	Depth (in)	Ka	Orientation Factor	Vert Ecc (ft)
			Weight (lb)	CaAa (sf)	Weight (lb)	CaAa (sf)						
195.00	Lightning Rod	1	5.00	0.500	33.67	2.889	72.000	1.000	1.000	1.00	1.00	0.000
195.00	Beacon	1	36.00	2.720	218.31	4.019	28.000	17.500	17.500	1.00	1.00	0.000
195.00	Andrew - DB224-A	1	35.00	5.650	275.06	29.777	255.000	0.000	0.000	1.00	1.00	8.400
171.50	15' T-Frame	3	400.00	10.000	779.69	21.865	0.000	0.000	0.000	0.75	0.75	0.000
171.50	Andrew - 20' Dipoles w/ (4) Element	5	60.00	7.520	361.51	23.681	240.000	3.000	3.000	1.00	1.00	12.20
171.50	2.5" Ø x 20.0' Omni	1	55.00	6.000	259.86	15.648	240.000	3.000	3.000	1.00	1.00	11.30
171.50	1.3" Ø x 13.0' Omni	1	40.00	3.900	173.84	10.227	156.000	3.000	3.000	1.00	1.00	9.100
171.50	1.3" Ø x 10.0' Omni	1	25.00	3.000	128.42	7.904	120.000	3.000	3.000	1.00	1.00	7.600
164.00	T-Frame	3	400.00	10.000	775.88	21.746	0.000	0.000	0.000	0.75	0.75	0.000
164.00	Mount Mods	1	512.00	15.000	1474.25	36.143	0.000	0.000	0.000	0.75	1.00	0.000
164.00	TPA-65R-LCUUUU-H8	3	75.00	13.300	518.55	15.563	96.000	14.400	8.600	0.80	0.83	0.000
164.00	TPA65R-BU8D	6	82.50	17.870	616.34	20.288	96.000	20.700	7.700	0.80	0.72	0.000
164.00	Powerwave LGP21401 TMA	3	14.10	1.290	47.75	2.415	14.400	9.200	2.600	0.80	1.00	0.000
164.00	Kaelus DBCT108F1V92-1 Diplexer	3	19.80	0.700	65.75	1.228	10.600	7.900	4.700	0.80	0.80	0.000
164.00	Kathrein 860 10025 RET	6	1.10	0.160	8.33	0.628	6.900	2.400	2.000	0.80	0.92	0.000
164.00	RRUS 32 B30	3	53.00	2.740	181.49	3.748	27.200	12.100	7.000	0.80	0.67	0.000
164.00	Ericsson 4449 B5/B12	3	71.00	1.970	142.86	2.707	17.900	13.200	9.400	0.80	0.67	0.000
164.00	Ericsson RRUS 8843 B2 B66A	3	75.00	1.650	184.29	2.401	15.000	13.200	11.100	0.80	0.67	0.000
164.00	Ericsson RRUS 4478 B14	3	59.40	1.650	115.22	2.348	15.000	13.200	7.300	0.80	0.67	0.000
164.00	Raycap DC6-48-60-18-8F	2	31.80	0.920	115.02	1.510	24.000	11.000	11.000	0.80	1.00	0.000
146.80	Raycap - RRFDC-3315-PF-48 - SP	1	26.90	2.500	155.47	3.340	19.100	15.700	10.200	1.00	1.00	0.000
146.00	Sector Frame	3	500.00	17.500	1430.78	36.069	0.000	0.000	0.000	0.75	0.75	0.000
146.00	6.0' x 1.0' x 6.5" Panel	1	45.00	8.160	265.06	11.897	72.000	12.000	6.000	0.80	0.81	-0.300
146.00	Amphenol - BXA-70063/6CF-EDIN	2	17.00	7.570	214.73	11.255	71.000	11.200	5.200	0.80	0.78	-0.300
146.00	Antel - BXA-171063-12CF-EDIN-5	3	15.00	4.780	142.76	7.926	72.400	6.100	4.100	0.80	0.88	-0.300
146.00	Alcatel-Lucent - 9442 RRH2x40	3	50.70	2.250	129.08	3.674	15.400	8.200	15.000	0.80	0.67	-0.500
135.00	Sector Frame	3	450.00	14.000	914.20	23.284	0.000	0.000	0.000	0.75	0.75	0.000
135.00	APXVAARR24_43-U-NA20 (Octa)	3	128.00	20.240	701.99	22.777	95.900	24.000	7.800	0.80	0.70	0.000
135.00	AIR6449 B41	3	103.00	5.650	283.91	6.904	33.100	20.500	8.300	0.80	0.71	0.000
135.00	AIR32 KRD901146-1_B66A (Octa)	3	132.20	6.510	389.88	8.081	57.000	12.900	8.700	0.80	0.87	0.000
135.00	Ericsson KRY 112 144/2 TMA	6	11.00	0.410	25.22	1.037	6.900	6.100	2.700	0.80	0.70	0.000
135.00	Ericsson Radio 4449 B71 + B85	3	70.00	1.650	167.63	2.384	15.000	13.200	9.300	0.80	0.67	0.000
135.00	Ericsson 4415 B25	3	46.30	1.860	133.80	2.631	16.500	13.500	5.900	0.80	0.67	0.000
135.00	New T-arms Mods1	1	180.00	6.100	478.41	14.527	0.000	0.000	0.000	0.75	1.00	0.000
135.00	New T-arms Mods2	1	650.00	15.500	1727.60	36.914	0.000	0.000	0.000	0.75	1.00	0.000
112.30	Sector Frame-Pipe/Rod	3	450.00	14.000	906.81	23.136	0.000	0.000	0.000	0.75	0.75	0.000
112.30	RFS - APXVSP18-C-A20	3	57.00	8.020	281.43	11.647	72.000	11.800	7.000	0.80	0.83	4.500
112.30	RFS - APXVTM14-C-I20	3	56.20	6.340	269.07	7.811	56.300	12.600	6.300	0.80	0.78	2.700
112.30	Alcatel-Lucent - TD-RRH8x20-25 -	3	70.00	4.050	196.89	5.885	26.100	18.600	6.700	0.80	0.67	2.700
110.30	Alcatel-Lucent - 800 MHz RRH	3	53.00	2.490	149.03	3.975	19.700	13.000	10.800	0.80	0.67	0.000
107.60	Alcatel-Lucent - 1900 MHz RRH	3	44.00	3.800	185.74	5.605	23.000	13.000	17.000	0.80	0.67	0.000
102.40	12" x 12" x 6.38" Junction Box	1	10.00	1.400	63.17	2.481	12.000	12.000	8.000	1.00	1.00	0.000
101.40	Standoffs	3	120.00	4.500	253.38	11.182	0.000	0.000	0.000	0.75	0.75	0.000
101.40	Andrew - 3.3' Dish	1	140.00	8.920	372.43	11.157	36.000	36.000	0.000	1.00	1.00	3.200
101.40	Andrew - VHLP1-23-DW1	1	14.00	1.610	59.10	2.576	15.300	15.300	8.700	1.00	1.00	2.600
101.40	Argus - LLPX310R-V4	3	28.70	4.310	144.33	6.426	42.100	11.800	4.500	0.80	0.73	2.600
101.40	Alcatel-Lucent - SPI-22132825WB	3	33.10	1.820	89.05	3.063	16.100	11.600	6.000	0.80	0.67	2.400
74.00	3.5" Ø x 8" GPS	1	10.00	0.160	16.90	0.638	8.000	2.000	2.000	1.00	1.00	1.900

Loading Summary

Structure: CT22108-A-SBA	Code: EIA/TIA-222-G	5/26/2021
Site Name: Windsor Locks @ Volunteer Drive	Exposure: C	
Height: 195.00 (ft)	Crest Height: 0.00	
Base Elev: 5.000 (ft)	Site Class: D - Stiff Soil	
Gh: 0.85	Topography: 1	Page: 6
	Struct Class: II	



74.00 Standoff	1	120.00	4.500	250.27	11.026	0.000	0.000	0.000	1.00	1.00	0.000
60.00 PCTEL - GPS-TMG-HR-26N - GPS	1	0.60	0.090	6.45	0.308	5.000	3.200	3.200	1.00	1.00	0.000
Totals:	125	13,593.20		41,068.34					Number of Appurtenances : 50		

Loading Summary

Structure: CT22108-A-SBA	Code: EIA/TIA-222-G	5/26/2021
Site Name: Windsor Locks @ Volunteer Drive	Exposure: C	
Height: 195.00 (ft)	Crest Height: 0.00	
Base Elev: 5.000 (ft)	Site Class: D - Stiff Soil	
Gh: 0.85	Topography: 1	Struct Class: II




Page: 7

Linear Appurtenances Properties

Elev. From (ft)	Elev. To (ft)	Description	Qty	Width (in)	Weight (lb/ft)	Pct In Block	Spread On Faces	Bundling Arrangement	Cluster Dia (in)	Out of Zone	Spacing (in)	Orientation Factor	Ka Override
0.00	195.00	7/8" Coax	1	1.11	0.52	100.00	3	Individual NR		N	1.00	1.00	
0.00	171.50	7/8" Coax	8	1.11	0.52	50.00	3	Block		N	1.00	0.67	
0.00	164.00	1 5/8" Coax	9	1.98	1.04	50.00	2	Block		N	1.00	0.59	
0.00	164.00	2" Conduit	1	2.00	1.78	100.00	2	Individual NR		N	1.00	1.00	
0.00	164.00	3" Conduit	1	3.02	1.78	100.00	2	Individual NR		N	1.00	1.00	
0.00	146.00	1 1/4" Coax	1	1.55	0.66	100.00	2	Individual NR		N	1.00	1.00	0
0.00	146.00	1 5/8" Coax	6	1.98	1.04	33.30	2	Block		N	1.00	1.00	0
0.00	146.00	1 5/8" Coax	6	1.98	1.04	33.30	2	Block		N	1.00	0.47	
0.00	135.00	1 5/8" Coax	11	1.98	1.04	50.00	1	Block		N	1.00	1.00	
0.00	135.00	1,9" Fiber	3	1.90	1.04	100.00	1	Individual NR		N	1.00	1.00	
0.00	135.00	1-1/4" Hybrid	3	1.25	0.95	50.00	1	Individual IR		N	1.00	1.00	
0.00	112.30	1-1/4" Fiber	4	1.25	0.95	100.00	3	Individual IR		N	1.00	0.59	
0.00	101.40	1-5/16" Conduit	1	1.38	1.13	100.00	1	Individual NR		N	1.00	1.00	0
0.00	101.40	1/2" Coax	2	0.65	0.16	100.00	1	Individual NR		N	1.00	1.00	0
0.00	74.00	1/2" Coax	1	0.65	0.16	100.00	3	Individual NR		N	1.00	1.00	0
0.00	60.00	1/2" Coax	1	0.65	0.16	100.00	3	Individual NR		N	1.00	1.00	

Section Forces

Structure: CT22108-A-SBA	Code: EIA/TIA-222-G	5/26/2021
Site Name: Windsor Locks @ Volunteer Drive	Exposure: C	
Height: 195.00 (ft)	Crest Height: 0.00	
Base Elev: 5.000 (ft)	Site Class: D - Stiff Soil	
Gh: 0.85	Topography: 1	Struct Class: II



Load Case: 1.2D + 1.6W Normal Wind	1.2D + 1.6W 97 mph Wind at Normal To Face
Wind Load Factor: 1.60	Wind Importance Factor: 1.00
Dead Load Factor: 1.20	
Ice Dead Load Factor: 0.00	Ice Importance Factor: 1.00

Sect Seq	Wind Height (ft)	Wind qz (psf)	Total Flat Area (sqft)	Total Round Area (sqft)	Ice Round Area (sqft)	Sol Ratio	Cf	Df	Dr	Ice Thick (in)	Eff Area (sqft)	Linear Area (sqft)	Ice Linear Area (sqft)	Total Weight (lb)	Weight Ice (lb)	Struct Force (lb)	Linear Force (lb)	Total Force (lb)
1	10.0	17.40	24.365	23.64	0.00	0.12	2.88	1.00	1.00	0.00	35.27	126.15	0.00	9,709.4	0.0	2400.35	1833.60	4,233.94
2	30.0	20.77	22.326	23.64	0.00	0.13	2.84	1.00	1.00	0.00	32.73	126.15	0.00	7,301.8	0.0	2630.08	2188.78	4,818.86
3	50.0	22.85	17.472	22.04	0.00	0.13	2.86	1.00	1.00	0.00	27.28	126.15	0.00	6,191.4	0.0	2422.68	2407.29	4,829.97
4	70.0	24.39	15.857	22.04	0.00	0.14	2.81	1.00	1.00	0.00	25.58	124.74	0.00	6,043.6	0.0	2383.53	2543.72	4,927.24
5	90.0	25.63	14.383	18.83	0.00	0.14	2.79	1.00	1.00	0.00	23.37	123.98	0.00	5,134.5	0.0	2273.88	2673.19	4,947.07
6	110.0	26.69	12.992	18.83	0.00	0.17	2.71	1.00	1.00	0.00	22.05	116.62	0.00	4,479.7	0.0	2165.60	2697.26	4,862.86
7	130.0	27.60	10.974	17.23	0.00	0.19	2.63	1.00	1.00	0.00	19.67	100.21	0.00	3,749.2	0.0	1942.09	2307.16	4,249.25
8	145.0	28.22	4.586	7.81	0.00	0.21	2.56	1.00	1.00	0.00	8.71	29.83	0.00	1,387.5	0.0	856.41	623.78	1,480.19
9	160.0	28.79	0.000	13.44	0.00	0.14	2.82	1.00	1.00	0.00	7.74	38.72	0.00	1,817.6	0.0	854.95	971.76	1,826.71
10	177.5	29.41	0.000	8.71	0.00	0.13	2.87	1.00	1.00	0.00	5.00	2.50	0.00	855.1	0.0	573.12	71.93	645.05
11	190.0	29.82	0.000	6.00	0.00	0.13	2.85	1.00	1.00	0.00	3.45	0.93	0.00	585.8	0.0	398.71	27.01	425.73
														47,255.7	0.0	37,246.87		

Load Case: 1.2D + 1.6W 60° Wind	1.2D + 1.6W 97 mph Wind at 60° From Face
Wind Load Factor: 1.60	Wind Importance Factor: 1.00
Dead Load Factor: 1.20	
Ice Dead Load Factor: 0.00	Ice Importance Factor: 1.00

Sect Seq	Wind Height (ft)	Wind qz (psf)	Total Flat Area (sqft)	Total Round Area (sqft)	Ice Round Area (sqft)	Sol Ratio	Cf	Df	Dr	Ice Thick (in)	Eff Area (sqft)	Linear Area (sqft)	Ice Linear Area (sqft)	Total Weight (lb)	Weight Ice (lb)	Struct Force (lb)	Linear Force (lb)	Total Force (lb)
1	10.0	17.40	24.365	23.64	0.00	0.12	2.88	0.80	1.00	0.00	30.40	126.15	0.00	9,709.4	0.0	2068.74	1833.60	3,902.34
2	30.0	20.77	22.326	23.64	0.00	0.13	2.84	0.80	1.00	0.00	28.27	126.15	0.00	7,301.8	0.0	2271.30	2188.78	4,460.08
3	50.0	22.85	17.472	22.04	0.00	0.13	2.86	0.80	1.00	0.00	23.79	126.15	0.00	6,191.4	0.0	2112.37	2407.29	4,519.66
4	70.0	24.39	15.857	22.04	0.00	0.14	2.81	0.80	1.00	0.00	22.41	124.74	0.00	6,043.6	0.0	2088.01	2543.72	4,631.73
5	90.0	25.63	14.383	18.83	0.00	0.14	2.79	0.80	1.00	0.00	20.50	123.98	0.00	5,134.5	0.0	1994.01	2673.19	4,667.21
6	110.0	26.69	12.992	18.83	0.00	0.17	2.71	0.80	1.00	0.00	19.45	116.62	0.00	4,479.7	0.0	1910.39	2697.26	4,607.65
7	130.0	27.60	10.974	17.23	0.00	0.19	2.63	0.80	1.00	0.00	17.47	100.21	0.00	3,749.2	0.0	1725.36	2307.16	4,032.52
8	145.0	28.22	4.586	7.81	0.00	0.21	2.56	0.80	1.00	0.00	7.79	29.83	0.00	1,387.5	0.0	766.25	623.78	1,390.03
9	160.0	28.79	0.000	13.44	0.00	0.14	2.82	0.80	1.00	0.00	7.74	38.72	0.00	1,817.6	0.0	854.95	971.76	1,826.71
10	177.5	29.41	0.000	8.71	0.00	0.13	2.87	0.80	1.00	0.00	5.00	2.50	0.00	855.1	0.0	573.12	71.93	645.05
11	190.0	29.82	0.000	6.00	0.00	0.13	2.85	0.80	1.00	0.00	3.45	0.93	0.00	585.8	0.0	398.71	27.01	425.73
														47,255.7	0.0	35,108.69		

Section Forces

Structure: CT22108-A-SBA
Site Name: Windsor Locks @ Volunteer Drive
Height: 195.00 (ft)
Base Elev: 5.000 (ft)
Gh: 0.85 **Topography:** 1

Code: EIA/TIA-222-G
Exposure: C
Crest Height: 0.00
Site Class: D - Stiff Soil
Struct Class: II

5/26/2021

 Page: 9



Load Case: 1.2D + 1.6W 90° Wind	1.2D + 1.6W 97 mph Wind at 90° From Face
Wind Load Factor: 1.60	Wind Importance Factor: 1.00
Dead Load Factor: 1.20	
Ice Dead Load Factor: 0.00	Ice Importance Factor: 1.00


Sect Seq	Wind Height (ft)	Wind qz (psf)	Total		Ice Round Area (sqft)	Sol Ratio	Cf	Df	Dr	Ice Thick (in)	Eff Area (sqft)	Ice		Total Weight (lb)	Weight Ice (lb)	Struct Force (lb)	Linear Force (lb)	Total Force (lb)
			Flat Area (sqft)	Round Area (sqft)								Linear Area (sqft)	Linear Area (sqft)					
1	10.0	17.40	24.365	23.64	0.00	0.12	2.88	0.85	1.00	0.00	31.62	126.15	0.00	9,709.4	0.0	2151.64	1833.60	3,985.24
2	30.0	20.77	22.326	23.64	0.00	0.13	2.84	0.85	1.00	0.00	29.38	126.15	0.00	7,301.8	0.0	2360.99	2188.78	4,549.78
3	50.0	22.85	17.472	22.04	0.00	0.13	2.86	0.85	1.00	0.00	24.66	126.15	0.00	6,191.4	0.0	2189.95	2407.29	4,597.24
4	70.0	24.39	15.857	22.04	0.00	0.14	2.81	0.85	1.00	0.00	23.20	124.74	0.00	6,043.6	0.0	2161.89	2543.72	4,705.61
5	90.0	25.63	14.383	18.83	0.00	0.14	2.79	0.85	1.00	0.00	21.21	123.98	0.00	5,134.5	0.0	2063.98	2673.19	4,737.17
6	110.0	26.69	12.992	18.83	0.00	0.17	2.71	0.85	1.00	0.00	20.10	116.62	0.00	4,479.7	0.0	1974.19	2697.26	4,671.45
7	130.0	27.60	10.974	17.23	0.00	0.19	2.63	0.85	1.00	0.00	18.02	100.21	0.00	3,749.2	0.0	1779.54	2307.16	4,086.70
8	145.0	28.22	4.586	7.81	0.00	0.21	2.56	0.85	1.00	0.00	8.02	29.83	0.00	1,387.5	0.0	788.79	623.78	1,412.57
9	160.0	28.79	0.000	13.44	0.00	0.14	2.82	0.85	1.00	0.00	7.74	38.72	0.00	1,817.6	0.0	854.95	971.76	1,826.71
10	177.5	29.41	0.000	8.71	0.00	0.13	2.87	0.85	1.00	0.00	5.00	2.50	0.00	855.1	0.0	573.12	71.93	645.05
11	190.0	29.82	0.000	6.00	0.00	0.13	2.85	0.85	1.00	0.00	3.45	0.93	0.00	585.8	0.0	398.71	27.01	425.73
														47,255.7	0.0			35,643.24

Load Case: 0.9D + 1.6W Normal Wind	0.9D + 1.6W 97 mph Wind at Normal To Face
Wind Load Factor: 1.60	Wind Importance Factor: 1.00
Dead Load Factor: 0.90	
Ice Dead Load Factor: 0.00	Ice Importance Factor: 1.00

Sect Seq	Wind Height (ft)	Wind qz (psf)	Total		Ice Round Area (sqft)	Sol Ratio	Cf	Df	Dr	Ice Thick (in)	Eff Area (sqft)	Ice		Total Weight (lb)	Weight Ice (lb)	Struct Force (lb)	Linear Force (lb)	Total Force (lb)
			Flat Area (sqft)	Round Area (sqft)								Linear Area (sqft)	Linear Area (sqft)					
1	10.0	17.40	24.365	23.64	0.00	0.12	2.88	1.00	1.00	0.00	35.27	126.15	0.00	7,282.1	0.0	2400.35	1833.60	4,233.94
2	30.0	20.77	22.326	23.64	0.00	0.13	2.84	1.00	1.00	0.00	32.73	126.15	0.00	5,476.4	0.0	2630.08	2188.78	4,818.86
3	50.0	22.85	17.472	22.04	0.00	0.13	2.86	1.00	1.00	0.00	27.28	126.15	0.00	4,643.6	0.0	2422.68	2407.29	4,829.97
4	70.0	24.39	15.857	22.04	0.00	0.14	2.81	1.00	1.00	0.00	25.58	124.74	0.00	4,532.7	0.0	2383.53	2543.72	4,927.24
5	90.0	25.63	14.383	18.83	0.00	0.14	2.79	1.00	1.00	0.00	23.37	123.98	0.00	3,850.9	0.0	2273.88	2673.19	4,947.07
6	110.0	26.69	12.992	18.83	0.00	0.17	2.71	1.00	1.00	0.00	22.05	116.62	0.00	3,359.8	0.0	2165.60	2697.26	4,862.86
7	130.0	27.60	10.974	17.23	0.00	0.19	2.63	1.00	1.00	0.00	19.67	100.21	0.00	2,811.9	0.0	1942.09	2307.16	4,249.25
8	145.0	28.22	4.586	7.81	0.00	0.21	2.56	1.00	1.00	0.00	8.71	29.83	0.00	1,040.7	0.0	856.41	623.78	1,480.19
9	160.0	28.79	0.000	13.44	0.00	0.14	2.82	1.00	1.00	0.00	7.74	38.72	0.00	1,363.2	0.0	854.95	971.76	1,826.71
10	177.5	29.41	0.000	8.71	0.00	0.13	2.87	1.00	1.00	0.00	5.00	2.50	0.00	641.3	0.0	573.12	71.93	645.05
11	190.0	29.82	0.000	6.00	0.00	0.13	2.85	1.00	1.00	0.00	3.45	0.93	0.00	439.3	0.0	398.71	27.01	425.73
														35,441.7	0.0			37,246.87

Section Forces

Structure: CT22108-A-SBA	Code: EIA/TIA-222-G	5/26/2021
Site Name: Windsor Locks @ Volunteer Drive	Exposure: C	
Height: 195.00 (ft)	Crest Height: 0.00	
Base Elev: 5.000 (ft)	Site Class: D - Stiff Soil	
Gh: 0.85	Topography: 1	Struct Class: II
		Page: 10



Load Case: 0.9D + 1.6W 60° Wind	0.9D + 1.6W 97 mph Wind at 60° From Face
Wind Load Factor: 1.60	Wind Importance Factor: 1.00
Dead Load Factor: 0.90	
Ice Dead Load Factor: 0.00	Ice Importance Factor: 1.00


Sect Seq	Wind Height (ft)	qz (psf)	Total	Total	Ice	Sol Ratio	Cf	Df	Dr	Ice Thick (in)	Eff Area (sqft)	Linear Area (sqft)	Linear Area (sqft)	Total Weight (lb)	Weight Ice (lb)	Struct Force (lb)	Linear Force (lb)	Total Force (lb)	
			Flat Area (sqft)	Round Area (sqft)	Round Area (sqft)														
1	10.0	17.40	24.365	23.64	0.00	0.12	2.88	0.80	1.00	0.00	30.40	126.15	0.00	7,282.1	0.0	2068.74	1833.60	3,902.34	
2	30.0	20.77	22.326	23.64	0.00	0.13	2.84	0.80	1.00	0.00	28.27	126.15	0.00	5,476.4	0.0	2271.30	2188.78	4,460.08	
3	50.0	22.85	17.472	22.04	0.00	0.13	2.86	0.80	1.00	0.00	23.79	126.15	0.00	4,643.6	0.0	2112.37	2407.29	4,519.66	
4	70.0	24.39	15.857	22.04	0.00	0.14	2.81	0.80	1.00	0.00	22.41	124.74	0.00	4,532.7	0.0	2088.01	2543.72	4,631.73	
5	90.0	25.63	14.383	18.83	0.00	0.14	2.79	0.80	1.00	0.00	20.50	123.98	0.00	3,850.9	0.0	1994.01	2673.19	4,667.21	
6	110.0	26.69	12.992	18.83	0.00	0.17	2.71	0.80	1.00	0.00	19.45	116.62	0.00	3,359.8	0.0	1910.39	2697.26	4,607.65	
7	130.0	27.60	10.974	17.23	0.00	0.19	2.63	0.80	1.00	0.00	17.47	100.21	0.00	2,811.9	0.0	1725.36	2307.16	4,032.52	
8	145.0	28.22	4.586	7.81	0.00	0.21	2.56	0.80	1.00	0.00	7.79	29.83	0.00	1,040.7	0.0	766.25	623.78	1,390.03	
9	160.0	28.79	0.000	13.44	0.00	0.14	2.82	0.80	1.00	0.00	7.74	38.72	0.00	1,363.2	0.0	854.95	971.76	1,826.71	
10	177.5	29.41	0.000	8.71	0.00	0.13	2.87	0.80	1.00	0.00	5.00	2.50	0.00	641.3	0.0	573.12	71.93	645.05	
11	190.0	29.82	0.000	6.00	0.00	0.13	2.85	0.80	1.00	0.00	3.45	0.93	0.00	439.3	0.0	398.71	27.01	425.73	
														35,441.7	0.0				35,108.69

Load Case: 0.9D + 1.6W 90° Wind	0.9D + 1.6W 97 mph Wind at 90° From Face
Wind Load Factor: 1.60	Wind Importance Factor: 1.00
Dead Load Factor: 0.90	
Ice Dead Load Factor: 0.00	Ice Importance Factor: 1.00

Sect Seq	Wind Height (ft)	qz (psf)	Total	Total	Ice	Sol Ratio	Cf	Df	Dr	Ice Thick (in)	Eff Area (sqft)	Linear Area (sqft)	Linear Area (sqft)	Total Weight (lb)	Weight Ice (lb)	Struct Force (lb)	Linear Force (lb)	Total Force (lb)	
			Flat Area (sqft)	Round Area (sqft)	Round Area (sqft)														
1	10.0	17.40	24.365	23.64	0.00	0.12	2.88	0.85	1.00	0.00	31.62	126.15	0.00	7,282.1	0.0	2151.64	1833.60	3,985.24	
2	30.0	20.77	22.326	23.64	0.00	0.13	2.84	0.85	1.00	0.00	29.38	126.15	0.00	5,476.4	0.0	2360.99	2188.78	4,549.78	
3	50.0	22.85	17.472	22.04	0.00	0.13	2.86	0.85	1.00	0.00	24.66	126.15	0.00	4,643.6	0.0	2189.95	2407.29	4,597.24	
4	70.0	24.39	15.857	22.04	0.00	0.14	2.81	0.85	1.00	0.00	23.20	124.74	0.00	4,532.7	0.0	2161.89	2543.72	4,705.61	
5	90.0	25.63	14.383	18.83	0.00	0.14	2.79	0.85	1.00	0.00	21.21	123.98	0.00	3,850.9	0.0	2063.98	2673.19	4,737.17	
6	110.0	26.69	12.992	18.83	0.00	0.17	2.71	0.85	1.00	0.00	20.10	116.62	0.00	3,359.8	0.0	1974.19	2697.26	4,671.45	
7	130.0	27.60	10.974	17.23	0.00	0.19	2.63	0.85	1.00	0.00	18.02	100.21	0.00	2,811.9	0.0	1779.54	2307.16	4,086.70	
8	145.0	28.22	4.586	7.81	0.00	0.21	2.56	0.85	1.00	0.00	8.02	29.83	0.00	1,040.7	0.0	788.79	623.78	1,412.57	
9	160.0	28.79	0.000	13.44	0.00	0.14	2.82	0.85	1.00	0.00	7.74	38.72	0.00	1,363.2	0.0	854.95	971.76	1,826.71	
10	177.5	29.41	0.000	8.71	0.00	0.13	2.87	0.85	1.00	0.00	5.00	2.50	0.00	641.3	0.0	573.12	71.93	645.05	
11	190.0	29.82	0.000	6.00	0.00	0.13	2.85	0.85	1.00	0.00	3.45	0.93	0.00	439.3	0.0	398.71	27.01	425.73	
														35,441.7	0.0				35,643.24

Section Forces

Structure: CT22108-A-SBA	Code: EIA/TIA-222-G	5/26/2021
Site Name: Windsor Locks @ Volunteer Drive	Exposure: C	
Height: 195.00 (ft)	Crest Height: 0.00	
Base Elev: 5.000 (ft)	Site Class: D - Stiff Soil	
Gh: 0.85	Topography: 1	Struct Class: II



Page: 11

Load Case: 1.2D + 1.0Di + 1.0Wi Normal Wind	1.2D + 1.0Di + 1.0Wi 50 mph Wind at Normal From Face
Wind Load Factor: 1.00	Wind Importance Factor: 1.00
Dead Load Factor: 1.20	
Ice Dead Load Factor: 1.00	Ice Importance Factor: 1.00


Sect Seq	Wind Height (ft)	qz (psf)	Total		Ice Round Area (sqft)	Sol Ratio	Cf	Df	Dr	Ice Thick (in)	Eff Area (sqft)	Ice		Total Weight (lb)	Weight Ice (lb)	Struct Force (lb)	Linear Force (lb)	Total Force (lb)	
			Flat Area (sqft)	Round Area (sqft)								Area (sqft)	Area (sqft)						
1	10.0	4.62	24.365	62.44	38.80	0.22	2.54	1.00	1.00	1.85	60.45	171.46	73.93	21,295.0	11586.0	602.67	572.05	1,174.72	
2	30.0	5.52	22.326	63.53	39.89	0.24	2.47	1.00	1.00	2.01	59.33	175.28	80.47	17,693.0	10391.7	687.43	701.63	1,389.06	
3	50.0	6.07	17.472	61.40	39.36	0.25	2.44	1.00	1.00	2.10	53.36	177.45	84.19	16,469.0	10278.1	672.79	784.55	1,457.34	
4	70.0	6.48	15.857	60.28	38.25	0.27	2.37	1.00	1.00	2.17	51.49	177.58	77.44	16,281.0	10237.8	671.80	797.77	1,469.57	
5	90.0	6.81	14.383	55.72	36.89	0.30	2.31	1.00	1.00	2.22	47.69	178.04	74.10	15,164.0	10029.8	636.78	837.30	1,474.09	
6	110.0	7.09	12.992	54.30	35.47	0.34	2.19	1.00	1.00	2.27	46.28	166.84	54.46	13,826.0	9346.5	611.10	830.41	1,441.52	
7	130.0	7.33	10.974	53.66	36.43	0.41	2.04	1.00	1.00	2.30	45.44	139.71	47.97	12,122.0	8372.8	577.18	672.53	1,249.70	
8	145.0	7.50	4.586	24.44	16.62	0.46	1.95	1.00	1.00	2.33	20.85	41.04	13.96	4,386.5	2999.0	259.60	162.77	422.37	
9	160.0	7.65	0.000	66.16	52.71	0.62	1.79	1.00	1.00	2.35	50.36	49.64	18.79	6,911.3	5093.7	586.66	174.81	761.47	
10	177.5	7.81	0.000	48.26	39.54	0.64	1.79	1.00	1.00	2.37	37.18	2.91	5.93	3,500.2	2645.1	440.96	24.79	465.75	
11	190.0	7.92	0.000	33.63	27.63	0.67	1.78	1.00	1.00	2.39	26.57	0.93	3.98	2,417.7	1831.9	318.20	13.21	331.41	
														130,068.0	82812.3				11,636.99

Load Case: 1.2D + 1.0Di + 1.0Wi 60° Wind	1.2D + 1.0Di + 1.0Wi 50 mph Wind at 60° From Face
Wind Load Factor: 1.00	Wind Importance Factor: 1.00
Dead Load Factor: 1.20	
Ice Dead Load Factor: 1.00	Ice Importance Factor: 1.00

Sect Seq	Wind Height (ft)	qz (psf)	Total		Ice Round Area (sqft)	Sol Ratio	Cf	Df	Dr	Ice Thick (in)	Eff Area (sqft)	Ice		Total Weight (lb)	Weight Ice (lb)	Struct Force (lb)	Linear Force (lb)	Total Force (lb)	
			Flat Area (sqft)	Round Area (sqft)								Area (sqft)	Area (sqft)						
1	10.0	4.62	24.365	62.44	38.80	0.22	2.54	0.80	1.00	1.85	55.58	171.46	73.93	21,295.0	11586.0	554.09	572.05	1,126.14	
2	30.0	5.52	22.326	63.53	39.89	0.24	2.47	0.80	1.00	2.01	54.87	175.28	80.47	17,693.0	10391.7	635.69	701.63	1,337.32	
3	50.0	6.07	17.472	61.40	39.36	0.25	2.44	0.80	1.00	2.10	49.86	177.45	84.19	16,469.0	10278.1	628.73	784.55	1,413.28	
4	70.0	6.48	15.857	60.28	38.25	0.27	2.37	0.80	1.00	2.17	48.32	177.58	77.44	16,281.0	10237.8	630.42	797.77	1,428.20	
5	90.0	6.81	14.383	55.72	36.89	0.30	2.31	0.80	1.00	2.22	44.81	178.04	74.10	15,164.0	10029.8	598.37	837.30	1,435.67	
6	110.0	7.09	12.992	54.30	35.47	0.34	2.19	0.80	1.00	2.27	43.68	166.84	54.46	13,826.0	9346.5	576.79	830.41	1,407.20	
7	130.0	7.33	10.974	53.66	36.43	0.41	2.04	0.80	1.00	2.30	43.24	139.71	47.97	12,122.0	8372.8	549.30	672.53	1,221.82	
8	145.0	7.50	4.586	24.44	16.62	0.46	1.95	0.80	1.00	2.33	19.93	41.04	13.96	4,386.5	2999.0	248.18	162.77	410.95	
9	160.0	7.65	0.000	66.16	52.71	0.62	1.79	0.80	1.00	2.35	50.36	49.64	18.79	6,911.3	5093.7	586.66	174.81	761.47	
10	177.5	7.81	0.000	48.26	39.54	0.64	1.79	0.80	1.00	2.37	37.18	2.91	5.93	3,500.2	2645.1	440.96	24.79	465.75	
11	190.0	7.92	0.000	33.63	27.63	0.67	1.78	0.80	1.00	2.39	26.57	0.93	3.98	2,417.7	1831.9	318.20	13.21	331.41	
														130,068.0	82812.3				11,339.21

Section Forces

Structure: CT22108-A-SBA	Code: EIA/TIA-222-G	5/26/2021
Site Name: Windsor Locks @ Volunteer Drive	Exposure: C	
Height: 195.00 (ft)	Crest Height: 0.00	
Base Elev: 5.000 (ft)	Site Class: D - Stiff Soil	
Gh: 0.85	Topography: 1	Struct Class: II
		Page: 12



Load Case: 1.2D + 1.0Di + 1.0Wi 90° Wind	1.2D + 1.0Di + 1.0Wi 50 mph Wind at 90° From Face
Wind Load Factor: 1.00	Wind Importance Factor: 1.00
Dead Load Factor: 1.20	
Ice Dead Load Factor: 1.00	Ice Importance Factor: 1.00


Sect Seq	Wind Height (ft)	qz (psf)	Total Flat Area (sqft)	Total Round Area (sqft)	Ice Round Area (sqft)	Sol Ratio	Cf	Df	Dr	Ice Thick (in)	Eff Area (sqft)	Linear Area (sqft)	Linear Area (sqft)	Total Weight (lb)	Weight Ice (lb)	Struct Force (lb)	Linear Force (lb)	Total Force (lb)
1	10.0	4.62	24.365	62.44	38.80	0.22	2.54	0.85	1.00	1.85	56.80	171.46	73.93	21,295.0	11586.0	566.23	572.05	1,138.28
2	30.0	5.52	22.326	63.53	39.89	0.24	2.47	0.85	1.00	2.01	55.98	175.28	80.47	17,693.0	10391.7	648.63	701.63	1,350.26
3	50.0	6.07	17.472	61.40	39.36	0.25	2.44	0.85	1.00	2.10	50.74	177.45	84.19	16,469.0	10278.1	639.74	784.55	1,424.29
4	70.0	6.48	15.857	60.28	38.25	0.27	2.37	0.85	1.00	2.17	49.12	177.58	77.44	16,281.0	10237.8	640.77	797.77	1,438.54
5	90.0	6.81	14.383	55.72	36.89	0.30	2.31	0.85	1.00	2.22	45.53	178.04	74.10	15,164.0	10029.8	607.97	837.30	1,445.28
6	110.0	7.09	12.992	54.30	35.47	0.34	2.19	0.85	1.00	2.27	44.33	166.84	54.46	13,826.0	9346.5	585.37	830.41	1,415.78
7	130.0	7.33	10.974	53.66	36.43	0.41	2.04	0.85	1.00	2.30	43.79	139.71	47.97	12,122.0	8372.8	556.27	672.53	1,228.79
8	145.0	7.50	4.586	24.44	16.62	0.46	1.95	0.85	1.00	2.33	20.16	41.04	13.96	4,386.5	2999.0	251.03	162.77	413.80
9	160.0	7.65	0.000	66.16	52.71	0.62	1.79	0.85	1.00	2.35	50.36	49.64	18.79	6,911.3	5093.7	586.66	174.81	761.47
10	177.5	7.81	0.000	48.26	39.54	0.64	1.79	0.85	1.00	2.37	37.18	2.91	5.93	3,500.2	2645.1	440.96	24.79	465.75
11	190.0	7.92	0.000	33.63	27.63	0.67	1.78	0.85	1.00	2.39	26.57	0.93	3.98	2,417.7	1831.9	318.20	13.21	331.41
														130,068.0	82812.3			11,413.66

Load Case: 1.0D + 1.0W Normal Wind	1.0D + 1.0W 60 mph Wind at Normal To Face
Wind Load Factor: 1.00	Wind Importance Factor: 1.00
Dead Load Factor: 1.00	
Ice Dead Load Factor: 0.00	Ice Importance Factor: 1.00

Sect Seq	Wind Height (ft)	qz (psf)	Total Flat Area (sqft)	Total Round Area (sqft)	Ice Round Area (sqft)	Sol Ratio	Cf	Df	Dr	Ice Thick (in)	Eff Area (sqft)	Linear Area (sqft)	Linear Area (sqft)	Total Weight (lb)	Weight Ice (lb)	Struct Force (lb)	Linear Force (lb)	Total Force (lb)
1	10.0	6.66	24.365	23.64	0.00	0.12	2.88	1.00	1.00	0.00	37.65	126.15	0.00	8,091.2	0.0	612.73	438.47	1,051.20
2	30.0	7.95	22.326	23.64	0.00	0.13	2.84	1.00	1.00	0.00	35.28	126.15	0.00	6,084.9	0.0	677.86	523.41	1,201.27
3	50.0	8.74	17.472	22.04	0.00	0.13	2.86	1.00	1.00	0.00	29.62	126.15	0.00	5,159.5	0.0	629.08	575.66	1,204.74
4	70.0	9.33	15.857	22.04	0.00	0.14	2.81	1.00	1.00	0.00	27.92	124.74	0.00	5,036.4	0.0	622.12	608.29	1,230.41
5	90.0	9.81	14.383	18.83	0.00	0.14	2.79	1.00	1.00	0.00	25.06	123.98	0.00	4,278.8	0.0	583.06	639.25	1,222.30
6	110.0	10.21	12.992	18.83	0.00	0.17	2.71	1.00	1.00	0.00	23.70	116.62	0.00	3,733.1	0.0	556.70	645.00	1,201.71
7	130.0	10.56	10.974	17.23	0.00	0.19	2.63	1.00	1.00	0.00	20.84	100.21	0.00	3,124.4	0.0	492.15	551.72	1,043.87
8	145.0	10.80	4.586	7.81	0.00	0.21	2.56	1.00	1.00	0.00	9.09	29.83	0.00	1,156.3	0.0	213.67	149.17	362.84
9	160.0	11.02	0.000	13.44	0.00	0.14	2.82	1.00	1.00	0.00	7.74	38.72	0.00	1,514.6	0.0	204.45	232.38	436.83
10	177.5	11.25	0.000	8.71	0.00	0.13	2.87	1.00	1.00	0.00	5.00	2.50	0.00	712.6	0.0	137.05	17.20	154.25
11	190.0	11.41	0.000	6.00	0.00	0.13	2.85	1.00	1.00	0.00	3.45	0.93	0.00	488.2	0.0	95.35	6.46	101.81
														39,379.7	0.0			9,211.21

Section Forces

Structure: CT22108-A-SBA	Code: EIA/TIA-222-G	5/26/2021
Site Name: Windsor Locks @ Volunteer Drive	Exposure: C	
Height: 195.00 (ft)	Crest Height: 0.00	
Base Elev: 5.000 (ft)	Site Class: D - Stiff Soil	
Gh: 0.85	Topography: 1	Struct Class: II
		Page: 13



Load Case: 1.0D + 1.0W 60° Wind	1.0D + 1.0W 60 mph Wind at 60° From Face
Wind Load Factor: 1.00	Wind Importance Factor: 1.00
Dead Load Factor: 1.00	
Ice Dead Load Factor: 0.00	Ice Importance Factor: 1.00


Sect Seq	Wind Height (ft)	qz (psf)	Total Area		Ice Round Area (sqft)	Sol Ratio	Cf	Df	Dr	Ice Thick (in)	Eff Area (sqft)	Ice Area		Total Weight (lb)	Weight Ice (lb)	Struct Force (lb)	Linear Force (lb)	Total Force (lb)
			Flat Area (sqft)	Round Area (sqft)								Linear Area (sqft)	Linear Area (sqft)					
1	10.0	6.66	24.365	23.64	0.00	0.12	2.88	0.80	1.00	0.00	32.78	126.15	0.00	8,091.2	0.0	533.43	438.47	971.90
2	30.0	7.95	22.326	23.64	0.00	0.13	2.84	0.80	1.00	0.00	30.81	126.15	0.00	6,084.9	0.0	592.06	523.41	1,115.47
3	50.0	8.74	17.472	22.04	0.00	0.13	2.86	0.80	1.00	0.00	26.13	126.15	0.00	5,159.5	0.0	554.87	575.66	1,130.53
4	70.0	9.33	15.857	22.04	0.00	0.14	2.81	0.80	1.00	0.00	24.75	124.74	0.00	5,036.4	0.0	551.45	608.29	1,159.74
5	90.0	9.81	14.383	18.83	0.00	0.14	2.79	0.80	1.00	0.00	22.18	123.98	0.00	4,278.8	0.0	516.13	639.25	1,155.38
6	110.0	10.21	12.992	18.83	0.00	0.17	2.71	0.80	1.00	0.00	21.10	116.62	0.00	3,733.1	0.0	495.68	645.00	1,140.68
7	130.0	10.56	10.974	17.23	0.00	0.19	2.63	0.80	1.00	0.00	18.65	100.21	0.00	3,124.4	0.0	440.33	551.72	992.04
8	145.0	10.80	4.586	7.81	0.00	0.21	2.56	0.80	1.00	0.00	8.17	29.83	0.00	1,156.3	0.0	192.11	149.17	341.28
9	160.0	11.02	0.000	13.44	0.00	0.14	2.82	0.80	1.00	0.00	7.74	38.72	0.00	1,514.6	0.0	204.45	232.38	436.83
10	177.5	11.25	0.000	8.71	0.00	0.13	2.87	0.80	1.00	0.00	5.00	2.50	0.00	712.6	0.0	137.05	17.20	154.25
11	190.0	11.41	0.000	6.00	0.00	0.13	2.85	0.80	1.00	0.00	3.45	0.93	0.00	488.2	0.0	95.35	6.46	101.81
														39,379.7	0.0	8,699.90		

Load Case: 1.0D + 1.0W 90° Wind	1.0D + 1.0W 60 mph Wind at 90° From Face
Wind Load Factor: 1.00	Wind Importance Factor: 1.00
Dead Load Factor: 1.00	
Ice Dead Load Factor: 0.00	Ice Importance Factor: 1.00

Sect Seq	Wind Height (ft)	qz (psf)	Total Area		Ice Round Area (sqft)	Sol Ratio	Cf	Df	Dr	Ice Thick (in)	Eff Area (sqft)	Ice Area		Total Weight (lb)	Weight Ice (lb)	Struct Force (lb)	Linear Force (lb)	Total Force (lb)
			Flat Area (sqft)	Round Area (sqft)								Linear Area (sqft)	Linear Area (sqft)					
1	10.0	6.66	24.365	23.64	0.00	0.12	2.88	0.85	1.00	0.00	34.00	126.15	0.00	8,091.2	0.0	553.25	438.47	991.73
2	30.0	7.95	22.326	23.64	0.00	0.13	2.84	0.85	1.00	0.00	31.93	126.15	0.00	6,084.9	0.0	613.51	523.41	1,136.92
3	50.0	8.74	17.472	22.04	0.00	0.13	2.86	0.85	1.00	0.00	27.00	126.15	0.00	5,159.5	0.0	573.42	575.66	1,149.09
4	70.0	9.33	15.857	22.04	0.00	0.14	2.81	0.85	1.00	0.00	25.54	124.74	0.00	5,036.4	0.0	569.12	608.29	1,177.41
5	90.0	9.81	14.383	18.83	0.00	0.14	2.79	0.85	1.00	0.00	22.90	123.98	0.00	4,278.8	0.0	532.86	639.25	1,172.11
6	110.0	10.21	12.992	18.83	0.00	0.17	2.71	0.85	1.00	0.00	21.75	116.62	0.00	3,733.1	0.0	510.93	645.00	1,155.94
7	130.0	10.56	10.974	17.23	0.00	0.19	2.63	0.85	1.00	0.00	19.20	100.21	0.00	3,124.4	0.0	453.28	551.72	1,005.00
8	145.0	10.80	4.586	7.81	0.00	0.21	2.56	0.85	1.00	0.00	8.40	29.83	0.00	1,156.3	0.0	197.50	149.17	346.67
9	160.0	11.02	0.000	13.44	0.00	0.14	2.82	0.85	1.00	0.00	7.74	38.72	0.00	1,514.6	0.0	204.45	232.38	436.83
10	177.5	11.25	0.000	8.71	0.00	0.13	2.87	0.85	1.00	0.00	5.00	2.50	0.00	712.6	0.0	137.05	17.20	154.25
11	190.0	11.41	0.000	6.00	0.00	0.13	2.85	0.85	1.00	0.00	3.45	0.93	0.00	488.2	0.0	95.35	6.46	101.81
														39,379.7	0.0	8,827.73		

Force/Stress Compression Summary

Structure: CT22108-A-SBA	Code: EIA/TIA-222-G	5/26/2021
Site Name: Windsor Locks @ Volunteer Drive	Exposure: C	
Height: 195.00 (ft)	Crest Height: 0.00	
Base Elev: 5.000 (ft)	Site Class: D - Stiff Soil	
Gh: 0.85	Topography: 1	Struct Class: II



LEG MEMBERS

Sect	Top Elev	Member	Force		Load Case	Len (ft)	Bracing %			Fy (ksi)	Mem Cap (kips)	Leg Use %	Controls	
			(kips)				X	Y	Z					KL/R
1	20	12B - 12"BD 2.25"	-350.68	1.2D + 1.6W	Normal Wind	10.02	100	100	100	24.38	50.00	514.03	68.2	Member X
2	40	12B - 12"BD 2.25"	-317.90	1.2D + 1.6W	Normal Wind	10.02	100	100	100	24.38	50.00	514.03	61.8	Member X
3	60	12B - 12"BD 2"	-280.97	1.2D + 1.6W	Normal Wind	10.02	100	100	100	24.41	50.00	405.83	69.2	Member X
4	80	12B - 12"BD 2"	-242.26	1.2D + 1.6W	Normal Wind	10.02	100	100	100	24.41	50.00	405.83	59.7	Member X
5	100	12B - 12"BD 1.75"	-200.62	1.2D + 1.6W	Normal Wind	10.02	100	100	100	25.99	50.00	308.82	65.0	Member X
6	120	12B - 12"BD 1.75"	-154.64	1.2D + 1.6W	Normal Wind	10.02	100	100	100	25.99	50.00	308.82	50.1	Member X
7	140	12B - 12"BD 1.5"	-109.23	1.2D + 1.6W	Normal Wind	10.02	100	100	100	30.32	50.00	222.99	49.0	Member X
8	150	12B - 12"BD 1.25"	-62.54	1.2D + 1.6W	Normal Wind	10.02	100	100	100	36.38	50.00	150.33	41.6	Member X
9	170	SOL - 2" SOLID	-53.52	1.2D + 1.6W	Normal Wind	2.40	100	100	100	57.51	50.00	111.01	48.2	Member X
10	185	SOL - 1 3/4" SOLID	-11.57	1.2D + 1.6W	Normal Wind	0.42	100	100	100	11.44	50.00	107.21	10.8	Member X
11	195	SOL - 1 3/4" SOLID	-2.20	1.2D + 1.0Di + 1.0Wi	Normal	2.29	100	100	100	62.85	50.00	81.08	2.7	Member X

Splices

Sect	Top Elev	Load Case	Top Splice				Load Case	Bottom Splice					
			Force (kips)	Cap (kips)	Use %	Bolt Type		Num Bolts	Force (kips)	Cap (kips)	Use %	Bolt Type	Num Bolts
1	20	1.2D + 1.6W Normal Wind	327.03	0.00	0.0		1.2D + 1.6W Normal Wind	361.07	0.00				
2	40	1.2D + 1.6W Normal Wind	290.79	0.00	0.0		1.2D + 1.6W Normal Wind	327.03	0.00		1/4 A325	6	
3	60	1.2D + 1.6W Normal Wind	252.60	0.00	0.0		1.2D + 1.6W Normal Wind	290.79	0.00		1/4 A325	6	
4	80	1.2D + 1.6W Normal Wind	211.90	0.00	0.0		1.2D + 1.6W Normal Wind	252.60	0.00		1/4 A325	6	
5	100	1.2D + 1.6W Normal Wind	167.15	0.00	0.0		1.2D + 1.6W Normal Wind	211.90	0.00		1 A325	6	
6	120	1.2D + 1.6W Normal Wind	121.21	0.00	0.0		1.2D + 1.6W Normal Wind	167.15	0.00		1 A325	6	
7	140	1.2D + 1.6W Normal Wind	78.34	0.00	0.0		1.2D + 1.6W Normal Wind	121.21	0.00		1 A325	6	
8	150	1.2D + 1.6W Normal Wind	57.74	0.00	0.0		1.2D + 1.6W Normal Wind	78.34	0.00		1 A325	6	
9	170	1.2D + 1.6W Normal Wind	11.68	0.00	0.0		1.2D + 1.6W Normal Wind	57.74	0.00		1 A325	6	
10	185	1.2D + 1.0Di + 1.0Wi Normal Wi	2.82	0.00	0.0		1.2D + 1.6W Normal Wind	11.68	0.00				
11	195	1.2D + 1.0Di + 1.0Wi 90° Wind	0.40	0.00	0.0		1.2D + 1.0Di + 1.0Wi Normal Wi	2.82	0.00				

HORIZONTAL MEMBERS

Sect	Top Elev	Member	Force		Load Case	Len (ft)	Bracing %			Fy (ksi)	Mem Cap (kips)	Num Bolts	Num Holes	Shear Cap (kips)	Bear Cap (kips)	Use %	Controls	
			(kips)				X	Y	Z									KL/R
1	20									0.00	0	0						
2	40									0.00	0	0						
3	60									0.00	0	0						
4	80									0.00	0	0						
5	100									0.00	0	0						
6	120									0.00	0	0						
7	140	SAE - 2.5X2.5X0.1875	-2.95	0.9D + 1.6W	Normal Wind	6.00	100	100	100	145.45	36.00	9.63	1	1	31.81	17.94	31	Member Z
8	150									0.00	0	0						
9	170	SOL - 1" SOLID	-1.25	0.9D + 1.6W	Normal Wind	4.99	100	100	100	167.65	50.00	6.31	0	0			20	Member X
10	185	SOL - 7/8" SOLID	-2.41	1.2D + 1.6W	Normal Wind	4.50	100	100	100	172.76	50.00	4.55	0	0			53	Member X
11	195	SOL - 7/8" SOLID	-0.76	0.9D + 1.6W	90° Wind	4.50	100	100	100	172.76	50.00	4.55	0	0			17	Member X

DIAGONAL MEMBERS

Sect	Top Elev	Member	Force		Load Case	Len (ft)	Bracing %			Fy (ksi)	Mem Cap (kips)	Num Bolts	Num Holes	Shear Cap (kips)	Bear Cap (kips)	Use %	Controls	
			(kips)				X	Y	Z									KL/R
1	20	DAE - 3.5X3.5X0.3125	-10.4	1.2D + 1.6W	Normal Wind	21.92	50	50	50	204.79	36.00	22.52	1	1	43.49	75.0	46	Member Y
2	40	SAE - 3.5X3.5X0.3125	-9.56	1.2D + 1.6W	90° Wind	20.16	50	50	50	175.28	36.00	15.37	1	1	43.49	37.5	62	Member Z
3	60	SAE - 3X3X0.3125	-9.35	1.2D + 1.6W	90° Wind	18.45	50	50	50	187.93	36.00	11.39	1	1	43.49	37.5	82	Member Z

Force/Stress Compression Summary

Structure: CT22108-A-SBA	Code: EIA/TIA-222-G	5/26/2021
Site Name: Windsor Locks @ Volunteer Drive	Exposure: C	
Height: 195.00 (ft)	Crest Height: 0.00	
Base Elev: 5.000 (ft)	Site Class: D - Stiff Soil	
Gh: 0.85	Topography: 1	Struct Class: II



Page: 15

DIAGONAL MEMBERS

Sect	Top Elev	Member	Force (kips)	Load Case	Len (ft)	Bracing %			KL/R	Fy (ksi)	Mem Cap (kips)	Num Bolts	Num Holes	Shear Cap		Bear Cap (kips)	Use %	Controls
						X	Y	Z						(kips)	(kips)			
4	80	SAE - 3X3X0.3125	-9.17	1.2D + 1.6W 90° Wind	16.80	50	50	50	171.17	36.00	13.73	1	1	43.49	37.5	67	Member Z	
5	100	SAE - 3X3X0.3125	-9.20	1.2D + 1.6W 90° Wind	15.24	50	50	50	155.27	36.00	16.68	1	1	31.81	29.9	55	Member Z	
6	120	SAE - 3X3X0.1875	-8.66	1.2D + 1.6W 90° Wind	13.80	50	50	50	138.89	36.00	12.77	1	1	31.81	17.9	68	Member Z	
7	140	SAE - 2.5X2.5X0.1875	-8.27	1.2D + 1.6W 90° Wind	12.50	50	50	50	151.56	36.00	8.87	1	1	31.81	17.9	93	Member Z	
8	150	SAE - 2.5X2.5X0.1875	-8.92	1.2D + 1.6W Normal Wind	11.42	50	50	50	138.38	36.00	10.64	1	1	31.81	17.9	84	Member Z	
9	170	SOL - 7/8" SOLID	-3.98	1.2D + 1.6W 90° Wind	5.51	50	50	50	135.94	50.00	7.35	0	0			54	Member X	
10	185	SOL - 3/4" SOLID	-3.91	1.2D + 1.6W Normal Wind	5.08	50	50	50	146.35	50.00	4.66	0	0			84	Member X	
11	195	SOL - 3/4" SOLID	-1.17	1.2D + 1.6W 60° Wind	5.05	50	50	50	145.44	50.00	4.72	0	0			25	Member X	

Force/Stress Tension Summary

Structure: CT22108-A-SBA	Code: EIA/TIA-222-G	5/26/2021
Site Name: Windsor Locks @ Volunteer Drive	Exposure: C	
Height: 195.00 (ft)	Crest Height: 0.00	
Base Elev: 5.000 (ft)	Site Class: D - Stiff Soil	
Gh: 0.85	Topography: 1	Struct Class: II



Page: 16

LEG MEMBERS

Sect	Top Elev	Member	Force (kips)	Load Case	Fy (ksi)	Mem Cap (kips)	Leg Use %	Controls
1	20	12B - 12"BD 2.25"	304.19	0.9D + 1.6W 60° Wind	50	536.85	56.7	Member
2	40	12B - 12"BD 2.25"	276.16	0.9D + 1.6W 60° Wind	50	536.85	51.4	Member
3	60	12B - 12"BD 2"	244.63	0.9D + 1.6W 60° Wind	50	423.90	57.7	Member
4	80	12B - 12"BD 2"	210.41	0.9D + 1.6W 60° Wind	50	423.90	49.6	Member
5	100	12B - 12"BD 1.75"	173.26	0.9D + 1.6W 60° Wind	50	324.45	53.4	Member
6	120	12B - 12"BD 1.75"	131.50	0.9D + 1.6W 60° Wind	50	324.45	40.5	Member
7	140	12B - 12"BD 1.5"	90.67	0.9D + 1.6W 60° Wind	50	238.50	38.0	Member
8	150	12B - 12"BD 1.25"	48.96	0.9D + 1.6W 60° Wind	50	165.60	29.6	Member
9	170	SOL - 2" SOLID	42.22	0.9D + 1.6W 60° Wind	50	141.37	29.9	Member
10	185	SOL - 1 3/4" SOLID	4.60	0.9D + 1.6W 60° Wind	50	108.24	4.2	Member
11	195	SOL - 1 3/4" SOLID	1.16	0.9D + 1.6W 60° Wind	50	108.24	1.2	Bolt Shear

Splices

Sect	Top Elev	Top Splice					Bottom Splice						
		Load Case	Force (kips)	Cap (kips)	Use %	Bolt Type	Num Bolts	Load Case	Force (kips)	Cap (kips)	Use %	Bolt Type	Num Bolts
1	20	0.9D + 1.6W 60° Wind	282.74	0.00	0.0		0.9D + 1.6W 60° Wind	313.5	0.00				
2	40	0.9D + 1.6W 60° Wind	251.73	0.00	0.0		0.9D + 1.6W 60° Wind	282.7	457.92	61.7	1 1/4	A325	6
3	60	0.9D + 1.6W 60° Wind	218.47	0.00	0.0		0.9D + 1.6W 60° Wind	251.7	457.92	55.0	1 1/4	A325	6
4	80	0.9D + 1.6W 60° Wind	182.25	0.00	0.0		0.9D + 1.6W 60° Wind	218.4	457.92	47.7	1 1/4	A325	6
5	100	0.9D + 1.6W 60° Wind	141.25	0.00	0.0		0.9D + 1.6W 60° Wind	182.2	318.06	57.3	1	A325	6
6	120	0.9D + 1.6W 60° Wind	101.22	0.00	0.0		0.9D + 1.6W 60° Wind	141.2	318.06	44.4	1	A325	6
7	140	0.9D + 1.6W 60° Wind	62.28	0.00	0.0		0.9D + 1.6W 60° Wind	101.2	318.06	31.8	1	A325	6
8	150	0.9D + 1.6W 60° Wind	41.17	0.00	0.0		0.9D + 1.6W 60° Wind	62.28	318.06	19.6	1	A325	6
9	170	0.9D + 1.6W Normal Wind	4.41	0.00	0.0		0.9D + 1.6W 60° Wind	41.17	318.06	12.9	1	A325	6
10	185	0.9D + 1.6W 60° Wind	1.14	0.00	0.0		0.9D + 1.6W Normal Wind	4.41	0.00				
11	195		0.00	0.00	0.0		0.9D + 1.6W 60° Wind	1.14	0.00				

HORIZONTAL MEMBERS

Sect	Top Elev	Member	Force (kips)	Load Case	Fy (ksi)	Mem Cap (kips)	Num Bolts	Num Holes	Shear Cap (kips)	Bear Cap (kips)	B.S. Cap (kips)	Use %	Controls
1	20	-			36	0.00	0	0					
2	40	-			36	0.00	0	0					
3	60	-			36	0.00	0	0					
4	80	-			36	0.00	0	0					
5	100	-			36	0.00	0	0					
6	120	-			36	0.00	0	0					
7	140	SAE - 2.5X2.5X0.1875	3.16	1.2D + 1.6W 60° Wind	36	22.55	1	1	31.81	17.94	10.66	29.6	Blck Shear
8	150	-			36	0.00	0	0					
9	170	SOL - 1" SOLID	2.19	1.2D + 1.6W Normal Wi	50	35.34	0	0				6.2	Member
10	185	SOL - 7/8" SOLID	1.87	1.2D + 1.6W 60° Wind	50	27.06	0	0				6.9	Member
11	195	SOL - 7/8" SOLID	0.99	0.9D + 1.6W 60° Wind	50	27.06	0	0				3.7	Member

DIAGONAL MEMBERS

Sect	Top Elev	Member	Force (kips)	Load Case	Fy (ksi)	Mem Cap (kips)	Num Bolts	Num Holes	Shear Cap (kips)	Bear Cap (kips)	B.S. Cap (kips)	Use %	Controls
1	20	DAE - 3.5X3.5X0.3125	9.35	1.2D + 1.6W 90° Wind	36	122.35	1	1	43.49	75.04	47.40	21.5	Bolt Shear
2	40	SAE - 3.5X3.5X0.3125	9.33	1.2D + 1.6W 90° Wind	36	54.17	1	1	43.49	37.52	23.70	39.4	Blck Shear
3	60	SAE - 3X3X0.3125	9.00	0.9D + 1.6W 90° Wind	36	44.05	1	1	43.49	37.52	20.30	44.3	Blck Shear
4	80	SAE - 3X3X0.3125	8.86	0.9D + 1.6W 90° Wind	36	44.05	1	1	43.49	37.52	20.30	43.7	Blck Shear

Force/Stress Tension Summary

Structure: CT22108-A-SBA	Code: EIA/TIA-222-G	5/26/2021
Site Name: Windsor Locks @ Volunteer Drive	Exposure: C	
Height: 195.00 (ft)	Crest Height: 0.00	
Base Elev: 5.000 (ft)	Site Class: D - Stiff Soil	
Gh: 0.85	Topography: 1	Struct Class: II



Page: 17

DIAGONAL MEMBERS

Sect	Top Elev	Member	Force (kips)	Load Case	Fy (ksi)	Mem Cap (kips)	Num Bolts	Num Holes	Shear Cap (kips)	Bear Cap (kips)	B.S. Cap (kips)	Use %	Controls
5	100	SAE - 3X3X0.3125	9.12	1.2D + 1.6W 90° Wind	36	46.60	1	1	31.81	29.91	19.47	46.8	Blck Shear
6	120	SAE - 3X3X0.1875	8.34	0.9D + 1.6W 90° Wind	36	28.68	1	1	31.81	17.94	11.68	71.4	Blck Shear
7	140	SAE - 2.5X2.5X0.1875	8.01	1.2D + 1.6W 90° Wind	36	22.55	1	1	31.81	17.94	10.66	75.2	Blck Shear
8	150	SAE - 2.5X2.5X0.1875	8.34	0.9D + 1.6W 60° Wind	36	22.55	1	1	31.81	17.94	10.66	78.2	Blck Shear
9	170	SOL - 7/8" SOLID	3.95	1.2D + 1.6W 90° Wind	50	27.06	0	0				14.6	Member
10	185	SOL - 3/4" SOLID	2.95	1.2D + 1.6W 60° Wind	50	19.88	0	0				14.8	Member
11	195	SOL - 3/4" SOLID	0.87	0.9D + 1.6W 90° Wind	50	19.88	0	0				4.4	Member

Support Forces Summary

Structure: CT22108-A-SBA	Code: EIA/TIA-222-G	5/26/2021
Site Name: Windsor Locks @ Volunteer Drive	Exposure: C	
Height: 195.00 (ft)	Crest Height: 0.00	
Base Elev: 5.000 (ft)	Site Class: D - Stiff Soil	
Gh: 0.85	Topography: 1	Struct Class: II


 Page: 18



Load Case	Node	FX (kips)	FY (kips)	FZ (kips)	(-) = Uplift (+) = Down
<hr style="border-top: 1px dashed black;"/>					
1.2D + 1.6W Normal Wind	1	-0.01	360.62	-37.58	
	1a	13.59	-148.53	-9.02	
	1b	-13.59	-148.52	-9.03	
<hr style="border-top: 1px dashed black;"/>					
1.2D + 1.6W 60° Wind	1	-1.00	186.51	-19.02	
	1a	-16.82	183.59	8.75	
	1b	-28.51	-306.53	-16.48	
<hr style="border-top: 1px dashed black;"/>					
1.2D + 1.6W 90° Wind	1	-1.21	21.28	-1.70	
	1a	-27.85	306.03	15.52	
	1b	-24.98	-263.74	-13.82	
<hr style="border-top: 1px dashed black;"/>					
0.9D + 1.6W Normal Wind	1	-0.01	354.77	-37.13	
	1a	13.96	-153.55	-9.25	
	1b	-13.96	-153.54	-9.26	
<hr style="border-top: 1px dashed black;"/>					
0.9D + 1.6W 60° Wind	1	-1.01	180.93	-18.58	
	1a	-16.44	178.05	8.52	
	1b	-28.88	-311.31	-16.69	
<hr style="border-top: 1px dashed black;"/>					
0.9D + 1.6W 90° Wind	1	-1.22	15.96	-1.26	
	1a	-27.47	300.31	15.29	
	1b	-25.35	-268.59	-14.03	
<hr style="border-top: 1px dashed black;"/>					
1.2D + 1.0Di + 1.0Wi Normal Wind	1	0.00	167.08	-8.81	
	1a	6.88	1.12	-4.14	
	1b	-6.87	1.16	-4.14	
<hr style="border-top: 1px dashed black;"/>					
1.2D + 1.0Di + 1.0Wi 60° Wind	1	-0.20	111.25	-3.12	
	1a	-2.72	109.57	1.44	
	1b	-11.62	-51.47	-6.72	
<hr style="border-top: 1px dashed black;"/>					
1.2D + 1.0Di + 1.0Wi 90° Wind	1	-0.24	56.64	2.40	
	1a	-6.22	149.60	3.52	
	1b	-10.41	-36.88	-5.92	
<hr style="border-top: 1px dashed black;"/>					
1.0D + 1.0W Normal Wind	1	0.00	100.06	-10.23	
	1a	2.40	-23.55	-1.69	
	1b	-2.40	-23.54	-1.69	
<hr style="border-top: 1px dashed black;"/>					
1.0D + 1.0W 60° Wind	1	-0.26	57.83	-5.70	
	1a	-5.03	57.06	2.65	
	1b	-6.05	-61.92	-3.50	
<hr style="border-top: 1px dashed black;"/>					
1.0D + 1.0W 90° Wind	1	-0.31	17.73	-1.46	
	1a	-7.72	86.78	4.31	
	1b	-5.19	-51.53	-2.84	

Max Reactions

	Leg	Overturning
Max Uplift:	-311.31 (kips)	Moment: 5879.04 (ft-kips)
Max Down:	360.62 (kips)	Total Down: 63.57 (kips)
Max Shear:	37.58 (kips)	Total Shear: 55.64 (kips)

Analysis Summary

Structure: CT22108-A-SBA	Code: EIA/TIA-222-G	5/26/2021
Site Name: Windsor Locks @ Volunteer Drive	Exposure: C	
Height: 195.00 (ft)	Crest Height: 0.00	
Base Elev: 5.000 (ft)	Site Class: D - Stiff Soil	
Gh: 0.85	Topography: 1	Struct Class: II
		Page: 19



Max Reactions

	Leg	Overturning
Max Uplift:	-311.31 (kips)	Moment: 5879.04 (ft-kips)
Max Down:	360.62 (kips)	Total Down: 63.57 (kips)
Max Shear:	37.58 (kips)	Total Shear: 55.64 (kips)

Anchor Bolts

Bolt Size (in.): 1.25	Number Bolts: 6
Yield Strength (Ksi): 105.00	Tensile Strength (Ksi): 150.00
Detail Type: A	

Interaction Ratio: 0.51

Max Usages

Max Leg: 69.2% (1.2D + 1.6W Normal Wind - Sect 3)
 Max Diag: 93.2% (1.2D + 1.6W 90° Wind - Sect 7)
 Max Horiz: 52.9% (1.2D + 1.6W Normal Wind - Sect 10)


Max Deflection, Twist and Sway

Load Case	Elevation (ft)	Deflection (ft)	Twist (deg)	Sway (deg)
0.9D + 1.6W 97 mph Wind at 60° From Face	60.00	0.1694	0.0266	0.3246
	70.00	0.2289	-0.0100	0.3808
	100.00	0.4811	0.0517	0.5894
	110.00	0.5904	0.0580	0.6569
	130.00	0.8448	0.0708	0.8100
	150.00	1.1494	0.0954	0.9685
	164.79	1.4101	1.3771	1.0530
	170.42	1.5057	1.8306	1.9551
	195.00	1.9499	2.0613	1.3616
0.9D + 1.6W 97 mph Wind at 90° From Face	60.00	0.1689	-0.0290	0.3254
	70.00	0.2289	-0.0342	0.3803
	100.00	0.4805	-0.0540	0.5878
	110.00	0.5896	-0.0595	0.6520
	130.00	0.8425	-0.0682	0.8057
	150.00	1.1466	-0.0755	0.9557
	164.79	1.4031	-0.3706	0.9737
	170.42	1.4852	-0.4611	0.8754
	195.00	1.9156	-0.4605	1.0420
0.9D + 1.6W 97 mph Wind at Normal To Face	60.00	0.1752	0.0015	0.3355
	70.00	0.2388	0.0001	0.3923
	100.00	0.4975	0.0006	0.6132
	110.00	0.6107	0.0006	0.6878
	130.00	0.8748	0.0035	0.8425
	150.00	1.1930	-0.0009	1.0088
	164.79	1.4717	-0.2860	1.1851
	170.42	1.6046	-0.3729	3.4355
	195.00	2.0994	0.3586	2.5243

1.0D + 1.0W 60 mph Wind at 60° From Face	60.00	0.0410	-0.0051	0.0785
	70.00	0.0557	-0.0060	0.0921
	100.00	0.1165	-0.0094	0.1422
	110.00	0.1429	-0.0102	0.1590
	130.00	0.2043	-0.0113	0.1947
	150.00	0.2781	0.0116	0.2341
	164.79	0.3409	0.1343	0.2479
	170.42	0.3639	0.1748	0.4475
	195.00	0.4708	0.1758	0.3080
1.0D + 1.0W 60 mph Wind at 90° From Face	60.00	0.0412	-0.0070	0.0789
	70.00	0.0556	-0.0083	0.0922
	100.00	0.1167	-0.0130	0.1422
	110.00	0.1430	-0.0144	0.1578
	130.00	0.2043	-0.0165	0.1946
	150.00	0.2774	-0.0182	0.2310
	164.79	0.3393	-0.0896	0.2346
	170.42	0.3591	-0.1114	0.2077
	195.00	0.4627	-0.1100	0.2509
1.0D + 1.0W 60 mph Wind at Normal To Face	60.00	0.0428	0.0005	0.0816
	70.00	0.0582	0.0000	0.0951
	100.00	0.1210	0.0003	0.1487
	110.00	0.1484	0.0004	0.1665
	130.00	0.2124	0.0011	0.2041
	150.00	0.2889	0.0005	0.2429
	164.79	0.3562	-0.0650	0.2856
	170.42	0.3882	-0.0840	0.8234
	195.00	0.5077	0.0820	0.6061
1.2D + 1.0Di + 1.0Wi 50 mph Wind at 60° From Face	60.00	0.0569	0.0068	0.1081
	70.00	0.0755	-0.0046	0.1276
	100.00	0.1616	0.0127	0.2007
	110.00	0.1991	0.0144	0.2269
	130.00	0.2870	0.0183	0.2850
	150.00	0.3967	0.0244	0.3540
	164.79	0.4936	0.3765	0.3920
	170.42	0.5295	0.4959	0.9502
	195.00	0.7011	0.5029	1.0674
1.2D + 1.0Di + 1.0Wi 50 mph Wind at 90° From Face	60.00	0.0562	-0.0089	0.1082
	70.00	0.0755	-0.0105	0.1269
	100.00	0.1603	-0.0167	0.1997
	110.00	0.1975	-0.0185	0.2239
	130.00	0.2849	-0.0220	0.2824
	150.00	0.3930	-0.0256	0.3455
	164.79	0.4873	-0.1742	0.3583
	170.42	0.5164	-0.2196	0.5660
	195.00	0.6784	-0.2176	0.7491
1.2D + 1.0Di + 1.0Wi 50 mph Wind at Normal From Face	60.00	0.0569	0.0004	0.1116
	70.00	0.0777	0.0000	0.1307
	100.00	0.1656	0.0004	0.2093
	110.00	0.2043	-0.0004	0.2364
	130.00	0.2971	-0.0011	0.2995
	150.00	0.4116	-0.0005	0.3693
	164.79	0.5173	-0.1437	0.4669
	170.42	0.5721	-0.1856	1.6245
	195.00	0.7723	0.1809	1.6692
1.2D + 1.6W 97 mph Wind at 60° From Face	60.00	0.1696	0.0266	0.3252
	70.00	0.2294	-0.0099	0.3816
	100.00	0.4820	0.0518	0.5908
	110.00	0.5916	0.0581	0.6586
	130.00	0.8465	0.0710	0.8121
	150.00	1.1522	0.0956	0.9715
	164.79	1.4136	1.3806	1.0562
	170.42	1.5095	1.8352	1.9573
	195.00	1.9550	2.0688	1.3634

1.2D + 1.6W 97 mph Wind at 90° From Face	60.00	0.1693	-0.0290	0.3260
	70.00	0.2293	-0.0342	0.3810
	100.00	0.4814	-0.0540	0.5892
	110.00	0.5907	-0.0596	0.6536
	130.00	0.8443	-0.0682	0.8078
	150.00	1.1492	-0.0756	0.9586
	164.79	1.4065	-0.3705	0.9767
	170.42	1.4889	-0.4609	0.8726
	195.00	1.9205	-0.4603	1.0450

1.2D + 1.6W 97 mph Wind at Normal To Face	60.00	0.1755	0.0015	0.3362
	70.00	0.2393	0.0001	0.3931
	100.00	0.4986	0.0007	0.6147
	110.00	0.6120	0.0007	0.6895
	130.00	0.8769	0.0036	0.8450
	150.00	1.1959	-0.0010	1.0116
	164.79	1.4755	-0.2860	1.1885
	170.42	1.6087	-0.3730	3.4412
	195.00	2.1049	0.3584	2.5279

	Mat Foundation Design for Self Supporting Tower			Date
				5/26/2021
	Customer Name:	SBA Communications Corp	EIA/TIA Standard:	EIA-222-G
	Site Name:		Structure Height (Ft.):	195
	Site Nmber:	CT22108-A-SBA	Engineer Name:	T. Alajaj
Engr. Number:	107798	Engineer Login ID:		

Foundation Info Obtained from:

Analysis or Design?

Number of Tower Legs:

Base Reactions (Factored):

(1). Individual Leg:

Axial Load (Kips):	360.6	Uplift Force (Kips):	311.3
Shear Force (Kips):	37.6		

(2). Tower Base:

Total Vertical Load (Kips):	63.6	Total Shear Force (Kips):	55.6
Moment (Kips-ft):	5879.0		

Foundation Geometries:

Leg distance (Center-to-Center ft.):	20.0	Mods required -Yes/No ?:	No
Diameter of Pier (ft.):	Round 2.9	Pier Height A. G. (ft.):	5.00
Tower center to mat center (ft):	0	Depth of Base BG (ft.):	10.0
Length of Pad (ft.):	29.5	Width of Pad (ft.):	29.5
Thickness of Pad (ft):	3.50		

Material Properties and Rebar Info:

Concrete Strength (psi):	4500	Steel Elastic Modulus:	29000	ksi
Vertical bar yield (ksi):	60	Tie steel yield (ksi):	60	
Vertical Rebar Size #:	8	Tie / Stirrup Size #:	4	
Qty. of Vertical Rebars:	27	Tie Spacing (in):	12.0	
Pad Rebar Yield (Ksi):	60	Pad Steel Rebar Size (#):	9	
Concrete Cover (in.):	3	Unit Weight of Concrete:	150.0	pcf

Rebar at the bottom of the concrete pad:




Qty. of Rebar in Pad (L):	39	Qty. of Rebar in Pad (W):	39
---------------------------	----	---------------------------	----

Rebar at the top of the concrete pad:

Qty. of Rebar in Pad (L):	39	Qty. of Rebar in Pad (W):	39
---------------------------	----	---------------------------	----

Soil Design Parameters:

Soil Unit Weight (pcf):	100.0	Soil Buoyant Weight:	50.0	Pcf
Water Table B.G.S. (ft):	8.0	Unit Weight of Water:	62.4	pcf
Ultimate Bearing Pressure (psf):	7000	Consider ties in concrete shear strength:	Yes	
Consider Soil Lateral Resistance ?	Yes	Enter soil C (psf) or Phi (deg.):	30.0	Deg. (W)
		Depth to ignor lateral resistance	1.0	Ft. (W)



Apply 1.35 for e/w per G/H: 1.35

Foundation Analysis and Design:	Uplift Strength Reduction Factor:	0.75	Compression Strength Reduction Factor:	0.75
Total Dry Soil Volume (cu. Ft.):	5527.82	Total Dry Soil Weight (Kips):	552.78	
Total Buoyant Soil Volume (cu. Ft.):	0.00	Total Buoyant Soil Weight (Kips):	0.00	
Total Effective Soil Weight (Kips):	552.78	Weight from the Concrete Block at Top (K):	0.00	
Total Dry Concrete Volume (cu. Ft.):	1533.25	Total Dry Concrete Weight (Kips):	229.99	
Total Buoyant Concrete Volume (cu. Ft.):	1740.50	Total Buoyant Concrete Weight (Kips):	152.47	
Total Effective Concrete Weight (Kips):	382.46	Total Vertical Load on Base (Kips):	998.81	

Check Soil Capacities:

Calculated Maxium Net Soil Pressure under the base (psf):	2834.12	<	Allowable Factored Soil Bearing (psf):	5250	0.54	OK!
Allowable Foundation Overturning Resistance (kips-ft.):	13352.9	>	Design Factored Momont (kips-ft):	6556	0.49	OK!
Factor of Safety Against Overturning (O. R. Moment/Design Moment):	2.04					OK!

Check the capacities of Reinforceing Concrete:

Strength reduction factor (Flexure and axial tension):	0.90	Strength reduction factor (Shear):	0.75			
Strength reduction factor (Axial compression):	0.65	Wind Load Factor on Concrete Design:	1.00			
(1) Concrete Pier:						
Vertical Steel Rebar Area (sq. in./each):	0.79	Tie / Stirrup Area (sq. in./each):	0.20			
Calculated Moment Capacity (Mn,Kips-Ft):	888.1	>	Design Factored Moment (Mu, Kips-Ft)	414.1	0.47	OK!
Calculated Shear Capacity (Kips):	70.3	>	Design Factored Shear (Kips):	37.6	0.53	OK!
Calculated Tension Capacity (Tn, Kips):	1151.8	>	Design Factored Tension (Tu Kips):	311.3	0.27	OK!
Calculated Compression Capacity (Pn, Kips):	1849.4	>	Design Factored Axial Load (Pu Kips):	360.6	0.19	OK!
Moment & Tension Strength Combination:	0.47	OK!	Check Tie Spacing (Design/Req'd):	1.00		
Pier Reinforcement Ratio:	0.022		Reinforcement Ratio is satisfied per ACI			

(2).Concrete Pad:

One-Way Design Shear Capacity (L or W Direction, Kips):	1369.2	>	One-Way Factored Shear (L/W-Dir Kips)	360.7	0.26	OK!
One-Way Design Shear Capacity (Diagonal Dir., Kips):	1042.1	>	One-Way Factored Shear (Dia. Dir, Kips)	254.9	0.24	OK!
Lower Steel Pad Reinforcement Ratio (L or W-Direct.):	0.0029		Lower Steel Reinf. Ratio (Dia. Dir.):	0.0027		
Lower Steel Pad Moment Capacity (L or W-Dir. Kips-ft):	6589.5	>	Moment at Bottom (L-Direct. K-Ft):	2206.3	0.33	OK!
Lower Steel Pad Moment Capacity (Dia. Direction,K-ft):	6192.6	>	Moment at Bottom (Dia. Dir. K-Ft):	1841.5	0.30	OK!
Upper Steel Pad Reinforcement Ratio (L or W -Direction):	0.0029		Upper Steel Reinf. Ratio (Dia. Dir.):	0.0027		
Upper Steel Pad Moment Capacity (L or W-Dir., Kips-ft):	6589.5	>	Moment at the top (L-Dir Kips-Ft):	724.2	0.11	OK!
Upper Steel Pad Moment Capacity (Dia. Direction, K-ft):	6192.6	>	Moment at the top (Dia. Dir., K-Ft):	438.5	0.07	OK!
Punching Failure Capacity (Kips):	1484.5	>	Punch. Failure Factored Shear (K):	360.6	0.24	OK!

EXHIBIT 8



Tower Engineering Solutions

Phone (972) 483-0607, Fax (972) 975-9615
1320 Greenway Drive, Suite 600, Irving, Texas 75038

Post-Mod Antenna Mount Analysis Report

Existing 195-Ft Self Support Tower

Customer Name: SBA Communications Corp

Customer Site Number: CT22108-A-SBA / Windsor Locks @ Volunteer Drive

Customer Site Name: Windsor Locks @ Volunteer Drive

Carrier Name: T-Mobile (App#: 104041, V2)

Carrier Site ID / Name: CT11319C / Windsor locks/Rt 20

Site Location: 2-4 Volunteer Drive

Windsor Locks, Connecticut

HARTFORD County

Latitude: 41.928100

Longitude: -72.646800

Exp.10/31/2021



Analysis Result:

06/09/2021

Max Structural Usage: 49.1% [Pass]

Report Prepared By : Kiran Sharma Paudel

Introduction

The purpose of this report is to summarize the analysis results on the (3) Reinforced T-Arms at 135.00' elevation including the proposed modifications to support the proposed antenna configuration. Any existing modification listed under Sources of Information was assumed completed and was included in this analysis.

The proposed modification by **TES** listed under Sources of Information was considered completed and was included in this analysis.

Sources of Information

Mount Drawings	Mount Mapping by ProVertic Dated: 07/30/18
Antenna Loading	Application #: 104041, v2
Existing Modification	Modifications by Hudson Design Group LLC Site#: CT11319C Dated: 10/23/18
Proposed Modification	TES Project No. 107815

Analysis Criteria

Basic Wind Speed Used in the Analysis: $V_{ULT} = 125$ mph (3-Sec. Gust) / Equivalent to
 $V_{ASD} = 97$ mph (3-Sec. Gust)

Basic Wind Speed with Ice: 50 mph (3-Sec. Gust) with 1" radial ice concurrent

Operational Wind Speed: 60 mph +0" Radial ice

Standard/Codes: ANSI/TIA/EIA 222-G/ 2015 IBC / 2018 Connecticut State Building Code

Exposure Category: C

Structure Class: II

Topographic Category: 1

Crest Height (Ft): 0

The site is a Risk Category II structure per IBC Table 1604.5. This site does not support emergency communication equipment for first responders such as fire departments, police, hospitals, ambulance services or any of the facilities listed for Risk Categories III and IV. The scope of work detailed in this structural analysis does not include items that are a part of emergency service as the 911 or essential facility service of an emergency response system.

Mount Information

(3) Reinforced T-Arms at 135.00' elevation

Final Antenna Configuration

- 3 RFS APXVAARR24_43-U-NA20 (Octa)
- 3 Ericsson AIR6449 B41
- 3 Ericsson AIR32 KRD901146-1_B66A
- 6 Ericsson KRY 112 144/2
- 3 Ericsson Radio 4449 B71 + B85
- 3 Ericsson 4415 B25

Analysis Results

Our calculations have determined that under design wind load the existing mounts will be structurally adequate to support the proposed antenna configuration after the proposed modification is successfully completed. The maximum structural usage is 49.1%, which occurs in the face horizontal. The proposed equipment must be installed as stipulated in the Final Antenna Configuration section of this report. The analysis results are void if the proposed equipment is not installed in accordance with this report.

Attachments

1. Mount Photos Before Modification
2. Antenna Placement Diagram
3. Mount Mapping Information
4. Analysis Calculations

Standard Conditions

1. The loading configuration as analyzed in this report is as provided from the customer. Any deviation from this design shall be communicated to TES to verify deviation will not adversely impact the analysis.
2. The analysis is based on the presumption that the antenna mount members and components along with any existing reinforcement items have been correctly and properly designed, manufactured, installed and maintained.
3. All the existing structural members were assumed to be in good condition with no physical damage or deterioration associated with corrosion. The mount analysis is not a condition assessment of the mount.
4. The mount analysis was performed in accordance with the loading provided, and if applicable the modification required to support the additional loading.
5. If the mount is modified, installation must adhere to the configuration communicated in the modification drawings.
6. The modification drawings are not intended to convey means or methods. These are the responsibility of the installing contractor.
7. Rigging plan review is available if the contractor requires for a construction class IV or other if required. Review fee would apply.
8. The mount modification package was created based upon information provided for the mount loading. The underlying tower is assumed to provide support and sufficient rigidity to support the mount loads as a tower analysis was not part of the mount analysis.
9. TES is not responsible for modifications to climbing facilities unless communicated to TES in writing.



Structure: CT22108-A-SBA - Windsor Locks @ Volunteer Drive

Sector: A

6/9/2021


Structure Type: Self Support

Mount Elev: 135.00

Page: 1




Plan View



Front View

Looking Toward Structure



Ref #	Model	Height (in)	Width (in)	H Dist Left	Pipe #	Pipe Pos V	Pos	From Top	H Offset	Status	Validation
A3	AIR32 KRD901146-1_B66A	56.60	12.90	153.00	1	a	Front	30.00			
A1	APXVAARR24_43-U-NA20 (Octa)	95.90	24.00	102.00	2	a	Front	48.00			
R5	Radio 4449 B71 + B85	13.10	14.90	102.00	2	a	Behind	12.00			
R6	4415 B25	16.50	13.40	102.00	2	a	Behind	48.00			
A2	AIR6449 B41	33.10	20.50	39.00	3	a	Front	24.00			
A4	KRY 112 144/2	6.93	6.10	39.00	3	a	Behind	12.00	-3.00		
A4	KRY 112 144/2	6.93	6.10	39.00	3	b	Behind	12.00	3.00		

Structure: CT22108-A-SBA - Windsor Locks @ Volunteer Drive

Sector: B

6/9/2021


Structure Type: Self Support

Mount Elev: 135.00

Page: 2




Plan View



Front View

Looking Toward Structure



Ref #	Model	Height (in)	Width (in)	H Dist Left	Pipe #	Pipe Pos V	Pos	From Top	H Offset	Status	Validation
A3	AIR32 KRD901146-1_B66A	56.60	12.90	153.00	1	a	Front	30.00			
A1	APXVAARR24_43-U-NA20 (Octa)	95.90	24.00	102.00	2	a	Front	48.00			
R5	Radio 4449 B71 + B85	13.10	14.90	102.00	2	a	Behind	12.00			
R6	4415 B25	16.50	13.40	102.00	2	a	Behind	48.00			
A2	AIR6449 B41	33.10	20.50	39.00	3	a	Front	24.00			
A4	KRY 112 144/2	6.93	6.10	39.00	3	a	Behind	12.00	-3.00		
A4	KRY 112 144/2	6.93	6.10	39.00	3	b	Behind	12.00	3.00		

Structure: CT22108-A-SBA - Windsor Locks @ Volunteer Drive

Sector: C

6/9/2021


Structure Type: Self Support

Mount Elev: 135.00

Page: 3




Plan View



Front View

Looking Toward Structure



Ref #	Model	Height (in)	Width (in)	H Dist Left	Pipe #	Pipe Pos V	Pos	From Top	H Offset	Status	Validation
A3	AIR32 KRD901146-1_B66A	56.60	12.90	153.00	1	a	Front	30.00			
A1	APXVAARR24_43-U-NA20 (Octa)	95.90	24.00	102.00	2	a	Front	48.00			
R5	Radio 4449 B71 + B85	13.10	14.90	102.00	2	a	Behind	12.00			
R6	4415 B25	16.50	13.40	102.00	2	a	Behind	48.00			
A2	AIR6449 B41	33.10	20.50	39.00	3	a	Front	24.00			
A4	KRY 112 144/2	6.93	6.10	39.00	3	a	Behind	12.00	-3.00		
A4	KRY 112 144/2	6.93	6.10	39.00	3	b	Behind	12.00	3.00		

MOUNT MAPPING REPORT

FOR

CT11319C

2-4 VOLUNTEER DRIVE
WINDSOR LOCKS, CT 06096

200'-0" SELF SUPPORT TOWER



PREPARED FOR:

**T-MOBILE
NORTHEAST LLC**

15 COMMERCE WAY, SUITE B
NORTON, MA 02766
OFFICE: (508) 286-2700
FAX: (508) 286-2893



SBA COMMUNICATIONS CORP.
33 BOSTON POST ROAD WEST, SUITE 320
MARLBOROUGH, MA 01752
TEL: (508) 251-0720, FAX: (508) 251-1755



**HUDSON
Design Group LLC**

45 BEECHWOOD DRIVE
NORTH ANDOVER, MA 01845

TEL: (978) 557-5553
FAX: (978) 336-5586

DATED: JULY 30, 2018

PREPARED BY:



45 Beechwood Drive
N. ANDOVER, MA 01845
PHONE: 978.416.0122
www.ProVertic.com



SST MAPPING FORM

Site Name: WINDSOR LOCKS/RT 20

Date of Inspection: 07/16/18

Carrier & Site Number: T-MOBILE / CT11319C

Mapped by: PROVERTIC / DA

Site Address: 2-4 VOLUNTEER DRIVE

Tower Latitude: 41° 55' 41.16" N

WINDSOR LOCKS, CT 06096

Tower Longitude: 72° 38' 48.42" W

Site Owner: SBA TOWERS

Gate Combo: 2736

Site Contact & Info: 1 (800) 487-7483

Tower Manufacturer: N/A

Date Built: N/A

Tower Plate Information: N/A

Exposure Category: Open Wooded Urban Ocean Other:

Site Topography: Flat Ridge Hill Other:

Access Gate/Road Latitude: 41° 55' 39.92" N


Site Access Description: N/A

Access Gate/Road Longitude: 72° 38' 50.47" W


Access Notes: N/A

General Comments/Observations:

N/A




MOUNT PLAN DETAIL



MOUNT ELEVATION DETAIL

PREPARED FOR:
T-MOBILE
NORTHEAST LLC
 15 COMMERCE WAY, SUITE B
 NORTON, MA 02766
 OFFICE: (508) 286-2700
 FAX: (508) 286-2893

PREPARED BY:

 45 Beechwood Drive
 N. ANDOVER, MA 01845


SITE NUMBER:
CT11319C
 SITE NAME:
WINDSOR LOCKS
 2-4 VOLUNTEER DRIVE
 WINDSOR LOCKS, CT 06096
 HARTFORD COUNTY

REVISION	DATE	DRAWN BY
0	07-30-18	DP
SITE TYPE: SELF SUPPORT TOWER		
CHECKED BY: MSC		SK-1
SCALE: N.T.S.		

SST MAPPING FORM



CARRIER	TOA ELEVATION	ATTACH. LOC. LEG/FACE	ANTENNA (OR OTHER APPURTENANCE)			MOUNT DESCRIPTION & SIZE	MOUNT ELEVATION	TRANSMISSION LINES		
			QUANTITY	AZIMUTH	SIZE AND DESCRIPTION OR MANUFACTURER AND MODEL			QUANTITY	SIZE/TYPE	ATTACH. LOC.
T-MOBILE	144'-0"	ALPHA	1	30°	COMMSCOPE: LNX-6515DS-A1M	15'-0" FACE 4'-2" S.O.	143'-0"	4	1-5/8"	-
T-MOBILE	143'-2"	ALPHA	1	30°	4' 7-3/4"x1'-1"x3-1/4"	15'-0" FACE 4'-2" S.O.	143'-0"	2	1-5/8"	-
T-MOBILE	143'-4"	ALPHA	1	30°	ANDREW: RR90-17-02DP	15'-0" FACE 4'-2" S.O.	143'-0"	-	-	-
T-MOBILE	-	ALPHA	2	-	KATHREIN: DTMA 1900	15'-0" FACE 4'-2" S.O.	143'-0"	-	-	-
T-MOBILE	-	ALPHA	1	-	ERICSSON: DOUBLE TMA 17/21-M	15'-0" FACE 4'-2" S.O.	143'-0"	-	-	-
T-MOBILE	144'-0"	BETA	1	150°	COMMSCOPE: LNX-6515DS-A1M	15'-0" FACE 4'-2" S.O.	143'-0"	4	1-5/8"	-
T-MOBILE	143'-2"	BETA	1	150°	4' 7-3/4"x1'-1"x3-1/4"	15'-0" FACE 4'-2" S.O.	143'-0"	2	1-5/8"	-
T-MOBILE	143'-4"	BETA	1	150°	ANDREW: RR90-17-02DP	15'-0" FACE 4'-2" S.O.	143'-0"	-	-	-
T-MOBILE	-	BETA	2	-	KATHREIN: DTMA 1900	15'-0" FACE 4'-2" S.O.	143'-0"	-	-	-
T-MOBILE	-	BETA	1	-	ERICSSON: DOUBLE TMA 17/21-M	15'-0" FACE 4'-2" S.O.	143'-0"	-	-	-
T-MOBILE	144'-0"	GAMMA	1	270°	COMMSCOPE: LNX-6515DS-A1M	15'-0" FACE 4'-2" S.O.	143'-0"	4	1-5/8"	-
T-MOBILE	143'-2"	GAMMA	1	270°	4' 7-3/4"x1'-1"x3-1/4"	15'-0" FACE 4'-2" S.O.	143'-0"	2	1-5/8"	-
T-MOBILE	143'-4"	GAMMA	1	270°	ANDREW: RR90-17-02DP	15'-0" FACE 4'-2" S.O.	143'-0"	-	-	-
T-MOBILE	-	GAMMA	2	-	KATHREIN: DTMA 1900	15'-0" FACE 4'-2" S.O.	143'-0"	-	-	-
T-MOBILE	-	GAMMA	1	-	ERICSSON: DOUBLE TMA 17/21-M	15'-0" FACE 4'-2" S.O.	143'-0"	-	-	-

EXISTING SST



EXISTING SST





Tower Engineering Solutio...


CT22108-A-SBA_MT_LOT_Loads Only_Sector A_G

SK - 1


June 9, 2021 at 9:59 AM

TES Project No. 107815

CT22108-A-SBA_107815_G_RISA_...




Code Check (Env)	
Black	No Calc
Red	> 1.0
Magenta	.90-1.0
Green	.75-.90
Cyan	.50-.75
Blue	0-.50




Member Code Checks Displayed (Enveloped)
Results for LC 1, 1.2D+1.6W (Front)

Tower Engineering Solutio...	CT22108-A-SBA_MT_LOT_Loads Only_Sector A_G	SK - 2
TES Project No. 107815		June 9, 2021 at 9:59 AM
		CT22108-A-SBA_107815_G_RISA_...



Shear Check (Env)	
Black	No Calc
Red	> 1.0
Magenta	.90-1.0
Green	.75-.90
Cyan	.50-.75
Blue	0-.50



Member Shear Checks Displayed (Enveloped)
Results for LC 1, 1.2D+1.6W (Front)

Tower Engineering Solutio...	CT22108-A-SBA_MT_LOT_Loads Only_Sector A_G	SK - 3
TES Project No. 107815		June 9, 2021 at 10:00 AM
		CT22108-A-SBA_107815_G_RISA_...



Ô[{]æ^ K V[, ^/Á) *ã^iã *Á[[r çã) •ÉŠŠÓ
 Ô•ã}^! K
 R àÁ~ { a^! K VÒÙÁ[[b&á [É-èi | Fí
 T [à^/Áæ ^ K ÒVGG-É ÉÉÚÓÉ TV' ŠUV' Š aã•Á[]' ' Ù&ç | ÁÉ Ö

R' } ^ÁJ ÉÓÉGF
 FÉÉÁÉF
 Ô@&^áÁÓ'K''''

>c]bh7ccfX]bUHyg'UbX'HYa dYUhi fYg'f7 cb]bi YXL

	Šaa^]	ÝÁčá	ÝÁčá	ZÁčá	V^ [Áčá	Ö'ca&@ [{ Áčá] ÉÉ
Fí	ÞHF	É	GÉHHHH	ÍÉGÍF	€	
Fí	ÞHG	É	€	ÍÉÉJH	€	
Fí	ÞG	FÉ	GÉHHHH	ÍÉGÍF	€	
Fí	ÞG	FÉ	€	ÍÉÉJH	€	
FJ	ÞGJ	ÍÉÍ	GÉHHHH	ÍÉGÍF	€	
G€	ÞH€	ÍÉÍ	€	ÍÉÉJH	€	
GF	ÞHÇÉ	Í	GÉHHHH	ÍÉGÍF	€	
GG	ÞHÇÉ	Í	€	ÍÉÉJH	€	
GH	ÞG ÇÉ	€	€	HÉÍÍJH	€	
G	ÞG ÇÉ	€	€	GÉÉJH	€	
G	ÞGÇÉ	€	€	FÉÍÍFH	€	
G	ÞHÇÉ	€	GÉHHHH	HÉÍÍJH	€	
G	ÞHÓ	€	GÉHHHH	GÉÉJH	€	
G	ÞHÓ	€	GÉHHHH	FÉÍÍFH	€	
GJ	ÞH	ÉHGJJH	GÉHHHH	ÍÉGÍF	€	
H€	ÞH	€	ÍÉHHH	ÉÉÍÍF	€	
HF	ÞÍ	€	ÉÉÍÍÍ	ÉÉÍÍF	€	
HG	ÞÍ	€	HÉÇÇH	ÉÉÍÍF	€	
HH	ÞÍÇÉ	€	É	ÉÉÍÍF	€	
H	ÞJH	€	HÉÇÇH	ÉÉÍGÉJ	€	
H	ÞJ	€	É	ÉÉÍGÉJ	€	
H	ÞÍÇÉ	ÉHGJJH	GÉHHHH	ÍÉÍÍF	€	
H	ÞÍÓ	FÉJJÍ	Í	ÍÉÍÍF	€	
H	ÞÍÇÉ	FÉJJÍ	ÉÉJJJÍ	ÍÉÍÍF	€	
HJ	ÞJ	FÉJJÍ	GÉHHHH	ÍÉGÍF	€	
I€	ÞÍ€	FÉJJÍ	GÉHHHH	ÍÉÍÍF	€	
IF	ÞÍÇÉ	ÍÉ	Í	ÍÉÍÍF	€	
IG	ÞÍÇÉ	ÍÉ	ÉÉJJJÍ	ÍÉÍÍF	€	
IH	ÞÍÇÉ	ÍÉ	GÉHHHH	ÍÉGÍF	€	
II	ÞÍ	ÍÉ	GÉHHHH	ÍÉÍÍF	€	
II	ÞÍ€	Í	GÉHH	ÉÉ	€	
II	ÞÍ	ÍÉ	€	ÍÉÉJH	€	
II	ÞÍÇÉ	ÍÉÍ	FÉÍÍÍ	ÍÉÍÍG	€	
II	ÞJ	ÉHGJJH	€	ÍÉÉJH	€	
IJ	ÞÍ€	FÉJJÍ	ÉÇÇH	ÍÉÉJH	€	
Í€	ÞÍ€ÇÉ	ÍÉ	€	ÍÉÍÍFH	€	
ÍF	ÞÍF	ÉHGJJH	€	ÍÉÍÍFH	€	
ÍG	ÞÍG	FÉJJÍ	ÉÇÇH	ÍÉÍÍFH	€	
ÍH	ÞÍH	€	ÍÉ	ÉÉÍGÉJ	€	
ÍÍ	ÞÍ	Í	GÉHHHH	ÍÉGÍF	€	
ÍÍ	ÞÍ	Í	€	ÍÉÉJH	€	
ÍÍ	ÞÍ	ÉÉ	GÉHHHH	ÍÉGÍF	€	
ÍÍ	ÞÍ	ÉÉ	€	ÍÉÉJH	€	
ÍÍ	ÞÍ	€	ÉH	ÉÉÍGÉJ	€	
ÍJ	ÞÍF	€	Í	ÉÉÍGÉJ	€	
Í€	ÞÍG	€	ÉÉ	ÉÉÍGÉJ	€	
ÍF	ÞÍH	€	Í	ÉÉÍGÉJ	€	
ÍG	ÞÍÇÉ	€	ÉÉ	ÉÉÍGÉJ	€	
ÍH	ÞÍ	€	Í	ÉÉÍGÉJ	€	
ÍÍ	ÞÍ	€	ÉÉ	ÉÉÍGÉJ	€	
ÍÍ	ÞÍ	€	Í	ÉÉÍGÉJ	€	
ÍÍ	ÞÍ	€	ÉÉ	ÉÉÍGÉJ	€	



Ô{ } a^ ^ K V[, ^/À) * a^ a^ a^ * ÁU[] a^ } • ÉSSÓ
 Ô• a^ } ^ K
 F a^ a^ { a^ : K VÒUÁU[] b&a^ [] é-è | Fí
 T[a^/A a^ ^ K ÓVGF-é ÉÉÚÓE TV' SÚV' Š a^•ÁU}] ' Ú^&I'ÁE Ö

R' } ^ÁU ÉÓEΓF
 FεÉÉÁÉF
 Ô@&^áÁÓ'K''''

A Ya Vyf'8]gfh]Vi hyX' @ UXg'f6 @ '% : 'Ghi Wh fy'K]: fcbH'fV cbljbi YXL

	T ^{ a^/A a^ ^ }	Öá^&á }	ÚcáoÁ a^ } a^ á^ ŽaD(ÉÉ) áÁ a^ } a^ á^ ŽaD(ÉÉ) ÚcáoÁ } &a^ } ŽdÁ á	Ò) áÁ } &a^ } ŽdÁ á		
F	TF	ÚZ	É ÉÍ F	É ÉÍ F	€	Á FEE
G	TG	ÚZ	É ÉÍ F	É ÉÍ F	€	Á FEE
H	T ÚÍ ÓE	ÚZ	É ÉÍ Í	É ÉÍ Í	€	Á FEE
I	TI	ÚZ	É ÉÍ Í	É ÉÍ Í	€	Á FEE
Í	TÌ	ÚZ	É ÉÍ F	É ÉÍ F	€	Á FEE
Î	TJ	ÚZ	É ÉÍ F	É ÉÍ F	€	Á FEE
Ï	T ÚHÓE	ÚZ	É ÉÍ F	É ÉÍ F	€	Á FEE
Ì	TFÍ	ÚZ	É ÉÍ F	É ÉÍ F	€	Á FEE
J	TFI	ÚZ	É ÉÍ F	É ÉÍ F	€	Á FEE
F€	TFÍ	ÚZ	É ÉÍ F	É ÉÍ F	€	Á FEE
FF	TFÍ ÓE	ÚZ	É ÉÍ F	É ÉÍ F	€	Á FEE
FG	TFI ÓE	ÚZ	É ÉÍ F	É ÉÍ F	€	Á FEE
FH	T ÚÍ Í ÓE	ÚZ	É ÉÍ F	É ÉÍ F	€	Á FEE
FI	TFÍ Ó	ÚZ	É ÉÍ F	É ÉÍ F	€	Á FEE
FÍ	TFFG	ÚZ	É ÉÍ F	É ÉÍ F	€	Á FEE
FÌ	TFFH	ÚZ	É ÉÍ F	É ÉÍ F	€	Á FEE
FÌ	TII	ÚZ	É ÉÍ Í	É ÉÍ Í	€	Á FEE
FÌ	T ÚGÓE	ÚZ	É ÉÍ H	É ÉÍ H	€	Á FEE
FJ	T ÚFOE	ÚZ	É ÉÍ F	É ÉÍ F	€	Á FEE
Q€	TI FOE	ÚZ	É ÉÍ F	É ÉÍ F	€	Á FEE
QF	T G	ÚZ	É ÉÍ F	É ÉÍ F	€	Á FEE
QG	T G	ÚZ	É ÉÍ F	É ÉÍ F	€	Á FEE
QH	T G	ÚZ	É ÉÍ F	É ÉÍ F	€	Á FEE
Q	T GÓE	ÚZ	É ÉÍ Í	É ÉÍ Í	€	Á FEE
Q	THE	ÚZ	É ÉÍ Í	É ÉÍ Í	€	Á FEE
Q	THF	ÚZ	É ÉÍ Í	É ÉÍ Í	€	Á FEE
Q	THGÓE	ÚZ	É ÉÍ Í	É ÉÍ Í	€	Á FEE
Q	THÍ ÓE	ÚZ	É ÉÍ H	É ÉÍ H	€	Á FEE
GJ	THÍ ÓE	ÚZ	É ÉÍ H	É ÉÍ H	€	Á FEE
H€	THU	ÚZ	É ÉÍ F	É ÉÍ F	€	Á FEE

A Ya Vyf'8]gfh]Vi hyX' @ UXg'f6 @ '% : 'Ghi Wh fy'K 'GJXYL

	T ^{ a^/A a^ ^ }	Öá^&á }	ÚcáoÁ a^ } a^ á^ ŽaD(ÉÉ) áÁ a^ } a^ á^ ŽaD(ÉÉ) ÚcáoÁ } &a^ } ŽdÁ á	Ò) áÁ } &a^ } ŽdÁ á		
F	TF	ÚY	Í ÉÍ G	Í ÉÍ G	€	Á FEE
G	TG	ÚY	Í ÉÍ G	Í ÉÍ G	€	Á FEE
H	T ÚÍ ÓE	ÚY	F ÉÍ Í	F ÉÍ Í	€	Á FEE
I	TI	ÚY	F ÉÍ Í	F ÉÍ Í	€	Á FEE
Í	TÌ	ÚY	Í ÉÍ G	Í ÉÍ G	€	Á FEE
Î	TJ	ÚY	Í ÉÍ G	Í ÉÍ G	€	Á FEE
Ï	T ÚHÓE	ÚY	Í ÉÍ G	Í ÉÍ G	€	Á FEE
Ì	TFÍ	ÚY	Í ÉÍ G	Í ÉÍ G	€	Á FEE
J	TFI	ÚY	Í ÉÍ G	Í ÉÍ G	€	Á FEE
F€	TFÍ	ÚY	Í ÉÍ G	Í ÉÍ G	€	Á FEE
FF	TFÍ ÓE	ÚY	Í ÉÍ G	Í ÉÍ G	€	Á FEE
FG	TFI ÓE	ÚY	Í ÉÍ G	Í ÉÍ G	€	Á FEE
FH	T ÚÍ Í ÓE	ÚY	Í ÉÍ G	Í ÉÍ G	€	Á FEE
FI	TFÍ Ó	ÚY	Í ÉÍ G	Í ÉÍ G	€	Á FEE
FÍ	TFFG	ÚY	Í ÉÍ G	Í ÉÍ G	€	Á FEE
FÌ	TFFH	ÚY	Í ÉÍ G	Í ÉÍ G	€	Á FEE
FÌ	TII	ÚY	F ÉÍ Í	F ÉÍ Í	€	Á FEE
FÌ	T ÚGÓE	ÚY	Í ÉÍ Í	Í ÉÍ Í	€	Á FEE



Ô{ }]æ^ˆ K V[, ^! / Æ) * ä ^! ä * Ä U[] ç } • ÆŠŠÖ
 Ô ^ ä } ^!
 R ä Ä { ^!
 T [ä] Ä æ ^ K V Æ) ^! / Æ) * ä ^! ä * Ä U[] ç } • ÆŠŠÖ
 K
 K V Æ) ^! / Æ) * ä ^! ä * Ä U[] ç } • ÆŠŠÖ
 K Æ) V Æ) ^! / Æ) * ä ^! ä * Ä U[] ç } • ÆŠŠÖ

R } ^ Ä U[] ç } • ÆŠŠÖ
 F æ Ä Ä
 Ô @ & ^! / Æ) * Ä Ö

A Ya Vyf'8]g]f]Vi hYX' @ UXg'f6 @ ' % : ' Ghf i Wh fy'K 'G]X YL' f7 cb]bi YXL

	T ^ { ä ^! / Æ æ ^ }	Ö ä ^ & ç } }	Û ç æ Ä æ } æ ä ^ Z æ D æ) ä Ä æ } æ ä ^ Z æ D æ) Û ç æ Ä æ } & ç } Z æ Ä á	Ö) ä Ä æ } Z æ Ä á		
FJ	T ÚFOE	ÚY	Í È Ì G	Í È Ì G	€	Ä FEE
GE	T ÍFOE	ÚY	Í È Ì G	Í È Ì G	€	Ä FEE
GF	T G	ÚY	Í È Ì G	Í È Ì G	€	Ä FEE
GG	T G	ÚY	Í È Ì G	Í È Ì G	€	Ä FEE
GH	T G	ÚY	Í È Ì G	Í È Ì G	€	Ä FEE
G	T GJÖE	ÚY	J È Ì Ì	J È Ì Ì	€	Ä FEE
G	T H E	ÚY	J È Ì Ì	J È Ì Ì	€	Ä FEE
G	T H F	ÚY	J È Ì Ì	J È Ì Ì	€	Ä FEE
G	T H GÖE	ÚY	J È Ì Ì	J È Ì Ì	€	Ä FEE
G	T H Ì ÖE	ÚY	Ì È F G	Ì È F G	€	Ä FEE
GJ	T H Ì ÖE	ÚY	Ì È F G	Ì È F G	€	Ä FEE
H E	T H U	ÚY	Í È Ì G	Í È Ì G	€	Ä FEE

A Ya Vyf'8]g]f]Vi hYX' @ UXg'f6 @ ' % : ' Ghf i Wh fy'K]G]X YL

	T ^ { ä ^! / Æ æ ^ }	Ö ä ^ & ç } }	Û ç æ Ä æ } æ ä ^ Z æ D æ) ä Ä æ } æ ä ^ Z æ D æ) Û ç æ Ä æ } & ç } Z æ Ä á	Ö) ä Ä æ } Z æ Ä á		
F	T F	ÚY	Í È Ì F	Í È Ì F	€	Ä FEE
G	T G	ÚY	Í È Ì F	Í È Ì F	€	Ä FEE
H	T Ú Í ÖE	ÚY	Í È Ì Ì	Í È Ì Ì	€	Ä FEE
I	T Í	ÚY	Í È Ì Ì	Í È Ì Ì	€	Ä FEE
Í	T Ì	ÚY	Í È Ì F	Í È Ì F	€	Ä FEE
Î	T J	ÚY	Í È Ì F	Í È Ì F	€	Ä FEE
Ï	T Ú H ÖE	ÚY	Í È Ì F	Í È Ì F	€	Ä FEE
Ì	T F Í	ÚY	Í È Ì F	Í È Ì F	€	Ä FEE
J	T F Í	ÚY	Í È Ì F	Í È Ì F	€	Ä FEE
F E	T F Í	ÚY	Í È Ì F	Í È Ì F	€	Ä FEE
FF	T F Í ÖE	ÚY	Í È Ì F	Í È Ì F	€	Ä FEE
FG	T F Í ÖE	ÚY	Í È Ì F	Í È Ì F	€	Ä FEE
FH	T Ú Í Í ÖE	ÚY	Í È Ì F	Í È Ì F	€	Ä FEE
FI	T F Í Ó	ÚY	Í È Ì F	Í È Ì F	€	Ä FEE
FÍ	T F F G	ÚY	Í È Ì F	Í È Ì F	€	Ä FEE
FÌ	T F F H	ÚY	Í È Ì F	Í È Ì F	€	Ä FEE
FÏ	T Í Ì	ÚY	Í È Ì Ì	Í È Ì Ì	€	Ä FEE
FÌ	T Ú G ÖE	ÚY	Í È Ì H	Í È Ì H	€	Ä FEE
FJ	T ÚFOE	ÚY	Í È Ì F	Í È Ì F	€	Ä FEE
GE	T ÍFOE	ÚY	Í È Ì F	Í È Ì F	€	Ä FEE
GF	T G	ÚY	Í È Ì F	Í È Ì F	€	Ä FEE
GG	T G	ÚY	Í È Ì F	Í È Ì F	€	Ä FEE
GH	T G	ÚY	Í È Ì F	Í È Ì F	€	Ä FEE
G	T GJÖE	ÚY	Í È Ì Ì	Í È Ì Ì	€	Ä FEE
G	T H E	ÚY	Í È Ì Ì	Í È Ì Ì	€	Ä FEE
G	T H F	ÚY	Í È Ì Ì	Í È Ì Ì	€	Ä FEE
G	T H GÖE	ÚY	Í È Ì Ì	Í È Ì Ì	€	Ä FEE
G	T H Ì ÖE	ÚY	Í È Ì H	Í È Ì H	€	Ä FEE
GJ	T H Ì ÖE	ÚY	Í È Ì H	Í È Ì H	€	Ä FEE
H E	T H U	ÚY	Í È Ì F	Í È Ì F	€	Ä FEE

A Ya Vyf'5 fYU @ UXg'

R ä ö E	R ä ö Ö	R ä ö Ö	R ä ö Ö	Ö ä ^ & ç } }	Ö ä ç æ ç } }	T æ } æ ä Z ^ - á



0{ }]^ ^
 O^ a) ^
 R a ^ ^ { a ^
 T [a ^ ^ ^ ^

K V [, ^ / ^) * a ^ ^ i a * ^ U [r ^ a } • E S S O
 K
 K V O U ^ U [^ & a ^ [E e i i F i
 K Ö V G G e E U O C E T V ' S U V ' Š a a • ^ U } r ' U ^ & i A E Ö

R ' } ^ A J E O E G F
 F e E E A B E
 Ö @ & ^ a Á ' K ' ' ' '

>c]bh6 ci bXUf mi7 cbX]hcbg

	R ā c E a ^	Y A E a	Y A E a	Z A E a	Y A U [d Ž E D e a á	Y A U [d Ž E D e a á	Z A U [d Ž E D e a á
F	PF						
G	PG						
H	PiH						
I	PiI						
í	Pií						
Ī	PiĪ						
Ī	PjH	Ü^æbĀ	Ü^æbĀ	Ü^æbĀ	Ü^æbĀ		Ü^æbĀ
ì	PjI	Ü^æbĀ	Ü^æbĀ	Ü^æbĀ	Ü^æbĀ		Ü^æbĀ
J	Pi€	Ü^æbĀ	Ü^æbĀ	Ü^æbĀ			
F€	PiH						
FF	PiĪ						
FG	PiF						
FH	PiG						
Fi	PiH	Ü^æbĀ	Ü^æbĀ	Ü^æbĀ	Ü^æbĀ	Ü^æbĀ	Ü^æbĀ
Fí	PiĪ	Ü^æbĀ	Ü^æbĀ	Ü^æbĀ	Ü^æbĀ	Ü^æbĀ	Ü^æbĀ
FĪ	PiĪ						
FĪ	PiĪ						
Fì	PiI	Ü^æbĀ	Ü^æbĀ	Ü^æbĀ	Ü^æbĀ	Ü^æbĀ	Ü^æbĀ
Fj	PiI	Ü^æbĀ	Ü^æbĀ	Ü^æbĀ	Ü^æbĀ	Ü^æbĀ	Ü^æbĀ
GE	PiĪ						
GF	PiĪ						
GG	PiJ						
GH	Pi€						
G	PiG	Ü^æbĀ	Ü^æbĀ	Ü^æbĀ			

9bj YcdY>c]bhFYUM]cbg

	R ā c	Y A a	S O	Y A a	S O	Z A a	S O	T Y A E a	S O	T Y A E a	S O	T Z A E a	S O	
F	PjH	{ æ	í FĪ H	F	í HĪ FF	ì	Ī Ī Fí	H	Ī Ī	G	€	F	Ī Ī	ì
G		{ ā	Ī Ī H	G	FĪ Ī Ī	G	FĪ Ī F	ì	Ī Ī	í	€	F	Ī Ī J	J
H	PjI	{ æ	Ī Ī H	I	FĪ Ī J	í	FĪ Ī H	í	Ī Ī	G	€	F	Ī Ī F	ì
I		{ ā	Ī Ī Ī	H	FĪ Ī J	G	Ī Ī Ī	G	Ī Ī Ī	í	€	F	Ī Ī Ī	J
í	Pi€	{ æ	G Ī Ī	ì	G Ī Ī	ì	G Ī Ī H	H	€	F	€	F	€	F
Ī		{ ā	Ī Ī Ī G	H	Ī Ī J	H	Ī Ī Ī Ī	ì	€	F	€	F	€	F
Ī	PiH	{ æ	H Ī Ī Ī	ì	Ī Ī Ī Ī	ì	G Ī Ī Ī	ì	Ī Ī	í	Ī Ī	ì	Ī Ī Ī	ì
ì		{ ā	Ī Ī Ī Ī	H	Ī Ī Ī Ī	ì	Ī Ī Ī Ī	ì	Ī Ī	í	Ī Ī Ī	H	Ī Ī Ī Ī	H
J	PiĪ	{ æ	Ī Ī Ī Ī	ì	Ī Ī Ī Ī	ì	Ī Ī Ī Ī	ì	Ī Ī	H	Ī Ī	ì	Ī Ī Ī	ì
F€		{ ā	Ī Ī Ī Ī	H	Ī Ī Ī Ī	H	Ī Ī Ī Ī	G	Ī Ī Ī	ì	Ī Ī Ī	H	Ī Ī Ī	J
FF	PiĪ	{ æ	H Ī Ī Ī Ī	ì	Ī Ī Ī Ī Ī	ì	G Ī Ī Ī Ī	ì	Ī Ī Ī	ì	Ī Ī Ī	ì	Ī Ī Ī Ī	H
FG		{ ā	Ī Ī Ī Ī Ī	H	Ī Ī Ī Ī Ī	ì	Ī Ī Ī Ī Ī	ì	Ī Ī Ī Ī	ì	Ī Ī Ī Ī	H	Ī Ī Ī Ī Ī	ì
FH	PiĪ	{ æ	Ī Ī Ī Ī	ì	Ī Ī Ī Ī Ī	ì	Ī Ī Ī Ī Ī	ì	Ī Ī Ī	H	Ī Ī Ī	ì	Ī Ī Ī	J
Fi		{ ā	Ī Ī Ī Ī Ī	H	Ī Ī Ī Ī Ī	H	Ī Ī Ī Ī Ī	G	Ī Ī Ī Ī	ì	Ī Ī Ī Ī	H	Ī Ī Ī Ī Ī	ì
Fí	PiG	{ æ	Ī Ī Ī Ī Ī	ì	Ī Ī Ī Ī Ī	G	Ī Ī Ī Ī Ī	ì	€	F	€	F	€	F
FĪ		{ ā	Ī Ī Ī Ī Ī Ī	ì	Ī Ī Ī Ī Ī Ī	F	Ī Ī Ī Ī Ī Ī	G	€	F	€	F	€	F
FĪ	V[cā K	{ æ	Ī Ī Ī Ī Ī Ī	ì	Ī Ī Ī Ī Ī Ī	ì	G Ī Ī Ī Ī Ī	F						
Fì		{ ā	Ī Ī Ī Ī Ī Ī	H	FĪ Ī Ī Ī Ī	G	Ī Ī Ī Ī Ī Ī	G						



Ô{ }] ə ^ K V[, ^ / Å) * ā ^ i ā * Å [r ç] • Æ S Ö
 Ô • ā) ^ i K
 R ā Å ^ { ā i K V Ò Ù Å [] b & Å [] Æ e i F i
 T [ā i / Å æ ^ K Ò V G F e Æ Æ Ò Ç E T V ' S U V ' Š æ • Å [] r ' Ù & q i Å E Ö

R } ^ Å i Å Ç E F
 F e Æ Å B
 Ô @ & ^ ā Å Ö K ' ' '

9bj YcdYA Ya Vyf GYV]cb: cfWg f7 cbh]bi YXL

T ^ { ā i	Ù &	Ç æ j ā ā	S Ö	^ Å [@ æ j ā ā	S Ö	: Å [@ æ j ā ā	S Ö	V [] ^ Å [] Æ S Ö	^ È Å [] ^ Æ S Ö	: È Å [] ^ Æ S Ö					
FÈ		{ ā	È È È F G	I	È È È I I	G	È È È F I	I	È È È G G	F	È È È I	F	È È È F F	H	
FÈ		H	{ æ	I I È F G	H	F J È H G	F	È È È G	I	È È È G	G	È È È I	È È È G	G	
FÈ		{ ā	È È È I G	I	È È È È F I	G	È È È J J	I	È È È G G	F	È È È F F	H	È È È J J	F	
FÈ		I	{ æ	I I È I G	H	G È È F I	F	È È È G F	G	È È È G	G	È È È I	È È È I	G	
FÈ		{ ā	È È È È H	I	È È È È J G	G	È È È J J	I	È È È G G	F	È È È H	I	È È È H G	F	
FÈ		Í	{ æ	I I È I G	H	G È È È H	F	È È È G F	G	È È È G	G	È È È I	È È È I	G	
FÈ		{ ā	È È È È G H	I	È È È È G	G	È È È J J	I	È È È G G	F	È È È È	I	È È È I	F	
FFÈ	T F I Ç E	F	{ æ	Í È È F	F	Í È È J	H	F I I È È I	I	È È È F I	J	È È È F I	G	È È È È H	G
FFG		{ ā	È È È È E G	Í	È È È È J G	J	G È È I I	G	È È È È	I	È È È I	I	È È È F I	J	
FFH		G	{ æ	Í È È F	F	F È È J	G	F I I È È I	I	È È È F I	J	È È È È	G	È È È È H	I
FFI		{ ā	È È È È J I	Í	È È È È J G	J	F I È È I	G	È È È È	I	È È È J I	Í	È È È È	J	
FFÍ		H	{ æ	F È È F F	F	H È È I I	I	F I È È F	I	È È È F I	J	È È È G G	G	È È È G G	I
FFÌ		{ ā	È È È È J F	Í	È È È È J G	J	J È È I I	G	È È È È	I	È È È G G	F	È È È G G	H	
FFÌ		I	{ æ	F H È È	F	I È È I I	I	F I H È È I	I	È È È F I	J	È È È J I	Í	È È È È	J
FFÌ		{ ā	È È È È H I	G	È È È È J G	J	I È È I I	G	È È È È	I	È È È È	G	È È È G G	I	
FFJ		Í	{ æ	F I È È	F	F I È È I	I	F I I È È I	I	È È È F I	J	È È È J	Í	È È È F I	J
FGÈ		{ ā	È È È È Ç E	G	È È È È F G	H	È È È F I	G	È È È È	I	È È È È	G	È È È È	I	
FGF	T U Í Ç E	F	{ æ	J È È I I	I	I È È G J	G	H I F È È F	I	È È È H	J	È È È È	G	È È È F	G
FGG		{ ā	È È È È J H	G	È È È È G H	FÈ	I È È F J	G	È È È È	G	È È È H	Í	È È È È	FÈ	
FGH		G	{ æ	F È È È I G	I	I È È G J	G	H I F È È F	I	È È È H	J	È È È F I	G	È È È È	I
FG		{ ā	F È È È	G	È È È È G H	FÈ	H È È F I	G	È È È È	G	È È È È	Í	È È È È	FÈ	
FG		H	{ æ	F F F È È I	I	F G È È	I	H I H È È J	I	È È È H	J	È È È G G	G	È È È È	J
FG		{ ā	H È È I I	G	È È È È G H	FÈ	H È È F I	G	È È È È	G	È È È G G	F	È È È È H	I	
FG		I	{ æ	F G F È È H	I	F I È È F	I	H I È È È	I	È È È H	J	È È È È	Í	È È È F È	FÈ
FG		{ ā	I È È J I	G	È È È È G H	FÈ	G È È F I	G	È È È È	G	È È È È	G	È È È È	I	
FGJ		Í	{ æ	F H F È È I	I	G È È I G	I	H I I È È I	I	È È È H	J	È È È H	Í	È È È È	FÈ
FHÈ		{ ā	I È È G	G	È È È È G H	FÈ	G È È F I	G	È È È È	G	È È È H G	G	È È È F J	I	
FHF	T F Í Ç E	F	{ æ	È È È È J G	H	I È È G J	J	H H È È I	I	È È È H	J	È È È G	G	È È È J H	J
FHG		{ ā	È È È È F I	I	È È È È F F	FÈ	I È È I I	H	È	G	È È È H	I	È È È F I	FÈ	
FHH		G	{ æ	È È È È I H	H	I È È G J	J	H H È È I	I	È È È H	J	È È È F I	G	È È È F	J
FH		{ ā	È È È È F G	I	È È È È F F	FÈ	H È È J I	G	È	G	È È È I	Í	È È È È	FÈ	
FH		H	{ æ	È È È È F G H	H	I È È G J	J	H H È È F I	I	È È È H	J	È È È È	Í	È È È J	J
FH		{ ā	È È È È È È	I	È È È È F F	FÈ	H È È J I	G	È	G	È	H	È È È È	I	
FH		I	{ æ	È È È È È H	H	I È È G J	J	H H È È I	I	È È È H	J	È È È H	I	È È È F I	FÈ
FH		{ ā	È È È È È G	I	È È È È F F	FÈ	G È È J I	G	È	G	È È È F	G	È È È H	J	
FHJ		Í	{ æ	È È È È I	H	I È È G J	J	H I È È F J G	I	È È È H	J	È È È È	Í	È È È G	FÈ
FIÈ		{ ā	È È È È È J I	I	È È È È F F	FÈ	G È È J I	G	È	G	È È È H	G	È È È I	J	
FIF	T F F G	F	{ æ	H H È È	H	G I È È J I	I	I G È È J J	F	È È È I	Í	È È È F	G	È È È H	I
FIG		{ ā	È È È È È È F	J	F È È È F H	H	È È È È È I	G	È È È I	G	È È È I	F	È È È È	H	
FIH		G	{ æ	I H È È G	H	F J I È È F	I	I I J È È È	G	È È È I	G	È È È G	F	È È È J	J
FII		{ ā	È È È È È G	I	È È È È È F	H	È È È È J J	F	È È È H	F	È È È I	G	È È È J	H	
FÍ		H	{ æ	G È È G	I	I F G È È I	I	I G È È I	I	È È È I	G	È È È È	G	È È È G	H
FÌ		{ ā	È È È È È I I	I	È È È È È F	I	È È È È È	H	È È È H	F	È È È F H	F	È È È G G	I	
FÌ		I	{ æ	Í È È I	I	I I È È F	I	Í È È	Í	È È È G	I	È È È H	F	È È È I	I
FÌ		{ ā	È È È È È U I	Í	È È È È È H	H	È È È È È F	Í	È È È F	H	È È È G	G	È È È J	H	
FIJ		Í	{ æ	È	F	È	F	È	F	È	F	È	F	È	F
FÍÈ		{ ā	È	F	È	F	È	F	È	F	È	F	È	F	F
FÍF	T F F H	F	{ æ	F È È È G	J	I I È È H	I	F I I È È	J	È È È I	I	È È È I	I	È È È I	I
FÍG		{ ā	È È È È È I I	I	I I È È F I	H	È È È È È J	I	È È È G G	G	È È È I	H	È È È F G	H	
FÍH		G	{ æ	H I I È È I	J	F I È È F	J	I I È È È J	G	È È È J	I	È È È J I	I	È È È H	J
FÍ		{ ā	È È È È È F È J I	I	È È È È È G	I	È È È È È H	I	È È È I	H	È È È È	I	È È È F	G	
FÍ		H	{ æ	I I I È È G	Í	I F È È G	I	I I I È È G	I	È È È J	I	È È È H	H	È È È È	I

EXHIBIT 9

MODIFICATION AND DESIGN DRAWINGS FOR EXISTING ANTENNA MOUNTS EXISTING SELF SUPPORTING TOWER

PROPOSED CARRIER: T-MOBILE

TOWER OWNER: SBA / TOWER OWNER SITE #: 1203277

CARRIER SITE #/NAME: CT11319C / WINDSOR LOCKS/RT 20

COORDINATES (LATITUDE: 41.928100°, LONGITUDE: -72.646800°)

PLEASE NOTE THIS SET OF DRAWINGS ARE FOR INSTALLATION AND ASSEMBLY ONLY. FABRICATION DETAIL DRAWINGS ARE NOT PROVIDED AND MUST BE COMPLETED BY THE STEEL FABRICATOR SELECTED. TES CAN PROVIDE THE FABRICATION DETAIL DRAWINGS FOR AN ADDITIONAL FEE.

SHEET	SHEET TITLE	REV
T-1	TITLE SHEET	0
BOM	BILL OF MATERIALS	0
GN-1	GENERAL NOTES	0
A-1	ANTENNA MOUNT MODIFICATION DETAILS	0
A-2	ANTENNA MOUNT PHOTOS	0
D-1	STANDARD DETAILS	0
D-2	STANDARD DETAILS	0
MS-LVPB-2375	METROSITE V-BRACING KIT	
MS-STZ-2PST	METROSITE STABILIZER KIT	
MS-STZ-2875P	METROSITE STABILIZER ADAPTER KIT	

NOTE:

1. THE MODIFICATION DRAWINGS ARE BASED ON THE TES PROJECT NO. 106689, DATED 04/27/2021.



Tower Engineering Solutions
1320 GREENWAY DRIVE, SUITE 600
IRVING, TX 75038
PH: (972) 483-0607



5900 BROKEN SOUND PARKWAY, NW
BOCA RATON, FL 33487
(800)-487-SITE

TES JOB NO:
107815

CUSTOMER SITE NO:
CT22108-A-SBA
CUSTOMER SITE NAME:
WINDSOR LOCKS @ VOLUNTEER
DRIVE
2-4 VOLUNTEER DRIVE
WINDSOR LOCKS, CT 06096



DRAWN BY: AB CHECKED BY: KP/HMA

REV.	DESCRIPTION	BY	DATE
△	FIRST ISSUE	AB	06/11/21
△			
△			
△			

SHEET TITLE:

TITLE SHEET

This drawing/document is the property of Tower Engineering Solutions, LLC. Information contained herein is considered confidential in nature and is to be used only for the specific site that it was intended for. Reproduction, transmission, publication or disclosure by any method is prohibited except by express written permission from Tower Engineering Solutions, LLC. Without exception, the information on this drawing/document remains the property of Tower Engineering Solutions, LLC.

SHEET NUMBER: T-1 REV #: 0

BILL OF MATERIALS

QUANTITY COUNTED	QUANTITY PROVIDED	PART NUMBER	DESCRIPTIONS	SHEET LIST	PIECE WEIGHT (LBS)	WEIGHT (LB)	NOTES
MATERIAL & HARDWARE							
2	2	MS-LVPB-2375	METROSITE V-BRACING KIT	A-1, MS-LVPB-2375	532.0	1064.0	Galvanized
3	3	MS-STZ-2PST	METROSITE STABILIZER KIT	A-1, MS-STZ-2PST	79.3	237.9	Galvanized
3	3	MS-STZ-2875P	METROSITE STABILIZER ADAPTER KIT	A-1, MS-STZ-2875P	4.3	12.9	Galvanized
FOLLOWING ITEMS ARE "CUSTOM" PARTS							
ALL METROSITE PARTS ARE AVAILABLE FROM METROSITE, LLC.							
180 IND PARK BLVD COMMERCE, GA 30529							
OFFICE: (706) 335-7045							
FAX: (706) 335-7056							
NOTE: ALL MATERIALS, WHICH WEREN'T LISTED IN THIS SHEET, ARE ASSUMED TO BE PROVIDED BY THE CONTRACTOR.							
					TOTAL WEIGHT (LBS) =	1314.8	

Copyright 2021 Tower Engineering Solutions, LLC



Tower Engineering Solutions
 1320 GREENWAY DRIVE, SUITE 600
 IRVING, TX 75038
 PH: (972) 483-0607



5900 BROKEN SOUND PARKWAY, NW
 BOCA RATON, FL 33487
 (800)-487-SITE

TES JOB NO:
107815

CUSTOMER SITE NO:
CT22108-A-SBA

CUSTOMER SITE NAME:
WINDSOR LOCKS @ VOLUNTEER

2-4 VOLUNTEER DRIVE
 WINDSOR LOCKS, CT 06096

DRAWN BY: AB CHECKED BY: KP/HMA

REV.	DESCRIPTION	BY	DATE
1	FIRST ISSUE	AB	06/11/21

SHEET TITLE:

BILL OF MATERIALS

This drawing/document is the property of Tower Engineering Solutions, LLC. Information contained herein is considered confidential in nature and is to be used only for the specific site that it was intended for. Reproduction, transmission, publication or disclosure by any method is prohibited except by express written permission from Tower Engineering Solutions, LLC. Without exception, the information on this drawing/document remains the property of Tower Engineering Solutions, LLC.

SHEET NUMBER: **BOM** REV #: **0**

GENERAL NOTES

1. ALL WORK SHALL COMPLY WITH THE ANSI/TIA-222-G, ANSI/ASSP A10.48, AND ANY OTHER GOVERNING BUILDING CODES AND OSHA SAFETY REGULATIONS.
2. ALL WORK INDICATED ON THE DRAWINGS SHALL BE PERFORMED BY QUALIFIED CONTRACTORS EXPERIENCED IN TELECOMMUNICATIONS TOWER, POLE AND FOUNDATION CONSTRUCTION.
3. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE DESIGN AND FABRICATION OF ALL MISCELLANEOUS PARTS (SUCH AS SHIMS), TEMPORARY SUPPORTS, AND GUYINGS, ETC., PER ANSI/ASSP A10.48, TO COMPLETE THE ASSEMBLY AS SHOWN IN THE DRAWINGS.
4. CONTRACTOR SHALL PROCEED WITH THE INSTALLATION WORK CAREFULLY SO THE WORK WILL NOT DAMAGE ANY EXISTING CABLE, EQUIPMENT OR THE STRUCTURE.
5. THE USE OF GAS TORCH OR WELDER, ARE NOT ALLOWED ON ANY TOWER STRUCTURE WITHOUT THE CONSENT OF THE TOWER OWNER.
6. GENERALLY THE CONTRACTOR IS RESPONSIBLE TO CONDUCT AN ONSITE VISIT SURVEY OF THE JOB SITE AFTER AWARD, AND REPORT ANY ISSUES WITH THE SITE TO **TES** BEFORE PROCEEDING CONSTRUCTION.
7. IT IS THE RESPONSIBILITY OF THE GC TO VERIFY THAT THERE IS NO INTERFERENCES (WITH SAFETY CLIMB BRACKETS, TRANSMISSION LINES, ETC.) PRIOR TO MOBILIZATION AND INSTALLATION OF THESE MODIFICATIONS.
8. PLEASE NOTIFY TES IMMEDIATELY IF ANY INSTALLATION ISSUES OCCUR RELATED TO THIS DRAWING @ 972-483-0607 OR EMAIL-TESORDERS@TESTOWER.US

FABRICATION

1. ALL STEEL SHALL MEET OR EXCEED THE MINIMUM STRENGTH AS SPECIFIED IN THE DRAWINGS. IF YIELD STRENGTH WAS NOT NOTED IN THE DRAWINGS, CONTRACTORS SHALL CONTACT TES FOR DIRECTION.
2. ALL FIELD CUT EDGES SHALL BE GROUND SMOOTH. ALL FIELD CUT AND DRILLED SURFACES SHALL BE REPAIRED WITH A MINIMUM OF TWO COATS OF ZINGA COLD GALVANIZING COMPOUND PER ASTM A780 AND MANUFACTURER'S RECOMMENDATIONS.

WELDING

1. ALL WELDING SHALL BE PERFORMED BY AWS CERTIFIED WELDERS AND IN ACCORDANCE WITH THE LATEST EDITION OF THE AWS WELDING CODE D1.1. ALL ELECTRODES TO BE LOW HYDROGEN, MATCHING FILLER METAL, PER AWS D1.1, UNO. (E70XX UNLESS NOTED OTHERWISE).
2. PRIOR TO FIELD WELDING GALVANIZED MATERIAL, CONTRACTOR SHALL GRIND OFF GALVANIZING APPROX. 0.5" BEYOND THE PROPOSED FIELD WELD SURFACES.
3. ALL WELDS SHALL BE INSPECTED VISUALLY. A MINIMUM OF 25% OF WELDS SHALL BE INSPECTED WITH DYE PENETRANT OR MAGNETIC PARTICLE TO MEET THE ACCEPTANCE CRITERIA OF AWS D1.1. 100% OF WELDS SHALL BE INSPECTED IF DEFECTS ARE FOUND.
4. WELD INSPECTIONS SHALL BE PERFORMED BY AN AWS CERTIFIED WELD INSPECTOR.
5. AFTER INSPECTION, ALL FIELD WELDED SURFACES SHALL BE REPAIRED WITH A MINIMUM OF TWO COATS OF ZINGA COLD GALVANIZING COMPOUND PER ASTM A780 AND MANUFACTURER'S RECOMMENDATIONS.

BOLTED ASSEMBLIES AND TIGHTENING OF CONNECTIONS

1. ALL HIGH STRENGTH BOLTS SHALL CONFORM TO THE PROVISIONS OF THE SPECIFICATIONS FOR STRUCTURAL JOINTS USING A325 OR A490 BOLTS AS APPROVED BY THE RSCC.
2. FLANGE BOLTS SHALL BE TIGHTENED BY THE AISC "TURN-OF-THE-NUT" METHOD. THE FOLLOWING TABLE SHOULD BE USED FOR THE "TURN-OF-THE-NUT" TIGHTENING.
3. SPLICE BOLTS AND ALL OTHER BOLTS IN BEARING TYPE CONNECTIONS SHALL BE TIGHTENED TO A SNUG-TIGHT CONDITION.
4. THE SNUG-TIGHT CONDITION IS DEFINED AS THE TIGHTNESS ATTAINED BY EITHER A FEW IMPACTS OF AN IMPACT WRENCH OR THE FULL EFFORT OF AN IRONWORKER WITH AN ORDINARY SPUD WRENCH TO BRING THE CONNECTED PLIES INTO FIRM CONTACT.
5. HB HOLLO-BOLT SHALL BE INSTALLED PER ICC ESR-3330 INSTRUCTIONS.

VERIFICATION AND INSPECTION

1. IF APPLICABLE, VERIFICATION INSPECTION TO BE PERFORMED SHALL BE IN ACCORDANCE TO IBC-2015 SECTION 1705 FOR STEEL CONSTRUCTION AND TABLE 1705.3 FOR CONCRETE CONSTRUCTION.

TABLE 8.2 NUT ROTATION FROM SNUG-TIGHT CONDITION FOR TURN-OF-NUT PRETENSIONING^{a,b}

BOLT LENGTH ^f	DISPOSITION OF OUTER FACE OF BOLTED PARTS		
	BOTH FACES NORMAL TO BOLT AXIS	ONE FACE NORMAL TO BOLT AXIS, OTHER SLOPED NOT MORE THAN 1:20 ^d	BOTH FACES SLOPED NOT MORE THAN 1:20 FROM NORMAL TO BOLT AXIS ^d
NOT MORE THAN 4d _b	1/3 TURN	1/2 TURN	2/3 TURN
MORE THAN 4d _b BUT NOT MORE THAN 8d _b	1/2 TURN	2/3 TURN	5/6 TURN
MORE THAN 8d _b BUT NOT MORE THAN 12d _b	2/3 TURN	5/6 TURN	1 TURN

^a NUT ROTATION IS RELATIVE TO BOLT REGARDLESS OF THE ELEMENT (NUT OR BOLT) BEING TURNED. FOR REQUIRED NUT ROTATIONS OF 1/2 TURN AND LESS, THE TOLERANCE IS PLUS OR MINUS 30 DEGREES; FOR REQUIRED NUT ROTATIONS OF 2/3 TURN AND MORE, THE TOLERANCE IS PLUS OR MINUS 45 DEGREES.

^b APPLICABLE ONLY TO JOINTS IN WHICH ALL MATERIAL WITHIN THE GRIP IS STEEL.

^c WHEN THE BOLT LENGTH EXCEEDS 12d_b, THE REQUIRED NUT ROTATION SHALL BE DETERMINED BY ACTUAL TESTING IN A SUITABLE TENSION CALIBRATOR THAT SIMULATES THE CONDITIONS OF SOLIDLY FITTING STEEL.

^d BEVELED WASHER NOT USED.

SPECIFICATION FOR STRUCTURAL JOINTS USING ASTM A325 OR A490 BOLTS, JUNE 30, 2004 RESEARCH COUNCIL ON STRUCTURAL CONNECTIONS

INSTALLATION TORQUE REQUIRED FOR HOLLO BOLTS AND AJAX BOLTS:

1. HB12 HOLLO BOLT: 59 FT-LBS
2. HB16 HOLLO BOLT: 140 FT-LBS
3. HB20 HOLLO BOLT: 221 FT-LBS
4. M20 AJAX BOLT: 280 FT-LBS.

FIELD HOT WORK PLAN NOTES:

FOLLOWING GUIDELINES SHALL BE COMPLIED WITH:

1. CONTRACTOR'S RESPONSIBILITY TO COMPLETE A HOT WORK PLAN IF AWARDED PER CUSTOMER SPECIFICATIONS GUIDELINES FOR WELDING, CUTTING & SPARK PRODUCING WORK.
2. HAVE A FIRE PLAN APPROVED BY THE CUSTOMER AND THEIR SAFETY MANAGEMENT DEPT.
3. CONTRACTOR MUST OBTAIN THE CONTACT INFO OF THE LOCAL FIRE DEPARTMENT AND THE 911 ADDRESS OF THE TOWER SITE BEFORE CONSTRUCTION.
4. CONTRACTOR SHALL MAKE SURE THAT CELL PHONE COVERAGE IS AVAILABLE IN THE TOWER SITE. IF CELL COVERAGE IS NOT AVAILABLE, AN IMMEDIATE AVAILABLE MEANS OF DIRECT COMMUNICATION WITH THE FIRE DEPARTMENT SHALL BE DETERMINED PRIOR TO CONSTRUCTION START.
5. ALL CONSTRUCTION SHALL BE PERFORMED UNDER WIND SPEED LESS THAN 10 MPH ON THE GROUND LEVEL. IF WIND SPEED INCREASE, CONTRACTOR MUST DETERMINE IF CONSTRUCTION SHALL BE DISCONTINUED.
6. FIRE SUPPRESSION EQUIPMENT MUST BE MADE AVAILABLE ON SITE AND READY TO USE.
7. CONTRACTOR SHALL ASSIGN A FIRE WATCHER TO PERFORM FIRE-FIGHTING DUTIES.
8. ALL WELDERS SHALL BE AWS OR STATE CERTIFIED. THEY MUST ALSO BE EXPERIENCED IN WELDING ON GALVANIZED MATERIALS.
9. IF IT IS POSSIBLE, ALL EXISTING COAX NEAR WELDING AREA SHALL BE TEMPORARILY MOVED AWAY FROM THE WELDING AREA BEFORE WELDING THE PLATES.
10. PLEASE REPORT ANY FIELD ISSUE TO TES @ 972-483-0607.



Tower Engineering Solutions

1320 GREENWAY DRIVE, SUITE 600
IRVING, TX 75038
PH: (972) 483-0607



5900 BROKEN SOUND PARKWAY, NW
BOCA RATON, FL 33487
(800)-487-SITE

TES JOB NO:
107815

CUSTOMER SITE NO:
CT22108-A-SBA
CUSTOMER SITE NAME:

WINDSOR LOCKS @ VOLUNTEER

2-4 VOLUNTEER DRIVE
WINDSOR LOCKS, CT 06096

DRAWN BY: AB | CHECKED BY: KP/HMA

REV.	DESCRIPTION	BY	DATE
1	FIRST ISSUE	AB	06/11/21

SHEET TITLE:

GENERAL NOTES

This drawing/document is the property of Tower Engineering Solutions, LLC. Information contained herein is considered confidential in nature and is to be used only for the specific site that it was intended for. Reproduction, transmission, publication or disclosure by any method is prohibited except by express written permission from Tower Engineering Solutions, LLC. Without exception, the information on this drawing/document remains the property of Tower Engineering Solutions, LLC.

SHEET NUMBER: | REV #:

GN-1 | 0

SCOPE OF WORK

- 1. INSTALL NEW V-BRACING WITH LEVELING KIT. (2) PER SECTOR. SEE SHEET D-1 & MS-LVPB-2375 FOR DETAILS.
- 2. INSTALL NEW STABILIZER KIT AND STABILIZER ADAPTER KIT. SEE SHEETS MS-STZ-2PST, MS-STZ-2875P, & D-2 FOR DETAILS.
- 3. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE CLEAN-UP, REMOVAL AND DISPOSAL OF EXCESS MATERIALS USED AND REMOVED FROM THE STRUCTURE AT THE COMPLETION OF THE PROJECT.





PHOTO 1

EXISTING ANTENNA MOUNT @ 135' ELEV



ISOMETRIC VIEW
EXISTING ANTENNA MOUNT @ 135' ELEV.
(MODIFICATION IS TYPICAL FOR ALL (3) SECTORS)

CONTRACTOR NOTE:

- 1. IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO VERIFY THAT THERE IS NO INTERFERENCES WITH (SAFETY CLIMB BRACKETS, TRANSMISSION LINES, ETC.) PRIOR TO MOBILIZATION AND INSTALLATION OF THESE MODIFICATIONS.
- 2. PLEASE NOTIFY TES IMMEDIATELY IF ANY INSTALLATION ISSUES OCCUR RELATED TO THIS DRAWING @ 972-483-0607 OR EMAIL-TESORDERS@TESTOWER.US

NOTES:

- 1. TEMPORARILY RELOCATE ANY EXISTING COAX ATTACHED TO THE LEGS AND/OR ANY OTHER MEMBERS WHERE OBSTRUCTION WITH THE PROPOSED MODIFICATION MAY OCCUR.
- 2. WHEN FIELD CUTTING AND DRILLING ANGLES, USE SAME GAGE LINES AND EDGE DISTANCES AS INDICATED ON SHOP CUT AND DRILLED ENDS.
- 3. APPLY (2) COATS OF ZINGA COLD GALVANIZING COMPOUND AS PER THE MANUFACTURER'S SPECIFICATIONS TO ALL FIELD CUT AND DRILLED AREAS.
- 4. MEMBERS IN BLUE COLOR ARE NEW REINFORCEMENTS.

NOTE:
EXISTING TOWER IS PAINTED. CONTRACTOR TO VERIFY WITH TOWER OWNER IF NEW MODIFICATION MEMBERS ARE TO BE PAINTED TO MATCH EXISTING TOWER COLOR.

ITEM NO.	QTY.	PART NO.	DESCRIPTIONS
1	6	MS-LVPB-2375	METROSITE V-BRACING KIT
2	3	MS-STZ-2PST	METROSITE STABILIZER KIT
3	3	MS-STZ-2875P	METROSITE STABILIZER ADAPTER KIT



Tower Engineering Solutions
1320 GREENWAY DRIVE, SUITE 600
IRVING, TX 75038
PH: (972) 483-0607



5900 BROKEN SOUND PARKWAY, NW
BOCA RATON, FL 33487
(800)-487-SITE

TES JOB NO:
107815

CUSTOMER SITE NO:
CT22108-A-SBA
CUSTOMER SITE NAME:

WINDSOR LOCKS @ VOLUNTEER
2-4 VOLUNTEER DRIVE
WINDSOR LOCKS, CT 06096

DRAWN BY: AB | CHECKED BY: KP/HMA

REV.	DESCRIPTION	BY	DATE
1	FIRST ISSUE	AB	06/11/21

SHEET TITLE:
**ANTENNA MOUNT
MODIFICATION DETAILS**

This drawing/document is the property of Tower Engineering Solutions, LLC. Information contained herein is considered confidential in nature and is to be used only for the specific site that it was intended for. Reproduction, transmission, publication or disclosure by any method is prohibited except by express written permission from Tower Engineering Solutions, LLC. Without exception, the information on this drawing/document remains the property of Tower Engineering Solutions, LLC.

SHEET NUMBER: **A-1** | REV #: **0**



PHOTO 1



PHOTO 2



PHOTO 3

NOTE:
 EXISTING RRUS/EQUIPMENT MAY BE RELOCATED
 ALONG THE MEMBER TO ACCOMMODATE THE
 INSTALLATION OF NEW MOUNT MODIFICATION



Tower Engineering Solutions
 1320 GREENWAY DRIVE, SUITE 600
 IRVING, TX 75038
 PH: (972) 483-0607



5900 BROKEN SOUND PARKWAY, NW
 BOCA RATON, FL 33487
 (800)-487-SITE

TES JOB NO:
 107815

CUSTOMER SITE NO:
 CT22108-A-SBA
 CUSTOMER SITE NAME:
WINDSOR LOCKS @ VOLUNTEER
 2-4 VOLUNTEER DRIVE
 WINDSOR LOCKS, CT 06096

DRAWN BY: AB | CHECKED BY: KP/HMA


REV.	DESCRIPTION	BY	DATE
1	FIRST ISSUE	AB	06/11/21

SHEET TITLE:

ANTENNA MOUNT
 PHOTOS

This drawing/document is the property of Tower Engineering Solutions, LLC. Information contained herein is considered confidential in nature and is to be used only for the specific site that it was intended for. Reproduction, transmission, publication or disclosure by any method is prohibited except by express written permission from Tower Engineering Solutions, LLC. Without exception, the information on this drawing/document remains the property of Tower Engineering Solutions, LLC.

SHEET NUMBER: A-2 | REV #: 0



Tower Engineering Solutions
 1320 GREENWAY DRIVE, SUITE 600
 IRVING, TX 75038
 PH: (972) 483-0607



5900 BROKEN SOUND PARKWAY, NW
 BOCA RATON, FL 33487
 (800)-487-SITE

TES JOB NO:
 107815
 CUSTOMER SITE NO:
 CT22108-A-SBA
 CUSTOMER SITE NAME:
WINDSOR LOCKS @ VOLUNTEER
 2-4 VOLUNTEER DRIVE
 WINDSOR LOCKS, CT 06096

DRAWN BY: AB | CHECKED BY: KP/HMA


REV.	DESCRIPTION	BY	DATE
1	FIRST ISSUE	AB	06/11/21

SHEET TITLE:


STANDARD DETAILS

This drawing/document is the property of Tower Engineering Solutions, LLC. Information contained herein is considered confidential in nature and is to be used only for the specific site that it was intended for. Reproduction, transmission, publication or disclosure by any method is prohibited except by express written permission from Tower Engineering Solutions, LLC. Without exception, the information on this drawing/document remains the property of Tower Engineering Solutions, LLC.


SHEET NUMBER: D-1 | REV #: 0



1
D-1
DETAIL




DETAIL "A"



2
D-1
DETAIL

NOTES:
 1. HOT-DIPPED GALVANIZED PER ASTM A123.
 2. ALL HOLES ARE 11/16" DIA. U.N.O



Tower Engineering Solutions


1320 GREENWAY DRIVE, SUITE 600
IRVING, TX 75038
PH: (972) 483-0607



5900 BROKEN SOUND PARKWAY, NW
BOCA RATON, FL 33487
(800)-487-SITE

TES JOB NO:
107815

CUSTOMER SITE NO:
CT22108-A-SBA
CUSTOMER SITE NAME:
WINDSOR LOCKS @ VOLUNTEER
2-4 VOLUNTEER DRIVE
WINDSOR LOCKS, CT 06096



1
D-2 DETAIL

DRAWN BY: AB CHECKED BY: KP/HMA

REV.	DESCRIPTION	BY	DATE
1	FIRST ISSUE	AB	06/11/21

SHEET TITLE:

STANDARD DETAILS







This drawing/document is the property of Tower Engineering Solutions, LLC. Information contained herein is considered confidential in nature and is to be used only for the specific site that it was intended for. Reproduction, transmission, publication or disclosure by any method is prohibited except by express written permission from Tower Engineering Solutions, LLC. Without exception, the information on this drawing/document remains the property of Tower Engineering Solutions, LLC.

SHEET NUMBER: D-2 REV #: 0

- NOTES:
- HOT-DIPPED GALVANIZED PER ASTM A123.
 - ALL HOLES ARE 11/16" DIA. U.N.O

THE FOLLOWING DRAWINGS ARE INCLUDED FOR REFERENCE ONLY
PLEASE REFER TO THE INSTALLATION DRAWINGS FOR ACTUAL INSTALLATION DETAILS

ITEM NO.	QTY.	PART NO.	DESCRIPTION	GRADE	SHEET #	WT
1	6	VB-25-10	L 2 1/2" X 2 1/2" X 1/4" X 10'-0"	A36	BK-1	258
2	6	PL375-42585	PL 3/8" X 4 1/4" X 8 1/2"	A36	BK-1	23.4
3	3	PST350-2W	WELDMENT PIPE	A53-GR B	PST350-2W	59.4
4	6	PL5-42512	PL 1/2" X 4 1/4" X 1'-0"	A572-50	BK-2	45.6
5	6	AL-533	L 5" X 3" X 1/4" X 3"	A36	BK-1	10.2
6	6	BPL-37512	PL 3/8" X 8 5/8" X 1'-0"	A36	BK-4	67.2
7	6	AL-5X3-9	L 5" X 3" X 3/8" X 9"	A36	BK-4	45.0
8	24	---	THREADED ROD 5/8" X 1'-0" W/ (2) HHN & LKW EA.	A36	---	---
9	12	MS02-625-250-400	RU-BOLT 5/8" X 2 1/2" I.W. X 4" I.L. A36 (OR EQUIV.)	---	RBC-1	14.0
10	6	MS02-625-3625-600	RU-BOLT 5/8" X 3 5/8" I.W. X 6" I.L. A36 (OR EQUIV.)	---	RBC-1	8.7
11	24	---	BOLT 5/8" X 1 3/4" A325 W/ HHN & LKW EA.	---	---	---
12	6	---	BOLT 5/8" X 2 1/4" A325 W/ HHN & LKW EA.	---	---	---
GALVANIZED WT						532



NOTE:
 1) FITS UP TO 6" ANGLE / 8" DIA PIPE LEG.
 2) THREADED ROD MAY BE CUT TO LENGTH AS REQUIRED.
 3) FIT 2 3/8" DIA O.D HORIZONTAL PIPE.





THIRD ANGLE PROJECTION				METROSITE FABRICATORS LLC 180 INDUSTRIAL PARK BLVD. COMMERCE GA 30529	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE FINISH		CONFIDENTIAL ALL INFORMATION ON THIS DOCUMENT IS PROPERTY OF METROSITE FABRICATORS LLC		TITLE MS-LVPB-2375 V-BRACING KIT	
STANDARD SHEET TOLERANCES DECIMALS .X ± 0.1 .XX ± 0.02 .XXX ± 0.005		ANGLES ± 1° FRACTIONS ± 1/32		APPROVAL / SIGNATURES DRAWN BY: XXX REVIEWED: XXX APPROVED: XXX	
		DATE 02/28/19		SIZE/DWG NO B MS-LVPB-2375	
				SCALE SHEET 1 OF 1	

NOTES:

- 1) FITS 1 1/4" DIA. TO 4 1/2" DIA. LEG.
- 2) FIELD ASSEMBLY ALL PARTS.
- 3) THREADED ROD MAY BE CUT TO LENGTH AS REQUIRED.

MS-STZ-2PST

ITEM NO.	QTY.	PART NO.	DESCRIPTION	GRADE	SHEET #	WT
1	1	PP2375-15	2" PST PIPE (2.375" O.D. X 0.154" THICKNESS) X 15'-0"	A53 GR. B OR A500 GR. B/C	STZ-1	56.8
2	2	UP-2375P	PL 3/8" X 2 1/2" X 9 3/4" BENT PLATE	A36	STZ-1	19.0
3	1	C-3750	C3X6 X 0'-7 1/2"	A36	STZ-1	1.2
4	1	AL-4375	L 4" X 3" X 3/8" X 7 1/2"	A36	STZ-1	2.3
5	2	---	THREADED ROD 5/8" X 8" W/ (2) HHN & LKW EA.	A36	--	--
6	2	---	BOLT 5/8" X 2" A325 W/ HHN & LKW EA.	---	---	---
7	2	---	BOLT 5/8" X 4 1/2" A325 W/ HHN & LKW EA.	---	---	---
GALVANIZED WT						79.3




THIRD ANGLE PROJECTION			METROSITE FABRICATORS LLC 180 INDUSTRIAL PARK BLVD. COMMERCE GA 30529	
			TITLE MS-STZ-2PST STABILIZER KIT	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE FINISH		CONFIDENTIAL ALL INFORMATION ON THIS DOCUMENT IS PROPERTY OF METROSITE FABRICATORS LLC		SIZE/DWG NO B MS-STZ-2PST
STANDARD SHEET TOLERANCES DECIMALS .X ± 0.1 .XX ± 0.02 .XXX ± 0.005		APPROVAL / SIGNATURES DRAWN BY: XXX REVIEWED: XXX APPROVED: XXX		DATE 05/12/17 - -
ANGLES ± 1° FRACTIONS ± 1/32		SHEET 1 OF 1		REV 1

MS-STZ-2875P

- NOTES:
 1) FIELD ASSEMBLY ALL PARTS.
 2) FITS 1.66" O.D. TO 2.875" O.D. HORIZONTAL PIPE.

ITEM NO.	QTY.	PART NO.	DESCRIPTION	GRADE	SHEET #	WT
1	1	PL375-4259	PL 3/8" X 4 1/4" X 9" 1	A36	BK-2	4.3
2	2	MS02-625-300-500	RU-BOLT 5/8" X 3" I.W. X 5" I.L. A36 (OR EQUIV.)	---	RBC-1	--
GALVANIZED WT						4.3





UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE FINISH		THIRD ANGLE PROJECTION 				METROSITE FABRICATORS LLC 180 INDUSTRIAL PARK BLVD. COMMERCE GA 30529	
STANDARD SHEET TOLERANCES		CONFIDENTIAL ALL INFORMATION ON THIS DOCUMENT IS PROPERTY OF METROSITE FABRICATORS LLC		TITLE MS-STZ-2875P STABILIZER ADAPTER KIT			
DECIMALS .X ± 0.1 .XX ± 0.02 .XXX ± 0.005	ANGLES ± 1° FRACTIONS ± 1/32	APPROVAL / SIGNATURES DRAWN BY XXX REVIEWED XXX APPROVED XXX	DATE 05/12/17 - -	SIZE/DWG NO B MS-STZ-2875P	SCALE -	REV 1	SHEET 1 OF 1

EXHIBIT 10

RADIO FREQUENCY EMISSIONS ANALYSIS REPORT
EVALUATION OF HUMAN EXPOSURE POTENTIAL
TO NON-IONIZING EMISSIONS

T-Mobile Existing Facility

Site ID: CT11319C

Windsor locks/Rt 20
2-4 Volunteer Drive
Windsor Locks, Connecticut 06096

June 17, 2021

EBI Project Number: 6221003032

Site Compliance Summary	
Compliance Status:	COMPLIANT
Site total MPE% of FCC general population allowable limit:	38.59%

June 17, 2021

T-Mobile

Attn: Jason Overbey, RF Manager
35 Griffin Road South
Bloomfield, Connecticut 06002

Emissions Analysis for Site: CT11319C - Windsor locks/Rt 20

EBI Consulting was directed to analyze the proposed T-Mobile facility located at **2-4 Volunteer Drive** in **Windsor Locks, Connecticut** for the purpose of determining whether the emissions from the Proposed T-Mobile Antenna Installation located on this property are within specified federal limits.

All information used in this report was analyzed as a percentage of current Maximum Permissible Exposure (% MPE) as listed in the FCC OET Bulletin 65 Edition 97-01 and ANSI/IEEE Std C95.1. The FCC regulates Maximum Permissible Exposure in units of microwatts per square centimeter ($\mu\text{W}/\text{cm}^2$). The number of $\mu\text{W}/\text{cm}^2$ calculated at each sample point is called the power density. The exposure limit for power density varies depending upon the frequencies being utilized. Wireless Carriers and Paging Services use different frequency bands each with different exposure limits; therefore, it is necessary to report results and limits in terms of percent MPE rather than power density.

All results were compared to the FCC (Federal Communications Commission) radio frequency exposure rules, 47 CFR 1.1307(b)(1) – (b)(3), to determine compliance with the Maximum Permissible Exposure (MPE) limits for General Population/Uncontrolled environments as defined below.

General population/uncontrolled exposure limits apply to situations in which the general population may be exposed or in which persons who are exposed as a consequence of their employment may not be made fully aware of the potential for exposure or cannot exercise control over their exposure. Therefore, members of the general population would always be considered under this category when exposure is not employment related, for example, in the case of a telecommunications tower that exposes persons in a nearby residential area.

Public exposure to radio frequencies is regulated and enforced in units of microwatts per square centimeter ($\mu\text{W}/\text{cm}^2$). The general population exposure limits for the 600 MHz and 700 MHz frequency bands are approximately $400 \mu\text{W}/\text{cm}^2$ and $467 \mu\text{W}/\text{cm}^2$, respectively. The general population exposure limit for the 1900 MHz (PCS), 2100 MHz (AWS) and 11 GHz frequency bands is $1000 \mu\text{W}/\text{cm}^2$. Because each carrier will be using different frequency bands, and each frequency band has different exposure limits, it is necessary to report percent of MPE rather than power density.

Occupational/controlled exposure limits apply to situations in which persons are exposed as a consequence of their employment and in which those persons who are exposed have been made fully aware of the potential for exposure and can exercise control over their exposure. Occupational/controlled exposure limits also apply where exposure is of a transient nature as a result of incidental passage through a location where exposure levels may be above general population/uncontrolled limits (see below), as long as the exposed person has been made fully aware of the potential for exposure and can exercise control over his or her exposure by leaving the area or by some other appropriate means.

Additional details can be found in FCC OET 65.

CALCULATIONS

Calculations were done for the proposed T-Mobile Wireless antenna facility located at 2-4 Volunteer Drive in Windsor Locks, Connecticut using the equipment information listed below. All calculations were performed per the specifications under FCC OET 65. Since T-Mobile is proposing highly focused directional panel antennas, which project most of the emitted energy out toward the horizon, all calculations were performed assuming a lobe representing the maximum gain of the antenna per the antenna manufacturer's supplied specifications, minus 10 dB for directional panel antennas and 20 dB for highly focused parabolic microwave dishes, was focused at the base of the tower. For this report, the sample point is the top of a 6-foot person standing at the base of the tower. For power density calculations, the broadcast footprint of the AIR6449 antenna has been considered. Due to the beamforming nature of this antenna, the actual beam locations vary depending on demand and are narrow in nature. Using the broadcast footprint accounts for the potential location of beams at any given time.

For all calculations, all equipment was calculated using the following assumptions:

- 1) 2 LTE channels (600 MHz Band) were considered for each sector of the proposed installation. These Channels have a transmit power of 30 Watts per Channel.
- 2) 1 NR channel (600 MHz Band) was considered for each sector of the proposed installation. This Channel has a transmit power of 80 Watts.
- 3) 2 LTE channels (700 MHz Band) were considered for each sector of the proposed installation. These Channels have a transmit power of 30 Watts per Channel.
- 4) 4 GSM channels (PCS Band - 1900 MHz) were considered for each sector of the proposed installation. These Channels have a transmit power of 30 Watts per Channel.
- 5) 4 LTE channels (PCS Band - 1900 MHz) were considered for each sector of the proposed installation. These Channels have a transmit power of 60 Watts per Channel.

- 6) 2 LTE channels (AWS Band – 2100 MHz) were considered for each sector of the proposed installation. These Channels have a transmit power of 60 Watts per Channel.
- 7) 1 LTE Traffic channel (LTE IC and 2C BRS Band - 2500 MHz) was considered for each sector of the proposed installation. This Channel has a transmit power of 60 Watts.
- 8) 1 LTE Broadcast channel (LTE IC and 2C BRS Band - 2500 MHz) was considered for each sector of the proposed installation. This Channel has a transmit power of 20 Watts.
- 9) 1 NR Traffic channel (BRS Band - 2500 MHz) was considered for each sector of the proposed installation. This Channel has a transmit power of 120 Watts.
- 10) 1 NR Broadcast channel (BRS Band - 2500 MHz) was considered for each sector of the proposed installation. This Channel has a transmit power of 40 Watts.
- 11) All radios at the proposed installation were considered to be running at full power and were uncombined in their RF transmissions paths per carrier prescribed configuration. Per FCC OET Bulletin No. 65 - Edition 97-01 recommendations to achieve the maximum anticipated value at each sample point, all power levels emitting from the proposed antenna installation are increased by a factor of 2.56 to account for possible in-phase reflections from the surrounding environment. This is rarely the case, and if so, is never continuous.
- 12) For the following calculations, the sample point was the top of a 6-foot person standing at the base of the tower. The maximum gain of the antenna per the antenna manufacturer's supplied specifications, minus 10 dB for directional panel antennas and 20 dB for highly focused parabolic microwave dishes, was used in this direction. This value is a very conservative estimate as gain reductions for these particular antennas are typically much higher in this direction.
- 13) The antennas used in this modeling are the Ericsson AIR 32 for the 1900 MHz / 1900 MHz / 2100 MHz channel(s), the RFS APXVAARR24_43-U-NA20 for the 600 MHz / 600 MHz / 700 MHz / 1900 MHz channel(s), the Ericsson AIR 6449 for the 2500 MHz / 2500 MHz / 2500 MHz / 2500 MHz channel(s) in Sector A, the Ericsson AIR 32 for the 1900 MHz / 1900 MHz / 2100 MHz channel(s), the RFS APXVAARR24_43-U-NA20 for the 600 MHz / 600 MHz / 700 MHz / 1900 MHz channel(s), the Ericsson AIR 6449 for the 2500 MHz / 2500 MHz / 2500 MHz / 2500 MHz channel(s) in Sector B, the Ericsson AIR 32 for the 1900 MHz / 1900 MHz / 2100 MHz channel(s), the RFS APXVAARR24_43-U-NA20 for the 600 MHz / 600 MHz / 700 MHz / 1900 MHz channel(s), the Ericsson AIR 6449 for the 2500 MHz / 2500 MHz / 2500 MHz / 2500 MHz channel(s) in Sector C. This is based on feedback from the carrier with regard to anticipated antenna selection. All Antenna gain values and associated transmit power

levels are shown in the Site Inventory and Power Data table below. The maximum gain of the antenna per the antenna manufacturer's supplied specifications, minus 10 dB for directional panel antennas and 20 dB for highly focused parabolic microwave dishes, was used for all calculations. This value is a very conservative estimate as gain reductions for these particular antennas are typically much higher in this direction.

- 14) The antenna mounting height centerline of the proposed antennas is 135 feet above ground level (AGL).
- 15) Emissions values for additional carriers were taken from the Connecticut Siting Council active database. Values in this database are provided by the individual carriers themselves.
- 16) All calculations were done with respect to uncontrolled / general population threshold limits.

T-Mobile Site Inventory and Power Data

Sector:	A	Sector:	B	Sector:	C
Antenna #:	1	Antenna #:	1	Antenna #:	1
Make / Model:	Ericsson AIR 32	Make / Model:	Ericsson AIR 32	Make / Model:	Ericsson AIR 32
Frequency Bands:	1900 MHz / 1900 MHz / 2100 MHz	Frequency Bands:	1900 MHz / 1900 MHz / 2100 MHz	Frequency Bands:	1900 MHz / 1900 MHz / 2100 MHz
Gain:	15.35 dBd / 15.35 dBd / 15.85 dBd	Gain:	15.35 dBd / 15.35 dBd / 15.85 dBd	Gain:	15.35 dBd / 15.35 dBd / 15.85 dBd
Height (AGL):	135 feet	Height (AGL):	135 feet	Height (AGL):	135 feet
Channel Count:	8	Channel Count:	8	Channel Count:	8
Total TX Power (W):	360 Watts	Total TX Power (W):	360 Watts	Total TX Power (W):	360 Watts
ERP (W):	12,841.53	ERP (W):	12,841.53	ERP (W):	12,841.53
Antenna A1 MPE %:	2.77%	Antenna B1 MPE %:	2.77%	Antenna C1 MPE %:	2.77%
Antenna #:	2	Antenna #:	2	Antenna #:	2
Make / Model:	RFS APXVAARR24_43-U-NA20	Make / Model:	RFS APXVAARR24_43-U-NA20	Make / Model:	RFS APXVAARR24_43-U-NA20
Frequency Bands:	600 MHz / 600 MHz / 700 MHz / 1900 MHz	Frequency Bands:	600 MHz / 600 MHz / 700 MHz / 1900 MHz	Frequency Bands:	600 MHz / 600 MHz / 700 MHz / 1900 MHz
Gain:	12.95 dBd / 12.95 dBd / 13.35 dBd / 15.65 dBd	Gain:	12.95 dBd / 12.95 dBd / 13.35 dBd / 15.65 dBd	Gain:	12.95 dBd / 12.95 dBd / 13.35 dBd / 15.65 dBd
Height (AGL):	135 feet	Height (AGL):	135 feet	Height (AGL):	135 feet
Channel Count:	7	Channel Count:	7	Channel Count:	7
Total TX Power (W):	320 Watts	Total TX Power (W):	320 Watts	Total TX Power (W):	320 Watts
ERP (W):	8,466.41	ERP (W):	8,466.41	ERP (W):	8,466.41
Antenna A2 MPE %:	3.04%	Antenna B2 MPE %:	3.04%	Antenna C2 MPE %:	3.04%
Antenna #:	3	Antenna #:	3	Antenna #:	3
Make / Model:	Ericsson AIR 6449	Make / Model:	Ericsson AIR 6449	Make / Model:	Ericsson AIR 6449
Frequency Bands:	2500 MHz / 2500 MHz / 2500 MHz / 2500 MHz	Frequency Bands:	2500 MHz / 2500 MHz / 2500 MHz / 2500 MHz	Frequency Bands:	2500 MHz / 2500 MHz / 2500 MHz / 2500 MHz
Gain:	22.65 dBd / 17.3 dBd / 22.65 dBd / 17.3 dBd	Gain:	22.65 dBd / 17.3 dBd / 22.65 dBd / 17.3 dBd	Gain:	22.65 dBd / 17.3 dBd / 22.65 dBd / 17.3 dBd
Height (AGL):	135 feet	Height (AGL):	135 feet	Height (AGL):	135 feet
Channel Count:	4	Channel Count:	4	Channel Count:	4
Total TX Power (W):	240 Watts	Total TX Power (W):	240 Watts	Total TX Power (W):	240 Watts
ERP (W):	36,356.09	ERP (W):	36,356.09	ERP (W):	36,356.09
Antenna A3 MPE %:	7.85%	Antenna B3 MPE %:	7.85%	Antenna C3 MPE %:	7.85%

Site Composite MPE %	
Carrier	MPE %
T-Mobile (Max at Sector A):	13.67%
AT&T	15.53%
Verizon	3.16%
Clearwire	0.32%
Sprint	4.47%
Windsor Fire Dept	1.44%
Site Total MPE % :	38.59%

T-Mobile MPE % Per Sector	
T-Mobile Sector A Total:	13.67%
T-Mobile Sector B Total:	13.67%
T-Mobile Sector C Total:	13.67%
Site Total MPE % :	38.59%

T-Mobile Maximum MPE Power Values (Sector A)

T-Mobile Frequency Band / Technology (Sector A)	# Channels	Watts ERP (Per Channel)	Height (feet)	Total Power Density ($\mu\text{W}/\text{cm}^2$)	Frequency (MHz)	Allowable MPE ($\mu\text{W}/\text{cm}^2$)	Calculated % MPE
T-Mobile 1900 MHz GSM	4	1028.30	135.0	8.89	1900 MHz GSM	1000	0.89%
T-Mobile 1900 MHz LTE	2	2056.61	135.0	8.89	1900 MHz LTE	1000	0.89%
T-Mobile 2100 MHz LTE	2	2307.55	135.0	9.97	2100 MHz LTE	1000	1.00%
T-Mobile 600 MHz LTE	2	591.73	135.0	2.56	600 MHz LTE	400	0.64%
T-Mobile 600 MHz NR	1	1577.94	135.0	3.41	600 MHz NR	400	0.85%
T-Mobile 700 MHz LTE	2	648.82	135.0	2.80	700 MHz LTE	467	0.60%
T-Mobile 1900 MHz LTE	2	2203.69	135.0	9.52	1900 MHz LTE	1000	0.95%
T-Mobile 2500 MHz LTE IC & 2C Traffic	1	11044.63	135.0	23.86	2500 MHz LTE IC & 2C Traffic	1000	2.39%
T-Mobile 2500 MHz LTE IC & 2C Broadcast	1	1074.06	135.0	2.32	2500 MHz LTE IC & 2C Broadcast	1000	0.23%
T-Mobile 2500 MHz NR Traffic	1	22089.26	135.0	47.72	2500 MHz NR Traffic	1000	4.77%
T-Mobile 2500 MHz NR Broadcast	1	2148.13	135.0	4.64	2500 MHz NR Broadcast	1000	0.46%
						Total:	13.67%

• NOTE: Totals may vary by approximately 0.01% due to summation of remainders in calculations.

Summary

All calculations performed for this analysis yielded results that were **within** the allowable limits for general population exposure to RF Emissions.

The anticipated maximum composite contributions from the T-Mobile facility as well as the site composite emissions value with regards to compliance with FCC's allowable limits for general population exposure to RF Emissions are shown here:

T-Mobile Sector	Power Density Value (%)
Sector A:	13.67%
Sector B:	13.67%
Sector C:	13.67%
T-Mobile Maximum MPE % (Sector A):	13.67%
Site Total:	38.59%
Site Compliance Status:	COMPLIANT

The anticipated composite MPE value for this site assuming all carriers present is **38.59%** of the allowable FCC established general population limit sampled at the ground level. This is based upon values listed in the Connecticut Siting Council database for existing carrier emissions.

FCC guidelines state that if a site is found to be out of compliance (over allowable thresholds), that carriers over a 5% contribution to the composite value will require measures to bring the site into compliance. For this facility, the composite values calculated were well within the allowable 100% threshold standard per the federal government.