



STATE OF CONNECTICUT
CONNECTICUT SITING COUNCIL

Ten Franklin Square, New Britain, CT 06051

Phone: (860) 827-2935 Fax: (860) 827-2950

E-Mail: siting.council@ct.gov

Web Site: portal.ct.gov/csc

VIA ELECTRONIC MAIL

December 2, 2022

Domenica Tatasciore
Site Acquisition Specialist
Crown Castle
1800 W. Park Drive
Westborough, MA 01581
Domenica.Tatasciore@crowncastle.com

RE: **EM-AT&T-166-221109** – AT&T notice of intent to modify an existing telecommunications facility located at 347 East Street, Wolcott, Connecticut.

Dear Domenica Tatasciore:

The Connecticut Siting Council (Council) is in receipt of your email of December 1, 2022 requesting an extension of time to submit documentation required to make the above-referenced filing complete in response to the Council's incomplete notice dated November 15, 2022.

The Council hereby grants an extension of time to submit the required documentation by January 9, 2023.

Thank you for your attention to this matter.

Sincerely,

A handwritten signature in dark ink, appearing to read "Melanie A. Bachman".


Melanie A. Bachman
Executive Director

MAB/RDM/emr

Enclosures: Email from Domenica Tatasciore of December 1, 2022
Incomplete filing letter dated November 15, 2022

December 1, 2022

Melanie A. Bachman
Executive Director
Connecticut Siting Council
10 Franklin Square
New Britain, CT 06051



**RE: Notice of Exempt Modification for ATT - EM-ATT-166-221109
Crown #806362; ATT Site ID CTL01060
347 East Street, Wolcott, CT 06716
Latitude: 41° 33' 34.41" / Longitude: -72° 56' 49.10"**

Dear Ms. Bachman:

I am in receipt of your letter, dated November 15, 2022, notifying me of the following deficiencies:

1. The radio frequency emissions report, dated November 3, 2022 does not include a cumulative far-field analysis;
2. The Mount Analysis, dated September 22, 2022, cites the 2018 International Building Code (IBC) and 2018 Connecticut State Building Code (CSBC) but that the State of Connecticut has adopted the 2022 CSBC effective October 1, 2022 (which incorporates the 2021 IBC);
3. The construction drawings dated October 14, 2022 do not cite the 2022 CSBC.

Your letter further cited that if additional time is needed to gather and submit a revised report, then I am to submit a written request for an extension of time prior to December 6, 2022. Please accept this letter as my formal request for an extension of time and that I understand that the exempt modification is incomplete until I forward an electronic version of the information you requested to be rendered complete and processed.

Sincerely,



Domenica Tatasciore
Site Acquisition Specialist
1800 W. Park Drive
Westborough, MA 01581
(508) 621-9161/ Domenica.Tatasciore@crowncastle.com



STATE OF CONNECTICUT
CONNECTICUT SITING COUNCIL

Ten Franklin Square, New Britain, CT 06051
Phone: (860) 827-2935 Fax: (860) 827-2950
E-Mail: siting.council@ct.gov
Web Site: portal.ct.gov/csc

VIA ELECTRONIC MAIL

November 15, 2022

Domenica Tatasciore
Site Acquisition Specialist
Crown Castle
1800 W. Park Drive
Westborough, MA 01581
Domenica.Tatasciore@crowncastle.com

RE: **EM-AT&T-166-221109** – AT&T notice of intent to modify an existing telecommunications facility located at 347 East Street, Wolcott, Connecticut.

Dear Domenica Tatasciore:

The Connecticut Siting Council (Council) received a notice of intent to modify the above-referenced facility on November 9, 2022.

According to Section 16-50j-71 of the Regulations of Connecticut State Agencies, "...any modification, as defined in Section 16-50j-2a of the Regulations of Connecticut State Agencies, to an existing tower site, except as specified in Sections 16-50j-72 and 16-50j-88 of the Regulations of Connecticut State Agencies, may have a substantial adverse environmental effect."

Staff has reviewed this exempt modification request for completeness and has identified the following deficiencies:

- a) On September 23, 2022, the Council issued a memorandum to telecommunications industry representatives requiring a cumulative far-field Radio Frequency Power Density Analysis to be provided with all telecommunications exempt modification requests. The radio frequency emissions report dated November 3, 2022 provided with the request does not include a cumulative far-field analysis. A copy of the memorandum is available on the Council's website at the following link: [20220923-farfieldmemo_final.pdf \(ct.gov\)](#).
- b) The Mount Analysis dated September 22, 2022 cites the 2018 International Building Code (IBC); however, the State of Connecticut has adopted the 2022 Connecticut State Building Code (CSBC) effective October 1, 2022 (which incorporates the 2021 IBC); and
- c) The construction drawings dated October 14, 2022 cite the 2018 CSBC; however, the State of Connecticut has adopted the 2022 CSBC effective October 1, 2022.

Therefore, the exempt modification request is incomplete at this time. The Council recommends that AT&T provide an RF Analysis including a rigorous cumulative far-field analysis for all carriers on the tower that accounts for a 6-foot tall person and the actual antenna pattern for the proposed modifications to the facility with a cumulative %MPE at or below 100%, and an updated Mount Analysis and construction drawings that comport with the current 2022 CSBC/2021 IBC on or before December 6, 2022. If additional time is needed to gather the requested information, please submit a written request for an extension of time prior to December 6, 2022. **Please provide an electronic version of the requested information for the incomplete exempt modification to be rendered complete and processed. Please include the Council's exempt modification identification number referenced above with the submittal.**

This notice of incompleteness shall have the effect of tolling the Federal Communications Commission (FCC) 60-day timeframe in accordance with Paragraph 217 of the FCC Wireless Infrastructure Report and Order issued on October 21, 2014 (FCC 14-153).

Thank you for your attention to this matter. Should you have any questions, please feel free to contact me at 860-827-2951.

Sincerely,

A handwritten signature in dark ink, appearing to read "Melanie Bachman". The signature is fluid and cursive, with a long horizontal stroke at the end.

Melanie Bachman
Executive Director