

PLANT SCHEDULE OPTION 3

<u>TREES</u>	<u>QTY</u>	<u>BOTANICAL NAME</u>
AC	10	Amelanchier canadensis
CC	8	Crataegus crus-galli `Crusader`
QB	10	Quercus bicolor
EVERGREEN TREES	<u>QTY</u>	<u>BOTANICAL NAME</u>
JV	18	Juniperus virginiana
PC	28	Picea pungens
<u>SHRUBS</u>	<u>QTY</u>	<u>BOTANICAL NAME</u>
AA	110	Aronia arbutifolia
KL	32	Kalmia latifolia `Keepsake`
MP	60	Myrica pensylvanica
RA	50	Rhus aromatica

Tree Protection


- 1. EXISTING TREES TO REMAIN SHALL BE PROTECTED WITH TEMPORARY CONSTRUCTION FENCE. ERECT FENCE AT EDGE OF THE TREE DRIPLINE PRIOR TO START OF CONSTRUCTION.
- 2. CONTRACTOR SHALL NOT OPERATE VEHICLES WITHIN THE TREE PROTECTION AREA. CONTRACTOR SHALL NOT STORE VEHICLES OR MATERIALS, OR DISPOSE OF ANY WASTE MATERIALS, WITHIN THE TREE PROTECTION AREA.
- DAMAGE TO EXISTING TREES CAUSED BY THE CONTRACTOR SHALL BE REPAIRED BY A CERTIFIED ARBORIST AT THE CONTRACTOR'S EXPENSE.

Edge of Woods Clearing

1. EXISTING TREES TO REMAIN SHALL BE PROTECTED WITH TEMPORARY EROSION CONTROL FENCE AND HAY BALE BARRIER. ERECT BARRIER AT EDGE OF THE EARTHWORK CUT LINE PRIOR TO TREE CLEARING. LAY OUT THIS LINE BY FIELD SURVEY.

Plant Maintenance Notes

- CONTRACTOR SHALL PROVIDE COMPLETE MAINTENANCE OF THE LAWNS AND PLANTINGS. NO IRRIGATION IS PROPOSED FOR THIS SITE. THE CONTRACTOR SHALL SUPPLY SUPPLEMENTAL WATERING FOR NEW LAWNS AND PLANTINGS DURING THE ONE YEAR PLANT GUARANTEE PERIOD.
- 2. CONTRACTOR SHALL PROVIDE ALL MATERIALS, LABOR, AND EQUIPMENT FOR THE COMPLETE LANDSCAPE MAINTENANCE WORK. WATER SHALL BE PROVIDED BY THE CONTRACTOR.
- 3. WATERING SHALL BE REQUIRED DURING THE GROWING SEASON, WHEN NATURAL RAINFALL IS BELOW ONE INCH PER WEEK.
- 4. WATER SHALL BE APPLIED IN SUFFICIENT QUANTITY TO THOROUGHLY SATURATE THE SOIL IN THE ROOT ZONE OF EACH PLANT.
- CONTRACTOR SHALL REPLACE DEAD OR DYING PLANTS AT 5 THE END OF THE ONE YEAR GUARANTEE PERIOD. CONTRACTOR SHALL TURN OVER MAINTENANCE TO THE FACILITY MAINTENANCE STAFF AT THAT TIME.




Tree Planting (For Trees Under 4" Caliper)

Source: VHB




100 Great Meadow Road Suite 200 Wethersfield, CT 06109 860.807.4300









Photovoltaic Installation

Rockville Road East Windsor, Connecticut

No.	Revision	Date	Аррус
Dociano	ad by	Checked by	_
Designed by JDW		SJK	
Issued f	for	Date	
Rev	view	April 15, 2020	

Not Approved for Construction

Drawing litle
Planting Plan
Notes and Details



CONTRACTOR SHALL VERIFY LOCATIONS OF ALL BELOW GRADE AND ABOVE GROUND UTILITIES AND NOTIFY OWNERS REPRESENTATIVE OF CONFLICTS. NO PLANT MATERIALS SHALL BE INSTALLED UNTIL ALL GRADING AND CONSTRUCTION HAS BEEN COMPLETED IN THE IMMEDIATE AREA. CONTRACTOR SHALL NOTIFY OWNER'S REPRESENTATIVE OF ANY CONFLICT.

SIZE

SIZE

SIZE

6 - 7` HT.

1 1/2" CAL

2 1/2" CAL.

5 - 6` HT.

6 - 7` HT.

18 - 24" HT.

30 - 36" HT.

30 - 36" HT.

18 - 24" HT.

COMMON NAME

Crusader Hawthorn

Swamp White Oak

COMMON NAME

Eastern Red Cedar

Colorado Spruce

COMMON NAME

Red Chokeberry

Mountain Laurel

Fragrant Sumac

Northern Bayberry

Planting Notes

PRIOR TO INSTALLATION.

Canadian Serviceberry

4. A 3-INCH DEEP MULCH PER SPECIFICATION SHALL BE INSTALLED UNDER ALL TREES AND SHRUBS, AND IN ALL PLANTING BEDS, UNLESS OTHERWISE INDICATED ON THE PLANS, OR AS DIRECTED BY OWNER'S REPRESENTATIVE.

ALL PROPOSED PLANTING LOCATIONS SHALL BE STAKED AS SHOWN ON THE

PLANS FOR FIELD REVIEW AND APPROVAL BY THE LANDSCAPE ARCHITECT

REMARKS

REMARKS

REMARKS

B & B, Spacing as shown

B & B, Spacing 4` o.c.

B & B, Spacing 5` o.c.

B & B, Spacing 8` o.c.

B & B, Spacing 6` o.c.

- ALL TREES SHALL BE BALLED AND BURLAPPED, UNLESS OTHERWISE NOTED IN NOT TO Scale THE DRAWINGS OR SPECIFICATION, OR APPROVED BY THE OWNER'S REPRESENTATIVE.
- FINAL QUANTITY FOR EACH PLANT TYPE SHALL BE AS GRAPHICALLY SHOWN ON THE PLAN. THIS NUMBER SHALL TAKE PRECEDENCE IN CASE OF ANY DISCREPANCY BETWEEN QUANTITIES SHOWN ON THE PLANT LIST AND ON THE PLAN. THE CONTRACTOR SHALL REPORT ANY DISCREPANCIES BETWEEN THE NUMBER OF PLANTS SHOWN ON THE PLANT LIST AND PLANT LABELS PRIOR TO BIDDING.
- ANY PROPOSED PLANT SUBSTITUTIONS MUST BE REVIEWED BY LANDSCAPE ARCHITECT AND APPROVED IN WRITING BY THE OWNER'S REPRESENTATIVE.
- 8. ALL PLANT MATERIALS INSTALLED SHALL MEET THE SPECIFICATIONS OF THE "AMERICAN STANDARDS FOR NURSERY STOCK" BY THE AMERICAN ASSOCIATION OF NURSERYMEN AND CONTRACT DOCUMENTS.
- 9. ALL PLANT MATERIALS SHALL BE GUARANTEED FOR ONE YEAR FOLLOWING DATE OF FINAL ACCEPTANCE.
- 10. AREAS DESIGNATED "LOAM & SEED" SHALL RECEIVE MINIMUM 6" OF LOAM AND SPECIFIED SEED MIX. LAWNS OVER 2:1 SLOPE SHALL BE PROTECTED WITH EROSION CONTROL FABRIC.
- 11. ALL DISTURBED AREAS NOT OTHERWISE NOTED ON CONTRACT DOCUMENTS SHALL BE LOAM AND SEEDED OR MULCHED AS DIRECTED BY OWNER'S REPRESENTATIVE.
- 12. THIS PLAN IS INTENDED FOR PLANTING PURPOSES. REFER TO SITE / CIVIL DRAWINGS FOR ALL OTHER SITE CONSTRUCTION INFORMATION.

NOTES

1. STAKING IS NOT REQUIRED FOR TREES UNDER 3" CALIPER.

– NYLON TREE TIE WEBBING

OR REFLECTIVE RED TAPE

(2 STAKES PER TREE)

AFTER SETTLEMENT

FINISH GRADE

- 3" BARK MULCH, DO NOT PLACE MULCH WITHIN 3" OF TRUNK

- SLOPE TO FORM 3" HIGH SAUCER

— 2"X2"X8' HARDWOOD STAKE

- TREE SHALL BE SET PLUMB,

TRUNK FLARE SHALL BE COMPLETELY EXPOSED, SET

2" ABOVE THE ESTABLISHED

- PAINT TOP 6" OF STAKES ORANGE

(PLACE WITHIN 6" OF ROOTBALL)

(LOOSELY TIED)

UNTIE AND CUT AWAY BURLAP FROM ½ OF ROOTBALL (MIN.); IF SYNTHETIC WRAP IS USED, REMOVE COMPLETELY

– PLANT BACKFILL MIXTURE.

SIT ROOTBALL ON EXISTING UNDISTURBED SOIL OR ON COMPACTED SUBGRADE

9/18 LD_602

Project Numbe 42518.01

Drawing Number









MULNITE FARMS East Windsor, CT Proposed Conditions Fence without Slats 1.2

5/26/2020





MULNITE FARMS East Windsor, CT Proposed Conditions Fence with Slats

5/26/2020





MULNITE FARMS East Windsor, CT Proposed Conditions Fence with Slats and Buffer 1.4

5/26/2020