STATE OF CONNECTICUT CONNECTICUT SITING COUNCIL

IN	RE:
----	-----

NEW CINGULAR WIRELESS PCS, LLC (AT&T) PETITION FOR A DECLARATORY RULING, PURSUANT TO CONNECTICUT GENERAL STATUTES §4-176 AND §16-50K, FOR THE INSTALLATION OF A WIRELESS TELECOMMUNICATIONS FACILITY ON PROPERTY LOCATED AT 45 CONNAIR ROAD, ORANGE, CONNECTICUT.

PETITION NO.

April 1, 2022

PETITION FOR A DECLARATORY RULING: INSTALLATION HAVING NO SUBSTANTIAL ADVERSE ENVIRONMENTAL EFFECT

I. <u>Introduction</u>

Pursuant to Section 16-50j-38 and 16-50j-39 of the regulations of Connecticut State Agencies ("R.C.S.A."), New Cingular Wireless PCS LLC ("AT&T") hereby petitions the Connecticut Siting Council (the "Council") for a declaratory ruling ("Petition") that no Certificate of Environmental Compatibility and Public Need ("Certificate") is required under Section 16-50k(a) of the Connecticut General Statutes ("C.G.S.") to install a new wireless telecommunications facility at 45 Connair Road, Orange, Connecticut (the "Site"). AT&T proposes to install two small panel antennas at the top of a new utility pole that AT&T will own and an equipment cabinet with remote radio head units ("RRH") lower on the new pole. The property owner is KSS Associates LLC. The property owner's authorization for AT&T to file this petition is included in **Attachment 1.**

II. Factual Background

a. AT&T's Need for the Proposed Facility

AT&T identified a need for additional coverage and/or capacity relief in its network in this area of Orange. The proposed Facility is designed to assure reliable wireless service to AT&T customers and emergency service providers in the area of the Facility location as well as travelers along the adjacent Amtrak railway. A new pole is proposed as the existing utility poles in the area where service is needed are unavailable for use by the electric utility due to the utility attachments on these poles.

b. The Site and AT&T's Proposed Tower Facility

The Site is an approximately 3.4-acre parcel improved with a 2-story commercial building. It is classified in the Light Industrial 2 zoning district. Surrounding land uses include commercial establishments and the railroad.

AT&T's proposed Facility consists of two small square panel antennas mounted at the top of a new class 2 utility pole at a centerline height of approximately 41'-3" above grade level ("AGL"). An equipment cabinet with two RRH units will be mounted lower on the pole so that the bottom of the equipment cabinet will be approximately 12'-9" AGL. Each panel antenna is 23.3" x 23.3" x 6.0" wide. AT&T will deploy their 700MHz, 1900 MHz and AWS frequencies which will be shared between the two antennas. AT&T will own the utility pole. Specifications and details of AT&T's proposed Facility are shown on the drawings included in **Attachment 2**. Also, included in **Attachment 3** is a structural analysis report confirming that AT&T's proposed Facility can be structurally accommodated.

No back-up power for AT&T's proposed Facility is proposed. Construction will take place four (5) days a week, only during weekdays (Monday – Friday). The total duration of construction and facility integration is 90 days. The approximate cost is \$50,000.

c. Council Jurisdiction

Connecticut law confers jurisdiction to the Council over certain "facilities", including "telecommunication towers." C.G.S. §16-50i(a)(6). State regulations define "tower" as a "structure, whether free standing or attached to a building or another structure... used principally to support one or more antennas for receiving or sending radio frequency signals...." R.C.S.A. §16-50j-2a(30)(A). Utility structures used to support electric distribution lines located within the public right-of-way fall under PURA's jurisdiction. Thus, PURA has jurisdiction over small cell facility attachments to utility poles that are part of the electric utility distribution system located within the public right-of-way. PURA, Docket 16-06-38.

Here, the proposed utility pole will be located on private property and "used principally to support one or more antennas for receiving or sending radio frequency signals" and the pole will not, for the foreseeable future, be used as a part of the existing electric distribution system. Thus, the proposed utility pole along with AT&T's wireless equipment constitutes a "facility" over which the Council has jurisdiction. This jurisdiction is consistent with the Council's November 5, 2007 Opinion in Petition No. 809.

III. Discussion

a. The Proposed Small Cell Facility Will Not Have A Substantial Environmental Impact

For the reasons set forth below, AT&T respectfully submits that its proposed Facility will not have a substantial environmental impact and as such a Certificate pursuant to C.G.S. Section 16-50k(a) is not required.

i. Physical Environmental Effects

AT&T's proposed Facility will not result in any significant physical or environmental change to the Site or any adjacent parcels. Minimal disturbance is associated with the proposed Facility.

ii. Visual Effects

The photosimulation included in **Attachment 4** demonstrates that the limited nature of AT&T's proposed Facility will not result in any significant visual impacts to the area, particularly in light of the existing commercial character of the area and the existing nearby railroad infrastructure.

iii. FCC Compliance

The operation of AT&T's antenna will not increase the total radio frequency electromagnetic power density at the site to a level at or above applicable standards. A power density report is included in **Attachment 5**. The total radio frequency power density will be well within standards adopted by the Connecticut Department of Environmental Protection as set forth in Section 22a-162 of the Connecticut General Statutes and the MPE limits established by the Federal Communications Commission.

b. Notice of Petition Filing

Pursuant to R.C.S.A. Section 16-50j-40(a), notice of AT&T's intent to file this Petition was sent to each person appearing of record as an owner of property that abuts the site, as well as the appropriate municipal officials and government agencies as required by Section 16-50*l* of the C.G.S. Certification of such notice, a copy of the notice and the list of property owners is included in **Attachment 6** along with the map from the Town's GIS website used to identify abutting property owners. **Attachment 6** also includes a certification of service to municipal officials and government agencies to whom notice was sent.

IV. Conclusion

As set forth above, AT&T's proposed Facility will not result in any known adverse environmental effects. Therefore, and for all the foregoing reasons, AT&T petitions the Council for a determination that the proposed Facility does not require a Certificate of Environmental Compatibility and Public Need and that the Council issue an order approving same.

Respectfully submitted,

Lucia Chiocchio

On behalf of the Petitioner

Lucia Chrocchio

cc: First Selectman James M. Zeoli, Town of Orange

Jack Demirjian, Zoning Administrator & Enforcement Officer, Town of Orange

Mary Shaw, Town Clerk, Town of Orange

AT&T

Nexius

Meyling Nunez, Cuddy & Feder, LLP

ATTACHMENT 1

Date: 3/16/22

Connecticut Siting Council 10 Franklin Square New Britain, CT 06051

Re:

Letter of Authorization

Address: 45 Connair Road - cRAN_RCTB_AMTRK_020

To whom it may concern:

KSS Associates, LLC is the owner of the above-referenced property on which AT&T Mobility intends to install a wireless antenna facility. As the owner of the property, permission is hereby granted to AT&T Mobility and its agents for the purpose of consummating any applications necessary to gain the required approvals or permits from the Connecticut Siting Council.

Any fees or charges associated with all applications or permits, and any conditions placed on the applicant shall be the responsibility of AT&T Mobility, its subsidiaries and agents.

Sincerely,

KSS Associates, LLC

Name: Kenneth Rebinson To Title: Managing Member

ATTACHMENT 2



NEW ENGLAND_NEXIUS_CRAN PROJECT:

CRAN_RCTB_AMTRK_020

SITE NAME:

USID:

A&E OFFICE:
2595 NORTH DALLAS PARKWAY, SUITE 300
FRISCO, TX 75034
(972) 581-9888

いしになっし

AT&T

306158

MRCTB048312

PACE NUMBER:

15360618 FA NUMBER: 2051A0WCF2 PTN NUMBER: 41.247540°, -72.996490° COORDINATES: 45 CONNAIR ROAD ORANGE, CONNECTICUT 06477 SITE ADDRESS:

AT&T 550 COCHITUATE ROAD, FRAMINGHAM, MA 01701 FOR ZONING

INDEX

SHEET

AERIAL PHOTO

PROJECT INFORMATION

CRAN_RCTB_AMTRK_020

MRCTB048312 -72.996490 41.247540

PACE NUMBER:

PROJECT: SITE NAME:

GENERAL NOTES

SHEET TILLE TILLE SHEET

DATE SIGNED: 03/03/22 NEXIUS SOLUTIONS, INC. CONNECTICUT FIRM NO.PEC.0001571 FIRM REGISTRATION RENEWAL 3/17/22. PE LICENSE RENEWAL 1/31/23

POLE ELEVATION
AERIAL MAP TO SCALE
SITE PLAN EQUIPMENT DETAILS
EQUIPMENT DETAILS ENLARGED SITE PLAN EQUIPMENT DETAILS EQUIPMENT DETAILS SHEET # T-1 | T-1 | GN-1 | GN-1 | C-2 | C-2 | C-3 | C-4 | C-4 | E0-1 | E0-2 | E0-2 | E0-2 | E0-3 | E0-4 | E

SITE

45 CONNAIR ROAD
ORANGE, CONNECTICUT 06477
NEW HAVEN
CITY OF ORANGE

SITE ADDRESS: CITY, STATE ZIP: COUNTY:

LONGITUDE:

LATITUDE: SID

PROPOSED UTILITY POLE

STRUCTURE TYPE: STRUCTURE OWNER: GROUND ELEVATION

JURISDICTION:

74'± AMSL

CODE COMPLIANCE

all work stall Be performed and materals installed in accordance with current annoines of the following applicable codes as adopted by the local governing althorness.

2018 INTERNATIONAL BUILDING CODE
 2020 NATIONAL ELECTRICAL CODE

THESE DRAWINGS ARE DESIGNED TO THE LATEST CODES. THEY ALSO MEET THE ADOPTED CODE REQUIREMENTS OF THE JURISDICTION LISTED ABOVE.

ONE CAL

STRUCTURE PHOTO

NEXIUS SOLUTIONS, INC. 2595 NORTH DALLAS PARKWAY, SUITE 300 FRISCO, TX 75034 EMAIL: JACK.PHIPPS@nexius.com

ENGINEERING SERVICES:

SCOPE OF WORK

NEXIUS SOLUTIONS, INC. 300 APOLLO DRIVE, 2ND FLOOR CHELMSFORD, MA 01824

SITE ACQUISITION:

APPLICANT:

NEXIUS SOLUTIONS, INC.
300 APOLLO BRIVE, 2ND FLOOR
CHELMSFORD, MA 01824
STIF ACOUSTION: NICOLE CAPLANIMASON
EMAIL: nicole.caplanmason@nexius.com

THIS DOCUMENT IS THE DESIGN PROPERTY AND COPPORATION OF MEASURE USE BY THE TITLE CLEDING USE BY THE TITLE CLEDING USE BY THE TITLE CLEDING ON ON USE WITHOUT THE DEPRESSION OF THE OPERIOR IS STRICTLY PROMISED.

REV DATE DESCRIPTION A 02/11/22 FOR REVIEW 0. 03/02/22 FINAL ZD

TO OBTAIN LOCATION OF PARTICIPANTS UNDERGROUND FACILITIES BEFORE YOU DIG IN CONNECTION, CONNECT CALL BEFORE YOU DIG TOLL FREE 1-800-922-4455 OR WWW.CDVJ.com

CONNECTICUT STATUTE
REQUIRES MIN OF 2
WORKING DAYS NOTICE
BEFORE YOU EXCANATE Know what's below. Callbefore you dig.

USID:
306158
SIF ADDRESS:
45 CONNAIR ROAD
ORANGE, CONNECTICUT 06477

TITLE SHEET T-1

SHEET NUMBER:

CRAN_RCTB_AMTRK_020

снескер рите: 03/03/22

CHECKED BY:
GS
SITE INFORMATION:



USE BY THE TITLE CLIENT. DUPLICATION OR USE WITHOUT THE EXPRESS WRITTEN CONSENT OF THE CREATOR IS STRICTLY PROHIBIT DRAWING SCALES ARE INTENDED FOR 11" X 17" SIZE PRINTED MEDIA ONLY. ALL OTHER SIZES ARE DEEMED "NOT TO SCALE". THIS DOCUMENT IS THE DESIGN PROPERTY

DRAWING SCALES ARE INTENDED FOR 11" X 17" SIZE PRINTED MEDIA ONLY. ALL OTHER SIZES ARE DEEMED "NOT TO SCALE".

ANY DEVATION THAT DIFFERS SUBSTANTIALLY FROM WHAT IS SHOWN ON THE CONSTITUCION DRAWNESS MUST BE APPROVED BY THE ENGINEER OF FECORD. NO CHANGES THAT ALTER THE CHANGETER OF THE WORK CAN BE MADE DURING CONSTRUCTION WITHOUT ISSUING A CHANGE ORDER.

4. INSTALL (1) METER AND (1) AC DISTRIBUTION BOX/SERVICE DISCONNECT ON PROPOSED POLIE PER WANUFACTURER'S SPECIFICATIONS AND PER UTILITY AND NEC REQUIREMENTS. 3. INSTALL (1) EQUIPMENT ENCLOSURE CONTAINING (1) RRU4449, (1) RRU8843, (1) SDX192804-A3 ND (3) PSU AC OB ON PROPOSED POLE PER MANUFACTURER'S SPECIFATIONS.

2. INSTALL (2) PROPOSED ANTENNAS TOP MOUNTED ON PROPOSED POLE PER MANUFACTURER'S SPECIFICATIONS.

1. INSTALL NEW 45'-0" (38'-6" A.G.L.) CLASS 2 WOOD UTILITY POLE.

GENERAL CONSTRUCTION

- ALL SITE WORK SHALL BE COMPLETED AS INDICATED ON THE DRAWINGS AND PROJECT SPECIFICATIONS.
- GENERAL CONTRACTOR SHALL VISTI THE SITE AND FAMILHRIZE HINSELF WITH ALL CONDITIONS AFTERING THE PROPOSED WORK, GENERALL COMPACTOR IS CONDITIONS. PIELD RESOURCES FOR FAMILHRIZING HINSELF WITH ALL CONTRACT DOCUMENTS, FIELD CONDITIONS. PIELD RESOURCES FOR SHOWN PRIOR TO PROCEEDING WITH CONSTRUCTION, AND IDSCREPANICES SHALL BE BROUGHT TO THE ATTENTION OF THE ENGINEER PRIOR TO THE COMMENCEMENT OF WORK.
- ALI MITERIAIS FURNISHED AND INSTALLED SHALL BE IN STRICT ACCORDANCE WITH ALL APPLICABLE CODES, REGULATIONS, ORDINANCES, AND ISSUE ALL APPROPRIATE NOTICES. 'n
- ALL WORK CARRIED OUT SHALL COMPLY WITH ALL APPLICABLE MUNICIPAL AND NITHY COMPANY SPECIFICATIONS AND LOCAL JURISDICTIONAL CODES, ORDINANCES, ORDINANCE
- PLANS ARE NOT TO BE SCALED. SPACING BETWEEN EQUIPMENT IS THE MINIMUM REQUIRED CLEARANCE. THREFERGER, IT IS CHRIOLAL TO RELD VERFICE PLANSINGS, SHOULD THERE BE ANY QUESTIONS RECARBING THE CONTRACTO DOCUMENTS, THE CONTRACTOR STALL BE RESPONSIBLE FOR OBTAINUM ACL ACHRETORN FROM THE ROSEN PROPERTY OF PROCEEDING WITH THE WORK, DETAILS ARE INTENDED TO SHOW DESIGN INTENT, MODIFICATIONS SHALL BE INCLUIDED AS PART OF WORK AND COUNDINGS AND SICH ADDIFICATIONS SHALL BE INCLUIDED AS PART OF WORK AND COUNDINGS THE REQUIRED.
- THE CONTRACTOR SHALL INSTALL ALL EQUIPMENT AND MATERIALS IN ACCORDANCE WITH MANUFACTURER'S RECOMMENDATIONS UNLESS SPECIFICALLY STATED OTHERWISE. ø
- IF THE SPECIFIED EQUIPMENT CANNOT BE INSTALLED AS SHOWN ON THESE DRAWINGS, THE CONTRACTIONS SHALL PROPOSE AN ALTERNATIVE INSTALLATION SPACE FOR APPROVAL BY THE ENGINEER PRIOR TO PROCEEDING. ۲.
- CONTRACTOR SHALL NOTIFY THE GENERAL CONTRACTOR OF ANY EXISTING CONDITIONS THAT DEVATE FROM THE DRAWINGS PRIOR TO BEGINNING CONSTRUCTION.
 - GENERAL CONTRACTOR SHALL BE RESPONSIBLE FOR THE SAFETY OF WORK AREA, ADJACKENT MERS AND BUILDING OCCUPANTS THAT ARE LIFELY TO BE AFFECTED BY THE WORK UNDER THIS CONTRACT, WORK SHALL CONFIRM TO ALL OSHA REQUIREMENTS AND THE LOCAL JURISDICTION.
 - GENERAL CONTRACTOR SHALL COORDINATE WORK AND SCHEDULE WORK ACTIVITIES WITH OTHER DISCIPLINES. ö
- WORK SHALL BE DONE IN A PROFESSIONAL MANNER BY COMPETENT EXPERIENCED PRESONNEL IN ACCORDANCE WITH APPLICABLE CODES AND THE BEST ACCEPTED PRACTICE. Ë
- SEAL PENETRATIONS THROUGH FIRE RATED AREAS WITH UL LISTED MATERALS APPROVED BY LOCAL JURISOFICIAN. CONTRACTOR SHALL KEEP AREA CLEAN, HAZARD FREE, AND DISPOSE OF ALL DEBRIS. 5
 - CONTRACTOR SHALL PROVIDE WRITTEN NOTICE TO THE CONSTRUCTION MANAGER 48 HOURS PRIOR TO COMMENCEMENT OF WORK. 5
 - THE CONTRACTOR SHALL PROTECT EXCENSE IMPROVEMENTS, CURBS, UNDSCOMPING, AND STRUCTURES, ANY DAMAGED PART SHALL BE REPAIRED AT CONTRACTOR'S EXPENSE TO THE SATISFACTION OF THE OWNER. ₹
- THE CONTRACTOR SHALL CONTACT UTILITY LOCATING SERVICES PRIOR TO THE START OF CONSTRUCTION. GENERAL CONTRACTOR SHALL COORDINATE AND MAINTAIN ACCESS FOR ALL TRADES AND CONTRACTORS TO THE SITE AND/OR BUILDING. 5. <u>.</u>
- THE GENERAL CONTRACTOR SHALL BE RESPONSIBLE FOR SECURITY OF THE SITE FOR THE DURATION OF CONSTRUCTION UNTIL JOB COMPLETION. 7
 - CONTRACTORS SHALL BE RESPONSIBLE FOR OBTAINING ALL PERMITS AND INSPECTIONS REQUIRED FOR CONSTRUCTION, IF CONTRACTOR CANNOT OBTAIN A PERMIT, THEY MUST NOTIFY THE OBTIFIACTOR IMMEDIATELY. œ̈́
- THE GENERAL CONTRACTOR SHALL MAINTAIN IN GOOD CONDITION ONE COMPLETE SET OF PLANS WITH ALL REVISIONS, ADDENDA, AND CHANGE ORDERS ON THE PREMISES AT ALL TIMES. 19.
- THE GENERAL CONTRACTOR SHALL PROVIDE PORTIABLE FIRE EXTRIBUSIBLES WITH A PARMING OF NOT LESS THAN 2-A 10 2-A-10-BCs AND SHALL BE WITHIN 25 FEET OF TRANE DISTANCE TO ALL PORTIONS OF WHERE THE WORK IS BEING COMPLETED DINNING CONSTRUCTION. 20.
- ALL EMSTING ACTIVE SERVE WATER, CARE ELECTRIC COMMUNICATIONS, AND OTHER THINESS SHALL BE PROTECTED AT ALL THE'S AND WHERE REQUIRED FOR THE PROPER EXECUTION OF THE WORK, SAUL BE RELOCATED AS DIRECTED BY THE ENGINEER. FOR THE CONTRACTOR WHEN THE CANAMING OF THE WORK OF TH 51.
- ALL ENSING MACTIC SENER, WATER OSE, ELECTRIC, AND OTHER UNLITES WHICH MITTERFERE WITH THE EXECUTION OF THE WORK SHALL BE RELINOED. CHAPTER, WITH THE EXECUTION OF THE WORK, SHALL BE RELINOED. CHAPTER, WITH THE SECUTION OF THE WORK, AS DIRECTED BY THE REPROVISIBLE BIOMERE, WITH SHARP SHALL OF THE OWNER AND/OR LOCAL UNLINES. 55

- CONTRACTOR SHALL MINIMIZE DISTURBANCE TO THE EXISTING SITE DURING CONSTRUCTION, REGOLD CONSTRUCTION, LEGGOD COTHEOL MEASURES, IF REQUIRED DURING CONSTRUCTION, SHALL BE IN CONFORMANCE WITH THE FEDERAL AND LOCAL JURISDICTION FOR EROSION AND SEDIMENT CONTROL.
- THE AREAS OF THE OWNER'S PROPERTY DISTURBED BY THE WORK SHALL BE GRADED TO A UNIFORM SLOPE AND STABILIZED TO PREVENT EROSION. 24.
- NO FILL OR EMBANKMENT MATERIAL SHALL BE PLACED ON FROZEN GROUNDING. FROZEN MATERIALS, SNOW OR ICE SHALL NOT BE PLACED IN ANY FILL OR Embankmit. 22
- THE SUBGRADE SHALL BE BROUGHT TO A SMOOTH UNIFORM GRADE AND COMPACTED TO 95 PERCENT STANDING PROCIORD EDISITY UNDER PARIEMENT AND STRUCTURES AND 50 PERCENT STANDIARD PROCIORD DENSITY IN OPPN SPACE.

26.

- ALL TRENCHES IN PUBLIC RIGHT OF WAY SHALL BE BACKFILED WITH FLOWABLE FILL OR OTHER MATERIAL PRE-APPROVED BY THE LOCAL JURISDICTION.
- ALL NECESSARY RUBBISH, STUMPS, DEBRIS, STICKS, STONES, AND OTHER REFUSE SHALL BE REMOVED FROM THE SITE AND DISPOSED OF IN A LAWFUL MANNER.

28

27.

- ALL BROCHURES, OPERATING AND MANTENANCE MANUALS, CATALOSS, SHOP DERMINGS, AND OTHER DOCUMENTS SHALL BE TURNED OVER TO THE GENERAL CONTRINCTOR AND OTHOR TO PAYMENT. 59.
- CONTRACTOR SYALL SUBMIT A COMPLETE SET OF AS-BUILT REDLINES TO THE GENERAL CONTRACTOR UPON COMPLETION OF PROJECT AND PRIOR TO FINAL PAYMENT. 30
- NO OUTDOOR STORAGE OR SOLID WASTE CONTAINERS ARE PROPOSED. £.
- ALL MATERIAL SHALL BE FURNISHED AND WORK SHALL BE PERFORMED ACCORDANCE WITH THE LATEST GROUNDING STANDARD. 35.
- CONTRACTOR SHALL REMOVE ALL TRASH AND DEBRIS FROM THE SITE ON A DAILY BASIS. 33
- INFORMATION SHOWN ON THESE DRAWINGS WAS OBTAINED FROM SITE VISITS AND/OR DRAWINGS PROVIDED BY THE SITE OWNER. ¥.
 - 33
 - CONTRACTORS SHALL NOTIFY THE ENGINEER OF ANY DISCREPANCIES PRIOR TO ORDERING MATERIAL OR PROCEEDING WITH CONSTRUCTION. 36.
 - ALL CABLE INSTALLATIONS TO FOLLOW MANUFACTURER'S INSTRUCTIONS AND RECOMMENDATIONS.

ANTENNA MOUNTING

- DESIGN AND CONSTRUCTION OF ANTENNA SUPPORTS SHALL CONFORM TO CURRENT ANSI/TIA-222 OR APPLICABLE LOCAL CODES. ÷
- ALL STEEL MATERALS SHALL BE CALVANIZED AFTER FABRICATION IN ACCORDANCE WITH ACTA MATS "ZINC (FOT-DIP GALVANIZED) COATINGS ON IRON AND STEEL PRODUCTS", UNLESS NOTED OTHERWISE.
- ALL BOLTS, ANCHORS AND MISCELLANEOUS HARDWARE SHALL BE GALVANIZED IN ACCORDINGE WITH ASTAIN ATS "THE CANTING (HOT-DIP) ON IRON AND STEEL HARDWARE", UNLESS NOTED OTHERWISE.
- DAMAGED GALVANIZED SURFACES SHALL BE REPAIRED BY COLD GALVANIZING IN ACCORDANCE WITH ASTM A780. 4
- ALL ANTENNA MOUNTS SHALL BE INSTALLED WITH LOCK NUTS, DOUBLE NUTS AND SHALL BE TORQUED TO MANUFACTURER'S RECOMMENDATIONS.
- CONTRACTOR SHALL INSTALL ANTENNA PER MANUFACTURER'S RECOMMENDATION FOR INSTALLATION AND GROUNDING.
- PRORY TO SETTING ATTENA AZUMLES AND DOWNITTIES ANTENAL CONFACTOR SHALL CHECK THE ANTENA MOUNT FOR TIGHTNESS AND DESIDEE THAT THEY ME PLUMB. ANTENAL AZIMUTHS SHALL BE SET FROM TRUE NORTH AND BE ORIENTED WITHIN 14 OF SK DEFINED OF THE RPOS. ANTENAN DOWNITLIS SHALL BE WITHIN 1-4 O.SA, KS DEFINED OF THE RPOS. REFER TO MO-OOZA-6.

TORQUE REQUIREMENTS

- ALL RF CONNECTIONS SHALL BE TIGHTENED WITH A TORQUE WRENCH AND A TORQUE MARK INDICATED ON BOTH SIDES OF THE CONNECTION.
- ALL GROUNDING AND ARTENNER HARRINGES SHALL ALL BET TIGHTENED. WITH A TOROUE WRENCH AND A TOROUE MARK MIDIATID ON THE NUT SIDE STARTING FROM THE THREADS TO THE SOLID SURFACE. TOROUE TO THE YOLLOWING WALLES.

 2.1. ALL 5/7.6 AMENIAM, MARGINAGE TOROUTED TO 4.5 TI-LES.

 2.3. ALL IN-THE CONNECTIONS TIGHTENED TO 4.5 TI-LES.

 2.4. ALL IN-THE CONNECTIONS TIGHTENED TO 15-20 TI-LES.
- COAXIAL CABLE NOTES
- TYPES AND SIZES OF THE ANTENNA CHELE ARE BASED ON ESTIMATED LENGTHS. OFFICENCY TO ORDERING CABLE, CONTRACTOR SHALL VERIFY ACTUAL LENGTH BASED ON CONSTRUCTION LAYOUT AND NOTIFY THE PROJECT MANAGER IF ACTUAL LENGTHS OFFICED ESTIMATED LENGTHS.

- CONTRACTOR SHALL CONFIRM COAX COLOR CODING PRIOR TO CONSTRUCTION. REFER TO "ANTENNA SYSTEM LABELING STANDARD" ND-00027 LATEST VERSION. CONTRACTOR SHALL VERIFY THE DOWNTILT OF EACH ANTENNA WITH A DIGITAL LEVEL.
- USE 1/2" COAX ON ANTENNAS UNLESS OTHERWISE SPECIFIED
- FILL VOID AROUND CABLES AT CONDUIT OPENING WITH FOAM SEALANT TO PREVENT WATER INTRUSION.
- ALL COAXIAL CABLE SHALL BE SECURED TO THE DESIGNED SUPPORT STRUCTURE, IN AN APPROVED MANNER, AT DISTANCES NOT TO EXCEED 4^* – 0^* .
- ALL OUTDOOR RF CONNECTIONS SHALL BE WEATHERPROOFED USING COLD SHRINK OR HEAT SHRINK ON ALL ANTENNA AND RADIO CONNECTIONS, CONTRACTOR SHALL FOLLOW ALL MANUTACTURER'S RECOMMENDATIONS RECARDING BOTH THE INSTALLATION AND GROUNDING OF ALL COAXIAL CABLES, CONNECTORS, ANTENNES, AND ALL OTHER EQUIPMENT.

GENERAL CABLE AND EQUIPMENT NOTES

- PRIOR TO INSTALLATION CONTRACTOR SHALL VERIFY MAKE AND MODEL OF ANTENNA, DIPLEXERS, AND COAX CONFIGURATION. ÷
- ALL CONNECTIONS FOR HANGERS, SUPPORTS, BRACING, ETC. SHALL BE INSTALLED PER MANUFACTURER'S RECOMMENDATIONS.
- CONTRACTOR SHALL REFERENCE THE STRUCTURAL ANALYSIS/DESIGN DRAWINGS FOR DIRECTIONS ON CABLE DISTRIBUTION/ROUTING.
- IF REQUIRED TO ANNIT MITENAS ANU/OR COAX:
 4.1 TAWREANINE SHALL BE ARONE 50°F, 80°E SHALL ONNIE SHALL BE.
 4.2 PAINT COACH MUST BE APPROVED BY BUILDING OWNER/LANDLORD.
 4.3 FOR REQUILED TOWERS, REAVE APPROVED PAINT REQUIRED.
 4.4. FOR NOT PAINT OFER COLOR CODING OR ON EQUIPMENT MODEL NUMBERS.
- ALL PROPOSED GROUND BAR DOWNLEADS ARE TO BE TERMINATED TO THE EXISTING ADACENT GROUND BAR DOWNLEADS A MINIMUM DISTANCE OF 4-0" BELOW GROUND ADACH TERMINTONS MAY BE EXCHERANC OR COMPRESSION.
- NO BOLT THREADS TO PROTRUDE MORE THAN 1-1/2"

e XIUS C

A&E OFFICE:
2595 NORTH DALLAS PARKWAY, SUITE 300
FRISCO, TX 75034
(972) 581-9888



AT&T 550 COCHITUATE ROAD, FRAMINGHAM, MA 01701

FOR ZONING

amm

DATE SIGNED: 03/03/22 NEXUS SOLUTIONS, INC. CONNECTICUT FIRM NO.PEC.0001571 FIRM REGISTRATION RENEWAL 3/17/22. PE LICENSE RENEWAL 1/31/23


THIS DOCUMENT IS THE DESIGN PROPERTY AND COPPRIGHT OF NEXULES BY THE TITLE CLUSHE USE BY THE THIS CLUENTS ON USE WITHOUT THE EDMESS WITHOUT ONESH OF THE CREATOR IS STRICTLY PROPURIES.


	BY	SS	SS			
SUBMITTALS	DESCRIPTION	02/11/22 FOR REVIEW	FINAL ZD			
	DATE	02/11/22	03/02/22 FINAL ZD			
	REV	٧	0.			

SITE ADDRESS:
45 CONNAIR ROAD
ORANGE, CONNECTICUT 06477 снескер рите: 03/03/22 CRAN_RCTB_AMTRK_020 306158 CHECKED BY: GS


GENERAL NOTES SHEET NUMBER:

GN-1







DocuSign Envelope ID: F00D0D98-FAAC-41B8-A5C9-F19748810F88




MIIIII




THE CALLEY WE WINDED FOR IT X 17" SEE PRINTED MEDIA GRAVE, ALC THER SEES ARE DEEDED TO TO SCALE. THE DECOUNDER IS THE CESSION PROPERTY OF THE CALLEY OF THE PROPERTY WHITH CHAPTER AND COPPRIENT OF THE CALLEY OF TH



DRAWNS SOLES ARE INTERDEDE FOR 11" X 17" SZE PRINTED MEDIA WAY, ALL OTHER SZES ARE DEBELD "NOT TO SOLE", THIS DODWENT IS TREITY PROPERTY OF THE EXCLUSING USE BY THE TITLE CLEAT, DIPLICATION OF USE WITHOUT THE SYSTES ARE DEBELD. "NOT TO SOLE", THIS DODWENT IS STRICTLY PROPERTY OF THE EXCLUSING USE BY THE TITLE CLEAT, DIPLICATION OF USE WITHOUT THE SYSTES ARE DEBELD. "NOT TO SOLE", THIS DODWENT IS STRICTLY PROPERTY OF THE SYSTES ARE DEBELD. "NOT TO SOLE", THIS DODWENT IS STRICTLY PROPERTY OF THE SYSTES ARE DEBELD. "NOT TO SOLE", THIS DODWENT IS STRICTLY PROPERTY OF THE SYSTES ARE DEBELD. "NOT TO SOLE", THIS DODWENT IS STRICTLY PROPERTY OF THE SYSTES ARE DEBELD. "NOT TO SOLE", THIS DODWENT IS STRICTLY PROPERTY OF THE SYSTES ARE DEBELD. "NOT TO SOLE", THIS DODWENT IS STRICTLY PROPERTY OF THE SYSTES ARE DEBELD. "NOT TO SOLE", THIS DODWENT IS STRICTLY PROPERTY OF THE SYSTES ARE DEBELD. "NOT TO SOLE", THIS DODGE SYSTES ARE DESCRIBED. "NOT TO SOLE "SOLE", THIS DODGE SYSTES ARE DESCRIBED. "NOT TO SOLE", THIS DODGE SYSTES ARE DESCRIBED. "NOT TO SOLE", THIS DODGE SYSTES ARE DESCRIBED. "NOT TO SOLE "SOLE", THIS DODGE SYSTES ARE DESCRIBED. "NOT TO SOLE "SOLE", THIS DODGE SYSTES ARE DESCRIBED. "NOT TO SOLE "SOLE", THIS DODGE SYSTES ARE DESCRIBED. "NOT TO SOLE "SOLE"



DEMONSTRATE OF THE SEES WE DEPLY NOT TO SALES ARE DEPLY NOT TO SALES. THE DEPLY NOT TO SALES ARE DEPLY NOT TO SALES. THE DEPLY NOT TO SALES ARE DEPLY NOT TO SALES. THE DEPLY NOT TO SALES ARE DEPLY NOT TO SALES. THE DEPLY NOT TO SALES ARE DEPLY NOT TO SALES. THE DEPLY NOT THE DEPLY NOT TO SALES. THE DEPLY NOT TO SALES. THE DEPLY NOT THE DEPLY NOT TO SALES. THE DEPLY NOT TH



}[×


"6.6

×


AT&T Site USID

2.5"

ENTIRE DEPOSE THE Y 17 SEE PRINTED BEING MAN, ALL OTHER SEES ARE DEEMED WOT TO SOLLE, THIS DOCUMENT IS THE DESIGN PROPERTY AND COPPIGHT OF NEXULES AND COPPIGHT OF NEXULES ARE DEPOSED WRITTEN CONSENT OF THE CREATIVE DEPOSED WRITTEN CONSENT OF THE CREATIVE DEPOSED WRITTEN CONSENT OF THE CREATIVE DEPOSED.



THE CALLS WE RETIDED FOR 11'S 17' SEE PRINTED MEDIA WAY, ALL OTHER SIZES ARE EIGHED "NOT TO SCALE". THE COLOUR IS STREAM FOR THE CALLS WHITTEN CONCENT OF THE CAL




THE CHAIN SEE PRINTED MEDIA AND THE SIZE ARE DEEDED, ON TO SALE, THE DESIGN PROPERTY AND COPPIGNED TO THE DESIGN PROPERTY AND COPPIGN PROPERTY AND COP

ATTACHMENT 3

nexius

Engineering Structural Analysis Report



CRAN_RCTB_AMTRK_020
Proposed
MRCTB048312
1/17/2022
ADEQUATE



Engineering Structural Analysis Report

Reference: Assessment of the **proposed** 45-ft Class 2 Wooden Pole.

Cascade ID - Candidate: CRAN RCTB AMTRK 020

Site Address: 45 CONNAIR ROAD, ORANGE, CONNECTICUT 06477

We are pleased to provide you with our engineering assessment of the 45-ft Wooden Pole located at 45 CONNAIR ROAD, ORANGE, CONNECTICUT 06477.

The pole analyzed for this project is a 45-ft tall, Class 2 pole. The program calculates an applied wind load on the surface area of the attachments and multiplies that by the height of the attachment to determine a bending moment in the pole (WL load and BM). It also calculates the vertical loads applied and adds the moment due to the applied gravity loads. The calculated moment is compared to the pole capacity and capacity utilization is calculated. The final calculations for this pole indicate a capacity utilization is 63.2%. This is below the maximum allowable capacity utilization, 100%, so it is determined that the applied loads and configuration is acceptable for this pole.

Existing information such as pole height, line types, line heights and depth of set are based on site photographs gathered by Nexius staff. Line and equipment heights are determined based on standard spacing requirements set forth by the pole owner and standard industry practices. If any of these assumptions are not valid or made in error, the conclusion of this assessment may be affected and NEXIUS should review the effect on the structural integrity of the pole.

To the best of our knowledge and based on the result of this pole loading calculation, the additional loadings to the existing pole will not compromise the structural integrity of this utility/streetlight pole. This pole loading calculation satisfies the minimum requirements set forth by the National Electric Code, National Electric Safety Code, ANSI O5 utility pole standards, and the pole owner's attachment standards. If any of these assumptions are not valid or made in error, the conclusion of this assessment may be affected and NEXIUS should review the effect on the structural integrity of the pole.

Please contact us if you have any questions.

ASSUMPTIONS AND LIMITATIONS OF ANALYSIS

Please note the following assumptions and limitations inherent in this analysis and report:

A) The equipment configuration is as per "15360618.AE201.220103.REV 0" Drawings by NEXIUS, dated 12/28/2021.

If any of these assumptions are not valid or made in error, the conclusion of this assessment may be affected and NEXIUS should review the effect on the structural integrity of the pole.

nexius

Proposed	l Final Equipment	
Item	Model	Quantity
Antenna	Galtronics GP2406-06670 W/ Mount Bracket	2
Equipment Cabinet	SH60-503027DNE7	1
Diplexer	Commscope SDX1926Q-43	1*
125-Amp Meter	Milbank U2272-RL-5T9-BL	1
60-Amp AC Dist. Box/Service Disconnect	Raycap RSCAC-9556-P-240-D	1
Radio	Ericsson 8843	1*
Radio	Ericsson 4449	1*
PSU	Ericsson PSU AC 08	3*

^{*}Located inside Shroud

CONCLUSIONS & RECOMMENDATIONS:

The proposed 45-ft wooden pole has been found **ADEQUATE** to support its overall and total load subject to the attached Standard Conditions on **page 4** and the above-mentioned assumptions and limitations.

Please note that the soils report for the foundation were not available to us at the time of this analysis, therefore, the soil conditions have been assumed.

Should you have any questions, comments or require additional information, please do not hesitate to call.

Sincerely,


Analysis by: Gaelle Ghanem Reviewed by: Jordan Phillips, P.E.



Standard Conditions for Providing Structural Consulting Services on Existing Structures

- 1. If the existing conditions are not as represented in this structural report or attached sketches, we should be contacted to evaluate the significance of the deviation and revise the structural assessment accordingly.
- 2. The structural analysis has been performed assuming that the structure is in "like new" condition. No allowance was made for excessive corrosion, damaged or missing structural members, loose bolts, etc. If there are any known deficiencies in the structure that potentially compromise structural integrity, we should be made aware of the deficiencies. If we are aware of a deficiency that exists in a structure at the time of our analysis, a general explanation of the structural concern due to the deficiency will be included in the structural report, but the deficiency will not be reflected in capacity calculations.
- 3. The structural analysis provided is an assessment of the primary load carrying capacity of the structure. We provide a limited scope of service, in that we have not verified the capacity of every weld, plate, connection detail, etc. In most cases, structural fabrication details are unknown at the time of our analysis, and the detailed field measurement of this information is beyond the scope of our services. In instances where we have not performed connection/component capacity calculations, it is assumed that existing manufactured connection/component develop the full capacity of the primary members being calculated.
- 4. We will not accept any liability for the adequacy of the existing foundation system unless accurate structural foundation drawings are provided with a site-specific geotechnical report. Foundations will be assumed installed per the drawings with no construction deficiency due to initial installation or age.
- 5. Miscellaneous items such as antenna mounts, coax supports, etc. have not been designed, detailed, or specified as part of our work. It is assumed that material of adequate size and strength will be purchased from a reputable component manufacturer. The attached report and sketches are schematic in nature and should not be used to fabricate or purchase hardware and accessories to be attached to the structure. We recommend field measurement of the structure before fabricating or purchasing new hardware and accessories. We are not responsible for proper fit and clearance of hardware and accessory items in the field.
- 6. The structural analysis has been performed considering minimum code requirements or recommendations. If alternate wind, ice, or deflection criteria are to be considered, then we shall be made aware of the alternate criteria.

74 Feet	Elevation:	-72.996490 Deg Elevation:		ongitude:	41.247540 Deg Longitude:		Latitude:
							Center (AGL):
		4.00	No Wind Pressure (psf):		41'-3" Fiber Stress Ht. Reduc:	41'-3"	Proposed RAD
1.50	39.53 Vertical LF:	39.53	5,200 Wind Speed (mph):	5,200	KSS Allowable Stress (psi):	KSS	Pole Owner:
1.65	0.50 Wire Tension LF:	0.50	8,000 Ice Thickness (in):	8,000	45 Connair Rd G/L Fiber Stress (psi):	45 Connair Rd	Site Address:
2.50	Heavy Transverse Wind LF:	Heavy	40.30 Loading District:		306158 G/L Circumference (in):	306158	USID:
0.65	B Pole Strength Factor:	B	6.50 Construction Grade:	6.50	MRCTB048312 Setting Depth (ft):	MRCTB048312	PACE #:
Unguyed	Status	Rule 250B Status	NESC Rule:	SOUTHERN PINE NESC Rule:	AT&T Species:	AT&T	Customer:
Deadend	NESC Structure Type:	NESC	45/2 Code:	45/2	N/A Pole Length / Class:	A/N	Pole Num:



Pole Capacity Utilization (%)	zation (%)	Height (ft)	Wind Angle (deg)
Maximum	63.2	0.0	282.0
Groundline	63.2	0.0	282.0
Vertical	5.7	19.1	282.0

Pole Moments (ft-lb)	(q	Load Angle (deg)	Wind Angle (deg)
Max Cap Util	56,349	286.8	282.0
Groundline	56,349	286.8	282.0
GL Allowable	89,811		

 $^3 \text{Wind At } 282^\circ$

Groundline Load Summary - Reporting Angle Mode: Load - Reporting Angle: 286.8°	- Reporting A	ngle Mode: Lo	oad - Reportin	g Angle: 286.	°°					
	Shear Load* (lbs)	Applied Load (%)	Bending Moment (ft-lb)	Applied Moment (%)	Pole Capacity (%)	Bending Stress (+/- psi)	Vertical Load (Ibs)	Vertical Stress (psi)	Total Stress (psi)	Pole Capacity (%)
Powers	824	36.3	24,370	43.3	27.1	1,395	21	0	1,395	26.8
Comms	824	36.3	20,707	36.8	23.1	1,185	39	0	1,185	22.8
GenericEquipments	37	1.6	1,562	2.8	1.7	89	96	_	06	1.7
PowerEquipments	198	8.7	1,958	3.5	2.2	112	510	4	116	2.2
Pole	332	14.6	6,509	11.6	7.3	373	2,079	16	389	7.5
Crossarms	8	0.4	323	9.0	0.4	19	105		19	0.4
Risers	47	2.1	910	1.6	1.0	52	43	0	52	1.0
Insulators	0	0.0	Ξ	0.0	0.0	_	6	0	_	0.0
Pole Load	2,271	100.0	56,349	100.0	62.7	3,225	2,902	22	3,247	62.4
Pole Reserve Capacity			33,462		37.3	1,975			1,953	37.6

oad Summary by Owner - Reporting Angle Mode: Load - Reportin	Reporting An	gle Mode: Loa	d - Reporting	ng Angle: 286.8°						
	Shear Load* (lbs)	Applied Load (%)	Bending Moment (ft-lb)	Applied Moment (%)	Pole Capacity (%)	Bending Stress (+/- psi)	Vertical Load (lbs)	Vertical Stress (psi)	Total Stress (psi)	Pole Capacity (%)
<undefined></undefined>	1,939	85.4	49,840	88.5	55.5	2,852	823	9	2,859	55.0
KSS	332	14.6	6,509	11.6	7.3	373	2,079	16	389	7.5
Totals:	2,271	100.0	56,349	100.0	62.7	3,225	2,902	22	3,247	62.4

• •	
Ś	
=	
Ξ.	
O	
⊆	
0	
ŏ	
≻	
≂	
o	
C	
_	
ਰ	
Œ	
õ	
ĭ	
_	
0	
=	
<u> </u>	
æ	
ید	
Φ.	
\Box	

Power		Owner	Height (ft)	Horiz. Offset (in)	Cable Diameter (in)	Sag at Max Temp (ft)	Cable Weight (lbs/ft)	Lead/Span Length (ft)	Span Angle (deg)	Wire Length (ft)	Tension (Ibs)	Tension Moment* (ft-lb)	Offset Moment* (ft-lb)	Wind Moment* (ft-lb)	Moment at GL* (ft-lb)
Secondary DUPLEX 6 AWG	AWG		29.25	6.81	0.5370	0.36	0.071	40.0	290.0	40.0	200	24,093	-12	9	24,087
											Totals:	24,093	-12	9	24,087

Comm		Owner	Owner Height (ft)	Horiz. Offset (in)	Horiz. Cable Offset Diameter (in) (in)	Sag at Max Temp (ft)	Cable Weight (lbs/ft)	Lead/Span Length (ft)	Span Angle (deg)	Wire Length (ft)	Tension (lbs)	Tension Moment* (ft-lb)	Offset Moment* (ft-lb)	Wind Moment* (ft-lb)	Moment at GL* (ft-lb)
Overlashed Bundle 6M	M9		24.83	7.34	0.2420	0.02	0.104	40.0	290.0	40.0	200	20,452	3	5	20,461
Telco	BELOPTIX AT072 - 72 FIBERS - ARMORED (0.657)		24.78	7.34	0.6570		0.190	40.0	290.0	40.0			4	2	9
											Totals:	20,452	7	7	20,466

User:jordan.phillips NEXIUS OCP:5.03

² Worst Wind Per Guy Wire

GenericEquipmen	14	Owner	Height	Horiz.	Offset	Rotate	Unit	Unit	Unit	Unit	Unit	Offset	Wind	Moment
-			(#)	Offset (in)	Angle (deg)	Angle (deg)	Weight (Ibs)	Height (in)	Depth (in)	Diameter (in)	Length (in)	Moment* (ft-lb)	Moment* (ft-lb)	at GL* (ft-lb)
Box	ANTENNA		41.50	10.79	30.0	0.0	31.90	23.30	00.9	1	23.30	-10	774	764
Вох	ANTENNA		41.25	10.80	210.0	0.0	31.90	23.30	00'9	ŀ	23.30	10	169	779
											Totals:	0	1,544	1,544

PowerEquipment		Owner	Height	Horiz.	Offset	Rotate	Unit	Unit	Unit	Unit	Unit	Offset	Wind	Moment
			Œ	Offset (in)	Angle (deg)	Angle (deg)	Weight (Ibs)	Height (in)	Depth (in)	Diameter (in)	Length (in)	Moment* (ft-lb)	Moment* (ft-lb)	at GL* (ft-lb)
Вох	Equipment Cabinet		14.83	20.48	120.0	120.0	315.67	50.00	27.00		30.00	-729	2,463	1,734
Вох	Distribution Box		10.52	10.04	120.0	120.0	8.00	12.39	5.65	ŀ	8.59	φ	124	116
Вох	Meter Socket		2.00	11.10	120.0	120.0	16.25	18.50	4.84	ŀ	10.00	-17	102	98
											Totals:	-754	2,689	1,935

Crossarm		Owner	Height	Horiz.	Offset	Rotate	Unit	Unit	Unit Depth	Unit	Offset	Wind	Moment at
			(£)	Offset (in)	Angle (deg)	Angle (deg)	Weight (lbs)	Height (in)	(in)	Length (in)	Moment* (ft-lb)	Moment* (ft-lb)	GL* (ff-lb)
Pole Extension	Pole Extension		40.00	-0.08	270.0	270.0	98'69	36.00	2.00	2.00	7	319	319
										Totals:	7	319	319

Riser		Owner	Height	Horiz.	Offset	Rotate	Unit	Unit	Unit	Unit	Unit	Offset	Wind	Moment
			(#)	Offset (in)	Angle (deg)	Angle (deg)	Weight (Ibs)	Height (in)	Depth (in)	Diameter (in)	Length (in)	Moment* (ft-lb)	Moment* (ft-lb)	at GL* (ft-lb)
Riser- 2" 0.0°	Riser- 2"		28.75	6.57	0.0	0.0	28.75	345.00	2.00	2.00	345.00	4	895	006
											Totals:	4	895	006


Insulator		Owner	Height	Horiz.	Offset	Rotate	Unit	Unit	Unit	Offset	Wind	Moment at
			(#)	Offset (in)	Angle (deg)	Angle (deg)	Weight (Ibs)	Diameter (in)	Length (in)	Moment* (ft-lb)	Moment* (ft-lb)	GL* (ft-lb)
Spool	Spool 2.5"		29.25	0.00	0.06	0.0	1.00	2.50	2.12	7	11	10
Bolt	Single Bolt		24.83	00:00	0.0	0.0	2.00	3.00	00:00	_	0	_
									Totals:	•	11	11

	<u> </u>	₹†
	Buckling Load Factor of Safety	17.54
	Buckling Load Applied at Height (lbs)	509.12
	Buckling Load Capacity at Height (lbs)	50,563
	Pole Tip Height (ft)	38.50
	Ice Density (pcf)	57.00
	Pole Density (pcf)	00'09
	Modulus of Elasticity (psi)	1.60e+6
	Diameter at Modulus of GL Elasticity (in) (psi)	12.83
	Diameter at Tip (in)	96.7
	Minimum Buckling Diameter at GL (in)	13.43
	Buckling Section Diameter (in)	12.04
	Buckling Section Height (% Buckling Col. Hgt.)	32.82
ng	Buckling Column Height* (ft)	19.06
Pole Buckling	Buckling Constant	2.00

² Worst Wind Per Guy Wire

O-Calc® Pro Schematic View

Pole Identification: N/A Report Created: 1/17/2022 File: Pole_MRCTB048312_pplx.pplx



1 - 41.5' (498") ANTENNA

2 - 41.2' (495")

ANTENNA

3 - 40' (480")

Secondary 290° 40' 0.537" (DUPLEX 6 AWG)

5 - 28.8' (345")

Riser- 2" 0.0°

6 - 24.8' (298")

6M 290° 40' Msgr:0.242"

7 - 14.8' (178")

Box Equipment Cabinet

8 - 10.5' (126.2")

Box Distribution Box

9 - 5' (60")

Box Meter Socket

ATTACHMENT 4



CRAN_RCTB_AMTRK_020 MRCTB048312 45 CONNAIR ROAD, ORANGE, CT 06477 Photo-simulation produced on 02/10/2022







ATTACHMENT 5

Radio Frequency – Electromagnetic Energy (RF-EME) Compliance Report

Site No. 15360618

MRCTB048312

CRAN_RCTB_AMTRK_020

45 Connair Road

West Haven, Connecticut 06477

New Haven County

41.24754000; -72.99649000 NAD83

Utility Pole

The proposed AT&T installation will be in compliance with FCC regulations upon proper installation of recommended signage.

EBI Project No. 6222000313 February 1, 2022



Prepared for:

AT&T Mobility, LLC c/o Nexius 2999 Oak Road, Suite 110 Walnut Creek, CA 94597

Prepared by:



TABLE OF CONTENTS

EXE	CUTIVE SUMMARY
1.0	FEDERAL COMMUNICATIONS COMMISSION (FCC) REQUIREMENTS
2.0	AT&T RF Exposure Policy Requirements
3.0	WORST-CASE PREDICTIVE MODELING
4.0	RECOMMENDED SIGNAGE/COMPLIANCE PLAN
5.0	SUMMARY AND CONCLUSIONS
6.0	LIMITATIONS

APPENDICES

Appendix A Personnel Certifications
Appendix B Compliance/Signage Plan

EXECUTIVE SUMMARY

Purpose of Report

EnviroBusiness Inc. (dba EBI Consulting) has been contracted by AT&T Mobility, LLC to conduct radio frequency electromagnetic (RF-EME) modeling for AT&T Site 15360618 located at 45 Connair Road in West Haven, Connecticut to determine RF-EME exposure levels from proposed AT&T wireless communications equipment at this site. As described in greater detail in Section 1.0 of this report, the Federal Communications Commission (FCC) has developed Maximum Permissible Exposure (MPE) Limits for general public exposures and occupational exposures. This report summarizes the results of RF-EME modeling in relation to relevant FCC RF-EME compliance standards for limiting human exposure to RF-EME fields.

This report contains the RF EME analysis for the site, including the following:

- Site Plan with antenna locations
- Graphical representation of theoretical MPE fields based on modeling
- Graphical representation of recommended signage and/or barriers

This document addresses the compliance of AT&T's transmitting facilities independently and in relation to all collocated facilities at the site.

Statement of Compliance

A site is considered out of compliance with FCC regulations if there are areas that exceed the FCC exposure limits <u>and</u> there are no RF hazard mitigation measures in place. Any carrier which has an installation that contributes more than 5% of the applicable MPE must participate in mitigating these RF hazards.

As presented in the sections below, based on worst-case predictive modeling, there are no modeled exposures on any accessible utility line level and ground walking/working surface related to ATT's proposed antennas that exceed the FCC's occupational and/or general public exposure limits at this site.

As such, the proposed AT&T installation is in compliance with FCC regulations upon proper installation of recommended signage and/or barriers.

AT&T Recommended Signage/Compliance Plan

AT&T's RF Exposure: Responsibilities, Procedures & Guidelines document, dated October 28, 2014, requires that:

- 1. All sites must be analyzed for RF exposure compliance;
- 2. All sites must have that analysis documented; and
- 3. All sites must have any necessary signage and barriers installed.

Site compliance recommendations have been developed based upon protocols presented in AT&T's RF Exposure: Responsibilities, Procedures & Guidelines document, dated October 28, 2014, additional guidance provided by AT&T, EBI's understanding of FCC and OSHA requirements, and common industry practice. Barrier locations have been identified (when required) based on guidance presented in AT&T's RF Exposure: Responsibilities, Procedures & Guidelines document, dated October 28, 2014.

RF-EME Compliance Report EBI Project No. 6222000313

The following signage is recommended at this site:

Install 7 by 7-inch CAUTION signs on the equipment cabinet on the side of the utility pole.

The signage proposed for installation at this site complies with AT&T's RF Exposure: Responsibilities, Procedures & Guidelines document and therefore complies with FCC and OSHA requirements. Barriers are not recommended on this site. To reduce the risk of exposure and/or injury, EBI recommends that access to the utility pole or areas associated with the active antenna installation be restricted and secured where possible. More detailed information concerning site compliance recommendations is presented in Section 4.0 and Appendix B of this report.

1.0 FEDERAL COMMUNICATIONS COMMISSION (FCC) REQUIREMENTS

The FCC has established Maximum Permissible Exposure (MPE) limits for human exposure to Radiofrequency Electromagnetic (RF-EME) energy fields, based on exposure limits recommended by the National Council on Radiation Protection and Measurements (NCRP) and, over a wide range of frequencies, the exposure limits developed by the Institute of Electrical and Electronics Engineers, Inc. (IEEE) and adopted by the American National Standards Institute (ANSI) to replace the 1982 ANSI guidelines. Limits for localized absorption are based on recommendations of both ANSI/IEEE and NCRP.

The FCC guidelines incorporate two separate tiers of exposure limits that are based upon occupational/controlled exposure limits (for workers) and general public/uncontrolled exposure limits for members of the general public.

Occupational/controlled exposure limits apply to situations in which persons are exposed as a consequence of their employment and in which those persons who are exposed have been made fully aware of the potential for exposure and can exercise control over their exposure. Occupational/controlled exposure limits also apply where exposure is of a transient nature as a result of incidental passage through a location where exposure levels may be above general public/uncontrolled limits (see below), as long as the exposed person has been made fully aware of the potential for exposure and can exercise control over his or her exposure by leaving the area or by some other appropriate means.

General public/uncontrolled exposure limits apply to situations in which the general public may be exposed or in which persons who are exposed as a consequence of their employment may not be made fully aware of the potential for exposure or cannot exercise control over their exposure. Therefore, members of the general public would always be considered under this category when exposure is not employment-related, for example, in the case of a telecommunications tower that exposes persons in a nearby residential area.

Table I and Figure I (below), which are included within the FCC's OET Bulletin 65, summarize the MPE limits for RF emissions. These limits are designed to provide a substantial margin of safety. They vary by frequency to take into account the different types of equipment that may be in operation at a particular facility and are "time-averaged" limits to reflect different durations resulting from controlled and uncontrolled exposures.


The FCC's MPEs are measured in terms of power (mW) over a unit surface area (cm²). Known as the power density, the FCC has established an occupational MPE of 5 milliwatts per square centimeter (mW/cm²) and an uncontrolled MPE of 1 mW/cm² for equipment operating in the 1900 MHz frequency range. For the AT&T equipment operating at 850 MHz, the FCC's occupational MPE is 2.83 mW/cm² and an uncontrolled MPE of 0.57 mW/cm². For the AT&T equipment operating at 700 MHz, the FCC's occupational MPE is 2.33 mW/cm² and an uncontrolled MPE of 0.47 mW/cm². These limits are considered protective of these populations.

Ta	able I: Limits for I	Maximum Permiss	sible Exposure (MPI	E)
(A) Limits for Occu	upational/Controlled	d Exposure		
Frequency Range (MHz)	Electric Field Strength (E) (V/m)	Magnetic Field Strength (H) (A/m)	Power Density (S) (mW/cm²)	Averaging Time [E] ² , [H] ² , or S (minutes)
0.3-3.0	614	1.63	*(100)	6
3.0-30	1842/f	4.89/f	(900/f ²)*	6
30-300	61.4	0.163	1.0	6
300-I,500			f/300	6
1,500-100,000			5	6

Table I: Limits for Maximum Permissible Exposure (MPE)					
(A) Limits for Occupational/Controlled Exposure					
Frequency Range (MHz) Electric Field Magnetic Field Strength (H) (V/m) Magnetic Field Strength (H) (A/m) Power Density (S) (mW/cm²) (mW/cm²)					
(B) Limits for General Public/Uncontrolled Exposure					
Frequency Range (MHz)	Electric Field Strength (E) (V/m)	Magnetic Field Strength (H) (A/m)	Power Density (S) (mW/cm²)	Averaging Time [E] ² , [H] ² , or S (minutes)	
0.3-1.34	614	1.63	(100)*	30	
1.34-30	824/f	2.19/f	(180/f ²)*	30	
30-300	27.5	0.073	0.2	30	
300-1,500			f/1,500	30	
1,500-100,000			1.0	30	

f = Frequency in (MHz)

<u>Figure 1.</u> FCC Limits for Maximum Permissible Exposure (MPE)



Based on the above, the most restrictive thresholds for exposures of unlimited duration to RF energy for several personal wireless services are summarized below:

Personal Wireless Service	Approximate Frequency	Occupational MPE	Public MPE	
Microwave (Point-to-Point)	5,000 - 80,000 MHz	5.00 mW/cm ²	I.00 mW/cm ²	
Broadband Radio (BRS)	2,600 MHz	5.00 mW/cm ²	I.00 mW/cm ²	
Wireless Communication (WCS)	2,300 MHz	5.00 mW/cm ²	I.00 mW/cm ²	
Advanced Wireless (AWS)	2,100 MHz	5.00 mW/cm ²	I.00 mW/cm ²	
Personal Communication (PCS)	1,950 MHz	5.00 mW/cm ²	I.00 mW/cm ²	
Cellular Telephone	870 MHz	2.90 mW/cm ²	0.58 mW/cm ²	
Specialized Mobile Radio (SMR)	855 MHz	2.85 mW/cm ²	0.57 mW/cm ²	

^{*} Plane-wave equivalent power density

Personal Wireless Service	Approximate Frequency	Occupational MPE	Public MPE
Long Term Evolution (LTE)	700 MHz	2.33 mW/cm ²	0.47 mW/cm ²
Most Restrictive Frequency Range	30-300 MHz	I.00 mW/cm ²	0.20 mW/cm ²

MPE limits are designed to provide a substantial margin of safety. These limits apply for continuous exposures and are intended to provide a prudent margin of safety for all persons, regardless of age, gender, size, or health.

Personal Communication (PCS) facilities used by AT&T in this area operate within a frequency range of 700-1900 MHz. Facilities typically consist of: 1) electronic transceivers (the radios or cabinets) connected to wired telephone lines; and 2) antennas that send the wireless signals created by the transceivers to be received by individual subscriber units (PCS telephones). Transceivers are typically connected to antennas by coaxial cables.

Because of the short wavelength of PCS services, the antennas require line-of-site paths for good propagation, and are typically installed above ground level. Antennas are constructed to concentrate energy towards the horizon, with as little energy as possible scattered towards the ground or the sky. This design, combined with the low power of PCS facilities, generally results in no possibility for exposure to approach Maximum Permissible Exposure (MPE) levels, with the exception of areas directly in front of the antennas.

2.0 AT&T RF EXPOSURE POLICY REQUIREMENTS

AT&T's RF Exposure: Responsibilities, Procedures & Guidelines document, dated October 28, 2014, requires that:

- 1. All sites must be analyzed for RF exposure compliance;
- 2. All sites must have that analysis documented; and
- 3. All sites must have any necessary signage and barriers installed.

Pursuant to this guidance, worst-case predictive modeling was performed for the site. This modeling is described below in Section 3.0. Lastly, based on the modeling and survey data, EBI has produced a Compliance Plan for this site that outlines the recommended signage and barriers. The recommended Compliance Plan for this site is described in Section 4.0.

3.0 WORST-CASE PREDICTIVE MODELING

In accordance with AT&T's RF Exposure policy, EBI performed theoretical modeling using RoofMaster™ software to estimate the worst-case power density at the site utility line level and ground-level and/or nearby rooftops resulting from operation of the antennas. RoofMaster™ is a widely-used predictive modeling program that has been developed to predict RF power density values for rooftop and tower telecommunications sites produced by vertical collinear antennas that are typically used in the cellular, PCS, paging and other communications services. Using the computational methods set forth in Federal Communications (FCC) Office of Engineering & Technology (OET) Bulletin 65, "Evaluating Compliance with FCC Guidelines for Human Exposure to Radiofrequency Electromagnetic Fields" (OET-65), RoofMaster™ calculates predicted power density in a scalable grid based on the contributions of all RF sources characterized in the study scenario. At each grid location, the cumulative power density is expressed as a percentage of the FCC limits. Manufacturer antenna pattern data is utilized in these calculations. RoofMaster™ models consist of the Far Field model as specified in OET-65 and an implementation of the OET-65 Cylindrical Model (Sula9). The models utilize several operational specifications for different types of antennas to produce a plot of spatially-averaged power densities that can be expressed as a percentage of the applicable exposure limit. A statistical power factor may be applied to the antenna system based on guidance from the carrier and system manufacturers.

RF-EME Compliance Report EBI Project No. 6222000313

For this report, EBI utilized antenna and power data provided by AT&T and compared the resultant worst-case MPE levels to the FCC's occupational/controlled exposure limits outlined in OET Bulletin 65.

The assumptions used in the modeling are based upon information provided by AT&T and information gathered from other sources. There are no other wireless carriers with equipment installed at this site.

Based on worst-case predictive modeling, there are no modeled exposures on any accessible utility line level and ground walking/working surface related to ATT's proposed antennas that exceed the FCC's occupational and/or general public exposure limits at this site.

Modeling indicates that the worst-case emitted power density may exceed the FCC's general public limit within approximately 28 feet of the antenna face and the occupational limit within approximately 12 feet of the antenna face. Modeling also indicates that the worst-case emitted power density may exceed the FCC's general population limit within approximately 5 feet below the bottom of the AT&T antenna and the occupational limit within approximately 7 feet below the bottom of the AT&T antenna.

At the nearest walking/working surfaces to the AT&T antennas on the utility line level, the maximum power density generated by the AT&T antennas is approximately 17.09 percent of the FCC's general public limit (3.42 percent of the FCC's occupational limit). The composite exposure level from all carriers on this site is approximately 17.09 percent of the FCC's general public limit (3.42 percent of the FCC's occupational limit) at the nearest walking/working surface to each antenna. It should be noted that percentage of MPE is based on spatially-averaged power densities over a height of six feet, with the height of the utility line being centered within that spatial range. Based on worst-case predictive modeling, there are no areas at ground/street level related to the proposed AT&T antennas that exceed the FCC's occupational or general public exposure limits at this site. At ground/street level, the maximum power density generated by the antennas is approximately 1.3 percent of the FCC's general public limit (0.26 percent of the FCC's occupational limit).

A graphical representation of the RoofMaster™ modeling results is presented in Appendix B.


Microwave dish antennas are designed for point-to-point operations at the elevations of the installed equipment rather than ground-level coverage. Based on AT&T's RF Exposure: Responsibilities, Procedures & Guidelines document, dated October 28, 2014, microwave antennas are considered compliant if they are higher than 20 feet above any accessible walking/working surface. There are no microwaves installed at this site.

4.0 RECOMMENDED SIGNAGE/COMPLIANCE PLAN

Signs are the primary means for control of access to areas where RF exposure levels may potentially exceed the MPE. As presented in the AT&T guidance document, the signs must:

- Be posted at a conspicuous point;
- Be posted at the appropriate locations;
- Be readily visible; and
- Make the reader aware of the potential risks prior to entering the affected area.

The table below presents the signs that may be used for AT&T installations.



Based upon protocols presented in AT&T's RF Exposure: Responsibilities, Procedures & Guidelines document, dated October 28, 2014, and additional guidance provided by AT&T, the following signage is recommended on the site:

Install 7 by 7-inch CAUTION signs on the equipment cabinet on the side of the utility pole.

No barriers are required for this site. Barriers should be constructed of weather-resistant plastic or wood fencing. Barriers may consist of railing, rope, chain, or weather-resistant plastic if no other types are permitted or are feasible. Painted stripes should only be used as a last resort and only in regions where there is little chance of snowfall. If painted stripes are selected as barriers, it is recommended that the stripes and signage be illuminated. The signage and any barriers are graphically represented in the Signage Plan presented in Appendix B.

5.0 SUMMARY AND CONCLUSIONS

EBI has prepared this Radiofrequency Emissions Compliance Report for the proposed AT&T telecommunications equipment at the site located at 45 Connair Road in West Haven, Connecticut.

EBI has conducted theoretical modeling to estimate the worst-case power density from AT&T antennas to document potential MPE levels at this location and ensure that site control measures are adequate to meet FCC and OSHA requirements, as well as AT&T's corporate RF safety policies. As presented in the preceding sections, based on worst-case predictive modeling, there are no modeled exposures on any accessible utility line level and ground walking/working surface related to ATT's proposed antennas that exceed the FCC's occupational and/or general public exposure limits at this site.

To reduce the risk of exposure and/or injury, EBI recommends that access to the utility pole or areas associated with the active antenna installation be restricted and secured where possible. Signage is recommended at the site as presented in Section 4.0 and Appendix B. Posting of the signage brings the site into compliance with FCC rules and regulations and AT&T's corporate RF safety policies.

6.0 LIMITATIONS

This report was prepared for the use of AT&T Mobility, LLC to meet requirements outlined in AT&T's corporate RF safety guidelines. It was performed in accordance with generally accepted practices of other consultants undertaking similar studies at the same time and in the same locale under like circumstances. The conclusions provided by EBI and its partners are based solely on information supplied by AT&T. The observations in this report are valid on the date of the investigation. Any additional information that becomes available concerning the site should be provided to EBI so that our conclusions may be revised and modified, if necessary. This report has been prepared in accordance with Standard Conditions for Engagement and authorized proposal, both of which are integral parts of this report. No other warranty, expressed or implied, is made.

Appendix A Personnel Certifications


Preparer Certification

I, Rebecca Sinisgalli, state that:

- I am an employee of EnviroBusiness Inc. (d/b/a EBI Consulting), which provides RF-EME safety and compliance services to the wireless communications industry.
- I have successfully completed RF-EME safety training, and I am aware of the potential hazards from RF-EME and would be classified "occupational" under the FCC regulations.
- I am fully aware of and familiar with the Rules and Regulations of both the Federal Communications Commissions (FCC) and the Occupational Safety and Health Administration (OSHA) with regard to Human Exposure to Radio Frequency Radiation.
- I have been trained in on the procedures outlined in AT&T's RF Exposure: Responsibilities, Procedures & Guidelines document (dated October 28, 2014) and on RF-EME modeling using RoofMaster™ modeling software.
- I have reviewed the data provided by the client and incorporated it into this Site Compliance Report such that the information contained in this report is true and accurate to the best of my knowledge.

Rebeech Disgli

Appendix B Compliance/Signage Plan



ATTACHMENT 6

CERTIFICATION OF SERVICE

I hereby certify that on March 30, 2022 a copy of the following notice of the intended filing of a Petition with the Connecticut Siting Council for a declaratory ruling was sent by certified mail, return receipt requested, to the list below:

Dated: March 30, 2022

Cuddy & Feder LLP 45 Hamilton Avenue, 14th Floor White Plains, New York 10601 Attorneys for:

New Cingular Wireless PCS, LLC (AT&T)

State

State					
THE HONORABLE WILLIAM TONG	DEPARTMENT OF ECONOMIC AND				
ATTORNEY GENERAL	COMMUNITY DEVELOPMENT				
OFFICE OF THE ATTORNEY GENERAL	DAVID LEHMAN, COMMISSIONER				
165 CAPITOL AVENUE	450 COLUMBUS BLVD				
HARTFORD, CT 06106	HARTFORD, CT 06103				
DEPARTMENT OF PUBLIC HEALTH	PUBLIC UTILITIES REGULATORY				
DR. MANISHA JUTHANI, MD,	AUTHORITY				
ACTING COMMISSIONER	MARISSA P. GILLETT, CHAIRMAN				
410 CAPITOL AVENUE	10 FRANKLIN SQUARE				
HARTFORD, CT 06134	NEW BRITAIN, CT 06051				
	_				
COUNCIL ON ENVIRONMENTAL QUALITY	DEPARTMENT OF TRANSPORTATION				
PETER B. HEARN, EXECUTIVE DIRECTOR	JOSEPH GIULIETTI, COMMISSIONER				
79 ELM STREET, 6th FLOOR	2800 BERLIN TURNPIKE, P.O. BOX 317546				
HARTFORD, CT 06106	NEWINGTON, CT 06131				
DEPARTMENT OF ENERGY &	DEPARTMENT OF AGRICULTURE				
ENVIRONMENTAL PROTECTION	BRYAN P. HURLBURT, COMMISSIONER				
KATIE DYKES, COMMISSIONER	450 COLUMBUS BOULEVARD				
79 ELM STREET	SUITE 701				
HARTFORD, CT 06106	HARTFORD, CT 06103				
OFFICE OF POLICY AND MANAGEMENT	SECRETARY OF THE STATE				
MELISSA MCCAW, SECRETARY	DENISE W. MERRILL				
450 CAPITOL AVENUE	165 CAPITOL AVENUE, SUITE 1000				
HARTFORD, CT 06106	P.O. BOX 150470				
	HARTFORD, CT 06106				
SOUTH CENTRAL REGIONAL COUNCIL OF	DEPARTMENT OF EMERGENCY SERVICES				
GOVERNMENTS	& PUBLIC PROTECTION				
127 WASHINGTON AVENUE – 4 TH FLOOR	DIVISION OF EMERGENCY				
WEST	MANAGEMENT AND HOMELAND				
NORTH HAVEN, CT 06473	SECURITY				

	•
STATE HISTORIC PRESERVATION OFFICE DEPARTMENT OF ECONOMIC AND COMMUNITY DEVELOPMENT 450 COLUMBUS BLVD., 5 TH FLOOR	JAMES C. ROVELLA, COMMISSIONER 1111 COUNTRY CLUB ROAD MIDDLETOWN, CT 06457 STATE REPRESENTATIVE- 117 TH DISTRICT CHARLES FERRARO LEGISLATIVE OFFICE BUILDING 300 CAPITOL AVENUE
HARTFORD, CT 06103	ROOM 4200
, , , , , , , ,	HARTFORD, CT 06106
STATE SENATOR – 14 th DISTRICT	
JAMES MARONEY	
LEGISLATIVE OFFICE BUILDING	
300 CAPITOL AVENUE	
ROOM 3300	
HARTFORD, CT 06106	

Federal

	,
FEDERAL COMMUNICATIONS	FEDERAL AVIATION ADMINISTRATION
COMMISSION	800 INDEPENDENCE AVENUE, SW
45 L STREET NE	WASHINGTON, DC 20591
WASHINGTON, DC 20554	,
U.S. SENATOR CHRIS MURPHY	U.S. SENATOR RICHARD BLUMENTHAL
COLT GATEWAY	90 STATE HOUSE SQUARE, 10TH FLOOR
120 HUYSHOPE AVENUE	HARTFORD, CT 06103
SUITE 401	
HARTFORD, CT 06106	
U.S. CONGRESSWOMAN –3 RD DISTRICT	
ROSA DELAURO	
59 ELM STREET	
NEW HAVEN, CT 06510	

Town of Orange

	8
JAMES M. ZEOLI, FIRST SELECTMAN	OSCAR PARENTE, ESQ.
OFFICE OF THE FIRST SELECTMAN	CHAIR OF PLAN & ZONING COMMISSION
TOWN OF ORANGE	PLAN & ZONING DEPARTMENT
617 ORANGE CENTER ROAD	TOWN OF ORANGE
ORANGE, CT 06477	617 ORANGE CENTER ROAD
	ORANGE, CT 06477
CINDY RUGGERI	MARY SHAW, TOWN CLERK
CHAIR OF CONSERVATION	TOWN OF ORANGE
COMMISSION	617 ORANGE CENTER ROAD
TOWN OF ORANGE	ORANGE, CT 06477
617 ORANGE CENTER ROAD	
ORANGE, CT 06477	

RICK MANGIONE CHAIR OF INLAND WETLANDS & WATERCOURSES COMMISSION TOWN OF ORANGE 617 ORANGE CENTER ROAD ORANGE, CT 06477 JACK DEMIRJIAN
PLAN & ZONING DEPARTMENT
ZONING ADMINISTRATOR &
ENFORCEMENT OFFICER
TOWN OF ORANGE
617 ORANGE CENTER ROAD
ORANGE, CT 06477

NOTICE

Notice is hereby given, pursuant to Section 16-50j-40(a) of the Regulations of Connecticut State Agencies of a Petition being filed with the Connecticut Siting Council ("Siting Council") on or after April 1, 2022 by New Cingular Wireless PCS, LLC ("AT&T"). AT&T seeks a declaratory ruling that no Certificate of Environmental Compatibility and Public Need ("Certificate") is required under Section 16-50k(a) of the Connecticut General Statutes ("C.G.S.") to install a new "small cell" wireless telecommunications facility on a new pole on property located at 45 Connair Road in Orange.

AT&T proposes to install an approximately 45'-tall Class 2 utility pole. The proposed pole will stand approximately 38'6" above grade level ("AGL"). AT&T proposes to mount two small cell antennas on a 3' tall pole-top extension mount at a centerline height of 41'3"AGL with a total height of 42'3" AGL to the top of the antennas and mount. A new equipment cabinet is proposed on the side of the pole.

The Petition will provide additional details of the proposal and explain why AT&T submits that this proposed small cell facility presents no significant adverse environmental effects. The location, height, and other features of the proposal are subject to review and potential change under the provisions of Connecticut General Statutes Sections 16-50g *et. seq.*

Copies of the Petition will be on file with the following on or after April 1, 2022:

Connecticut Siting Council
Town of Orange Clerk
Franklin Square
New Britain, Connecticut 06051
Town of Orange Clerk
Orange, CT 06477

or the offices of the undersigned. A copy of the Petition will also be available on the Connecticut Siting Council website: https://www.ct.gov/cSc/site/default.asp under Pending Matters. All inquiries should be addressed to the Connecticut Siting Council or to the undersigned.

Lucia Chiocchio, Esq. Daniel Patrick, Esq. Cuddy & Feder LLP 445 Hamilton Ave, 14th Floor White Plains, New York 10601 (914) 761-1300 Attorneys for the Petitioner

CERTIFICATION OF SERVICE

I hereby certify that on March 30, 2022 a copy of the following letter and notice of the intended filing of a Petition with the Connecticut Siting Council for a declaratory ruling was sent by certified mail, return receipt requested, to the attached list of abutting property owners:

Dated: March 30, 2022

Cuddy & Feder LLP

45 Hamilton Avenue, 14th Floor White Plains, New York 10601

Attorneys for:

New Cingular Wireless PCS, LLC (AT&T)

STATE OF CONNECTICUT	DICHELLO DISTRIBUTORS INC
P.O. BOX 317546	55 MARSH HILL RD
NEWINGTON, CT 06131	ORANGE, CT 06477
KSS ASSOCIATES LLC	B & R REALTY LLC
20 HICKORY LANE	P.O. BOX 927
WOODBRIDGE, CT 06525	ORANGE, CT 06477
B & R REALTY LLC	KSS ASSOCIATES LLC
25 CONNAIR ROAD	45 CONNAIR ROAD
ORANGE, CT 06477	ORANGE, CT 06477

March 30, 2022

VIA CERTIFIED MAIL/ RETURN RECEIPT REQUESTED

Re: New Cingular Wireless PCS, LLC ("AT&T")

Installation of A Small Cell Wireless Telecommunication Facility

45 Connair Road, Orange, Connecticut

Dear Sir or Madam:

We are writing to you on behalf of our client New Cingular Wireless PCS, LLC ("AT&T") with respect to the above referenced matter and our client's intent to file a petition for a declaratory ruling with the State of Connecticut Siting Council for approval of installation of a small cell wireless telecommunication facility on a new pole (the "Facility") to be installed in the public right-of-way near the above-captioned property.

State law requires that record owners of property abutting a parcel on which a facility is proposed be sent notice of an applicant's intent to file a petition with the Siting Council.

Included with this letter please find a Notice of this submission and details of the proposal. The location, height and other features of the Facility are subject to review and potential change by the Connecticut Siting Council under the provisions of Connecticut General Statutes §16-50g *et seq*.

If you have any questions concerning this petition, please contact the Connecticut Siting Council or the undersigned after April 1, 2022 which is the date that the petition is expected to be on file.

Very truly yours,

Lucia Chiocchio Enclosure

cc: Daniel Patrick, Esq., Cuddy & Feder LLP

NOTICE

Notice is hereby given, pursuant to Section 16-50j-40(a) of the Regulations of Connecticut State Agencies of a Petition being filed with the Connecticut Siting Council ("Siting Council") on or after April 1, 2022 by New Cingular Wireless PCS, LLC ("AT&T"). AT&T seeks a declaratory ruling that no Certificate of Environmental Compatibility and Public Need ("Certificate") is required under Section 16-50k(a) of the Connecticut General Statutes ("C.G.S.") to install a new "small cell" wireless telecommunications facility on a new pole on property located at 45 Connair Road in Orange.

AT&T proposes to install an approximately 45'-tall Class 2 utility pole. The proposed pole will stand approximately 38'6" above grade level ("AGL"). AT&T proposes to mount two small cell antennas on a 3' tall pole-top extension mount at a centerline height of 41'3"AGL with a total height of 42'3" AGL to the top of the antennas and mount. A new equipment cabinet is proposed on the side of the pole.


The Petition will provide additional details of the proposal and explain why AT&T submits that this proposed small cell facility presents no significant adverse environmental effects. The location, height, and other features of the proposal are subject to review and potential change under the provisions of Connecticut General Statutes Sections 16-50g *et. seq.*

Copies of the Petition will be on file with the following on or after April 1, 2022:

Connecticut Siting Council
Town of Orange Clerk
10 Franklin Square
New Britain, Connecticut 06051
Town of Orange Clerk
617 Orange Center Road
Orange, CT 06477

or the offices of the undersigned. A copy of the Petition will also be available on the Connecticut Siting Council website: https://www.ct.gov/cSc/site/default.asp under Pending Matters. All inquiries should be addressed to the Connecticut Siting Council or to the undersigned.

Lucia Chiocchio, Esq. Daniel Patrick, Esq. Cuddy & Feder LLP 445 Hamilton Ave, 14th Floor White Plains, New York 10601 (914) 761-1300 Attorneys for the Petitioner



45 Connair Road, Orange

2/24/2022 3:20:49 PM

Scale: 1"=188'

Scale is approximate





The information depicted on this map is for planning purposes only. It is not adequate for legal boundary definition, regulatory interpretation, or parcel-level analyses.

ABUTTERS LIST

Parcel ID	Site Address	Owner Name	Mailing Address	City	State	Zip
	State of Connecticut	State of Connecticut	P.O. Box 317546	Newington	СТ	06131
3-1-10	55 Marsh Hill Road,	Dichello Distributors, Inc.	55 Marsh Hill Road	Orange	СТ	06477
	Orange					
3-1-20	45 Connair Road,	KSS Associates, LLC	20 Hickory Lane	Woodbridge	СТ	06525
	Orange					
3-1-19	25 Connair Road,	B & R Realty, LLC	P.O. Box 927	Orange	СТ	06477
	Orange					