



FuelCell  
Energy

3 Great Pasture Road, Danbury, CT 06810  
Phone: (203) 825-6000 | Email: [info@fce.com](mailto:info@fce.com)  
Website: [fuelcellenergy.com](http://fuelcellenergy.com)



## Data Sheet

# 3000 Fuel Cell System

## A 2500 kW fuel cell system for reliable, low-carbon distributed energy generation

FuelCell Energy's 3000 fuel cell system generates 2500 kW of reliable, efficient, and low-carbon power. The fuel flexible system is capable of operating on natural gas, biogas, and natural gas/H<sub>2</sub> blends of up to 40% H<sub>2</sub> with no reduction in power output or efficiency. The system produces heat that can be used to generate hot water, high-pressure steam, or cooling to increase overall efficiency. The 3000's low emissions profile allows for quicker permitting, providing customers with faster time to power.

### Key Benefits



Fuel  
flexible




Efficient  
power




Low  
emissions



Microgrid  
capable



Compact  
footprint



Scalable  
design

### System Outputs

Nameplate Power Output	2500 kW
Voltage	3-phase, 13,800 V
Frequency	60 Hz
Noise	72 dBA @ 10 ft

### System Inputs

Fuel	Natural Gas, Biogas <sup>1</sup> , Natural Gas/Hydrogen Blend <sup>2</sup>
Water Consumption/Discharge	8 gpm/4 gpm

### Efficiency

Electrical Efficiency (LHV)	49% - 44%
Heat Rate (HHV)	7,720 - 8,578 Btu/kWh
Total Efficiency	>80%

### Emissions

NO <sub>x</sub> Emissions	< 0.01 lb/MWh
VOC, PM10, SO <sub>x</sub> Emissions	Negligible
CO <sub>2</sub> Emissions	890 - 990 lb/MWh

### Environment



Location	Outdoor
Temperature Range	-20°F to 120°F

### Codes & Standards

Safety	CSA-FC1, UL1741, NFPA 70 (NEC)
Grid Interconnection	IEEE 1547, CA Rule 21
Emissions	CARB 2007, CARB 2013 (Biogas)

### System Dimensions

Length	60'
Width	55'
Height	25' 5"



<sup>1</sup>Biogas must be pre-conditioned to meet FCE's fuel composition requirements. FCE can supply the pre-conditioning system, if desired.  
Ratings listed based on 60% methane. <sup>2</sup>Power output and efficiency are impacted at H<sub>2</sub> concentrations >40%.

April 2025. Material in this data sheet is for informational purposes only and is subject to change without notice. All performance figures herein are +/- 5% and subject to change without notice. Actual performance results may vary depending on the configuration, environment, settings, fuel source, and other factors. FuelCell Energy assumes no liability resulting from errors or omissions in this document, or from the use of the information contained herein.