

MAP LEGEND MAP INFORMATION The soil surveys that comprise your AOI were mapped at Area of Interest (AOI) С 1:12.000. Area of Interest (AOI) C/D Please rely on the bar scale on each map sheet for map Soils D measurements. Soil Rating Polygons Not rated or not available Α Source of Map: Natural Resources Conservation Service Web Soil Survey URL: **Water Features** A/D Coordinate System: Web Mercator (EPSG:3857) Streams and Canals В Maps from the Web Soil Survey are based on the Web Mercator Transportation projection, which preserves direction and shape but distorts B/D Rails --distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more Interstate Highways accurate calculations of distance or area are required. C/D **US Routes** This product is generated from the USDA-NRCS certified data as D Major Roads of the version date(s) listed below. Not rated or not available -Local Roads Soil Survey Area: State of Connecticut, Western Part Soil Rating Lines Survey Area Data: Version 2, Aug 30, 2024 Background Aerial Photography Soil map units are labeled (as space allows) for map scales 1:50.000 or larger. A/D Date(s) aerial images were photographed: Oct 21, 2022—Oct 27, 2022 B/D The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor C/D shifting of map unit boundaries may be evident. D Not rated or not available **Soil Rating Points** A/D B/D

Hydrologic Soil Group

Map unit symbol	Map unit name	Rating	Acres in AOI	Percent of AOI
3	Ridgebury, Leicester, and Whitman soils, 0 to 8 percent slopes, extremely stony	D	40.6	16.0%
12	Raypol silt loam, 0 to 3 percent slopes	B/D	3.7	1.5%
15	Scarboro muck, 0 to 3 percent slopes	A/D	19.6	7.7%
18	Catden and Freetown soils, 0 to 2 percent slopes	B/D	2.2	0.8%
34A	Merrimac fine sandy loam, 0 to 3 percent slopes	A	1.5	0.6%
34B	Merrimac fine sandy loam, 3 to 8 percent slopes	A	3.1	1.2%
38C	Hinckley loamy sand, 3 to 15 percent slopes	A	12.3	4.8%
45B	Woodbridge fine sandy loam, 3 to 8 percent slopes	C/D	10.1	4.0%
45C	Woodbridge fine sandy loam, 8 to 15 percent slopes	C/D	2.2	0.9%
46B	Woodbridge fine sandy loam, 0 to 8 percent slopes, very stony	C/D	5.0	2.0%
47C	Woodbridge fine sandy loam, 3 to 15 percent slopes, extremely stony	C/D	2.1	0.8%
52C	Sutton fine sandy loam, 2 to 15 percent slopes, extremely stony	B/D	1.7	0.7%
59C	Gloucester gravelly sandy loam, 3 to 15 percent slopes, extremely stony	А	24.2	9.5%
60B	Canton and Charlton fine sandy loams, 3 to 8 percent slopes	В	1.3	0.5%
60C	Canton and Charlton fine sandy loams, 8 to 15 percent slopes	В	8.6	3.4%

Map unit symbol	Map unit name	Rating	Acres in AOI	Percent of AOI
61B	Canton and Charlton fine sandy loams, 0 to 8 percent slopes, very stony	В	10.6	4.2%
62C	Canton and Charlton fine sandy loams, 3 to 15 percent slopes, extremely stony	В	15.2	6.0%
75C	Hollis-Chatfield-Rock outcrop complex, 3 to 15 percent slopes	D	8.7	3.4%
84B	Paxton and Montauk fine sandy loams, 3 to 8 percent slopes	С	24.1	9.5%
84C	Paxton and Montauk fine sandy loams, 8 to 15 percent slopes	С	39.9	15.7%
84D	Paxton and Montauk fine sandy loams, 15 to 25 percent slopes	С	14.5	5.7%
86C	Paxton and Montauk fine sandy loams, 3 to 15 percent slopes, extremely stony	С	2.8	1.1%
103	Rippowam fine sandy loam	B/D	0.2	0.1%
Totals for Area of Interest			254.0	100.0%

Description

Hydrologic soil groups are based on estimates of runoff potential. Soils are assigned to one of four groups according to the rate of water infiltration when the soils are not protected by vegetation, are thoroughly wet, and receive precipitation from long-duration storms.

The soils in the United States are assigned to four groups (A, B, C, and D) and three dual classes (A/D, B/D, and C/D). The groups are defined as follows:

Group A. Soils having a high infiltration rate (low runoff potential) when thoroughly wet. These consist mainly of deep, well drained to excessively drained sands or gravelly sands. These soils have a high rate of water transmission.

Group B. Soils having a moderate infiltration rate when thoroughly wet. These consist chiefly of moderately deep or deep, moderately well drained or well drained soils that have moderately fine texture to moderately coarse texture. These soils have a moderate rate of water transmission.

Group C. Soils having a slow infiltration rate when thoroughly wet. These consist chiefly of soils having a layer that impedes the downward movement of water or soils of moderately fine texture or fine texture. These soils have a slow rate of water transmission.

Group D. Soils having a very slow infiltration rate (high runoff potential) when thoroughly wet. These consist chiefly of clays that have a high shrink-swell potential, soils that have a high water table, soils that have a claypan or clay layer at or near the surface, and soils that are shallow over nearly impervious material. These soils have a very slow rate of water transmission.

If a soil is assigned to a dual hydrologic group (A/D, B/D, or C/D), the first letter is for drained areas and the second is for undrained areas. Only the soils that in their natural condition are in group D are assigned to dual classes.

Rating Options

Aggregation Method: Dominant Condition

Component Percent Cutoff: None Specified

Tie-break Rule: Higher