

The undersigned certify that they have read the DAS [PCBs in Caulk Policy \(Form 1170\)](#) and further acknowledge the following:

- According to the U.S. Environmental Protection Agency (EPA), caulk products containing Polychlorinated Biphenyls (PCBs) at concentrations greater than or equal to 50 parts per million (ppm) are not authorized for use and must be removed and properly disposed of as PCB Bulk Product Waste as defined in 40 CFR 761.3.
- If PCBs are detected in caulk products at concentrations between 1 ppm and < 50 ppm and the caulk products meet the definition of a PCB Excluded Product as defined in 40 CFR 761.3, then the Connecticut Department of Energy and Environmental Protection (CT DEEP) recommends that the caulk products be removed.
- Adjacent porous building materials (e.g., concrete, brick, CMU, wood, etc.) that were coated with \geq 50 ppm PCB-containing caulk may contain PCBs. According to the EPA, if PCBs are present in these materials as a result of the subject caulk and at concentrations greater than or equal to 1 ppm, then EPA considers the materials as PCB Bulk Product Waste per the EPA October 24, 2012, PCB Bulk Product Reinterpretation decision, provided it is removed at the same time as the caulk. In addition, soils beneath \geq 50 ppm PCB-containing caulk may contain PCBs.

Based on the latest project plans, the following information is provided to DAS. (Please check the box(es) corresponding to all applicable statements):

1. Project Scope:

- This project **will** disturb existing caulk products.
- This project **will not** disturb existing caulk products.

2. Original Building Construction Date:

- The original building **was** constructed, renovated, and/or repaired between 1950 and 1979.
- The original building **was not** constructed, renovated, and/or repaired between 1950 and 1979.

3. Specific to Project Phase Submission:

- The portion of the building included in this phase **was** constructed, renovated, and/or repaired between 1950 and 1979.
- The portion of the building included in this phase **was not** constructed, renovated, and/or repaired between 1950 and 1979.

4. District Decision Regarding Testing for PCBs:

- The district has elected **not to test** caulk products for PCBs.
- The district has elected **to test** caulk products for PCBs.

5. Testing Results (if applicable):

- PCB concentrations are **less than 1 ppm**
- PCB concentrations are **between 1 ppm and <50 ppm**
- PCB concentrations are **greater than or equal to 50 ppm**

6. Response to Detected PCBs:

- A PCB Abatement and Management Plan has been developed, and the district will utilize the Self-Implementing Plan (SIP) option for materials with PCB concentrations ≥ 50 ppm. EPA approval of the SIP is attached.
- A PCB Abatement and Management Plan has been developed for materials with PCB concentrations between 1 ppm and <50 ppm. A copy has been submitted to the CT DEEP (notice attached).
- Other (please describe):

If a PCB Abatement and Management Plan has been prepared, attach FORM SCG-3012 PCB Plan Checklist.

Authorized Grant Applicant / District Representative:

(Signature)

(Title)

(Name)

Environmental Consultant or Project Architect (as appropriate):

(Signature)

(Firm)

(Name)

(Title)

Cc: Superintendent of Schools/District School Principal
DAS Plan Reviewer