
Appendix 8E

OTC Modeling Grid Configurations

Developed by NYDEC



OTC Grid Definitions for MM5 and CMAQ

| Model | Columns | Rows | X-Origin | Y-Origin | |
|----------------|---------|------|----------|----------|--|
| | Dot | Dot | (km) | (km) | |
| | (nx) | (ny) | | | |
| MM5 36-km | 149 | 129 | -2664 | -2304 | |
| CMAQ 36-km | 145 | 102 | -2628 | -1728 | |
| MM5 12-km | 175 | 175 | 252 | -900 | |
| CMAQ 12-km 172 | | 172 | 264 | -888 | |

NYDEC, June 2005

OTC MM5/SMOKE/CMAQ Modeling System Grid Configurations

OTC MM5/SMOKE/CMAQ modeling system for 2002 annual simulation is applied with a Lambert Conformal Conic projection with parallels at 33N and 45N. A spherical earth radius of 6370km is used in these programs.

MM5 Setup

MM5 was run with two-way nesting at 36 and 12km horizontal grid spacing and with 29 vertical layers. The top is at 50 mb.

For 36km domain, the center is at 97W and 40N. There are 149 grids (dot-points) in east-west direction and 129 grids (dot-points) in north-south direction. The south-west corner is at (-2664km, -2304km) and the north-east corner is at (2664km, 2304km)

For 12km domain, there are 175 grids in east-west direction and 175 grids in north-south direction. The south-west corner is at (252km, -900km) and the north-east corner is at (2340km, 1188km)

The 30 sigma-levels for the 29 vertical layers are:

1.0000, 0.9974, 0.9940, 0.9890, 0.9820, 0.9720, 0.9590, 0.9430, 0.9230, 0.8990, 0.8710, 0.8390, 0.8030, 0.7630, 0.7180, 0.6680, 0.6180, 0.5680, 0.5180, 0.4680, 0.4180, 0.3680, 0.3180, 0.2680, 0.2180, 0.1680, 0.1230, 0.0800, 0.0400, 0.0000

CMAQ Setup

CMAQ 36km modeling domain has 145 cells in east-west direction and 102 cells in north-south direction. The south-west corner is at (-2628km, -1728km) and the north-east corner is at (2592km, 1944km)

CMAQ 12km modeling domain has 172 cells in east-west directions and 172 cells in north-south direction. The south-west corner is at (264km, -888km) and the north-east corner is at (2328km, 1176km)

There are 22 vertical layers for CMAQ. The sigma-levels for these 22 layers are:

1.0000, 0.9974, 0.9940, 0.9890, 0.9820, 0.9720, 0.9590, 0.9430, 0.9230, 0.8990, 0.8710, 0.8390, 0.8030, 0.7630, 0.7180, 0.6680, 0.5680, 0.4680, 0.3680, 0.2680, 0.1680, 0.0800, 0.0000

SMOKE Setup

SMOKE modeling domains are same as CMAQ, except that the emissions are limited to the lower 16 CMAQ layers.

OTC Vertical Layer Definition for MM5 Simulations and Approach For Reducing CMAQ Layers By Collapsing Multiple MM5 Layers

| MM5 | | | | CMAQ | | | | | |
|-------|--------|----------|-----------|----------|-------|--------|----------|-----------|----------|
| Layer | Sigma | Pres(mb) | Height(m) | Depth(m) | Layer | Sigma | Pres(mb) | Height(m) | Depth(m) |
| 29 | 0.000 | 50 | 18600 | 2145 | 23 | 0.000 | 50 | 18600 | 4290 |
| 28 | 0.040 | 88.5 | 16450 | 2145 | | | | | |
| 27 | 0.080 | 127.1 | 14300 | 1460 | 21 | 0.080 | 127.1 | 14300 | 2920 |
| 26 | 0.123 | 168.5 | 12800 | 1460 | | | | | |
| 25 | 0.168 | 211.8 | 11400 | 1200 | 20 | 0.168 | 211.8 | 11400 | 2390 |
| 24 | 0.218 | 260.0 | 10200 | 1200 | | | | | |
| 23 | 0.268 | 308.1 | 8990 | 934 | 19 | 0.268 | 308.1 | 8990 | 1870 |
| 22 | 0.318 | 356.3 | 8060 | 934 | | | | | |
| 21 | 0.368 | 404.5 | 7120 | 772 | 18 | 0.368 | 404.5 | 7120 | 1540 |
| 20 | 0.418 | 452.6 | 6350 | 772 | | | | | |
| 19 | 0.468 | 500.8 | 5580 | 662 | 17 | 0.468 | 500.8 | 5580 | 1320 |
| 18 | 0.518 | 549.0 | 4920 | 662 | | | | | |
| 17 | 0.568 | 597.1 | 4250 | 581 | 16 | 0.568 | 597.1 | 4250 | 1160 |
| 16 | 0.618 | 645.3 | 3670 | 581 | | | | | |
| 15 | 0.668 | 693.4 | 3090 | 532 | 15 | 0.668 | 693.4 | 3090 | 532 |
| 14 | 0.718 | 741.6 | 2560 | 455 | 14 | 0.781 | 741.6 | 2560 | 455 |
| 13 | 0.763 | 785.0 | 2110 | 388 | 13 | 0.763 | 785.0 | 2110 | 388 |
| 12 | 0.803 | 823.5 | 1720 | 337 | 12 | 0.803 | 823.5 | 1720 | 337 |
| 11 | 0.839 | 858.2 | 1380 | 290 | 11 | 0.839 | 858.2 | 1380 | 290 |
| 10 | 0.871 | 889.0 | 1090 | 247 | 10 | 0.871 | 889.0 | 1090 | 247 |
| 9 | 0.899 | 916.0 | 844 | 207 | 9 | 0.899 | 916.0 | 844 | 207 |
| 8 | 0.923 | 939.1 | 637 | 169 | 8 | 0.923 | 939.1 | 637 | 169 |
| 7 | 0.943 | 958.3 | 468 | 133 | 7 | 0.943 | 958.3 | 468 | 133 |
| 6 | 0.959 | 973.7 | 334 | 107 | 6 | 0.959 | 973.7 | 334 | 107 |
| 5 | 0.972 | 986.3 | 227 | 82 | 5 | 0.972 | 986.3 | 227 | 82 |
| 4 | 0.982 | 995.9 | 145 | 57 | 4 | 0.982 | 995.9 | 145 | 57 |
| 3 | 0.989 | 1002.6 | 89 | 40 | 3 | 0.989 | 1002.6 | 89 | 40 |
| 2 | 0.994 | 1007.5 | 48 | 27 | 2 | 0.994 | 1007.5 | 48 | 27 |
| 1 | 0.9974 | 1010.7 | 21 | 21 | 1 | 0.9974 | 1010.7 | 21 | 21 |
| 0 | 1.000 | 1013.24 | 0 | 0 | 0 | 1.000 | 1013.24 | 0 | 0 |

Note: Layer-top pressures assume a surface pressure of 1013.24 hPa. Layer-top heights are determined by averaging MM5 (CMAQ)-calculated layer-top heights over time (August 2002) and space (the entire 172x172 domain).