



A County Report of Connecticut's Endangered, Threatened and Special Concern Species

| |
|--------------------------|
| Litchfield County |
|--------------------------|

Amphibians

| Scientific Name | Common Name | Protection Status |
|-----------------------------------|--------------------------------|--------------------------|
| <i>Ambystoma jeffersonianum</i> | Jefferson salamander "complex" | SC |
| <i>Ambystoma laterale</i> | Blue-spotted salamander | E/SC |
| <i>Gyrinophilus porphyriticus</i> | Northern spring salamander | T |
| <i>Necturus maculosus</i> | Mudpuppy | SC |
| <i>Plethodon glutinosus</i> | Northern slimy salamander | T |
| <i>Rana pipiens</i> | Northern leopard frog | SC |
| <i>Scaphiopus holbrookii</i> | Eastern spadefoot | E |

Birds

| Scientific Name | Common Name | Protection Status |
|-------------------------------|------------------------------------------------|--------------------------|
| <i>Accipiter atricapillus</i> | Northern goshawk (<i>Accipiter gentilis</i>) | T |
| <i>Accipiter striatus</i> | Sharp-shinned hawk | E |
| <i>Aegolius acadicus</i> | Northern saw-whet owl | SC |
| <i>Ammodramus henslowii</i> | Henslow's sparrow | SC* |
| <i>Ammodramus savannarum</i> | Grasshopper sparrow | E |
| <i>Asio otus</i> | Long-eared owl | E |
| <i>Bartramia longicauda</i> | Upland sandpiper | E |
| <i>Botaurus lentiginosus</i> | American bittern | E |
| <i>Buteo platypterus</i> | Broad-winged hawk | SC |
| <i>Caprimulgus vociferus</i> | Whip-poor-will | SC |
| <i>Circus hudsonius</i> | Northern harrier (<i>Circus cyaneus</i>) | E |
| <i>Cistothorus platensis</i> | Sedge wren | E |
| <i>Dolichonyx oryzivorus</i> | Bobolink | SC |
| <i>Empidonax alnorum</i> | Alder flycatcher | SC |

Litchfield County**Birds**

| Scientific Name | Common Name | Protection Status |
|-----------------------------------|--------------------------------------|--------------------------|
| <i>Eremophila alpestris</i> | Horned lark | E |
| <i>Falco peregrinus</i> | Peregrine falcon | T |
| <i>Falco sparverius</i> | American kestrel | SC |
| <i>Gallinula galeata</i> | Common moorhen (Gallinula chloropus) | E |
| <i>Gavia immer</i> | Common loon | SC |
| <i>Haliaeetus leucocephalus</i> | Bald eagle | T |
| <i>Ixobrychus exilis</i> | Least bittern | T |
| <i>Melanerpes erythrocephalus</i> | Red-headed woodpecker | E |
| <i>Passerculus sandwichensis</i> | Savannah sparrow | SC |
| <i>Podilymbus podiceps</i> | Pied-billed grebe | E |
| <i>Pooecetes gramineus</i> | Vesper sparrow | E |
| <i>Progne subis</i> | Purple martin | SC |
| <i>Rallus elegans</i> | King rail | E |
| <i>Setophaga americana</i> | Northern parula | SC |
| <i>Setophaga cerulea</i> | Cerulean warbler | SC |
| <i>Sturnella magna</i> | Eastern meadowlark | T |
| <i>Toxostoma rufum</i> | Brown thrasher | SC |
| <i>Tyto alba</i> | Barn owl | E |
| <i>Vermivora chrysoptera</i> | Golden-winged warbler | E |

Fish

| Scientific Name | Common Name | Protection Status |
|------------------------------|--------------------|--------------------------|
| <i>Catostomus catostomus</i> | Longnose sucker | SC |
| <i>Cottus cognatus</i> | Slimy sculpin | SC |
| <i>Lota lota</i> | Burbot | E |
| <i>Notropis bifrenatus</i> | Bridle shiner | SC |

Litchfield County

Invertebrates

| Scientific Name | Common Name | Protection Status |
|-------------------------------------|---------------------------|-------------------|
| <i>Acronicta albarufa</i> | Barrens dagger moth | SC* |
| <i>Acronicta falcata</i> | Corylus dagger moth | SC |
| <i>Acronicta fragilis</i> | Fragile dagger moth | SC |
| <i>Agonum darlingtoni</i> | Ground beetle | SC |
| <i>Agrotis stigmata</i> | Spotted dart moth | SC |
| <i>Alasmodonta varicosa</i> | Brook floater | E |
| <i>Amblyscirtes vialis</i> | Common roadside skipper | E |
| <i>Anarta luteola</i> | Noctuid moth | E |
| <i>Anthopotamus verticis</i> | Tusked sprawler | T |
| <i>Apodrepanulatrix liberaria</i> | New Jersey tea inchworm | E |
| <i>Atylotus ohioensis</i> | Tabanid fly | T |
| <i>Bembidion quadratum</i> | Ground beetle | SC |
| <i>Bembidion simplex</i> | Ground beetle | SC |
| <i>Bombus terricola</i> | Yellow-banded bumble bee | T |
| <i>Brachinus ovipennis</i> | Bombardier beetle | SC |
| <i>Calephelis borealis</i> | Northern metalmark | E |
| <i>Callophrys irus</i> | Frosted elfin | T |
| <i>Cambarus bartonii</i> | Common crayfish | SC |
| <i>Catocala herodias gerhardi</i> | Herodias underwing | E |
| <i>Chaetagnela cerata</i> | Waxed sallow | SC |
| <i>Cicindela purpurea</i> | Purple tiger beetle | SC* |
| <i>Cicindela tranquebarica</i> | Dark-bellied tiger beetle | T |
| <i>Citheronia regalis</i> | Regal moth | SC* |
| <i>Cordulegaster erronea</i> | Tiger spiketail | T |
| <i>Dichagyris acclivis</i> | Noctuid moth | SC |
| <i>Drasteria occulta</i> | Drasteria moth | SC* |
| <i>Eacles imperialis imperialis</i> | Imperial moth | SC |
| <i>Erynnis horatius</i> | Horace's duskywing | SC |

| |
|--------------------------|
| Litchfield County |
|--------------------------|

Invertebrates

| Scientific Name | Common Name | Protection Status |
|------------------------------------|--------------------------|--------------------------|
| <i>Erynnis lucilius</i> | Columbine duskywing | E |
| <i>Erynnis persius persius</i> | Persius duskywing | E |
| <i>Euphyes bimacula</i> | Two-spotted skipper | E |
| <i>Euphyes dion</i> | Sedge skipper | SC |
| <i>Exyra fax</i> | Pitcher plant moth | T |
| <i>Gomphus adelphus</i> | Mustached clubtail | SC |
| <i>Gomphus descriptus</i> | Harpoon clubtail | T |
| <i>Gomphus quadricolor</i> | Rapids clubtail | T |
| <i>Gomphus ventricosus</i> | Skillet clubtail | SC |
| <i>Grammia speciosa</i> | Bog tiger moth | E |
| <i>Haematopota rara</i> | Lace-winged horse fly | E |
| <i>Hemaris gracilis</i> | Slender clearwing | T |
| <i>Hetaerina americana</i> | American rubyspot | T |
| <i>Hybomitra frosti</i> | Horse fly | SC |
| <i>Hybomitra longiglossa</i> | Horse fly | E |
| <i>Hybomitra lurida</i> | Horse fly | SC |
| <i>Hybomitra typhus</i> | Horse fly | T |
| <i>Hydraecia immanis</i> | Hop vine borer moth | SC* |
| <i>Hyparpax aurora</i> | Pink prominent | SC |
| <i>Lethe eurydice</i> | Eyed brown | SC |
| <i>Leucorrhinia glacialis</i> | Crimson-ringed whiteface | T |
| <i>Ligumia nasuta</i> | Eastern pondmussel | SC |
| <i>Lycaena epixanthe</i> | Bog copper | SC |
| <i>Lycaena hyllus</i> | Bronze copper | SC |
| <i>Margaritifera margaritifera</i> | Eastern pearlshell | SC |
| <i>Meropleon ambifusum</i> | Newman's brocade | SC |
| <i>Merycomyia whitneyi</i> | Tabanid fly | T |

Litchfield County

Invertebrates

| Scientific Name | Common Name | Protection Status |
|-------------------------------|----------------------------------|-------------------|
| <i>Metarranthis apiciaria</i> | Barrens metarranthis moth | SC |
| <i>Papaipema appassionata</i> | Pitcher plant borer | T |
| <i>Papaipema circumlucens</i> | Hops-stalk borer moth | SC* |
| <i>Papaipema leucostigma</i> | Columbine borer | E |
| <i>Papaipema sciata</i> | Culvers root borer moth | SC* |
| <i>Phyllonorycter ledella</i> | Labrador tea tentiform leafminer | E |
| <i>Psectraglaea carnosae</i> | Pink sallow | T |
| <i>Somatochlora elongata</i> | Ski-tailed emerald | SC |
| <i>Speranza exonerata</i> | Barrens itame | T |
| <i>Speyeria atlantis</i> | Atlantis fritillary butterfly | E |
| <i>Stagnicola catascopium</i> | Woodland pondsnail | SC |
| <i>Sympistis dentata</i> | Toothed apharetra moth | T |
| <i>Tabanus fulvicallus</i> | Horse fly | T |
| <i>Valvata tricarinata</i> | Turret snail | SC |

Mammals

| Scientific Name | Common Name | Protection Status |
|----------------------------------|--------------------------|-------------------|
| <i>Lasionycteris noctivagans</i> | Silver-haired bat | SC |
| <i>Lasiurus borealis</i> | Red bat | SC |
| <i>Lasiurus cinereus</i> | Hoary bat | SC |
| <i>Myotis leibii</i> | Eastern small-footed bat | E |
| <i>Myotis lucifugus</i> | Little brown bat | E |
| <i>Myotis septentrionalis</i> | Northern long-eared bat | E |
| <i>Perimyotis subflavus</i> | Tri-colored bat | E |
| <i>Synaptomys cooperi</i> | Southern bog lemming | SC |

Plants

| Scientific Name | Common Name | Protection Status |
|-----------------------|-------------|-------------------|
| <i>Abies balsamea</i> | Balsam fir | E |

| |
|--------------------------|
| Litchfield County |
|--------------------------|

Plants

| Scientific Name | Common Name | Protection Status |
|-----------------------------------------------------|----------------------------|--------------------------|
| <i>Acalypha virginica</i> | Virginia copperleaf | SC |
| <i>Agastache nepetoides</i> | Yellow giant hyssop | E |
| <i>Agastache scrophulariifolia</i> | Purple giant hyssop | E |
| <i>Alopecurus aequalis</i> | Short-awned meadow foxtail | T |
| <i>Andromeda polifolia</i> var. <i>glaucophylla</i> | Bog rosemary | T |
| <i>Anemone acutiloba</i> | Sharp-lobed hepatica | SC |
| <i>Anemone canadensis</i> | Canada anemone | T |
| <i>Angelica venenosa</i> | Hairy angelica | SC* |
| <i>Antennaria howellii</i> ssp. <i>petaloidea</i> | Field pussytoes | SC* |
| <i>Aplectrum hyemale</i> | Puttyroot | SC* |
| <i>Arceuthobium pusillum</i> | Dwarf mistletoe | E |
| <i>Arethusa bulbosa</i> | Dragon's-mouth | SC* |
| <i>Aristida longespica</i> var. <i>geniculata</i> | Needlegrass | SC |
| <i>Asclepias viridiflora</i> | Green milkweed | E |
| <i>Asplenium montanum</i> | Mountain spleenwort | SC |
| <i>Asplenium ruta-muraria</i> | Wallrue spleenwort | T |
| <i>Betula pumila</i> | Swamp birch | T |
| <i>Bidens beckii</i> | Beck's water-marigold | SC |
| <i>Blephilia ciliata</i> | Downy wood-mint | SC* |
| <i>Blephilia hirsuta</i> | Hairy wood-mint | SC* |
| <i>Bouteloua curtipendula</i> | Sideoats grama-grass | E |
| <i>Calamagrostis stricta</i> ssp. <i>inexpansa</i> | Reed bentgrass | T |
| <i>Calystegia spithamea</i> | Low bindweed | SC* |
| <i>Cardamine douglassii</i> | Purple cress | SC |
| <i>Carex aestivalis</i> | Summer sedge | SC |
| <i>Carex alata</i> | Broadwing sedge | E |
| <i>Carex alopecoidea</i> | Foxtail sedge | T |
| <i>Carex aquatilis</i> ssp. <i>altior</i> | Water sedge | SC |

Litchfield County

Plants

| Scientific Name | Common Name | Protection Status |
|----------------------------|-------------------------|--------------------------|
| <i>Carex backii</i> | Back's sedge | E |
| <i>Carex bushii</i> | Bush's sedge | SC |
| <i>Carex buxbaumii</i> | Brown bog sedge | E |
| <i>Carex castanea</i> | Chestnut-colored sedge | E |
| <i>Carex crawei</i> | Crawe's sedge | T |
| <i>Carex crawfordii</i> | Crawford sedge | SC* |
| <i>Carex cumulata</i> | Clustered sedge | T |
| <i>Carex davisii</i> | Davis' sedge | T |
| <i>Carex foenea</i> | Bronze sedge | SC |
| <i>Carex formosa</i> | Handsome sedge | SC |
| <i>Carex hitchcockiana</i> | Hitchcock's sedge | SC |
| <i>Carex limosa</i> | Mud sedge | T |
| <i>Carex magellanica</i> | Boreal bog sedge | E |
| <i>Carex molesta</i> | Troublesome sedge | SC |
| <i>Carex novae-angliae</i> | New England sedge | SC |
| <i>Carex oligocarpa</i> | Eastern few-fruit sedge | SC |
| <i>Carex pauciflora</i> | Few-flowered sedge | SC* |
| <i>Carex prairea</i> | Prairie sedge | SC |
| <i>Carex pseudocyperus</i> | Cyperus-like sedge | E |
| <i>Carex schweinitzii</i> | Schweinitz's sedge | E |
| <i>Carex sterilis</i> | Dioecious sedge | SC |
| <i>Carex trichocarpa</i> | Hairy-fruited sedge | SC |
| <i>Carex tuckermanii</i> | Tuckerman's sedge | SC |
| <i>Carex viridula</i> | Little green sedge | E |
| <i>Castilleja coccinea</i> | Indian paintbrush | E |
| <i>Celastrus scandens</i> | American bittersweet | SC |
| <i>Chamaelirium luteum</i> | Devil's-bit | E |

Litchfield County

Plants

| Scientific Name | Common Name | Protection Status |
|------------------------------------------|----------------------------------|--------------------------|
| <i>Coeloglossum viride</i> | Long-bracted green orchid | E |
| <i>Corallorhiza trifida</i> | Early coral root | SC |
| <i>Crocianthemum propinquum</i> | Low frostweed | SC |
| <i>Cryptogramma stelleri</i> | Slender cliff-brake | E |
| <i>Cuphea viscosissima</i> | Blue waxweed | SC* |
| <i>Cypripedium parviflorum</i> | Yellow lady's-slipper | SC |
| <i>Cypripedium reginae</i> | Showy lady's-slipper | E |
| <i>Desmodium cuspidatum</i> | Large-bracted tick-trefoil | E |
| <i>Desmodium glabellum</i> | Dillenius' tick-trefoil | SC |
| <i>Dicentra canadensis</i> | Squirrel corn | SC |
| <i>Dichantherium xanthophyllum</i> | Pale-leaved rosette-panicgrass | SC* |
| <i>Diplazium pycnocarpon</i> | Narrow-leaved glade fern | E |
| <i>Doellingeria infirma</i> | Appalachian white-aster | SC* |
| <i>Draba reptans</i> | Whitlow-grass | SC |
| <i>Drymocallis arguta</i> | Tall cinquefoil | SC |
| <i>Dryopteris campyloptera</i> | Mountain wood-fern | E |
| <i>Dryopteris goldiana</i> | Goldie's fern | SC |
| <i>Eleocharis equisetoides</i> | Horsetail spikesedge | E |
| <i>Elymus wiegandii</i> | Wiegand's wild rye | SC |
| <i>Endodeca serpentaria</i> | Virginia snakeroot | SC |
| <i>Equisetum pratense</i> | Meadow horsetail | E |
| <i>Equisetum scirpoides</i> | Dwarf scouring rush | E |
| <i>Eriophorum vaginatum var. spissum</i> | Hare's tail | T |
| <i>Galium labradoricum</i> | Bog bedstraw | E |
| <i>Gaultheria hispidula</i> | Creeping snowberry | SC |
| <i>Gaylussacia bigeloviana</i> | Dwarf huckleberry | T |
| <i>Gentianella quinquefolia</i> | Stiff gentian | E |
| <i>Geranium bicknellii</i> | Bicknell's northern crane's-bill | SC* |

Litchfield County

Plants

| Scientific Name | Common Name | Protection Status |
|----------------------------------------|-----------------------------------|--------------------------|
| <i>Houstonia longifolia</i> | Longleaf bluet | T |
| <i>Hydrocotyle umbellata</i> | Water pennywort | E |
| <i>Hydrophyllum virginianum</i> | Virginia waterleaf | SC |
| <i>Hypericum ascyron</i> | Great St. John's-wort | SC |
| <i>Isotria medeoloides</i> | Small whorled pogonia | E |
| <i>Krigia biflora</i> | Two-flowered cynthia | T |
| <i>Lespedeza repens</i> | Creeping bush-clover | SC |
| <i>Liatris novae-angliae</i> | New England blazing-star | SC |
| <i>Linnaea borealis ssp. americana</i> | Twinflower | E |
| <i>Linum sulcatum</i> | Grooved Yellow flax | E |
| <i>Lipocarpa micrantha</i> | Dwarf bulrush | T |
| <i>Lycopus amplexans</i> | Clasping-leaved water-horehound | SC |
| <i>Lygodium palmatum</i> | Climbing fern | SC |
| <i>Lythrum alatum</i> | Winged loosestrife | E |
| <i>Maianthemum trifolium</i> | Three-leaved false Solomon's-seal | T |
| <i>Malaxis bayardii</i> | Bayard's white adder's mouth | SC* |
| <i>Malaxis brachypoda</i> | White adder's-mouth | E |
| <i>Malaxis unifolia</i> | Green adder's-mouth | E |
| <i>Milium effusum</i> | Tall millet-grass | E |
| <i>Mitella nuda</i> | Naked miterwort | SC |
| <i>Moneses uniflora</i> | One-flower wintergreen | E |
| <i>Myriophyllum alterniflorum</i> | Slender water-milfoil | E |
| <i>Myriophyllum sibiricum</i> | Northern water-milfoil | T |
| <i>Nuphar microphylla</i> | Small yellow pond lily | SC* |
| <i>Oligoneuron album</i> | Prairie goldenrod | E |
| <i>Oligoneuron rigidum</i> | Stiff goldenrod | E |
| <i>Onosmodium virginianum</i> | Gravel-weed | E |

| |
|--------------------------|
| Litchfield County |
|--------------------------|

Plants

| Scientific Name | Common Name | Protection Status |
|-----------------------------------------|----------------------------|--------------------------|
| <i>Ophioglossum pusillum</i> | Northern adder's-tongue | E |
| <i>Orthilia secunda</i> | One-sided pyrola | SC* |
| <i>Oxalis violacea</i> | Violet wood-sorrel | SC |
| <i>Packera paupercula</i> | Balsam groundsel | E |
| <i>Panax quinquefolius</i> | American ginseng | SC |
| <i>Pellaea glabella</i> | Smooth cliff-brake | E |
| <i>Petasites frigidus var. palmatus</i> | Sweet coltsfoot | T |
| <i>Phragmites americanus</i> | American reed | SC |
| <i>Pinus resinosa</i> | Red pine | E |
| <i>Piptatherum pungens</i> | Slender mountain ricegrass | E |
| <i>Plantago virginica</i> | Hoary plantain | SC |
| <i>Platanthera blephariglottis</i> | White-fringed orchid | E |
| <i>Platanthera dilatata</i> | Tall white bog orchid | SC* |
| <i>Platanthera flava var. herbiola</i> | Pale green orchid | SC |
| <i>Platanthera hookeri</i> | Hooker's orchid | SC* |
| <i>Platanthera orbiculata</i> | Large round-leaved orchid | SC* |
| <i>Polanisia dodecandra</i> | Clammy-weed | SC* |
| <i>Polygala senega</i> | Seneca snakeroot | E |
| <i>Populus heterophylla</i> | Swamp cottonwood | T |
| <i>Potamogeton confervoides</i> | Tuckerman's pondweed | E |
| <i>Potamogeton friesii</i> | Fries' pondweed | E |
| <i>Potamogeton hillii</i> | Hill's pondweed | E |
| <i>Potamogeton ogdenii</i> | Ogden's pondweed | E |
| <i>Potamogeton strictifolius</i> | Straight-leaved pondweed | E |
| <i>Potamogeton vaseyi</i> | Vasey's pondweed | T |
| <i>Quercus macrocarpa</i> | Bur oak | SC |
| <i>Ranunculus ambigens</i> | Water-plantain spearwort | E |
| <i>Ranunculus pensylvanicus</i> | Bristly buttercup | SC |

| |
|--------------------------|
| Litchfield County |
|--------------------------|

Plants

| Scientific Name | Common Name | Protection Status |
|-----------------------------------------------|--------------------------------|--------------------------|
| <i>Rhododendron groenlandicum</i> | Labrador tea | T |
| <i>Rhynchospora capillacea</i> | Needle beaksedge | E |
| <i>Rhynchospora macrostachya</i> | Tall beaksedge | T |
| <i>Ribes glandulosum</i> | Skunk currant | SC |
| <i>Ribes rotundifolium</i> | Wild currant | SC |
| <i>Ribes triste</i> | Swamp red currant | E |
| <i>Rotala ramosior</i> | Toothcup | T |
| <i>Rubus cuneifolius</i> | Sand blackberry | SC |
| <i>Rubus dalibarda</i> | Dew-drop | E |
| <i>Salix pedicellaris</i> | Bog willow | E |
| <i>Salix petiolaris</i> | Slender willow | SC |
| <i>Scheuchzeria palustris ssp. americana</i> | Pod grass | E |
| <i>Schizachne purpurascens</i> | Purple oat | SC |
| <i>Schoenoplectus acutus</i> | Hard-stemmed bulrush | T |
| <i>Schoenoplectus torreyi</i> | Torrey bulrush | T |
| <i>Scleria verticillata</i> | Low nutrush | SC* |
| <i>Scutellaria parvula var. missouriensis</i> | Small skullcap | E |
| <i>Senna hebecarpa</i> | Wild senna | T |
| <i>Sibbaldiopsis tridentata</i> | Three-toothed cinquefoil | T |
| <i>Silene stellata</i> | Starry campion | T |
| <i>Solidago aestivalis</i> | Early wrinkle-leaved goldenrod | SC* |
| <i>Sparganium fluctuans</i> | Floating bur-reed | E |
| <i>Sparganium natans</i> | Small bur-reed | E |
| <i>Sporobolus cryptandrus</i> | Sand dropseed | T |
| <i>Sporobolus neglectus</i> | Small dropseed | E |
| <i>Stellaria borealis</i> | Northern stitchwort | SC |
| <i>Streptopus amplexifolius</i> | White mandarin | T |

Litchfield County

Plants

| Scientific Name | Common Name | Protection Status |
|---------------------------------|----------------------------|-------------------|
| <i>Taenidia integerrima</i> | Yellow pimpernel | E |
| <i>Thuja occidentalis</i> | Northern white cedar | T |
| <i>Trichomanes intricatum</i> | Appalachian gametophyte | SC |
| <i>Trichophorum alpinum</i> | Alpine bulrush | SC* |
| <i>Trichostema brachiatum</i> | False pennyroyal | E |
| <i>Triphora trianthophora</i> | Nodding pogonia | E |
| <i>Trisetum spicatum</i> | Narrow false oats | E |
| <i>Trollius laxus</i> | Spreading globe flower | T |
| <i>Utricularia resupinata</i> | Resupinate bladderwort | E |
| <i>Uvularia grandiflora</i> | Large-flowered bellwort | E |
| <i>Vaccinium myrtilloides</i> | Velvetleaf blueberry | E |
| <i>Viola canadensis</i> | Canada violet | SC |
| <i>Viola nephrophylla</i> | Northern bog violet | SC |
| <i>Viola renifolia</i> | Kidney-leaf white violet | E |
| <i>Viola selkirkii</i> | Great-spurred violet | SC |
| <i>Waldsteinia fragarioides</i> | Barren strawberry | E |
| <i>Xyris montana</i> | Northern yellow-eyed grass | T |

Reptiles

| Scientific Name | Common Name | Protection Status |
|------------------------------------|-----------------------|-------------------|
| <i>Clemmys guttata</i> | Spotted turtle | SC |
| <i>Crotalus horridus</i> | Timber rattlesnake | E |
| <i>Glyptemys insculpta</i> | Wood turtle | SC |
| <i>Glyptemys muhlenbergii</i> | Bog turtle | E |
| <i>Heterodon platirhinos</i> | Eastern hognose snake | SC |
| <i>Opheodrys vernalis</i> | Smooth green snake | SC |
| <i>Plestiodon fasciatus</i> | Five-lined skink | T |
| <i>Terrapene carolina carolina</i> | Eastern box turtle | SC |

Litchfield County

Reptiles

| Scientific Name | Common Name | Protection Status |
|----------------------------|----------------------|--------------------------|
| <i>Thamnophis sauritus</i> | Eastern ribbon snake | SC |

E = Endangered, T = Threatened, SC = Special Concern, * Believed Extirpated

*State of Connecticut
Department of Energy and Environmental Protection
Bureau of Natural Resources, Wildlife Division
79 Elm St., Hartford, CT 06106*