

NOTICE TO POT FISHERMEN Oct 11, 2022

Subject: Long Island Sound Trawl Survey - Oct 11-31, 2022

Enclosed is a map showing the locations of CT DEEP trawl survey sites to be sampled during October 2022 from the research vessel *John Dempsey*. Lines on the map give the general direction and distance of each tow. For the approximate start and end of each tow, please refer to the accompanying tables using the <u>reference number</u> for each tow printed on the map. The tables have the reference number, LORAN TDs & Lat/Lon coordinates at the start and end of each tow, trawl survey site number, and brief description of the tow (for example: East-West Tow). Although the U.S. Coast Guard ceased broadcasting Loran TDs in February 2010, we continue to provide the historical TDs for most tows for the convenience of those more familiar with that coordinate system. However, research tows are now conducted using the Latitude and Longitude coordinates, additionally historical TDs may not be available for all tows.

This Notice along with the accompanying map and tables will also be posted on the DEEP website as a PDF document (go to https://portal.ct.gov/DEEP-Commercial-Fishing and select the link for Long Island Sound Trawl Survey).

We are providing this information to avoid accidental disturbance of your gear and to maintain the integrity of our survey so we can continue to provide the best possible monitoring of the Sound's fishery resources. For this effort to be successful we need your cooperation by removing any gear you have within one micro second to either side of the survey line for the duration of each month's survey. Provided gear is set in an orderly fashion and marked with surface buoys, this space -- about 1,000 ft -- is an adequate width for towing the net used in our survey.


Your cooperation in providing a clear path for sampling is greatly appreciated. This survey continues to provide information needed for assessments of Long Island Sound fish and lobster resources.

Each month, the survey is expected to begin in the east and progress westward. It generally takes 10-12 days of good weather (each month) to complete the survey. You can reach R/V John Dempsey on VHF CH 16 & 13 anytime the vessel is on the water. The crew can tell you at any time during the survey which sites have been done and approximately when sites in an area will be sampled. We hope this communication can minimize any inconvenience or the amount of time your gear may have to be moved.

PLEASE NOTE: CT DEEP will no longer mail printed copies of Long Island Sound Trawl Survey monthly site maps and coordinates. They will continue to be available electronically on the website (https://portal.ct.gov/DEEP-Commercial-Fishing) as well as the CT DEEP Marine Fisheries listsery. To join our email distribution list (listsery):

- Address an email to <u>listserv@list.ct.gov</u>.
- You may leave the subject line blank.
- In the body of the email, type the words: *subscribe DEEP_marine_fisheries* then leave one space and then type in your full name (all of this must appear on the same line).
- **Note**: If you have an e-mail signature, header, and/or footer set up to be automatically included in your emails, you will need to delete these before sending the subscribe request.
- After you send the email, you will receive an email indicating that you have successfully subscribed to the listsery

Please contact Matt Gates at the Marine Fisheries Office in Old Lyme, CT (860-434-6043 or matthew.gates@ct.gov) if you have questions on the survey, the schedule for sampling in your area, or signing up for the listserv.



					Bgn	End	
Ref. No.	Site	Strata	BgnTDs	EndTDs	Lat/Lon	Lat/Lon	Comment
10	00 14	N44	26680.0	26705.0	41 01.01	41 00.45	Fact Mast Tow
10	0014	M4	43960.5	43960.5	73 10.62	73 13.72	East-West Tow
			26375.0	26400.0	41 01.04	41 00.48	
22	0027	T2	43905.5	43905.5	72 35.65	72 38.66	East-West Tow
			26755.0	26775.0	41 01.85	41 01.39	
29	0110	T3	43981.5	43981.5	73 19.39	73 21.89	East-West Tow
			26725.0	26750.0	41 02.41	41 01.84	
30	0111	М3	43980.5	43980.5	73 15.70	73 18.80	East-West Tow
- 55	01 11	5					
			26675.0	26700.0	41 01.11	41 00.55	
33	0114	M4	43960.5	43960.5	73 10.27	73 13.37	East-West Tow
24	04 45		26650.0	26675.5	41 01.62	41 01.11	5 W 5 .
34	0115	M4	43960.5	43960.5	73 07.21	73 10.27	East-West Tow
			26690.0	26665.0	41 03.22	41 03.80	
79	0315	M3	43980.5	43980.5	73 11.09	73 08.01	West-East Tow
			26530.0	26555.0	41 03.85	41 03.24	
85	0321	M4	43955.5	43955.5	72 52.63	72 55.70	East-West Tow
			26275.0	26400.0	44 00 64	44 02 02	
92	0328	Т3	26375.0 43925.5	26400.0 43925.5	41 03.61 72 34.99	41 03.03 72 38.00	East-West Tow
32	0328	13	15070.0	15085.0	72 34.33	72 38.00	Last-West Tow
			26560.0	26575.0	41 05.13	41 04.70	
106	0420	M4	43970.5	43970.5	72 55.31	72 57.55	East-West Tow
		_	26735.0	26760.0	41 05.98	41 05.24	
120	0511	M2	44010.5	44010.5	73 15.76	73 18.86	East-West Tow
			26705.0	26730.0	41 05.93	41 05.33	
122	0513	M2	44005.5	44005.5	73 12.24	73 15.34	East-West Tow
			14955.5	14980.5			
			26408.5	26438.5	41 06.05	41 05.17	
135	0526	T3	43950.5	43950.5	72 38.16	72 41.80	East-West Tow
			26225	26422 -	44.05.45	44.65.55	
126	0527	тэ	26395.0	26420.0 43948.5	41 06.11	41 05.52	Fast Wost Tow
136	0327	T3	43948.5	43348.3	72 36.61	72 39.61	East-West Tow
					41 05.23	41 05.61	
137	0528	S3			72 36.20	72 34.03	West-East Tow
			15110.5	15135.5			
		_	26622.5	26652.5	41 06.53	41 05.82	
148	0617	T2	43995.5	43995.5	73 02.51	73 06.17	East-West Tow
			15115.0 26630.0	15133.0 26655.0	41 07.73	41 07.13	
171	0717	M2	44005.5	44005.5	73 03.01	73 06.09	East-West Tow
-/-	0. 1,	2			7.5 55.01		
			14910.0	14935.0	41 07.40	41 06.68	
183	0729	S3	43952.0	43952.0	72 31.63	72 35.27	West-East Tow
105	07.24	C 4	26325.0	26350.0	41 08.10	41 07.45	Fact Mact Tow
185	0731	S4	43948.5	43948.5	72 28.21	72 31.42	East-West Tow
			15060.5	15060.5	41 06.35	41 09.14	
195	0821	М3	43980.0	44005.0	72 54.72	72 55.69	North-South Tow
			14970.5	14945.5			
			26446.5	26416.5	41 08.87	41 09.59	
222	0926	T4	43980.5	43980.5	72 41.57	72 37.96	East-West Tow

					Bgn	End	
Ref. No.	Site	Strata	BgnTDs	EndTDs	Lat/Lon	Lat/Lon	Comment
			14870.5	14895.5			
			26312.5	26336.0	41 09.67	41 09.10	
227	0931	S4	43960.5	43960.5	72 26.00	72 29.09	East-West Tow
			14950.0	14975.0			
			26428.0	26459.0	41 10.59	41 09.86	
242	1026	T4	43990.0	43990.0	72 39.12	72 42.73	East-West Tow
			14946.5	14968.0			
			26425.0	26450.0	41 10.86	41 10.24	
243	1027	T4	43990.5	43990.5	72 38.69	72 41.69	East-West Tow
			14979.0	14979.0	41 11.59	41 09.31	
261	1125	T3	44004.0	43984.0	72 43.86	72 43.00	North-South Tow
			14970.5	14995.5			
			26466.5	26495.5	41 12.45	41 11.54	
282	1225	T2	44010.5	44010.5	72 42.93	72 46.46	East-West Tow
			26230.0	26255.0	41 12.78	41 12.16	
292	1235	T4	43968.5	43968.5	72 16.13	72 19.10	East-West Tow
			26605.0	26617.0	41 13.77	41 12.77	
296	1319	M1	44048.0	44040.0	72 58.25	73 00.05	Southwest-Northeast Tow
			14970.0	14978.0			
			26477.0	26489.0	41 14.47	41 14.60	
323	1425	M1	44026.0	44030.0	72 42.90	72 44.82	Triangle Tow
			14943.0	14922.0			
			26415.0	26440.0	41 14.83	41 14.18	
325	1427	T1	44018.5	44018.5	72 36.39	72 39.41	East-West Tow
			14909.0	14930.5			
			26395.0	26420.0	41 14.27	41 13.63	
327	1429	T2	44010.5	44010.5	72 34.29	72 37.31	East-West Tow
			26270.0	26295.0	41 14.57	41 13.94	Follow 30ft Contour, Towed along N.
332	1434	S1	43989.0	43989.0	72 20.12	72 23.13	side of shoal @29.5'
			14745.5	14755.5			
			26199.5	26206.5	41 17.14	41 18.53	
378	1737	T1	44005.5	43996.5	72 11.61	72 10.70	U-Turn
			26140.0	26110.0	41 17.62	41 16.02	
381	1740	T2	43988.0	43970.5	72 04.62	72 01.75	Northwest-Southeast Tow
				25222	44 4 = 00		
222	40.07		26204.0		41 17.90	41 18.83	
383	1837	T1	43990.0	44007.0	72 11.80	72 11.26	U-Turn/roughly South -North
			20000	26702.0	40 55 77	40 55 54	
422	FF 43	63	26688.0	26703.0	40 55.77	40 55.51	III Turn /Fast West Town
423	5513	S2	43919.5	43917.5	73 12.24	73 15.03	U-Turn/East-West Tow, U-Turn
			26706 5	267044	40 57 50	40 58.10	
116	E7 00	ca	26786.5	26784.4	40 57.59 73 24.36		III Turn /roughly Couth North Tour
446	5709	S2	43951.5	43955.5	/3 24.36	73 24.10	U-Turn/roughly_South-North Tow
			26450.0	26475.0	40 58.31	40 58.91	
474	5824	S1	43898.0	43907.0	72 45.11	72 47.70	Thirty Foot Contour
4/4	Jo24	JΙ	4 3030.0	45507.0	147.11	1241.10	I I I I I I I I I I I I I I I I I I I
			26710.0	26735.0	40 59.73	40 59.18	
485	5912	M3	43955.5	43955.5	73 14.80	73 17.91	East-West Tow
403	JJ12	IVIO	15035.5	15010.5	73 14.00	/31/.31	Lust VVEst 10VV
			26481.5	26450.5	40 59.16	40 59.84	
496	5923	M3	43910.5	43910.5	72 48.26	72 44.54	East-West Tow
430	J323	IVIO	43510.3	43510.3	12 40.20	12 44.34	Last-MEST IOM