

The Fish Stocking Report is published annually by the Connecticut Department of Energy and Environmental Protection

Katie Dykes, Commissioner

Mason Trumble, Deputy Commissioner, Environmental Conservation Branch
Justin Davis, Chief, Bureau of Natural Resources

Fisheries Division

Pete Aarrestad, *Director* 79 Elm Street Hartford, CT 06106-5127







ctfishandwildlife

ctfishandwildlife

DEEP Video

Table of Contents

| Introduction | 3 |
|---|----|
| Connecticut's Stocked Fish | 3 |
| DEEP State Fish Hatcheries | 6 |
| Connecticut's Hatchery Raised Trout | 8 |
| When and Where are Trout Stocked | 9 |
| Have you Caught a Trophy Fish? | 10 |
| Fish Distribution Numbers | |
| 2024 Stocking Summary | 11 |
| Trout Stocked by the Fisheries Division: Summary of Catchable Trout Stocked in 2024 | 12 |
| Trout and Salmon Stamp | 13 |
| Lakes and Ponds | 14 |
| Rivers, Streams, and Brooks | 18 |
| Youth Fishing Passport – Top Anglers 2024 | 25 |
| Other Fish Stocked by the Fisheries Division | 25 |
| Broodstock Atlantic Salmon | 25 |
| Kokanee Fry | 26 |
| Channel Catfish Adults | 26 |
| Northern Pike Fingerlings | 26 |
| Walleye Fingerlings | 26 |
| Migratory Fish Species Stocking | 27 |
| Relocations | 28 |
| Anglers, Thank You for Your Support | 29 |


Cover: Seasonal research assistant, Cora, holds one of the over 1,900 Atlantic salmon (two years old), which are raised at the Kensington State Fish Hatchery, specifically to provide a unique recreational opportunity for anglers in CT.

The Connecticut Department of Energy and Environmental Protection is an Affirmative Action/Equal Opportunity Employer that is committed to complying with the requirements of the Americans with Disabilities Act. Please contact us at (860) 418-5910 or deep.accommodations@ct.gov if you: have a disability and need a communication aid or service; have limited proficiency in English and may need information in another language; or if you wish to file an ADA or Title VI discrimination complaint.

INTRODUCTION

Recreational fishing is a healthy outdoor experience that is important to the quality of life for many of Connecticut's residents and is beneficial to the state's economy. With millions of fishing days enjoyed by adult anglers annually in Connecticut, the benefit to our economy is estimated to be approximately \$657.1 million

dollars per year¹. Two priorities of the Connecticut Department of Energy and Environmental Protection's (DEEP) Fisheries Division are to conserve fish populations and provide equitable access to a diverse set of fishing opportunities.



Atlantic Salmon and Kokanee Salmon (a landlocked form of the anadromous Pacific Sockeye Salmon) are raised at one or more of the three State fish hatcheries. Other stocked species include Northern Pike (spawned in managed marshes and purchased from commercial vendors with SFR funds), Walleye and Channel Catfish (purchased from commercial vendors with SFR funds and/or State funds), and American Shad, Alewife, and Sea Lamprey (captured as they migrate into freshwater to spawn).

Connecticut's Stocked Fish:

TROUT: The Fisheries Division stocks trout into waters that have suitable habitat and are <u>open to public fishing</u>. In general, the Fisheries Division stocks hundreds of thousands of catchable sized trout each year into approximately 150 rivers/streams and 100 lakes/ponds. Catchable sized trout can be adult (9-12 inches), "specialty" trout (12–14-inch range), or broodstock (weighing 2-10 pounds or more). In addition, tens of thousands more are stocked as yearlings (5-6 inches).

Quality trout fishing is available year-round in Connecticut. Trout distribution (stocking) generally begins in late February and continues until mid-May.



More than half the year's trout are stocked in their respective waters prior to the start of the "Catch and Keep" season (second Saturday of April). A subset of waters (including a number of Trout Management Areas) are stocked in September and October to enhance fall and winter trout fishing.

Innovative fish management tools such as minimum lengths, reduced creel limits, catch-and-release only areas and wild trout management areas are used to enhance angler opportunities in selected waters. Although these special management areas (Trout Parks, Trophy Trout Areas, Trout Management Areas, Trout Management Lakes and Wild Trout Management Areas) are perhaps the most noticeable and popular trout fishing areas, two-thirds of the catchable-sized trout stocked in Connecticut are released into areas with no special management or regulations (where statewide regulations apply). Maps

¹ Economic Contributions of Recreational Fishing, American Sportfishing Association by Southwick Associates, January 2019. CT Summary.

<u>displaying stocking points</u> are available for over 200 locations on the DEEP web page.

KOKANEE: Kokanee are a land-locked form of the Pacific Sockeye Salmon first introduced to Connecticut in the 1930's. The Fisheries Division currently maintains a Kokanee fishery in West Hill Pond (New Hartford/Barkhamsted) and East Twin Lake (Salisbury). Each fall mature Kokanee are trap-netted and transported to the Burlington State Fish Hatchery for spawning. The eggs are incubated and after they hatch are reared until the fry are stocked in the spring. Fry surplus to the needs of West Hill and East Twin Lake are stocked in either Wononskopomuc (Salisbury) or Beach Pond (Voluntown/Exeter, RI) or both.



NORTHERN PIKE: Northern Pike fisheries are developed and maintained by stocking fingerlings (3 - 8") that are raised in managed marshes located in Haddam and Mansfield. Northern Pike fry growth and survival are maximized by managing the water level, vegetation type and by limiting predatory fish species. Within a few months, fingerlings are captured by lowering the water level in each of the marshes. In addition, the Fisheries Division purchases young Northern Pike from a commercial hatchery. The Fisheries Division has authorized the Lake Lillinonah Authority to stock yearlings in Lake Lillinonah.



WALLEYE: DEEP began to develop <u>Walleye fisheries</u> in 1993, which are supported through annual stockings of 4 - 6 inch fingerlings purchased using Federal Sportfish Restoration Funds. Walleye are stocked at rates of 8-15 fish per acre in each lake. The developing fishery in each lake is evaluated by monitoring the growth and abundance of Walleye and other fish species and by measuring angler effort and fishing success. In addition


to fish purchased and stocked by DEEP, the South Central CT Regional Water Authority, Aquarion Water Company, and Town of East Hampton may also purchase Walleye with their own funds to stock into water company property waters and Lake Pocotopaug respectively.



CHANNEL CATFISH: Expanding upon the popularity of the <u>Channel Catfish fishery</u> in the Connecticut River and privately owned waters stocked by individuals, the Fisheries Division began stocking Channel Catfish in 2007. The Fisheries Division currently stocks Channel Catfish to provide a high-quality year-round fishery in select community fishing waters, which are in areas with high population density.



ATLANTIC SALMON: From 1992 to 2013, the Fisheries Division annually stocked over one million juvenile salmon (fry, parr, and smolts) as part of a multi-state and Federal effort to restore Atlantic Salmon to the Connecticut River watershed. The Federal effort concluded in 2013, however, the Fisheries Division still maintains salmon at the <u>Kensington State Fish Hatchery</u> to preserve the genetic integrity of the Connecticut River strain.



The Fisheries Division plans to stock approximately one hundred thousand newly hatched salmon fry into selected streams within the Farmington and Salmon River watersheds annually as part of a Legacy Program to ensure the continued presence of Atlantic Salmon in Connecticut. It is important to note that any juvenile or adult salmon occurring within the Farmington River, Salmon River, or anywhere else in the Connecticut River watershed are a result of these stockings. All salmon caught in these waters must be released immediately without avoidable injury.

To support the unique Atlantic Salmon recreational fishery that has been established in the State in the Shetucket River, Naugatuck River, and select lakes, the Fisheries Division is specifically producing about 1,500-2,000, 2-3 year old fish (average weight of 2-5 pounds) to stock in Atlantic Salmon Management Areas. An additional 200-250 large (average weight of 10-15 pounds) Atlantic salmon are stocked for recreational

fishing after being spawned. Salmon are stocked into sections of the Naugatuck and Shetucket Rivers and selected lakes each fall. Harvest is allowed in these areas, refer to the <u>Connecticut Fishing Guide</u> for details.

ANADROMOUS SPECIES RESTORATION AND

ENHANCEMENT: DEEP is actively working to restore and enhance anadromous American Shad, Alewife and Sea Lamprey runs in Connecticut by removing obsolete dams, building fishways that allow fish to migrate past remaining dams, and transplanting pre-spawn adults from streams with healthy runs to targeted rivers having suitable habitat and water quality. Donor sites for these species include Bride Brook, for Alewife, and the Holyoke Dam fish lift on the Connecticut River in Massachusetts for American Shad and Sea Lamprey. These fish are trucked to streams targeted for restoration and released to reproduce naturally.



American Shad



Alewife



Sea Lamprey

All fish illustrations used with permission from New York State Department of Environmental Conservation

DEEP State Fish Hatcheries: The Fisheries Division manages three fish hatcheries, Burlington State Fish Hatchery (Burlington), Quinebaug Valley State Trout Hatchery (Plainfield), and Kensington State Fish Hatchery (Berlin). The staff at these hatcheries are charged with hatching, rearing, and distributing over 500,000 catchable trout and salmon and 300,000 fry, fingerlings, and eggs to support various Fisheries Division management goals. These three fish hatcheries produce all the trout and salmon stocked by the Fisheries Division.

Connecticut's state fish hatcheries have four key fish rearing areas, a hatch house (for hatching eggs and rearing the fry and fingerlings), intermediate tanks (fish 3-6 inches), final tanks (6-12 inches and 12+ inch specialty fish) and broodstock tanks (hold large fish that provide the eggs and milt [sperm] for production of future generations of stocked trout).

Burlington State Fish Hatchery

Address: 34 Belden Rd, Burlington, CT 06013

Hours: 8:00 am to 3:00 pm

Tours: Self-guided or by reservation

Phone: 860-673-2340



The Burlington State Fish Hatchery was constructed in 1923, making it our oldest operational fish hatchery. One of the many types of fish cultured at this hatchery is the "survivor" strain of Brown Trout. The idea

behind the "survivor" program is to produce hatchery fish that more closely mimic the behavior of wild trout, are more temperature tolerant, have better avian predator avoidance, and will be able to reproduce successfully on their own. Fisheries Division staff collect potential broodstock from the West Branch Farmington River each fall and transfer these fish of raising fish for you to the Burlington State Fish Hatchery. After spawning, the adults are returned to the river and their offspring raised and stocked approximately one year later. While research

continues on the effectiveness of the program, the program has been successful as there were very few "wild" Brown Trout in the West Branch Farmington River prior to these efforts and now wild Brown Trout catches are commonplace. In addition, work conducted in the Housatonic River shows that "survivors" may indeed be more fit than the domestic Cortland strain stocked by the state. The Burlington State Fish Hatchery is the only State hatchery that rears Kokanee fry.

Quinebaug Valley State Trout Hatchery

Address: 141 Trout Hatchery Rd, Central Village, CT 06332

Hours: 8:00 am to 3:00 pm

Tours: Self-guided in the visitors center (the hatchery itself is not

open to the public). Phone: 860-564-7542

The Quinebaug Valley State Trout Hatchery is one of the largest trout production facilities on the East Coast. Built in 1971 at a cost of 2.5 million dollars and renovated in the mid 1990's, the hatchery is supplied by 11 wells that each produce 50-500 gallons per minute (gpm) and water recirculation pumps to provides another 1,000 gpm. This



quantity of water allows the facility to produce an estimated 380,000 pounds of trout for distribution throughout public waterways in Connecticut and three million eggs. Quinebaug Valley State Trout Hatchery belongs to the National Broodstock Registry and as such can ship fish and eggs to other facilities.

Kensington State Fish Hatchery

Address: 120 Old Hatchery Rd, Kensington, CT 06037

Hours: Not open to the public

Phone: 860-829-8518

Constructed in 1934, the Kensington State Fish Hatchery is our second oldest hatchery in operation. One of the former functions of the Kensington State Fish Hatchery was to support Atlantic Salmon Restoration efforts. With Federal restoration efforts concluded (2013), DEEP maintains the "Legacy Program". The legacy program will maintain enough Atlantic Salmon at our Kensington State Fish Hatchery to preserve genetic integrity of the Connecticut River strain. For over 45 years, biologists have been breeding adult salmon that have returned to the




Connecticut River as part of the restoration program. Fish that were originally stocked to support restoration came from Maine, but over time, the genetic identity of the strain shifted as fish adapted to their new river. The current strain is the southernmost population of Atlantic Salmon and it is important to maintain this strain, not only to support CT's Atlantic Salmon Legacy program but also to preserve this unique genetic resource, the importance of which may go beyond the boundaries of Connecticut.



Each year hatchery personnel spawns approximately 200 four-year-old salmon. After spawning these fish, which may weigh in excess of 20 pounds, they are stocked into the Atlantic Salmon Management Areas on the Naugatuck and Shetucket Rivers. Additionally, each year, just over 1,000 2-3-year-old salmon are raised and stocked specifically for the recreational Atlantic Salmon fishery on the Naugatuck and Shetucket Rivers as well as selected lakes. These fish provide an angling opportunity that attracts anglers worldwide. Surplus eggs are supplied to over 80 schools that participate in the Connecticut River Salmon Association's Salmon-In-Schools program. Students are responsible for caring for the eggs until they hatch, feeding the fry, and then releasing them into local waters. The Kensington facility is pleased to support Trout Unlimited 's Trout in The Classroom project by providing Brown Trout eggs. Over 100 schools in Connecticut participate each year. The students monitor the eggs until they hatch and then release the fry into a local waterbody.

Connecticut's Hatchery Raised Trout







Brown Trout have a light body with dark spots. The lower fins are typically brown, tan, or nearly colorless and may have a white leading edge. Wild Brown Trout may have bright red and orange spots and an orange adipose fin (a fleshy fin located between the dorsal fin and the tail on trout and salmon). The tail is more rounded than forked. Brown Trout and Atlantic Salmon can look very similar.



Rainbow Trout have a light body with dark spots on the head and the tail. There is usually a pink-colored band along each side. The lower fins typically do not have a white leading edge.



<u>Tiger Trout</u> are a sterile hybrid produced with the eggs from a Brown Trout and the milt of a Brook Trout. Physical characteristics are a distinctive reticulated ("confused") pattern of light and dark markings on back and sides, which are somewhat like the wormlike markings on the back of a Brook Trout. Darker markings on the back and sides typically brownish or olive. There are also lighter markings of tan, greenish or yellowish. The lower flanks typically have a russet hue.

In addition to timely and interesting fisheries information, the FISHERIES DIVISION posts stocking information each afternoon during trout season and when Channel Catfish and Atlantic Salmon are stocked.







When and where are trout stocked?

To put you on the fish- check out our <u>interactive map</u> that tracks the number of days since a waterbody was last stocked. The purpose of this map is to provide the angling community with near real-time information on the Fisheries Division stocking and visually present where the stocked waters are located using the latest mapping technology. It is our intention that this information will help increase angler appreciation of the great fishing afforded through our stocking program.

Features:

- Search by town name or waterbody name
- Fixed Search (Query) Options
 - List all stocked waters
 - List all waters stocked within 1 day, 1 week, 1 month
 - List Trout Management Areas
 - List Trout Parks
 - List Community Fishing Waters
- Zoom in and out
- Custom print your area of interest
- Buttons to display a legend, information about the location, query options, and to change the base map
- "Buy my fishing license" link

Other sources of trout stocking information:

- Current Stocking Report
- Social Media Posts: <u>Facebook</u>, Instagram, YouTube






Point your cell phone's camera at this icon to open the interactive trout stocking map.

The Fisheries Division would like you to submit your trophy catch using the recently released online <u>Angler Recognition System</u>. Simply open the link to provide details about the fish, angler, and add up to four photos. Once your info is reviewed and approved your catch will join other great catches from anglers around CT visible in the <u>dashboard</u>. Anglers have the option to download and print a customizable Trophy Fish Certificate (links are on the <u>Trophy Fish Award webpage</u>)





Point your cell phone's camera at this icon to open the online Trophy Fish Award Submission Form.





2024 Stocking Summary:

Public Act 21-12 included language that removed the closed season for trout, thereby affording year-round access to Connecticut's trout resources. To support the spirit of the law, the Fisheries Division updated the inland sportfishing regulations in 2022 to remove the closed season on all waterbodies and created a period of statewide catch and release trout fishing (March 1 until 6:00 am on the second Saturday of April).

The Fisheries Division stocked **1,264,570** fish in various waters throughout Connecticut in 2024. The remainder of this report provides the number of fish stocked by the Fisheries Division in various waterbodies throughout Connecticut. For additional details or questions regarding any of our stocking programs, please contact us at 860-424-FISH (3474) or by email at deep.inland.fisheries@ct.gov

| Fish species (approximate size) | Total 2024 |
|--|------------|
| Atlantic Salmon, adults (18-32") | 1,987 |
| Atlantic Salmon, fry (< 1.5 ") | 391,034 |
| Atlantic Salmon, smolt (4-6") | 100 |
| American Shad, Juvenile (2-4") | 26, 174 |
| American Shad, adults (12-16") | 610 |
| Broodstock, all trout species (18-26") | 2,174 |
| Brook Trout, specialty (>12") | 38,815 |
| Brook Trout, standard (9-12") | 61,518 |
| Brown Trout, specialty (>12") | 43,392 |
| Brown Trout, standard (9- 12") | 154,851 |
| Brown Trout, yearlings (5-6") | 27,050 |
| Channel Catfish, adults (16-20") | 9,258 |
| Kokanee, fry (< 1.5") | 180,000 |
| Northern Pike, fingerlings (1-6") | 30,511 |
| Rainbow Trout, specialty (>12") | 119,255 |
| Rainbow Trout, standard (9-12") | 142,875 |
| Sea Lamprey, adults (24-30") | 300 |
| Tiger Trout (hybrid), >12" | 14,435 |
| Tiger Trout (hybrid), standard (9-12") | 600 |
| Walleye, fingerlings (4-10") | 19,631 |

Trout stocked by the Fisheries Division:

SUMMARY OF CATCHABLE TROUT STOCKED IN 2024 (LISTED BY FISHERIES MANAGEMENT TYPE):

| | | Ву Ма | nageme | ent Type | | | | | | | |
|---|-------------------|----------------|----------------|------------------|----------------|---------------|---------------|-----------------|---------------|-----------------|----------------|
| | | Standa | rd Trout: | | | | | Specialty Trout | | | |
| Management Type | Brown Yearling | Brook Adult | Brown Adult | Rainbow Adult | Tiger Adult | Brook >12" | Brown >12" | Rainbow >12" | Tiger >12" | Brood- stock | Total Trout |
| Community Fishing Waters | 0 | 4,930 | 3,380 | 6,285 | 0 | 450 | 440 | 1,200 | 750 | 0 | 17,435 |
| Trout Management Lakes | 8,350 | 1,500 | 25,110 | 10,850 | 0 | 5,950 | 6,800 | 12,550 | 0 | 530 | 71,640 |
| Trout Park Ponds Lakes with No Special | 0 | 4,000 | 6,085 | 12,370 | 350 | 2,955 | 1,000 | 8,050 | 6,045 | 110 | 40,965 |
| Management | 3,700 | 5,954 | 29,501 | 28,825 | 0 | 5,875 | 2,610 | 10,135 | 1,300 | 150 | 88,050 |
| Lake/Pond Totals | 12,050 | 16,384 | 64,076 | 58,330 | 350 | 15,230 | 10,850 | 31,935 | 8,095 | 790 | 218,090 |
| | | | | | | | | | | | |
| Enhanced Wild Trout Streams Trophy Trout Managed | 1,000 | 1,700 | 6,945 | 18,450 | 0 | 1,000 | 950 | 5,975 | 515 | 50 | 36,585 |
| Streams | 0 | 4,500 | 5,150 | 5,250 | 0 | 1,935 | 8,502 | 18,965 | 850 | 375 | 45,527 |
| Trout Park Streams Trout Management Areas | 0 | 2,045 | 1,925 | 1,575 | 250 | 1,725 | 750 | 4,250 | 850 | 55 | 13,425 |
| (TMAs) Rivers with No Special | 14,000 | 9,459 | 17,615 | 22,345 | 0 | 3,920 | 15,085 | 29,520 | 1,650 | 596 | 114,190 |
| Management | 0 | 27,430 | 59,140 | 36,925 | 0 | 15,005 | 7,255 | 28,710 | 2,475 | 308 | 177,248 |
| River/Stream Totals | 15,000 | 45,134 | 90,775 | 84,545 | 250 | 23,585 | 32,542 | 87,420 | 6,340 | 1,384 | 386,975 |
| | | | | | | | | | | 1 | |
| Total Trout | 27,050 | 61,518 | 154,851 | 142,875 | 600 | 38,815 | 43,392 | 119,355 | 14,435 | 2,174 | 605,065 |

Trout and Salmon Stamp

Connecticut initiated a <u>Trout and Salmon Stamp</u> in 2018 in order to maintain its trout and salmon programs. The cost of the stamp is \$5 for everyone except those age 16-17 (\$3). The stamp is valid for an entire calendar year. The trout and salmon stamp is needed either to fish certain areas or to keep any trout or salmon. 100% of your investment in fishing licenses, stamps, and tags is required by law to support fisheries programs (CGS 26-15, 26-15a and 26-15b).



A Trout and Salmon Stamp is required for those age 16 or older to fish (even if fishing catch and release) within:

- o A <u>Trout Management Area</u> (Rivers and Streams. Note: A stamp is NOT needed to fish in a Trout Management Lake)
- o A Wild Trout Management Area (Classes 1, 2, and 3)
- o A <u>Trout Park</u>
- o An <u>Atlantic Salmon Management Area</u> (Naugatuck River and Shetucket River)



Everywhere else, the trout and salmon stamp is required for those age 16 or older to KEEP any trout or salmon.

Unless you are fishing in waters not stocked at the expense to the state (private fish and game clubs, private ponds). This means if you practice catch and release or accidentally catch and release a trout while fishing for another species, you are not required to have a trout and salmon stamp.



Lakes and Ponds Trout Summary

Column headers: BN = Brown Trout, BK = Brook Trout, RW = Rainbow Trout, Tiger = Tiger Trout, Brood = Broodstock, Y = yearling, A = adult.

| Ediamin neaders. Bit Brown | THE THOUSE BY BEECK TROUSE, IN | | 514 | | | | 5ut, 510 | | But | | ui iii 18, 7 i | addit. |
|-------------------------------------|--|-----------|-----------|-----------|-----------|--------------|-----------|-----------|-----------|--------------|----------------|--------|
| Name | Town | BN (Y) | BK (A) | BN (A) | RW (A) | Tiger (A) | BK 12+ | BN 12+ | RW 12+ | Tiger 12+ | Brood | Total |
| Community Fishing Waters (15) | A TROUT AND SALEON STAMP IS RECEIVED JOSÉE TROUT FALEON HENE Add it to You'r Lewiss at waxed grover phasing Trout Faleon at waxed grover phasing | | | | | | | | | | | |
| Beaver Park Pond/Lagoon | New Haven | 0 | 380 | 400 | 400 | 0 | 0 | 0 | 0 | 0 | 0 | 1180 |
| Birge Pond | Bristol | 0 | 500 | 500 | 330 | 0 | 0 | 0 | 0 | 0 | 0 | 1330 |
| Bunnells Pond (Beardsley Park Pond) | Bridgeport | 0 | 900 | 0 | 1450 | 0 | 100 | 0 | 150 | 100 | 0 | 2700 |
| Center Springs Park Pond | Manchester | 0 | 0 | 420 | 0 | 0 | 0 | 0 | 300 | 0 | 0 | 720 |
| Colony Park Pond | Ansonia | 0 | 275 | 260 | 425 | 0 | 0 | 0 | 0 | 200 | 0 | 1160 |
| Freshwater Pond | Enfield | 0 | 0 | 200 | 0 | 0 | 100 | 0 | 0 | 100 | 0 | 400 |
| Keney Park Pond | Hartford | 0 | 550 | 50 | 500 | 0 | 0 | 200 | 0 | 0 | 0 | 1300 |
| Lake Wintergreen | Hamden | 0 | 350 | 500 | 750 | 0 | 150 | 0 | 200 | 100 | 0 | 2050 |
| Mirror Lake (Hubbard Park Pond) | Meriden | 0 | 750 | 375 | 775 | 0 | 0 | 0 | 0 | 0 | 0 | 1900 |
| Mohegan Park Pond (Spaulding Pond)* | Norwich | 0 | 0 | 1000 | 1500 | 0 | 350 | 100 | 1325 | 780 | 10 | 5065 |
| Pickett's Pond | Derby | 0 | 275 | 125 | 325 | 0 | 100 | 0 | 100 | 250 | 0 | 1175 |
| Rogers Park Pond | Danbury | 0 | 150 | 100 | 150 | 0 | 0 | 0 | 0 | 0 | 0 | 400 |
| Rowan's Pond (Butternut Park Pond) | Middletown | 0 | 250 | 150 | 200 | 0 | 0 | 0 | 0 | 0 | 0 | 600 |
| Stanley Quarter Park Pond | New Britain | 0 | 350 | 100 | 550 | 0 | 0 | 240 | 450 | 0 | 0 | 1690 |
| Upper Fulton Park Pond | Waterbury | 0 | 200 | 200 | 430 | 0 | 0 | 0 | 0 | 0 | 0 | 830 |
| Trout Management Lakes (13) | A TROUT AND SOA MOND STAMP IS REQUIRED TO KEEP TROUTINAL MOND HERE Add It to Your License at Add and the Common at Manual Confidency in the Common at Manual Confidency in the Common at Manual Confidency in the Common at | | | | | | | | | | | |
| Amos Lake | Preston | 0 | 0 | 2250 | 500 | 0 | 150 | 0 | 1500 | 0 | 0 | 4400 |
| Black Pond | Woodstock | 0 | 0 | 0 | 0 | 0 | 2350 | 0 | 0 | 0 | 150 | 2500 |

| | | BN | ВК | BN | RW | Tiger | ВК | BN | RW | Tiger | | |
|--|---|------|------|------|------|-------|------|------|------|-------|-------|-------|
| Name | Town | (Y) | (A) | (A) | (A) | (A) | 12+ | 12+ | 12+ | 12+ | Brood | Total |
| | Danbury, New Milford, New | | | | | | | | | | | |
| Candlewood Lake | Fairfield, Sherman | 0 | 0 | 6900 | 600 | 0 | 0 | 0 | 0 | 0 | 0 | 7500 |
| Crystal Lake | Ellington | 0 | 0 | 1400 | 1200 | 0 | 0 | 1300 | 750 | 0 | 40 | 4690 |
| East Twin Lake | Salisbury | 4175 | 0 | 1300 | 1700 | 0 | 0 | 1000 | 1400 | 0 | 35 | 9610 |
| Highland Lake | Winchester | 0 | 0 | 2500 | 1200 | 0 | 0 | 1500 | 2150 | 0 | 40 | 7390 |
| Long Pond | North Stonington | 0 | 0 | 1910 | 0 | 0 | 150 | 600 | 600 | 0 | 35 | 3295 |
| Mohawk Pond | Cornwall, Goshen | 0 | 0 | 0 | 0 | 0 | 2500 | 0 | 0 | 0 | 150 | 2650 |
| Quonnipaug Lake | Guilford | 0 | 0 | 1400 | 1300 | 0 | 0 | 0 | 1375 | 0 | 0 | 4075 |
| Rogers Lake | Lyme, Old Lyme | 0 | 0 | 1700 | 1500 | 0 | 500 | 0 | 1850 | 0 | 0 | 5550 |
| Squantz Pond | New Fairfield, Sherman | 0 | 0 | 2000 | 1050 | 0 | 0 | 800 | 450 | 0 | 40 | 4340 |
| West Hill Pond | Barkhamsted, New Hartford | 0 | 1500 | 2250 | 800 | 0 | 300 | 1600 | 1650 | 0 | 40 | 8140 |
| Wononskopomuc Lake | Salisbury | 4175 | 0 | 1500 | 1000 | 0 | 0 | 0 | 825 | 0 | 0 | 7500 |
| Trout Park Ponds (11) | A TROUT AND SALKON STAVE IS RECURRED TO JUST HERE Add it to Your Learness at www.cc.good/deep-fielding | | | | | | | | | | | |
| Black Rock Pond | Watertown | 0 | 550 | 225 | 575 | 0 | 700 | 300 | 625 | 530 | 10 | 3515 |
| Day Pond | Colchester | 0 | 0 | 400 | 1150 | 0 | 325 | 100 | 1025 | 980 | 5 | 3985 |
| Great Hollow Pond | Monroe | 0 | 850 | 875 | 1225 | 0 | 50 | 0 | 525 | 530 | 15 | 4070 |
| McGovern Pond | West Hartford | 0 | 900 | 275 | 1225 | 0 | 100 | 0 | 300 | 450 | 10 | 3260 |
| Mohegan Park Pond | | | | | | | | | | | | |
| (Spaulding Pond)* | Norwich | 0 | 0 | 1000 | 1500 | 0 | 350 | 100 | 1325 | 780 | 10 | 5065 |
| Pasture Pond | Plainfield | 0 | 0 | 340 | 400 | 0 | 450 | 0 | 350 | 350 | 10 | 1900 |
| Schreeder Pond | Killingworth | 0 | 0 | 700 | 370 | 350 | 350 | 500 | 1475 | 580 | 5 | 4330 |
| Southford Falls Pond | Oxford, Southbury | 0 | 650 | 775 | 1250 | 0 | 400 | 0 | 200 | 200 | 10 | 3485 |
| Stratton Brook Park Pond | Simsbury | 0 | 550 | 775 | 1275 | 0 | 100 | 0 | 575 | 530 | 10 | 3815 |
| Valley Falls Park Pond | Vernon | 0 | 0 | 0 | 2200 | 0 | 0 | 0 | 1225 | 650 | 15 | 4090 |
| Wharton Brook Pond | Wallingford | 0 | 500 | 720 | 1200 | 0 | 130 | 0 | 425 | 465 | 10 | 3450 |
| Lakes and ponds with No Spo Management (64) | A TROUT AND SAL MON STAMP IN REQUIRED TO ALEP TROUT SAL MON HE RE Add It to Your Levence at when C growing Shing | | | | | | | | | | | |

| | | BN | ВК | BN | RW | Tiger | ВК | BN | RW | Tiger | | |
|--------------------------------|--------------------------|-----|-----|------|------|-------|-----|-----|------|-------|-------|-------|
| Name | Town | (Y) | (A) | (A) | (A) | (A) | 12+ | 12+ | 12+ | 12+ | Brood | Total |
| Angus Park Pond (aka | | | | | | | | | | | | |
| Eastbury Pond) | Glastonbury | 0 | 0 | 0 | 1000 | 0 | 0 | 0 | 200 | 0 | 0 | 1200 |
| Baldwin Pond | Meriden | 0 | 0 | 100 | 450 | 0 | 0 | 0 | 0 | 0 | 0 | 550 |
| Ball Pond | New Fairfield | 0 | 200 | 900 | 200 | 0 | 600 | 0 | 400 | 0 | 0 | 2300 |
| Bashan Lake | East Haddam | 0 | 0 | 595 | 250 | 0 | 0 | 0 | 50 | 0 | 0 | 895 |
| Baummer Pond | Naugatuck | 0 | 250 | 50 | 400 | 0 | 0 | 0 | 0 | 0 | 0 | 700 |
| Beach Pond | Voluntown | 0 | 0 | 700 | 400 | 0 | 500 | 600 | 400 | 0 | 35 | 2635 |
| Beaver Brook Park Ponds | Windham | 0 | 0 | 480 | 0 | 0 | 30 | 0 | 60 | 0 | 0 | 570 |
| Bicentennial Pond | Mansfield | 0 | 0 | 650 | 160 | 0 | 0 | 0 | 0 | 0 | 0 | 810 |
| Bigelow Pond | Union | 0 | 0 | 655 | 300 | 0 | 70 | 0 | 725 | 200 | 0 | 1950 |
| Billings Lake | North Stonington | 0 | 0 | 675 | 0 | 0 | 200 | 0 | 400 | 0 | 0 | 1275 |
| Black Pond | Middlefield, Meriden | 0 | 0 | 350 | 1210 | 0 | 450 | 200 | 730 | 200 | 40 | 3180 |
| Black Rock Impoundment | Thomaston, Watertown | 0 | 100 | 450 | 50 | 0 | 100 | 0 | 100 | 0 | 0 | 800 |
| Branford Supply Pond | Branford | 0 | 0 | 675 | 600 | 0 | 0 | 0 | 125 | 250 | 5 | 1655 |
| Broad Brook Mill Pond | East Windsor | 0 | 0 | 300 | 0 | 0 | 200 | 150 | 0 | 0 | 0 | 650 |
| Cedar Lake | Chester | 0 | 0 | 1640 | 1260 | 0 | 300 | 0 | 1000 | 0 | 30 | 4230 |
| Christensen's Pond | Granby | 0 | 300 | 300 | 550 | 0 | 0 | 0 | 450 | 0 | 0 | 1600 |
| Colebrook Reservoir | Colebrook | 0 | 0 | 2000 | 1500 | 0 | 0 | 0 | 0 | 0 | 0 | 3500 |
| Congamond Lakes | Suffield | 0 | 0 | 600 | 500 | 0 | 0 | 0 | 0 | 0 | 0 | 1100 |
| Driscoll Pond | Voluntown | 0 | 0 | 0 | 200 | 0 | 0 | 0 | 50 | 0 | 0 | 250 |
| Fountain Lake | Seymour, Ansonia | 0 | 335 | 365 | 700 | 0 | 0 | 0 | 0 | 0 | 0 | 1400 |
| Gardner Lake | Salem, Bozrah, Montville | 0 | 0 | 1400 | 950 | 0 | 250 | 0 | 0 | 0 | 0 | 2600 |
| Gay City Park Pond | Hebron | 0 | 0 | 325 | 0 | 0 | 150 | 0 | 200 | 0 | 0 | 675 |
| Green Falls Reservoir | Voluntown | 0 | 0 | 650 | 350 | 0 | 0 | 0 | 0 | 0 | 0 | 1000 |
| Hancock Brook | | | | | | | | | | | | |
| Impoundment | Plymouth | 0 | 50 | 200 | 100 | 0 | 0 | 0 | 0 | 0 | 0 | 350 |
| Hanover Reservoir | Canterbury | 0 | 0 | 150 | 0 | 0 | 0 | 150 | 150 | 0 | 0 | 450 |
| Hewitt Fly Pond | North Stonington | 0 | 0 | 300 | 300 | 0 | 225 | 0 | 200 | 0 | 0 | 1025 |
| Higganum Reservoir | Haddam | 0 | 0 | 461 | 0 | 0 | 350 | 0 | 0 | 0 | 0 | 811 |
| Hop Brook Impoundment | Middlebury, Waterbury | 0 | 200 | 250 | 450 | 0 | 0 | 0 | 0 | 0 | 0 | 900 |
| Hopeville Pond | Griswold | 0 | 0 | 175 | 100 | 0 | 0 | 0 | 75 | 100 | 0 | 450 |
| Horse Pond | Salem | 0 | 0 | 450 | 450 | 0 | 200 | 0 | 0 | 200 | 0 | 1300 |

| | | BN | ВК | BN | RW | Tiger | ВК | BN | RW | Tiger | | |
|------------------------------------|---------------------------|------|-----|------|------|-------|-----|-----|------|-------|-------|-------|
| Name | Town | (Y) | (A) | (A) | (A) | (A) | 12+ | 12+ | 12+ | 12+ | Brood | Total |
| Howells Pond | Hartland | 0 | 250 | 400 | 500 | 0 | 0 | 0 | 0 | 0 | 0 | 1150 |
| Lake McDonough | Barkhamsted, New Hartford | 0 | 0 | 500 | 1000 | 0 | 0 | 800 | 800 | 0 | 0 | 3100 |
| Lake Saltonstall | Branford, East Haven | 0 | 0 | 1150 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1150 |
| Lake Stibbs | Southbury | 0 | 250 | 100 | 200 | 0 | 0 | 0 | 0 | 0 | 0 | 550 |
| Lower Storrs Pumping | | | | | | | | | | | | |
| Station Pond | Mansfield | 0 | 160 | 100 | 100 | 0 | 0 | 0 | 0 | 0 | 0 | 360 |
| Mad River Impoundment | Winchester | 0 | 150 | 550 | 250 | 0 | 0 | 0 | 0 | 0 | 0 | 950 |
| Mansfield Training Ponds | Mansfield | 0 | 0 | 360 | 0 | 0 | 0 | 0 | 100 | 150 | 0 | 610 |
| Mashapaug Lake | Union | 0 | 0 | 1350 | 1300 | 0 | 0 | 0 | 1070 | 0 | 40 | 3760 |
| Millers Pond | Durham | 0 | 0 | 400 | 0 | 0 | 100 | 0 | 100 | 0 | 0 | 600 |
| Mohegan Lake | Fairfield | 0 | 300 | 350 | 800 | 0 | 0 | 0 | 0 | 0 | 0 | 1450 |
| Moosup Pond | Plainfield | 0 | 0 | 500 | 0 | 0 | 150 | 0 | 50 | 0 | 0 | 700 |
| Mt. Tom Pond | Litchfield - Washington | 0 | 759 | 400 | 1000 | 0 | 500 | 0 | 300 | 0 | 0 | 2959 |
| Nells Rock Reservoir | Shelton | 0 | 175 | 225 | 400 | 0 | 0 | 0 | 0 | 0 | 0 | 800 |
| Northfield Impoundment | Thomaston | 0 | 150 | 150 | 200 | 0 | 0 | 0 | 0 | 0 | 0 | 500 |
| Pattaconk Lake | Chester | 0 | 0 | 550 | 150 | 0 | 100 | 100 | 100 | 0 | 0 | 1000 |
| Prospect Town Park Pond | Prospect | 0 | 500 | 100 | 400 | 0 | 0 | 0 | 0 | 0 | 0 | 1000 |
| Roseland Lake | Woodstock | 0 | 0 | 540 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 540 |
| Saint Martha's Pond | Enfield | 0 | 0 | 200 | 100 | 0 | 0 | 0 | 0 | 0 | 0 | 300 |
| Salmon Brook Pond | Glastonbury | 0 | 0 | 300 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 300 |
| Saugatuck Reservoir | Easton, Redding, Weston | 3700 | 0 | 0 | 1500 | 0 | 0 | 800 | 0 | 0 | 0 | 6000 |
| Scoville Reservoir | Wolcott | 0 | 400 | 600 | 700 | 0 | 0 | 0 | 0 | 0 | 0 | 1700 |
| Shenipsit Lake | Ellington, Tolland | 0 | 0 | 300 | 600 | 0 | 0 | 0 | 100 | 0 | 0 | 1000 |
| Somersville Mill Pond | Somers | 0 | 0 | 350 | 0 | 0 | 100 | 0 | 0 | 200 | 0 | 650 |
| Starret Pond | Redding | 0 | 100 | 300 | 400 | 0 | 0 | 160 | 400 | 0 | 0 | 1360 |
| Stillwater Pond | Torrington | 0 | 250 | 250 | 850 | 0 | 500 | 0 | 0 | 0 | 0 | 1850 |
| Twin Brooks Pond | Trumbull | 0 | 150 | 50 | 300 | 0 | 0 | 0 | 0 | 0 | 0 | 500 |
| Tyler Pond | Goshen | 0 | 500 | 200 | 400 | 0 | 0 | 0 | 450 | 0 | 0 | 1550 |
| Uncas Lake | Lyme | 0 | 0 | 630 | 360 | 0 | 500 | 0 | 250 | 0 | 0 | 1740 |
| Walkers Reservoir | Vernon | 0 | 0 | 0 | 710 | 0 | 0 | 0 | 300 | 0 | 0 | 1010 |
| Wangumbaug Lake (Coventry Lake) | Coventry | 0 | 0 | 200 | 500 | 0 | 250 | 0 | 500 | 0 | 0 | 1450 |

| | | BN | ВК | BN | RW | Tiger | ВК | BN | RW | Tiger | | |
|-----------------------|------------------|-----|-----|-----|------|-------|-----|-----|-----|-------|-------|-------|
| Name | Town | (Y) | (A) | (A) | (A) | (A) | 12+ | 12+ | 12+ | 12+ | Brood | Total |
| Wauregan Reservoir | Killingly | 0 | 0 | 600 | 1000 | 0 | 0 | 0 | 0 | 0 | 0 | 1600 |
| West Branch Reservoir | Colebrook | 0 | 0 | 550 | 400 | 0 | 0 | 300 | 750 | 0 | 0 | 2000 |
| West Side Pond | Goshen | 0 | 425 | 300 | 675 | 0 | 0 | 0 | 150 | 0 | 0 | 1550 |
| Wyassup Lake | North Stonington | 0 | 0 | 500 | 600 | 0 | 50 | 150 | 200 | 0 | 0 | 1500 |

Rivers, Streams, and Brooks Summary

Column headers: BN = Brown Trout, BK = Brook Trout, RW = Rainbow Trout, Tiger = Tiger Trout, Brood = Broodstock, Y = yearling, A = adult.

| Column neaders. Biv - Bro | wn Trout, BK = Brook Troi | ıı, RVV = | Kallibo | w frout, | riger = | nger m | Jul, bio | Ju – БГО | oustock, | r – yea | illing, A - | = aduit. |
|----------------------------|---|-----------|---------|----------|---------|--------|----------|----------|----------|---------|-------------|----------|
| | | BN | BK | BN | RW | Tiger | BK | BN | RW | Tiger | | |
| Name | Town | (Y) | (A) | (A) | (A) | (A) | 12+ | 12+ | 12+ | 12+ | Brood | Total |
| Enhanced Wild Trout Stream | A TOUR FOR SALENCE STATE SECRETARIO SOCIALIZATION A RELEASE TO Your External Social | | | | | | | | | | | |
| Beacon Hill Brook | Bethany, Naugatuck | 0 | 0 | 0 | 350 | 0 | 0 | 0 | 0 | 0 | 0 | 350 |
| Blackberry River | Canaan, Norfolk | 0 | 500 | 900 | 900 | 0 | 0 | 0 | 250 | 265 | 10 | 2825 |
| | New Milford, New | | | | | | | | | | | |
| East Aspetuck River | Preston | 0 | 600 | 1250 | 2000 | 0 | 0 | 0 | 0 | 250 | 5 | 4105 |
| Farm River (Lower) | East Haven | 0 | 0 | 650 | 0 | 0 | 300 | 300 | 800 | 0 | 5 | 2055 |
| Fenton River | Mansfield | 0 | 0 | 0 | 3250 | 0 | 0 | 0 | 2300 | 0 | 0 | 5550 |
| Little River | Oxford, Seymour | 0 | 0 | 0 | 1500 | 0 | 0 | 0 | 0 | 0 | 0 | 1500 |
| Macedonia Brook (State | | | | | | | | | | | | |
| Park) | Kent | 0 | 0 | 0 | 1500 | 0 | 0 | 0 | 0 | 0 | 0 | 1500 |
| Morgan Brook | Barkhamsted | 0 | 0 | 0 | 350 | 0 | 0 | 0 | 0 | 0 | 0 | 350 |
| Naugatuck River, E. | | | | | | | | | | | | |
| Branch | Torrington, Winchester | 0 | 400 | 100 | 375 | 0 | 0 | 300 | 75 | 0 | 0 | 1250 |
| Norwalk River | Ridgefield, Norwalk | 0 | 200 | 1800 | 3275 | 0 | 0 | 350 | 300 | 0 | 10 | 5935 |
| Roaring Brook | Glastonbury | 0 | 0 | 945 | 1000 | 0 | 0 | 0 | 350 | 0 | 0 | 2295 |
| Roaring Brook | Stafford, Willington | 0 | 0 | 0 | 500 | 0 | 0 | 0 | 700 | 0 | 0 | 1200 |
| Salmon Brook | Glastonbury | 1000 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1000 |
| Salmon Brook, including | | | | | | | | | | | | |
| E. Branch | Granby, East Granby | 0 | 0 | 0 | 3350 | 0 | 0 | 0 | 800 | 0 | 15 | 4165 |

| | | BN | ВК | BN | RW | Tiger | ВК | BN | RW | Tiger | | |
|---|--|-----|------|------|------|-------|-----|------|------|-------|-------|-------|
| Name | Town | (Y) | (A) | (A) | (A) | (A) | 12+ | 12+ | 12+ | 12+ | Brood | Total |
| Shunock Brook | North Stonington | 0 | 0 | 1300 | 100 | 0 | 700 | 0 | 400 | 0 | 5 | 2505 |
| Trophy Trout Areas (8) | A TROUT AND SAL MONETAME SERGOLIER TO ASSET TROUTS ALL MONETAME OF THE TROUTS ALL MONETAME Add the York Livense of word of provident fining | | | | | | | | | | | |
| | Eastford, Chaplin, | | | | | | | | | | | |
| Natchaug River | Windham | 0 | 850 | 925 | 1400 | 0 | 950 | 2797 | 5225 | 0 | 105 | 12252 |
| Naugatuck River (Lower) | Waterbury, Beacon Falls | 0 | 400 | 425 | 600 | 0 | 0 | 435 | 785 | 350 | 25 | 3020 |
| Naugatuck River (Mid) | Thomaston, Waterbury | 0 | 400 | 400 | 300 | 0 | 0 | 370 | 755 | 0 | 25 | 2250 |
| | Harwinton, Litchfield, | | | | | | | | | | | |
| Naugatuck River (Upper) | Torrington | 0 | 500 | 400 | 150 | 0 | 0 | 420 | 650 | 0 | 25 | 2145 |
| Pequonnock River | | | | | | | | | | | | |
| (Trumbull Basin) | Trumbull | 0 | 500 | 300 | 600 | 0 | 100 | 830 | 1250 | 200 | 30 | 3810 |
| Pomperaug River | Woodbury, Southbury | 0 | 1450 | 1000 | 1050 | 0 | 0 | 1750 | 2750 | 0 | 25 | 8025 |
| Salmon River | Colchester | 0 | 400 | 300 | 300 | 0 | 885 | 400 | 3200 | 300 | 70 | 5855 |
| | Windham, Scotland, | | | | | | | | | | | |
| Shetucket River | Sprague | 0 | 0 | 1400 | 850 | 0 | 0 | 1500 | 4350 | 0 | 70 | 8170 |
| Trout Park Streams (5) | A TROUT AND SALEND STANDS of SACCOMENT DEPT AND AND | | | | | | | | | | | |
| Branch Brook | Watertown | 0 | 350 | 50 | 400 | 0 | 150 | 0 | 0 | 100 | 0 | 1050 |
| Chatfield Hollow Brook | Killingworth | 0 | 0 | 350 | 120 | 250 | 700 | 350 | 550 | 150 | 5 | 2475 |
| Eight Mile Brook (Southford Falls State Park) | Oxford, Southbury | 0 | 270 | 200 | 50 | 0 | 0 | 0 | 0 | 0 | 0 | 520 |
| Kent Falls Brook | Kent | 0 | 575 | 325 | 205 | 0 | 0 | 0 | 0 | 100 | 0 | 1205 |
| Natchaug River | Eastford | 0 | 850 | 1000 | 800 | 0 | 875 | 400 | 3700 | 500 | 50 | 8175 |
| Trout Management Areas (19) | A TROUT AND SALMON SEAMON SEAMON SECONDARY TO THE FAMILY SECONDARY TO THE FAMILY SEAMON SEAMO | | | | | | | | | | | |
| Farmington River (Goodwin Dam to West BR. TMA boundary) | Hartland, Barkhamsted | 0 | 1450 | 1750 | 1950 | 0 | 0 | 480 | 2950 | 0 | 80 | 8660 |

| | | BN | BK | BN | RW | Tiger | BK | BN | RW | Tiger | | |
|--|--|------|------|------|------|-------|------|------|------|-------|-------|-------|
| Name | Town | (Y) | (A) | (A) | (A) | (A) | 12+ | 12+ | 12+ | 12+ | Brood | Total |
| Farmington River (West | Barkhamsted, New | | | | | | | | | | | |
| Br. TMA) | Hartford | 4000 | 0 | 3900 | 2000 | 0 | 0 | 2400 | 0 | 0 | 90 | 12390 |
| Farmington River (West | | | | | | | | | | | | |
| Br. TMA to Collinsville) | New Hartford, Canton | 0 | 1399 | 1950 | 2250 | 0 | 0 | 2000 | 4100 | 0 | 79 | 11778 |
| Farmington River | Avon, Canton, | | | | | | | | | | | |
| (Collinsville to RT 177) | Farmington | 0 | 1100 | 855 | 975 | 0 | 70 | 2345 | 4305 | 0 | 67 | 9717 |
| Hammonasset River | Madison, Killingworth | 0 | 500 | 650 | 900 | 0 | 650 | 400 | 1900 | 150 | 20 | 5170 |
| Hockanum River | Manchester | 4000 | 400 | 200 | 1000 | 0 | 300 | 450 | 700 | 0 | 0 | 7050 |
| Housatonic River, Bull's | Kent, Sherman, New | | | | | | | | | | | |
| Bridge | Milford | 0 | 0 | 0 | 1000 | 0 | 0 | 0 | 400 | 0 | 0 | 1400 |
| Housatonic River, Upper | Cornwall, Sharon | 3000 | 0 | 2000 | 4000 | 0 | 0 | 5000 | 4000 | 0 | 0 | 18000 |
| Mianus River | Greenwich, Stamford | 0 | 950 | 850 | 830 | 0 | 0 | 0 | 300 | 250 | 20 | 3200 |
| Mill River (Sleeping Giant | | | | | | | | | | | | |
| State Park) | Hamden | 0 | 450 | 600 | 550 | 0 | 350 | 0 | 1325 | 0 | 20 | 3295 |
| Mill River | Fairfield | 0 | 0 | 0 | 1250 | 0 | 0 | 0 | 500 | 250 | 20 | 2020 |
| Moosup River | Plainfield | 0 | 350 | 500 | 650 | 0 | 500 | 0 | 800 | 150 | 20 | 2970 |
| Naugatuck River | Harwinton, Litchfield | 0 | 600 | 600 | 500 | 0 | 0 | 650 | 1400 | 0 | 30 | 3780 |
| Pequabuck River | Bristol | 3000 | 200 | 320 | 450 | 0 | 0 | 0 | 200 | 0 | 5 | 4175 |
| Salmon River | Colchester | 0 | 820 | 790 | 740 | 0 | 1300 | 760 | 5090 | 150 | 90 | 9740 |
| Saugatuck River (Fly) | Westport | 0 | 790 | 750 | 650 | 0 | 0 | 100 | 400 | 200 | 15 | 2905 |
| Tenmile River | Kent, Sherman | 0 | 0 | 600 | 300 | 0 | 0 | 500 | 100 | 0 | 0 | 1500 |
| Willimantic River | Tolland, Willington | 0 | 0 | 800 | 1475 | 0 | 0 | 0 | 100 | 250 | 20 | 2645 |
| Yantic River | Bozrah | 0 | 450 | 500 | 875 | 0 | 750 | 0 | 950 | 250 | 20 | 3795 |
| Stream Sections with No Sp Management (102) | Pecial A TROUT AND SALMON STAMP IS REQUIRED TO THE PROPERTY OF THE PROPERTY O | | | | | | | | | | | |
| Aspetuck River | Easton, Fairfield, Weston | 0 | 100 | 300 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 400 |
| Bantam River, Inlet | Litchfield | 0 | 800 | 550 | 350 | 0 | 0 | 0 | 0 | 0 | 10 | 1710 |
| Bantam River, Outlet | Litchfield, Morris | 0 | 800 | 400 | 650 | 0 | 0 | 0 | 0 | 0 | 10 | 1860 |
| Bantam River, West | | | | | | | | | | | | |
| Branch of Inlet | Goshen, Litchfield | 0 | 100 | 200 | 50 | 0 | 0 | 0 | 0 | 0 | 0 | 350 |
| Bartlett Brook | Lebanon | 0 | 350 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 350 |

| | | BN | ВК | BN | RW | Tiger | ВК | BN | RW | Tiger | | |
|-------------------------------|------------------------|-----|------|------|------|-------|-----|-----|------|-------|-------|-------|
| Name | Town | (Y) | (A) | (A) | (A) | (A) | 12+ | 12+ | 12+ | 12+ | Brood | Total |
| Beaver Brook (incl. | | | | | | | | | | | | |
| Ponds) | Franklin, Sprague | 0 | 0 | 400 | 375 | 0 | 65 | 0 | 75 | 0 | 0 | 915 |
| Bible Rock Brook | Haddam | 0 | 400 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 400 |
| Bigelow Brook | Ashford, Eastford | 0 | 0 | 400 | 750 | 0 | 400 | 50 | 275 | 0 | 0 | 1875 |
| Blackledge River (Lower) | Marlborough | 0 | 1200 | 1800 | 0 | 0 | 550 | 300 | 850 | 200 | 10 | 4910 |
| Blackledge River (Upper) | Bolton, Hebron | 0 | 300 | 300 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 605 |
| Blackwells Brook | Brooklyn, Plainfield | 0 | 330 | 300 | 0 | 0 | 300 | 0 | 200 | 0 | 0 | 1130 |
| Branford River | Branford | 0 | 0 | 1140 | 0 | 0 | 0 | 200 | 950 | 0 | 0 | 2290 |
| Broad Brook | Preston | 0 | 0 | 300 | 300 | 0 | 300 | 0 | 175 | 0 | 0 | 1075 |
| Bungee Brook | Eastford | 0 | 300 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 300 |
| Butternut Brook | Litchfield | 0 | 350 | 170 | 150 | 0 | 0 | 0 | 0 | 0 | 0 | 670 |
| Byram River | Greenwich | 0 | 300 | 150 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 450 |
| Choate Brook | Preston | 0 | 0 | 100 | 100 | 0 | 300 | 0 | 150 | 0 | 0 | 650 |
| Coginchaug River | Durham, Middlefield | 0 | 800 | 600 | 500 | 0 | 500 | 0 | 1100 | 0 | 0 | 3500 |
| Dickenson Creek | Marlborough | 0 | 0 | 800 | 750 | 0 | 100 | 150 | 250 | 0 | 5 | 2055 |
| East Swamp Brook | Bethel, Danbury | 0 | 0 | 0 | 200 | 0 | 0 | 0 | 0 | 0 | 0 | 200 |
| Eight Mile Brook, Open | Middlebury - Southbury | 0 | 400 | 200 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 600 |
| | Salem, East Haddam, | | | | | | | | | | | |
| Eight Mile River | Lyme | 0 | 600 | 1300 | 450 | 0 | 400 | 0 | 100 | 150 | 10 | 3010 |
| Eight Mile River (East | Salem, East Haddam, | | | | | | | | | | | |
| Branch) | Lyme | 0 | 100 | 425 | 0 | 0 | 300 | 0 | 25 | 0 | 5 | 855 |
| Falls River | Essex | 0 | 450 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 450 |
| Farm River (upper) | North Branford | 0 | 0 | 0 | 1000 | 0 | 0 | 0 | 800 | 0 | 5 | 1805 |
| Farmill River | Shelton | 0 | 550 | 750 | 800 | 0 | 0 | 0 | 0 | 0 | 5 | 2105 |
| Farmington River | Bloomfield, Simsbury | 0 | 200 | 650 | 220 | 0 | 0 | 0 | 0 | 0 | 10 | 1080 |
| | Avon, Canton, | | | | | | | | | | | |
| Farmington River | Farmington | 0 | 700 | 1300 | 2350 | 0 | 0 | 855 | 1400 | 0 | 16 | 6621 |
| | Thompson, Putnam, | | | | | | | | | | | |
| Five Mile River (Lower) | Killingly | 0 | 0 | 0 | 1400 | 0 | 900 | 650 | 1700 | 0 | 5 | 4655 |
| Five Mile River (Upper) | Thompson | 0 | 0 | 0 | 200 | 0 | 0 | 0 | 0 | 0 | 0 | 200 |
| French River | Thompson | 0 | 0 | 300 | 350 | 0 | 0 | 0 | 0 | 0 | 0 | 650 |
| Furnace Brook | Stafford | 0 | 0 | 600 | 0 | 0 | 150 | 0 | 125 | 0 | 0 | 875 |

| | | BN | ВК | BN | RW | Tiger | ВК | BN | RW | Tiger | | |
|-----------------------|-----------------------|-----|-----|------|-----|-------|------|-----|------|-------|-------|-------|
| Name | Town | (Y) | (A) | (A) | (A) | (A) | 12+ | 12+ | 12+ | 12+ | Brood | Total |
| | North Stonington, | | | | | | | | | | | |
| Green Falls River | Voluntown | 0 | 0 | 700 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 700 |
| Hall Meadow Brook | Torrington, Goshen | 0 | 400 | 250 | 600 | 0 | 0 | 0 | 0 | 0 | 0 | 1250 |
| | Clinton, Madison, | | | | | | | | | | | |
| Hammonasset River | Killingworth | 0 | 500 | 1700 | 200 | 0 | 1150 | 200 | 1050 | 0 | 10 | 4810 |
| Hop Brook | Middlebury | 0 | 400 | 550 | 250 | 0 | 0 | 0 | 0 | 0 | 0 | 1200 |
| Hop River | Bolton, Coventry | 0 | 300 | 1400 | 500 | 0 | 700 | 0 | 750 | 0 | 5 | 3655 |
| Indiantown Brook | Preston, Ledyard | 0 | 0 | 1400 | 0 | 0 | 0 | 0 | 150 | 0 | 0 | 1550 |
| Jeremy River | Colchester, Hebron | 0 | 0 | 1200 | 700 | 0 | 200 | 650 | 650 | 250 | 2 | 3652 |
| Kettletown Brook | Southbury | 0 | 150 | 200 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 350 |
| Kitt Brook | Canterbury | 0 | 700 | 200 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 900 |
| Latimer Brook | East Lyme | 0 | 0 | 1400 | 0 | 0 | 650 | 0 | 500 | 0 | 5 | 2555 |
| Leadmine Brook | Harwinton, Thomaston | 0 | 850 | 1300 | 800 | 0 | 0 | 0 | 0 | 0 | 5 | 2955 |
| Little River | Canterbury, Sprague | 0 | 800 | 550 | 600 | 0 | 800 | 0 | 450 | 0 | 0 | 3200 |
| Mad River | Norfolk, Winchester | 0 | 175 | 300 | 300 | 0 | 0 | 0 | 0 | 0 | 0 | 775 |
| Mashamoquet Brook | Pomfret | 0 | 500 | 450 | 500 | 0 | 150 | 0 | 50 | 150 | 5 | 1805 |
| Mianus River | Greenwich, Stamford | 0 | 450 | 570 | 300 | 0 | 0 | 0 | 0 | 0 | 10 | 1330 |
| Middle River | Stafford | 0 | 0 | 700 | 200 | 0 | 0 | 0 | 200 | 0 | 0 | 1100 |
| Mill Brook | Woodstock | 0 | 200 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 200 |
| Mill River | Fairfield, Easton | 0 | 400 | 670 | 450 | 0 | 0 | 0 | 0 | 0 | 10 | 1530 |
| Mill River | Hamden | 0 | 600 | 1200 | 650 | 0 | 715 | 0 | 1535 | 0 | 10 | 4710 |
| Moosup River | Plainfield, Sterling | 0 | 800 | 1225 | 400 | 0 | 550 | 0 | 250 | 0 | 10 | 3235 |
| Morrissey Brook | New Milford, Sherman | 0 | 200 | 400 | 30 | 0 | 0 | 0 | 0 | 0 | 0 | 630 |
| Mount Hope River | Ashford, Mansfield | 0 | 0 | 2400 | 800 | 0 | 1100 | 600 | 1400 | 0 | 5 | 6305 |
| Mount Misery Brook | Voluntown | 0 | 0 | 400 | 450 | 0 | 0 | 0 | 200 | 0 | 0 | 1050 |
| | North Haven, | | | | | | | | | | | |
| Muddy River | Wallingford | 0 | 500 | 650 | 850 | 0 | 0 | 0 | 0 | 0 | 0 | 2000 |
| Myron Kinnie Brook | Voluntown | 0 | 0 | 400 | 550 | 0 | 0 | 0 | 250 | 0 | 0 | 1200 |
| Naugatuck River, West | | | | | | | | | | | | |
| Branch | Torrington | 0 | 200 | 50 | 175 | 0 | 0 | 150 | 25 | 0 | 0 | 600 |
| Nepaug River | New Hartford | 0 | 250 | 550 | 200 | 0 | 0 | 0 | 0 | 0 | 5 | 1005 |
| Nonewaug River | Bethlehem, Woodbury | 0 | 500 | 325 | 350 | 0 | 0 | 0 | 0 | 0 | 5 | 1180 |
| Northfield Brook | Litchfield, Thomaston | 0 | 50 | 200 | 50 | 0 | 0 | 0 | 0 | 0 | 0 | 300 |

| | | BN | ВК | BN | RW | Tiger | ВК | BN | RW | Tiger | | |
|-------------------------|--|-----|-----|------|------|-------|------|-----|------|-------|-------|-------|
| Name | Town | (Y) | (A) | (A) | (A) | (A) | 12+ | 12+ | 12+ | 12+ | Brood | Total |
| Oxoboxo Brook | Montville | 0 | 150 | 200 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 350 |
| Pachaug River | Griswold, Voluntown | 0 | 0 | 400 | 1400 | 0 | 200 | 200 | 1050 | 0 | 0 | 3250 |
| Pattaconk Brook | Chester | 0 | 0 | 0 | 400 | 0 | 0 | 0 | 0 | 0 | 0 | 400 |
| Pequabuck River | | | | | | | | | | | | |
| (Rockwell Park - Blvd.) | Bristol | 0 | 600 | 750 | 500 | 0 | 0 | 0 | 0 | 0 | 0 | 1850 |
| Pequonnock River | | | | | | | | | | | | |
| (Beardsley Park) | Bridgeport | 0 | 400 | 295 | 875 | 0 | 0 | 0 | 0 | 100 | 10 | 1680 |
| Pequonnock River, Open | Trumbull, Bridgeport | 0 | 850 | 350 | 1100 | 0 | 0 | 0 | 0 | 0 | 10 | 2310 |
| Pequonnock River, West | | | | | | | | | | | | |
| Branch | Monroe | 0 | 150 | 100 | 100 | 0 | 0 | 0 | 0 | 0 | 0 | 350 |
| Pond Brook | Newtown | 0 | 150 | 450 | 150 | 0 | 0 | 0 | 0 | 0 | 5 | 755 |
| Ponset Brook | Haddam | 0 | 0 | 350 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 350 |
| Pootatuck River (Lower) | Newtown | 0 | 400 | 605 | 250 | 0 | 0 | 0 | 0 | 0 | 5 | 1260 |
| Quanduck Brook | Sterling | 0 | 0 | 300 | 400 | 0 | 300 | 0 | 150 | 0 | 0 | 1150 |
| | Plainfield, Thompson, Putnam, Killingly, Griswold, Lisbon, | | | | | | | | | | | |
| Quinebaug River | Preston, Canterbury | 0 | 0 | 4700 | 200 | 0 | 495 | 400 | 5225 | 150 | 6 | 11176 |
| Quinnipiac River | Cheshire, Meriden | 0 | 0 | 930 | 500 | 0 | 950 | 0 | 300 | 0 | 5 | 2685 |
| Reservoir Brook | Portland | 0 | 500 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 500 |
| Rippowam River | Stamford | 0 | 650 | 425 | 200 | 0 | 0 | 0 | 0 | 0 | 0 | 1275 |
| Salmon Brook, West | | | | | | | | | | | | |
| Branch | Granby | 0 | 200 | 250 | 550 | 0 | 0 | 0 | 50 | 0 | 0 | 1050 |
| Sandy Brook | Colebrook | 0 | 600 | 750 | 650 | 0 | 0 | 0 | 0 | 0 | 5 | 2005 |
| Saugatuck River, Lower | Weston, Westport | 0 | 600 | 550 | 750 | 0 | 0 | 0 | 0 | 0 | 10 | 1910 |
| Saugatuck River, Upper | Danbury, Redding | 0 | 650 | 700 | 700 | 0 | 0 | 0 | 0 | 0 | 10 | 2060 |
| Saugatuck River, West | | | | | | | | | | | | |
| Branch | Wilton, Westport | 0 | 325 | 250 | 200 | 0 | 0 | 0 | 0 | 0 | 0 | 775 |
| Sawmill Brook | Sherman | 0 | 100 | 200 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 300 |
| Scantic River (Lower) | East Windsor | 0 | 200 | 600 | 300 | 0 | 0 | 800 | 900 | 300 | 2 | 3102 |
| Scantic River (Upper) | Somers, Enfield | 0 | 800 | 1150 | 950 | 0 | 1200 | 900 | 2300 | 875 | 2 | 8177 |
| Shepaug River | Roxbury | 0 | 100 | 275 | 300 | 0 | 0 | 0 | 0 | 0 | 0 | 675 |
| Skungamaug River | Coventry, Tolland | 0 | 0 | 600 | 900 | 0 | 200 | 400 | 600 | 0 | 10 | 2710 |

| | | BN | ВК | BN | RW | Tiger | ВК | BN | RW | Tiger | | |
|--------------------------|------------------------|-----|-----|------|------|-------|-----|-----|-----|-------|-------|-------|
| Name | Town | (Y) | (A) | (A) | (A) | (A) | 12+ | 12+ | 12+ | 12+ | Brood | Total |
| Snake Meadow Brook | Killingly | 0 | 0 | 200 | 200 | 0 | 0 | 0 | 0 | 0 | 0 | 400 |
| Still River | Barkhamsted, Colebrook | 0 | 200 | 250 | 100 | 0 | 0 | 0 | 0 | 0 | 5 | 555 |
| Still River | Danbury | 0 | 100 | 110 | 150 | 0 | 0 | 0 | 0 | 0 | 0 | 360 |
| Still River | Eastford | 0 | 0 | 900 | 0 | 0 | 250 | 0 | 100 | 300 | 0 | 1550 |
| Stony Brook | Suffield | 0 | 0 | 200 | 400 | 0 | 0 | 0 | 0 | 0 | 0 | 600 |
| Susquetonscut Brook | Franklin | 0 | 0 | 200 | 200 | 0 | 200 | 0 | 200 | 0 | 0 | 800 |
| Taylor Brook | Woodstock | 0 | 400 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 400 |
| Ten Mile River | Lebanon, Columbia | 0 | 0 | 800 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 800 |
| Weekeepeemee River | Woodbury | 0 | 500 | 525 | 250 | 0 | 0 | 0 | 0 | 0 | 5 | 1280 |
| Wepawaug River | Milford, Orange | 0 | 600 | 550 | 550 | 0 | 0 | 0 | 0 | 0 | 5 | 1705 |
| West River | Guilford | 0 | 0 | 400 | 600 | 0 | 30 | 250 | 150 | 0 | 0 | 1430 |
| Whetstone Brook | Killingly | 0 | 0 | 500 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 500 |
| Whitfords Brook | Ledyard, Stonington | 0 | 0 | 500 | 0 | 0 | 0 | 100 | 200 | 0 | 0 | 800 |
| Willimantic River (above | | | | | | | | | | | | |
| TMA) | Stafford | 0 | 0 | 900 | 600 | 0 | 200 | 200 | 650 | 0 | 10 | 2560 |
| Willimantic River (below | Mansfield, Coventry, | | | | | | | | | | | |
| TMA) | Windham | 0 | 0 | 1700 | 1500 | 0 | 200 | 200 | 700 | 0 | 10 | 4310 |
| Yantic River | Lebanon, Bozrah | 0 | 150 | 1450 | 150 | 0 | 500 | 0 | 500 | 0 | 10 | 2760 |



Youth Fishing Passport – Top Anglers for 2024

Adam Chrzanowski 33 **Rocco Semeraro** 33 Adam OBrien 31 **Adrian Swietek** 26 Michael Vassiliou 23 **Caleb Dutrumble** 21 Niko Vassiliou 21 **Emma Swietek** 18 **Zakk Wallace** 16 **Natalie Entwistle** 11 **Hudson Mihalick** 10 **Connor Castagna** 9 Serena Das 9 9 **Jacoby Silvia** 8 **Jackson Biroscak** 7 **Cameron Das** 6 **Jaylin Biroscak Noah Savin** 6 5 **Karoline Mayer** Mason DeRubeis 3 3 **Evan Howell** 2 Cameron Falanga 2 Kane Mayer **Jacob Racine** 1



Rocco Semeraro (33/33)

Adam Chrzanowski (33/33)

Adam O'Brien (31/33)



2024 Youth Fishing Passport **Fishing Challenge Top Anglers**

Congratulations to the 2024 Top Anglers! Each will receive a generous prize pack of great fishing related goodies.

To take part in the fishing challenge:

- 1. Get or renew your FREE Youth Fishing Passport via DEEP's licensing
- 2. Submit each catch from the Youth Fishing Passport Scorecard using the online Angler Recognition System (select Fishing Challenge as in the "recognition sought" field.

Other fish stocked by the Fisheries Division:

Several species of fish, some of which are not of catchable size, are stocked to provide a diversity of angling experiences, to enhance naturalized populations, and to work towards restoration of populations of fish migrating from sea to freshwater to spawn (anadromous). The number of these fish are provided in the following tables.

Atlantic Salmon:

| Atlantic Salmon Adults (5) | Adults | |
|---|--------------------------------|-----|
| Crystal Lake | Ellington | 120 |
| Mount Tom Pond | Litchfield, Morris, Washington | 120 |
| Naugatuck River (Lower) | Naugatuck, Beacon Falls | 436 |
| Naugatuck River (Upper) | Harwinton, Litchfield | 466 |
| Shetucket River | Windham, Scotland, Sprague | 845 |
| Total Atlantic Salmon Adults (Due to | | |
| stocked until January 2024. Those fis | 1,987 | |

Kokanee Fry:

| Kokanee Fry (3) | Fry | |
|-------------------|---------------------------|---------|
| Beach Pond | Voluntown | 80,000 |
| East Twin Lake | Salisbury | 50,000 |
| West Hill Pond | Barkhamsted, New Hartford | 50,000 |
| Total Kokanee Fry | | 180,000 |

Channel Catfish: Stocking of channel catfish returned in the fall of 2024.

| Channel Catfish (16) | | Adults |
|--------------------------------------|-------------------------|--------|
| Bunnell's Pond (Beardsley Park Pond) | Bridgeport | 843 |
| Beaver Park Lagoon (North side) | New Haven | 443 |
| Center Springs Park Pond | Manchester | 441 |
| Colony Pond | Ansonia | 443 |
| Crescent Lake | Southington | 843 |
| Freshwater Pond | Enfield | 443 |
| Keney Park Pond | Hartford | 443 |
| Lakewood Lake | Waterbury | 843 |
| Lake Wintergreen | Hamden | 575 |
| Mirror Lake (Hubbard Park Pond) | Meriden | 443 |
| Picketts Pond | Derby | 442 |
| Rogers Park Pond | Danbury | 443 |
| Rowans Pond (Butternut Park Pond) | Middletown | 443 |
| Spaulding Pond (Mohegan Park Pond) | Norwich | 842 |
| Stanley Quarter Park Pond | New Britain | 443 |
| Wharton Brook Park Pond (Allen Pond) | North Haven/Wallingford | 443 |
| Total Channel Catfish Adults | 9,258 | |

Northern Pike:

| Northern Pike (4) | | Fingerlings |
|-----------------------|--------------------|-------------|
| Bantam Lake | Litchfield, Morris | 11,937 |
| Mansfield Hollow Lake | Mansfield | 3,771 |
| Pachaug Pond | Voluntown | 4,155 |
| Winchester Lake | Winchester | 10,648 |
| Total Northern Pike | | 30,511 |

Walleye:

| Walleye (12) | | Fingerlings |
|--|-----------------------|-------------|
| Batterson Park Pond | Farmington | 670 |
| Beach Pond | Voluntown | 1,765 |
| Coventry Lake (Wangumbaug Lake) | Coventry | 558 |
| Gardner Lake | Salem | 2,485 |
| Lake Pocotapaug* | East Hampton | 1,484 |
| Lake Saltonstall* | East Haven | 1,603 |
| Lake Zoar | Derby-Oxford | 4,245 |
| Long Pond | North Stonington | 505 |
| Mashapaug Lake | Union | 1,423 |
| Mt. Tom Pond | Litchfield-Washington | 250 |
| Saugatuck Reservoir* | Redding-Weston | 3,398 |
| Squantz Pond | New Fairfield | 1,245 |
| Total Walleye Fingerlings *These fish were purchased by the South Centre the Town of East Hampton. | 19,631 | |

Migratory Fish Species Stocking

Several species of fish migrate upstream through Connecticut's tidal rivers to spawn (anadromous). As part of Connecticut's early industrialization, dams were constructed across many rivers and streams, blocking access to upstream spawning and juvenile habitat. The Fisheries Division has several strategies to restore access to the upstream habitat and accelerate the pace of restoration. These include construction of fishway or removing dams and other manmade barriers, stocking fry and parr (trout and salmon), and transporting captured adults (American Shad, Alewife, and Sea Lamprey) around barriers that lack fish passage.



| Atlantic Salmon (5) | | Fry | Smolts |
|----------------------------------|--------------------------|---------|--------|
| Blackledge River | Colchester/Marlborough | 15,600 | |
| Dickenson Creek | Colchester | 5,815 | |
| Farmington River, West Branch | New Hartford/Barkhamsted | 288,107 | |
| Jeremy River | Colchester | 26,390 | |
| Salmon River | Colchester | 62,322 | 100 |
| Total Atlantic Salmon Fry and Sn | 391,034 | 100 | |

| American Shad (1) | | Juvenile | Adult | Shad |
|-------------------|---------|----------|-------|--------|
| Shetucket River | Windham | 26,174 | 610 | 26,784 |
| Total Shad Adults | | | | 26,784 |

| Sea Lamprey (2) | | Adult |
|--------------------------|----------|-------|
| Eightmile River | Lyme | 150 |
| Merrick Brook | Scotland | 150 |
| Total Sea Lamprey Adults | | 300 |

Relocations

The following waters had fish relocation efforts, which are undertaken to support conservation or to restore the fish community.

- Kent Falls Brook (Kent) 203 Brown Trout were collected from upstream of the falls and relocated to below the falls within the trout park as part of an experimental project to improve the Brook Trout population (by removing competition from Brown Trout).
- Turkey Hill Brook (Waterbury) Seven (7) pre-spawn Brook Trout adults were relocated from below a culvert (upstream migration barrier) to above the culvert in an attempt to recolonize the upstream reach with Brook Trout.
- Wyassup Lake (North Stonington) 160 Smallmouth Bass were collected from a reservoir, closed to the public, in northwest CT. The fish were transported to Wyassup Lake in North Stonington. The Fisheries Division has enhanced spawning habitat within Wyassuyp Lake by adding nest boxes and half-log structure.



• Stanley Quarter Park Pond (New Britain) – Nine (9) Largemouth Bass and 84 Bluegills were captured in Batterson Park Pond and relocated to Stanley Quarter Park Pond as part of restocking efforts following completion of the pond dredging project.

Anglers, Thank You for Your Support!



100 % of the fees collected from the sale of fishing and hunting licenses, tags, permits, and stamps goes to support fish and wildlife conservation, preservation, and recreation programs administered by the Bureau of Natural Resources.

So the next time you catch a Walleye, Brown Trout, or Striped Bass, see a Bald Eagle, harvest a white-tail deer, pheasant, or turkey, give yourself and your fellow sportsmen and sportswomen a pat on the back!

<u>Together we are making a difference</u> and we thank you for your support!

