



Connecticut Department of  
 Energy & Environmental Protection  
 Bureau of Water Protection & Land Reuse  
 Water Planning & Management Division

## General Permit to Conduct Repairs and Alterations to Dams: Filing-Only

### Form GP-015 - 3(a)2 and 3(a)3 PE

Form for use by the dam owner or an associated party  
**with CT Licensed Professional Engineer oversight**  
 to authorize activities in section 3(a)2 and 3(a)3 of the  
 General Permit Filing-Only Categories.

CPPU USE ONLY	
App #:	_____
Doc #:	_____
Check #:	_____
Program: Dam Safety General Permits EI: Dam Safety GP-015 - 3(a)2 PE	

Please complete this form and include all indicated attachments to ensure the proper handling of your filing. Print or type unless otherwise noted. You must submit the filing fee along with this completed form and required supplemental information and provide the notice to the municipality prior to initiating the proposed activities.

#### Part I: Filing Type (Check the box to acknowledge the type of filing)

This filing is: (check the box):		
<input type="checkbox"/>	A filing certified by a CT licensed professional engineer for repair and alteration activities authorized under Section 3(a)2 or 3(a)3 of the General Permit to Conduct Repairs and Alterations to Dams, Filing-Only Categories for activities to be conducted with professional engineering oversight.	
Town where Dam is located:	Name of Dam:	CT DamID#:
Brief Description of Project:		

#### Part II: Fee Information (Check or money order payable to: "Department of Energy and Environmental Protection")

A fee must be submitted with this filing. The fee for municipalities is 50% of the filing fee. The filing will not be processed and the authorization is not activated without the fee. The fee is non-refundable.

Note that all work authorized by this filing must be completed and the reporting and record keeping requirements of Section 5(b) of the subject General Permit must be complied with before a subsequent filing will be accepted.

General Permit to Conduct Repairs and Alterations to Dams (DEEP-IWRD-GP-015)		Fee
<input type="checkbox"/>	Filing Fee for activities authorized under Section 3(a)2 of the General Permit: <b>#2067</b>	<b>\$200.00</b>
<input type="checkbox"/>	Indicate whether a 50% municipal discount applies. Less Applicable Discount:	-
	Amount Remitted:	

### Part III: Filing Party / Registrant Information

- If the party filing is a corporation, limited liability company, limited partnership, limited liability partnership, or a statutory trust, it must be registered with the Secretary of State. If applicable, the filing party's name shall be stated **exactly** as it is registered with the Secretary of State. Please note, for those entities registered with the Secretary of State, the registered name will be the name used by DEEP. This information can be accessed at the Secretary of State's database ([CONCORD](#)).
- If the party filing is an individual, provide the legal name (include suffix) in the following format: First Name; Middle Initial; Last Name; Suffix (Jr, Sr., II, III, etc.).
- If there are any changes or corrections to your company/facility or individual mailing or billing address or contact information, please complete and submit the [Request to Change Company/Individual Information](#) to the address indicated on the form. If there is a change in name of the entity holding a DEEP license or a change in ownership, contact the Office of Planning and Program Development (OPPD) at 860-424-3003 or [DEEP.OPPD@ct.gov](mailto:DEEP.OPPD@ct.gov) . For any other changes you must contact the specific program from which you hold a current DEEP license.

1. Filing Party Name:			
Mailing Address:			
City/Town:	State:	Zip Code:	
Business Phone:	ext.:		
Contact Person:	Phone:	ext.	
*E-mail:			
<p>*By providing this e-mail address you are agreeing to receive official correspondence from DEEP, at this electronic address, concerning the subject filing. Please remember to check your security settings to be sure you can receive e-mails from "ct.gov" addresses. Also, please notify DEEP if your e-mail address changes.</p>			
a) Filing Party Type (check one):			
<input type="checkbox"/> individual	<input type="checkbox"/> federal agency	<input type="checkbox"/> state agency	<input type="checkbox"/> municipality <input type="checkbox"/> tribal
<input type="checkbox"/> *business entity (*If a business entity complete i through iii):			
i) check type: <input type="checkbox"/> corporation <input type="checkbox"/> limited liability company <input type="checkbox"/> limited partnership			
<input type="checkbox"/> limited liability partnership <input type="checkbox"/> statutory trust <input type="checkbox"/> Other: _____			
ii) Provide Secretary of the State business ID #: _____ This information can be accessed at the Secretary of State's database ( <a href="#">CONCORD</a> ).			
iii) <input type="checkbox"/> Check here if your business is <b>NOT</b> registered with the Secretary of State's office.			
<input type="checkbox"/> Check here if any co-filers. If so, attach additional sheet(s) with the required information as requested above.			
b) Filing Party's interest in the property and the dam at which the proposed activity is to be located:			
<input type="checkbox"/> site/property owner	<input type="checkbox"/> option holder	<input type="checkbox"/> lessee	<input type="checkbox"/> easement holder <input type="checkbox"/> operator
<input type="checkbox"/> other (specify): _____			

**Part III: Filing Party Information (continued)**

2. Primary contact for departmental correspondence and inquiries, if different than the filing party.

Name:

Mailing Address:

City/Town:

State:

Zip Code:

Business Phone:

ext.:

Contact Person:

Phone:

ext.

\*E-mail:

\*By providing this e-mail address you are agreeing to receive official correspondence from DEEP, at this electronic address, concerning the subject filing. Please remember to check your security settings to be sure you can receive e-mails from "ct.gov" addresses. Also, please notify DEEP if your e-mail address changes.

3. Connecticut Licensed Professional Engineer retained to provide oversight in preparing the filing, designing the dam repairs and alterations, and constructing the authorized activities.

Firm Name:

Mailing Address:

City/Town:

State:

Zip Code:

Business Phone:

ext.:

Contact Person:

Phone:

ext.

E-mail:

Service Provided:

4. Consultant employed or retained to assist in preparing the filing or in designing or constructing the activity.

Firm Name:

Mailing Address:

City/Town:

State:

Zip Code:

Business Phone:

ext.:

Contact Person:

Phone:

ext.

E-mail:

Service Provided:

5. Owner of the land containing all or part of the dam, if different than the filing party:

Name:

Mailing Address:

City/Town:

State:

Zip Code:

Business Phone:

ext.:

Contact Person:

Phone:

ext.

E-mail:

List the municipal assessor's map/block/lot numbers of the parcel containing all or part of the dam.

Town:

Map:

Block

Lot

- Check here if additional sheets are necessary, to list additional owners of property containing the dam, and label and attach them to this form.

## Part IV: Site Information

1. **DAM and WATERBODY NAME, LOCATION, USE, and PROPOSED DATES OF ACTIVITIES.** Please provide the following general information regarding the subject dam and impoundment.

- a. Name of Dam: \_\_\_\_\_ CT DamID: \_\_\_\_\_
- b. Name of Waterbody: \_\_\_\_\_
- c. Nearest Street Address to the dam: # & Street: \_\_\_\_\_ City/Town: \_\_\_\_\_
- d. Instructions for access to the dam: \_\_\_\_\_
- e. Location of dam: Latitude \_\_\_\_\_ Longitude (-) \_\_\_\_\_  
*Note: a labeled location map should be included as Attachment 2.*
- f. Describe the uses of the dam and impounded water: \_\_\_\_\_
- g. Proposed date of initiation of the activities to be authorized: \_\_\_\_\_  
*Note: permit section 5(b) requires a notice to DEEP if the activity is not initiated within 60 days of the date of filing.*
- h. Proposed date of completion of the activities to be authorized: \_\_\_\_\_  
*Note: The permit allows up to 3 years to complete the work. Section 5(b) of the subject general permit requires completion notices and reports.*

2. **DAM TYPE, SIZE, and IMPOUNDMENT CAPACITY.** These parameters are used in Part V below. If unsure of any of these parameters, please contact the DEEP Dam Safety program permitting staff at 860-424-3706 or by email at [DEEP.DamSafety@ct.gov](mailto:DEEP.DamSafety@ct.gov)

- a. Enter the official Dam Height: \_\_\_\_\_ ft.
- b. Enter the official Dam Length: \_\_\_\_\_ ft.
- c. Enter the official Impoundment Storage volume: \_\_\_\_\_ acre feet.
- d. This dam is (check one):  Earth Embankment Dam  Concrete Gravity Dam  
*Note: earthen dams including concrete or masonry walls are considered Earth Embankment Dams.*

3. **FISHERIES REVIEW- DRAWDOWN OF IMPOUNDMENT.** Is an impoundment drawdown of more than 3" inches below the principal spillway necessary for the completion of any of the activities for which authorization is sought?  Yes  No

If **yes**, before you file this application, you must contact the DEEP Inland Fisheries division for a consultation regarding your proposal. Identified fisheries interests at the subject dam typically must be incorporated into the project.

The consultation is usually initiated by submitting the form entitled "[Request for Determination of Need for Fishway for Dam Safety Permit](#)". Once you have heard back from the Inland Fisheries staff, include a copy of your request, the response you received, and include how you have incorporated the requirements of the staff with this filing as Attachment 3

4. **NATURAL DIVERSITY DATA BASE (NDDDB) - ENDANGERED OR THREATENED SPECIES:** According to the most current "Natural Diversity Data Base Areas Maps", will the activity which is the subject of this application, including all impacted areas, be located within an area identified as, or otherwise known to be, a habitat for state listed endangered, threatened or special concern species?

Yes  No Date of Map: \_\_\_\_\_

If yes, complete and submit a [Request for NDDDB State Listed Species Review Form](#) (DEEP-APP-007) to the address specified on the form, **prior** to submitting this application. Please note NDDDB review generally takes 4 to 6 weeks and may require the applicant to produce additional documentation, such as ecological surveys, which must be completed prior to submitting this permit application. A copy of the NDDDB Determination response letter that has not expired **must** be submitted with this completed application as Attachment 4. Include a copy of any mitigation measures developed for this activity and approved by NDDDB. Be aware that you must renew your NDDDB Determination if it expires before project work commences.

For more information visit the DEEP website at [Endangered-Species-ReviewData-Requests](#) or contact the NDDDB at [deep.nddbrequest@ct.gov](mailto:deep.nddbrequest@ct.gov).

## Part IV: Site Information (continued)

- 5. FILL IN WETLANDS.** Does the proposed work include any filling of federally regulated wetlands?  
 Yes  No If **yes**, before you file this application, you must contact the US Army Corps of Engineers and file Appendix 1a: Category 1 Certification Form and obtain coverage under the Department of the Army General Permit for the State of Connecticut. Category 1 is generally applicable to authorize fill areas less than 5000 square feet. Return confirmation from the US Army Corps of Engineers that the activity is covered within Category 1 of that general permit must also be included with this filing as Attachment 5. Projects with greater than 5000 square feet of wetlands filling are not eligible under this general permit.

- 6. BEST MANAGEMENT PRACTICES.** Will the proposed activities occur in or will equipment traverse wetlands or floodplains or watercourses to reach work areas with the potential to cause erosion and sedimentation or release pollution?  Yes  No

If **yes**, a detailed description of the pollution prevention and best management practices that will be implemented to minimize construction in and disturbance of floodplains, wetlands, and watercourses, and prevent pollution is required and must be included as Attachment 6. If **no**, include an explanation as to why and include as Attachment 6.

- 7. AQUIFER PROTECTION AREAS:** Is the site located within a mapped Level A or Level B [Aquifer Protection Area](#), as defined in CGS section 22a-354a through 22a-354bb?

Yes  No If **yes**, check one:  Level A or  Level B

If **Level A**, are any of the [regulated activities](#), as defined in RCSA section 22a-354i-1(34), conducted on this site?  Yes  No

If **yes**, and your business is **not** already registered with the Aquifer Protection Program, contact [local aquifer protection agent](#) or DEEP to take appropriate actions.

For more information on the Aquifer Protection Area Program visit the DEEP website at [Aquifer Protection](#) or contact the program at [DEEP.AquiferProtection@ct.gov](mailto:DEEP.AquiferProtection@ct.gov).

- 8. NOTICE TO MUNICIPALITY:** Have you submitted the required [Notice to Municipality](#) and obtained a copy of the submitted notice showing the municipal received stamp?  
 Yes  No If **yes**, Include the copy of the submitted notice as Attachment 7. If **no**, be advised that the work cannot start until minimally 2 weeks after submitting the notice to the municipality and the copy of the submitted notice must be received by DEEP before beginning work.

- 9. CONSERVATION OR PRESERVATION RESTRICTION:** Is the property subject to a conservation or preservation restriction?  Yes  No If **Yes**, proof of written notice of this filing to the holder of such restriction or a letter from the holder of such restriction verifying that this filing is in compliance with the terms of the restriction, must be submitted as Attachment 8.

- 10. INDIAN LANDS:** Is the dam located on federally recognized Indian lands?  Yes  No

- 11. COASTAL BOUNDARY:** Will the activity which is the subject of this application be located within the coastal boundary as delineated on DEEP approved coastal boundary maps?  Yes  No

If **yes**, and this application is for a new authorization or a modification of an existing authorization where the physical footprint of the subject activity is modified, submit a [Coastal Consistency Review Form](#) (DEEP-APP-004) with this completed application as Attachment 9.

Information on the coastal boundary is available at [www.cteco.uconn.edu/map\\_catalog.asp](http://www.cteco.uconn.edu/map_catalog.asp) (Select the town and then select coastal boundary. If the town is not within the coastal boundary you will not be able to select the coastal boundary map.) or the local town hall or on the "Coastal Boundary Map" available at DEEP Maps and Publications (860-424-3555).

## Part V: Dam Repair and Alteration Specific Information

To complete the sections below, you must have the [General Permit to Conduct Repairs and Alterations to Dams - Filing Only Categories \(DEEP-IWRD-GP-015\)](#) available. Refer to Section 3(a)2 or 3(a)3 Eligible Activities beginning on Page 7 of the subject general permit.

Place a check in the box next to each activity you propose to conduct at the dam under this filing and complete the questions to describe the extent of the activity as within the limits of the subject general permit.

These activities may be conducted on any size dam or impoundment provided a professional engineer has been retained and will oversee the filing and the work. The maximum amounts of allowable work under this filing are indicated in each category.

The filing party and professional engineer must prepare and include drawings and plans in Attachment 1 and more detailed descriptions of the proposed work and supporting information such as computations and material descriptions, procedures to be used, etc. in Attachments 1 and 1-A (see Part VI below).

If quantities of work needed exceeds these amounts, please refer to the [General Permit to Conduct Repairs and Alterations to Dams GP-016 Approval of Filing Category](#).

### Part V. Activities which may only be conducted with Connecticut licensed professional engineer oversight.

Refer to Section 3(a)2 of the subject general permit for the following activities: (check all that apply)

- a)  **Installation of Engineered Toe Drain Systems.**  
*You may install up to 200 linear feet of new engineered toe drains. Filing must include in Attachment 1 and 1-A drawings with plan, profile, cross section views, and details necessary as required by the permit.*  
Proposed total length of new engineered toe drain to be installed: \_\_\_\_\_
- b)  **Minor repair of trash racks, gates and valves within inlet, outlet or drop inlet structure.**  
*You may construct minor repair to these structures that does not require excavation into the dam and with appropriate information provided within Attachments 1 or 1-A.*  
Description of the proposed minor repair: \_\_\_\_\_
- c)  **Placing up to 75 square yards of riprap on dams, along embankments and within spillway discharge channels.**  
*You may install up to 75 square yards of riprap to restore existing riprapped areas or in new areas where necessary per filing.*  
Proposed total area of riprap installation under this filing: \_\_\_\_\_ square yards.
- d)  **Removing tree root systems and restoration of dam embankment crest and slopes where the tree density is less than 1 tree per 100 square feet.** *The tree density on the crest and slope shall be computed by counting the number of trees or tree stumps on the dam greater than 3" diameter at ground level on the top, the upstream and downstream embankment slopes, and within 25 feet of the downstream toe, and the abutment / embankment contacts and dividing by the square footage of the areas of the dam with tree overgrowth and multiplying that by 100.*  
Count of number of trees greater than 3" diameter on the dam: \_\_\_\_\_ trees  
Total area in square feet of the dam with tree overgrowth: \_\_\_\_\_ square feet  
Formula: (number of trees / total area in square feet) x 100.  
Computed tree density: \_\_\_\_\_ trees / 100 square feet. (must not exceed 1.0)

**Part V: Dam Repair and Alteration Specific Information (continued)**

- e)  **Filling Animal Burrows in upstream and downstream slopes.**  
*You may fill up to 20 burrows under this filing. For burrows located within the phreatic surface of the dam the filing must include an evaluation of the need for an embankment filter and toe drainage system. Refer to Section 3(a)2(e) of the subject general permit for additional requirements.*

Proposed number of animal burrows to be filled under this filing:                      burrows.

- f)  **Patching of spalling and sealing of concrete surfaces.**  
*You may patch and seal up to 1000 square feet of patching and sealing is allowed.*

Proposed total area of patching under this filing:                      square feet.

- g)  **Repair of Cracks in Concrete using appropriate repair material.**  
*You may repair up to 500 linear feet per filing.*

Proposed total length of crack repair under this filing:                      linear feet.

- h)  **Repair of Concrete Structures.**  
*Use the parameters from Part IV in one of the following formulas to determine the maximum volume of concrete repair that is allowed for the structure repair.*

Earth Embankment Dams:

Dam Length                      X Dam Height                      / 200 =                      Max cubic yards of concrete.

Proposed volume of concrete structure repair under this filing:                      cubic yards.

-or-

Concrete Gravity Dams:

Dam Length                      X Dam Height                      / 100 =                      Max cubic yards of concrete.

Proposed volume of concrete structure repair under this filing:                      cubic yards.

- i)  **Repointing voids in masonry on the dam.**  
*You may use up to ½ cubic yard (27 ½-cubic foot ready mix mortar bags) per filing.*

Proposed volume of mortar for repointing under this filing:                      cubic yard.

- j)  **Slip-Lining and Grouting Existing Outlet Pipes.**  
*You may slipline up to a 100 foot long and maximum 36-in diameter non-deformed pipe. Refer to the permit for additional requirements that must be included in Attachment 1-A.*

Length of existing pipe to be sliplined:                      feet. Diameter of existing pipe:                      inches.

Describe liner pipe (material, diameter):

- The existing pipe has been inspected and is not deformed and will accept a liner. Include notes regarding the condition of the pipe in Attachment 1-A. A check mark indicates that the pipe has been inspected and a report included in Attachment 1-A.
- Computations have been included in Attachment 1-A indicating that the capacity of the outlet has not been reduced or that adequate capacity will remain. A check mark indicates that the computations are included in Attachment 1-A.

**Part V: Dam Repair and Alteration Specific Information (continued)**

- k)  **Grouting Voids. Gravity fed cement or pressure injection chemical grouting.**  
*You may conduct grouting in volumes as needed to fill voids provided the filing includes a plan view of areas to be grouted, procedures proposed, and proposed materials to be used in Attachments 1 and 1-A.*

Description and reason for the proposed grouting program:

- l)  **Installing a Footbridge or Vehicular Bridge over Spillways.**  
*You may install a new bridge which must span the entire spillway without use of center support piers. The low chord must be set above the anticipated maximum water surface elevation computed for the design flood for the dam. Filing must include in Attachments 1 and 1-A plans of the bridge, abutment footings, and computations needed to confirm low chord elevation is above the maximum pond elevation, and that the spillway abutment walls are capable of supporting the bridge.*

Length between spillway abutments / bridge bearing plates:                      ft.

Design storm maximum pond elevation:                      datum:

Proposed low chord of bridge elevation:                      datum:

- m)  **Digging test pits, drilling soil borings, installing piezometers.**  
*You may conduct investigatory excavations and drilling under the oversight of a professional engineer who will provide a plan of investigation and document all findings as required by the permit. Include a drawing or plan showing proposed test pit / boring locations in Attachment 1-A.*

Reason for and description of the proposed investigation:

Refer to Section 3(a)3 of the subject general permit (page 10) for the following activity:

- n)  **Removal of remnants of a dam** which no longer impounds water, does not accumulate or retain significant volumes of sediment and its removal will not cause channel instability.  
*All the documentation required by Section 3(a)3 of the subject general permit must be included with the filing in Attachments 1 and 1-A.*

Brief Description of the proposed remnant dam removal:



## Part VI: Supporting Documents

Check the applicable box below for each attachment being submitted with this filing form. When submitting any supporting documents, please label the documents minimally with the Dam name and DamID#, date of filing and be sure to include the Filing Party's name.

- Attachment 1: For proposed activities indicated in Part V include photographs, sketches, diagrams, and reports as necessary to depict the existing conditions and the proposed areas and quantities of repairs to be conducted. If site plans are necessary to depict the proposed activity, the filing shall include a scale drawing or drawings which include the signature and professional engineer stamp of the Connecticut licensed professional engineer. Drawing(s) (11x17 page size preferred) shall be at a minimum scale of 1"=40', include a scale bar, north arrow, title block, with dam name, CT Dam ID#, town, dam owners name, consultants name, date, and be fully labeled to show all pertinent features necessary to properly depict the proposed work as within the limits of the authorizations of this permit.
- Attachment 1-A: Supplemental Information. Where indicated, this attachment must include engineering data, computations, and information describing the type and quantities of materials to be used or placed, include details of construction methods, and a sequence of construction which includes schedules for drawdowns, the work, refilling as needed.
- Attachment 2: If Attachments 1 and 1A do not have a location map, please include a 8.5" x 11" map with a minimum scale of 1:24,000 which includes labels indicating the location of the dam, street names, municipality name, the name of the dam, the CT DamID#, north arrow, and includes an arrow indicating the nearest location (street) address for access to the dam.
- Attachment 3: The response from the DEEP Inland Fisheries Division (IFD) to the consultation form regarding the fishway determination and any drawdown / fisheries interests in the proposed work.
- Attachment 4: A copy of the NDDDB Determination response letter that has not expired, if applicable. Include a copy of any mitigation measures developed for this activity and approved by NDDDB. Do *not* submit any NDDDB Preliminary Site Assessments with your application. Be aware that you must renew your NDDDB Determination if it expires before project work commences.
- Attachment 5: Confirmation from the US Army Corps of Engineers (USACE) in response to the Category 1 self certification filing, stating that the activity is covered within Category 1 of the USACE Connecticut general permit, or that no permit is required, if applicable.
- Attachment 6: Include a description of the pollution prevention and best management practices that will be implemented to minimize construction in and disturbance of floodplains, wetlands, and watercourses, and prevent pollution. This may be omitted if there will be no activities or vehicular passage across these areas.
- Attachment 7: A copy of the filed [Notice to Municipality](#) (Using form: DEEP-IWRD-GP-014-015-016 Notice) which shown the stamp of the municipality indicating the date the notice was delivered to the municipality.
- Attachment 8: Include proof of written notice of this filing to the holder of such restriction or a letter from the holder of such restriction verifying that this filing is in compliance with the terms of the restriction Conservation or Preservation Restriction Information, if applicable.
- Attachment 9: [Coastal Consistency Review Form](#) (DEEP-APP-004), if applicable.

**Part VII-1: Filer Certification**

The Filer *and* the individual(s) responsible for actually preparing the filing must sign this part. A filing will be considered incomplete unless all required signatures are provided. [If the filer is the preparer, please mark N/A in the spaces provided for the preparer.]

“I have personally examined and am familiar with the information submitted in this document and all attachments thereto, and I certify that based on reasonable investigation, including my inquiry of the individuals responsible for obtaining the information, the submitted information is true, accurate and complete to the best of my knowledge and belief.

I certify that this general permit filing is on complete and accurate forms as prescribed by the commissioner without alteration of the text.

I have read the general permit and agree to comply with the terms and conditions of the General Permit to Conduct Dam Repairs and Alterations – GP-015 Filing Only Categories.

I understand that a false statement in the submitted information may be punishable as a criminal offense, in accordance with section 22a-6 of the General Statutes, pursuant to section 53a-157b of the General Statutes, and in accordance with any other applicable statute.”


---

Signature of Filing Party	Date
Name of Filing Party (print legibly or type)	Title (if applicable)
Signature of Preparer (if different than above)	Date
Name of Preparer (print legibly or type)	Title (if applicable)

Check here if additional signatures are required. If so, please reproduce this sheet and attach signed copies to this sheet. You must include signatures of any person preparing any report or parts thereof required in this filing (i.e., professional engineers, surveyors, soil scientists, consultants, etc.)

## Part VII-2: Professional Engineer Certification

The following certification must be signed by a Professional Engineer

"I hereby certify that the information provided in this filing has been examined by me and found to be true and correct in my professional judgment. I will provide on-site oversight during critical periods of the activities authorized by this filing and submit a work completion report or as-built record drawing as required by the permit."		
Signature of Professional Engineer		Date
Printed Name of Professional Engineer	Title	CT P.E. Number
Name of Firm _____		
		Affix P.E. Stamp Here 

Note: Please submit **ONE** COPY of this completed Filing Form, Fee, and all Supporting Documents to:

CENTRAL PERMIT PROCESSING UNIT  
DEPARTMENT OF ENERGY AND ENVIRONMENTAL PROTECTION  
79 ELM STREET  
HARTFORD, CT 06106-5127

Please also submit an electronic copy to [DEEP.DamSafety@ct.gov](mailto:DEEP.DamSafety@ct.gov)