



PERMIT TO CONSTRUCT AND OPERATE

PERMITTEE: Central Connecticut Resource Recovery, LLC
FACILITY ADDRESS: 65 Triano Drive, Southington, CT 06479
PERMIT No. Permit No. 13101334-MPCO

Pursuant to Section 22a-208a of the Connecticut General Statutes (“CGS”) and Section 22a-209-4 of the Regulations of Connecticut State Agencies (“RCSA”), a MODIFIED PERMIT TO CONSTRUCT AND OPERATE (“Permit”) IS HEREBY ISSUED by the Commissioner of Energy and Environmental Protection (“Commissioner”) to Central Connecticut Resource Recovery, LLC (“Permittee”) to construct and operate a solid waste volume reduction plant (“Facility”) located 65 Triano Drive, Southington, Connecticut. Subsequently, the Permit to Construct and Operate No. 13101334-PCO issued on October 30, 2020 is no longer in effect and is replaced by this Permit.

A. GENERAL TERMS AND CONDITIONS

1. a. This Permit is based on and incorporates by reference pertinent and appropriate sections of documents and specifications submitted as part of Application No. 202207376, to modify the Permit to Construct and Operate, including:
 - i. Application form received on June 29, 2022;
 - ii. Operation and Management Plan (O&MP) updated February 2023 and March 2023;
 - iii. A set of Site Plans titled “Solid Waste Permit Plan”, final revision dates June 22, 2022, November 1, 2023 and December 1, 2023, prepared by Barton N. Bovee, P.E., of Harry E. Cole & Son and consisting of Sheets C1, C2, C2A, C3, C4, C5 and C6; and
 - iv. Building Elevation details titled “HQ-Resource Recovery Bldg”, dated November 30, 2023 and prepared by Michel/Tuttle-Architect and consisting of Sheet A2.
 - b. The Permittee shall maintain at the Facility and have available for reference by Facility staff and inspection by the Commissioner:
 - i. All documents or copies of such documents submitted as Application No. 202207376 and any document submitted in support of said application for the life of this Permit; and
 - ii. A copy of this Permit and the Facility’s Facility Plan which consists of the Operation and Management Plan and the engineered drawings which describe the Facility and its operations.
 - c. The Permittee shall for the life of this Permit, provide to the Department notification within thirty (30) Days of any changes in the information provided as part or in support of the application on which this Permit was based. Any inaccuracies found in the information submitted by the Permittee may result in revocation, reissuance, or modification of this Permit and civil or criminal enforcement actions.
2. As used in this Permit, the following definitions apply:

“Certified Operator” means the solid waste facility operator or an employee of such operator who is present at the facility and oversees or carries out the daily operations authorized through this Permit, and whose qualifications are currently certified in accordance with Section 22a-209-6 of the RCSA.

“CFR” means the Code of Federal Regulations in effect the date this Permit is issued.

“Clean Wood” as defined in Section 22a-208a-1 of the RCSA means any wood which is derived from such products as pallets, skids, spools, packaging materials, bulky wood waste, or scraps from newly built wood products, provided such wood is not Treated Wood as defined in Section 22a-209a(a)(2) or Demolition Wood waste. For the purposes of this Permit, Clean Wood may also include Land Clearing Debris.

“Commissioner” means the Commissioner of Energy and Environmental Protection.

“Construction and Demolition Waste” or “C&D Waste” means waste from construction and demolition activities as defined in Section 22a-208x of the CGS.

“Covered Electronic Device” or “CED” means desktop or personal computers, computer monitors, portable computers, CRT-based televisions and non-CRT-based televisions or any other similar or peripheral electronic device specified in regulations adopted pursuant Section 22a-638 of the CGS, sold to consumers, but does not include: (A) An electronic device that is a part of a motor vehicle or any component part of a motor vehicle assembled by, or for, a vehicle manufacturer or franchise dealer, including replacement parts for use in a motor vehicle; (B) an electronic device that is functionally or physically part of a larger piece of equipment designed and intended for use in an industrial, commercial or medical setting, including diagnostic, monitoring or control equipment; (C) an electronic device that is contained within a clothes washer, clothes dryer, refrigerator, refrigerator and freezer, microwave oven, conventional oven or range, dishwasher, room air conditioner, dehumidifier or air purifier; (D) telephones of any type unless they contain a video display area greater than four inches measured diagonally; or (E) any handheld device used to access commercial mobile radio service, as such service is defined in 47 CFR 20.

“Day” means calendar Day.

“Demolition Wood” for the purposes of this Permit means the wood portion of solid waste generated as a result of demolition activities.

“Department” means the Department of Energy and Environmental Protection.

“Fluorescent Light Ballast” means a device that electrically controls fluorescent light fixtures and that includes a Capacitor containing 0.1 kg or less of dielectric.

“Inadvertently Broken” or “Inadvertently Damaged” means small quantities of Universal Wastes that have been unintentionally broken or damaged during the course of transportation or proper handling. Universal Wastes that are intentionally broken or damaged, or broken or damaged due to improper handling or management are subject to the requirements of the hazardous waste management regulations (Sections 22a-449(c)-100 through 119 of the RCSA).

“Land Clearing Debris” as defined in Section 22a-208a-1(19) of the RCSA means trees, stumps, branches or other wood generated from clearing land for commercial or residential development, road construction, routine landscaping, agricultural land clearing, storms, or natural disasters.

“Mercury-Containing Lamps” means the bulb or tube portion of an electric lighting device that contains mercury in any amount. A lamp is specifically designed to produce radiant energy, most often in the ultraviolet, visible, and infra-red regions of the electromagnetic spectrum. Examples of Mercury-Containing Lamps include, but are not limited to, fluorescent, high intensity discharge, neon, high-pressure sodium, mercury vapor and metal halide lamps. The term “Mercury-Containing Lamp” does not include lamps that are subject to regulation under Section 22a-449(c)-113 of the RCSA.

“Mercury-Containing Equipment” means a device or part of a device (including thermostats, but excluding lamps and batteries) that contains elemental mercury integral to its function.

“Municipal Solid Waste” or “MSW” means Municipal Solid Waste as defined in Section 22a-207 of the CGS.

“Oversized Municipal Solid Waste” or “OMSW” means large solid waste items from residential, commercial and industrial sources, which may include but is not limited to such items as furniture, carpets, mattresses, and rugs.

“Professional Engineer” or “P.E.” means an engineer licensed to practice in the state of Connecticut.

“Processed Wood” means Recycled Wood or Treated Wood or any combination thereof, which has been Processed at a facility, authorized to Process or generate such materials.

“Processing” or “Process(ed)” means the practice by which either the physical characteristics or the volume of solid waste accepted at the Facility is being altered through separating, sorting, baling, shredding, crushing, grinding, chipping, compacting, consolidation, transfer or reworking as part of recycling and/or volume reduction operations.

“Recyclable Items” are materials which are designated for recycling pursuant to Section 22a-241b of the CGS or Sections 22a-241b-1 to 22a-241b-4 of the RCSA or which may be recovered from the solid waste stream and for which there is a demonstrated market for reuse or that may be beneficially used in the production of other products.

“Recycled Wood” means any wood or wood fuel which is derived from such products or processes as pallets, skids, spools, packaging materials, bulky wood waste or scraps from newly built wood products, provided such wood is not Treated Wood.

“Regulated wood fuel” as defined in Sec. 22a-209a(4) of the CGS means processed wood from construction and demolition activities which has been sorted to remove plastics, plaster, gypsum wallboard, asbestos, asphalt shingles and wood which contains creosote or to which pesticides have been applied or which contains substances defined as hazardous under section 22a-115.

“Spent Mixed Batteries” means alkaline, magnesium and zinc-carbon cylindrical batteries, silver oxide, alkaline, and zinc-air button cell batteries and nickel-cadmium, small sealed lead-acid and nickel-metal hydride batteries.

“Treated Wood” as defined in Section 22a-209a(a)(2) of the CGS means wood which contains an adhesive, paint, stain, fire retardant, pesticide or preservative.

“Universal Waste” as defined in Section 22a-449(c)-113 of the RCSA incorporating 40 CFR 273 means the following hazardous wastes:

- a. Spent Mixed Batteries, including but not limited to, nickel-cadmium and small sealed lead-acid batteries;
- b. Mercury-Containing Equipment;
- c. Mercury-Containing Lamps that contain mercury in any amount; and
- d. Used Electronics.

“Used Electronics” incorporates the definition of Used Electronics as defined in Section 22a-449(c)-100(c)(34) of the RCSA, means a device or component thereof that contains one or more circuit boards or cathode ray tubes that is used primarily for data transfer or storage, communication, or entertainment purposes, including but not limited to, desk top and lap top computers, computer peripherals, monitors, copying machines, scanners, printers, radios, televisions, camcorders, video cassette recorders (“VCRs”), compact disk players, MP3 players, telephones, including cellular and portable phones and stereos. This includes any electronic device that is not included in the definition of a Covered Electronic Device.

“Yard trimmings” means leaves, grass clippings, weeds, branches up to one (1”) inch in diameter and prunings from yards or gardens as defined in Section 22a-208-1 of the RCSA.

3. The Permittee shall comply with all terms and conditions of this Permit. This Permit consists of the conditions contained herein and the specifications contained in the application documents, except where such specifications are superseded by the more stringent conditions contained herein. Violation of any provision of this Permit may be subject to enforcement action pursuant, but not limited, to Sections 22a-6, 22a-208, 22a-225 and 22a-226 of the CGS.
4. The Permittee shall make no changes to the specifications and requirements of this Permit, except in accordance with law.
5. To the extent that any term or condition of this Permit is deemed to be inconsistent or in conflict, with any term or condition of any Permit previously issued for this Facility, including any modifications thereto, or with any data or information contained in the application, or any other documents incorporated by reference in this Permit, the term or condition of this Permit shall control and remain enforceable against the Permittee.
6. Provided a permit modification is not required pursuant to Sections 22a-208a(d)(1) or 22a-208a(e) of the CGS, the Permittee shall submit for the Commissioner’s review and written approval all necessary documentation supporting any proposed physical and/or operational upgrades, improvements and/or minor changes in the Facility design, practices or equipment. The Commissioner may issue a written approval only if, in the Commissioner’s judgment, the proposed physical and/or operational upgrades, improvements and/or minor changes: (a) are deemed necessary for a better and more efficient operation of the Facility; (b) do not significantly change the nature of the Facility, or its impact on the environment; and (c) do not warrant the issuance of a permit or authorization pursuant to Section 22a-208 et seq. of the CGS.

B. AUTHORIZATION TO CONSTRUCT AND MAINTAIN

1. General Permit to Construct and Operate a Commercial Facility for the Management of Recyclable Materials and Certain Solid Waste Registration Nos. 13101263-CGP-C issued on May 18, 2017, 13101264-CGP-D&F issued on June 23, 2017, and Registration Nos. 13101263-MCGP-C and 13101264-MCGP-D&F issued on August 7, 2019 authorized the construction of a volume reduction plant for the receipt and processing of Clean Wood, Construction and Demolition Waste or “C&D Waste” and Recyclables consisting of a: site access gate; access road; scale; various sized roll-off containers; indoor/outdoor areas dedicated for the storage and staging of containers; outdoor storage area for various recyclables, processed and unprocessed Clean Wood and Regulated wood fuel; and fire suppression equipment.
2. Permit to Construct and Operate No. 13101334-PCO issued on October 30, 2020 authorized the construction of a solid waste, volume reduction plant for the receipt and Processing of a total of five hundred and forty-five (545) tons/day (“TPD”) of the following types of solid waste: (a) One hundred and twenty five (125) TPD of putrescible MSW; (b) Two hundred and sixty (260) TPD of C&D Waste and/or non-putrescible MSW including OMSW; (c) One hundred (100) TPD of Recyclable Items; scrap metal including appliances containing chlorofluorocarbon (CFC) liquid; propane tanks with valves; Universal Waste and Used Electronics; textiles; scrap tires; Regulated wood fuel; Clean Wood (brush, Land Clearing Debris and pallets); and Yard trimmings; and (d) Sixty (60) TPD of Land Clearing Debris and authorized construction of the following:
 - i. A 110’ x 200’ building (22,000 square feet) with three (3) separate indoor tipping areas designed to receive and process (1) putrescible MSW (1) putrescible MSW, (2) C&D Waste, non-putrescible MSW including OMSW and (3) Recyclable Items; an outdoor storage area for various recyclables, processed and unprocessed Clean Wood and Regulated wood fuel; a site access gate; access road; scale; baler; various sized roll-off containers (indoor/outdoor) dedicated for the storage and staging of containers; and fire suppression equipment.
3. Facility consists of a 110’ x 200’ building (22,000 square feet) with three (3) separate indoor tipping areas designed to receive and process putrescible Municipal Solid Waste (“MSW”), non-putrescible MSW including Oversized MSW (“OMSW”), Construction and Demolition Waste (“C&D Waste”) and Recyclable Items; an outdoor storage area for various recyclables, processed and unprocessed Clean Wood and Regulated wood fuel; a site access gate; access road; scale; baler; various sized roll-off containers (indoor/outdoor) storage areas dedicated for the storage and staging of containers; and fire suppression equipment.
4. The Permittee **is authorized to construct the following Facility improvements** in accordance with applicable law, including this Permit:
 - a. Construct a **70’ x 200’** (14,000 square feet) roof structure expansion to the west of the existing building to accommodate the installation of a new baler with wrapping and/or bagging ability to manage putrescible MSW for efficient, long-distance disposal;
 - b. Construct a **30’ x 138’** (4,140 square feet) expansion to the north to accommodate a sorting line (Feeder, Trommel, Sorter, residual conveyor) to process C&D Waste and/or non-putrescible MSW including OMSW;

- c. Construct a **23' x 64.5'** (1,484 square feet) expansion to the south to accommodate electrical/mechanical area and offices;
- d. Adjustment to the loading dock as a result of the new office/mechanical areas by way of a 15' x 30' expansion for a total maximum size of **46' x 15'** (690 square feet);
- e. Construct a **14' x 20'** (280 square feet) electrical room; and
- f. Install exterior wall panels around the north and east sides of the material load-out area which will result in an adjustment of 6,400 square feet of enclosed space.

This will result in a total modified building footprint of 48,994 square feet.

5. The Permittee is authorized to construct the Facility for the purposes of Processing no more than a total of one thousand, twenty (1,020) ("TPD") of waste types specified in Condition No. B.3. of this Permit.
6. The Permittee is authorized to maintain the Facility as described in Conditions Nos. B.3. and B.4. of this Permit.
7. The Permittee shall control dust, odors, water discharges and noise resulting from the construction and maintenance of the Facility at all times to assure compliance with applicable requirements of the RCSA, and any other applicable laws, including OSHA.
8. The Permittee shall, within thirty (30) Days from the completion of the construction as described in Conditions No. B.2. and B.4. of this Permit, or any maintenance undertaken pursuant to Condition No. B.6. of this Permit, submit a written notification for the Commissioner's review and written approval. Such notification shall include at a minimum:
 - a. P.E. certified statement that the construction of the Facility improvements has been completed as approved;
 - b. P.E. certified as-built drawings; and
 - c. A request for written authorization from the Commissioner to operate in accordance with Section C. of this Permit.

C. AUTHORIZATION TO OPERATE

1. The Permittee is authorized to operate any or all of the components specified in Section C. of this Permit upon written approval granted by the Commissioner. Such written approval shall be issued after the Permittee is deemed in full compliance with, but not limited to, the requirements of Condition No. B.8. of this Permit.
2. Permittee shall not exceed the Processing and storage limits established by this Permit. Solid waste, other than those listed herein, shall not be accepted, Processed, treated, stored, transported or disposed on-site, or otherwise managed at the Facility without prior written approval of the Commissioner.
3. The Permittee is authorized to operate the Facility in accordance with all applicable law, including this Permit. Unless otherwise approved in writing by the Commissioner or limited by local authorities, the Permittee is authorized to operate as follows:

Monday – Saturday 6:30 a.m. – 5:00 p.m.

4. The Permittee is authorized to receive for Processing at the Facility no more than a total of one thousand, twenty (1,020) TPD in total of the following types of solid waste:
 - i.) Six hundred (600) TPD of putrescible MSW;
 - ii.) Two hundred and sixty (260) TPD of C&D Waste and/or non-putrescible MSW including OMSW;
 - iii.) One hundred (100) TPD of Recyclable Items; scrap metal including appliances containing chlorofluorocarbon (CFC) liquid; propane tanks with valves; Universal Waste and Used Electronics; textiles; scrap tires; Regulated wood fuel; Clean Wood (brush, Land Clearing Debris and pallets); and Yard trimmings; and
 - iv.) Sixty (60) TPD of Land Clearing Debris.

5. The Permittee shall store and manage solid waste at the Facility only in the designated areas as identified in the drawings referenced in Condition No. A.1.a.iii. of this Permit and in accordance with the specifications and tables below. Fully loaded containers of solid waste shall be transferred from the Facility within two (2) business days.

STORAGE VOLUMES OF SOLID WASTE TYPES

SOLID WASTE TYPE	CY
Putrescible MSW	1,800
C&D Waste (unprocessed) and/or non-putrescible MSW including OMSW	5,430
Recyclable Items (processed and unprocessed)	950
Clean Wood (processed and unprocessed)	13,100
Yard Trimmings	125
Composting Windrows	2,500
Textiles	40
Universal Wastes including Used Electronics, Mercury-Containing Lamps, and Mercury-Containing Equipment	5
Total	23,950

STORAGE TABLE 2

SOLID WASTE TYPE	CY	AREA(s)	STORAGE METHODS (I) Indoors, (O) Outdoors
Putrescible MSW	1,800	A	(I) piles on tipping floor
C&D Waste (unprocessed) and/or non-putrescible MSW including OMSW	700	B1	(I) piles on tipping floor or designated storage area
C&D Waste (processed) and/or non-putrescible MSW including OMSW	360	B2	(I) piles on tipping floor or designated storage area
Universal Wastes including Used Electronics, Mercury-Containing Lamps, and Mercury-Containing Equipment	5	*	*(I) Gaylords as shown on Site Plan C2
Lead acid batteries	75 units	*	*(I) Upright on pallets as shown on Site Plan C2
C&D Waste (processed), Clean Wood, scrap metal and textiles	250	D1	(I) containers. The solid waste types listed in Areas D1 and D2 shall not be mixed together in the same container. The total volume of all stored materials, either individually or in combination, shall not exceed 350 cy.
	100	D2	
Recyclable Items, (unprocessed)	450	C1	(I) piles on tipping floor or designated storage areas
Recyclable Items (processed, baled)	300	E1	(I) designated storage area
	200	E2	
C&D Waste (processed) and/or non-putrescible MSW including OMSW and Scrap Metal	300	F	(O), covered containers. Scrap metal shall not be mixed together in the same container as the other solid waste in Area F.
Yard trimmings	125	G	(O), piles
C&D Waste (processed) and/or non-putrescible MSW including OMSW	250	H	(O), one covered trailer (100 cy) and 3 covered roll-offs (50 cy each)
Regulated wood fuel (sorted from C&D Waste and stored for further processing)	600	I	(O), piles
Clean Wood (unprocessed, including brush and stumps)	100	J	(O), piles
C&D Waste (processed), Recyclable Items, Treated Wood, scrap metal, textiles and scrap tires	970	K	(O), covered containers. The solid waste types listed in Area K shall not be mixed together in the same container. The total volume of all stored materials, either individually or in combination, shall not exceed 970 cy.
CFC Appliances	60 units	M	(O), impervious surface, 15' x 15' CFC appliance storage area
Textiles	40	N	(O), covered containers
Propane tanks with valves	50 units	O	(O), impervious surface, 10' x 10' fenced propane tank storage
Clean Wood (processed) Course grind mulch processing and storage	2,000	P	(O), piles (loose)

Clean Wood (unprocessed, brush, logs)	2,000	P1	(O), piles (loose)
Clean Wood (unprocessed, stumps)	1,000	P2	(O), piles (loose)
Clean Wood (processed)/Finished Products for sale	2,500	P3	(O), piles
Clean Wood (processed)/Finished Products for sale	1,000	P4	(O), piles
Regulated wood fuel (unprocessed C&D wood sorted from C&D Waste and stored for further processing)	1,000	R	(O), piles
Regulated wood fuel (processed C&D wood) (shredded)	900	S	(O), piles
Clean Wood (unprocessed; brush)	1,500	U	(O), piles
Clean Wood (unprocessed; leaves, Yard trimmings)	500	V	(O), piles
Clean Wood (processed, leaves, Yard trimmings)	1,500	T	(O), piles
Clean Wood (processed, Wood Chips)	700	W	(O) Piles
Clean Wood (processed, leaves, Yard trimmings)	300	Q	(O) Piles
Composting Windrows	2,500	X	(O) Piles
Total	23,950		

a. Storage and Management of putrescible MSW:

Trailers of putrescible MSW received at the Facility shall be directed to the designated unloading areas in the VRP building as shown on the drawings referenced in Condition No. A.1.a.iii of this Permit. Putrescible MSW shall be limited to no more than forty-eight (48) hours from when the waste entered the Facility with the exception of legal Holiday weekends, shall be containerized by the end of the business day and shall not exceed a total of one thousand, eight hundred (1,800) cubic yards in Area A of Site Plan C2.

b. Storage and processing of Construction and Demolition (C&D) Waste, including OMSW, and non-putrescible MSW: Processing shall be conducted only on the tipping floor within the VRP building, and processed on a first in/first out basis. The VRP building shall be equipped with adequate ventilation, fire protection systems and an impervious floor. Storage within the VRP shall not exceed one thousand, sixty (1,060) cubic yards for processed and unprocessed (C&D) Waste, including OMSW and non-putrescible MSW, Areas B1 and B2.

Outdoor storage for Processed (C&D) Waste, including OMSW and non-putrescible MSW shall not exceed five hundred and fifty (550) cubic yards in Areas F and H, shall be in containers, which shall be watertight and covered at all times except when material is being actively placed in or removed from the container and shall not be stored on-site for greater than thirty (30) Days from when the waste first entered the Facility.

Indoor storage of Processed C&D Waste (including Clean Wood, scrap metal and textiles) shall not exceed three hundred and fifty (350) cubic yards cumulatively in Areas D1 and D2 if not stored in combination with other solid waste and shall be confined to containers.

Outdoor storage of Processed C&D Waste (Recyclable Items, Treated Wood, scrap metal, textiles and scrap tires) shall not exceed nine hundred, seventy (970) cubic yards cumulatively in Area K if not stored in combination with any other solid waste and shall be confined to containers. The storage containers shall be kept covered at all times except when material is being actively placed in or removed from the container.

- c. **Storage of Recyclable Items:** Processing of Recyclable Items shall be conducted on the tipping floor within the VRP and Processed on a first in/first out basis. Storage within the VRP shall not exceed nine hundred and fifty (950) cubic yards in Areas C1, E1 and E2 and shall be confined to the tipping floor and containers.
- d. **Storage and Processing of Regulated wood fuel:** The Permittee shall at all times implement a quality assurance/quality control plan for the production and management of Regulated wood fuel from the C&D Waste stream it processes to ensure that the recovered product is suitable for use as a fuel source at the authorized receiving facility. Wood recovered from C&D Waste streams deemed acceptable for use as Regulated wood fuel shall be analyzed in accordance with the testing requirements of the authorized receiving facility. Storage of Regulated wood fuel shall not exceed two thousand, five hundred (2,500) cubic yards.
- e. **Storage of Clean Wood (brush; Land Clearing Debris, pallets)** shall take place in either container(s) or in piles located on the ground.

Piles of unprocessed Clean Wood shall: have a minimum of a twenty-five (25) foot emergency access maintained around them; not contain Treated Wood; be Processed and transferred on a first-in/first-out basis and not exceed five thousand, one hundred (5,100) cubic yards and have a maximum height of twenty-five (25) feet.

Piles of Processed Clean Wood chips shall: not exceed five thousand, five hundred (5,500) cubic yards for Areas P, P3 and P4, Site Plan C5; two thousand, five hundred (2,500) cubic yards for Areas T, W, Q, Site Plan C6; and have a maximum height of fifteen (15) feet; be stored on base pads constructed of compacted and well drained material that can support heavy equipment during all seasons; minimize dust and prevent ponding of water; be shaped to allow adequate stormwater run-off; be oriented (for elongated piles) perpendicular to the contours of the ground surface; be located in a clearly marked area equipped with stormwater run-on/run-off controls which comply with all existing permits and/or any applicable stormwater management requirements of Section 22a-430b of the CGS.

- f. **Wood chipping** activities shall comply with the requirements of Sections 22a-174-18, 22a-174-23 and 22a-174-29 of the RCSA; and shall not generate noise, dust, fumes, smoke, vibrations or odors that exceed background levels thereof at any boundary of the property on which the Facility is located.
- g. **Yard trimmings materials for composting, (processed, unprocessed)** shall: not exceed one hundred twenty five (125) cubic yards in Area G and two thousand, five hundred (2,500) cubic yards in Area Q, have a maximum height of twenty (20) feet; be stored on base pads constructed of compacted and well drained material that can support heavy equipment during all seasons; be constructed so as to inhibit the ponding of water and

mitigate air-borne dust; be shaped to allow adequate stormwater run-off; be oriented (for elongated piles) perpendicular to the contours of the ground surface; be located in a clearly marked area equipped with stormwater run-on/run-off controls which comply with all existing permits and/or any applicable stormwater management requirements of Section 22a-430b of the CGS.

- h. **Storage of scrap tires** shall be: limited to five hundred (500) cubic yards if not stored in combination with any other waste in Area K; placed in the designated area at the end of each operation day; and removed from the Facility within two (2) business days once the container or trailer is full. Containers of scrap tires shall be kept dry by being covered at all times except when the container is being filled or emptied.
- i. **Storage of scrap metal** (including appliances which have had chlorofluorocarbon (“CFC”) liquid removed and propane tanks without valves) shall: not exceed three hundred and fifty (350) cubic yards cumulatively in Areas D1 and D2 if not stored in combination with any other solid waste and shall be placed in containers at the end of each operational day.
Any scrap metal that contains used oil shall be managed in accordance with the applicable used oil regulations as specified in Section 22a-449(c)-119 of the RCSA, until the used oil is drained or otherwise removed from the scrap metal. At a minimum, such removed used oil shall be managed in accordance with the above regulation.
- j. **Storage of scrap metal containing chlorofluorocarbon (CFC) liquid.** Storage of appliances containing CFCs shall be limited to no more than sixty (60) units stored upright, on a surface sufficiently impervious to prevent or minimize infiltration. Only a contractor certified in accordance with 40 CFR 82.150 through 166 shall remove the CFC liquid. Appliances in which the CFCs have been removed shall be consolidated with the scrap metal.
- k. **Storage of propane tanks with valves** shall not exceed fifty (50) units, shall be: stored upright on a surface sufficiently impervious to prevent or minimize infiltration; segregated from public access; provided with a non-combustible peripheral fence and a secured gate; and have open ventilation and proper signage in accordance with National Fire Protection Association (“NFPA”) 58-1995 “Standard for the Storage and Handling of Liquefied Petroleum Gases” and Section 29-331-5 of the RCSA. The Permittee shall hire a licensed contractor to extract the existing propane liquid, dismantle the valves and/or transport intact propane tanks off-site. Any leaking propane tank shall immediately be removed for safe and proper handling. Empty propane tanks without valves shall be consolidated with the scrap metal.
- l. **Storage of textiles including shoes:** shall be limited to forty (40) cubic yards in Area N and three hundred and fifty (350) cubic yards cumulatively in Areas D1 and D2 if not stored in combination with other solid waste. Textiles and shoes shall be placed in containers immediately upon receipt and kept covered at all times except when textiles and shoes are being actively placed in or removed from the container. The Permittee shall ensure that textiles and shoes that are received as loads of textiles or shoes or mixed loads of textiles and shoes are not received mixed with other solid wastes that may reduce their ability to be recycled. The Permittee shall ensure that the only Processing of textiles or shoes conducted at the Facility consists of receipt, consolidation, sorting, storage and

transfer from the Facility. The Permittee shall ensure that full containers of textiles and shoes are transferred:

- i. From the Facility within forty-eight (48) hours;
 - ii. To markets, recycling facilities and/or other solid waste facilities which are authorized to accept and Process such recyclable(s) or other solid waste(s); and
 - iii. The Permittee shall ensure that partially filled container(s) of textiles and shoes are stored at the Facility for no greater than one (1) year.
- m. **Storage of spent lead acid batteries** shall be limited to no more than seventy-five (75) units at any one time. The batteries shall not be opened, managed or stored in a manner which may rupture the battery case, cause leakage, or produce a short circuit; and shall be removed from the Facility at a minimum of once every twelve (12) months. Storage shall: (i) not take place near incompatible solid waste or other materials unless the batteries are separated from such other materials by means of a dike, berm, wall or other device to prevent fires, explosions, gaseous emissions, leaching or other discharge of hazardous waste or hazardous waste constituents; and (ii) be done in an area provided with a roof, and an impervious base treated with a sealant that is chemically compatible with the batteries stored, bermed to prevent run-on, and provided with a spill containment system. With respect to the management of lead-acid batteries, the Facility shall comply with the requirements in Section 22a-449(c)-106(c) of the RCSA for lead-acid batteries, or in the alternative, with the requirements in Section 22a-449(c)-113 of the RCSA for Universal Waste.
- n. **Management of Universal Waste: Mixed Batteries, Mercury-Containing Lamps, Used Electronics, Mercury-Containing Equipment**
- i. **General Management Requirements:**
 - (A) The Permittee may accumulate up to a total of five thousand (5,000) kg or seventy-five (75) cubic yards of Universal Wastes for no longer than one (1) year from the date such Universal Wastes were received. The Permittee is prohibited from disposing, diluting, treating, disassembling Universal Wastes and shall ensure that the transporter complies with the requirements of 40 CFR 273.
 - (B) Universal wastes shall be managed and stored in a manner that maintains the reuse or recyclability of any such Universal Wastes or components thereof and managed in a way that prevents releases from any Universal Wastes or components to the environment.

All Universal Wastes shall be stored: inside a building provided with a roof and four walls that is locked; or in the cargo-carrying portion of a truck, such as in a trailer that is locked; and in a manner that prevents Universal Wastes from being exposed to the environment.
 - (C) Containers of Universal Wastes shall be: kept closed; structurally sound; compatible with the contents of the waste; and shall lack evidence of leakage, spillage or damage that could cause leakage. Containers shall be marked and labeled in accordance with the specific requirements for Universal Wastes specified in Condition No. C.5.n.ii. of this Permit.

- (D) The Permittee shall be able to demonstrate the length of time that Universal Wastes have been accumulated from the date such wastes were received. This demonstration may be made by:
 - (1) Marking or labeling the container with the earliest date that any Universal Waste in the container was received; or
 - (2) Marking or labeling each individual item of Universal Waste (e.g., each device) with the date it was received; or
 - (3) Placing the waste in a specific accumulation area and identifying the earliest date that any Universal Waste in the area was received; or
 - (4) Any other method which clearly demonstrates the length of time that the Universal Waste has been accumulated from the date it is received.
- (E) The Permittee shall ensure that each employee who handles or has responsibility for managing Universal Wastes are informed of proper handling and emergency procedures appropriate to the type(s) of waste such employee handles or manages.
- (F) Any Universal Waste that is broken or shows evidence of leakage, spillage, or damage that could cause leakage, shall be placed in a container. Such container shall be: kept closed; structurally sound; compatible with the contents of the waste; and capable of preventing leakage, spillage or damage that could cause leakage or releases of mercury or other hazardous constituents to the environment.
- (G) The Permittee shall ensure that all releases of Universal Wastes, or residues from such wastes, shall be immediately contained. Other than inadvertent breakage of small quantities of Universal Wastes, the Permittee shall determine whether any material resulting from the release is hazardous waste, and if so, shall manage the hazardous waste in compliance with all applicable requirements of Sections 22a-449(c)-100 to 119, inclusive, of the RCSA. The Permittee is considered the generator of the material resulting from the release, and shall manage it in compliance with Section 22a-449(c)-102 of the RCSA.
- (H) The Permittee shall ensure that Universal Wastes are sent only to a facility authorized to store, treat or dispose of such waste; or to a person who handles such wastes in compliance with Section 22a-449(c)-113 of the RCSA.
- (I) If Universal Wastes being offered for off-site transportation meets the definition of hazardous materials under the Department of Transportation Regulations 49 CFR 171 to 180, inclusive, the Permittee shall package, label, mark and placard the shipment, and prepare the proper shipping papers in accordance with the applicable requirements.
- (J) If the Permittee receives a shipment containing hazardous waste that is not a Universal Waste, the Permittee shall immediately notify the Department of the illegal shipment, and provide the name, address and phone number of the originating shipper. Department will provide instructions for managing the hazardous waste.

- (K) The Permittee shall keep a record of each shipment of Universal Wastes received at the Facility and transferred off-site for at least three (3) years from the date the waste was received. Such record may take the form of a log, invoice, manifest, bill of lading or other shipping document and shall include:
- (1) The name and address of the business from which Universal Waste was received;
 - (2) the quantity of each type of Universal Waste received (e.g., batteries, lamps, mercury-containing device or Used Electronics); and
 - (3) the date the shipment was received or sent off-site.
- (L) The Permittee shall ensure that all areas used to store Universal Wastes shall be inspected, at a minimum on a weekly basis, for the following:
- (1) The condition of Universal Waste or any container, package, trailer or building used to store such waste. If the Universal Waste or a container or package storing the Universal Waste is not in good condition, or begins to leak, the Universal Waste shall be transferred to a container or package that is in good condition. Any deterioration or malfunction of trailers or buildings used to store Universal Waste shall be repaired on a schedule which ensures that the problem does not lead to a release to the environment. If a hazard is imminent, repairs shall be made immediately. If a release from a container, package, trailer or building used to store Universal Waste has occurred, remedial action shall be taken in accordance with the requirements in this Permit for response to releases;
 - (2) The marking or labeling of all Universal Waste, or containers, packages, pallets, trailers or buildings used to store Universal Waste, with identifying words as required by the Universal Waste specific requirements in this Permit for marking and labeling wastes; and
 - (3) The marking of all Universal Waste, or containers, packages, pallets, trailers or buildings used to store the waste, with the date upon which accumulation began, or maintenance of an inventory system or other accumulation tracking method as allowed by this Permit.

Inspections shall be recorded in a written inspection log that, at a minimum, includes: the date and time of the inspection; the name of the inspector; a notation of the observations made; and the date and nature of any repairs or other remedial actions. All inspection logs shall be kept at the Facility for at least three (3) years from the date of inspection.

ii. Waste Specific Management Requirements:

- (A) **Mixed Batteries** shall be managed in accordance with the requirements of Condition No. C.5.n. of this Permit and as follows:
- (1) The Permittee is authorized to perform the following activities as long as the casing of each individual battery cell is not breached and remains intact and closed: (i) sorting batteries by type; (ii) mixing battery types in one container; and (iii) removing batteries from consumer products.

- (2) Mixed batteries (i.e., each battery), or container(s) of mixed batteries, shall be labeled or marked clearly with any one of the following phrases: "Waste Battery(ies)", or "Used Battery(ies)"
- (B) **Mercury-Containing Lamps** shall be managed in accordance with the requirements of Condition No. C.5.n. of this Permit. Each Mercury-Containing Lamp or container(s) or package(s) containing lamps shall be labeled or marked clearly with one of the following phrases: "Waste Lamp(s)", or "Used Lamp(s)".
- (C) **Mercury-Containing Equipment** shall be managed in accordance with the requirements of Condition No. C.5.n. of this Permit and as follows:
- (1) All Mercury-Containing Equipment shall be handed directly to the attendant and placed in the designated container(s).
 - (2) Container(s) shall be: no more than 5-gallon capacity; plastic, leak-proof and sealable; lined with a plastic bag; kept closed; located in an area away from traffic; designed to prevent the escape of mercury into the environment by volatilization or any other means; and stored in an area provided with secondary containment.
 - (3) Container(s) used to store Mercury-Containing Equipment shall be labeled or marked clearly with any of the following phrase: "Waste Mercury-Containing Equipment" or "Used Mercury-Containing Equipment".
 - (4) The Permittee shall ensure that a mercury spill kit is kept in the collection area. Immediate steps shall be taken to contain and clean-up any spill.
- (D) **Used Electronics** shall be managed in accordance with the requirements of Condition No. C.5.n. of this Permit and as follows:
- (1) Each Used Electronic device or container, package or pallet containing Used Electronics shall be clearly labeled or marked with one of the following phrases: "Waste Used Electronics," or "Used Electronics."
 - (2) Any broken cathode ray tube(s) from a Used Electronic device shall be immediately cleaned up and placed in a container. Such container shall be: kept closed; structurally sound; and compatible with the cathode ray tube(s) and shall be capable of preventing leakage, spillage or releases of broken cathode ray tubes, glass particles or other hazardous constituents from such broken tubes to the environment.

6. The Permittee shall:

- a. Store solid waste on-site in conformance with proper fire control measures. Routine maintenance and inspections of all fire control equipment shall be conducted in accordance with manufacturer's specifications;

- b. Ensure that all solid waste accepted at the Facility is properly managed on-site, Processed, stored and transported to markets or other solid waste Processing or disposal facilities authorized to accept such solid waste;
- c. Ensure that any unauthorized solid waste inadvertently received, or solid waste which is unsuitable for Processing at the Facility is: (i) immediately sorted, separated, isolated and temporarily stored in a safe manner prior to off-site transport; (ii) recorded and reported in the quarterly report required by Condition No. C.11 of this Permit; and (iii) disposed at a facility authorized to accept such solid waste. No more than ten (10) cubic yards of unacceptable solid waste shall be stored on-site unless authorized in writing by the Commissioner. A spare container may be made available for any storage emergency at the Facility;
- d. Provide expeditious notification regarding any emergency incident (explosion, accident, fire, release, or other significant disruptive occurrence) which: (i) significantly damaged equipment or structures; (ii) interrupts the operation of the Facility for greater than twenty-four (24) hours; (iii) results in an unscheduled Facility shutdown or forced diversion of solid waste to other solid waste facilities; (iv) could reasonably create a source of pollution to the waters of the state; or (v) otherwise threatens public health.

Such notification shall be: (i) immediately provided to the Commissioner using the 24-hour emergency response number (860) 424-3338 or the alternate number (860) 424-3333 and, in no event later than twenty-four (24) hours after the emergency incident, provided to the Solid Waste Program in the Waste Engineering and Enforcement Division of the Bureau of Materials Management and Compliance Assurance by phone at (860) 424-3366, or at DEEP.WEEDNotification@ct.gov; (ii) followed by a written report no later than the fifth business day after the emergency incident detailing the cause and effect of the incident, remedial steps taken and emergency backup used or proposed to be implemented; and (iii) recorded in a log of emergency incidents. In addition to the notification requirements above, the Permittee shall comply with all other applicable reporting or notification requirements regarding the emergency incident including but not limited to, reporting required by Section 22a-450 of the CGS;

- e. Prevent the spillage of solid waste from transfer containers during on-site management, storage and off-site transfer. Each loaded container shall be covered before transfer off-site and the haulers shall be instructed to keep the containers covered during off-site transportation;
- f. Operate the Facility in a safe manner so as to control fire, odor, noise, spills, vectors, litter and dust emission levels in continuous compliance with all applicable requirements, including OSHA. The Facility's premises shall be maintained and any litter shall be removed on a daily basis;
- g. Process, store or otherwise handle at the Facility all solid waste received including used oil and waste anti-freeze in such a manner as to avoid any spillage, nuisance and protect the public health and the environment;

- h. Ensure that the manufacturers' operation and maintenance manuals for each major piece of fixed or mobile Processing equipment, (which may include, but not be limited to, balers; conveyors; compactors; and storage tanks) installed or used at the Facility are available for review by the Commissioner;
- i.
 - i. Determine through observation that incoming loads of solid waste, other than loads of source separated Recyclable Items, do not contain greater than ten percent (10%) by volume ("threshold contaminant percentages") of Designated Recyclable Items. For any loads identified that exceed the threshold criteria for load contamination specified in this condition the Permittee shall document each load in the daily log and report those to the Department in the quarterly reports required by this Permit. The Permittee shall also provide notice to the hauler in accordance with Condition No. C.6.k.v. of this Permit;
 - ii. Determine through observation that incoming loads of source separated Recyclable Items do not contain greater than two percent (2%) by volume ("threshold contaminant percentages") of non-recyclable wastes. For any loads identified that exceed the threshold criteria for load contamination specified in this condition the Permittee shall document each load in the daily log and report those to the Department in the quarterly reports required by this Permit. The Permittee shall also provide notice to the hauler in accordance with Condition No. C.6.k.v. of this Permit; and
- j. Manage solid wastes in such a manner that all Recyclable Items are segregated so that no other solid waste may cause contamination or degradation of the recyclable product, or result in any negative impact on the recyclability of such material;
- k. Conduct periodic unannounced inspections of truck loads delivered to the Facility, pursuant to Section 22a-220c(b) of the CGS. The inspections shall be performed for a minimum of five percent (5%) of the monthly truck loads received that are representative of the waste types authorized for receipt at the Facility. Records of such inspections shall be maintained at the Facility for the life of the Permit or such other timeframe specified in writing by the Commissioner. The inspections and supporting documentation shall consist of at a minimum:
 - i. Photographs of each load other than loads of source separated Recyclable Items, inspected that exceeds the threshold contaminant percentages as specified in Condition No. C.6.i. of this Permit and each load of source separated Recyclable Items that exceeds five percent (5%) by volume of non-recyclable wastes;
 - ii. Origin of each load (municipality; regional facility and whether commercial or residential);
 - iii. Waste transporter company name;
 - iv. Estimated percentage of contaminant(s) present in each load and identification of each type; and
 - v. Immediate written notifications to the hauler, municipality in which the solid waste was generated and/or regional facility for each load that exceeds the threshold contaminant percentages specified in Condition No. C.6.i. of this Permit;

- m. Process loads of C&D waste and non-putrescible MSW that are not source separated loads of Recyclable Items. The Processing authorized through this Permit at the Facility shall consist of sorting and segregating for transfer from the Facility to recycling markets, Recyclable Items received (including inadvertently received Designated Recyclable Items) in loads of C&D and non-putrescible MSW. The Permittee shall achieve at least a thirty percent (30%) rate of recovery of Recyclable Items not designated pursuant to Section 22a-241 of CGS (“non-Designated Recyclable Items”), during the first year. For each year the specific recovery rates shall be as follows:

Recovery rate for Non-Designated Recyclable Items (by weight)

<u>Year of the Permit</u>	<u>Percent of total waste received</u>
Third year	30%
Fourth year	35%
Fifth year	40%

As part of the quarterly reports required to be submitted by Condition No. C.11. of this Permit the Permittee shall document the percent recovery rate by weight of non-Designated Recyclable Items and of Designated Recyclable Items achieved during the reporting period. Each year on or before sixty (60) Days after the anniversary date of this Permit, the Permittee shall submit to the Commissioner a report providing the percent recovery rate, by weight achieved during the previous year (year-end report).

In the event the percent recovery rate of non-Designated Recyclable Items achieved is below that which is required, the Permittee shall document in the quarterly report and the year-end report the circumstances which resulted in the Permittee’s inability to achieve the specific recovery rates listed in this condition. The year-end report shall also identify the measures the Permittee shall take and the actions the Permittee shall institute to achieve the specified recovery rates.

7. The Permittee shall monitor and control airborne lead and asbestos within the enclosed Processing area(s) of the Facility in accordance with the following:
- a. **Sampling:** During the first (1st) and second (2nd) year of operation under this Permit, the Permittee shall conduct quarterly air sampling. Unless otherwise determined and notified in writing by the Commissioner, air sampling shall be performed during the second quarter on an annual basis thereafter for the remainder of this Permit. Sampling shall begin no later than thirty (30) Days after the date of issuance of this Permit and the analysis of all samples shall be conducted by a laboratory certified by the State of Connecticut Department of Public Health (“CT DPH”) to perform such analyses.

All samples for asbestos shall be:

- i. Collected by a person licensed by the CT DPH as an Asbestos Consultant-Project Monitor;
- ii. Collected indoors at any enclosed Processing area(s) and analyzed using the method specified in 29 CFR 1910.1001 Appendix A or equivalent method approved in writing by the Commissioner. The Permittee shall ensure that the time-

weighted average permissible exposure limit of 0.1 fibers per cubic centimeter is not exceeded.

All samples for lead shall be:

- iii. Collected by a person licensed by the CT DPH as a Lead Inspector;
 - iv. Collected indoors at any enclosed Processing area(s) and analyzed using a method of monitoring or analysis which has an accuracy (to a confidence level of ninety five percent (95%)) of not less than twenty percent (20%) for airborne concentrations equal to or greater than thirty (30) micrograms per cubic meter.
- b. **Exceedances:** If the analysis determines that the limits for airborne asbestos set forth in 29 CFR 1910.1001(c) or the action level for airborne lead as defined in 29 CFR 1910.1025(b) were exceeded, the Permittee shall, no later than thirty (30) Days after becoming aware of such exceedance, submit for the Commissioner's review and written approval, a plan to address exceedances. The Permittee shall ensure that any such plan is developed by a P.E. for the design and installation of a ventilation, filtration, or capture system or implementation of additional operational procedures to control airborne asbestos and lead. At a minimum, such plan shall include:
- i. The results of all previous quarterly or annual sampling;
 - ii. Plans and specifications of any proposed system or new operational procedures;
 - iii. A layout drawing for the installation of any such system;
 - iv. An operating and preventative maintenance schedule of any such system;
 - v. An engineering evaluation demonstrating the effectiveness of the proposed system or proposed operational procedure; and
 - vi. A schedule for the design, installation and operation of the system or the implementation of new operating procedures.

The Permittee shall implement the plan as approved by the Commissioner. In approving any such plan, the Commissioner may approve the plan with such conditions or modifications, as the Commissioner deems necessary.

8. The Permittee shall have an operator, certified pursuant to Section 22a-209-6 of the RCSA, present at all times during Facility operation. All individuals under the supervision of such Certified Operator shall have sufficient training to identify solid waste received at the Facility which is not permitted to be received, or is unsuitable for Processing, and shall take proper action in managing such solid waste.
9. The Permittee shall prominently post and maintain a sign at the Facility entrance pursuant to 22a-209-10(3) of the RCSA that includes the Facility's name and the Department Permit number (**Permit to Construct and Operate No. 13101334-MPCO** issuance date and expiration date). Such sign shall also include a phone number that provides the general public the ability to register questions or complaints twenty-four (24) hours per day. The Permittee shall maintain a log of all calls received and how such calls were addressed or resolved. In the event that the Permittee is not a Covered Electronics Recycler or partnered with one, the Permittee shall also post a sign in accordance with Section 22a-636 of the CGS.
10. The Permittee shall: (a) control all traffic related to the operation of the Facility in such a way as to mitigate queuing of vehicles off-site and any excessive or unsafe traffic impact

in the area where the Facility is located; (b) unless otherwise exempted, ensure that vehicles are not left idling for more than three (3) consecutive minutes pursuant to Section 22a-174-18(b)(3) of the RCSA; (c) prominently post and maintain signs limiting such vehicle idling time within the Facility.

11. The Permittee shall maintain daily records as required by Section 22a-209-9(p) of the RCSA Section 22a-209-10(13) of the RCSA. The Permittee shall also comply with all applicable recordkeeping requirements of Sections 22a-208e and 22a-220 of CGS. All daily logs (including documentation related to the unannounced inspections of truck loads) shall be maintained for the life of this Permit or such other timeframe specified in writing by the Commissioner. Based on such records, the Permittee shall prepare quarterly summaries including, but not limited to, the following information as it pertains to solid waste:
 - a. Type and quantity of solid waste received, including all Recyclable Items, unauthorized solid waste and/or Universal Waste;
 - b. Origin of waste load (municipality name; regional facility name) and waste hauler name; and
 - c. Destination to which solid wastes, including all Recyclable Items, unauthorized solid waste and/or Universal Waste from the Facility were delivered for disposal or recycling, including quantities delivered to each destination.

The summaries required pursuant this condition shall be submitted quarterly no later than January 31, April 30, July 31, October 31, of each year on up-to-date forms prescribed by the Commissioner directly to the Solid Waste Program in accordance with Condition No. C.16 of this Permit.

12. The Permittee shall ensure that all Clean Wood received at the Facility is inspected for signs of the presence of the Asian Longhorn Beetle or Spotted Lanternfly (SLF). Signs indicating possible Asian Longhorn Beetle infestation can be found at the Department's webpage: <http://www.ct.gov/deep/alb>. Connecticut has a state-wide quarantine for SLF with regulated areas defined as towns with established populations as updated at <https://portal.ct.gov/CAES/CAPS/CAPS/Spotted-Lanternfly---SLF>.
 - a. The Permittee shall ensure each load of Clean Wood is visually assessed for possible pest infestation as part of the on-site routine inspections.
 - b. Any Clean Wood suspected of being infested by the Asian Longhorn Beetle or Spotted Lanternfly should be identified at the source of generation and managed in accordance with existing quarantine agreements that may exist, i.e., wood from the State of Massachusetts that enters Connecticut for receipt and processing.
 - c. If signs of infestation are observed:

Digital photos and careful identification notes must be provided to the [Connecticut Agricultural Experiment Station](#) (Deputy State Entomologist direct phone line: 203-974-8474; and e-mail CAES.StateEntomologist@ct.gov or for SLF ReportSLF@ct.gov).

 - i. The infested Clean Wood shall be: segregated from other Clean Wood; marked as segregated; securely stored and kept reasonably intact.

- ii. Any handling activities (e.g. chipping and moving) shall be postponed until an investigator from, or designated by, the Connecticut Agricultural Experiment Station, has examined the potentially infested Clean Wood.
- iii. Any truck load tickets and other documentation of deliveries shall note whether a pest infestation assessment has been conducted.

13. Nothing herein authorizes any person, municipality or authority to hinder municipal or regional solid waste recycling efforts. All activities conducted by the Permittee at the Facility shall be in accordance with this Permit, consistent with the state-wide Solid Waste Management Plan, a.k.a. Connecticut's 2016 *Comprehensive Materials Management Strategy* and with Sections 22a-228 and 229 of the CGS.

The Permittee shall:

- a. Conduct ongoing outreach in an effort to promote pay-as-you-throw ("PAYT" or unit based pricing) for waste disposal programs;
- b. Establish a process (that shall include a frequency) by which the Permittee or his Certified Operator will determine if sufficient capacity exists at any waste to energy facility(ies) (aka Resource Recovery Facility(ies), or RRFs) the Permittee identifies as suitably located, whether such facility is located in-state or out-of-state;
- c. Record in the daily log and maintain as part of the operating records for the Facility each time the Permittee or his Certified Operator selects a Landfill as the destination facility for the disposal of solid waste, the criteria that were used for the selection; and
- d. Document the selected destination facility and the volume of solid waste transferred to the destination facility, per shipment.

The Permittee shall also for the life of this Permit maintain such records and shall, upon request, make the records available for review by the Commissioner.

The Permittee shall, no later than sixty (60) Days after the issuance date of the written authorization to operate pursuant to Condition No. B.8. and C.1. of this Permit, establish for the Commissioner's benefit an acceptable financial assurance instrument and post the financial assurance with the Department in the amount of **\$319,444.00**, as required by Section 22a-6(a)(7) of the CGS.

14. The Permittee acknowledges and shall ensure that it complies with the following:
- a. The purpose of the financial assurance is to cover the third party costs for handling, removing, transporting and disposing the maximum permitted amount of unprocessed and Processed solid waste at the Facility, and any additional cost(s) to ensure the proper closure of storage areas including, but not limited to, equipment rental, site clean-up, the decontamination and disposal of all equipment and Processing and storage areas, and a fifteen percent (15%) contingency to cover unforeseen events or activities that may increase the overall cost to close the Facility.
 - b. The financial assurance instrument used by the Permittee to comply with Condition No. C. 13. of this Permit shall comply with the requirements of Section 22a-209-4(i) of the RCSA, and 40 CFR 264.141 to 264.143 inclusive and 40 CFR 264.151, as referenced therein. The Permittee shall ensure that the financial assurance instrument is established in a format specified by the Commissioner for closure or post-closure maintenance and care, as appropriate.

- c. The Department accepts five (5) types of financial assurance instruments, they are: (a) Trust Fund; (b) Irrevocable Standby Letter of Credit; (c) Financial Guarantee "Payment" Bond; (d) Performance Bond; and (e) Certificate of Insurance. The following documents are also required to be submitted:
 - i. A cover letter signed by the Permittee shall be submitted along with the Irrevocable Standby Letter of Credit, in accordance with Section 40 CFR 264.143(d)(4);
 - ii. A "Standby Trust Agreement" shall be submitted along with either a Irrevocable Standby Letter of Credit; Financial Guarantee "Payment" Bond; or Performance Bond; and
 - iii. A "Certification of Acknowledgement" shall be submitted along with the Trust Fund instrument.
 - d. The financial assurance shall:
 - i. Be valid for and appropriately maintained during the term of this Permit;
 - ii. Specify the Permittee's name, the Facility's address, the number and issuance date of this Permit; and
 - iii. Be established in one or more of, the instrument formats found on the Department's website [www.ct.gov/DEEP/financialassurance].
 - e. The financial assurance instrument shall be adjusted annually for inflation within the sixty (60) Days prior to the anniversary date of the establishment of the financial assurance instrument, and whenever there is a change in operations that affects the cost of closing the Facility in accordance with 40 CFR 264.142(b) as incorporated in Section 22a-449(c)-104 of the RCSA.
16. The Permittee shall, no later than sixty (60) Days from the issuance date of this Permit perform **quarterly** compliance audits for the life of this Permit.
- a. The compliance audits required by this condition shall consist of a thorough and complete assessment of the Permittee's compliance with Sections 22a-209-1 through 22a-209-17 of the RCSA and with the terms and conditions of this Permit.
 - b. Compliance Auditor
The compliance audits required by this condition shall be performed by an engineer licensed to practice in Connecticut ("P.E.") or consultant. Such P.E. or consultant shall be approved in writing by the Commissioner and will be required to prepare and submit to the Commissioner quarterly compliance audit reports.

The Permittee shall, prior to the Commissioner's approval of the P.E. or consultant: (a) submit for the Commissioner's evaluation a detailed description of the P.E. or consultant's credentials (education; experience; training) which are relevant to the work required under this condition; and (b) certify to the Commissioner that such P.E. or consultant:
 - i. Is not a subsidiary of or affiliated corporation to the Permittee or Permitted Facility;
 - ii. Does not own stock in the Permittee or any parent, subsidiary, or affiliated corporation;

- iii. Has no other direct financial stake in the outcome of the compliance audit(s) outlined in this Permit; and
- iv. Has expertise and competence in environmental auditing and the regulatory programs being addressed through this Permit, including evaluation of compliance with requirements specified in Sections 22a-209-1 through 22a-209-17 of the RCSA and with the terms and conditions of this Permit.

Within ten (10) Days after retaining any P.E. or consultant other than the one approved by the Commissioner (“compliance auditor”) pursuant to this condition, the Permittee shall submit to the Commissioner for his review and written approval, the information and documentation specified in this condition regarding such other P.E. or consultant. Nothing in this condition shall preclude the Commissioner from finding a previously acceptable P.E. or consultant unacceptable.

c. Scope of Compliance Audits

Compliance audits shall:

- i. Detail the Permittee’s compliance with the requirements of this Permit and all applicable provisions of Sections 22a-209-1 through 22a-209-17 of the RCSA.
- ii. Describe any outreach efforts conducted by the Permittee to initiate pay-as-you-throw (“PAYT”) programs also known as unit based pricing or variable-rate pricing and shall include names of waste haulers and municipalities that are participating in such programs.
- iii. Describe the Compliance Auditor’s participation in and the results of inspections conducted at the Facility on the loads of solid waste received at the Facility during the compliance audit. The purpose of such inspections is to determine whether such loads are being received that contain greater than ten percent (10%) by volume Designated Recyclable Items; whether loads of source separated Recyclable Items contain greater than two percent (2%) by volume of non-recyclable wastes; and to detect patterns associated with such loads. Unless otherwise approved by the Commissioner, the compliance auditor shall inspect solid wastes unloaded from a minimum of ten (10) trucks received during the day of the compliance audit. The Compliance Auditor shall document the actual number of truck loads inspected and the findings of such inspections.

d. Compliance Audit Report

The results of each compliance audit shall be summarized in a Compliance Audit report.

At a minimum such report shall include:

- i. The names of those individuals who conducted the compliance audit;
- ii. The areas of the Facility inspected;
- iii. The records reviewed to determine compliance;
- iv. An evaluation and detailed description of the Permittee’s compliance with this Permit and applicable regulations;
- v. The identification of all violations of this Permit and applicable regulations;
- vi. A description of the actions taken by the Permittee to correct patterns of loads received that exceed the threshold contaminant percentages specified in Condition No. C.6.i. of this Permit for loads that are representative of the waste types authorized for receipt at the Facility;

- vii. The findings of the compliance auditor regarding the audits conducted in accordance with Condition No. C.16. of this Permit during the day of the compliance audit;
 - viii. A detailed description of all actions taken by the Permittee to correct the violation(s) identified in each compliance audit; and
 - ix. The Permittee's certification of compliance with the regulations and documentation demonstrating such compliance pursuant to this Permit. In cases where multiple counts of the same violation are discovered, the report shall include a listing of each count.
- e. **Permittee's Responses to Compliance Audit**
The Permittee shall comply with the following:
- i. The auditing frequency shall be **quarterly** for the remaining life of the Permit;
 - ii. All violations shall immediately be brought to the attention of the Permittee by the compliance auditor. The Permittee shall notify the Department within five (5) Days of the compliance audit of all violations noted during the compliance audit;
 - iii. The Permittee shall correct all violations immediately. Should the Permittee be unable to immediately correct the violation, within seven (7) Days of the date the Permittee became aware of the violation(s), the Permittee shall submit for the review and written approval of the Commissioner, a detailed plan to correct all violations noted. Such plan shall also include a schedule for implementation of the corrective actions required or recommended; and
 - iv. The Permittee shall ensure that no later than fifteen (15) Days after a compliance audit, a compliance audit report that meets the requirements of Condition No. C.16. of this Permit, is submitted to the Commissioner. A copy of the compliance audit report, shall be maintained at the Facility for the life of the Permit or for such other timeframe specified by the Commissioner.
- f. In addition to any other sanction authorized by law, the Permittee shall cease accepting solid waste at the Facility in the event that the Permittee fails to submit in a timely manner the plan and schedule required by Condition No. C.16.e. of this Permit or fails to correct the violations noted by the compliance audit(s) in accordance with the approved plan and schedule. The Commissioner may seek similar sanction for any violation of this Permit.
- g. **Documentation Submittal Deadlines**
The documents required to be submitted pursuant to this condition shall be submitted quarterly no later than January 31, April 30, July 31, October 31, directly to the Solid Waste Enforcement Program, in accordance with Condition No. C.17. of this Permit.
17. Any document, including, but not limited to any notice, which is required to be submitted to the Commissioner under this Permit shall be signed by a duly authorized representative of the Permittee, as defined in Section 22a-430-3(b)(2) of the RCSA, and by the individual or individuals responsible for actually preparing such documents, each of whom shall certify in writing as follows:
- "I have personally examined and am familiar with the information submitted in this document and all attachments thereto, and certify that based on reasonable investigation, including my inquiry of those

individuals responsible for obtaining the information, the submitted information is true, accurate and complete to the best of my knowledge and belief, and I understand that any false statement in the submitted information may be punishable as a criminal offense.”

Any false statement in any document submitted pursuant to this Permit may be punishable as a criminal offense in accordance with Section 22a-6 of the CGS, pursuant to Section 53a-157 of the CGS, and in accordance with any other applicable statute.

18. The date of submission to the Commissioner of any document required by this Permit shall be the date such document is received by the Commissioner. The date of any notice by the Commissioner under this Permit, including but not limited to, notice of approval or disapproval of any document or other action shall be the date such notice is personally delivered or the date three (3) Days after it is mailed by the Commissioner, whichever is earlier. Any document which is due or required on a weekend or a legal state or federal holiday shall be submitted by the next business day thereafter.
19. This Permit is subject to and in no way derogates from any present or future property rights or other rights or powers of the State of Connecticut and conveys no property rights in real estate or material nor any exclusive privileges, and is further subject to, any and all public and private rights and to any federal, state or local laws or regulations pertinent to the Facility or activity affected thereby.
20. Nothing in this Permit shall affect the Commissioner’s authority to institute any proceeding or to take any actions to prevent violations of law, prevent or abate pollution, recover costs and natural resource damages, and to impose penalties for violations of law.
21. Nothing in this Permit shall relieve the Permittee of other obligations under applicable federal, state and local laws.
22. Permit to Construct and Operate No. 13101334-PCO issued on October 30, 2020 is no longer in effect and is replaced by this Permit.
23. This Permit shall expire October 30, 2025 and may be revoked, suspended, modified, renewed, or transferred in accordance with applicable laws.

Issued on this _____ day of month _____, Year _____.

By _____
Emma Cimino, Deputy Commissioner

Application No. 202207376
Permit to Construct and Operate No. 13101334-MPCO
Permittee - e-Certified
City/Town Clerk - e-Certified For Permits authorizing construction