David Stokes

Environmental Analyst, Field Staff
Waste Engineering & Enforcement Division

David.stokes@ct.gov

(860) 424-3269

Topics for Discussion

- Introduction
- Hazardous Waste Determination
- Generator Status
- Container Accumulation & Storage
- Tank Accumulation & Storage
- Pre-Transport Functions
- Uniform Hazardous Waste Manifest



Topics for Discussion (cont'd)

- Land Disposal Restriction
- Emergency
 Preparedness & Planning
- Inspection & Maintenance
- Universal Waste
- Used Oil
- Closure Requirements
- Recycling



Introduction to RCRA

- What is RCRA?
 - Resource Conservation & Recovery Act
 - Title 40 of the Code of Federal Regulations
 - Parts 260 280
 - Effective November 1980
 - Cradle to grave law

- Goals of RCRA
 - Reduce, reuse, recover, eliminate solid & hazardous waste
- How does RCRA affect Connecticut?
 - CT is an Authorized State (40 CFR 272 subpart H)

Small Quantity Generator SQG

100 to 1000 kilograms non-acute HW per month and less than one kilogram of acute HW per month, never exceed 1000 kilograms of non-acute HW or 1 kilogram of acute HW at any one time

•EPA	Id.	No.
------	-----	-----

•Determine if waste is HW (and document)

Land disposal restrictions

Satellite containers

•Ship waste within 180 days (270 if >200 miles)

Container management

Secondary containment impervious base

Aisle space

•Tank management

• Note: SQG cannot operate an open top tank

(40 CFR 262.12)

(40 CFR 262.11)

(40 CFR 268)

(40 CFR 262.34)

(40 CFR 262.34)

(40 CFR 265.170-177)

(40 CFR 264.175)

(40 CFR 264.35)

(40 CFR 265.201)

SQG continued

•Weekly, daily inspections and inspection logs (40 CFR 265.15 & 201)

•Emergency response procedures (posting) (40 CFR 262.34)

•Employee training (no documentation) (40 CFR 262.34)

•Pre-transport requirements (40 CFR 30-33)

DOT containers

Marking

Labeling

•Hazardous waste manifests (40 CFR 20-22)

•Closure (40 CFR 265.111, 114, 201)

If applicable

- •Used oil requirements in 40 CFR 279
- •Universal waste requirements in 40 CFR 273

Where it begins

Determining if your waste is a hazardous waste

(40 CFR 262.11)

- 1. Determine if the waste is a solid waste
- 2. Determine if the waste is a hazardous waste
 - Use knowledge of the chemicals, processes, contaminants
 - ✓ Material Safety Data Sheets
 - ✓ Product labeling and manufacturer's information
 - Testing
 - Both
- 3. Determine if the waste is excluded from the definition of solid waste and hazardous waste

Where it begins

Documenting your waste determinations

- Documentation for both HW and non-HW
 - Also, for any waste when claiming its excluded
 - Reuse as effective substitute as ingredient
 - Reuse as commercial product
- No prescribed way to document waste determination
 - Use waste profile sheets from receiving facility
 - Memo to your file with supporting documentation
 - ✓ Description of process/chemicals that generates the waste
 - ✓ Material Safety Data Sheets or other product information
 - √ Analytical testing
 - √ Waste profiles from other businesses doing similar processes
 - ✓ Documentation from off-site business claiming reuse for excluded materials

What is a Hazardous Waste?

"A

hazardous waste is a <u>discarded solid waste</u> that is listed as a hazardous waste

and/or

exhibits a characteristic of a hazardous waste and has not been excluded"

What is a Solid Waste?



Solid waste is -

- Spent material
- Sludge
- By-product
- Commercial chemical product
- Scrap metal





discarded by -



- Burned (energy recovery)
- Recycled/reclaimed
- Accumulated speculatively
- Used in a manner constituting disposal*

disposed means placed on ground, water, or incinerated



Table 1 in 261.2

	Use constituting disposal	Energy recovery (fuel)	Reclaimed	Speculative accumulati on
Spent material	*	*	*	*
Sludge (listed in 262.31 or 32)	*	*	*	*
Sludge (exhibiting a characteristic of hazardous waste)	*	*		*
By-products (listed in 262.31 or 32)	*	*	*	*
By-products (exhibiting a characteristic of hazardous waste)	*	*		*
Commercial chemical products (listed in 262.33)	*	*		*
Scrap metal	*	*	*	*

Some Exclusions

"Used as effective substitute for a commercial chemical product, provided the product is not used in a manner constituting disposal or burned"

- Spent plastic bead blasting media (containing lead)
 Used in water resistant concrete block
 - ✓ Applied aboveground not solid waste
 - ✓ Applied at or below ground is solid waste (& HW for lead)
- 2. Fly ash (sludge) used to make zinc powder (containing chromium)
 - ✓ Used to galvanize steel components not solid waste
 - ✓ Used in plant food is solid waste (& HW for chromium)

Fuel & fuel/water mixtures (ignitable and benzene)

- ✓ Sent for fuel use or blending not solid waste
- ✓ Disposed is solid waste (& HW ignitable/benzene)

Solid Wastes that are Hazardous Wastes

Those that are listed as hazardous waste

40 CFR part 261.31 - 33

Those that exhibit a characteristic of hazardous waste

40 CFR part 261.21 - 24

Two sub-categories

- ✓ Used oil 40 CFR 279
- ✓ Universal waste 40 CFR 273

Waste Codes

Hazardous wastes are identified by "waste codes"

(except for used oil and universal waste)

The listed hazardous waste codes

F, K, U, P waste codes

(Example – F006 metal hydroxide sludge from electroplating)

The characteristic hazardous waste codes

D waste codes

(Example – D035 material with 200 mg/L or > of MEK)

The Listed Hazardous Waste

Four types of listed waste

- "F" waste code Non-specific source (includes some acute)
- "K" waste code Specific source
- "U" waste code Commercial chemical product (non-acute)
- "P" waste code Commercial chemical product (acute)

Reason for listings

- *Ignitable (I)*
- Corrosive (C)
- Reactive (R)
- Acutely hazardous (H)
- **■** *Toxic (T)*

Mixture Rule

- mixing a listed waste with any other solid waste makes the entire mixture a listed waste!
- not dependent on amount (one drop, one gallon, etc).
- not dependent on the source (intentional mixing, accidental mixing).
- Can cause an otherwise inexpensive waste to become more expensive when shipped off-site

Non-specific Source "F" Waste

Waste from generic sources:

F001 – F039

- Spent solvents (F001 F005)
- Metal finishing (F006 F019)
- Pesticides/wood preservative (F020 F035)
 - Includes some acute hazardous waste (F020-23, F026 & F027)

Some common "F" waste in CT


F001 (T)

F002 (T)

- The following spent halogenated solvents used in degreasing: tetrachloroethylene, methylene chloride, 1,1,1 trichloroethane, carbon tetrachloride, chlorinated fluorocarbons, (10% or more) still bottoms from solvent recovery
- The following spent halogenated solvents: tetrachloroethylene, trichloroethylene, methylene chloride, 1,1,1 trichloroethane, carbon tetrachloride, chlorinated fluorocarbons, (10 % or more) still bottoms from solvent recovery









Halogens

Word **chlor** or **fluor** in chemical name

Per**chlor**oethylene (1.6)

Tri**chlor**oethylene (1.46)

Methylene **chlor**ide (1.33)

Chlorinated **fluor**ocarbon (1.56)

Known or suspected carcinogens

Heavier than water

Improper handling/treatment = Dioxins

Some common "F" waste in CT

F003 (I)

The following spent non-halogenated solvents: xylene, acetone, ethyl acetate, ethyl benzene, ethyl ether, methyl isobutyl ketone, butyl alcohol, cyclohexanone, methanol, (10% or more) still bottoms from solvent recovery.

F005 (I,T)

The following spent non-halogenated solvents: toluene, methyl ethyl ketone, carbon disulfide, isobutanol, pyridine, benzene, 2-ethoxyethanol, 2-nitropropane; (10% or more) still bottoms from recovery of spent solvents







Some common "F" waste in CT

F006 (T)

F019 (T)

Wastewater treatment sludge from electroplating operations except from the following processes: (1) sulfuric acid anodizing of aluminum; (2) tin plating on carbon steel; (3) zinc plating on carbon steel; (4) aluminum or zinc-aluminum plating on carbon steel; (5) cleaning/stripping associated with tin, zinc, aluminum plating on carbon steel; (6) chemical etching of aluminum.

Wastewater treatment sludge from chemical conversion coating of aluminum except zirconium phosphating in aluminum can washing

F006 Electroplating Sludge

Removing some of the confusion

Electroplating processes

common & precious metal electroplating etching (includes anodizing and bright dip) chemical milling (including ECM) cleaning & stripping (when associated with above)

Sludge from wastewater treatment

solids & semi-solids from settling/precipitation (clarifier) spun filters & ion exchange resin sand filters evaporator concentrate

Specific Source "K" Waste

Specifically listed industry doing specifically listed processes:

K001 - K160

- Refineries (K048, K170)
- Pharmaceutical (K084, K101)
- Foundry (K061, K069)
- Explosives (K044, K45)

Example "K" Waste

Industry	Hazardous waste	Waste & Hazard code
Wood Preservation	Bottom sediment sludge from treatment of wastewater from wood preserving process that uses creosote and/or pentachlorophenol	K001 (T)
Inorganic Pigments	Wastewater treatment sludge from the production of chrome yellow and orange pigments	K002 (T)
Organic Chemicals	Bottom stream from the acetonitrile column in the production of acrylonitrile	K013 (T, R)
Explosives	Wastewater treatment sludge from the manufacturing and processing of explosives	K044 (R)

Commercial Chemical Product

"U" and "P" waste codes

- Unused commercial products
 - Pure, technical grade
 - Sole active ingredient

Typically discarded because off-spec, shelf life, spilled

Examples "P" Listed Waste

"acutely hazardous"

P001 - P205(H)

- Empty containers of "P" listed materials (unless triple rinsed)
- Rinsate from rinsing empty containers

Hazardous waste No.	Chemical abstract No.	Substance
P006	20859-73-8	Aluminum phosphide (R, T)
P075	54-11-5	Nicotine
P106	143-33-9	Sodium cyanide
P001	81-81-2	Warfarin (coumadin)
P022	75-15-0	Carbon disulfide

Examples "U" Listed Waste

U001 - U411(T)

Hazardous waste No.	Chemical abstract No.	Substance
U002	67-64-1	Acetone (I)
U080	75-09-2	Methylene chloride
U210	127-18-4	Tetrachloroethylene
U220	108-88-3	Toluene
U240	94-75-7	2,4, Dichlorophenoxyacetic acid
U023	98-07-7	Benzotrichloride (C, R)
U160	1338-23-4	2-butanone peroxide (R)

Characteristic Hazardous Waste

Four types

"D" waste codes

- Ignitable (D001)
- Corrosive (D002)
- Reactive (D003)
- Toxicity Characteristic (D004-D043)

Some Facts

All discarded solid waste must be evaluated for the characteristics

- Paper
- Tires
- Chemicals
- Lamps
- Electronic equipment
- Paint
- Scrap metal
- Construction debris









Some Facts

Some characteristics are based on physical properties

- flash point
- $\circ pH$
- Compressed gases
- Oxidizers

Some Facts

Some characteristics are based on concentration limits

- milligrams per liter (mg/L)
- test method "Toxicity Characteristic Leaching Procedure" (TCLP)
- limits range between 0.008 to 400 mg/L

note: one percent (1%) equals 10,000 ppm

Ignitable Characteristic D001

- Liquid with a flashpoint less than 140 degrees F
- Oxidizers (49 CFR 173.151)
- Ignitable compressed gas (49 CFR 173.300)
- Not a liquid fire through friction, moisture, spontaneous chemical change, & burns vigorously and persistently

Example D001

Flash point less than 140

- Paint thinner
- Contact cement
- Solvent-based paint
- Parts washer solvent

Oxidizers

- Nitric acid
- Permanganate

Ignitable compressed gas

- Aerosol products (labeled "flammable")
- Propane

Not a liquid

- Aluminum fines
- Magnesium fines and turnings

Corrosive Characteristic D002

- Aqueous liquid, pH less than 2 or greater than 12.5.
- A liquid that corrodes steel at greater than 0.025 inches per year at 130 degrees F.
- Examples:
 - nitric acid, sulfuric acid, phosphoric acid, hydrochloric acid, chromic acid
 - sodium hydroxide, potassium hydroxide, ammonium hydroxide

Reactive Characteristic D003

Normally unstable

 Reacts violently with water or forms toxic fumes or vapors (cyanides & sulfides)

 Capable of detonation or explosion when heated under confinement or subjected to a strong initiating force

Example D003

- Fire works and explosives
- Flameless ration heaters (ready-to-eat meals)
- Air bags (un-deployed)
- Old picric acid and ether
- Compressed cylinders and aerosol cans
- Cyanides
- Lithium batteries (with electrical charge)
- Sodium
- Nickel catalyst

- 39 elements and compounds
- cause damage to tissue, impair CNS, cause severe illness or death when ingested, inhaled, or absorbed.

- based on concentration limits (mg/L).
- testing using Toxicity Characteristic Leaching Procedure.

Waste C	ode & CAS	Contaminant	Concentration limit
D004	7440-38-2	Arsenic	5 mg/L
D005	7440-39-3	Barium	100 mg/L
D006	7440-43-9	Cadmium	1 mg/L
D007	7440-47-3	Chromium	5 mg/L
D008	7439-92-1	Lead	5 mg/L
D009	7439-97-6	Mercury	0.2 mg/L
D010	7782-49-2	Selenium	1 mg/L
D011	7440-22-4	Silver	5 mg/L
D012	72-20-8	Endrin	0.02 mg/L
D013	58-89-9	Lindan	0.4 mg/L
D014	72-43-5	Methoxychlor	10 mg/L
D015	8001-35-2	Toxaphene	0.5 mg/L
D016	94-75-7	2,4D	10 mg/L

Waste C	ode & CAS	Contaminant	Concentration limit
D017	93-72-1	2,4,5 TP	1 mg/L
D018	71-43-2	Benzene	0.5 mg/L
D019	56-23-5	Carbon tetrachloride	0.5 mg/L
D020	57-74-9	Chlordane	0.03 mg/L
D021	108-90-7	Chlorobenzene	100 mg/L
D022	67-66-3	Chloroform	6 mg/L
D023	95-48-7	O-cresol	200 mg/L
D024	108-39-4	M-cresol	200 mg/L
D025	106-44-5	P-cresol	200 mg/L
D026	None	Cresol	200 mg/L
D027	106-46-7	1,4 dichlorobenzene	7.5 mg/L
D028	107-06-2	1,2 dichloroethane	0.5 mg/L
D029	75-35-4	1,1 dichloroethylene	0.7 mg/L

Waste Co	ode & CAS	Contaminant	Concentration limit
D030	121-14-2	2,4, dinitrotoluene	0.13 mg/L
D031	76-44-8	Heptachlor	0.008 mg/L
D032	118-74-1	Hexachlorobenzene	0.13 mg/L
D033	87-68-3	Hexachlorobutadiene	0.5 mg/L
D034	67-72-1	Hexachloroethane	3 mg/L
D035	78-93-3	Methyl ethyl ketone	200 mg/L
D036	98-95-3	Nitrobenzene	2 mg/L
D037	87-86-5	Pentachlorophenol	100 mg/L
D038	110-86-1	Pyridine	5 mg/L
D039	127-18-4	Tetrachloroethylene	0.7 mg/L
D040	79-01-6	Trichloroethylene	0.5 mg/L
D041	95-95-4	2,4,5 trichlorophenol	400 mg/L
D042 D043	88-06-2 75-01-4	2,4,6 trichlorophenol Vinyl chloride	2 mg/L 0.2 mg/L

Used Oil Reclaimed/Recycled

- Used oil testing
 - ✓ Total halogens (state regulations require generator determine halogens)
 - Less than 1000 assumed not mixed HW (halogenated solvents)
 - Greater than 1000 must prove not mixed with HW
 - Transporter required to test under federal law get the results from them
- Mixtures used oil and ignitable (only) HW
 - Test mixture for flash point
 - Below 140 F, HW
- Mixtures used oil and other characteristic HW
 - Test mixture for RCRA characteristics
 - If any characteristic exhibited, HW
- Mixtures used oil and listed HW
 - ✓ It is that listed HW

Used Oil Disposal

Disposed

- ✓ Determine if listed and/or characteristic HW , if yes-
 - √ Fully regulated as hazardous waste
 - ✓ Comply with the applicable generator or TSDF requirements

Universal Waste

- No testing required, unless disposed
 - ✓ Known HW or registered pesticide
 - ✓ Corrosive and heavy metals
 - ✓ Pesticide
 - ✓ Waste determination is based on what it is
 - ✓ Battery, lamp, thermostat
 - ✓ FIFRA recalled pesticide
- Disposed
 - ✓ Determine if listed and/or characteristic HW , if yes-
 - ✓ Fully regulated as hazardous waste
 - ✓ Comply with the applicable generator or TSDF requirements

CT Regulated Waste

- Only a "CT Regulated Waste" when handled in-state
- Must have a state permit to received, treat, dispose, and transport
 - ✓ No permit needed for storing self generated waste
 - ✓ No permit needed for CR05 transportation

Waste Code	Description	Examples
CR01	Waste oil with PCBs (at or above 50 ppm)	Transformer, heat transfer, hydraulic
CR02	Waste oil (& materials containing oil)	Tank bottoms, lubrication, hydraulic, machining, grinding, bilge water
CR03	Water soluble waste oil (& materials containing oil)	Machining and grinding
CR04	Waste chemical liquid	Latex, glycol, power washing
CR05	Waste chemical solid	Foundry sand, sand blasting, polluted soil, corrosive solids

Any Questions?

