
STATE OF CONNECTICUT DEPARTMENT OF ENVIRONMENTAL PROTECTION



WATER QUALITY STANDARDS



Groundwater Quality Standards

Submitted to USEPA January 2011 Effective April 12, 1996

Table of Contents

PREFACE	i
INTRODUCTION	
SURFACE WATER QUALITY STANDARDS	
SURFACE WATER CLASSIFICATIONS AND CRITERIA	
CLASS AA DESIGNATED USES AND CRITERIA	9
CLASS A DESIGNATED USES AND CRITERIA	11
CLASS B DESIGNATED USES AND CRITERIA	
CLASS SA DESIGNATED USES AND CRITERIA	
CLASS SB DESIGNATED USES AND CRITERIA	
LAKE TROPHIC CATEGORIES	
GROUND WATER QUALITY STANDARDS	
GROUND WATER CLASSIFICATIONS AND CRITERIA	
CLASS GAA DESIGNATED USES AND CRITERIA	
CLASS GA DESIGNATED USES AND CRITERIA	
CLASS GB DESIGNATED USES AND CRITERIA	
CLASS GC DESIGNATED USES AND CRITERIA	
APPENDICES	
APPENDIX A: DEFINITIONS	39 35
APPENDIX B: WATER QUALITY CRITERIA FOR BACTERIAL INDICATORS OF SANITARY	
QUALITY	
APPENDIX C: DISSOLVED OXYGEN (DO) CRITERIA FOR CLASS SA AND SB WATERS	
APPENDIX D: NUMERICAL WATER QUALITY CRITERIA FOR CHEMICAL CONSTITUENTS.	
APPENDIX E: CONNECTICUT ANTIDEGRADATION IMPLEMENTATION POLICY	73 62
APPENDIX F: CONNECTICUT BIOLOGICAL CONDITION GRADIENT MODEL	85 84

CONNECTICUT WATER QUALITY STANDARDS

TABLE OF CONTENTS

Preface	i
Introduction	ii
Surface Water Quality Standards	1
Inland Surface Water Classifications and Criteria	
Class AA Designated Uses and Criteria	9
Class A Designated Uses and Criteria	11
Class B Designated Uses and Criteria	13
Lake Trophic Categories	15
Coastal Waters Classifications and Criteria	
Class SA Designated Uses and Criteria	17
Class SB Designated Uses and Criteria	19
Ground Water Quality Standards	21
Ground Water Classifications and Criteria	
Class GAA	28
Class GA	29
Class GB	30
Class GC	31
Definitions	Appendix A
Water Quality Criteria for Bacterial Indicators of Sanitary Quality	Appendix B
Dissolved Oxygen (DO) Criteria for Coastal Waters	Appendix C
Numerical Water Quality Criteria for Chemical Constituents	Appendix D
Connecticut Anti-degradation Implementation Policy	Appendix E
Temperature Criteria for Connecticut Waters	Appendix F
Nutrient Criteria and Implementation Policy	Appendix G
Connecticut Biological Condition Gradient Model	Appendix H

CONNECTICUT WATER QUALITY STANDARDS

PREFACE

The Water Quality Standards (WQS) set forth in this publication are an important element in Connecticut's clean water program. The WQS set an overall policy for management of water quality in accordance with the directive of Section 22a-426 of the Connecticut General Statutes. In simple terms the policies can be summarized by saying that the Department of Environmental Protection shall:

- o Protect surface and ground waters from degradation.
- o Segregate waters used for drinking from those that play a role in waste assimilation.
- o Restore surface waters that have been used for waste assimilation to conditions suitable for fishing and swimming.
- o Restore degraded ground water to protect existing and designated uses.
- o Provide a framework for establishing priorities for pollution abatement and State funding for clean up.
- o Adopt standards that promote the State's economy in harmony with the environment.

There are three elements that make up the WQS. The first of these is the Standards themselves. The Standards comprise the policy statements that discuss issues such as: classification of different water resources according to the desirable use; antidegradationantidegradation; allowable types of discharges; fundamental principles of waste assimilation; and a variety of other subjects. The second element, also contained in this document, is the Criteria. The Criteria are descriptive and numerical standards that describe the allowable parameters and goals for the various water quality classifications. The final element is the Classification Maps that show the Class assigned to each surface and groundwater resource throughout the State. These maps identify the relationship between designated uses and the applicable Standards and Criteria for each class of surface and ground water.

These three elements, Standards, Criteria and Classification Maps, comprise the WQS and are adopted using the public participation procedures contained in Section 22a-426 of the Connecticut General Statutes. The Standards, Criteria and Classification Maps are required to be reviewed and revised on a triennial basis. Any change is considered a revision requiring public participation. The public participation process consists of public meetings, notification of all chief elected officials, notice in the Connecticut Law Journal and a public hearing. The Classification Maps may be the subject of separate public hearings that are held for the adoption of the map covering each major drainage basin in the State.

As with any complex program, it is always difficult to anticipate the questions that the public may have about either proposed or adopted standards. The staff of the Planning and Standards Division of the Bureau of Water Protection and Land Reuse are the best source of

information about these WQS and are always willing to provide answers to your questions. They may be contacted by writing to:

Director Planning and Standards Division Bureau of Water Protection and Land Reuse Department of Environmental Protection 79 Elm Street Hartford, Connecticut 06106-5127

The WQS do not stand alone; rather, they are one critical element in Connecticut's program to protect and improve water quality. The WQS are written in response to, and in concert with, the principles of Connecticut's Clean Water Act, which is in Chapter 446k of the Connecticut General Statutes (CGS). The Statutes set the broad outline and legal framework for Connecticut's entire program. They establish the authorities and procedures for the WQS, for permitting discharges to the waters of the State and for the abatement of pollution. Within the framework of the Statutes, the WQS establish broad policy and objectives to meet the statutory goals. These objectives are then carried out by means of specific procedures and requirements of statutory sections and even more detailed regulations. These include Statutes and Regulations for the permitting of discharges to the waters of the State, hazardous materials management, solid waste management, water diversions, structures, dredging, wetlands and others.

The Water Quality Standards provide policy guidance in many different areas, all of which are subject to detailed statutory and regulatory requirements. Some examples are as follows:

- o Decisions on the acceptability of a type of discharge to a specific water resource.
- o Any decision on the siting of a landfill.
- o Decisions on the type of remediation and priority for the cleanup of hazardous waste sites.
- o Decisions on the priority assigned to improvements of municipal sewerage systems and the priority for funding such projects.
- o Decisions on Water Quality Certification pursuant to Section 401 of the Federal Clean Water Act.

INTRODUCTION

Section 22a-426 of the Connecticut General Statutes requires that the Commissioner of Environmental Protection adopt standards of water quality consistent with the federal Clean Water Act. The WQS establish a goal of restoring and maintaining the chemical, physical, and biological integrity of Connecticut surface waters and, wherever attainable, providing for the protection and propagation of fish, shellfish, and wildlife and for recreation in and on the water. The purpose of these WQS is to provide clean-clear and objective statements for existing and projected water quality and the general program to improve Connecticut's water resources. They also serve to qualify the State and its municipalities for available federal grants for water pollution control. Section 22a-426 of the Connecticut General Statutes mandates these WQS shall:

- o Apply to interstate waters or portions thereof within the State.
- o Apply to such other waters within the State as the Commissioner may determine is necessary.
- o Protect the public health and welfare and promote the economic development of the State.
- o Preserve and enhance the quality of State waters for present and prospective future use for public water supplies, propagation of fish and aquatic life and wildlife, recreational purposes and agricultural, industrial and other legitimate uses.
- o Be consistent with the health standards as established by the Department of Public Health.

Water Quality Classifications, based on the adopted WQS, establish designated uses for surface and ground waters and identify the criteria necessary to support those uses. The designated use and criteria applicable to each water body or identified segment serve to focus the Department's water quality management activities, including establishment of water quality based treatment controls and strategies required by the federal Clean Water Act.

Section 303 of the federal Clean Water Act requires state adoption of surface WQS and their review and, if warranted, modification at least once every three years. Connecticut first adopted Water Quality Standards in 1967. Federal law defines WQS as the identification of water quality goals for each water resource through the assignment of designated uses to be made of the water and by setting criteria necessary to protect the uses.

Federal regulations specify that WQS should, wherever attainable, provide water quality for the protection and propagation of fish, shellfish and wildlife and for recreation in and on the water, taking into consideration their use and value for public water supplies, propagation of fish, shellfish and wildlife, recreation in and on the water and agricultural, industrial and other purposes including navigation.

Although federal law requires adoption of Water Quality Standards for surface waters, WQS for ground waters are not subject to federal review and approval. Connecticut's WQS recognize that surface and ground waters are interrelated and address the issue of competing use of ground waters for drinking and for waste-water assimilation. These Standards specifically identify ground water quality goals, designated uses and those measures necessary for protection of public and private drinking water supplies, which are the principal uses of Connecticut ground waters.

SURFACE WATER QUALITY STANDARDS

- 1. It is the State's goal to restore or maintain the chemical, physical, and biological integrity of surface waters. Where attainable, the level of water quality that provides for the protection and propagation of fish, shellfish, and wildlife and recreation in and on the water shall be achieved.
- 2. The water quality necessary to support existing and designated uses such as propagation of fish, shellfish and wildlife,; recreation; public water supply,; and agriculture, industrial use and navigation; is to be maintained and protected.
- 3. Surface waters with an existing quality better than the criteria established in these WQS shall be maintained at their existing high quality, unless the Commissioner finds, after adequate opportunity for intergovernmental review and public participation, that allowing lower water quality is necessary to accommodate overriding economic or social benefits to the State and to the area in which the receiving surface water is located, and that existing and designated uses will be fully protected. The implementation procedures for the anti-degradation antidegradation provisions of these WQS are provided in full in Appendix E.
- 4. For all new and existing discharges to high quality surface waters the Commissioner shall, at a minimum, require applicants to meet the highest applicable standards of performance promulgated pursuant to the Federal Clean Water Act and the Connecticut General Statutes, and may require additional treatment measures if deemed necessary to prevent pollution and maintain high water quality. The Commissioner shall also require the use of appropriate Best Management Practices for control of discharges and activities to high quality surface waters.
- 5. If the Commissioner designates a high quality surface water as an Outstanding National Resource Water pursuant to federal regulations at 40 CFR 131.12(a) the high water quality shall be maintained and protected. The lowering of water quality is prohibited for such surface waters except where activities limited in time and scope will result in only temporary and insignificant changes in water quality and the activities will not result in water quality less than necessary to protect existing and designated uses.
- 6. Standard 1 shall be met except where (1) a use attainability analysis prepared pursuant to federal regulation at 40 CFR 131.10(g) and (j) demonstrates that the surface water has been irreparably altered to the extent that certain designated uses have been permanently lost; and (2) quality criteria necessary to protect all other existing, and designated uses of the surface water have been adopted by the Commissioner as a revision to these WQS in accordance with Section 22a-426 of the Connecticut General Statutes. Periodic re-examination of such designated use decisions shall be performed as required by federal regulations (40 CFR 131.20).

- 7. Any person or municipality requesting a change in Water Quality Classification shall demonstrate to the Commissioner that the proposed new Classification is consistent with all existing or designated uses made of, or presently possible in, such surface waters. Any such change in a Water Quality Classification shall be considered a revision of these WQS and subject to the public participation requirements of Section 22a-426 of the Connecticut General Statutes. The Commissioner will not approve a reclassification which is not consistent with Standards 3 or 4 of these WQS.
- 8. Water Quality Standards and Criteria do not apply to certain environmental conditions brought about by natural causes or conditions. Natural hydrologic and geologic conditions may cause excursions from established criteria. The meaning of the word 'natural' is not limited to only those conditions which would exist in water draining from pristine land. Conditions which exist in the surface water, in part due to normal uses of the land, may be considered natural, provided best management practices are used. It shall not be considered normal use of the land if excursions from established Criteria adversely impact an existing or designated use.
- 9. Discharges to surface waters shall be limited as follows:
 - (A) <u>Class AA, A and SA surface waters</u>: discharges may be permitted by the Commissioner from public or private drinking water treatment systems, dredging activity and dredge material dewatering operations, including the discharge of dredged or fill material and clean water discharges. In Class AA surface waters such discharges shall be subject to the approval of the Commissioner of Public Health. The Commissioner may authorize other discharges to surface waters with a Classification of SA, A or AA provided the Commissioner finds such discharge will be of short duration and is necessary to remediate surface water or ground water pollution. Any such discharge shall be treated or controlled to a level which in the judgment of the Commissioner, protects aquatic life and public health.

The Commissioner may authorize certain treated domestic sewage discharges to surface waters with a Classification of A or SA provided the Commissioner finds that: 1) such discharge is deemed necessary by the Commissioner to abate groundwater or surface water pollution from a domestic sewage disposal system that was in use prior to February 28, 2011-protect the environment and public health, safety and welfare; 2) such discharge is deemed necessary by the Commissioner to abate ground water or surface water pollutionsuch discharge is treated or controlled to the maximum extent practicable in the subsurface and in all cases to a level that in the judgment of the Commissioner, in consultation with the Commissioner of Public Health, protects the environment, public health, safety and welfare; -and3) such discharge does not constitute a community pollution problem as defined in Section 22a-423 of the Connecticut General Statutes; 34) a demonstration has been made to the satisfaction of the Commissioner that no technically and economically feasible alternative exists for such discharge; and 45) that any such discharge is not being sought in connection with shall not support a new source, a new or expanded building or development, or increased growth or change in use change to the design or use of an existing building or development, which change results in, or as designed may result in, an increase in (i) the occupancy of such building or development or (ii) the discharge from such building or development; and 56) the discharge is treated or controlled

to the maximum extent possible practicableand to a level that, in the judgment of the Commissioner, protects the environment and public health, safety and welfare. Nothing in this standardauthorization would shall preclude the Commissioner from requiring such discharge to be eliminated should future conditions provide a technically or economically feasible alternative to authorizing such discharge. to a surface water with a Classification of A or SA.

- (B) <u>Class B and SB surface waters</u>: discharges may be permitted for all those allowed in Class AA, A and SA surface waters, cooling water discharges, discharges from municipal and industrial wastewater treatment systems and other discharges subject to the provisions of Section 22a-430 of the Connecticut General Statutes.
- (C) <u>Class B* surface waters:</u> discharges may be permitted for all those allowed in Class AA, A and SA surface waters. No direct wastewater discharges are allowed other than those consistent with Class AA, A and SA surface waters.
- 10. The Commissioner may, on a case-by-case basis, establish zones of influence when authorizing discharges to surface waters under Sections 22a-430 and 22a-133(k) of the Connecticut General Statutes in order to allocate a portion of the receiving surface waters for mixing and assimilation of the discharge. Unless otherwise indicated in these WQS, the applicable Water Quality Criteria apply outside the zone of influence for a discharge. Establishment of a zone of influence shall not preclude attainment of any existing or designated uses of the receiving surface waters. The area and/or volume of receiving water allocated to zones of influence shall be determined based on the unique physical, chemical and biological characteristics of the receiving surface water body. and, if established, shall provide a maximum of 100:1 dilution ratio for any discharge. The Commissioner may require applicants to provide information on receiving surface water and waste-water characteristics including the volume of flow and area required for mixing and assimilation of waste. The zone of influence for assimilation of a thermal discharge shall be limited to the maximum extent possible. As a guideline, the zone of influence for assimilation of a thermal discharge shall be no greater than 25% of the cross-sectional area or volume of flow of the receiving water. In establishing a zone of influence the Commissioner shall consider without limitation:
 - (A) the characteristics of the discharge, such as its volume, strength, temperature and the persistence of any substances in the discharge, potential bioaccumulation or bioconcentration of these substances in aquatic organisms, and the potential for any substances, either singly or in combination with other substances present in the discharge or receiving surface water body to result in an unacceptable risk to human health or the environment.
 - (B) an allowance for a continuous zone of passage for free swimming and drifting organisms.
 - (C) the effect of the discharge on spawning grounds or nursery areas of sensitive aquatic organisms or areas utilized by aquatic organisms for shelter and living space.

- (D) the effect of the discharge on the aesthetic quality of the receiving water including but not limited to the potential to cause objectionable deposits, floating debris, oil, scum, and other materials that form nuisances or produce objectionable color, odor, taste, or turbidity, or that may attract undesirable aquatic life or wildlife, or result in the dominance of nuisance species.
- (E) the location of other discharges in the receiving surface water body to insure that the cumulative effect of adjacent zones of influence will not significantly reduce the environmental value or preclude any existing or designated uses of the receiving surface water.

Assessment of environmental value will be based on the characteristics of the receiving surface water including but not limited to: type of water body, velocity, depth, number and type of aquatic habitats, migration patterns, nature of the food chain, level of productivity, water temperature, condition of associated biological communities, ability of tributaries to provide biological recruitment, presence of endangered species and value to human uses (aesthetic, commercial, sport fishing and recreational uses).

- 11. The 7Q10 is the minimum flow to which these Water Quality Standards for surface waters apply, except when a surface water has been historically is regulated by dams or water withdrawals sanctioned by law to result in flows below that level. In such cases these Water Quality Standards apply to that low flow determined by the Department's Minimum Flow Regulations as amended (Section 26-141a-1, et seq. of the Regulations of Connecticut State Agencies); the Department's Diversion Permit Program (Section 22a-365 through 22a-378 of the Regulations of Connecticut State Agencies); or the Federal Energy Regulatory Commission's hydropower licensing process (Federal Power Act 16 USCS SEC 791a et seq). Maintaining a long-term flow of 7Q10 or less may result in significant stress on the physical and biological quality of surface waters. In those surface waters at, near or below the naturally occurring 7Q10 flow, more stringent Water Quality Criteria may be required to achieve and maintain existing and designated uses. The Commissioner may approve discharge limitations based on minimum average daily flow in excess of 7Q10 conditions, provided the Commissioner is satisfied that special measures will be implemented during low flow conditions which provide protection to the environment at least as effective as that protection which would pertain if limitations were based solely on 7Q10 conditions. Surface waters which are influenced by tidal forces or which experience short-term variation in flow due to periodic or irregular water release from upstream diversions or other causes may require special consideration by the Commissioner when establishing a zone of influence or issuing discharge permits under the provisions of Section 22a-430 of the Connecticut General Statutes in order to protect existing and designated uses, including consideration of the minimum flow to which these Water Quality Standards apply. Low flow in a tidal water body shall be evaluated under low tide conditions unless another low flow regime is demonstrated to the Commissioner's satisfaction to be protective of water quality and aquatic resources.
- 12. The Commissioner, pursuant to Chapter 446k of the Connecticut General Statutes and regulations adopted there under, will regulate discharges to the surface waters to assure that such discharges do not cause acute or chronic toxicity to freshwater and marine aquatic life and wildlife, do not impair the biological integrity of freshwater and marine ecosystems and do not create an unacceptable risk to human health.

 (A) (i)—In making a determination under Chapter 446k of the Connecticut General Statutes as to whether a discharge will or can reasonably be expected to cause pollution of surface waters, the Commissioner shall consider the numeric criteria for the toxic pollutantschemical constituents listed in Appendix D;

(ii) benchmarks for substances not contained in Table 1 of Appendix D, shall be developed on a case by case basis, consistent with the protocols contained in Table 2 of Appendix D of the WQS provided the Commissioner determines such benchmarks are protective of human health and the environment; and

(iii) additional scientific and technical information may be used, as available, for exposures and effects not explicitly addressed through the application of the numeric criteria listed in or developed in accordance with Appendix D.

- (B) The Commissioner may amend the numeric criteria for the toxic pollutantschemical constituents listed in Appendix D of these WQS in accordance with the procedures specified in Section 22a-426 of the Connecticut General Statutes on his or her own initiative, or upon request of any person or municipality that site-specific water quality criteria be adopted or amended, provided such request is supported by sound scientific and technical evidence demonstrating the following:
 - 1. Conditions at the specific site differ significantly from those used in establishing the statewide criteria.
 - 2. The proposed site-specific criteria are sufficiently stringent to protect all existing and designated uses of the water body.
 - 3. The proposed site-specific criteria are derived in a manner consistent with sound scientific and technical principles, giving consideration to all applicable federal guidance.
- 13. The Commissioner may adopt or amend criteria for any surface water or class of water, in accordance with the procedures specified in the Connecticut General Statutes (Section 22a-426) and in paragraphs (1), (2), and (3) of Standard 12(B) of these WQS, provided such change is supported by sound scientific and technical evidence, and existing and designated uses are fully protected.
- 14. Surface waters and sediments shall be free from chemical constituents in concentrations or combinations which will or can reasonably be expected to result in acute or chronic toxicity to aquatic organisms or otherwise impair the biological integrity of aquatic or marine ecosystems outside of any dredged material disposal area or areas designated by the Commissioner for disposal or placement of fill materials or any zone of influence allowed by the Commissioner, or bioconcentrate or bioaccumulate in tissues of fish, shellfish and other aquatic organisms at levels which will impair the health of aquatic organisms or wildlife or result in unacceptable tastes, odors or health risks to human consumers of aquatic organisms or wildlife unless such sediments are capped with material suitable for unconfined, open water disposal as an appropriate means of ensuring consistency with this standard as approved by the Commissioner in writing. In

determining consistency with this Standard, the Commissioner shall at a minimum consider the numeric criteria listed in Appendix D and any other information $\frac{1}{1000}$ he or she the Commissioner deems relevant.

- 15. Except within dredged material disposal areas or areas designated by the Commissioner for disposal or placement of fill materials, surface waters and bottom sediments shall be substantially free of pollutants that: a) unduly affect the composition of bottom fauna; b) unduly affect the physical or chemical nature of the bottom; or c) interfere with the propagation or habitats of shellfish, finfish and wildlife. Dredged materials disposed of at a dredged material disposal area shall not result in: a) floating residues of any sort; b) release of any substance which may result in long-term or permanent degradation of water quality in surface waters overlying or adjacent to the disposal areas; c) dispersal of contaminated sediments outside a dredged material disposal area other than that occurring as a transient plume during disposal operations; or d) biological mobilization and subsequent transport of toxic substances to food chains. The Commissioner may consider Best Management Practices including but not limited to capping the dredged material with material suitable for unconfined open water disposal as appropriate means of ensuring consistency with this standard.
- 16. Biological Condition criteria may be utilized where appropriate for assessment of the biological integrity of surface waters.
- 17. The discharge of radioactive materials to a surface water in concentrations or combinations which would be harmful to human, animal or aquatic life shall not be allowed. The applicable criteria can be found in Title 10, Part 20 of the Code of Federal Regulations.
- 18. Best Management Practices for control of non-point source pollutants may be required by the Commissioner on a case-by-case basis.
- 19. Point and non point sources of phosphorus and nitrogen, including sources of atmospheric deposition, which contribute or have the potential to contribute to the impairment of any surface water shall apply. The Commissioner shall require Best Management Practices, including imposition of discharge limitations or other reasonable controls that may be required by the Commissioner on a case-by-case basis as necessary for point and nonpoint sources of phosphorus and nitrogen, including sources of atmospheric deposition, which have the potential to contribute to the impairment of any surface water, to ensure maintenance and attainment of existing and designated uses, restore impaired waters, and prevent unacceptable culturally enriched conditions excessive anthropogenic inputs of nutrients or impairment of downstream waters.
- 20. Use of Best Management Practices and other reasonable controls on nonpoint sources of nutrients and sediment are preferable to the use of biocides-for correction of culturally enriched conditions to address a trophic state that has been altered due to excessive anthropogenic inputs.
- 21. Surface waters identified as potential drinking water supplies in the Long Range Plan for Management of Water Resources prepared and adopted pursuant to Section 22a-352 of the Connecticut General Statutes shall be designated Class AA. The Commissioner may, with the concurrence of the Commissioner of the Department of Public Health, designate other surface waters as Class AA including surface waters that (1) have been designated a

proposed drinking water supply in Connecticut's Conservation and Development Policies Plan, (2) have been recommended for future use as a drinking water supply in the current approved a water company's water supply plan submitted and approved pursuant to Section 25-32d of the Connecticut General Statutes, (3) the Commissioner has issued a Diversion Permit authorizing use as a drinking water supply, or (4) have been identified in a request from a municipality for designation as a drinking water supply at a public hearing concerning water quality classifications.

- 22. Section 22a-417 of the Connecticut General Statutes imposes an absolute restriction on the discharge of sewage to Class AA reservoirs and their tributaries. The existence of a discharge to a surface water which occurs outside the State that then flows into the State shall not be considered a valid reason for either relaxing the restriction in Connecticut or changing the Class AA designation. It is a policy of the State to pursue the adoption of compatible WQS in neighboring states to assure the protection of Connecticut drinking water supplies.
- 23. Disinfection shall be required for all treated sewage discharges to surface waters. The period of disinfection shall vary depending on the nature characteristics of the receiving surface water as described below:
 - (A) Continuous disinfection shall be required at all sewage treatment plants located south of Interstate Highway 95 (I-95) to protect shellfish resources.
 - (B) Disinfection shall be required from May 1 to October 1 at all sewage treatment plants located north of I-95. Seasonal disinfection is intended to protect the sanitary quality of bathing waters, and minimize adverse impacts to aquatic life associated with disinfection. An alternative schedule, including continuous disinfection, may be required if found necessary by the Commissioner to protect existing or designated uses.
 - (C) For those Class B surface waters located north of Interstate Highway 95 (I-95) and downstream of a sewage treatment plant providing seasonal disinfection as authorized by the Commissioner, criteria for indicator bacteria do not apply during periods when disinfection is not required.
- 24. The discharge of sewage from any vessel to any water not amenable to interstate navigation is prohibited. Additionally, the discharge of sewage to any coastal water in Connecticut accessible by a vessel with an installed head is prohibited pursuant to Section 312(f)(3) of the federal Clean Water Act. Boat discharges in other surface waters are subject to the legislative provisions of Sections 15-170 through 15-176 of the Connecticut General Statutes and Section 312, entitled Marine Sanitation Devices, of the federal Clean Water Act.
- 25. Indicator bacteria are used to detect the potential presence of contamination by human or animal wastes. Due to the inherent uncertainty involved in sampling and analytically determining bacteria levels, exceedences of water quality criteria does not always indicate a water quality problem and therefore should be investigated by means of a sanitary survey or other appropriate means to determine sources of elevated indicator bacteria levels. (see also Appendix B).

- 26. Physical obstructions such as dams, which prevent fish migration for spawning and growth, shall not be considered a valid reason for failure to achieve and maintain water quality conditions necessary to support all designated uses of a surface water unless the Commissioner has approved a Use Attainability Analysis documenting that a designated use is not attainable for such surface water.
- 27. The allowable temperature increase resulting from discharges in the estuarine segments of the Housatonic, Connecticut and Thames Rivers shall be consistent with the criteria for the non-tidal segments.
- 2728. Surface water quality monitoring methods shall be consistent with Title 40 Part 30 of the Code of Federal Regulations or other equivalent monitoring methods approved in writing by the Commissioner.
- 28.29. Surface waters which are not specifically classified shall be considered as Class A or Class SA.
- 2930. Watercourses which are contained in drainage conduits or pipes and which are not assigned a specific class are considered to be the class of the water body segment into which they discharge.
- 3031. Revisions to the WQS, including but not limited to the following, shall be subject to the public participation process provided for in Section 22a-426 of the Connecticut General Statutes:
 - (A) The adoption of a map which depicts the Water Quality Goals and Classifications assigned to any water resource.
 - (B) Any decisions regarding the lowering of water quality in existing high quality surface waters or a change in the Water Quality Classification of any surface water.
 - (C) The adoption of any Use Attainability Analysis.
 - (D) The adoption or amendment of site-specific water quality criteria.
- 3132. These WQS shall apply to all surface waters. Evaluation of a discharge or discharge of dredged or fill material to wetlands shall include consideration of the manner in which such wetlands support existing and designated uses and protect and maintain downstream water quality.

INLAND-SURFACE WATER CLASSIFICATIONS AND CRITERIA

CLASS AA DESIGNATED USES AND CRITERIA

CLASS AA

Designated Uses-These surface waters are designated for: existing or proposed drinking water supplies; habitat for fish and other aquatic life and wildlife; recreation; and water supply for industry and agriculture.

Parameter	Criteria	
Aesthetics	Uniformly excellent.	
Dissolved oxygen	Not less than 5 mg/L at any time.	
Sludge deposits-solid refuse-floating solids- oils and grease-scum	None other than of natural origin.	
Color	None other than of natural origin.	
Suspended and settleable solids	None in concentrations or combinations which would impair designated uses; none aesthetically objectionable; none which would significantly alter the physical or chemical composition of the bottom; none which would adversely impact aquatic organisms living in or on the bottom substrate.	
Silt or sand deposits	None other than of natural origin except as may result from normal agricultural, road maintenance, construction activity or dredging activity or discharge of dredged or fill materials provided all reasonable controls or Best Management Practices are used in such activities and all designated uses are protected and maintained.	
Turbidity	Shall not exceed 5 NTU over ambient levels and none exceeding level necessary to protect and maintain all designated uses. All reasonable control or Best Management Practices are to be used to control turbidity.	
Indicator bacteria	See Appendix B	
Taste and odor	None other than of natural origin.	
рН	As naturally occurs.	
Allowable Temperature Increase	There shall be no changes from natural conditions that would impair any existing or designated uses assigned to this Class and, in no case shall minimum requirements for cold, cool and warm water habitats defined by the presence of indicator fish species or other acceptable measure for each habitat type be exceeded as defined in Appendix F. exceed 85 °F, or in any case raise the temperature of surface water more than 4 °F.	

l

Chemical constituents	None in concentrations or combinations which would be harmful to designated uses. Refer to Standards numbers 10, 11, 12, 13, 14, 17 and 19.
Nutrients	The loading of nutrients, principally phosphorus and nitrogen, to any surface water body shall be limited tonot exceed that -which supports maintenance or attainment of designated uses contributed by natural sources including that arising from existing human sources provided sufficient limitations, controls or best management practices have been implemented to protect, maintain or restore designated uses in the water body from the effects of cultural enrichment. See Appendix G for guidance on implementation of this narrative criterion.
Sodium	Not to exceed 20 mg/L.
Biological Condition	Sustainable, diverse biological communities of indigenous taxa shall be present. Moderate changes, from natural conditions, in the structure of the biological communities, and minimal changes in ecosystem function may be evident; however, water quality shall be sufficient to sustain a biological condition within the range of Conneciticut Biological Condition Gradient Tiers 1-4 as assessed along a 6 tier stressor gradient of Biological Condition Gradient tiers 1 through 4 to meet Class AA criteria (See Appendix HG).

CLASS A DESIGNATED USES AND CRITERIA

CLASS A

Designated Uses - These surface waters are designated for: habitat for fish and other aquatic life and wildlife; potential drinking water supplies; recreation; navigation; and water supply for industry and agriculture.

Parameter	Criteria	
Aesthetics	Uniformly excellent.	
Dissolved oxygen	Not less than 5 mg/L at any time.	
Sludge deposits-solid refuse-floating solids- oils and grease-scum	None other than of natural origin.	
Color	None other than of natural origin.	
Suspended and settleable solids	None in concentrations or combinations which would impair designated uses; none aesthetically objectionable; none which would significantly alter the physical or chemical composition of the bottom; none which would adversely impact aquatic organisms living in or on the bottom substrate.	
Silt or sand deposits	None other than of natural origin except as may result from normal agricultural, road maintenance, construction activity, dredging activity or the discharge of dredged or fill materials provided all reasonable controls or Best Management Practices are used in such activities and all designated uses are protected and maintained.	
Turbidity	Shall not exceed 5 NTU over ambient levels and none exceeding levels necessary to protect and maintain all designated uses. All reasonable controls or Best Management Practices are to be used to control turbidity.	
Indicator bacteria	See Appendix B.	
Taste and odor	None other than of natural origin.	
pН	As naturally occurs.	
Allowable Temperature Increase	There shall be no changes from natural conditions that would impair any existing or designated uses assigned to this Class and, in no case shall minimum requirements for cold, cool and warm water habitats defined by the presence of indicator fish species or other acceptable measure for each habitat type be exceeded as defined in Appendix F exceed 85 °F, or in any case raise the temperature of surface water more than 4 °F.	
Chemical constituents	None in concentrations or combinations which would be harmful to designated uses. Refer to Standards numbers 10, 11, 12, 13, 14, 17, and 19.	
Nutrients	The loading of nutrients, principally phosphorus and nitrogen, to any surface water body shall be limited tonot exceed that which supports maintenance or attainment of designated uses contributed by natural sources including that arising from existing human sources provided sufficient limitations, controls or best management practices have been	

implemented to protect, maintain or restore designated uses in the water body from the effects of cultural enrichment. See Appendix G for guidance on implementation of this narrative criterion.

Sodium None other than of natural origin.

Biological Condition Sustainable, diverse biological communities of indigenous taxa shall be present. Moderate changes, from natural conditions, in the structure of the biological communities, and minimal changes in ecosystem function may be evident; however, water quality shall be sufficient to sustain a biological condition within the range of Connecticut Biological Condition Gradient Tiers 1-4 as assessed along a 6 tier stressor gradient of Biological Condition Gradient tiers 1 through 4 to meet Class A criteria (See Appendix HG).

CLASS B DESIGNATED USES AND CRITERIA

CLASS B

Designated Uses - These surface waters are designated for: habitat for fish and other aquatic life and wildlife; recreation; navigation; and industrial and agricultural water supply.

Parameter	Criteria
Aesthetics	Good to excellent.
Dissolved oxygen	Not less than 5 mg/L at any time.
Sludge deposits-solid refuse floating solids-oils and grease-scum	None except for small amounts that may result from the discharge from a permitted waste treatment facility and none exceeding levels necessary to protect and maintain all designated uses.
Color	None which causes visible discoloration of the surface water outside of any designated zone of influence.
Suspended and settleable solids	None in concentrations or combinations which would impair the most sensitive designated use; none aesthetically objectionable; none which would significantly alter the physical or chemical composition of the bottom; and none which would adversely impact aquatic organisms living in or on the bottom sediments; shall not exceed 10 mg/L over ambient concentrations.
Silt or sand deposits	None other than of natural origin except as may result from normal agricultural, road maintenance, construction activity, dredging activity or discharge of dredged or fill materials provided all reasonable controls or Best Management Practices are used in such activities and all designated uses are protected and maintained.
Turbidity	Shall not exceed 5 NTU over ambient levels and none exceeding levels necessary to protect and maintain all designated uses. All reasonable controls or Best Management Practices are to be used to control turbidity.
Indicator bacteria	REFER TO APPENDIX B.
Taste and odor	None that would impair any uses specifically assigned to this Class.
рН	6.5 - 8.0
Allowable Temperature Increase	There shall be no changes from natural conditions that would impair any existing or designated uses assigned to this Class and, in no case shall minimum requirements for cold, cool and warm water habitats defined by the presence of indicator fish species or other acceptable measure for each habitat type be exceeded as defined in Appendix F. exceed 85 °F, or in any case raise the temperature of surface water more than 4 °F.

	CTDEP Proposed Revisions to Connecticut Water Quality Standards December 22, 2009 January 2011
Chemical constituents	None in concentrations or combinations which would be harmful to designated uses. Refer to Standards numbers 10, 11, 12, 13, 14, 17, and 19.
Nutrients	The loading of nutrients, principally phosphorus and nitrogen, to any surface water body shall be limited tonot exceed that which supports maintenance or attainment of designated uses. contributed by natural sources including that arising from existing human sources provided sufficient limitations, controls or best management practices have been implemented to protect, maintain or restore designated uses in the water body from the effects of cultural enrichment. See Appendix G for guidance on implementation of this narrative criterion.
Biological Condition	Sustainable, diverse biological communities of indigenous taxa shall be present. Moderate changes, from natural conditions, in the structure of the biological communities, and minimal changes in ecosystem function may be evident; however, water quality shall be sufficient to sustain a biological condition within the range of Connecticut Biological Condition Gradient Tiers 1-4 as assessed along a 6 tier stressor gradient of Biological Condition Gradient tiers 1 through 4 to meet Class B criteria (See Appendix HG).

Note: Class B* surface water, applicable to Candlewood Lake, is a subset of Class B waters and is identical in all ways to the designated uses, criteria and standards for Class B waters except for the restriction on direct discharges stated in Water Quality Standard 9.

CLASS SA DESIGNATED USES AND CRITERIA

CLASS SA

Designated Uses - These surface waters are designated for: habitat for marine fish, other aquatic life and wildlife; shellfish harvesting for direct human consumption; recreation; industrial water supply; and navigation.

Parameter	Criteria	
Aesthetics	Uniformly excellent.	
Dissolved oxygen	Acute: Not less than 3.0 mg/L.	
	Chronic: Not less than 4.8 mg/L with cumulative periods of dissolved oxygen in the $3.0-4.8$ mg/L range as detailed in Appendix C.	
Sludge deposits- solid refuse-floating solids-oils and grease-scum	None other than of natural origin.	
Color	None other than of natural origin.	
Suspended and settleable solids	None other than of natural origin.	
Silt or sand deposits	None other than of natural origin except as may result from normal agricultural, road maintenance, construction activity, dredging activity or the discharge of dredged or fill materials provided all reasonable controls or Best Management Practices are used in such activities and all designated uses are protected and maintained.	
Turbidity	None other than of natural origin except as may result from normal agricultural, road maintenance, or construction activity, dredging activity or discharge of dredged or fill materials provided all reasonable controls and Best Management Practices are used to control turbidity and none exceeding levels necessary to protect and maintain all designated uses.	
Indicator bacteria	See Appendix B	
Taste and odor	As naturally occurs.	
pH	6.8 - 8.5	
Allowable Temperature Increase	There shall be no changes from natural conditions that would impair any existing or designated uses assigned to this Class and, in no case exceed a maximum daily mean of 82-83 °F, and an hourly maximum of 83°F-or in any case raise the temperature of the receiving water more than 2 ⁻ 4 °F. During the period including July, August, and September, the temperature of the receiving water shall not be raised more than 1.5 °F unless it can be shown that spawning and growth of indigenous organism will not be significantly affected.	

Chemical constituents	None in concentrations or combinations which would be harmful to designated uses. Refer to Standards numbers 10, 11, 12, 13, 14, 17, and 19.
Nutrients	The loading of nutrients, principally phosphorus and nitrogen, to any surface water body shall be limited tonot exceed that which supports maintenance or attainment of designated uses. contributed by natural sources including that arising from existing human sources provided sufficient limitations, controls or best management practices have been implemented to protect, maintain or restore designated uses in the water body from the effects of cultural enrichment. See Appendix G for guidance on implementation of this narrative criterion.
Biological Condition	Sustainable, diverse biological communities of indigenous taxa shall be present. Moderate changes, from natural conditions, in the structure of the biological communities, and minimal changes in ecosystem function may be evident; however, water quality shall be sufficient to sustain a healthy, diverse biological community

CLASS SB DESIGNATED USES AND CRITERIA

CLASS SB

Designated Uses - These waters are designated for: habitat for marine fish, other aquatic life and wildlife; commercial shellfish harvesting; recreation; industrial water supply; and navigation.

Parameter	Criteria	
Aesthetics	Good to excellent.	
Dissolved oxygen	Acute: Not less than 3.0 mg/L.	
	Chronic: Not less that 4.8 mg/L with cumulative periods of dissolved oxygen in the $3.0-4.8$ mg/L range as detailed in Appendix C.	
Sludge deposits-solid refuse-floating solids- oils and grease-scum	None except for small amounts that may result from the discharge from a grease waste treatment facility providing appropriate treatment and none exceeding levels necessary to protect and maintain all designated uses.	
Color	None resulting in obvious discoloration of the surface water outside of any designated zone of influence.	
Suspended and settleable solids	None in concentrations or combinations which would impair the designated uses; none aesthetically objectionable; none which would significantly alter the physical or chemical composition of bottom sediments; none which would adversely impact organisms living in or on the bottom sediment.	
Silt or sand deposits	None other than of natural origin except as may result from normal agricultural, road maintenance, construction activity, dredging activity or discharge of dredged or fill materials provided all reasonable controls or Best Management Practices are used in such activities and all designated uses are protected and maintained.	
Turbidity	None other than of natural origin except as may result from normal agricultural, road maintenance, or construction activity, or discharge from a waste treatment facility providing appropriate treatment, dredging activity or discharge of dredged or fill materials provided all reasonable controls and Best Management Practices are used to control turbidity and none exceeding levels necessary to protect and maintain all designated uses.	
Indicator bacteria	See Appendix B.	
Taste and odor	As naturally occurs. None that would impair any uses specifically assigned to this Class.	
pH	6.8 - 8.5	

Allowable Temperature Increase	There shall be no changes from natural conditions that would impair any existing or designated uses assigned to this Class and, in no case exceed a maximum daily mean of 82 83 °F, and an hourly maximum of 83 °F or in any case raise the temperature of the receiving water more than $2 {}^{\circ}F$. During the period including July, August, and September, the temperature of the receiving water shall not be raised more than $1.5 {}^{\circ}F$ unless it can be shown that spawning and growth of indigenous organisms will not be significantly affected.
Chemical	None in concentrations or combinations which would be harmful to
constituents	designated uses. Refer to Standards numbers 10, 11, 12, 13, 14, 17, and 19.
Nutrients	The loading of nutrients, principally phosphorus and nitrogen, to any surface water body shall be limited tonot exceed that which supports maintenance or attainment of designated usescontributed by natural sources including that arising from existing human sources provided sufficient limitations, controls or best management practices have been implemented to protect, maintain or restore designated uses in the water body from the effects of cultural enrichment. See Appendix G for guidance on implementation of this narrative criterion.
Biological Condition	Sustainable, diverse biological communities of indigenous taxa shall be present. Moderate changes, from natural conditions, in the structure of the biological communities, and minimal changes in ecosystem function may be evident; however, water quality shall be sufficient to sustain a healthy, diverse biological community

LAKE TROPHIC CATEGORIES

The ranges of Total Phosphorus, Total Nitrogen, Chlorophyll-a, and Secchi Disk Transparency appearing in Table 1 below are assessed in conjunction with each other collectively to determine the trophic state of a lake. In addition to conjunction with-water column data, the trophic state of a lake is determined by the percentage of the surface area covered by macrophytes in accordance with Table 2 below. For the purpose of determining consistency with the water quality standardsWQS, the natural trophic state of a lake must be assessed is compared with the current trophic state to determine if the attainable trophic state of the lake has been altered due to excessive anthropogenic inputs. Lakes in advanced trophic states which exceed their natural trophic state due to anthropogenic sources beyond thier attainable trophic state are considered to be inconsistent with-water quality standardsWQS.

Table 1: Parameters and Defining Ranges for Trophic State of Lakes inConnecticut

OLIGOTROPHIC

May be Class AA, Class A, or Class B water. Low in plant nutrients. Low biological productivity characterized by the absence of macrophyte beds. High potential for water contact recreation.

Parameters		<u>Defining Range</u>
1	Total Phosphorus	-0-10 ug/l spring and summer
1.	1	
2.	Total Nitrogen	-0-200 ug/l spring and summer
3	Chlorophyll-a	- 0-2 ug/l mid-summer
4.		<u>6 + meters mid-summer</u>

MESOTROPHIC

3.

May be Class AA, Class A, or Class B water. Moderately enriched with plant nutrients. Moderate biological productivity characterized by intermittent blooms of algae and/or small areas of macrophyte beds. Good potential for water contact recreation.

Darameters	Defining Range
1 drameters	Denning Range

- 1. Total Phosphorus 10-30 ug/l spring and summer
- 2. Total Nitrogen 200-600 ug/l spring and summer

Chlorophyll-a 2-15 ug/l mid-summer

4. Secchi Disk Transparency 2-6 meters mid-summer

EUTROPHIC

May be Class AA, Class A, or Class B water. Highly enriched with plant nutrients. High biological productivity characterized by frequent blooms of algae and/or extensive areas of dense macrophyte beds. Water contact recreation opportunities may be limited.

Defining Range Parameters

Total Phosphorus30-50 ug/l spring and summerTotal Nitrogen600-1000 ug/l spring and summer 1.

 $\frac{2}{2}$

15-30- ug/l mid-summer 3.

Secchi Disk Transparency 1-2 meters mid-summer 4.

HIGHLY EUTROPHIC

May be Class AA, Class A, or Class B water. Excessive enrichment with plant nutrients. High biological productivity, characterized by severe blooms of algae and/or extensive areas of dense macrophyte beds. Water contact recreation may be extremely limited.

	neters	<u>Defining Range</u>
1.	Total Phosphorus	- 50 + ug/l spring and summer
2.	Total Nitrogen	-1000 + ug/l spring and summer
3		- 30 + ug/L mid-summer
-4.	- Secchi Disk Transparency -	0-1 meters mid-summer

Table 1: Parameters and Defining Ranges for Trophic State of Lakes in Connecticut			
Trophic State Based on Water Column Data	Description	Parameters	Defining Range
		Total Phosphorus	0-10 ug/l spring and summer
Oligotrophic	May be Class AA, Class A, or Class B water. Low in plant nutrients. Low biological productivity characterized by the absence of macrophyte beds. High potential for water contact recreation.	Total Nitrogen	0-200 ug/l spring and summer
		Chlorophyll-a	0-2 ug/l mid-summer
		Secchi Disk Transparency	6 + meters mid-summer
Mesotrophic	May be Class AA, Class A, or Class B water. Moderately enriched with plant nutrients. Moderate biological productivity characterized by intermittent blooms of algae and/or small areas of macrophyte beds. Good potential for water contact recreation. Good resource for wildlife populations.	Total Phosphorus	10-30 ug/l spring and summer
		Total Nitrogen	200-600 ug/l spring and summer
		Chlorophyll-a	2-15 ug/l mid-summer
		Secchi Disk Transparency	2-6 meters mid-summer
Eutrophic	May be Class AA, Class A, or Class B water. Highly enriched with plant nutrients. High biological productivity characterized by frequent-occasional blooms of algae and/or extensive areas of dense macrophyte beds. Water contact recreation opportunities may be limited. Good potential for fishing opportunities and for wildlife populations.	Total Phosphorus	30-50 ug/l spring and summer
		Total Nitrogen	600-1000 ug/l spring and summer
		Chlorophyll-a	15-30- ug/l mid-summer
		Secchi Disk Transparency	1-2 meters mid-summer
Highly Eutrophic	May be Class AA, Class A, or Class B water. Excessive enrichment with plant nutrients. High biological productivity, characterized by severe blooms of algae and/or extensive areas of dense macrophyte beds. Water contact recreation may be extremely limited.	Total Phosphorus	50 + ug/l spring and summer
		Total Nitrogen	1000 + ug/l spring and summer
		Chlorophyll-a	30 + ug/L mid-summer
		Secchi Disk Transparency	0-1 meters mid-summer

AQUATIC MACROPHYTES

Macrophytes are aquatic plants large enough to be seen without magnification. Macrophyte distribution and abundance data are reviewed in conjunction with the water column data to determine the trophic states of lakes or ponds. If macrophyte growth is very extensive (75 - 100% of water body area) and dense, the trophic state of a lake or pond is "highly eutrophic" regardless of the water column data. If macrophyte growth is extensive (30 - 75% of water body area) and dense, the trophic "when the water column indication is oligotrophic, and the trophic state is "eutrophic" when the water column indication is mesotrophic or eutrophic.

Table 2 Percent of Macrophyte (Coverage Used to Deter	ning Tranhig State of Lakes
Table 2 Tercent of Macrophyte v	coverage osca to Deteri	mile Hopfile State of Lakes

Trophic State based on water column data	% water body area of lake affected by Macrophytes	Lake Trophic State
Oligotrophic, Mesotrophic or Eutrophic	75-100%	Highly Eutrophic
Oligotrophic	30-75%	Mesotrophic
Mesotrophic or Eutrophic	30-75%	Eutrophic

Table 2 Percent of Macrophyte Coverage Used to Determine Trophic State of Lakes		
Trophic State Based on Water Column Data	% Water Body Area of Lake Affected by Macrophytes	Lake Trophic State
	<30	Oligotrophic
Oligotrophic	30-75	Mesotrophic
	>75	Highly Eutrophic
Mesotrophic	<30	Mesotrophic
	30-75	Eutrophic
	>75	Highly Eutrophic
Eutrophic	<30	Eutrophic
	30-75	Eutrophic
	>75	Highly Eutrophic

COASTAL WATERS CLASSIFICATIONS AND CRITERIA

CLASS SA DESIGNATED USES AND CRITERIA

CLASS SA

Designated Uses - These surface waters are designated for: habitat for marine fish, other aquatic life and wildlife; shellfish harvesting for direct human consumption; recreation; industrial water supply; and navigation.

Parameter	Criteria
Aesthetics	Uniformly excellent.
Dissolved oxygen	Acute: Not less than 3.0 mg/L.
	Chronic: Not less than 4.8 mg/L with cumulative periods of dissolved oxygen in the 3.0–4.8 mg/L range as detailed in Appendix C.
Sludge deposits- solid refuse floating solids oils and grease-scum	None other than of natural origin.
Color	None other than of natural origin.
Suspended and settleable solids	None other than of natural origin.
Silt or sand deposits	None other than of natural origin except as may result from normal agricultural, road maintenance, construction activity, dredging activity or the discharge of dredged or fill materials provided all reasonable controls or Best Management Practices are used in such activities and all designated uses are protected and maintained.
Turbidity	None other than of natural origin except as may result from normal agricultural, road maintenance, or construction activity, dredging activity or discharge of dredged or fill materials provided all reasonable controls and Best Management Practices are used to control turbidity and none exceeding levels necessary to protect and maintain all designated uses.
Indicator bacteria	See Appendix B
Taste and odor	As naturally occurs.
pH	6.8 8.5

Temperature	There shall be no changes from natural conditions that would impair any existing or designated uses assigned to this Class and in no case exceed a maximum daily mean of 82 °F and an hourly maximum of 83°F or raise the temperature of the receiving water more than 2F° unless it can be shown that spawning and growth of indigenous organisms will not be significantly affected.
Chemical constituents	None in concentrations or combinations which would be harmful to designated uses. Refer to Standards numbers 10, 11, 12, 13, 14, 17, and 19.
Nutrients	The loading of nutrients, principally phosphorus and nitrogen, to any surface water body shall be limited to that contributed by natural sources including that arising from existing human sources provided sufficient limitations, controls or best management practices have been implemented to protect, maintain or restore designated uses in the water body from the effects of cultural enrichment. See Appendix G for guidance on implementation of this narrative criterion.

CLASS SB DESIGNATED USES AND CRITERIA

CLASS SB

Designated Uses These waters are designated for: habitat for marine fish, other aquatic life and wildlife; commercial shellfish harvesting; recreation; industrial water supply; and navigation.

Parameter	Criteria
Aesthetics	Good to excellent.
Dissolved oxygen	Acute: Not less than 3.0 mg/L.
	Chronic: Not less that 4.8 mg/L with cumulative periods of dissolved oxygen in the 3.0 4.8 mg/L range as detailed in Appendix C.
Sludge deposits solid refuse floating solids- oils and grease-scum	None except for small amounts that may result from the discharge from a grease waste treatment facility providing appropriate treatment and none exceeding levels necessary to protect and maintain all designated uses.
Color	None resulting in obvious discoloration of the surface water outside of any designated zone of influence.
Suspended and settleable solids	None in concentrations or combinations which would impair the designated uses; none aesthetically objectionable; none which would significantly alter the physical or chemical composition of bottom sediments; none which would adversely impact organisms living in or on the bottom sediment.
Silt or sand deposits	None other than of natural origin except as may result from normal agricultural, road maintenance, construction activity, dredging activity or discharge of dredged or fill materials provided all reasonable controls or Best Management Practices are used in such activities and all designated uses are protected and maintained.
Turbidity	None other than of natural origin except as may result from normal agricultural, road maintenance, or construction activity, or discharge from a waste treatment facility providing appropriate treatment, dredging activity or discharge of dredged or fill materials provided all reasonable controls and Best Management Practices are used to control turbidity and none exceeding levels necessary to protect and maintain all designated uses.
Indicator bacteria	See Appendix B.
Taste and odor	As naturally occurs. None that would impair any uses specifically assigned to this Class.
pH	6.8 8.5

Temperature	There shall be no changes from natural conditions that would impair any existing or designated uses assigned to this Class and in no case exceed a maximum daily mean of 82 °F and an hourly maximum of 83 °F or raise the temperature of the receiving water more than 2F° unless it can be shown that spawning and growth of indigenous organisms will not be significantly affected.
Chemical constituents Nutrients	None in concentrations or combinations which would be harmful to designated uses. Refer to Standards numbers 10, 11, 12, 13, 14, 17, and 19. The loading of nutrients, principally phosphorus and nitrogen, to any surface water body shall be limited to that contributed by natural sources including that arising from existing human sources provided sufficient limitations, controls or best management practices have been implemented to protect, maintain or restore designated uses in the water body from the effects of cultural enrichment. See Appendix G for guidance on implementation of this narrative criterion.

GROUND WATER QUALITY STANDARDS

- GW1. The policy of the Department in areas that are classified as GAA, GAA, or GA is to maintain or restore all ground water in such areas to its natural quality.
- GW2. If the Commissioner determines that, with respect to a particular pollutant, restoring or maintaining natural quality at a GAA, GAAs, or GA level is not technically practicable, the Department's policy is to:
 - (A) maintain or restore quality such that the ground water is suitable for drinking and other domestic uses without treatment, and
 - (B) maintain or restore quality such that the ground water will not adversely affect surface water quality or prevent the maintenance or attainment of any designated uses of surface waters to which that ground water discharges, and
 - (C) eliminate sources of pollution to such ground water to the extent that the Commissioner determines to be technically practicable, and regulate discharges to such groundwater so as to prevent pollution.
- GW3. Ground water is deemed suitable for drinking and other domestic uses without treatment when no pollutant in such groundwater:
 - (A) exceeds a level which the Commissioner of Public Health has determined, pursuant to Section 22a-47-1 of the General Statues, creates or reasonably can be expected to create an unacceptable risk of injury to the health or safety of persons using such ground water for drinking or other personal or domestic use,
 - (B) is a carcinogen present at a concentration associated with a l-x-10⁻⁶ excess cancer risk,
 - (C) is a non-carcinogen present at a level exceeding that to which the human population, including sensitive subgroups, can be exposed on a daily basis without appreciable risk of adverse health effects during a lifetime, or
 - (D) exceeds a level which the Commissioner determines, in consultation with the Commissioner of Public Health, renders the ground water so aesthetically impaired that a person cannot reasonably be expected to consume or otherwise use it.
- GW4. The policy of the Department in areas classified as GB is:
 - (A) to eliminate or reduce in the ground water any pollutant which presents a hazard of fire, explosion, or toxic or hazardous emission to the environment or otherwise poses a threat to public safety or an unacceptable risk to public health, and
 - (B) to maintain the ground water at a quality that will not adversely affect the quality of surface waters to which such ground water discharges or

prevent the maintenance or attainment of any designated or existing uses in such surface waters, and

- (C) to maintain a quality consistent with all designated and existing uses of the ground water, including its use for drinking without treatment if such ground water has, prior to the adoption of these WQS, been utilized for, and continues to be utilized, for drinking water, and
- (D) to regulate discharges to the ground water in order to prevent further degradation of ground water quality.

GW5. The policy of the Department in areas classified as GC is:

- (A) to eliminate or reduce in the ground water any pollutant which presents a hazard of fire, explosion, or toxic or hazardous emission to the air or otherwise poses a threat to public safety or an unacceptable threat to public health, and
- (B) to maintain the ground water at a quality that will not adversely affect the quality of surface waters to which such ground water discharges or prevent the maintenance or attainment of any designated or existing uses in such surface waters, and
- (C) to limit the impacts of waste discharges on ground water quality to those which, despite the use of treatment technology, cannot be avoided and which result from a discharge which is authorized by a permit under Section 22a-430 of the General Statutes.
- GW6. With respect to ground water whose quality is actually higher than that reflected by the assigned classification, the Department's policy is that such ground water should be maintained at its existing high quality. To maintain such quality, the Commissioner may require that:
 - (A) a new, increased, or otherwise modified discharge to such ground water shall be given treatment such that, notwithstanding such classification, the actual higher quality is maintained.
 - (B) if after the adoption of these WQS there is an unpermitted release of pollutants to ground water which is classified GB but whose quality is actually GA or GAA, such groundwater shall be remediated to the standards for Class GA or GAA.
- GW7. The Commissioner may raise the ground water classification of any area if he finds that such ground water meets the standards for the higher classification.
- GW8 (A) The Commissioner may consider an application to lower a ground water Classification to GB. Such application shall be subject to the public participation requirements of Section 22a-426 of the General Statutes and shall:

- (i) describe the nature and extent and date of commencement of pollution of the ground water proposed to be reclassified,
- (ii) identify all sources of drinking water in the area whose ground water is proposed to be reclassified and identify all existing uses of ground water within and down gradient of such area,
- (iii) assess the potential of the subject area to produce ground water in an amount suitable for a public water supply,
- (iv) describe all past and present land uses in the subject area with dates, and
- (v) provide such other information the Commissioner may reasonably require to determine the most appropriate ground water classification.
- (B) A ground water classification shall not be lowered to GB unless the applicant has satisfactorily demonstrated that; any person within or down gradient of the area to be reclassified and extending to an area previously classified as GB or to a surface water body to which the groundwater discharges will be provided with an adequate public water supply, and that lowering of a ground water classification will not prevent attainment of adjacent surface water quality goals or present unacceptable health risks, and
 - that the ground water to be reclassified is polluted as a result of intense urban, commercial, or industrial development which occurred prior to 1981, and the hydrologic conditions of the subject area are not suitable for the development of a significant public water supply, or
 - the ground water proposed to be reclassified is polluted and remediation of such ground water to a quality suitable for drinking without treatment is not technically practicable, or
 - (iii) there is an overriding social or economic justification for reclassifying the ground water to GB and the proposed reclassification is supported by the affected municipality or municipalities, as affirmed, in writing, by the chief executive officer(s) of the municipality or municipalities. For the purpose of this Standard an "affected municipality" is one in which ground water classifications are to be altered, "social justification" means a specific social need of the affected municipality or the state and "economic justification" means avoidance of an economic impact that would substantially impair or otherwise detrimentally affect the economy of the community or the state. The applicant must also demonstrate that the purposes for the reclassification will not result in development that is inconsistent with the State Policies Plan for Conservation and Development as adopted pursuant to Section 16a-30 of the General Statutes.

- GW9. The Commissioner may consider an application to lower a ground water classification to GC. Any such application shall be subject to the public participation requirements of Section 22a-426 of the General Statutes and:
 - (A) Such application shall be accompanied by a completed application under Section 22a-430 of the General Statutes for a permit to discharge leachate from a solid waste land disposal facility to the subject ground water.
 - (B) A ground water classification shall not be lowered to GC unless the applicant has satisfactorily demonstrated that:
 - there is an overriding social or economic justification for reclassifying the ground water to GC and the affected municipality or municipalities have been notified of the proposed reclassification; and
 - the ground water proposed to be reclassified is not suitable for development of a significant public water supply and is suitable for waste treatment; and
 - (iii) the subject area is adjacent to and hydraulically connected with a surface water body classified B or SB; and
 - (iv) in a Section 22a-430 permit application the applicant has delineated the zone of influence (see standard GW10) of the ground water proposed to be reclassified as extending from the proposed solid waste land disposal facility to the receiving surface water body, and the applicant owns the land overlying such zone of influence, or has an easement with respect to such land which easement is properly recorded and provides protections, as described in subsection D(l) and D(2) of Standard GWI0, or otherwise controls the zone of influence to the satisfaction of the Commissioner.
- GW10. Zones of influence. The Commissioner may establish zones of influence when, in the course of permitting discharges to the ground water under Section 22a-430 of the General Statutes, he allocates ground water and soil resources for the treatment of pollutants. Within that zone of influence the Section 22a-430 permittee will be allowed to degrade the ground water such that it may not meet the standards for the assigned classification or be suitable for uses designated by these Water Quality Standards for such classification.
 - (A) For a subsurface sewage disposal system permitted under authority delegated pursuant to Section 22a 430- 1 of the Regulations of Connecticut State Agencies to the Commissioner of Health and Addiction Services, the zone of influence shall be that area required by the minimum separating distances established in Section 19- 13-B 103d of the Regulations of Connecticut State Agencies.

- (B) For discharges to ground water of treated domestic sewage other than discharges of domestic sewage identified in subparagraph GW1O(A), agricultural wastes, and storm water, the zone of influence shall be the area in which such discharge causes the ground water to be 1) altered in quality from its natural condition, or 2) lowered in quality from that which is suitable for drinking and other domestic uses without treatment. The Commissioner may require the applicant for a permit under Section 22a-430 of the General Statutes to submit for the Commissioner's approval an engineering plan showing the areal extent of any such zone of influence.
- (C) The applicant for a permit under Section 22a-430 of the General Statutes authorizing a discharge other than a discharge of treated domestic sewage, agricultural waste, or storm water shall delineate the zone of influence associated with the proposed discharge. Such zone of influence shall include all areas beneath which the ground water which is or may be affected in quality by such discharge. The Commissioner may require that such zone of influence extend to a receiving water body with a classification of B or SB.
- (D) The Commissioner may require the applicant for a permit under Section 22a-430 of the General Statutes to demonstrate that he has acquired rights to the zone of influence of the proposed discharge. Acquisition of such rights means that the applicant owns the land overlying such zone, has obtained an easement with respect to such land and has recorded such easement in the applicable Town Clerk's office, or otherwise controls such zone to the Commissioner's satisfaction. Any such easement or G other control mechanism shall: 1) provide the applicant with the exclusive right to use the ground water in such zone and such right to enter the land overlying such zone as the Commissioner deems necessary to accommodate monitoring or remediation, and 2) assure that the ground water within such zone will not be used for potable water supply.
- (E) The delineation by a Section 22a-430 permit applicant of the zone of influence of a proposed waste discharge indicates that the underlying ground water may not be suitable for human consumption or other uses. Installation of a withdrawal well in or near such a zone of influence may result in an induced flow of polluted ground water to such well. When reviewing an application to withdraw groundwater pursuant to Connecticut's Water Diversion Policy Act, General Statutes Sections 22a-365 et seq., the Commissioner considers the potential impacts on water quality attributable to induced flow of polluted water from a zone of influence associated with a waste discharge.
- GW11. The Department's classification of ground water, whether as GB, GC, or otherwise, conveys no right to degrade that ground water or to utilize less effective treatment measures than those utilized for discharges to groundwater designated for use as potable water. Domestic sewage shall be given the same treatment regardless of the classification of the groundwater to which such sewage is discharged.

- GW12. The Commissioner applies the following policies in reviewing applications under Section 22a-430 of the General Statutes to discharge waste to ground water:
 - (A) Class GAA Ground Waters: The Commissioner does not issue permits authorizing a discharge to class GAA ground water unless such discharge is of treated domestic sewage as defined in Section 22a-430-1 of the Regulations of Connecticut State Agencies, waste generated by certain agricultural practices, certain water treatment waste waters from public water supply treatment systems, or certain minor cooling waters or clean waters. If a GAA area is within an Aquifer Protection Area designated in accordance with Section 22a-354 of the General Statutes, the Commissioner does not issue permits authorizing a groundwater discharge that conflicts with anyregulation adopted pursuant to Section 22a-354(i) of the General Statutes
 - (B) Class GAAs Ground Waters: The Commissioner does not issue permits authorizing a discharge to class GAA ground water unless such discharge is of treated domestic sewage as defined in Section 22a-430-1 of the Regulations of Connecticut State Agencies, waste generated by certain agricultural practices, certain water treatment waste waters from public water supply treatment systems, or certain minor cooling waters or clean waters. If a GAAs area is within an Aquifer Protection Area designated in accordance with Section 22a-354 of the General Statutes, the Commissioner does not issue permits authorizing a groundwater discharge that conflicts with any regulation adopted pursuant to Section 22a 354(i) of the General Statutes.
 - (C) Class GA Ground Waters: The Commissioner does not issue permits authorizing a discharge to class GA ground water unless such discharge is allowed under subparagraph (A) of this standard or is a Discharge from a septage treatment system or of other wastes that are predominantly human, plant, or animal in origin so long as any such wastes are of natural origin, easily biodegradable and, if properly managed, pose no threat of pollution to the ground water. The ground water plume generated by a discharge of septage treatment system must terminate in a stream with classification of B or SB unless the permittee treats the discharge in a manner which the Commissioner determines is adequate to maintain class A water in the receiving stream.
 - (D) Class GB Ground Waters: The Commissioner may issue permits authorizing a waste discharge to class GB ground water if such discharge would be allowable in a GA area under subparagraph (C) of this standard or if such discharge meets all of the following criteria:
 - the Commissioner has determined that such waste is generated by a source which is unlikely to produce persistent pollutants or pollutants that do not biodegrade in soil.

- (ii) the waste will be treated as necessary to render it amenable to attenuation by the receiving soil so that the groundwater will not be impaired.
- (iii) such discharge otherwise conforms with all applicable legal requirements and standards.
- (E) Class GC Ground Waters: The Commissioner may issue permits authorizing a discharge to class GC ground water of any material, provided such discharge otherwise conforms with all applicable legal requirements and standards.
- GW13. The Commissioner may issue a permit authorizing a discharge of material to ground water, even if such discharge would be inconsistent with subparagraph (A), (B), (C), or (D) of Standard GW12, provided such discharge otherwise conforms with all applicable legal requirements and standards, is necessary to remediate groundwater pollution, and is treated or managed such that, to the maximum extent practicable, the discharge does not impair public health or the environment.

GROUND WATER CLASSIFICATIONS AND CRITERIA

CLASS GAA DESIGNATED USES AND CRITERIA

CLASS GAA

Designated Uses:	Existing or potential public supply of water suitable for drinking
	without treatment; baseflow for hydraulically-connected surface
	water bodies.

GAA Criteria

Parameter

Criterion

- 1. Dissolved Oxygen
- 2. Oils and grease
- 3. Color and turbidity
- 4. Coliform bacteria
- 5. Taste and odor
- 6. pH
- 7. Chemical constituents

As naturally occurs. None other than of natural origin. As naturally occurs. As naturally occurs.

Sub-Classifications of Class GAA

GAA Ground water used or which may be used for public supplies of water suitable for drinking without treatment; ground water in the area that contributes to a public drinking water supply well; and ground water in areas that have been designated as a future water supply in an individual water utility supply plan or in the Area wide Supplement prepared by a Water Utility Coordinating Committee pursuant to Title 25 of the General Statutes.

<u>GAA</u>_s Ground water that is tributary to a public water supply reservoir.

CLASS GA DESIGNATED USES AND CRITERIA

CLASS GA

Designated Uses: Existing private and potential public or private supplies of water suitable for drinking without treatment; baseflow for hydraulically-connected surface water bodies.

GA Criteria

Parameter

Criterion

As naturally occurs.

As naturally occurs

As naturally occurs.

None other than of natural origin.

None other than of natural origin.

None other than of natural origin. None other than of natural origin.

- 1. Dissolved oxygen
- 2. Oils and grease
- 3. Color and turbidity
- 4 Coliform bacteria
- 5. Taste and odor
- 6. pH
- 7. Chemical constituents

Classifications

<u>GA</u>

Ground water within the area of existing private water supply wells or an area with the potential to provide water to public or private water supply wells. The Department presumes that ground water in such an area is, at a minimum, suitable for drinking or other domestic uses without treatment.

CLASS GB DESIGNATED USES AND CRITERIA

CLASS GB

Designated Uses: Industrial process water and cooling waters; baseflow for hydraulically-connected surface water bodies; presumed not suitable for human consumption without treatment.

GB CRITERIACriteria

Ground waters of this class are assumed by the Department to be degraded due to a variety of pollution sources. No specific groundwater quality criteria apply except those that may be promulgated as part of the Site Remediation Regulations required by Section 22a-133k of the General Statutes

Classifications

GB

Ground water within a historically highly urbanized area or an area of intense industrial activity and where public water supply service is available. Such ground water may not be suitable for human consumption without treatment due to waste discharges, spills or leaks of chemicals or land use impacts.

CLASS GC DESIGNATED USES AND CRITERIA

CLASS GC

Designated Uses: Assimilation of discharges authorized by the Commissioner pursuant to Section 22a-430 of the General Statutes.

GC CRITERIA

No quantitative criteria are specifically determined until such time as a person applies to the Department under Section 22a-430 of the General Statutes to discharge leachate to ground water. The most important consideration in making a determination to classify ground water as GC is the impact of any authorized ground water discharges on adjacent surface waters.

Classifications

GC

Ground water to which the Commissioner has authorized a discharge under Section 22a-430 of the General Statutes. In the course of applying for Section 22a-430 authorization, the permittee performed all necessary hydrogeologic studies, secured legal rights to all affected ground waters, and complied with all other requirements of Connecticut's Water Quality Standards and any other applicable law. Ground waters classified as GC are not suitable for development of public supplies of potable water.

APPENDICES

APPENDIX A: DEFINITIONS

The following definitions are provides in support of the provisions of the Water Quality Standards and are intended to provide additional clarification of terms used within the Water Quality Standards.

Acute Toxicity

means adverse effect such as mortality or debilitation caused by a brief exposure to a toxic substance.

Aesthetics

means the appearance, odor or other characteristics of a surface water which impact human senses and enjoyment of such surface water.

Anti-degradation Antidegradation Policy

means a statement of practice required by federal law which protects existing uses and prohibits a state from lowering high quality surface water quality in order to accommodate activities which impact a particular surface water unless a lowering of surface water quality is determined, following intergovernmental coordination and public participation, to be necessary to accommodate important economic or social development in the area where the water is located.Surface Water Quality Standards two through five in the Connecticut WQSWater Quality Standards.

Arithmetic Mean

means the number, calculated by dividing the sum of all values by the number of values to be averaged.

Atmospheric Deposition

means the delivery of airborne substances of both natural and human origin to land and water surfaces which can be deposited with or without rainfall.

Benthic

means associated with the bottom of a surface water body.

Benthic Macroinvertebrates

means animals which are large enough to be seen by the unaided eye and which can be retained by a U. S. standard No. 30 sieve (28 meshes per inch, 0.595 mm openings), and which live at least part of their life cycle within or upon submerged substrates in a body of water. These animals usually consist of the aquatic life stages of various insects and arthropods, mollusks, leeches and worms.

Best Management Practices

means those practices which reduce pollution and which have been determined by the Commissioner to be acceptable based on, but not limited to, technical, economic and institutional feasibility.

Bioaccumulation

means the uptake and retention of substances by an organism from its surrounding medium and/or from food.

Bioconcentration

means the uptake and retention of substances by an organism from its surrounding medium.

Biological Condition Gradient Model

means a descriptive model that describes how ecological attributes change in response to increasing levels of stressors.

Biological Integrity

means the ability of an aquatic ecosystem to support and maintain a balanced, integrated, adaptive community of organisms having a species composition, diversity, and functional organization comparable to that of the natural habitats of a region.

Biotic Community (Aquatic)

means a community or group of interacting organisms in a given water body, such as benthic macroinvertebrate and fish assemblages.

Biotic Community Structure

means the taxonomic composition of the biotic community typically including reference to the number of organisms present and their ecological function.

Chronic Toxicity

means an adverse effect, such as reduced reproductive success or growth or poor survival of sensitive life stages occurring as a result of exposure to a substance for a period of time related to the life span of an organism and usually longer than that which causes acute toxicity.

Classification

means the designation of the proposed uses of surface and ground waters with alphabetic characters. Classification does not signify existing water quality. Where classifications appear as alphabetic characters separated by a diagonal line, the first classification indicates known or presumed existing water quality and the second classification indicates the goal for the subject water.

Clean Water

means water which in the judgment of the Commissioner is of a quality substantially similar to that occurring naturally in the receiving stream under consideration. Clean water may include minor cooling waters, residential swimming pool water, and stormwater.

Coastal Waters

means as defined by Section 22a-93 of the Connecticut General Statutes and means those waters of Long Island Sound and its harbors, embayments, tidal rivers, streams and creeks, which contain a salinity concentration of at least five hundred parts per million under the low flow stream conditions as established by the Commissioner.

Commissioner

means the Commissioner of Environmental Protection or his-the Commissioner's designated agent as set forth in Section 22a-423 of the Connecticut General Statutes.

Criteria

means components of these Water Quality Standards, expressed in chemical, physical, or biological parameters and their concentrations, mass loading or levels, or by narrative statements, representing a quality of water that supports a particular use.

Cultural Enrichment

means the addition of excess nutrient input into surface waters from human sources in combination with other habitat factors that may cause high biological productivity, characterized by severe blooms of algae and/or extensive areas of dense macrophyte beds.

Department

means the Connecticut Department of Environmental Protection.

Designated Use

means those uses specified in these Water Quality Standards for each surface water (or ground water)-classification, whether or not they are being attained.

Discharge

means as set forth in Sec. 22a-423 of the Connecticut General Statutes.

Discharge Toxicity Evaluation

means a structured scientific analysis of the toxicity and discharge rate of effluent relative to available dilution in the receiving surface water which is prepared as described in the Department's guidance document, <u>Guidelines for Preparation of Discharge Toxicity</u> <u>Evaluations.</u>

Domestic Sewage

means waste-water which consists of water and human excretions or other waterborne wastes incidental to the occupancy of a residential building or a non-residential building but not including manufacturing process water, cooling water, wastewater from water softening equipment, commercial laundry wastewater, blowdown from heating or cooling equipment, water from cellar or floor drains or surface water from roofs, paved surfaces, or yard drains.

Dredging Activity

means the excavation, removal or redistribution of sediment from surface waters.

Dredged Material

means sediment that is excavated or dredged from surface waters.

Dredged Material Disposal Area

means an area which has been approved by the Commissioner for disposal of dredged material, including but not limited to federally designated dredged material disposal areas in Long Island Sound.

Ecosystem Function

means the physical, chemical and biological processes that operate within an ecosystem and are essential for the continuing existence of the ecosystem.

Effluent

means treated waste process waters or cooling waters discharged from a waste treatment or manufacturing facility.

Endangered Species

means species listed by CTDEP pursuant to Chapter 495 of the Connecticut General Statute as endangered species. Known locations of endangered species, are identified on maps entitled "State and Federal Listed Species and Significant Natural Communities", as amended. These maps are available at city or town clerk offices and in the CTDEP File Room located on the store level of 79 Elm Street, Hartford.

Existing uses

means those uses actually attained in a water body on or after November 28, 1975, whether or not they are included in water quality standards as defined in Federal Water Quality Standards Regulation (40 CFR Part 131.3).

Fill material

means any material deposited or placed which has the effect of raising the level of the ground surface, whether such surface is above, at, or below the water table, or to replace surface waters with dry land. This term includes, but is not limited to consolidated material such as concrete and brick and unconsolidated material such as sand, gravel and stone.

Functional Feeding Group

means a category of benthic macroinvertebrates based on similarities in feeding mechanisms.

Geometric Mean

means a measure of central tendency calculated by determining the anti-log of the mean of the logarithms of the values to be averaged.

Ground Waters

means waters flowing through earth materials beneath the ground surface.

Ground Water of Natural Quality

means ground water which is free from pollution by solid waste, wastewater discharges, chemical spills or leaks, pesticides or other anthropogenic sources of water pollution other than acid rain.

High Quality Waters

means surface waters where the water quality is better than necessary to meet the minimum criteria established in these Water Quality Standards for the applicable classification and related designated uses. Factors that may be given consideration when identifying High Quality Waters include but are not limited to the current bBiological cCondition-Gradient, fisheries resources and recreational uses.

Indicator

means a metric or combination of metrics which provides a measure or estimate of the physical, chemical or biological condition.

Indicator bacteria

means a species or group of microbes which are used to conduct microbiological examinations of water in order to determine its sanitary quality and provide evidence of recent fecal contamination from warm blooded animals or birds.

Indigenous

means animal or plant life which naturally occurs in a particular geographic region.

Invertebrates

means animals lacking a backbone.

Lentic

means non flowing surface water such as lakes and ponds.

Lotic

means flowing surface water such as streams or rivers.

Marine Sanitation Device or MSD

means a device installed or used on watercraft for the collection, treatment or disposal of human wastes.

Most Sensitive Use

means the designated use (drinking, swimming, boating, fish and aquatic life propagation, irrigation etc.) which is most susceptible to degradation by a specific pollutant.

Moving Average

means the mean of consecutive values in a time series of a specified duration. For example, a 12 month moving average is calculated by averaging the monthly values for a parameter for the most recent 12 consecutive months; thus as time progresses and more new values are available, old values are dropped resulting in an average value which is always based on the 12 most recent consecutive monthly values.

Native

means indigenous to an area.

Natural

means the biological, chemical and physical conditions and communities that occur within the environment which are unaffected or minimally affected by human influences.

Nearshore

means coastal waters of Long Island Sound that are generally less than 5 meters in depth at mean low water and include embayments and harbors.

Non-point source

means any unconfined and diffuse source of pollution such as stormwater or snowmelt runoff, atmospheric deposition, or groundwater not conveyed to a surface water discharge point within a discrete conveyance.

Offshore

means coastal waters of Long Island Sound that are greater than 5 meters in depth at mean low water.

Outstanding National Resource Waters

means High Quality Waters within national and state parks and wildlife refuges and waters of exceptional recreation or ecological significance, such as water bodies that are important, unique or sensitive ecologically.

Point source

means any discernible, confined and discrete conveyance, including but not limited to any pipe, ditch, channel, tunnel, conduit, well, discrete fissure, container, rolling stock, concentrated animal feeding operation, landfill leachate collection system, or vessel or other floating craft, from which pollutants are or may be discharged.

Pycnocline

means a steep density gradient in an estuary caused by differences in temperature or salinity between the bottom and surface layers of water that limits mixing of the two layers.

Recreational use

means active or passive water-related leisure activities such as fishing, swimming, boating, and aesthetic appreciation.

Sanitary Survey

means an investigation of a particular geographic area to determine if unlawful or inadequately treated discharges of sewage or other sources of indicator bacteria are present.

Sediments

means any natural or artificial materials which constitute all or part of the banks, bed or bottom of an intermittent or perennial surface water.

Sensitive-rare taxa

means taxonomic groups of organisms that are sensitive to pollution and occur in low numbers in natural aquatic communities.

Sensitive-ubiquitous taxa

means taxonomic groups of organisms that are sensitive to pollution and are typically common and abundant in natural aquatic communities.

Sewage

means as defined in Sec. 22a-423 of the General Statutes and means "human and animal excretions and all domestic and such manufacturing wastes as may tend to be detrimental to the public health.

Significant Natural Communities

means species listed by CTDEP pursuant to Chapter 495 of the Connecticut General Statute as threatened or endangered species or species of special concern. Known locations of threatened and endangered species and species of special concern, and significant natural communities are identified on maps entitled "State and Federal Listed Species and Significant Natural Communities", as amended. These maps are available at city or town clerk offices and in the CTDEP File Room located on the store level of 79 Elm Street, Hartford.

Special Concern Species

means species listed by CTDEP pursuant to Chapter 495 of the Connecticut General Statute as species of special concern. Known locations of species of special concern are identified on maps entitled "State and Federal Listed Species and Significant Natural Communities", as amended. These maps are available at city or town clerk offices and in the CTDEP File Room located on the store level of 79 Elm Street, Hartford.

Special Aquatic Sites

means wetlands (inland and salt marsh), mud flats, vegetated shallows (permanently inundated areas that support rooted aquatic vegetation such as eel grass, celery grass, tape grass), coral reefs, and riffle and pool complexes. [Refer to 40 CFR Part 230 Subpart E]

Special Wetlands

means vernal pools, bogs, fens, cedar swamps, spruce swamps, calcareous seepage swamps, and wetlands which provide habitat for threatened or endangered species or species of special concern as designated by the State of Connecticut Natural Diversity Database. The following definitions for bogs, calcareous seepage wetlands, cedar swamps, fens, spruce swamps, and vernal pools are relevant:

Bog: a peat accumulating wetland dominated by sphagnum moss.

<u>Calcareous</u> <u>Seepage</u> <u>Swamp</u>: a forested wetland characterized by the discharge of groundwater with a chemistry influenced by the underlying limestone geology.</u>

<u>Cedar Swamp</u>: a forested wetland characterized by the presence of Northern White Cedar or Atlantic White Cedar.

Fen: a peat accumulating wetland dominated by sedges and/or ericaceous shrubs.

Spruce Swamp: a forested wetland characterized by the presence of Red or Black Spruce.

<u>Vernal Pool</u>: an often temporary body of water occurring in a shallow depression of natural or human origin that fills during spring rains and snow melt and typically dries up during summer months. Vernal pools support populations of species specially adapted to reproducing in these habitats. Such species may include wood frogs, mole salamanders (*Ambystoma* sp.), fairy shrimp, fingernail clams, and other amphibians, reptiles and invertebrates. Vernal pools lack breeding populations of fish.

Streamflow Regulation

means control of the rate of stream flow by means of dams, withdrawals, or diversions of water.

Surface Water

means the waters of Long Island Sound, its harbors, embayments, tidal wetlands and creeks; rivers and streams, brooks, waterways, lakes, ponds, marshes, swamps, bogs, federal jurisdictional wetlands, and other natural or artificial, public or private, vernal or intermittent

bodies of water, waters as defined under section 22a-367 and 22a-423 of the Connecticut General Statutes, waters of the United States as defined under 33 CFR Part 328, and wetlands as defined under sections 22a-28 of the Connecticut General Statutes, including vernal or intermittent bodies of water, but excluding groundwater.

Taxon (pl. Taxa)

means a biological classification category, usually the most specific division attainable in taxonomy.

Technically Practicable

means with respect to ground water remediation, the greatest degree of remediation that can be achieved using sound engineering and hydrogeologic practices.

Technology - Based Treatment

means a level and type of treatment required by Section 301(b) and 304(b) of the Federal Clean Water Act, which is based on the particular manufacturing process used and type of waste generated.

Threatened Species, Endangered or Special Concern Species; Significant Natural Communities

means species listed by CT-DEP pursuant to Chapter 495 of the Connecticut General Statute as threatened or endangered species or species of special concern. Known locations of threatened species and endangered species and species of special concern, and significant natural communities are identified on maps entitled "State and Federal Listed Species and Significant Natural Communities", as amended. These maps are available at city or town clerk offices and in the CT-DEP File Room located on the store level of 79 Elm Street, Hartford.

Tolerant Taxa

means taxonomic groups of organisms that are resistant to a variety of pollution or habitat stressors. Typically, tolerant taxa are the last survivors in severely polluted waters.

Toxic Substance

means any substance which can adversely affect the survival, growth or reproduction of fish, other forms of aquatic life, other wildlife or humans exposed thereto either by direct contact or through consumption.

Trophic State

means the state of enrichment of surface waters with plant nutrients level of biological productivity or amount of biomass within a water body at the time of measurement.

Use Attainability Analysis

means a structured scientific assessment of the physical, chemical, biological, and economic factors affecting the ability of a surface water to achieve and support uses as described in federal regulation at 40 CFR 131.10.

Water Quality

means the physical, chemical and biological characteristics of surface or ground waters.

Wetlands

means wetlands as defined under sections 22a-28 and 22a-38 of the General Statutes and or as defined under the 1987 Corps of Engineers Wetland Delineation Manual, as amended.

Zone of Influence

means an area or volume of surface water or ground water within which some degradation of water quality or inconsistency with water quality criteria is anticipated as a result of a pollutant discharge. The term zone of influence may be used to describe an area impacted by thermal, conventional, or toxic pollutants and allocated in accordance with Water Quality Standard 10 for assimilation of such pollutants.

Zone of Passage

means an area or volume of flow in surface water within which pollutants, including temperature will not impede or prohibit the passage of free swimming or drifting aquatic organisms.

7Q10 or Seven-Day, Ten Year Low Flow

means the lowest seven consecutive-day mean stream flow with a recurrence interval of ten years.

APPENDIX B: WATER QUALITY CRITERIA FOR BACTERIAL INDICATORS OF SANITARY QUALITY SEE ALSO STANDARDS # 23 AND 25

DESIGNATED USE	CLASS	INDICATOR	CRITERIA
Freshwater Drinking Water Supply (1)			
Existing / Proposed	AA	Total coliform	Monthly Moving Average less than 100/100ml Single Sample Maximum 500/100ml
Potential	А		
Recreation (2)(3)			
Designated Swimming (4)	AA, A, B	Escherichia coli	Geometric Mean less than 126/100ml Single Sample Maximum 235/100ml
Non-designated Swimming (5)	AA, A, B	Escherichia coli	Geometric Mean less than 126/100ml Single Sample Maximum 410/100ml
All Other Recreational Uses	AA, A, B	Escherichia coli	Geometric Mean less than 126/100ml Single Sample Maximum 576/100ml
Saltwater			
Shellfishing (6)			
Direct ConsumptionHarvest in Approved a	nd SA	Fecal coliform	Geometric Mean less than 14/100ml
Conitionally Approved Areas for recreation and commercial use as determined by the			90% of Samples less than 31/100ml
Department of Agriculture, Bureau of Aqu	aculture		
Harvest by licensed operations for indirect	SB	Fecal coliform	Geometric Mean less than 88/100ml
Consumption as determined by the Department of Agriculture, Bureau of Aqu	aculture		90% of Samples less than 260/100ml
Recreation			
Designated Swimming (4)	SA, SB	Enterococci	Geometric Mean less than 35/100ml Single Sample Maximum 104/100ml
All Other Recreational Uses	SA, SB	Enterococci	Geometric Mean less than 35/100ml Single Sample Maximum 500/100ml

Table Notes: (1) Criteria applies only at the drinking water supply intake structure.

- (2) Criteria for the protection of recreational uses in Class B waters do not apply when disinfection of sewage treatment plant effluents is not required consistent with Standard 23.
- (3) See Standard # 25.
- (4) Procedures for monitoring and closure of bathing areas by State and Local Health Authorities are specified in: <u>Guidelines for Monitoring Bathing Waters</u> <u>and Closure Protocol</u>, adopted jointly by the Department of Environmental Protection and the Department of Public Health, May 1989, revised June 1992April 2003 and updated December 2008.
- (5) Includes areas otherwise suitable for swimming but which have not been designated by State or Local authorities as bathing areas, waters which support tubing, water skiing, or other recreational activities where full body contact is likely.
- (6) Criteria are based on utilizing the mTec method as specified in the U.S. Food and Drug Administration National Shellfish Sanitation Program-Model Ordinance (NSSP-MO) document *Guide for the Control of Molluscan Shellfish 2007*.

Guidelines for Use of Indicator Bacteria Criteria

Water Quality Classifications are reviewed approximately every three years at which time all available water quality monitoring data is considered along with other relevant information. Relevant information includes but is not limited to federal guidance concerning the scientific basis for deriving the criteria and the potential health risks associated with excursions above the criteria, recommended implementation procedures, and the results of sanitary surveys or other investigations into sources of indicator bacteria in the watershed. Public input is also solicited and considered in determining the existing water quality conditions and water quality goals. Nevertheless, the Water Quality Classification may not be an accurate representation of current water quality conditions at any particular site. identify the designated uses for a waterbody. The classification does not provide information on current water quality or quality of the shellfishing resources. For this reason, the Water Quality Classification should not be considered as a certification of quality by the State or an approval to engage in certain activities such as swimming or shellfish harvest

For further information on the water quality within surface waters in Connecticut, please consult the most recent *Integrated Water Quality Report* prepared by CTDEP and published on the Department's website or available by contacting the Planning & Standards Division of the Bureau of Water Protection and Land Reuse at the Connecticut Department of Environmental Protection, 79 Elm Street, Hartford, CT 06106. For more current information on the quality of the shellfishing resources, please contact the Department of Agriculture, Bureau of Aquaculture, P.O. Box 97, Milford, CT 06460.

APPENDIX C: DISSOLVED OXYGEN (DO) CRITERIA FOR COASTAL-CLASS SA AND SB WATERS

Background: Coastal DO-Dissolved oxygen criteria for Class SA and SB waters are based on the Environmental Protection Agency's *Ambient Water Quality Criteria for Dissolved Oxygen (Saltwater)*: *Cape Cod to Cape Hatteras*, noticed November 30, 2000 in the Federal Register (65(231):71317-71321).

Area Affected: DO criteria apply to all Class SA and SB waters.

l

Cumulative DO exposure parameters: DO conditions in the area affected do not readily lend themselves to a single numeric criterion-as is often done with toxic contaminants. Aquatic organisms are harmed based on a combination of minimum oxygen concentration and duration of the low DO excursion. Based on EPA's guidance, a DO concentration of 4.8 mg/l would meet the chronic criteria for growth and protect estuarine marine organisms in LIS-regardless of duration. If oxygen fell within a 0.5 mg/l incremental range below 4.8 mg/l (*e.g.*, between 4.3 and 4.8 mg/l), a duration of 21 days or less would meet resource protection goals. Connecticut DEP established similar exposure allowances based upon EPA research and data, for 0.5 mg/l and 0.3 mg/l increment ranges (see Table 1). The minimum DO level that can occur, according to the EPA DO criteria document (i.e. the level below which there would be no exposure period consistent with resource protection) is 2.3 mg/l. Given the environmental variability, Connecticut DEP has used a more protective minimum DO criterion of 3.0 mg/l with an exposure allowance of no more than 2 days.

Table 1. Dissolved Oxygen Chronic Cumulative Exposure Criteria for 0.5 mg/l (three)and 0.3 mg/l (one) incremental ranges (0.5 mg/l and 0.3 mg/l) applicable to waters ofLong Island Sound and throughout the water column.Class SA and SB waters.					
DO Range	DO Range (mg/l)				
		Allowed			
<4.8	≥ 4.5	30			
<4.5	\geq 4.0	14			
<4.0	7				
<3.5	\geq 3.0	2			

Because estuarine-marine systems are variable, DO levels are unlikely to remain within one of the four incremental ranges presented in Table 1. Typically, DO conditions would fall through a range to a minimum and then begin to rebound depending on weather and stratification conditions. To account for this, the number of days within each incremental DO range is pro-rated, as follows. A decimal fraction is calculated for each range, *e.g.*, 10.5 days in the 4.5-4.8 mg/l range would produce a decimal fraction of 0.35(10.5 days/ 30 days). As long as the sum of those fractions calculated for each range is less than 1.0, resource protection goals are maintained for larval recruitment.

In cases where data collection yields continuous DO readings or more frequent sampling results, the data can be interpreted using a 0.1 mg/l interval range. The number of allowable days is determined using the following method:

 $DOi = 13.0 / (2.80 + 1.84e^{-0.10t})$

where:

DOi = allowable DO concentration (mg/l) t_i = exposure interval duration in days i = exposure interval

However, since most sampling programs do not result in frequent readings, a greater interval (presented in Table 1) is recommended. Use of a larger interval results in a larger sum of fractions and is subsequently, a more conservative measure of consistency with the WQS.

For information regarding interpretation of dissolved oxygen criteria to determine compliance, refer to the most recent edition of the *Connecticut Consolidated Assessment and Listing Methodology* included in the *Integrated Water Quality Report to Congress* available on the Connecticut Department of Environmental Protection website or by contacting the Connecticut Department of Environmental Protection, Planning & Standards Division, Bureau of Water Protection and Land Reuse, 79 Elm Street, Hartford CT 06106.

APPENDIX D: NUMERICAL WATER QUALITY CRITERIA FOR CHEMICAL CONSTITUENTS

		CIDEII	roposed Revision	ber 22, 2009 Ja		inty Standarus		
		Num	erical Water Quality	Criteria for Chem		ug/L) ¹		
				Criteria ⁽²⁾⁽³⁾			uman health Criteria	
			Freshwater: Class AA, A & B		water SA & SB	Class B, SA & SB Waters	Class AA & A Waters	
Chemical Constituents	CASRN	Acute ⁴	Chronic ⁵	Acute ⁴	Chronic ⁵	Consumption of Fish	Consumption of Water & Fish	Health Designation ⁶
Inorganics ⁷								
Antimony	7440360					4300 640	6 5.6	TT
Arsenic (total ri)	7440382	340	150	69	36	0.021	0.011	А
Beryllium	7440417					0.31	0.0077	TT
Cadmium	7440439	2.02 1.0	1.35 0.125	42 40	9.3 8.8	10,769	5	TT
Chromium (hex)	18540299	16	11	1,100	50	2,019	100	TT
Chromium (tri)	16065831	323	42			1,009,615	100	TT
Copper	7440508	14.3 ⁸	4.89	4.8	3.1		1,300	TT
Copper (site-specific) ¹⁰	7440508	25.7	18.1				1,300	TT
Cyanide (Total)	57125	22	5.20	1	1	220,000 140	200 140	TT
Lead	7439921	30	1.2	210	8.1		15	TT
Mercury (Total)	7439976	1.4	0.77	1.8	0.94	0.051	0.050	TT-HB
Nickel	7440020	260.5	28.9	74	8.2	4,600	610	TT
Selenium (Total)	7782492	20	5	290	71	1,100 4,200	50	TT
Silver	7440224	1.02		1.96 1.9		107,692	175	TT
Thallium	7440280					6.3 0.47	1.7 0.24	TT
Zinc	7440666	65	65	90	81	68,740 26,000	9,100 7,400	TT
				Volatiles				
Acrolein	107028	3	3			780 9	320 6	TT
Acrylonitrile	107131					0.66 0.25	0.059 0.051	С
Benzene	71432					7151	1.2	А

		Num	erical Water Quality	Criteria for Chem	ical Constituents (
	1		Aquatic Life				uman health Criteria	
		Freshwater: Class AA, A & B			water SA & SB	Class B, SA & SB Waters	Class AA & A Waters	
Chemical Constituents	CASRN	Acute ⁴	Chronic ⁵	Acute ⁴	Chronic ⁵	Consumption of Fish	Consumption of Water & Fish	Health Designation ⁶
Bromoform	75252					360 140	4.3	С
Carbon Tetrachloride	56235					4.41.6	0.25 0.23	С
Chlorobenzene	108907					21,000 1,600	100	TT
Chlorodibromomethane	124481					34 13	0.41 0.40	С
Chloroethane	75003							
2-Chloroethylvinyl Ether	110758							
Chloroform	67663					470	5.7	С
Dichlorobromomethane	75274					46 17	0.56 0.55	С
1,1 Dichloroethane	75343							
1,2 [†] Dichloroethane	107062					99 37	0.38	С
1,1-Dichloroethylene	75354					3.2	0.057	С
1,2T-Dichloroethylene	156605					140,000 10,000	100	TT
1,2 [†] Dichloropropane	78875					39 15	0.52 0.50	TT
1,3 [†] Dichloropropylene	542756					1,700 21	10 0.34	TT
Ethylbenzene	100414					29,000 2,100	530	TT
Methyl Bromide	74839					4,0001,500	48 47	TT
Methyl Chloride	74873					470	5.7	TT
Methylene Chloride	75092					1,600 590	4.74.6	С
1,1,2,2,-Tetrachloroethane	79345					114.0	0.17	C-HB
Tetrachloroethylene	127184					8.85 3.3	0.8 0.69	TT
Toluene	108883					200,00 15,000	1,000	ТТ

				er 22, 2009 Ja	nuary 2011	•		
		Nume	rical Water Quality		ical Constituents (u		uman health Criteria	
			Aquatic Life					
	Freshwater:			water	Class B, SA & SB	Class AA & A		
~		Class AA			A & SB	Waters	Waters	
Chemical Constituents	CASRN	Acute ⁴	Chronic ⁵	Acute ⁴	Chronic ⁵	Consumption of Fish	Consumption of Water & Fish	Health Designation ⁶
1,1,1,-Trichloroethane	71556							
1,1,2-Trichloroethane	79005					42 16	0.6 0.59	С
Trichloroethlyene	79016					81 30	2.7 2.5	С
Vinyl Chloride	75014					525 2.4	2 0.025	С
			GC/N	MS: Acid Compou	inds		11	
2-Chlorophenol	95578					400 150	120 81	TT
2,4-Dichlorophenol	120832					790 290	93 77	TT
2,4-Dimethylphenol	105679					850	380	TT
3-Methyl-4-chlorophenol	59507							
2-Methyl-4,6- Dinitrophenol	534521					765 280	13.4 13	TT
2,4-Dinitrophenol	51285					1,400 5,300	70 69	TT
2-Nitrophenol	88755							
4-Nitrophenol	100027							
Pentachlorophenol	87865	19	15	13	7.9	8.2 3.0	0.28 0.27	C-HB
Phenol	108952					4,600,00860,000	21,000 10,000	TT
2,4,6-Trichlorophenol	88062					6.5 2.4	2.1 1.4	C-HB
Base Neutral Compounds	-1 I	1						
Acenaphthene	83329					6.1	2.7	TT-HB
Acenapthylene	208968					49.2	4.37	C-HB
Anthracene	120127					4.92	0.44	C-HB
Benzidene	92875					0.00540.00020	0.00012 0.000086	А

		Num	erical Water Quality	Criteria for Chem	ical Constituents (\lg/L) ¹		
			Aquatic Life			uman health Criteria		
		Freshwater: Class AA, A & B			water SA & SB	Class B, SA & SB Waters	Class AA & A Waters	
Chemical Constituents	CASRN	Acute ⁴	Chronic ⁵	Acute ⁴	Chronic ⁵	Consumption of Fish	Consumption of Water & Fish	Health Designation ⁶
Benzo(a)anthracene	56553					0.49 0.018	0.044 0.0038	C-HB
Benzo(a)pyrene	50328					0.049 0.018	0.0044 0.0038	C-HB
Benzo(b)fluoranthene	205992					0.49 0.018	0.044 0.0038	C-HB
Benzo(ghi)perylene	191242					4.92	0.44	C-HB
Benzo(k)fluoranthene	207089					0.49 0.018	0.044 0.0038	C-HB
Bis(2- chloroethoxy)Methane	111911							
Bis(2-Chloroethyl)Ether	111444					1.4 0.53	0.031 0.030	С
Bis(2- Chloroisopropyl)Ether	108601					170,000 65,000	1,400	TT
Bis(2-Ethylhexyl)Phthalate	117817					529 2.2	1.8 1.2	C-HB
4-Bromophenylether	101553							
Butyl Benzyl Phthalate	85687					5,200 1,900	3,000 1,500	TT-HB
2-Ghloronapthylene	91587					4,300 1,600	1,700 1,000	TT-HB
4-Chlorophenylphenylether	7005723							
Chrysene	218019					4 .92 0.018	0.44 0.0038	C-HB
Dibenzo(a,h)anthracene	53703					0.010	0.0009	C-HB
1,2 [†] Dichlorobenzene	95501					17,000 1,300	2,700 420	TT-HB
1,3 [†] Dichlorobenzene	541731					2,600 960	4 00 320	TT-HB
1,4†Dichlorobenzene	106467					2,600 190	400 63	TT-HB
3,3]-Dibenzidenes	91941					0.077 0.028	0.04 0.021	C-HB
Diethyl Phthalate	84662					120,000 44,000	23,000 17,000	TT
Dimethyl Phthalate	131113					2.900,000 1,100,000	313,000 270,000	TT

				per 22, 2009 Ja		<u>a</u> >1		1
		Nume	rical Water Quality	Criteria for Chem	ical Constituents (u		uman health Criteria	
		Freshv	Criteria ⁽²⁾⁽³⁾	water	Class B, SA & SB			
		Class AA			SA & SB	Waters	Class AA & A Waters	
Chemical Constituents	CASRN	Acute ⁴	$\frac{1}{\text{Chronic}^5}$	Acute ⁴	Chronic ⁵	Consumption of	Consumption of	Health
						Fish	Water & Fish	Designation ⁶
Di-n-butyl Phthlate	84742					12,000 4,500	2,700 2,000	TT-HB
Di-n-octyl Phthalate ester	117840							
2,4-Dinitrotoluene	121142					9.1 3.4	0.11	С
2,6-Dinitrotoluene	606202							
Di-n-ocytyl phthalate	117840							
1,2-Diphenylhydrazine	122667					0.540.20	0.04 0.036	С
Fluoranthene	206440					1.28	1.01	C-HB
Fluorene	86737					49.2	4.37	C-HB
Hexachlorobenzene	118741					0.000770.00029	0.00075 0.00028	C-HB
Hexachlorobutadiene	87683					50 18	0.44	C-HB
Hexachlorocyclopentadiene	77474					17,000 1,100	50 40	TT-HB
Hexachloroethane	67721					8.9 3.3	1.9 1.4	C-HB
Indeno (1,2,3-cd) pyrene	193395					0.49 0.018	0.044 0.0038	C-HB
Isophorone	78591					2,600 960	36 35	TT
Napthalene	91203					20,513	677	TT
Nitrobenzene	98953					1,900 690	17	TT
N-Nitrosodimethylamine	62759					8.13	0.00069	С
N-Nitrosodi-N- propylamine	621647					1.4 0.51	0.005	С
N-Nitrosodiphenylamine	86306					16 6.0	5 3.3	С
Phenanthrene	85018					49.17	4.37	C-HB
Pyrene	129000					49.17	4.37	C-HB

		Num	erical Water Quality	Criteria for Chem	ical Constituents ($ug/L)^1$		
				Criteria ⁽²⁾⁽³⁾		uman health Criteria		
			iwater: A, A & B		water SA & SB	Class B, SA & SB Waters	Class AA & A Waters	
Chemical Constituents	CASRN	Acute ⁴	Chronic ⁵	Acute ⁴	Chronic ⁵	Consumption of Fish	Consumption of Water & Fish	Health Designation ⁶
1,2,4-Trichlorobenzene	120821					940 70	70 35	TT
Pesticides								
Aldrin	309002	1.50		0.65		0.0014 0.00005	0.0013 0.000049	C-HB
Chlordane	57749	1.20	0.0043	0.045	0.004	0.0022 0.00081	0.0021 0.00080	C-HB
DDT	50293	0.5511	0.001 ¹¹	0.065 ¹¹	0.001 ¹¹	0.000590.00022	0.00059 0.00022	C-HB
DDD	72548					0.000840.00031	0.00083 0.00031	C-HB
DDE	72559					0.00059 0.00022	0.00059 0.00022	C-HB
Dieldrin	60571	0.24	0.056	0.355	0.0019	0.000140.000054	0.000140.000052	С
Endosulfan Alpha	959988	0.11 ¹²	0.056 ¹²	0.017 ¹²	0.0087 ¹²	240 89	110 62	TT
Endosulfan Beta	33213659	0.11 ¹²	0.056 ¹²	0.017 ¹²	0.0087 ¹²	240 89	110 62	TT
Endosulfan Sulfate	1031078					340 89	110 62	TT
Endrin	72208	0.086	0.036	0.0185	0.0023	0.81 0.060	0.76 0.059	TT
Endrin Aldehyde	7421934					0.81 0.30	0.76 0.29	TT
Heptachlor	76448	0.26	0.0038	0.0265	0.0036	0.00021 0.000079	0.00021 0.000079	С
Hetachlor epoxide	1024573	0.26	0.0038	0.0265	0.0036	0.00011 0.000039	0.00010 0.000039	С
Hexachlorocyclohexane alpha	319846					0.013 0.0049	0.0039 0.0026	C-HB
Hexachlorocyclohexane beta	319857					0.046 0.017	0.014 0.0091	C-HB
Hexachlorocyclohexane delta	319868							
Hexachlorocyclohexane gamma (Lindane)	58899	0.95		0.08		0.063	0.019	TT-HB
Polychlorinated Biphenyls ¹³			0.014		0.03	0.00017 0.000064	0.00017 0.000064	C-HB
2,3,7,8-TCDD (Dioxin)	1746016					0.000000014 0.0000000051	0.000000013 0.000000005	C-HB

			Decem	der 22, 2009 Ja	nuary 2011			
		Num	erical Water Quality	y Criteria for Chem	ical Constituents (u	$(g/L)^1$		
			Aquatic Life	e Criteria ⁽²⁾⁽³⁾		Human health Criteria		
			water: A, A & B		water A & SB	Class B, SA & SB Waters	Class AA & A Waters	
Chemical Constituents	CASRN	Acute ⁴	Chronic ⁵	Acute ⁴	Chronic ⁵	Consumption of Fish	Consumption of Water & Fish	Health Designation ⁶
Toxaphene	8001352	0.73	0.0002	0.21	0.0002	0.00075 0.00028	0.00073 0.00028	C-HB
Other Susbstances								
Aluminum	7429905	750	87					
Ammonia	7664417	*	**	23315	35 ¹⁵			
Asbestos	1332214						7 Million fibers per liter	А
Chlorine	7782505	19	11	13	7.5			
Chloride	16887006	860,000	230,000					
Formaldehyde	50000	4,554	1,178					

*See Table Note 14-A **See Table Notes 14B & 14C

Table Notes:

A:

- 1 The minimum data necessary to determine consistency with Connecticut Water Quality Standards shall be subject to the Commissioner's discretion and may not be limited to or include chemical analysis results for all of the constituents listed in Appendix D
- 2 Aquatic life criteria for freshwater may be used for saltwater if criteria for saltwater is unavailable.
- 3 For estuarine brackish waters, use the more restrictive of the aquatic life criteria for freshwater and for saltwater.
- 4 Biological integrity is impaired by an exposure of one hour or longer to a concentration which exceeds the acute criteria more frequently than once every three years on average.
- 5 Biological integrity is impaired when the four-day average concentration exceeds the chronic criteria more frequently than once every three years on average
- 6 The commissioner will consider the following human health designations in allocating zones of influence for discharges
 - Class A carcinogen (known human carcinogen)
 - TT: Threshold Toxicant, not carcinogenic
 - C: Carcinogenic (probable or possible carcinogen)
 - HB: High potential to bioaccumulate or bioconcentrate
- 7 Criteria apply to the dissolved fraction of ambient waters unless otherwise noted.
- 8 Biological integrity is impaired when the ambient concentration exceeds this value on more than 5% of days in any year.
- 9 Biological integrity is impaired when the ambient concentration exceeds this value on more than 50% of days in any year.
- 10 Site-specific criteria for copper apply for the following waters:

Bantam River	Litchfield POTW to confluence with Shepaug River
Blackberry River	Norfolk POTW to confluence with Roaring Brook
	North Canaan POTW to confluence with Housatonic River
Factory Brook	Salisbury POTW to mouth
Five Mile River	New Canaan POTW to mouth
Hockanum River	Vernon POTW to confluence with Connecticut River
Indian Lake Creek	Sharon POTW to confluence with unnamed tributary near
Mill Brook	Plainfield Village POTW to mouth
Naugatuck River	Torrington POTW to confluence with Housatonic River
Norwalk River	Ridgefield Brook to Branchville
Pequabuck River	Plymouth POTW to confluence with Farmington River
Pootatuck River	Sandy Hook-Newtown POTW to confluence with the Housatonic River
Quinnipiac River	Southington POTW to Broadway, North Haven
Still River	Winsted POTW to confluence with Farmington River
Still River	Limekiln Brook to confluence with Housatonic River

Williams Brook	Ledyard POTW to mouth
Willimantic River	Stafford Springs POTW to Trout Management Area (Willington)
	Eagleville Dam to confluence with Shetucket River

- 11 This criterion applies to DDT and its metabolites (i.e. the total concentration of DDT and its metabolites should not exceed this value)
- 12 This value was derived from data for endosulfan and is most appropriately applied to the sum of alpha endosulfan and beta endosulfan.
- 13 Criteria are applicable to total PCB's (e.g. the sum of all con genes or all isomer or homolog or Arochor analyses)
- 114 Criteria for ammonia, (mg/L as N) vary in response to ambient surface water temperature (T, degrees C) and pH. Biological integrity is considered impaired when:

A The one-hour average concentration of total ammonia exceeds:

$$[0.275/(1+10^{(7.204-pH)})] + [39.0/(1+10^{(pH-7.204)})]$$
 when salmonids are present
Or
 $[0.411/(1+10^{(7.204-pH)})] + [58.4/(1+10^{(pH-7.204)})]$ when salmonids are absent

B The four-day average concentration of total ammonia exceeds 2.5 times the value obtained from the formula in 14.c. below.

C The 30-day average concentration of total ammonia exceeds: $[0.0577/(1+10^{(7.688-pH)})] + [2.487/(1+10^{(pH-7.688)})] \times [MIN(2.85, 1.45 \times (10^{(0.028(25-T))}))]$ when early life stages are present; or

$$[0.0577/(1+10^{(7.688-pH)})] + [2.487/(1+10^{(pH-7.688)})] \times [1.45 \times (10^{(0.028(25-MAX(T,7))})]$$

when early life stages are absent.

15 Saltwater ammonia criteria are expressed as un-ionized ammonia (NH₃). Equivalent total

ammonia concentrations are dependent on receiving water temperature, pH, and salinity.

Conversion of un-unionized ammonia concentrations to total ammonia $(NH_{3+}NH_{4}^{+})$ may be performed using the procedure described

in "Ambient Water Quality Criteria for Ammonia (Saltwater) - 1989", EPA 440/5-88-004.

Appendix D Table 1			December A	1 , 1 , 0	<u>Iuury 2011</u>		Numer	ical Water Quality
		C	Criteria (ug/L) for C	Chemical Const	ituents		i (unici	ical Water Quality
			Aquatic Life (Criteria (2)(3)			alth Crtieria	
		Freshwater		Saltwater		Class B, SA and SB Waters	Class AA & A	
Chemical Constituent	CASRN	Acute ⁽⁴⁾	Chronic ⁽⁵⁾	Acute ⁽⁴⁾	Chronic ⁽⁵⁾	Consumption of Fish	Consumption of Water and Fish	Health Designation ⁽⁶⁾
Inorganic Substances ⁽⁷⁾								
Aluminum (Total)	7429905	750 See Table Note	87 See Table Note			168000	2074	TT
Ammonia	7664417	8a	8b & 8c	233 ⁽⁹⁾	35 ⁽⁹⁾	11200	138	TT
Antimony	7440360	900	190			280	2.8	TT
Arsenic	7440382	340	150	69	36	0.05	0.02	С
Asbestos	1332214					7 million fibers/L		
Barium	7440393	2000	220			112000	1383	TT
Beryllium (Total)	7440417	30.6	3.6			7	1	TT
Boron	7440428	8500	950			112000	1383	TT
Cadmium	7440439	1	0.15	40	8.8	11.2	0.14	TT
Chloride	16887006	860000	230000					
Chlorine	7782505	19	11			56000	691	TT
Chromium, hexavalent	18540299	16	11	1100	50	0.28	0.038	С
Chromium, trivalent	16065831	323	42			65625	9052	TT
Cobalt	7440484	220	24			168	2	TT
Copper	7440508	14.3 ⁽¹⁰⁾	4.8 ⁽¹¹⁾	4.8	3.1	194	51	TT
Copper (site specific) ⁽¹²⁾	7440508	25.7	18.1			194	51	TT
Cyanide	57125	22	5.2	1	1	14000	139	TT
Iron	7439896		1000					
Lead	7439921	30	1.2	210	8.1		15	
Lithium	7439932					1120	14	TT
Manganese	7439965					39200	484	TT
Mercury - inorganic	7487947	1.4	0.77	1.8	0.94	0.00029	0.00029	TT
Nickel	7440020	260	29	74	8.2	30	9.5	TT
Selenium (Total)	7782492	20	5	290	71	729	33	TT
Silver	7440224	1	0.06	1.9		7000	35	TT
Thallium	7791120	79	17			0.48	0.26	TT
Tin	7440315	1600	180			177	50	TT
Uranium	7440611					1680	21	TT
Vanadium	1314621	150	44			46	6	TT
Zinc (Total)	7440666	65	65	90	81	4468	1429	TT

	December 22, 2009 January 2011 Aquatic Life Criteria ⁽²⁾⁽³⁾ Human Health Crtieria										
		Aquatic Life (Freshwater		Saltwater		Class B, SA and SB Waters	Class AA & A				
ChemName	CASRN	Acute ⁽⁴⁾	Chronic ⁽⁵⁾	Acute ⁽⁴⁾	Chronic ⁽⁵⁾	Consumption of Fish	Consumption of Water and Fish	Health Designation ⁽⁶⁾			
Volatile Substances											
Acetone	67641	15000	1700			504000	6222	TT			
Acetonitrile	75058	73705	8189			2800	35	TT			
Acrolein	107028	0.8	0.1			0.16	0.11	TT			
Acrylonitrile	107131	369	41			0.22	0.049	С			
Benzene	71432	700	160			6.73	0.33	С			
Bromomethane	74839	0.04	0.005			93.00	3.37	TT			
Butanone, 2-	78933	123077	13752			336000	4148	TT			
Butylbenzene, n-	104518										
Butylbenzene, sec-	135988										
Butylbenzene, t-	98066										
Carbon disulfide	75150	130	15			28544	683	TT			
Carbon Tetrachloride	56235	2200	240			1.44	0.23	С			
Chlorobenzene	108907	420	47			1359	127	TT			
Chloroethane	75003					752	7.37	С			
Chloroethylvinyl ether, 2- (mixed)	110758										
Chloroform	67663	1300	140			187	6.75	TT			
Chloromethane	74873					199	17.54	С			
Chloronapthalene, 2-	91587	79	9			277	185	TT			
Chlorotoluene, 2-	95498					41	10	TT			
Chlorotoluene, 4-	106434	64	7			19	8	TT			
Cyclohexane	110827	2480	276			33922	8810	TT			
Dibenzofuran	132649	36	4								
Dichlorobenzene, 1,2-	95501	130	23			1133	405	TT			
Dichlorobenzene, 1,3-	541731	79	22			13	4.50	TT			
Dichlorobenzene, 1.4-	106467	57	9.4			2.60	0.94	С			
Dichlorobromomethane	75274					15.00	0.54	С			
Dichlorobutene, 1,4-	31423924										
Dichlorodiflouromethane	75718					9642	338	TT			
Dichloroethane, 1,1-	75343	3700	410			3723	69	TT			
Dichloroethane, 1,2-	107062	9600	2000			32	0.38	С			
Dichloroethene, 1,2-	540590	8800	970			2564	68	TT			
Dichloroethylene, 1,1-	75354	1900	210			625	33	TT			
Dichloroethylene, cis-1,2-	156592	5500	620			4430	69	TT			
Dichloroethylene, trans-1,2-	156605	5000	560			4430	69	TT			
Dichloropropane, 1,2-	78875	847	94			24	0.93	С			
Dichloropropene, 1,3-	542756	15	1.7			18	0.34	С			

	December 22, 2009 January 2011								
		Aquatic Life Criteria ⁽²⁾⁽³⁾ Human Health Crtieria							
	CASRN	Freshwater		Saltwater		Class B, SA and SB Waters	Class AA & A		
ChemName		Acute ⁽⁴⁾	Chronic ⁽⁵⁾	Acute ⁽⁴⁾	Chronic ⁽⁵⁾	Consumption of Fish	Consumption of Water and Fish	Health Designation ⁽⁶⁾	
Ethyl acetate	141786	14375	1597			504000	6222	TT	
Ethylbenzene	100414	550	61			187	51	TT	
Ethylene dibromide	106934					0.69	0.017	С	
Hexane, n-	110543					177	78	TT	
Isopropylbenzene	98828	193	21			1351	461	TT	
Isopropyltoluene, 4-	99876	148	16.5			169	94	TT	
Methyl isobutyl ketone	108101					70000	556	TT	
Methyl methacrylate	80626					107692	972	TT	
Methyl tert butyl ether	1634044	151000	51000			5600	69	TT	
Methylene chloride	75092	11000	1900			519	4.63	С	
Methylnaphthalene, 2-	91576	42	4.7			38	16	TT	
Nitrobenzene	98953	1989	221			121	3.40	TT	
Nitrophenol, 2-	88755	650	73						
Nitrophenol, 4-	100027								
Propylbenzene, n-	103651								
Pyridine	110861	236	26			168	2	TT	
Styrene	100425	214	24			951	122	TT	
Tetrachloroethane, 1,1,1,2-	630206	770	85			9.48	1.18	С	
Tetrachloroethane, 1,1,2,2-	79345	1155	655			3.5	0.17	С	
Tetrachloroethylene	127184	430	53			0.21	0.05	С	
Tetrahydrofuran	109999	74000	11000			368	4.55	С	
Toluene	108883	560	62			438	42	TT	
Trichloro-1,2,2-trifluoroethane, 1,1,2-	76131					98315	17303	TT	
Trichlorobenzene, 1,2,4-	120821		5			7.75	4.31	С	
Trichloroethane, 1,1,1-	71556	690	76			9500	504	TT	
Trichloroethane, 1,1,2-	79005	3300	740			13.65	0.59	С	
Trichloroethylene	79016	2000	220			3.71	0.36	С	
Trichlorofluoromethane	75694					30045	1963	TT	
Trimethylbenzene, 1,2,4-	95636	142	16			712	235	TT	
Trimethylbenzene, 1,3,5-	108678	237	26			1010	260	TT	
Vinyl acetate	108054					11200	138	TT	
Vinyl chloride	75014	8400	930			2	0.023	С	
Xylenes	1330207	240	27			6554	1154	TT	

December 22, 2009 January 2011 Aquatic Life Criteria Human Health Crtieria								
			_			Class B, SA and		
		Fres	hwater	Salt	water	SB Waters	Class AA & A	
ChemName	CASRN	Acute ⁽⁴⁾	Chronic ⁽⁵⁾	Acute ⁽⁴⁾	Chronic ⁽⁵⁾	Consumption of Fish	Consumption of Water and Fish	Health Designation ⁽⁶⁾
Semivolatile Substances								
Acenaphthene	83329	19	15			174	123	TT
Acenaphthylene	208968	120	13			1400	323	TT
Aniline	62533	11.4	1.3			491	6	С
Anthracene	120127	0.18	0.02			5833	1544	TT
Benzidine	92875	38	4			0.00017	0.000081	С
Benzo(a)anthracene	56553	42	4.7			0.003	0.003	С
Benzo(a)pyrene	50328	0.54	0.06			0.0002	0.0002	С
Benzo(b)fluoranthene	205992	23	2.6			0.003	0.003	С
Benzo(g,h,i)perylene	191242					0.016	0.015	С
Benzo(k)fluoranthene	207089					0.004	0.004	С
Benzoic Acid	65850					2240000	27654	TT
Bis(2-chloroethoxy)methane	111911	7077	786					TT
Bis(2-chloroethyl)ether	111444	9231	1026			0.20	0.013	С
Bis(2-chloroisopropyl)ether	108601					20.00	0.49	С
Bis(2-ethylhexyl)phthalate	117817	5	1			0.02	0.02	С
Bromoform	75252	1115	124			117	4.22	С
Bromophenyl-phenylether, 4-	101553							
Butylbenzyl phthalate	85687	130	23			24	21	TT
Carbazole	86748	48	5.3			3	1.11	С
Chloroaniline, 4-	106478	9	1			32	0.64	TT
Chlorodibromomethane	124481					11.00	0.40	С
Chlorophenol, 2-	95578	290	32			26	15	TT
Chlorophenol, 3-methyl-4	59507	66	7					
Chlorophenyl-phenylether, 4-	7005723							
Chrysene	218019	42	4.7			0.11	0.10	С
Cresol, m-	108394	560	62			4684	116	TT
Dibenzo(a,h)anthracene	53703					0.0001	0.0001	С
Dibromo-3-chloropropane, 1,2-	96128					0.033	0.004	С
Dichlorobenzidine, 3,3'-	91941	40	4.5			0.025	0.019	С
Dichlorophenol, 2,4-	120832	110	11			17	5	TT

Aquatic Life Criteria Human Health Crtieria								
		Freshwater			water	Class B, SA and SB Waters Class AA & A		
ChemName	CASRN	Acute ⁽⁴⁾	Chronic ⁽⁵⁾	Acute ⁽⁴⁾	Chronic ⁽⁵⁾	Consumption of Fish	Consumption of Water and Fish	Health Designation ⁽⁶⁾
Dichlorotrifluoroethane	34077877							
Diethyl phthalate	84662	980	220			767	323	TT
Dimethyl phthalate	131113	2788	310			1556	412	TT
Dimethylphenol, 2,4-	105679	140	15			149	72	TT
Di-n-butyl phthalate	84742	34	4			66	34	TT
Dinitrophenol, 2,4-	51285	199	22			93	1.40	TT
Dinitrophenol, 2-methyl-4,6-	534521	6.4	0.7			51	2.70	TT
Dinitrotoluene, 2,4-	121142	394	44			1.35	0.05	С
Dinitrotoluene, 2,6-	606202	730	81			1.35	0.05	С
Di-n-octyl phthalate	117840					2.80	2.70	TT
Dioxane, 1,4-	123911					1680	21	TT
Diphenylhydrazine, 1,2-	122667	10	1			0.18	0.035	С
Ethanol	64175	20491	2277			37520	463	TT
Ethylene glycol	107211	1300000	140000			1120000	13827	TT
Fluoranthene	206440	3.7	0.8			5.70	5.60	TT
Fluorene	86737	110	19			848.00	211	TT
Formaldehyde	50000	4554	1178			11200	138	TT
Hexachlorobenzene	118741	0.34	0.04			0.0000076	0.0000076	С
Hexachlorobutadiene	87683					11.00	0.43	С
Hexachloroethane	67721					2.60	1.30	С
Indeno(1,2,3-c,d)pyrene	193395					0.0016	0.0016	С
Isophorone	78591	7500	920			841	35	С
Isopropanol	67630					1848	1027	TT
Methanol	67561	3000	330			84000	1037	TT
Methylphenol, 2-	95487	600	67			840	20	TT
Methylphenol, 4-	106445	499	55.5			854	20	TT
Naphthalene	91203	170	21			133	13	TT
Nitroaniline, 2-	88744	188	21			84	1.70	С
Nitroaniline, 3-	99092	61	7			197	1.70	С
Nitroaniline, 4-	100016	1063	118			188	1.70	C
Nitrosodimethylamine, N-	62759					8.40	0.002	C
Nitrosodi-n-propylamine, N-	621647					0.44	0.005	C
Nitrosodiphenylamine, N-	86306	220	25			5.30	3	C
Nonylphenol	84852153	28	6.6	7	1.7	2.20	5	÷
Pentachloronitrobenzene	82688	20	2.5	,		1.80	1.50	TT
Pentachlorophenol	87865	19	15	13	7.9	0.83	0.22	C
Phenanthrene	85018	31	2.3	15	1.2	972.00	257	TT
	03010	51	2.3			912.00	231	11

66

Aquatic Life Criteria Human Health Crtieria								
		Fres	hwater		water	Class B, SA and SB Waters		
ChemName	CASRN	Acute ⁽⁴⁾	Chronic ⁽⁵⁾	Acute ⁽⁴⁾	Chronic ⁽⁵⁾	Consumption of Fish	Consumption of Water and Fish	Health Designation ⁽⁶⁾
Phenol	108952	4700	160			15000	207	TT
Propylene glycol	57556	640	71			280000	3457	TT
Pyrene	129000	42	4.6			350	131	TT
Sodium acetate	127093							
Tert-butyl alcohol	75650	211692	23521			9520	118	TT
Tetrachlorobenzene, 1,2,4,5-	95943	18	2			0.14	0.13	TT
Tetrachlorodibenzo-p-dioxin, 2,3,7,8-						5.38 x 10 ⁻¹¹	5.38 x 10 ⁻¹¹	С
Trichlorophenol, 2,4,5-	95954	25	2.8			64	33	TT
Trichlorophenol, 2,4,6-	88062	30	3.3			0.30	0.2	С
Pesticides and PBCs								
Alachlor	15972608	294	33			1.50	0.45	С
Aldicarb	116063	11.4	1.3			1207	7	TT
Aldrin	309002	0.45	0.05	0.65		0.00000044	0.00000044	С
Atrazine	1912249	14.5	1.6			18.00	0.67	TT
Chlordane	12789036	1.2	0.00215	0.045	0.0045	0.0000084	0.0000084	С
Chlorpyrifos	2921882	0.083	0.041	0.011	0.0056			
D, 2,4-	94757	47	5			560	6.91	TT
DDD, 4,4-	72548					0.000004	0.000004	С
DDE, 4,4-	72559					0.000002	0.000002	С
DDT, 4,4- (total)	50293	0.55	0.005	0.065	0.001	0.000002	0.000002	С
Diazinon	333415	0.17	0.17	0.82	0.82			
Dicamba	1918009	1619	180			16800	207	TT
Dichloroprop	120365	105	12			2016	25.00	TT
Dieldrin	60571	0.24	0.056			0.0000059	0.0000058	С
Endosulfan	115297	0.11	0.028	0.017	0.0087	0.52	0.38	TT
Endosulfan sulfate	1031078					0.52	0.38	TT
Endrin	72208	0.086	0.036	0.0185	0.0023	0.012	0.012	TT
Endrin aldehyde	7421934	0.086	0.036			0.035	0.035	TT
Endrin ketone	53494705	0.086	0.036			0.052	0.052	TT
Heptachlor	76448	0.26	0.0019	0.0265	0.0036	0.00000093	0.00000093	С
Heptachlor epoxide	1024573	0.26	0.0019	0.0265	0.0036	0.000013	0.000013	С
Hexachlorocyclohexane, alpha	319846					0.0043	0.0024	С
Hexachlorocyclohexane, beta-	319857					0.015	0.0085	С
Hexachlorocyclohexane, delta-	319868					0.014	0.008	С
Hexachlorocyclopentadiene	77474	2.8	0.3			372	38	TT
Lindane	58899	0.95	0.057	0. @\$7		0.024	0.014	С

CTDEP Proposed Revisions to Connecticut Water Quality Standards December 22, 2009 January 2011									
		Fresh	Aquatic Life	Criteria ⁽²⁾⁽³⁾ Saltwater		Human Health Crtieria Class B, SA and SB Waters Class AA & A			
ChemName	CASRN	Acute ⁽⁴⁾	Chronic ⁽⁵⁾	Acute ⁽⁴⁾	Chronic ⁽⁵⁾	Consumption of Fish	Consumption of Water and Fish	Health Designation ⁽⁶⁾	
Methoxychlor	72435		0.03			0.17	0.16	TT	
Simazine	122349	5	1			194.44	3.44	TT	
Toxaphene	8001352	0.73	0.002	0.21	7.5	0.0000052	0.0000052	С	
Polychlorinated biphenyls	1336363		0.014		0.03	0.00000056	0.00000056	С	
Radionuclides									
Alpha particles	12587461						15 pCi/L		
Beta Particles	12587472						4 pCi/L		

Table Notes

1	The minimum data necessary to determine consistency with Connecticut Water Quality Standards shall be subject to the Commissioner's discretion and may not be limited to or include chemical analysis results for all of the constituents listed in Appendix D					
2	Aquatic life critria for freshwater may be used for saltwater if criteria for saltwater is unavailable.					
3	For estuarine waters, use the more restrictive of the aquatic life criteria for freshwater and for saltwater.					
4	Biological integrity is impaired by an expsoure of one hour or longer to a concentration which exceeds the acute criteria more frequently than once every three years on average.					
5	Biological integrity is impaired when the four-day average concentration exceeds the chronic criteria more frequently than once every three years on average.					
6	The commissioner will consider the following human health designations in allocaing zones of influence for discharges C: Carcinogenic TT: Threshold Toxicant, not carcinogenic					
7	Criteria apply to the dissolved fraction of ambient waters unless otherwise noted.					
8	Criteria for ammonia, (mg/L as N) vary in response to ambient surface water temperature (T, degrees C) and pH. Biological integrity is considered impaired when:					
	A The one-hour average concentration of total ammonia exceeds: $[0.275/(1+10^{(7.204-pH)})]+[39.0/(1+10^{(pH-7.204)})]$ when salmonids are present or $[0.111/(1-10^{(7.204-pH)})] + [50.4/(1-10^{(pH-7.204)})]$					

 $[0411/(1+10^{(7.204-pH)})]+[58.4/(1+10^{(pH-7.204)})]$ when salmonids are absent

- B The four-day average concentration of total ammonia exceeds 2.5 times the value obtained from the formula in 6.c. below.
- C The 30-day average concentration of total ammonia exceeds:

 $[0.0577/(1+10^{(7.688-pH)})] + [2.487/(1+10^{(pH-7.688)})] \ x \ [MIN(2.85, 1.45 \ x \ (10^{(0.028(25-T)}))] \ when early life stages are present;$

or
$$[0.0577/(1+10^{(7.688-pH)})]+[2.487/(1+10^{(pH-7.688)})] \times [1.45 \times (10^{(0.028(25-MAX(T,7))})]$$
 when early life stages are absent.

9

11

Saltwater ammonia criteria are expressed as un-ionized ammonia (NH₃). Equivalent total ammonia concentrations are dependent on receiving water temperature, pH, and salinity. Conversion of un-ionized ammonia concentrations to total ammonia (NH₃ + NH₄⁺) m

10 Biological integrity is impaired when the ambient concentration exceeds this value on more than 5% of days in any year.

	-	Revisions to Connecticut Water Quality Standards December 22, 2009 January 2011	
12	Site-specific criteria for copper a	pply for the following waters:	
	Bantam River Blackberry River	Litchfield POTW to confluence with Shepaug River Norfolk POTW to confluence with Roaring Brook	
	Factory Brook Five Mile River Hockanum River Indian Lake Creek Mill Brook Naugatuck River Norwalk River Pequabuck River Pootatuck River Quinnipiac River Still River Still River Williams Brook Willimantic River	North Canaan POTW to confluence with Hoursatonic River Salisbury POTW to mouth New Canaan POTW to mouth Vernon POTW to confluence with Connecticut River Sharon POTW to confluence with unnamed tributary near Sharon Valley Plainfield Village POTW to mouth Torrington POTW to confluence with Housatonic River Ridgefield Brook to Branchville Plymouth POTW to confluence with Farmington River Sandy Hook POTW to confluence with the Housatonic River Southington POTW to Broadway, North Haven Winsted POTW to confluence with Farmington River Limekiln Brook to confluence with Housatonic River Ledyard POTW to mouth Stafford Springs POTW to Trout Management Area (Willington)	y Road
		Eagleville Dam to confluence with Shetucket River	
Appendix D Table 2	Criteria (ug/L) for C	Numerie Chemical Constituents Not Included in Appendix D Table 1	cal Water Quality
Aquatic Life Criteria	methodology for Tier 1 Aquation	Aquatic Life for substances not included in Table 1 of Appendix D shall be calculated in acc c Life Criteria pursuant to Appendix A of 40 CFR Part 132. If insufficient data is available shall be calculated in accordance with the methodology for Tier 2 Aquatic Life Criteria conta 132, Appendix A, unless otherwise determined by the Commissioner.	to calculate a Tier 1
Human Health Criteria			
Carcinogens			
Class B, SA and SB Waters	Consumption of Fish	WQC = $(RL \times BW \times 1000 \text{ ug/mg}) / (CSF \times FC \times BCF \times FCM)$	
Class AA & A	Consumption of Water and Fish	$WQC = (RL \times BW \times 1000 \text{ ug/mg}) / (CSF \times (WC + (FC \times BCF \times FCM)))$	

Threshold Toxicant (not Carcinogenic

Class B, SA and SB Waters	Consumption of Fish	WQC = (RfD x RSC x BW x 1000) / (FC x BCF x FCM)
	Consumption of Water and	
Class AA & A	Fish	WQC = (RfD x RSC x BW x 1000) / (WC+(FC x BCFx FCM))

Where:

Bioconcentration Factor	BCF	chemical specific	unitless
Body Weight	BW	70	kg
Cancer Slope Factor	CSF	chemical specific	<u>l/mg/kg-d</u>
Fish Consumption Rate	FC	0.02	kg/day
Food Chain Multiplier	FCM	chemical specific	See Note 1
Relative Source Contribution	RSC	0.20	unitless
Reference Dose	RfD	chemical specific	unitless
Risk Level	RL	1.00E-06	unitless
Water Consumption	WC	2	1/d

Note 1 Food Chain Multiplier (FCM) Trophic Level 4

Octanol Water Partition Coefficient	FCM	Octanol Water Partition Coefficient	FCM	Octanol Water Partition Coefficient	FCM
3.5	1.0	4.5	1.2	5.6	16.0
3.6	1.0	4.6	1.3	5.7	23.0
3.7	1.0	4.7	1.4	5.8	33.0
3.8	1.0	4.8	1.5	5.9	47.0
3.8	1.0	4.9	2.0	6.0	67.0
3.9	1.0	5.0	2.6	6.1	75.0
4.0	1.0	5.1	3.2	6.2	84.0
4.1	1.1	5.2	4.3	6.3	84.0
4.2	1.1	5.3	5.8	6.4	84.0
4.3	1.1	5.4	8.0	6.5	100.0
4.4	1.1	5.5	11.0	>6.5	100.0

APPENDIX E: CONNECTICUT ANTIDEGRADATION IMPLEMENTATION POLICY

I. PURPOSE.

The purpose of this policy is to establish procedures to implement Connecticut's Antidegradation Policy as required by the federal Clean Water Act (Title 40 Part 131.12) and Connecticut's Surface Water Quality Standards 2 through 5. This policy requires the maintenance and protection of water quality in high quality waters and protection and maintenance of existing uses and the level of water quality necessary to protect those uses in all cases.

II. APPLICABILITY.

The procedures outlined in this policy apply to:

- 1. Any proposed new or increased discharge or activity that is affecting or may affect water quality in Connecticut;-, including but not limited to any existing, new or increased activity or discharge requiring a permit, water quality certificate or concurrence authorization pursuant to Chapters 439, 440, 445 or 446i-k of the Connecticut General Statutes. Such discharges or activities include, but are not limited to point sources, contaminated groundwater plumes, nonpoint sources (including atmospheric deposition), and dredging activity or discharge of dredged or fill materials to surface waters or any activity or discharge generated by the construction, operation or maintenance of facilities or requiring State concurrence-authorization in accordance with Section 307 of the Federal Coastal Zone Management Act.
- 2. A Ddischarges or activityies are is considered to represent an increased discharge or activity if:
 - A. A pollutant in such discharge or activity is proposed to would be released as a result of the discharge or activity at an increased level-concentration or mass which, either in terms of concentration or mass loading, may negatively affectlower water quality and be subject to regulation under a permit, water quality certificate or concurrence;
 - A. The mass loading of one or more pollutants to a surface water would be increased beyond current permitted conditions; B.- The discharge or activity would result in a increased biological, chemical or physical stress on the waterbody; -or

- **B.**C. The area and/or volume of receiving water flow degree or extent of a previously allocated zone of influence established and approved by the Commissioner for a discharge or activity would be increased to accommodate the discharge or activity.
- 3. A discharge or activity which does not have a permit, water quality certificate or authorization from the Commissioner shall be deemed a new discharge or activity.

III. GENERAL PROVISIONS.

- The Commissioner shall implement the Antidegradation Policy by incorporating it into the review of applications for proposed permits, water quality certifications and concurrences authorizations for any proposed new or increased discharge or activity as listed described in Section II of this policy.
- 2. The Commissioner shall not issue any certificate, permit, water quality certificate or concurrence authorization for any new or increased a discharge or activity unless the Commissioner finds that all existing and designated uses as defined in these water quality standards will be fully protected fully and the discharge or activity is consistent with the designated uses goals of established in these Water Quality Standards for the class of water affected by the discharge or activity, any duly adopted Total Maximum Daily Load analysis and this policy.
- 3. Implementation of the Antidegradation Policy shall follow a tiered approach pursuant to the federal regulations (Title 40 Part CFR 131.12) and consistent with the Connecticut Antidegradation Policy. For the purposes of implementing this policy, the following review tiers are established and for the applicable waters identified below-:

	— Tier of Antidegradation Review
All Waters	Tier 1
High Quality Waters	Tier 1 & Tier 2
	Tier 1 & Tier 3

December 22, 2007 January 2011					
Category of Water	Tier of Antidegradation	Discharge or			
	Review	Activity			
All Waters	Tier 1	All			
High Quality Waters & Wetlands	Tier 1 and Tier 2	New or Increased			
Outstanding National Resource Waters	Tier 1 and Tier 3	New or Increased			

4. In those cases where potential water quality impairment associated with a thermal discharge is involved, the anti-degradation antidegradation evaluation and implementation shall be consistent with Section 316 of the fFederal Clean Water Act.

IV. TIER 1 ANTIDEGRADATION EVALUATION AND IMPLEMENTATION REVIEW

<u>Purpose:</u> The purpose of the Tier 1 Antidegradation Evaluation and Implementation Procedure Review is to ensure that existing and designated uses of surface waters and the water quality necessary for their protection are maintained and preserved consistent with the Connecticut Water Quality Standard 2.

In the course of reviewing an application or request for a proposed new or increased discharge or activity, tThe Commissioner shall determine whether the proposed discharge or activity is consistent with the maintenance, restoration, and protection of existing and designated uses for the assigned to the receiving water body by utilizing considering all relevant available data and the best professional judgment of Department staff. All narrative and numeric water quality standards, criteria and associated policies contained in the Connecticut Water Quality Standards shall form the basis for such evaluation considering the discharge or activity both independently and in the context of other discharges and activities in the affected water body and considering any impairment listed pursuant to Section 303d for the federal Clean Water Act or any TMDL established for the water body. Factors to be considered in making this determination of impact of the proposed activity on a water body include, but are not limited to:

- (a) expected percent change in each applicable water quality parameter resulting from such regulated discharge or activity;
- (b) quality and ecological value of the proposed receiving surface water;
- (c) cumulative effects of the proposed discharge or activity on water quality taking into account all other existing regulated discharges and activities therein;
- (d) physical, chemical, and biological effects of the proposed discharge or activity on aquatic biota and habitat;

- (e) nutrient enrichment effects of the proposed discharge or activity;
- (f) effect of the proposed discharge or activity on existing, designated, and potential uses of the receiving surface water;
- (g) the ability of the receiving surface water to assimilate additional regulated discharges and support additional regulated activities if the proposed discharge or activity is approved;
 - (h) consistency with narrative and numeric criteria and standards as contained in the Connecticut Water Quality Standards;
- (i) potential for the proposed discharge or activity to decrease the Biological Condition Gradient designation for the affected community to less than Biological Condition Gradient Level 4.
- (j) discharge or release of highly bioaccumulative, persistent or toxic compounds;
- (k) increase in nonpoint source contributions as a result of the proposed activity;
- (1) maintaining or creating conditions in the receiving stream where flows will be routinely reduced below 7Q10 or meeting other stream flow requirements as approved by the Commissioner;
- (m) effect of the proposed discharge or activity on threatened or endangered species or species of special concern; and
- (n) effect of the proposed discharge or activity on water quality in any downstream portions of the receiving water that have been identified as impaired in the most recent Connecticut Integrated Water Quality Report to Congress.

V. TIER 2 ANTIDEGRADATION EVALUATION AND IMPLEMENTATION REVIEW

<u>Purpose:</u> The purpose of the Tier 2 <u>Anti-degradation</u>Antidegradation Evaluation and Implementation Procedures Review is to ensure that for all wetlands and surface waters with an existing quality better than the Standards and Criteria established in these Water Quality Standards shall beare maintained at their existing high quality, pursuant to Connecticut Water Quality Standard 3.

- 1. In the course of reviewing an application or request for a proposed new or increased discharge or activity, tThe Commissioner shall determine whether the proposed new or increased discharge or activity will result in a significant change inlowering of water quality in a high quality water or any wetland by utilizing all relevant available data and the best professional judgment of Department staff and considering the discharge or activity both independently and in the context of other discharges and activities in the affected water body and considering any TMDL established for the water body. The Commissioner may determine that under the following circumstances a proposed new or increased discharge or activity in high quality waters or wetlands if such discharge or activity:
- (a)A The discharge or activity is not temporary, and it is expected that water quality in the receiving water will not be equal to or better than that which existed prior to commencement of the discharge or activity. In order to be considered temporary, the duration of the discharge or activity must typically occuring over a period of days or months, not years; -
- B. Water quality in the receiving water will be equal to or better than that which existed prior to commencement of the discharge or activity; or
- (b) may result in loadings of a pollutant that will consume disproportionately high percentage of the unused loading capacity of a receiving water relative to other sources, or result in a pollutant that will not be assimilated in a receiving water without causing adverse impact to human health or aquatic life;
- (c) may result in the elimination or significant reduction of the margin of safety for assimilative capacity within the receiving water for any pollutant in such discharge or activity;
- (d) may result in the new or increased discharge of highly bioaccumulative, persistent or toxic compounds;
- (e) may result in a lowering of the Biological Condition from a more natural to a less natural Biological Condition Gradient tier;
 - (f) (C) For new or increased discharges or activities resulting from stormwater may result in not retaining the first inch of rainfall is not discharged to a surface water body or otherwise exceeding the capacity for all required reasonable controls and Best Management Practices deemed necessary to protect and maintain designated uses and meet State Standards and Criteria are implemented;.

- (g) may have direct or secondary impacts to special aquatic sites, special wetlands, threatened, endangered or species of special concern; and
- (h) when reviewed in context of the cumulative effect of all other discharges or activities and other repeated or multiple insignificant discharges or activities, may result in significantly lowering of high quality waters.
- 2. If the Commissioner, after evaluation of the new or increased discharge or activity, determines that a such proposed discharge or activity will significantly lower water quality in a high quality water or wetland, he or she the Commissioner shall not issue a permit, certificate or concurrence authorization unless the Commissioner finds that:
- 1(A) there is no technically or economically feasible alternative to the proposed discharge or activity; and
- 2(B) that allowing lower water quality is <u>necessary</u> necessary to accommodate <u>overriding</u> <u>economic and social development</u> overriding economic or social development in the state and in the area in which the receiving water is located which he or she the Commissioner has determined is clearly in the public interest.

The Commissioner shall ensure that, notwithstanding a lowering of water quality, existing and designated uses will be fully protected fully and that the highest statutory and regulatory requirements will be achieved for all new and existing point source discharges and cost-effective and reasonable best management practices for nonpoint source and stormwater controls will be implemented consistent with Standard 4 of these Water Quality Standards.

3. Alternatives Analysis:

The applicant for a proposed new or increased discharge or activity that would result in a significant lowering of water quality in a receiving surface water shall demonstrate to the Commissioner's satisfaction that appropriate alternatives have been adequately considered. The alternatives analysis shall include but not be limited to:

(C)(A) alternative locations for the proposed discharge or activity;

(D)(B) reduction in scale of the proposed discharge or activity;

- (E)(C) pollution prevention measures which could eliminate or minimize the effects of the proposed discharge or activity;
- (F)(D) water use or recycle measures which could eliminate or minimize the effects of the discharge or activity;
- (G)(E) process changes or alternative technology which could minimize the effects of the proposed discharge or activity;
- (H)(F) improved operation and maintenance of existing facilities in order to minimize the effects of the proposed discharge or activity;
- (I)(G) alternative methods of treatment and advanced treatment beyond applicable technology requirements of the Clean Water Act;
- (J)(H) improved best management practices to reduce or minimize stormwater or nonpoint source pollution; and
- (K)(I) any other alternative required by the Commissioner to minimize the effects of the proposed discharge or activity.

4. Evaluation of Alternatives

A. 5.—A.If an alternative to the proposed new or increased discharge or activity is identified that would not significantly lower water quality, such alternative approach shall be required provided the alternative is technically and economically feasible. Further evaluation of the proposed discharge or activity under Tier 2 Antidegradation Evaluation and Implementation Procedures would not be needed since if a demonstration could be made to the Commissioner's satisfaction that the alternative to the new or increased a determination that the modified discharge or activity would not result in a significant lowering of water quality could be made.

- B. If an alternative to the proposed discharge activity is identified that would result in a reduction of the impact of such discharge or activity on water quality within the receiving water, but still significantly lower water quality, all technically and economically feasible alternatives and management practices should be required and applied in an Evaluation of Overriding Social and Economics Need.
- C. If no technically or economically feasible alternative to the proposed new or increased discharge activity is found that would render the impact of the proposed discharge or activity insignificant and not lower water quality in the receiving water, an Evaluation of Overriding Social and Economics Need shall be conducted.

45) Evaluation of Overriding Social and or Economics Need :

The applicant for a proposed new or increased permit or activity which the Commissioner finds will cause a significant lowering of water quality shall demonstrate to the Commissioner's satisfaction the overriding economic or social benefits to the State and to the area in which the receiving water is located that will result from the proposed discharge or activity. This evaluation shall be consistent with applicable federal guidance for economic evaluations and consider, but not be limited to:

- (iA) the loss or reduction of aquatic life, aquatic habitat including riparian vegetation, passive and active recreational value, and aesthetic value which may result from lower water quality;
- (iiB) a description of the current level of water quality and the impact that the proposed action will have on water quality, including synergistic and cumulative effects;
- (iiiC) a cost/benefit analysis for the proposed discharge or activity
- (iv)D any reduction in water quality which may interfere with, or become injurious to, existing or potential uses or inequitably impact any population groups;
- (vE) the effect of the project on other services or programs and identification of their the appropriate agencies which have been notified of the proposed action;
- (viF) the potential for facility expansion, production increase or employment growth;
- (viiG) direct and indirect income effects;
- (viiiH) increases in community tax base;
- (ixI) industrial, commercial or residential growth in the community;
- (xJ) correction of an environmental or public health problem; and
- (xiK) a statement and discussion concerning the necessity of allowing lower water quality to accommodate important economic development.

VI. TIER 3 ANTIDEGRADATION EVALUATION AND IMPLEMENTATION REVIEW

<u>Purpose:</u> The purpose of the Tier 3 <u>Anti degradation</u> Antidegradation Evaluation and Implementation Procedure Review is to ensure that existing and designated uses of surface waters and the water quality necessary for their protection is maintained and protected pursuant to Connecticut Water Quality Standard 2 and that water quality in Outstanding National Resource Waters is maintained and protected pursuant to Connecticut Water Quality Standard 3.

In the course of an application or request for a proposed regulated discharge or activity, the The Commissioner shall determine whether the proposed new or increased discharge

or activity is consistent with the maintenance, restoration, and protection of existing and designated uses for the water body in accordance with the preceding Tier 1 Antidegradation Evaluation and Implementation Procedures in of this Antidegradation Implementation Policy and that water quality in Outstanding National Resource Waters is maintained and protected. At a minimum, evaluation of potential impacts to water quality in Outstanding National Resource Waters shall be considered only except if the proposed activity or discharge:

- (i) A will improve water quality or are—is necessary for maintenance of current environmental conditions; or
- B. The proposed discharge or activity is short term and temporary and it is expected that water quality in the receiving water will be equal to or better than that which existed prior to commencement of the discharge. In order to be considered temporary, the duration of the discharge must typically occuroccurring over a period of days or months, not years; or-
- (ii) C. Water quality in the receiving water will be equal to or better than that which existed prior to commencement of the new or increased discharge or activity.

VII. PUBLIC PARTICIPATION REQUIREMENTS

- (iii) a statement concerning the maintenance and protection of existing and designated uses; and
- (iv) identification of availability of materials prepared in support of the antidegradation review.

⁽i) a statement that the action complies with the State's Antidegradation Policy and a description of that policy;

⁽ii) a statement concerning the potential for the action to result in a decrease in water quality in a high quality water, if applicable;

APPENDIX F MINIMUM TEMPERATURE REQUIREMENTS FOR COLD, COOL AND WARM WATER AQUATIC HABITATS

There shall be no changes from natural conditions that would impair any existing or designated uses assigned to the surface water classification for the water body and

- 1) Surface waters that support, or have suitable habitat to support, a self sustaining, naturally reproducing population of cold water fish species such as trout (Family Salmonidae) or slimy sculpin (*Cottus cognatus*), shall in no case exceed during the months of October through March an average weekly temperature of 46 °F and a maximum daily temperature of 55 °F and during the months of April through September shall in no case exceed an average weekly temperature of 65 °F. In any case, the ambient instream temperature should not be raised by more than 4 F°; and
- 2) Surface waters that support, or have suitable habitat to support, a self sustaining, naturally reproducing population of cool water fish species such as pike (Family Esocidae), native minnow (Family Cyprinidae), darter (Family Percidae) and sucker (Family Catostomidae), shall in no case exceed during the months of October through March an average weekly temperature of 49-°F and a maximum daily temperature of 66-°F and during the months of April through September shall in no case exceed an average weekly temperature of 72°F and a maximum daily temperature of 77°F. In any case, the ambient instream temperature should not be raised by more than 4 F°; and
- 3) Surface waters that support a self sustaining, naturally reproducing population of warm water fish species such as perch (Family Percidae), bass (Family Centrarchidae), and sunfish (Family Centrarchidae), shall in no case exceed during the monthof October through June an average weekly temperature of 68 °F and a maximum daily temperature of 79 °F and during the months of July through September shall in no case exceed an average weekly temperature of 85 °F and a maximum daily temperature of 88°F degrees. In any case, the ambient instream temperature should not be raised by more than 4 F°; and
- 4) Any surface water that is identified in the most recent <u>Connecticut Angler's Guide</u> as a water body that is stocked with trout, even if that surface water body does not support or have suitable habitat to support a self sustaining, naturally reproducing population of trout (Family Salmonidae), shall in no case during the months of April through June exceed an average weekly temperature of 65[°]F and a maximum daily temperature of 75[°]F. In any case, the ambient instream temperature should not be raised by more than 4 F[°].

APPENDIX G IMPLEMENTATION STRATEGY FOR NUTRIENT CONTROL

Acceptable loading of nutrients to an individual surface water body shall be established as necessary recognizing that each water body is unique with site specific complexities, indicators, nonnutrient stressors and habitat considerations that preclude the establishment of a single state-wide appropriate and technically defensible numeric criterion in all cases. The efficacy of narrative nutrient criteria has been recognized by EPA, most recently in a November 24, 2009 memorandum from Assistant Administrator Peter S. Silva to Assistant Inspector Wade T. Najjum in response to an August 26, 2009 report of the Office of Inspector General, "EPA Needs to Accelerate Adoption of Numeric Nutrient Water Quality Standards", Report No. 09-P-0223. In that report, the question of "…whether a State needs numeric nutrient criteria…" to meet CWA requirements was raised. Mr. Silva notes that "…there are a number of factors that the Agency should evaluate before making any determination." He further states that EPA may decide "…that numeric nutrient criteria are not necessary as the primary tool to promote progress in controlling nutrient pollution…" provided a State "…already has in place and is implementing accountability measures and tools to assure joint responsibility for nutrient loadings reductions among and across major sources [of] nutrient pollution.."

Although nutrients are not defined by EPA under section 307(a) of the federal Clean Water Act as toxic substances thus requiring the development of strategies to implement narrative criteria, Connecticut has established implementation procedures for applying the narrative criterion for nutrients, developing separate implementation strategies for the most common nutrients: nitrogen and phosphorus. While each strategy differs in technical details, implementation of controls for both nutrients has been developed to be consistent with the Connecticut WQS, supportive of existing and designated uses of surface waters, protective of water quality while providing a mechanism for establishing achievable and enforceable reductions in nutrient loadings from multiple sources.


For nitrogen, Connecticut in partnership with the State of New York has established a Total Maximum Daily Load Analysis to address low dissolved oxygen in Long Island Sound, attributed primarily to increased loadings of nutrients, primarily nitrogen, and other carbon-based pollutants. The TMDL is predicated upon a coupled three-dimensional, time variable hydrodynamic/water quality model (LIS 3.0) and provides detailed analysis of the biological and chemical interactions that contribute to increased productivity within the watershed and a commensurate decrease in dissolved oxygen concentrations. Using the model, the necessary load reductions for nitrogen input into Long Island Sound have been identified and are being implemented. Loading reductions realized to date have resulted in substantial water quality improvements within Long Island Sound, including a significant reduction in the extent and frequency of hypoxic events in the Sound. The TMDL is currently undergoing re-evaluation to determine the need for additional or updated nitrogen loading goals. The Connecticut/New York TMDL for nitrogen meets the requirements of the EPA Corrective Action Plan

that accompanied Assistant Administrator Silva's memorandum, specifically, providing for Water Quality Based Effluent Limitations (WQBEL) and an effective alternative accountability framework for controlling nitrogen pollution from sources contributing to an impairment, in this case hypoxia in Long Island Sound.

For phosphorus, Connecticut has developed an implementation plan that is consistent with EPA guidance issued under section 304(a) of the Federal Clean Water Act to support development of criteria for phosphorus in ambient freshwater surface waters. EPA's guidance to states is based on establishing acceptable reference conditions understanding that a "...directly prescriptive approach to nutrient criteria development is not appropriate due to regional differences that exist and the lack of a clear technical understanding of the relationship between nutrients, algal growth, and other factors (e.g., flow, light, substrata)." (EPA Nutrient Criteria Manual: Rivers and Streams EPA 822-B-00-002 available at http://www.epa.gov/waterscience/criteria/nutrient/guidance/rivers/rivers-streams-full.pdf). Using a best attainable reference condition approach, Connecticut has developed an implementation procedure that calculates phosphorus loadings associated with best attainable reference conditions within a watershed based on land use characteristics, implementation of source controls and attainment of designated uses, considering loadings of phosphorus from multiple sources including natural and developed land conditions, point and nonpoint contributions and effect of such loadings on downstream waters. The Connecticut phosphorus implementation procedure yields a site-specific numerical value for individual water bodies that represents the maximum acceptable phosphorus loading to each surface water body, consistent with EPA guidance issued under section 304(a) of the federal Clean Water Act for establishing phosphorus criteria based on reference conditions, providing a maximum acceptable numerical level for phosphorus based on sound scientific rationale and contains sufficient parameters to protect designated uses. Additionally, it provides a defined mechanism for establishing Water Quality Based Effluent Limitations and integrating such limits into an accountable framework for controlling nutrient pollution due to excess loadings of phosphorus.

Additional materials in support of the implementation strategy for Connecticut's phosphorus eriteria can be found in the <u>Freshwater Nutrient Management Technical Support Document</u> and the <u>Nutrient Reduction Strategy for Inland Waters: Phosphorous</u>. These documents will be amended from time to time as additional and appropriate information becomes available.

CTDEP Proposed Revisions to Connecticut Water Quality Standards December 22, 2009 January 2011 APPENDIX HF: CONNECTICUT BIOLOGICAL CONDITION GRADIENT MODEL



The Connecticut Biological Condition Gradient Model is based on published scientific literature (Davies and Jackson 2006) and provides a model to illustrate the relationship between the amount of stress on the environment and its effect on biological communities. Stressors are diverse and may be biological, chemical or physical in nature. In accordance with the Biological Condition Gradient Model, as the level of stress gets progressively greater, the biological communities, which start out in a natural condition, begin to change as they respond to the stress. In general, this model is applicable to many different types of biological communities. Within the aquatic communities, it could be applied to fish, benthic invertebrates or periphyton communities, among others. In all cases, it provides a more refined scale by which the health of biological communities in Connecticut's ecosystems can be described relative to the conditions which affect them.

<u>Model and Narrative Description of Biological Condition Gradient Tiers. (Modified from Davies & Jackson 2006)</u>

1. <u>Natural or nNative condition</u>: Native structural, functional and taxonomic integrity is preserved; ecosystem function is preserved within the range of natural variability.

2. <u>Minimal changes in structure of the biotic community and minimal changes in ecosystem function</u>: Virtually all native taxa are maintained with some changes in biomass and/or abundance; ecosystem functions are fully maintained within the range of natural variability.

3. <u>Evident changes in structure of the biotic community and minimal changes in ecosystem</u> <u>function</u>: Evident changes in structure due to loss of some sensitive-rare taxa; shifts in relative abundance of taxa but sensitive-ubiquitous taxa are common and abundant; ecosystem functions are fully maintained through redundant attributes of the system.

4. <u>Moderate changes in structure of the biotic community with minimal changes in ecosystem</u> <u>function</u>: Moderate changes in structure due to replacement of some sensitive-ubiquitous taxa by more tolerant taxa, but reproducing populations of some sensitive taxa are maintained; overall balanced distribution of all expected major groups; ecosystem functions largely maintained through redundant attributes.

5. <u>Major changes in structure of the biotic community and moderate changes in ecosystem</u> <u>function</u>: Sensitive taxa are markedly diminished; conspicuously unbalanced distribution of major groups from that expected; organism condition shows signs of physiological stress; ecosystem function shows reduced complexity and redundancy; increased build-up or export of unused materials.

6. <u>Severe changes in structure of the biotic community and major loss of ecosystem function</u>: Extreme changes in structure; wholesale changes in taxonomic composition; extreme alterations from normal densities and distributions; organism condition is often poor; ecosystem functions are severely altered.

Reference:

Davies, S. P. and S. K. Jackson. 2006. The Biological Condition Gradient: A Descriptive Model for Interpreting Change in Aquatic Ecosystems. Ecological Applications 16(4): 1251-1266.