

Connecticut Behavioral Risk Factor Survey

Prevalence Estimates for Risk Factors and Health Indicators

Selected Summary Tables 2016



April, 2018

*State of Connecticut
Department of Public Health*



Acknowledgments

Raul Pino, MD, MPH
Commissioner
Connecticut Department of Public Health

Janet Brancifort, MPH
Deputy Commissioner
Connecticut Department of Public Health

Diane Aye, MPH, PhD
CT BRFSS Director
Section Chief, Health Statistics and Surveillance
Connecticut Department of Public Health

Celeste Jorge, MPH
CT BRFSS Coordinator
Health Statistics and Surveillance Section
Connecticut Department of Public Health

This report was prepared by:
Xi Zheng, MPH, MS
BRFSS Epidemiologist
Health Statistics and Surveillance Section
Connecticut Department of Public Health

The CT BRFSS team acknowledges with gratitude the time contributed by nearly 11,000 citizen volunteers within the State of Connecticut who responded anonymously to the survey during the 2016 calendar year. The results presented in this report would not be possible without their participation.

For questions or comments about this report, please contact:

Xi Zheng, MPH, MS
Epidemiologist
Health Statistics and Surveillance Section
Connecticut Department of Public Health
Hartford, Connecticut, 06106
Xi.Zheng@ct.gov (860-509-7670)

Find more BRFSS factsheets, reports and publications at the Connecticut Department of Public Health BRFSS website: <http://www.ct.gov/dph/BRFSS>.

Table of Contents

Introduction.....	1
Prevalence of Selected Health Indicator.....	2
Adult Health.....	5
Health Status.....	5
Risk Behaviors.....	13
Clinical Preventive Practice.....	19
Chronic Disease.....	28
Other Adult Topics.....	35
Child Health.....	39

Introduction

The Connecticut Behavioral Risk Factor Surveillance System (CT BRFSS) is an ongoing statewide voluntary phone survey of Connecticut citizen volunteers aged 18 and over. It is funded by the Centers for Disease Control and Prevention (CDC) in all 50 states, and has been implemented in Connecticut since 1989.

For the 2016 CT BRFSS, the landline sample was a disproportionate stratified random digit dial (RDD) sample, stratified by geography and listed status. Within each contacted household, one adult was selected at random to be interviewed. The cell phone sample was an un-stratified RDD sample drawn from dedicated cellular telephone banks with equal probability. An adult contacted by cell phone was eligible to complete the survey if he or she lived in a private residence or college housing either without a landline present, or with a landline but with at least 90 percent of all calls received by cell phone. Each month, survey data from Connecticut are sent to CDC for editing and checking. At the end of each year, data are compiled and weighted to be representative of all adults in the state, and returned to states for analysis and use in planning and monitoring health programs. Summary data for all states are available on the CDC BRFSS website (<http://www.cdc.gov/BRFSS>).

In 2016, the total sample size of completed interviews for the core survey was 11,041 (land line=7,196; cell phone=3,845). Due to variability in response rates to individual questions and differences in specific sub-populations of interest for particular questions, not all estimates are based on a total sample size of 11,041. Prevalence estimates and 95% confidence intervals were computed using SAS PROC SURVEYFREQ, which can properly compute variances for complex sampling plans. Any responses of “Not Known/Not sure” or “Refused” were classified as missing.

In an effort to provide the most reliable information possible, coefficients of variation (CV) were used to assess the validity of each estimate. Prevalence estimates with a CV of between 15% and 20%, inclusive, are marked with a single asterisk (*). Prevalence estimates with a CV between 20.1% and 30%, inclusive, are rounded to the nearest five percent, and are marked with two asterisks (**) to indicate that caution should be exercised when interpreting these estimates. Prevalence estimates with a CV greater than 30% are suppressed due to poor validity. Only comparisons between estimates with non-overlapping 95% confidence intervals should be considered significantly different.

Due to the BRFSS methodology changes that took place in 2011, the estimates provided within the following tables should only be compared to CT BRFSS estimates from 2011-2016 and not to CT BRFSS estimates from years prior to 2011.

If you have any questions regarding any of the estimates within the following tables, please contact Xi Zheng at xi.zheng@ct.gov. To access to the 2016 CT BRFSS questionnaire, please visit the CT BRFSS web page at: www.ct.gov/dph/brfss.

Adult Health			
Indicators	%	95% CL	
Health Status			
Fair or poor health	14.4	13.5	15.3
Poor physical health at least 14 days in past month	10.8	10.0	11.6
Poor mental health at least 14 days in past month	10.7	9.9	11.6
Adult overweight	35.9	34.5	37.2
Adult obesity	26.0	24.8	27.2
Disability	19.7	18.6	20.7
Adults without dental insurance	26.3	24.5	28.1
All adults with Health Insurance	93.1	92.3	94.0
Adults 18-64 with insurance	91.8	90.8	92.8
Always/Usually worried about paying rent/mortgage	14.3	13.2	15.4
Always/Usually worried about buying nutritious meals	8.0	7.2	8.9
Private insurance (18-64)	65.0	63.4	66.6
Medicare (18-64)	5.4	4.7	6.2
Medicaid (18-64)	12.3	11.1	13.4
Other/unknown insurance (18-64)	9.1	8.0	10.1
Uninsured (18-64)	8.2	7.2	9.2
Adults with at least one regular doctor	85.2	84.1	86.3
Could not see doctor because of cost	9.9	9.1	10.8
Sufficient sleep (at least 8 hours of sleep)	33.9	32.7	35.2
Have fallen in the past 12 months (45+)	29.4	28.2	30.7
Risk Behaviors			
No leisure time physical activities	21.3	20.2	22.4
Current smoker	13.3	12.4	14.3
Ever tried hookah	14.6	13.4	15.8
Ever tried smoking cigars	31.1	29.8	32.5
Ever used E-cigarette	17.8	16.6	19.0
Current use E-cigarette everyday	1.1*	0.8	1.5
Current use E-cigarette someday	3.0	2.4	3.6
Binge drinker	16.7	15.6	17.9
Heavy drinker	5.7	5.0	6.3
Drinking and driving	4.2	3.5	4.9
Always wear a seatbelt	89.4	88.5	90.3
Clinical Preventive Practice			
Routine check-up in past year	75.8	74.6	76.9
Adults who have visited a dentist, dental hygienist or dental clinic within the past year	77.8	76.7	79.0
18+ adult had permanent teeth extracted	39.2	37.9	40.5
Had flu shot in past year	42.8	41.5	44.1
Had flu shot in last year (65+)	59.2	57.3	61.1
Had a pneumonia shot (all age)	34.8	33.5	36.1
Had a pneumonia shot (65+)	73.4	71.6	75.2
Had a tetanus shot in past 10 years	59.3	57.8	60.7
Had HPV vaccine (18-49 years old)	18.8	16.7	21.0
Ever test for HIV	35.9	34.5	37.3
Women 40+ with mammogram in past 2 years	79.9	78.5	81.4
50-74 who had a mammogram in the past 2 years	85.8	84.3	87.3
Women 21-65 had a pap test in the past 3 years	84.6	82.1	87.1
Women 21+ ever had a pap screen	93.3	92.2	94.4
Men 40+ Doc EVER talked about advantages PSA	59.8	57.6	61.9
Men 40+ with PSA test in past 2yrs	40.7	38.7	42.8
Adults 50+ years old with blood stool test in past 2 years	13.3	12.3	14.2
50-75 who had a blood stool test within the past year	8.9	8.0	9.7
50-75 who had a colonoscopy in past 10 years	73.4	71.9	75.0
49+ Ever had sigmoidoscopy/colonoscopy	76.7	75.4	78.1

Adult Health			
Indicators	%	95% CL	
Clinical Preventive Practice (Cont.)			
49+ had sigmoidoscopy/colonoscopy within 5 years	1.7*	1.1	2.3
within the recommended time interval	75.9	74.4	77.4
Chronic Conditions			
Adult with current asthma	10.5	9.7	11.4
Adult with former asthma	4.7	4.1	5.3
Adult ever told they have COPD	5.9	5.4	6.5
Adult with heart attack, coronary heart disease, or stroke (CVD)	7.6	7.0	8.1
Adult ever diagnosed with arthritis	25.1	24.1	26.1
Adult ever diagnosed with cancer	11.7	11.0	12.4
Test blood sugar in past three years	57.7	56.2	59.2
Adult ever told they have prediabetes	8.9	8.1	9.6
Adult ever told they have diabetes	9.8	9.1	10.5
Ever taken class in managing diabetes	54.7	51.1	58.3
Adult ever told they have kidney disease	2.9	2.5	3.3
Adult ever told they have depression	15.9	14.9	16.8
Adult with chronic fatigue syndrome (CFS)	1.4*	0.9	2.0
Ever been told periodontal disease by a dental provider	13.1	11.9	14.4
Ever had treatment for periodontal disease	18.5	17.0	20.1
Other Adult Topics			
LGBT population	4.4	3.8	5.1
Built environment (never walked in the neighborhood in the past month)	38.8	37.4	40.2
Environmental Health			
Have read official advice about eating sport-caught or store-bought fish	39.3	37.3	41.3
Have follow the fish advocacy, among who had read official fish advisory	44.2	41.1	47.3
Have a CO detector at home	76.2	74.5	78.0
Smoke from someone else at workplace in the past 7 days	44.6	43.2	45.9
Smoke from someone else at public in the past 7 days	45.4	44.1	46.8
Cognitive Decline			
Have experienced confusion or memory loss	7.3	6.1	8.5
Have discussed with a health care professional regarding confusion or memory loss	47.0	39.0	55.0
Adverse Medical Events			
Received medical or dental treatment within the US in the past 12 months	76.3	74.4	78.2
Had a wrong or delayed diagnosis in the past 12 months (among who received treatment)	3.8	2.9	4.8
Had a bad experience of medical or dental treatment (adverse events)	8.2	6.9	9.5
Caregiver			
Have provide care or assistance to a friend or family member in the past 30 days	20.2	18.6	21.9
Provide care for managing personal care in the past 30 days	45.7	41.0	50.3
Provide care for managing household tasks in the past 30 days	77.0	73.3	80.8
Expect to provide care to a friend or family member in the next 2 years	12.8	11.1	14.4
Suicide Prevention			
Ever thought of suicide	12.5	11.0	14.0
Ever attempted suicide (among those who ever thought of suicide)	28.6	22.5	34.7
Aware of 1 Word, 1 Voice, 1 Life suicide prevention campaign	30.5	28.5	32.5
Child Health			
Indicators	%	95% CL	
Ever breastfed	80.8	78.7	82.9
Overweight	14.7	12.5	16.9
Obesity	19.2	16.5	21.9
Excessive screen time	48.9	46.1	51.8
Drank soda or sugary drinks at least once daily	39.1	36.3	41.9
Ate fast food at least twice weekly	41.6	38.5	44.6
Visited dentist in past year	87.2	85.3	89.1

Child Health (Cont.)

Indicators	%	95% CL	
Ever received dental sealant on permanent teeth	50.0	46.9	53.2
Have been told have dental decay in the past 12 months	18.1	15.8	20.3
Current asthma	11.0	9.3	12.7
Former asthma	4.7	3.6	5.7

Health Status				
Poor or fair health				
Among all adults, the proportion who reported that their health, in general, was either fair or poor.				
Demographics		%	95% CL	
Total		14.4	13.5	15.3
Age	18-34 years old	8.6	6.8	10.5
	35-54 years old	13.9	12.2	15.6
	55 and over years old	19.1	17.8	20.4
Sex	Male	14.3	12.9	15.7
	Female	14.4	13.2	15.6
Race/ Ethnicity	non-Hispanic White	11.7	10.8	12.6
	non-Hispanic Black or African American	19.6	15.9	23.3
	Hispanic or Latino/a or Spanish origin	26.5	22.8	30.1
	non-Hispanic Other or Multiple	8.4*	5.8	11.1
Income	Less than \$35,000	29.2	26.6	31.7
	\$35,000-\$74,999	12.2	10.4	14.1
	\$75,000 and more	5.3	4.3	6.2
Insurance	Insured	13.6	12.7	14.5
	Not Insured	24.6	19.1	30.0
Disability	Disabled	42.3	39.5	45.0
	Non-disabled	6.4	5.6	7.2
Education	High School Graduate or Less	22.8	20.9	24.8
	More Than High School	9.0	8.2	9.8
Poor physical health at least 14 days in past month				
Among all adults, the proportion who reported 14 or more days of poor physical health, which includes physical illness and injury, during the past 30 days.				
Demographics		%	95% CL	
Total		10.8	10.0	11.6
Age	18-34 years old	6.4	4.8	8.0
	35-54 years old	10.8	9.3	12.2
	55 and over years old	14.2	13.1	15.3
Sex	Male	9.9	8.7	11.1
	Female	11.6	10.5	12.7
Race/ Ethnicity	non-Hispanic White	10.2	9.3	11.0
	non-Hispanic Black or African American	12.3	9.4	15.3
	Hispanic or Latino/a or Spanish origin	14.2	11.4	16.9
	non-Hispanic Other or Multiple	9.0*	5.5	12.5
Income	Less than \$35,000	19.5	17.3	21.6
	\$35,000-\$74,999	10.4	8.7	12.2
	\$75,000 and more	5.6	4.7	6.5
Insurance	Insured	10.7	9.9	11.5
	Not Insured	12.3*	8.4	16.2
Disability	Disabled	32.7	30.0	35.3
	Non-disabled	4.7	4.1	5.3
Education	High School Graduate or Less	14.7	13.1	16.4
	More Than High School	8.3	7.5	9.1

Poor mental health at least 14 days in past month				
Among all adults, the proportion who reported 14 or more days of poor mental health, which includes stress, depression, and problems with emotions, during the past 30 days.				
Demographics		%	95% CL	
Total		10.7	9.9	11.6
Age	18-34 years old	14.7	12.4	17.0
	35-54 years old	11.8	10.3	13.2
	55 and over years old	7.1	6.4	7.9
Sex	Male	9.5	8.2	10.7
	Female	11.9	10.7	13.1
Race/ Ethnicity	non-Hispanic White	9.9	8.9	10.8
	non-Hispanic Black or African American	11.5	8.3	14.6
	Hispanic or Latino/a or Spanish origin	14.6	11.7	17.6
	non-Hispanic Other or Multiple	11.9*	8.0	15.8
Income	Less than \$35,000	16.2	14.1	18.3
	\$35,000-\$74,999	10.1	8.4	11.8
	\$75,000 and more	7.2	5.9	8.4
Insurance	Insured	10.5	9.7	11.4
	Not Insured	14.3*	9.7	18.8
Disability	Disabled	26.1	23.5	28.8
	Non-disabled	6.5	5.7	7.3
Education	High School Graduate or Less	12.8	11.2	14.4
	More Than High School	9.5	8.5	10.4
Obese				
Among all adults, the proportion of respondents whose BMI was greater than or equal to 30.0.				
Demographics		%	95% CL	
Total		26.0	24.8	27.2
Age	18-34 years old	19.2	16.4	21.9
	35-54 years old	30.1	27.8	32.3
	55 and over years old	27.6	26.2	29.0
Sex	Male	26.9	25.2	28.7
	Female	25.0	23.4	26.6
Race/ Ethnicity	non-Hispanic White	24.1	22.8	25.4
	non-Hispanic Black or African American	39.1	34.0	44.3
	Hispanic or Latino/a or Spanish origin	33.0	28.8	37.1
	non-Hispanic Other or Multiple	15.1	11.2	19.0
Income	Less than \$35,000	31.4	28.7	34.1
	\$35,000-\$74,999	30.0	27.2	32.7
	\$75,000 and more	21.4	19.7	23.2
Insurance	Insured	26.1	24.8	27.3
	Not Insured	25.0	19.1	30.9
Disability	Disabled	37.0	34.3	39.8
	Non-disabled	22.9	21.6	24.3
Education	High School Graduate or Less	30.9	28.7	33.2
	More Than High School	22.9	21.6	24.3

Overweight				
Among all adults, the proportion of respondents whose BMI was greater than or equal to 25.0, but less than 30.0.				
Demographics		%	95% CL	
Total		35.9	34.5	37.2
Age	18-34 years old	28.4	25.2	31.7
	35-54 years old	36.7	34.5	39.0
	55 and over years old	40.3	38.7	41.8
Sex	Male	42.4	40.4	44.4
	Female	29.2	27.5	30.9
Race/ Ethnicity	non-Hispanic White	36.6	35.1	38.1
	non-Hispanic Black or African American	31.1	26.3	35.9
	Hispanic or Latino/a or Spanish origin	36.1	31.8	40.3
	non-Hispanic Other or Multiple	34.2	28.2	40.2
Income	Less than \$35,000	33.3	30.5	36.1
	\$35,000-\$74,999	36.6	33.7	39.5
	\$75,000 and more	38.3	36.3	40.4
Insurance	Insured	36.0	34.6	37.3
	Not Insured	34.0	27.6	40.4
Disability	Disabled	32.1	29.4	34.8
	Non-disabled	37.0	35.4	38.5
Education	High School Graduate or Less	36.3	33.8	38.7
	More Than High School	35.6	34.0	37.1
Adults 18-64 with insurance				
Among adults aged 18-64 years, the proportion who reported having health care coverage, including health insurance, prepaid plans such as HMOs, or government plans, such as Medicare or Indian Health Services.				
Demographics		%	95% CL	
Total		91.8	90.8	92.8
Age	18-34 years old	89.0	86.7	91.3
	35-54 years old	92.1	90.8	93.4
	55 and over years old	95.8	94.6	96.9
Sex	Male	90.5	88.9	92.0
	Female	93.1	91.8	94.4
Race/ Ethnicity	non-Hispanic White	96.5	95.7	97.3
	non-Hispanic Black or African American	89.3*	85.9	92.7
	Hispanic or Latino/a or Spanish origin	74.5	70.3	78.7
	non-Hispanic Other or Multiple	95.0**	-	-
Income	Less than \$35,000	80.5	77.4	83.5
	\$35,000-\$74,999	93.4*	91.2	95.7
	\$75,000 and more	98.0*	97.2	98.7
Disability	Disabled	90.0	87.3	92.6
	Non-disabled	92.2	91.1	93.3
Education	High School Graduate or Less	84.0	81.6	86.4
	More Than High School	96.4	95.7	97.1

18-64 years old adults with Medicaid				
Among adults aged 18-64 years, the proportion who reported currently having Medicaid.				
Demographics		%	95% CL	
Total		12.3	11.1	13.4
Age	18-34 years old	15.3	12.8	17.8
	35-54 years old	11.9	10.3	13.5
	55 and over years old	8.0	6.7	9.3
Sex	Male	9.6	8.1	11.0
	Female	14.9	13.1	16.7
Race/ Ethnicity	non-Hispanic White	8.4	7.2	9.5
	non-Hispanic Black or African American	23.8	18.9	28.7
	Hispanic or Latino/a or Spanish origin	20.6	16.9	24.3
	non-Hispanic Other or Multiple	13.0**	-	-
Income	Less than \$35,000	33.1	29.6	36.7
	\$35,000-\$74,999	10.7	8.1	13.3
	\$75,000 and more	<5.0**	-	-
Disability	Disabled	25.6	22.0	29.2
	Non-disabled	9.1	8.0	10.3
Education	High School Graduate or Less	20.1	17.6	22.6
	More Than High School	7.7	6.6	8.8
18-64 years old adults with Medicare				
Among adults aged 18-64 years, the proportion who reported currently having Medicare.				
Demographics		%	95% CL	
Total		5.4	4.7	6.2
Age	18-34 years old	4.8*	3.2	6.3
	35-54 years old	4.3	3.3	5.2
	55 and over years old	8.8	7.5	10.1
Sex	Male	5.1	4.1	6.1
	Female	5.8	4.7	6.9
Race/ Ethnicity	non-Hispanic White	4.4	3.6	5.2
	non-Hispanic Black or African American	9.4*	6.5	12.3
	Hispanic or Latino/a or Spanish origin	8.0*	5.6	10.4
	non-Hispanic Other or Multiple	5.0**	-	-
Income	Less than \$35,000	15.7	13.1	18.2
	\$35,000-\$74,999	3.3*	2.1	4.5
	\$75,000 and more	-	-	-
Disability	Disabled	17.0	14.3	19.7
	Non-disabled	2.9	2.2	3.6
Education	High School Graduate or Less	8.7	7.0	10.4
	More Than High School	3.5	2.9	4.1

18-64 years old adults without insurance

Among adults aged 18-64 years, the proportion who reported having no health care coverage, including health insurance, prepaid plans such as HMOs, or government plans, such as Medicare or Indian Health Services.

Demographics		%	95% CL	
Total		8.2	7.2	9.2
Age	18-34 years old	11.0	8.7	13.3
	35-54 years old	7.9	6.6	9.2
	55 and over years old	4.2	3.1	5.4
Sex	Male	9.5	8.0	11.1
	Female	6.9	5.6	8.2
Race/ Ethnicity	non-Hispanic White	3.5	2.7	4.3
	non-Hispanic Black or African American	10.7*	7.3	14.2
	Hispanic or Latino/a or Spanish origin	25.5	21.3	29.7
	non-Hispanic Other or Multiple	5.0**	-	-
Income	Less than \$35,000	19.5	16.5	22.6
	\$35,000-\$74,999	6.6*	4.3	8.8
	\$75,000 and more	2.0*	1.3	2.8
Disability	Disabled	10.0	7.4	12.7
	Non-disabled	7.8	6.7	8.9
Education	High School Graduate or Less	16.0	13.6	18.4
	More Than High School	3.6	2.9	4.3

18-64 years old adults with private insurance

Among adults aged 18-64 years, the proportion who reported currently having Private Insurance.

Demographics		%	95% CL	
Total		65.0	63.4	66.6
Age	18-34 years old	54.7	51.3	58.2
	35-54 years old	69.4	67.3	71.6
	55 and over years old	73.3	71.1	75.5
Sex	Male	64.8	62.5	67.1
	Female	65.3	63.0	67.5
Race/ Ethnicity	non-Hispanic White	76.2	74.5	77.9
	non-Hispanic Black or African American	46.3	40.8	51.9
	Hispanic or Latino/a or Spanish origin	35.2	31.1	39.2
	non-Hispanic Other or Multiple	62.8	56.1	69.5
Income	Less than \$35,000	20.2	17.4	23.0
	\$35,000-\$74,999	72.2	68.6	75.8
	\$75,000 and more	89.4	87.8	91.0
Disability	Disabled	37.1	33.5	40.8
	Non-disabled	71.7	70.0	73.5
Education	High School Graduate or Less	45.1	42.1	48.1
	More Than High School	76.7	75.0	78.4

Could not see Dr. because of cost				
Among all adults, the proportion who reported that in the past 12 months, they could not see a doctor when they needed to due to the cost.				
Demographics		%	95% CL	
Total		9.9	9.1	10.8
Age	18-34 years old	11.7	9.4	13.9
	35-54 years old	12.5	11.0	14.1
	55 and over years old	6.4	5.6	7.3
Sex	Male	9.2	8.0	10.4
	Female	10.6	9.4	11.8
Race/ Ethnicity	non-Hispanic White	7.3	6.5	8.2
	non-Hispanic Black or African American	10.7	7.8	13.5
	Hispanic or Latino/a or Spanish origin	21.3	17.8	24.8
	non-Hispanic Other or Multiple	10.0**	-	-
Income	Less than \$35,000	18.5	16.1	20.9
	\$35,000-\$74,999	10.9	8.9	12.9
	\$75,000 and more	5.0	4.0	5.9
Insurance	Insured	8.0	7.2	8.8
	Not Insured	36.2	30.0	42.3
Disability	Disabled	16.7	14.5	19.0
	Non-disabled	7.8	6.9	8.7
Education	High School Graduate or Less	14.0	12.3	15.8
	More Than High School	7.3	6.5	8.2
At least one regular doctor				
Among all adults, the proportion who reported that they did not have anyone that they thought of as their personal doctor or health care provider.				
Demographics		%	95% CL	
Total		85.2	84.1	86.3
Age	18-34 years old	69.9	66.8	73.1
	35-54 years old	86.3	84.6	87.9
	55 and over years old	95.3	94.6	96.0
Sex	Male	80.5	78.8	82.3
	Female	89.5	88.2	90.8
Race/ Ethnicity	non-Hispanic White	89.9	88.8	90.9
	non-Hispanic Black or African American	86.4	82.6	90.3
	Hispanic or Latino/a or Spanish origin	66.8	62.7	70.9
	non-Hispanic Other or Multiple	74.9	69.4	80.4
Income	Less than \$35,000	77.5	74.8	80.2
	\$35,000-\$74,999	87.8	85.6	90.0
	\$75,000 and more	90.4	88.9	91.8
Insurance	Insured	88.2	87.2	89.3
	Not Insured	43.9	37.7	50.1
Disability	Disabled	86.8	84.5	89.0
	Non-disabled	85.0	83.7	86.2
Education	High School Graduate or Less	80.5	78.4	82.6
	More Than High School	88.2	87.0	89.4

Always/usually worries about paying rent/mortgage				
Among all adults, the proportion who reported "always" or "usually" felt worried or stressed in the past 12 months about having enough money to pay for housing.				
Demographics		%	95% CL	
Total		14.3	13.2	15.4
Age	18-34 years old	17.6	14.4	20.9
	35-54 years old	18.0	16.1	19.9
	55 and over years old	9.5	8.4	10.5
Sex	Male	12.8	11.2	14.4
	Female	15.7	14.2	17.2
Race/ Ethnicity	non-Hispanic White	12.3	11.1	13.4
	non-Hispanic Black or African American	20.7	16.1	25.2
	Hispanic or Latino/a or Spanish origin	19.8	15.9	23.7
	non-Hispanic Other or Multiple	16.5*	11.3	21.7
Income	Less than \$35,000	27.4	24.6	30.3
	\$35,000-\$74,999	14.8	12.5	17.1
	\$75,000 and more	6.6	5.3	7.8
Insurance	Insured	13.5	12.5	14.6
	Not Insured	25.8	19.2	32.3
Disability	Disabled	28.6	25.7	31.5
	Non-disabled	10.3	9.2	11.4
Education	High School Graduate or Less	19.1	16.9	21.2
	More Than High School	11.4	10.3	12.6
Always/usually worries about buying nutritious meals				
Among all adults, the proportion who reported "always" or "usually" felt worried or stressed in the past 12 months about having enough money to buy nutritious meals.				
Demographics		%	95% CL	
Total		8.0	7.2	8.9
Age	18-34 years old	10.3	8.0	12.6
	35-54 years old	10.8	9.2	12.5
	55 and over years old	4.4	3.7	5.2
Sex	Male	7.0	5.8	8.2
	Female	9.0	7.8	10.1
Race/ Ethnicity	non-Hispanic White	6.4	5.5	7.3
	non-Hispanic Black or African American	11.4*	8.0	14.9
	Hispanic or Latino/a or Spanish origin	13.5	10.3	16.6
	non-Hispanic Other or Multiple	-	-	-
Income	Less than \$35,000	18.9	16.3	21.4
	\$35,000-\$74,999	8.2	6.4	10.1
	\$75,000 and more	2.2**	1.3	3.1
Insurance	Insured	7.4	6.5	8.2
	Not Insured	17.4*	12.0	23.0
Disability	Disabled	18.7	16.1	21.2
	Non-disabled	4.9	4.1	5.7
Education	High School Graduate or Less	12.1	10.4	13.9
	More Than High School	5.5	4.7	6.4

Insufficient sleep (less than 8hr sleep)				
Among all adults, the proportion who reported getting on average less than eight hours of sleep per night.				
Demographics		%	95% CL	
Total		66.1	64.8	67.3
Age	18-34 years old	66.7	63.4	70.0
	35-54 years old	72.1	70.1	74.1
	55 and over years old	60.6	59.1	62.1
Sex	Male	67.4	65.6	69.3
	Female	64.8	63.1	66.6
Race/ Ethnicity	non-Hispanic White	66.0	64.6	67.4
	non-Hispanic Black or African American	67.3	62.6	72.1
	Hispanic or Latino/a or Spanish origin	63.2	59.1	67.3
	non-Hispanic Other or Multiple	71.7	66.4	77.0
Income	Less than \$35,000	59.1	56.2	62.0
	\$35,000-\$74,999	68.1	65.4	70.8
	\$75,000 and more	70.8	68.9	72.6
Insurance	Insured	66.5	65.2	67.8
	Not Insured	61.5	55.3	67.7
Disability	Disabled	64.2	61.5	66.9
	Non-disabled	33.1	31.7	34.6
Education	High School Graduate or Less	65.0	62.1	67.9
	More Than High School	66.5	65.1	68.0
Disability				
Among all adults, the proportion who reported being limited in any activities because of physical, mental, or emotional problems, or reported that they required use of special equipment (such as a cane, a wheelchair, a special bed, or a special telephone) due to a health problem.				
Demographics		%	95% CL	
Total		22.2	21.1	23.3
Age	18-34 years old	15.5	13.0	18.1
	35-54 years old	17.8	15.9	19.6
	55 and over years old	30.9	29.4	32.3
Sex	Male	21.0	19.4	22.7
	Female	23.3	21.8	24.8
Race/ Ethnicity	non-Hispanic White	20.4	19.3	21.6
	non-Hispanic Black or African American	23.8	19.6	28.0
	Hispanic or Latino/a or Spanish origin	31.3	27.3	35.2
	non-Hispanic Other or Multiple	18.4	13.9	22.9
Income	Less than \$35,000	39.0	36.2	41.8
	\$35,000-\$74,999	20.3	18.0	22.6
	\$75,000 and more	10.4	9.1	11.7
Disability	Insured	22.1	21.0	23.2
	Not Insured	23.8	18.4	29.2
Education	High School Graduate or Less	23.3	30.1	34.6
	More Than High School	15.8	14.8	16.9

Risk Behaviors				
No leisure time activities				
Among all adults, the proportion who reported not participating in any leisure time physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise during the past month.				
Demographics		%	95% CL	
Total		21.3	20.2	22.4
Age	18-34 years old	15.6	13.1	18.2
	35-54 years old	20.7	18.8	22.5
	55 and over years old	26.1	24.8	27.5
Sex	Male	19.6	18.0	21.1
	Female	22.8	21.3	24.4
Race/ Ethnicity	non-Hispanic White	18.4	17.3	19.4
	non-Hispanic Black or African American	25.3	21.2	29.5
	Hispanic or Latino/a or Spanish origin	32.1	28.2	36.1
	non-Hispanic Other or Multiple	23.0	17.8	28.2
Income	Less than \$35,000	34.0	31.3	36.7
	\$35,000-\$74,999	21.8	19.5	24.1
	\$75,000 and more	10.7	9.4	11.9
Insurance	Insured	20.4	19.3	21.5
	Not Insured	32.0	26.2	37.9
Disability	Disabled	40.1	37.2	43.0
	Non-disabled	16.4	15.5	17.6
Education	High School Graduate or Less	30.8	28.7	33.0
	More Than High School	15.2	14.1	16.3
Always seatbelt use				
Among all adults, the proportion who reported always using a seatbelt when driving or riding in a car				
Demographics		%	95% CL	
Total		89.4	88.5	90.3
Age	18-34 years old	84.8	82.3	87.3
	35-54 years old	90.3	88.8	91.8
	55 and over years old	91.7	90.8	92.6
Sex	Male	85.9	84.4	87.3
	Female	92.7	91.6	93.8
Race/ Ethnicity	non-Hispanic White	89.9	88.8	90.9
	non-Hispanic Black or African American	87.1	83.4	90.9
	Hispanic or Latino/a or Spanish origin	88.6	85.8	91.5
	non-Hispanic Other or Multiple	88.5*	84.3	92.7
Income	Less than \$35,000	88.9	87.0	90.8
	\$35,000-\$74,999	89.2	87.3	91.2
	\$75,000 and more	90.1	88.6	91.5
Insurance	Insured	89.7	88.7	90.6
	Not Insured	85.7*	81.2	90.2
Disability	Disabled	87.0	84.7	89.1
	Non-disabled	90.1	89.1	91.1
Education	High School Graduate or Less	86.9	85.2	88.7
	More Than High School	91.0	90.0	92.0

Current smoker				
Among all adults, the proportion who reported that they had ever smoked at least 100 cigarettes (5 packs) in their life and that they smoke cigarettes now, either every day or on some days.				
Demographics		%	95% CL	
Total		13.3	12.4	14.3
Age	18-34 years old	15.3	12.8	17.8
	35-54 years old	15.2	13.5	16.9
	55 and over years old	10.5	9.4	11.5
Sex	Male	14.8	13.3	16.4
	Female	12.0	10.7	13.2
Race/ Ethnicity	non-Hispanic White	12.6	11.5	13.7
	non-Hispanic Black or African American	16.8	13.2	20.4
	Hispanic or Latino/a or Spanish origin	15.2	12.2	18.2
	non-Hispanic Other or Multiple	12.9*	8.9	16.9
Income	Less than \$35,000	23.3	20.8	25.8
	\$35,000-\$74,999	15.3	13.1	17.5
	\$75,000 and more	6.7	5.6	7.9
Insurance	Insured	12.9	11.9	13.9
	Not Insured	20.1	14.8	25.3
Disability	Disabled	23.3	20.7	25.9
	Non-disabled	10.5	9.5	11.5
Education	High School Graduate or Less	20.8	18.8	22.9
	More Than High School	8.6	7.7	9.5
Ever use E-cigarette				
Among all adults, the proportion who reported that they currently use e-cigarettes or other electronic vaping products, either every day or on some days.				
Demographics		%	95% CL	
Total		17.8	16.6	19.0
Age	18-34 years old	34.6	31.3	38.0
	35-54 years old	15.6	13.8	17.3
	55 and over years old	7.8	6.9	8.7
Sex	Male	21.4	19.5	23.3
	Female	14.4	13.0	15.8
Race/ Ethnicity	non-Hispanic White	17.9	16.5	19.3
	non-Hispanic Black or African American	14.9	11.1	18.7
	Hispanic or Latino/a or Spanish origin	20.0	16.5	23.5
	non-Hispanic Other or Multiple	18.8	13.8	23.8
Income	Less than \$35,000	22.3	19.7	24.9
	\$35,000-\$74,999	19.4	16.7	22.0
	\$75,000 and more	14.3	12.5	16.1
Insurance	Insured	17.4	16.2	18.7
	Not Insured	22.3	16.7	27.9
Disability	Disabled	23.0	20.4	25.7
	Non-disabled	16.3	15.0	17.7
Education	High School Graduate or Less	21.6	19.3	23.8
	More Than High School	15.4	14.1	16.8

Ever tried smoking cigars, cigarillos, flavored little cigars				
Among all adults, the proportion who reported that they ever tried smoking cigars, cigarillos, clove cigars, little cigars, or flavored little cigars				
Demographics		%	95% CL	
Total		31.1	29.8	32.5
Age	18-34 years old	39.3	35.5	43.1
	35-54 years old	32.0	29.8	34.2
	55 and over years old	25.7	24.4	27.1
Sex	Male	47.9	45.8	50.0
	Female	15.7	14.2	17.1
Race/ Ethnicity	non-Hispanic White	35.4	33.8	37.0
	non-Hispanic Black or African American	18.4	14.1	22.6
	Hispanic or Latino/a or Spanish origin	19.0	15.5	22.5
	non-Hispanic Other or Multiple	23.9	18.3	29.5
Income	Less than \$35,000	22.0	19.5	24.5
	\$35,000-\$74,999	31.1	28.2	34.0
	\$75,000 and more	39.8	37.6	41.9
Insurance	Insured	31.9	30.5	33.2
	Not Insured	20.6	14.7	26.4
Disability	Disabled	30.4	27.6	33.2
	Non-disabled	31.4	29.8	32.9
Education	High School Graduate or Less	26.2	23.8	28.5
	More Than High School	34.2	32.6	35.7
Ever tried hookah				
Among all adults, the proportion who reported that they ever tried smoking tobacco from a hookah.				
Demographics		%	95% CL	
Total		14.6	13.4	15.8
Age	18-34 years old	37.9	34.1	41.6
	35-54 years old	8.9	7.5	10.2
	55 and over years old	4.8	4.2	5.5
Sex	Male	17.8	15.9	19.6
	Female	11.7	10.2	13.2
Race/ Ethnicity	non-Hispanic White	14.7	13.3	16.1
	non-Hispanic Black or African American	12.8*	8.6	17.1
	Hispanic or Latino/a or Spanish origin	12.1	9.1	15.1
	non-Hispanic Other or Multiple	22.8	17.0	28.5
Income	Less than \$35,000	11.4	9.1	13.6
	\$35,000-\$74,999	14.0	11.4	16.5
	\$75,000 and more	17.1	15.1	19.1
Insurance	Insured	14.5	13.3	15.7
	Not Insured	16.1*	10.1	22.0
Disability	Disabled	12.1	9.7	14.4
	Non-disabled	15.4	14.0	16.8
Education	High School Graduate or Less	12.2	10.1	14.3
	More Than High School	16.1	14.6	17.5

Fall (45+ years old) in the past year				
Among adults aged 45+ years old, the proportion who reported had a fall sometime in the past 12 months.				
Demographics		%	95% CL	
Total		29.4	28.2	30.7
Age	45-54 years old	29.4	26.9	32.0
	55 and over years old	29.4	28.0	30.8
Sex	Male	28.6	26.7	30.5
	Female	30.2	28.5	31.8
Race/ Ethnicity	non-Hispanic White	29.9	28.5	31.2
	non-Hispanic Black or African American	27.9	22.4	33.3
	Hispanic or Latino/a or Spanish origin	29.3	24.5	34.1
	non-Hispanic Other or Multiple	24.1	17.2	31.0
Income	Less than \$35,000	32.6	29.8	35.4
	\$35,000-\$74,999	29.1	26.4	31.7
	\$75,000 and more	26.3	24.4	28.2
Insurance	Insured	29.4	28.2	30.7
	Not Insured	32.3	24.2	40.3
Disability	Disabled	41.8	39.1	44.5
	Non-disabled	22.4	21.1	23.7
Education	High School Graduate or Less	30.5	28.2	32.8
	More Than High School	28.7	27.3	30.1
Fall and injured (45+ years old)				
Among adults aged 45 years old who had a fall in the past 12 months, the proportion who had injured during the fall.				
Demographics		%	95% CL	
Total		37.6	35.0	40.2
Age	45-54 years old	41.1	35.4	46.8
	55 and over years old	35.6	32.9	38.4
Sex	Male	32.6	28.6	36.6
	Female	41.8	38.4	45.1
Race/ Ethnicity	non-Hispanic White	35.9	33.1	38.6
	non-Hispanic Black or African American	44.6	32.1	57.1
	Hispanic or Latino/a or Spanish origin	51.5	41.0	61.9
	non-Hispanic Other or Multiple	30.0**	-	-
Income	Less than \$35,000	48.8	43.4	54.2
	\$35,000-\$74,999	34.4	29.1	39.6
	\$75,000 and more	31.3	27.1	35.5
Insurance	Insured	37.6	35.0	40.2
	Not Insured	35.0**	-	-
Disability	Disabled	46.8	42.5	51.1
	Non-disabled	31.0	27.8	34.2
Education	High School Graduate or Less	38.6	33.9	43.4
	More Than High School	36.8	33.9	39.7

Binge drinking				
Among all adults, the proportion who reported consuming five or more drinks per occasion (for men) or four or more (for women) at least once in the previous month.				
Demographics		%	95% CL	
Total		16.7	15.6	17.9
Age	18-34 years old	27.7	24.5	30.9
	35-54 years old	18.8	17.0	20.6
	55 and over years old	7.4	6.6	8.2
Sex	Male	21.9	20.0	23.7
	Female	11.9	10.6	13.2
Race/ Ethnicity	non-Hispanic White	17.8	16.5	19.1
	non-Hispanic Black or African American	9.6*	6.1	13.1
	Hispanic or Latino/a or Spanish origin	18.2	14.7	21.6
	non-Hispanic Other or Multiple	13.3*	8.9	17.7
Income	Less than \$35,000	11.9	9.9	13.9
	\$35,000-\$74,999	16.6	14.0	19.2
	\$75,000 and more	21.6	19.8	23.5
Insurance	Insured	16.6	15.4	17.7
	Not Insured	19.1	13.9	24.4
Disability	Disabled	13.5	11.2	15.8
	Non-disabled	17.7	16.4	19.0
Education	High School Graduate or Less	15.0	13.1	17.0
	More Than High School	17.9	16.5	19.2
Heavy drinking				
Among all adults, the proportion who reported consuming an average of more than two alcoholic drinks per day for men or more than one per day for women in the previous month.				
Demographics		%	95% CL	
Total		5.7	5.0	6.3
Age	18-34 years old	6.7	4.9	8.6
	35-54 years old	5.4	4.4	6.3
	55 and over years old	5.3	4.7	6.0
Sex	Male	5.8	4.8	6.9
	Female	5.6	4.8	6.3
Race/ Ethnicity	non-Hispanic White	6.6	5.8	7.3
	non-Hispanic Black or African American	-	-	-
	Hispanic or Latino/a or Spanish origin	5.0**	-	-
	non-Hispanic Other or Multiple	-	-	-
Income	Less than \$35,000	4.1	2.9	5.3
	\$35,000-\$74,999	6.1	4.6	7.6
	\$75,000 and more	6.9	5.8	8.0
Insurance	Insured	5.5	4.9	6.2
	Not Insured	10.0**	-	-
Disability	Disabled	6.1	4.7	7.6
	Non-disabled	5.6	4.8	6.3
Education	High School Graduate or Less	6.0	4.7	7.3
	More Than High School	5.5	4.8	6.2

Excessive drinking				
Among all adults, the proportion who are either heavy or binge drinkers.				
Demographics		%	95% CL	
Total		18.1	17.0	19.3
Age	18-34 years old	28.2	25.0	31.4
	35-54 years old	19.7	17.9	21.5
	55 and over years old	9.8	8.9	10.7
Sex	Male	22.6	20.7	24.4
	Female	14.0	12.7	15.4
Race/ Ethnicity	non-Hispanic White	19.7	18.3	21.0
	non-Hispanic Black or African American	9.7*	6.3	13.2
	Hispanic or Latino/a or Spanish origin	18.7	15.3	22.2
	non-Hispanic Other or Multiple	13.6*	9.3	18.0
Income	Less than \$35,000	12.7	10.7	14.7
	\$35,000-\$74,999	18.2	15.6	20.8
	\$75,000 and more	23.5	21.6	25.4
Insurance	Insured	18.0	16.9	19.2
	Not Insured	20.0	14.7	25.3
Disability	Disabled	15.1	12.8	17.4
	Non-disabled	19.1	17.7	20.4
Education	High School Graduate or Less	16.0	14.0	17.9
	More Than High School	19.6	18.2	20.9

Clinical Preventive Practice				
Check up in previous year				
Among all adults, the proportion who reported that they did not have a routine checkup in the past year.				
Demographics		%	95% CL	
Total		75.8	74.6	76.9
Age	18-34 years old	66.4	63.2	69.6
	35-54 years old	73.4	71.4	75.3
	55 and over years old	84.6	83.5	85.7
Sex	Male	72.9	71.1	74.7
	Female	78.4	76.9	80.0
Race/ Ethnicity	non-Hispanic White	76.1	74.8	77.4
	non-Hispanic Black or African American	84.5	80.9	88.2
	Hispanic or Latino/a or Spanish origin	71.1	67.2	75.0
	non-Hispanic Other or Multiple	69.5	63.9	75.2
Income	Less than \$35,000	75.7	73.0	78.3
	\$35,000-\$74,999	75.4	72.7	78.1
	\$75,000 and more	74.8	72.9	76.6
Insurance	Insured	77.6	76.5	78.8
	Not Insured	48.9	42.6	55.2
Disability	Disabled	80.9	78.6	83.3
	non-disabled	74.3	72.9	75.7
Education	High School Graduate or Less	76.4	74.3	78.6
	More Than High School	75.3	73.9	76.7
Women 40+ with mammogram in past 2 years				
Among women aged 40 years and older, the proportion who reported having a mammogram in the past two years.				
Demographics		%	95% CL	
Total		79.9	78.5	81.4
Age	35-54 years old	78.3	75.5	81.0
	55 and over years old	81.0	79.4	82.6
Race/ Ethnicity	non-Hispanic White	80.1	78.5	81.6
	non-Hispanic Black or African American	79.2*	72.7	85.6
	Hispanic or Latino/a or Spanish origin	81.1	75.9	86.2
	non-Hispanic Other or Multiple	76.4*	67.3	85.4
Income	Less than \$35,000	73.6	70.2	77.0
	\$35,000-\$74,999	80.7	77.4	84.0
	\$75,000 and more	84.6	82.5	86.6
Insurance	Insured	80.5	79.1	82.0
	Not Insured	63.2*	51.8	74.6
Disability	Disabled	72.7	69.6	75.8
	non-disabled	82.6	81.0	84.2
Education	High School Graduate or Less	76.5	73.7	79.2
	More Than High School	82.2	80.6	83.8

Women 21+ ever had Pap screen				
Among women aged 21 years and older, the proportion who reported ever having a Pap test.				
Demographics		%	95% CL	
Total		93.3	92.2	94.4
Age	18-34 years old	84.3	80.2	88.4
	35-54 years old	96.7*	95.4	97.9
	55 and over years old	95.3	94.3	96.2
Race/ Ethnicity	non-Hispanic White	94.8	93.6	95.9
	non-Hispanic Black or African American	-	-	-
	Hispanic or Latino/a or Spanish origin	90.7*	87.3	94.2
	non-Hispanic Other or Multiple	80.0**	-	-
Income	Less than \$35,000	88.0	85.2	90.8
	\$35,000-\$74,999	95.0**	94.7	97.9
	\$75,000 and more	95.0**	94.9	98.1
Insurance	Insured	93.9	92.8	95.0
	Not Insured	85.0**	-	-
Disability	Disabled	90.4	87.7	93.0
	non-disabled	94.1	92.9	95.3
Education	High School Graduate or Less	92.6	90.9	94.4
	More Than High School	93.7	92.3	95.2
Women 21+ had Pap screen in the past three years				
Among women aged 21 years and older, the proportion who reported having a Pap test in the past three years.				
Demographics		%	95% CL	
Total		84.6	82.1	87.1
Age	18-34 years old	79.7	74.8	84.5
	35-54 years old	89.0	86.3	91.7
	55 and over years old	85.9	81.8	90.0
Race/ Ethnicity	non-Hispanic White	87.1	84.3	89.9
	non-Hispanic Black or African American	-	-	-
	Hispanic or Latino/a or Spanish origin	82.6*	76.5	88.6
	non-Hispanic Other or Multiple	63.7*	50.5	76.8
Income	Less than \$35,000	76.5	70.5	82.5
	\$35,000-\$74,999	89.2**	-	-
	\$75,000 and more	89.3*	86.1	92.6
Insurance	Insured	85.7	83.2	88.3
	Not Insured	75.0**	-	-
Disability	Disabled	77.4*	70.0	84.7
	non-disabled	85.9	83.3	88.5
Education	High School Graduate or Less	82.9	78.0	87.7
	More Than High School	85.3	82.4	88.2

Ever had pneumonia shot (all age)				
Among all adults, the proportion who reported that they ever had a pneumococcal vaccine.				
Demographics		%	95% CL	
Total		34.8	33.5	36.1
Age	18-34 years old	26.6	22.9	30.3
	35-54 years old	15.9	14.1	17.7
	55 and over years old	53.5	51.9	55.1
Sex	Male	34.1	32.1	36.1
	Female	35.4	33.7	37.1
Race/ Ethnicity	non-Hispanic White	37.8	36.3	39.3
	non-Hispanic Black or African American	28.9	24.2	33.6
	Hispanic or Latino/a or Spanish origin	24.9	21.1	28.7
	non-Hispanic Other or Multiple	28.5	22.3	34.8
Income	Less than \$35,000	39.4	36.5	42.2
	\$35,000-\$74,999	37.0	34.2	39.8
	\$75,000 and more	27.4	25.4	29.4
Insurance	Insured	36.0	34.6	37.3
	Not Insured	19.0	13.8	24.3
Disability	Disabled	50.8	47.9	53.8
	non-disabled	30.0	28.6	31.5
Education	High School Graduate or Less	38.0	35.6	40.5
	More Than High School	32.7	31.2	34.2
Ever had pneumonia shot (65+)				
Among adults aged 65 years and older, the proportion who reported that they ever had a pneumococcal vaccine.				
Demographics		%	95% CL	
Total		73.4	71.6	75.2
Sex	Male	71.0	67.9	74.0
	Female	75.2	73.0	77.4
Race/ Ethnicity	non-Hispanic White	74.6	72.7	76.4
	non-Hispanic Black or African American	61.1	51.1	71.1
	Hispanic or Latino/a or Spanish origin	68.2	58.9	77.6
	non-Hispanic Other or Multiple	75.1	64.8	85.3
Income	Less than \$35,000	71.1	67.3	74.9
	\$35,000-\$74,999	75.9	72.6	79.3
	\$75,000 and more	71.9	68.4	75.4
Insurance	Insured	74.0	72.2	75.8
	Not Insured	45.0**	-	-
Disability	Disabled	77.8	74.8	80.8
	non-disabled	71.0	68.7	73.3
Education	High School Graduate or Less	72.8	69.7	75.9
	More Than High School	74.1	72.0	76.1

Flu shot in the past year				
Among all adults, the proportion who reported that they had a flu shot in the past year.				
Demographics		%	95% CL	
Total		42.8	41.5	44.1
Age	18-34 years old	35.0	31.6	38.4
	35-54 years old	37.2	35.0	39.4
	55 and over years old	52.8	51.2	54.3
Sex	Male	39.1	37.2	41.1
	Female	46.3	44.4	48.1
Race/ Ethnicity	non-Hispanic White	45.2	43.7	46.7
	non-Hispanic Black or African American	37.0	31.9	42.0
	Hispanic or Latino/a or Spanish origin	35.3	31.4	39.3
	non-Hispanic Other or Multiple	42.7	36.2	49.2
Income	Less than \$35,000	39.1	36.2	41.9
	\$35,000-\$74,999	43.1	40.2	46.0
	\$75,000 and more	45.5	43.4	47.6
Insurance	Insured	44.2	42.9	45.6
	Not Insured	23.5	18.1	28.9
Disability	Disabled	46.9	44.1	49.7
	non-disabled	41.6	40.1	43.1
Education	High School Graduate or Less	37.8	35.5	40.2
	More Than High School	45.9	44.3	47.5
Flu shot (65+) in the past year				
Among adults aged 65+, the proportion who reported that they had a flu shot in the past year.				
Demographics		%	95% CL	
Total		59.2	57.3	61.1
Sex	Male	58.0	54.8	61.1
	Female	60.1	57.7	62.6
Race/ Ethnicity	non-Hispanic White	60.1	58.1	62.1
	non-Hispanic Black or African American	53.7	43.3	64.1
	Hispanic or Latino/a or Spanish origin	54.2	44.5	63.9
	non-Hispanic Other or Multiple	61.4	49.7	73.1
Income	Less than \$35,000	54.6	50.6	58.5
	\$35,000-\$74,999	60.7	56.9	64.4
	\$75,000 and more	61.6	58.0	65.2
Insurance	Insured	59.6	57.7	61.6
	Not Insured	40.0**	-	-
Disability	Disabled	62.0	58.5	65.4
	non-disabled	57.6	55.2	59.9
Education	High School Graduate or Less	56.6	53.3	59.9
	More Than High School	61.5	59.3	63.7

50+ Ever had Sigmoidoscopy/ Colonoscopy

Among adults aged 50 years and older, the proportion who reported ever having a sigmoidoscopy or colonoscopy.

Demographics		%	95% CL	
Total		76.7	75.4	78.1
Sex	Male	76.5	74.4	78.7
	Female	76.9	75.3	78.6
Race/ Ethnicity	non-Hispanic White	78.4	77.0	79.7
	non-Hispanic Black or African American	72.9	66.9	79.0
	Hispanic or Latino/a or Spanish origin	71.7	65.7	77.6
	non-Hispanic Other or Multiple	59.9	50.3	69.6
Income	Less than \$35,000	69.2	66.1	72.3
	\$35,000-\$74,999	79.3	76.5	82.1
	\$75,000 and more	81.4	79.4	83.3
Insurance	Insured	77.6	76.3	79.0
	Not Insured	51.8	42.0	61.5
Disability	Disabled	74.3	70.8	77.7
	non-disabled	77.6	75.6	79.7
Education	High School Graduate or Less	70.7	68.2	73.1
	More Than High School	81.0	79.6	82.4

Adults 50+ with blood stool test in past 2 years

Among adults aged 50 years and older, the proportion whose reported having a blood stool test within the past two years using a home kit

Demographics		%	95% CL	
Total		13.3	12.3	14.2
Age	35-54 years old	8.8	6.6	10.9
	55 and over years old	14.5	13.5	15.6
Sex	Male	12.1	10.6	13.5
	Female	14.3	13.0	15.6
Race/ Ethnicity	non-Hispanic White	13.8	12.7	14.8
	non-Hispanic Black or African American	13.2*	8.9	17.5
	Hispanic or Latino/a or Spanish origin	11.0*	7.6	14.5
	non-Hispanic Other or Multiple	5.0**	-	-
Income	Less than \$35,000	13.3	11.2	15.4
	\$35,000-\$74,999	15.0	12.8	17.2
	\$75,000 and more	12.6	11.2	14.1
Insurance	Insured	13.5	12.6	14.5
	Not Insured	-	-	-
Disability	Disabled	13.1	11.3	15.0
	non-disabled	13.2	12.1	14.3
Education	High School Graduate or Less	13.0	11.3	14.8
	More Than High School	13.5	12.4	14.6

Men 40+ doctor ever talked about advantages of PSA test

Among adults aged 40 years and older, the proportion who reported ever receiving a recommendation from a doctor, nurse, or other health professional to get a PSA test.

Demographics		%	95% CL	
Total		59.8	57.6	61.9
Age	40-54 years old	42.0	38.2	45.8
	55 and over years old	72.6	70.3	74.9
Race/ Ethnicity	non-Hispanic White	62.2	59.9	64.5
	non-Hispanic Black or African American	57.6	48.3	67.0
	Hispanic or Latino/a or Spanish origin	49.4	41.3	57.4
	non-Hispanic Other or Multiple	44.9	33.8	56.0
Income	Less than \$35,000	52.1	47.0	57.1
	\$35,000-\$74,999	62.8	58.0	67.6
	\$75,000 and more	63.1	60.0	66.1
Insurance	Insured	61.3	59.1	63.5
	Not Insured	34.6	24.6	44.6
Disability	Disabled	60.1	55.6	64.6
	non-disabled	59.6	57.1	62.0
Education	High School Graduate or Less	52.4	48.4	56.4
	More Than High School	64.7	62.2	67.1

Male 40+ with PSA test in past 2 years

Among adults aged 40 years and older, the proportion who reported ever receiving a recommendation from a doctor, nurse, or other health professional to get a PSA test.

Demographics		%	95% CL	
Total		40.7	38.7	42.8
Age	35-54 years old	21.6	18.5	24.7
	55 and over years old	54.8	52.2	57.3
Race/ Ethnicity	non-Hispanic White	45.2	42.9	47.5
	non-Hispanic Black or African American	32.5	24.0	41.0
	Hispanic or Latino/a or Spanish origin	26.5	19.9	33.1
	non-Hispanic Other or Multiple	20.0**	-	-
Income	Less than \$35,000	30.9	26.4	35.3
	\$35,000-\$74,999	42.3	37.6	46.9
	\$75,000 and more	44.7	41.6	47.7
Insurance	Insured	42.6	40.4	44.7
	Not Insured	10.0**	-	-
Disability	Disabled	41.5	37.0	45.9
	non-disabled	40.5	38.1	42.9
Education	High School Graduate or Less	34.8	31.1	38.5
	More Than High School	44.5	42.1	46.9

Had a test for high blood sugar in past three years				
Among all adults, the proportion who reported having a test for high blood sugar in the past three years.				
Demographics		%	95% CL	
Total		57.7	56.2	59.2
Age	18-34 years old	39.3	35.7	42.9
	35-54 years old	62.1	59.8	64.4
	55 and over years old	69.1	67.5	70.7
Sex	Male	56.6	54.3	58.8
	Female	58.8	56.8	60.8
Race/ Ethnicity	non-Hispanic White	58.8	57.1	60.5
	non-Hispanic Black or African American	61.3	55.6	66.9
	Hispanic or Latino/a or Spanish origin	54.3	49.7	59.0
	non-Hispanic Other or Multiple	51.0	44.3	57.8
Income	Less than \$35,000	57.1	53.8	60.4
	\$35,000-\$74,999	57.9	54.6	61.2
	\$75,000 and more	60.0	57.7	62.3
Insurance	Insured	58.9	57.4	60.4
	Not Insured	44.4	37.7	51.1
Disability	Disabled	62.3	59.0	65.6
	non-disabled	56.9	55.2	58.6
Education	High School Graduate or Less	56.0	53.2	58.7
	More Than High School	58.9	57.2	60.6
Receive tetanus shot in past 10 years				
Among all adults, the proportion who reported having tetanus shot since 2005.				
Demographics		%	95% CL	
Total		59.3	57.8	60.7
Age	18-34 years old	69.6	66.1	73.2
	35-54 years old	60.3	57.9	62.7
	55 and over years old	51.4	49.8	53.0
Sex	Male	62.1	60.1	64.2
	Female	56.4	54.5	58.3
Race/ Ethnicity	non-Hispanic White	61.6	60.1	63.2
	non-Hispanic Black or African American	50.7	45.3	56.0
	Hispanic or Latino/a or Spanish origin	54.5	50.0	59.1
	non-Hispanic Other or Multiple	55.0	48.2	61.9
Income	Less than \$35,000	49.8	46.7	53.0
	\$35,000-\$74,999	59.8	56.7	62.8
	\$75,000 and more	66.4	64.3	68.5
Insurance	Insured	60.2	58.8	61.7
	Not Insured	48.3	41.5	55.2
Disability	Disabled	53.5	50.6	56.5
	non-disabled	60.9	59.3	62.5
Education	High School Graduate or Less	52.4	49.8	55.0
	More Than High School	63.7	62.1	65.3

Ever test for HIV				
Among all adults, the proportion who reported that they ever had been tested for HIV, apart from tests that were part of a blood donation.				
Demographics		%	95% CL	
Total		35.9	34.5	37.3
Age	18-34 years old	44.4	40.8	48.0
	35-54 years old	50.3	47.9	52.6
	55 and over years old	18.1	16.9	19.4
Sex	Male	33.6	31.6	35.7
	Female	38.1	36.2	39.9
Race/ Ethnicity	non-Hispanic White	31.1	29.6	32.6
	non-Hispanic Black or African American	51.8	46.6	57.1
	Hispanic or Latino/a or Spanish origin	52.5	48.1	56.9
	non-Hispanic Other or Multiple	30.7	24.7	36.7
Income	Less than \$35,000	42.3	39.2	45.3
	\$35,000-\$74,999	32.6	29.6	35.7
	\$75,000 and more	37.6	35.5	39.8
Insurance	Insured	35.8	34.4	37.2
	Not Insured	37.4	31.0	43.8
Disability	Disabled	38.0	35.1	40.9
	non-disabled	35.4	33.9	37.0
Education	High School Graduate or Less	35.3	32.8	37.8
	More Than High School	36.3	34.7	37.9
Ever test for HPV				
Among all adults, the proportion who reported ever had HPV test.				
Demographics		%	95% CL	
Total		43.3	41.1	45.4
Age	18-34 years old	56.4	50.8	62.0
	35-54 years old	57.6	53.9	61.2
	55 and over years old	22.4	20.4	24.4
Sex	Male	43.3	41.1	45.4
	Female	56.7	54.6	58.9
Race/ Ethnicity	non-Hispanic White	42.2	39.8	44.7
	non-Hispanic Black or African American	44.3	36.6	51.9
	Hispanic or Latino/a or Spanish origin	49.3	42.7	55.8
	non-Hispanic Other or Multiple	40.6	29.9	51.2
Income	Less than \$35,000	38.6	34.1	43.0
	\$35,000-\$74,999	45.8	41.0	50.6
	\$75,000 and more	51.6	48.0	55.2
Insurance	Insured	43.2	41.0	45.4
	Not Insured	45.3	34.1	56.5
Disability	Disabled	36.4	32.1	40.7
	non-disabled	45.4	42.8	47.9
Education	High School Graduate or Less	35.2	31.3	39.1
	More Than High School	48.3	45.7	50.9

Ever had HPV Vaccine (18-49 years old)				
Among all adults, the proportion who reported ever had HPV vaccination.				
Demographics		%	95% CL	
Total		18.8	16.3	20.5
Age	18-34 years old	33.0	29.3	36.8
	35-49 years old	2.8*	1.7	3.8
Sex	Male	11.3	8.7	13.9
	Female	26.4	23.1	29.8
Race/ Ethnicity	non-Hispanic White	19.9	17.1	22.7
	non-Hispanic Black or African American	15.0**	-	-
	Hispanic or Latino/a or Spanish origin	17.3	12.6	22.0
	non-Hispanic Other or Multiple	20.0**	-	-
Income	Less than \$35,000	21.8	17.0	26.7
	\$35,000-\$74,999	23.6	18.3	28.9
	\$75,000 and more	15.8	12.6	19.0
Insurance	Insured	20.0	17.7	22.3
	Not Insured	-	-	-
Disability	Disabled	22.0	16.1	27.9
	non-disabled	18.3	15.9	20.7
Education	High School Graduate or Less	15.3	11.4	19.1
	More Than High School	20.8	18.2	23.4

Chronic Conditions				
Current Asthma				
Among all adults, the proportion who reported that they were ever told by a doctor, nurse, or other health care professional that they had asthma, and still had it.				
Demographics		%	95% CL	
Total		10.5	9.7	11.4
Age	18-34 years old	11.8	9.5	14.0
	35-54 years old	10.5	9.1	11.9
	55 and over years old	9.6	8.7	10.6
Sex	Male	7.5	6.4	8.6
	Female	13.3	12.0	14.6
Race/ Ethnicity	non-Hispanic White	9.6	8.7	10.5
	non-Hispanic Black or African American	13.5	9.7	17.3
	Hispanic or Latino/a or Spanish origin	13.7	10.9	16.5
	non-Hispanic Other or Multiple	10.0**	-	-
Income	Less than \$35,000	12.9	11.0	14.7
	\$35,000-\$74,999	11.5	9.5	13.6
	\$75,000 and more	8.6	7.4	9.8
Insurance	Insured	10.7	9.8	11.6
	Not Insured	10.0**	-	-
Disability	Disabled	18.8	6.5	21.2
	Non-disabled	8.2	7.3	9.1
Education	High School Graduate or Less	12.1	10.5	13.7
	More Than High School	9.5	8.5	10.5
Depression				
Among all adults, the proportion who reported ever being told by a doctor that they had a depressive disorder including depression, major/minor depression, or dysthymia				
Demographics		%	95% CL	
Total		15.9	14.9	16.8
Age	18-34 years old	16.5	14.1	19.0
	35-54 years old	16.3	14.7	17.8
	55 and over years old	15.4	14.3	16.5
Sex	Male	12.4	11.1	13.7
	Female	19.2	17.8	20.6
Race/ Ethnicity	non-Hispanic White	16.1	15.0	17.2
	non-Hispanic Black or African American	12.0	9.0	14.9
	Hispanic or Latino/a or Spanish origin	19.8	16.6	23.1
	non-Hispanic Other or Multiple	12.6*	8.7	16.6
Income	Less than \$35,000	23.0	20.7	25.4
	\$35,000-\$74,999	15.1	13.1	17.1
	\$75,000 and more	12.4	11.0	13.8
Insurance	Insured	16.1	15.1	17.0
	Not Insured	14.3*	9.8	18.9
Disability	Disabled	35.1	32.3	37.8
	Non-disabled	10.5	9.6	11.4
Education	High School Graduate or Less	17.8	16.0	19.6
	More Than High School	14.7	13.6	15.8

Cancer				
Among all adults, the proportion who reported ever being told by a doctor that they had skin cancer or any other type of cancer.				
Demographics		%	95% CL	
Total		11.7	11.0	12.4
Age	18-34 years old	<5.0**	-	-
	35-54 years old	7.6	6.4	8.7
	55 and over years old	22.5	21.3	23.7
Sex	Male	9.8	8.9	10.7
	Female	13.5	12.5	14.5
Race/ Ethnicity	non-Hispanic White	14.3	13.5	15.2
	non-Hispanic Black or African American	5.9*	4.0	7.9
	Hispanic or Latino/a or Spanish origin	5.5	4.1	6.8
	non-Hispanic Other or Multiple	5.0**	-	-
Income	Less than \$35,000	10.8	9.4	12.2
	\$35,000-\$74,999	13.0	11.5	14.6
	\$75,000 and more	11.3	10.3	12.3
Insurance	Insured	12.4	11.6	13.1
	Not Insured	5.0**	1.8	5.5
Disability	Disabled	17.7	15.9	19.5
	Non-disabled	10.1	9.4	10.8
Education	High School Graduate or Less	10.2	9.1	11.4
	More Than High School	12.7	11.9	13.5
COPD				
Among all adults, the proportion who reported ever being told by a doctor that they had chronic obstructive pulmonary disease (COPD), emphysema or chronic bronchitis.				
Demographics		%	95% CL	
Total		5.9	5.4	6.5
Age	18-34 years old	<5.0**	-	-
	35-54 years old	4.4	3.4	5.3
	55 and over years old	10.3	9.3	11.3
Sex	Male	5.5	4.7	6.3
	Female	6.3	5.5	7.0
Race/ Ethnicity	non-Hispanic White	6.3	5.6	6.9
	non-Hispanic Black or African American	6.0*	3.8	8.2
	Hispanic or Latino/a or Spanish origin	5.1*	3.4	6.9
	non-Hispanic Other or Multiple	5.0**	-	-
Income	Less than \$35,000	11.2	9.6	12.8
	\$35,000-\$74,999	6.4	5.2	7.6
	\$75,000 and more	2.4	1.9	2.9
Insurance	Insured	6.0	5.4	6.6
	Not Insured	5.0**	-	-
Disability	Disabled	15.5	13.6	17.3
	Non-disabled	3.3	2.8	3.7
Education	High School Graduate or Less	8.7	7.6	9.9
	More Than High School	4.1	3.6	4.7

Kidney disease				
Among all adults, the proportion who reported ever being told by a doctor that they had kidney disease.				
Demographics		%	95% CL	
Total		2.9	2.5	3.3
Age	18-34 years old	-	-	-
	35-54 years old	2.0*	1.3	2.7
	55 and over years old	4.9	4.2	5.6
Sex	Male	2.7	2.1	3.3
	Female	3.1	2.5	3.7
Race/ Ethnicity	non-Hispanic White	2.7	2.3	3.1
	non-Hispanic Black or African American	5.0**	-	-
	Hispanic or Latino/a or Spanish origin	5.0**	-	-
	non-Hispanic Other or Multiple	-	-	-
Income	Less than \$35,000	4.4	3.3	5.4
	\$35,000-\$74,999	3.2*	2.1	4.2
	\$75,000 and more	1.5*	1.1	2.0
Insurance	Insured	2.8	2.4	3.2
	Not Insured	5.0**	-	-
Disability	Disabled	7.7	6.2	9.2
	Non-disabled	1.6	1.2	1.9
Education	High School Graduate or Less	4.1	3.2	4.9
	More Than High School	2.2	1.8	2.6
Cardiovascular Disease				
Among all adults, the proportion who reported being diagnosed with a heart attack, coronary heart disease, or stroke.				
Demographics		%	95% CL	
Total		7.6	7.0	8.1
Age	18-34 years old	-	-	-
	35-54 years old	4.2	3.3	5.1
	55 and over years old	15.1	14.0	16.2
Sex	Male	8.9	8.0	9.8
	Female	6.3	5.6	7.0
Race/ Ethnicity	non-Hispanic White	7.9	7.3	8.5
	non-Hispanic Black or African American	8.2*	5.5	10.8
	Hispanic or Latino/a or Spanish origin	6.2	4.4	8.0
	non-Hispanic Other or Multiple	5.0**	-	-
Income	Less than \$35,000	12.9	11.2	14.6
	\$35,000-\$74,999	7.7	6.5	8.9
	\$75,000 and more	3.8	3.2	4.3
Insurance	Insured	7.7	7.1	8.3
	Not Insured	5.0**	-	-
Disability	Disabled	18.1	16.2	20.0
	Non-disabled	4.6	4.1	5.1
Education	High School Graduate or Less	10.1	8.9	11.3
	More Than High School	6.0	5.3	6.6

Diabetes				
Among all adults, the proportion who reported that they were ever told by a doctor that they had diabetes.				
Demographics		%	95% CL	
Total		9.8	9.1	10.5
Age	18-34 years old	<5.0**	-	-
	35-54 years old	6.8	5.6	8.0
	55 and over years old	18.7	17.4	20.0
Sex	Male	10.2	9.1	11.2
	Female	9.5	8.5	10.4
Race/ Ethnicity	non-Hispanic White	9.1	8.4	9.8
	non-Hispanic Black or African American	15.4	12.2	18.7
	Hispanic or Latino/a or Spanish origin	10.8	8.4	13.1
	non-Hispanic Other or Multiple	5.0**	-	-
Income	Less than \$35,000	15.7	13.8	17.6
	\$35,000-\$74,999	11.0	9.4	12.6
	\$75,000 and more	5.3	4.6	6.1
Insurance	Insured	10.0	9.3	10.7
	Not Insured	5.0**	-	-
Disability	Disabled	20.9	18.8	23.0
	Non-disabled	6.6	6.0	7.3
Education	High School Graduate or Less	14.1	12.6	15.5
	More Than High School	7.1	6.5	7.7
pre-diabetes				
Among all adults, the proportion who reported that they had been diagnosed with pre-diabetes.				
Demographics		%	95% CL	
Total		8.9	8.1	9.6
Age	18-34 years old	3.7*	2.3	5.1
	35-54 years old	8.9	7.5	10.2
	55 and over years old	13.1	12.0	14.2
Sex	Male	8.6	7.5	9.7
	Female	9.1	8.1	10.1
Race/ Ethnicity	non-Hispanic White	8.3	7.5	9.0
	non-Hispanic Black or African American	12.6	9.0	16.2
	Hispanic or Latino/a or Spanish origin	10.0	7.5	12.5
	non-Hispanic Other or Multiple	8.9*	5.5	12.3
Income	Less than \$35,000	10.3	8.5	12.1
	\$35,000-\$74,999	10.1	8.3	11.9
	\$75,000 and more	7.8	6.7	8.9
Insurance	Insured	9.2	8.4	10.0
	Not Insured	5.0**	-	-
Disability	Disabled	12.9	11.0	14.7
	Non-disabled	7.9	7.0	8.7
Education	High School Graduate or Less	10.0	8.5	11.5
	More Than High School	8.2	7.4	9.0

Arthritis				
Among all adults, the proportion who reported ever being told by a doctor that they had some form of arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia.				
Demographics		%	95% CL	
Total		25.1	24.1	26.1
Age	18-34 years old	5.4	3.9	6.8
	35-54 years old	19.3	17.5	21.1
	55 and over years old	44.7	43.2	46.3
Sex	Male	21.3	19.8	22.8
	Female	28.7	27.2	30.1
Race/ Ethnicity	non-Hispanic White	28.5	27.3	29.7
	non-Hispanic Black or African American	19.0	15.4	22.5
	Hispanic or Latino/a or Spanish origin	18.4	15.5	21.3
	non-Hispanic Other or Multiple	13.3	9.9	16.8
Income	Less than \$35,000	29.3	27.0	31.7
	\$35,000-\$74,999	28.8	26.4	31.3
	\$75,000 and more	20.6	19.1	22.1
Insurance	Insured	26.1	25.0	27.2
	Not Insured	12.4*	8.6	16.3
Disability	Disabled	49.1	46.3	51.9
	Non-disabled	18.6	17.5	19.6
Education	High School Graduate or Less	29.8	27.8	31.9
	More Than High School	22.2	21.1	23.3
Periodontal disease				
Among all adults, the proportion who reported they have gum disease.				
Demographics		%	95% CL	
Total		13.1	11.9	14.4
Age	18-34 years old	5.0**	-	-
	35-54 years old	12.5	10.1	14.8
	55 and over years old	19.4	17.7	21.1
Sex	Male	12.4	10.7	14.1
	Female	13.8	12.1	15.6
Race/ Ethnicity	non-Hispanic White	14.0	12.6	15.5
	non-Hispanic Black or African American	10.0**	-	-
	Hispanic or Latino/a or Spanish origin	12.6*	8.5	16.6
	non-Hispanic Other or Multiple	10.0**	-	-
Income	Less than \$35,000	14.8	11.8	17.7
	\$35,000-\$74,999	15.5	12.5	18.5
	\$75,000 and more	11.7	10.0	13.4
Insurance	Insured	13.6	12.3	14.9
	Not Insured	-	-	-
Disability	Disabled	20.6	17.1	24.1
	Non-disabled	11.0	9.8	12.3
Education	High School Graduate or Less	13.0	10.6	15.5
	More Than High School	13.2	11.8	14.5

Ever had treatment for periodontal disease

Among all adults, the proportion who reported that they ever had treatment for gum disease such as scaling and root planing, or deep cleaning.

Demographics		%	95% CL	
Total		18.5	17.0	20.1
Age	18-34 years old	9.4*	6.1	12.7
	35-54 years old	19.5	16.5	22.6
	55 and over years old	23.9	22.1	25.8
Sex	Male	17.6	15.4	19.9
	Female	19.4	17.2	21.5
Race/ Ethnicity	non-Hispanic White	18.0	16.4	19.7
	non-Hispanic Black or African American	19.1*	13.0	25.3
	Hispanic or Latino/a or Spanish origin	20.3	15.0	25.6
	non-Hispanic Other or Multiple	20.8*	12.9	28.7
Income	Less than \$35,000	18.4	15.0	21.9
	\$35,000-\$74,999	18.7	15.4	21.9
	\$75,000 and more	20.0	17.4	22.5
Insurance	Insured	19.3	17.6	20.9
	Not Insured	10.0**	-	-
Disability	Disabled	23.1	19.5	26.8
	Non-disabled	17.2	15.5	18.9
Education	High School Graduate or Less	18.0	15.1	20.9
	More Than High School	18.8	17.1	20.6

Adult visited a dentist within the past year

Among all adults, the proportion who reported that they had visited a dentist or dental clinic or any reason in the previous year.

Demographics		%	95% CL	
Total		77.8	76.7	79.0
Age	18-34 years old	74.6	71.7	77.6
	35-54 years old	80.2	78.4	82.0
	55 and over years old	78.0	76.6	79.3
Sex	Male	75.5	73.7	77.2
	Female	80.0	78.5	81.5
Race/ Ethnicity	non-Hispanic White	80.4	79.2	81.7
	non-Hispanic Black or African American	76.2	72.2	80.3
	Hispanic or Latino/a or Spanish origin	69.2	65.3	73.1
	non-Hispanic Other or Multiple	74.0	68.9	79.1
Income	Less than \$35,000	63.4	60.6	66.2
	\$35,000-\$74,999	77.5	74.9	80.0
	\$75,000 and more	87.9	86.5	89.4
Insurance	Insured	79.8	78.7	80.9
	Not Insured	53.0	46.7	59.3
Disability	Disabled	66.6	63.9	69.2
	Non-disabled	81.2	79.9	82.5
Education	High School Graduate or Less	68.2	65.9	70.4
	More Than High School	83.9	82.8	85.1

Had Any Permanent Teeth Extracted

Among all adults, the proportion who reported that they were missing any teeth due to tooth decay or gum disease. This excludes teeth lost for other reasons, such as injury or orthodontics.

Demographics		%	95% CL	
Total		39.2	37.9	40.5
Age	18-34 years old	15.8	13.2	18.3
	35-54 years old	34.8	32.6	37.0
	55 and over years old	61.3	59.8	62.8
Sex	Male	39.3	37.4	41.2
	Female	39.0	37.3	40.8
Race/ Ethnicity	non-Hispanic White	37.5	36.1	38.9
	non-Hispanic Black or African American	47.9	42.8	52.9
	Hispanic or Latino/a or Spanish origin	45.2	41.1	49.4
	non-Hispanic Other or Multiple	32.9	27.2	38.5
Income	Less than \$35,000	55.1	52.1	58.1
	\$35,000-\$74,999	44.1	41.2	47.0
	\$75,000 and more	28.0	26.3	29.8
Insurance	Insured	38.7	37.4	40.0
	Not Insured	46.7	40.4	53.0
Disability	Disabled	60.7	57.8	63.5
	Non-disabled	33.4	31.9	34.8
Education	High School Graduate or Less	51.3	48.8	53.8
	More Than High School	31.7	30.4	33.0

Adult Other Topics				
Built Environment (1-7 times/month)				
Among all adults, the proportion who reported that they had walked in their neighborhood less than 7 times in the past 30 days.				
Demographics		%	95% CL	
Total		27.2	25.9	28.5
Age	18-34 years old	30.4	26.8	33.9
	35-54 years old	29.7	27.5	31.9
	55 and over years old	23.4	22.0	24.7
Sex	Male	27.9	26.0	29.9
	Female	26.5	24.8	28.2
Race/ Ethnicity	non-Hispanic White	27.9	26.4	29.3
	non-Hispanic Black or African American	21.9	17.6	26.1
	Hispanic or Latino/a or Spanish origin	26.9	22.7	31.1
	non-Hispanic Other or Multiple	28.3	22.0	34.5
Income	Less than \$35,000	22.8	20.2	25.5
	\$35,000-\$74,999	27.1	24.4	29.9
	\$75,000 and more	31.0	29.0	33.1
Insurance	Insured	27.6	26.2	28.9
	Not Insured	21.8	16.2	27.5
Disability	Disabled	22.1	19.5	24.6
	Non-disabled	28.7	27.2	30.2
Education	High School Graduate or Less	23.1	20.9	25.4
	More Than High School	29.7	28.2	31.2
Built Environment (>7 times/month)				
Among all adults, the proportion who reported that they had walked in their neighborhood more than 7 times in the past 30 days.				
Demographics		%	95% CL	
Total		34.0	32.7	35.3
Age	18-34 years old	34.5	30.9	38.2
	35-54 years old	33.4	31.2	35.7
	55 and over years old	34.0	32.5	35.5
Sex	Male	34.6	32.6	36.6
	Female	33.4	31.6	35.2
Race/ Ethnicity	non-Hispanic White	33.5	32.0	35.0
	non-Hispanic Black or African American	37.5	32.2	42.9
	Hispanic or Latino/a or Spanish origin	35.8	31.3	40.2
	non-Hispanic Other or Multiple	28.3	22.2	34.3
Income	Less than \$35,000	37.1	34.0	40.1
	\$35,000-\$74,999	31.0	28.3	33.8
	\$75,000 and more	35.6	33.5	37.7
Insurance	Insured	33.4	32.1	34.8
	Not Insured	42.5	35.3	49.8
Disability	Disabled	29.5	26.7	32.2
	Non-disabled	35.2	33.7	36.7
Education	High School Graduate or Less	33.3	30.8	35.9
	More Than High School	34.4	32.9	35.9

Built Environment (Never walked)				
Among all adults, the proportion who reported that they had never walked in their neighborhood in the past 30 days.				
Demographics		%	95% CL	
Total		38.8	37.4	40.2
Age	18-34 years old	35.1	31.4	38.9
	35-54 years old	36.9	34.5	39.3
	55 and over years old	42.6	41.0	44.2
Sex	Male	37.4	35.4	39.5
	Female	40.0	38.2	41.9
Race/ Ethnicity	non-Hispanic White	38.6	37.0	40.1
	non-Hispanic Black or African American	40.6	35.1	46.1
	Hispanic or Latino/a or Spanish origin	37.4	32.8	41.9
	non-Hispanic Other or Multiple	43.5	36.5	50.4
Income	Less than \$35,000	40.1	37.1	43.1
	\$35,000-\$74,999	41.8	38.8	44.9
	\$75,000 and more	33.4	31.3	35.5
Insurance	Insured	39.0	37.6	40.4
	Not Insured	35.6	28.6	42.7
Disability	Disabled	48.5	45.5	51.4
	Non-disabled	36.1	34.5	37.7
Education	High School Graduate or Less	43.5	40.9	46.1
	More Than High School	35.9	34.3	37.5
Have CO detector in home				
Among all adults, the proportion who reported that having a carbon monoxide detector in their home.				
Demographics		%	95% CL	
Total		76.2	74.5	78.0
Age	18-34 years old	78.1	73.3	82.8
	35-54 years old	79.9	77.0	82.8
	55 and over years old	72.1	70.0	74.2
Sex	Male	76.7	74.1	79.2
	Female	75.8	73.4	78.3
Race/ Ethnicity	non-Hispanic White	79.0	77.3	80.7
	non-Hispanic Black or African American	75.7*	68.3	83.1
	Hispanic or Latino/a or Spanish origin	63.7	56.9	70.5
	non-Hispanic Other or Multiple	67.1	57.7	76.6
Income	Less than \$35,000	60.7	56.1	65.3
	\$35,000-\$74,999	74.2	70.6	77.9
	\$75,000 and more	85.7	83.6	87.8
Insurance	Insured	77.4	75.7	79.1
	Not Insured	55.7	44.0	67.4
Disability	Disabled	68.0	64.0	72.0
	Non-disabled	78.5	76.6	80.5
Education	High School Graduate or Less	69.9	66.3	73.4
	More Than High School	80.0	78.2	81.9

Ever thought suicide				
Among all adults, the proportion who reported they had ever thought of taking their own life.				
Demographics		%	95% CL	
Total		12.5	11.0	14.0
Age	18-34 years old	18.1	13.7	22.5
	35-54 years old	12.4	10.2	14.6
	55 and over years old	9.2	7.8	10.5
Sex	Male	11.8	9.7	13.8
	Female	13.2	11.1	15.3
Race/ Ethnicity	non-Hispanic White	12.2	10.6	13.8
	non-Hispanic Black or African American	10.0**	-	-
	Hispanic or Latino/a or Spanish origin	13.4*	8.9	18.0
	non-Hispanic Other or Multiple	20.0**	-	-
Income	Less than \$35,000	17.2	13.7	20.7
	\$35,000-\$74,999	13.0	10.1	15.9
	\$75,000 and more	10.5	8.3	12.7
Insurance	Insured	12.4	10.9	13.9
	Not Insured	15.0**	-	-
Disability	Disabled	24.1	20.2	28.1
	Non-disabled	9.3	7.8	10.8
Education	High School Graduate or Less	12.8	10.2	15.4
	More Than High School	12.3	10.6	14.1
Ever attempted suicide				
Among those who thought of suicide, the proportion who tried suicide .				
Demographics		%	95% CL	
Total		28.6	22.5	34.7
Age	18-34 years old	34.7*	21.4	48.0
	35-54 years old	30.7	22.0	39.5
	55 and over years old	18.0*	12.3	23.7
Sex	Male	26.9*	17.9	35.9
	Female	30.0	21.6	38.5
Race/ Ethnicity	non-Hispanic White	20.5	15.3	25.8
	non-Hispanic Black or African American	55.0**	-	-
	Hispanic or Latino/a or Spanish origin	55.3*	37.5	73.1
	non-Hispanic Other or Multiple	-	-	-
Income	Less than \$35,000	39.1	27.7	50.4
	\$35,000-\$74,999	20.0**	-	-
	\$75,000 and more	20.0**	-	-
Insurance	Insured	27.4	21.2	33.6
	Not Insured	-	-	-
Disability	Disabled	35.6	25.7	45.4
	Non-disabled	23.5	15.6	31.4
Education	High School Graduate or Less	39.2	27.9	50.6
	More Than High School	22.3	15.6	29.1

Aware of 1 Word, 1 Voice, 1 Life suicide prevention campaign

Among all adults, the proportion who reported they were aware of the "1 WORD, 1 VOICE, 1 LIFE" suicide prevention campaign in CT

Demographics		%	95% CL	
Total		30.5	28.5	32.5
Age	18-34 years old	40.0	34.3	45.7
	35-54 years old	28.3	25.3	31.4
	55 and over years old	26.1	24.0	28.3
Sex	Male	25.6	22.7	28.5
	Female	35.1	32.4	37.9
Race/ Ethnicity	non-Hispanic White	32.4	30.1	34.7
	non-Hispanic Black or African American	31.3	23.3	39.3
	Hispanic or Latino/a or Spanish origin	21.4	15.9	26.8
	non-Hispanic Other or Multiple	25.6*	16.4	34.7
Income	Less than \$35,000	34.8	30.3	39.3
	\$35,000-\$74,999	34.7	30.3	39.1
	\$75,000 and more	28.5	25.3	31.6
Insurance	Insured	31.1	29.0	33.2
	Not Insured	20.0**	-	-
Disability	Disabled	32.4	28.2	36.6
	Non-disabled	30.1	27.7	32.4
Education	High School Graduate or Less	31.4	27.8	35.1
	More Than High School	30.0	27.6	32.4

Child Health				
Child ever breastfed				
Among all children, the proportion of children had ever breastfed or given pumped breast milk, even for a short period of time.				
Demographics		%	95% CL	
Total		80.8	78.7	82.9
Age	0-4 years old	86.9	82.6	91.2
	5-11 years old	80.6	76.8	84.3
	12-17 years old	75.6	72.1	79.2
Sex	Male	80.5	77.5	83.5
	Female	80.9	77.9	84.0
Race/ Ethnicity	non-Hispanic White	84.5	82.4	86.6
	non-Hispanic Black or African American	72.1	63.4	80.8
	Hispanic or Latino/a or Spanish origin	77.7	72.3	83.1
	non-Hispanic Other or Multiple	76.5	68.6	84.3
Income	Less than \$35,000	64.5	57.9	71.0
	\$35,000-\$74,999	78.7	73.7	83.6
	\$75,000 and more	88.0	86.0	90.0
Insurance	Insured	81.3	79.2	83.5
	Not Insured	74.8	68.6	84.1
Education	High School Graduate or Less	69.1	63.9	74.3
	More Than High School	84.8	82.7	87.0
Child overweight				
Among all children, the proportion of children whose BMI between the 85th and 95th percentile for children of the same age and sex.				
Demographics		%	95% CL	
Total		14.7	12.5	16.9
Age	0-4 years old	15.0**	-	-
	5-11 years old	16.3	12.6	19.9
	12-17 years old	12.9	10.0	15.9
Sex	Male	15.1	12.0	18.2
	Female	14.3	11.1	17.5
Race/ Ethnicity	non-Hispanic White	14.6	12.0	17.2
	non-Hispanic Black or African American	-	-	-
	Hispanic or Latino/a or Spanish origin	14.7*	9.0	20.4
	non-Hispanic Other or Multiple	20.0**	-	-
Income	Less than \$35,000	18.9*	-	-
	\$35,000-\$74,999	14.7*	9.4	20.0
	\$75,000 and more	13.1	10.5	15.7
Insurance	Insured	14.6	12.4	16.9
	Not Insured	-	-	-
Education	High School Graduate or Less	14.1*	9.0	19.2
	More Than High School	14.9	12.4	17.3

Child obesity				
Among all children, the proportion of children whose BMI above the 95th percentile for children of the same age and sex.				
Demographics		%	95% CL	
Total		19.2	16.5	21.9
Age	0-4 years old	39.7	29.7	49.7
	5-11 years old	23.4	18.8	28.0
	12-17 years old	9.4	6.7	12.0
Sex	Male	20.8	16.9	24.7
	Female	17.6	13.9	21.4
Race/ Ethnicity	non-Hispanic White	15.2	12.4	18.1
	non-Hispanic Black or African American	25.0**	-	-
	Hispanic or Latino/a or Spanish origin	27.6	20.1	35.2
	non-Hispanic Other or Multiple	20.0**	-	-
Income	Less than \$35,000	34.0	25.6	42.5
	\$35,000-\$74,999	23.9*	16.6	31.2
	\$75,000 and more	13.6	10.6	16.5
Insurance	Insured	18.8	16.0	21.5
	Not Insured	30.0**	-	-
Education	High School Graduate or Less	31.9	24.6	39.1
	More Than High School	15.7	12.9	18.4
Child with current asthma				
Among all children, the proportion of children had ever diagnosed with asthma and still have it.				
Demographics		%	95% CL	
Total		11.0	9.3	12.7
Age	0-4 years old	5.0**	-	-
	5-11 years old	12.9	9.8	16.1
	12-17 years old	11.9	9.4	14.4
Sex	Male	12.4	10.0	14.9
	Female	9.8	7.4	12.1
Race/ Ethnicity	non-Hispanic White	8.7	6.8	10.5
	non-Hispanic Black or African American	18.4*	11.4	25.3
	Hispanic or Latino/a or Spanish origin	14.1*	9.9	18.3
	non-Hispanic Other or Multiple	10.0**	-	-
Income	Less than \$35,000	13.3*	9.0	17.5
	\$35,000-\$74,999	13.3*	8.7	17.9
	\$75,000 and more	8.9	7.0	10.9
Insurance	Insured	10.9	9.2	12.6
	Not Insured	-	-	-
Education	High School Graduate or Less	14.7	10.6	18.7
	More Than High School	9.8	8.0	11.5

Child drank soda or sugary drinks at least once daily				
Among all children, the proportion of children had drank soda or sugary drinks at least once daily.				
Demographics		%	95% CL	
Total		28.7	26.1	31.3
Age	2-4 years old	28.6	21.4	35.9
	5-11 years old	25.9	21.8	30.1
	12-17 years old	31.7	27.9	35.5
Sex	Male	31.8	28.0	35.6
	Female	25.7	22.0	29.5
Race/ Ethnicity	non-Hispanic White	20.7	18.0	23.3
	non-Hispanic Black or African American	46.2	35.4	56.9
	Hispanic or Latino/a or Spanish origin	39.7	32.9	46.6
	non-Hispanic Other or Multiple	31.6	22.4	40.7
Income	Less than \$35,000	44.4	36.9	51.8
	\$35,000-\$74,999	38.5	31.3	45.6
	\$75,000 and more	19.6	16.8	22.4
Insurance	Insured	26.8	24.1	29.4
	Not Insured	52.1	39.9	64.2
Education	High School Graduate or Less	46.3	40.0	52.6
	More Than High School	23.1	20.4	25.8
Child ate fast food at least twice weekly				
Among all children, the proportion of children had ate fast food at least twice weekly.				
Demographics		%	95% CL	
Total		41.6	38.5	44.6
Age	2-4 years old	37.5	29.0	45.9
	5-11 years old	40.2	35.5	45.0
	12-17 years old	44.8	40.5	49.0
Sex	Male	43.4	39.1	47.7
	Female	39.7	35.4	43.9
Race/ Ethnicity	non-Hispanic White	37.4	34.0	40.8
	non-Hispanic Black or African American	50.0	38.7	61.3
	Hispanic or Latino/a or Spanish origin	48.6	41.2	56.1
	non-Hispanic Other or Multiple	39.7	29.6	49.7
Income	Less than \$35,000	50.2	42.3	58.2
	\$35,000-\$74,999	44.0	36.4	51.5
	\$75,000 and more	37.5	33.8	41.2
Insurance	Insured	41.3	38.2	44.4
	Not Insured	43.7*	-	-
Education	High School Graduate or Less	48.4	41.6	55.3
	More Than High School	39.4	36.1	42.8

Child visited dentist in past year				
Among all children, the proportion of children had visited dentist in the past year.				
Demographics		%	95% CL	
Total		87.2	85.3	89.1
Age	0-4 years old	62.3	56.3	68.4
	5-11 years old	95.0**	-	-
	12-17 years old	95.3*	93.4	97.1
Sex	Male	87.3	84.6	90.0
	Female	87.1	84.2	90.0
Race/ Ethnicity	non-Hispanic White	88.2	85.9	90.4
	non-Hispanic Black or African American	-	-	-
	Hispanic or Latino/a or Spanish origin	87.8*	83.6	91.9
	non-Hispanic Other or Multiple	76.1*	67.5	84.8
Income	Less than \$35,000	85.0*	80.3	59.8
	\$35,000-\$74,999	81.3*	75.8	86.9
	\$75,000 and more	89.4	87.0	91.8
Insurance	Insured	87.6	85.6	89.6
	Not Insured	80.0**	-	-
Education	High School Graduate or Less	88.2*	84.4	92.0
	More Than High School	86.8	84.6	89.1
Child ever received dental sealant on permanent teeth				
Among all children, the proportion of children had ever received dental sealant on their permanent teeth.				
Demographics		%	95% CL	
Total		50.0	46.9	53.2
Age	0-4 years old	^	^	^
	5-11 years old	42.8	38.2	47.5
	12-17 years old	58.0	53.7	62.2
Sex	Male	49.2	44.8	53.7
	Female	50.9	46.4	55.3
Race/ Ethnicity	non-Hispanic White	54.5	50.8	58.1
	non-Hispanic Black or African American	35.4*	24.5	46.3
	Hispanic or Latino/a or Spanish origin	47.1	39.2	54.9
	non-Hispanic Other or Multiple	43.8	33.1	54.6
Income	Less than \$35,000	42.5	34.4	50.6
	\$35,000-\$74,999	44.3	36.5	52.1
	\$75,000 and more	53.4	49.4	57.4
Insurance	Insured	50.3	47.1	53.5
	Not Insured	46.8*	32.3	61.3
Education	High School Graduate or Less	42.6	35.6	49.6
	More Than High School	52.4	48.9	55.9

Child have been told have dental decay in the past 12 months				
Among all children, the proportion of children had been told having dental decay in the past 12 months				
Demographics		%	95% CL	
Total		18.1	15.8	20.3
Age	0-4 years old	10.0**	-	-
	5-11 years old	23.7	19.6	27.8
	12-17 years old	14.7	11.7	17.7
Sex	Male	18.3	15.0	21.5
	Female	17.9	14.7	21.0
Race/ Ethnicity	non-Hispanic White	14.0	11.7	16.3
	non-Hispanic Black or African American	20.0**	-	-
	Hispanic or Latino/a or Spanish origin	26.6	20.4	32.8
	non-Hispanic Other or Multiple	15.6	8.9	22.4
Income	Less than \$35,000	29.4	22.7	36.0
	\$35,000-\$74,999	18.9	13.5	24.4
	\$75,000 and more	12.4	10.0	14.8
Insurance	Insured	17.0	14.8	19.3
	Not Insured	32.1*	20.6	43.6
Education	High School Graduate or Less	26.7	21.1	32.4
	More Than High School	15.1	12.8	17.3
Excessive Screen time (at least two hours)				
Among all children, the proportion of children had screen time more than 2 hours daily				
Demographics		%	95% CL	
Total		48.9	46.1	51.8
Age	0-4 years old	36.5	29.0	44.1
	5-11 years old	40.0	35.5	44.4
	12-17 years old	65.0	61.1	68.8
Sex	Male	49.8	45.7	53.8
	Female	48.0	43.9	52.0
Race/ Ethnicity	non-Hispanic White	44.8	41.5	48.1
	non-Hispanic Black or African American	53.0	42.5	63.5
	Hispanic or Latino/a or Spanish origin	54.4	47.5	61.3
	non-Hispanic Other or Multiple	55.9	46.1	65.8
Income	Less than \$35,000	57.1	49.9	64.3
	\$35,000-\$74,999	53.5	46.3	60.6
	\$75,000 and more	44.1	40.5	47.7
Insurance	Insured	49.6	46.6	52.5
	Not Insured	40.6	29.1	52.0
Education	High School Graduate or Less	55.9	49.7	62.1
	More Than High School	46.6	43.4	49.8