

Connecticut Department of Public Health HIV Surveillance Program
Recently Diagnosed HIV cases by Risk, Sex, Race, and Age Group, New Britain, 2011 - 2015

	Mode of Transmission										Total	
	MSM		IDU		Heterosexual contact		Presumed Heterosexual contact		Unknown			
	N	% of row total	N	% of row total	N	% of row total	N	% of row total	N	% of row total	N	% of total
Total	23	39.0	9	15.3	24	40.7	1	1.7	2	3.4	59	100.0
Sex												
Male	23	57.5	6	15.0	9	22.5	0	0	2	5.0	40	67.8
Female	0	0	3	15.8	15	78.9	1	5.3	0	0	19	32.2
Race/ethncity												
Black/African American	9	47.4	2	10.5	8	42.1	0	0	0	0	19	32.2
Hispanic/Latino	10	32.3	5	16.1	13	41.9	1	3.2	2	6.5	31	52.5
White	4	50.0	2	25.0	2	25.0	0	0	0	0	8	13.6
Other/Multiple races	0	0	0	0	1	100.0	0	0	0	0	1	1.7
Age at diagnosis												
<20	1	100.0	0	0	0	0	0	0	0	0	1	1.7
20-29	10	50.0	2	10.0	8	40.0	0	0	0	0	20	33.9
30-39	6	35.3	3	17.6	8	47.1	0	0	0	0	17	28.8
40-49	4	50.0	1	12.5	3	37.5	0	0	0	0	8	13.6
50+	2	15.4	3	23.1	5	38.5	1	7.7	2	15.4	13	22.0

This table presents HIV Infection cases using the year the person was first diagnosed.

The term HIV Infection is used to refer to three categories of diagnoses collectively:

1 - persons with a diagnosis of HIV infection (not AIDS)

2 - a diagnosis of HIV infection and a later diagnosis of AIDS

3 - concurrent diagnoses of HIV and AIDS.

Data supplied from HIV Surveillance for cases reported through 2016