Connecticut Department of Public Health HIV Surveillance Program People Living with HIV Infection by Risk, Sex, Race, and Age Group, Stamford, 2015

| | Transmission Category | | | | | | | | | | | | | | | | | |
|------------------------|-----------------------|-------------------------|-----|-------------------------|-------------|-------------------------|-------------------------|----------------------|-----------|-------------------------|-------------------------------------|----------------------|-------|-------------------------|---------|-------------------------|-------|------------------|
| | MSM | | IDU | | MSM and IDU | | Heterosexual contact | | Perinatal | | Presumed Heterosexual contact | | Other | | Unknown | | Total | |
| | N | % of row total | N | % of row total | N | % of row total | N | % of row total | N | % of row total | N | % of row total | N | % of row total | N | % of row total | N | % of total |
| Total | 143 | 27.2 | 137 | 26.1 | 5 | 1.0 | 156 | 29.7 | 15 | 2.9 | 15 | 2.9 | 1 | 0.2 | 53 | 10.1 | 525 | 100.0 |
| Sex | | | | | | | | | | | | | | | | | | |
| Male | 143 | 39.1 | 87 | 23.8 | 5 | 1.4 | 78 | 21.3 | 10 | 2.7 | 0 | 0 | 0 | 0 | 43 | 11.7 | 366 | 69.7 |
| Female | 0 | 0 | 50 | 31.4 | 0 | 0 | 78 | 49.1 | 5 | 3.1 | 15 | 9.4 | 1 | 0.6 | 10 | 6.3 | 159 | 30.3 |
| Race/ethnicity | | | | | | | | | | | | | | | | | | |
| Black/African American | 34 | 14.1 | 72 | 29.9 | 2 | 0.8 | 97 | 40.2 | 12 | 5.0 | 11 | 4.6 | 1 | 0.4 | 12 | 5.0 | 241 | 45.9 |
| Hispanic/Latino | 37 | 26.4 | 34 | 24.3 | 1 | 0.7 | 41 | 29.3 | 1 | 0.7 | 3 | 2.1 | 0 | 0 | 23 | 16.4 | 140 | 26.7 |
| White | 67 | 50.8 | 28 | 21.2 | 2 | 1.5 | 15 | 11.4 | 2 | 1.5 | 0 | 0 | 0 | 0 | 18 | 13.6 | 132 | 25.1 |
| Other/Multiple races | 5 | 41.7 | 3 | 25.0 | 0 | 0 | 3 | 25.0 | 0 | 0 | 1 | 8.3 | 0 | 0 | 0 | 0 | 12 | 2.3 |
| Current Age | | | | | | | | | | | | | | | | | | |
| <20 | 1 | 33.3 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 66.7 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0.6 |
| 20-29 | 9 | 29.0 | 0 | 0 | 0 | 0 | 6 | 19.4 | 11 | 35.5 | 3 | 9.7 | 0 | 0 | 2 | 6.5 | 31 | 5.9 |
| 30-39 | 16 | 43.2 | 3 | 8.1 | 0 | 0 | 8 | 21.6 | 2 | 5.4 | 2 | 5.4 | 0 | 0 | 6 | 16.2 | 37 | 7.0 |
| 40-49 | 36 | 33.0 | 32 | 29.4 | 0 | 0 | 27 | 24.8 | 0 | 0 | 3 | 2.8 | 1 | 0.9 | 10 | 9.2 | 109 | 20.8 |
| 50-59 | 55 | 25.0 | 60 | 27.3 | 3 | 1.4 | 73 | 33.2 | 0 | 0 | 3 | 1.4 | 0 | 0 | 26 | 11.8 | 220 | 41.9 |
| 60+ | 26 | 20.8 | 42 | 33.6 | 2 | 1.6 | 42 | 33.6 | 0 | 0 | 4 | 3.2 | 0 | 0 | 9 | 7.2 | 125 | 23.8 |

Data based on address at diagnosis of HIV or AIDS

This table presents HIV Infection cases using the year

This table presents HIV Infection cases using the year the person was first diagnosed The term HIV Infection is used to refer to three categories of diagnoses collectively:

- 1 persons with a diagnosis of HIV infection (not AIDS)
- 2 a diagnosis of HIV infection and a later diagnosis of AIDS
- 3 concurrent diagnoses of HIV and AIDS

Data supplied from HIV Surveillance for cases reported through 2016