

Connecticut Department of Public Health HIV Surveillance Program
Recently Diagnosed HIV cases by Risk, Sex, Race, and Age Group, Fairfield County, 2011 - 2015

	Mode of Transmission														Total	
	MSM		IDU		MSM and IDU		Heterosexual contact		Perinatal		Presumed Heterosexual contact		Unknown			
	N	% of row total	N	% of row total	N	% of row total	N	% of row total	N	% of row total	N	% of row total	N	% of row total	N	% of total
Total	185	44.0	20	4.8	5	1.2	135	32.1	2	0.5	20	4.8	53	12.6	420	100.0
Sex																
Male	185	60.9	15	4.9	5	1.6	52	17.1	1	0.3	0	0	46	15.1	304	72.4
Female	0	0	5	4.3	0	0	83	71.6	1	0.9	20	17.2	7	6.0	116	27.6
Race/ethnicity																
Black/African American	51	27.0	11	5.8	0	0	91	48.1	2	1.1	12	6.3	22	11.6	189	45.0
Hispanic/Latino	64	55.7	4	3.5	1	0.9	29	25.2	0	0	5	4.3	12	10.4	115	27.4
White	65	61.9	5	4.8	4	3.8	13	12.4	0	0	3	2.9	15	14.3	105	25.0
Other/Multiple races	5	45.5	0	0	0	0	2	18.2	0	0	0	0	4	36.4	11	2.6
Age at diagnosis																
<20	8	44.4	1	5.6	0	0	2	11.1	2	11.1	3	16.7	2	11.1	18	4.3
20-29	72	63.7	2	1.8	2	1.8	28	24.8	0	0	4	3.5	5	4.4	113	26.9
30-39	42	46.2	3	3.3	2	2.2	32	35.2	0	0	3	3.3	9	9.9	91	21.7
40-49	31	32.0	6	6.2	0	0	34	35.1	0	0	7	7.2	19	19.6	97	23.1
50-59	24	34.3	6	8.6	1	1.4	25	35.7	0	0	3	4.3	11	15.7	70	16.7
60+	8	25.8	2	6.5	0	0	14	45.2	0	0	0	0	7	22.6	31	7.4

This table presents HIV Infection cases using the year the person was first diagnosed.

The term HIV Infection is used to refer to three categories of diagnoses collectively:

1 - persons with a diagnosis of HIV infection (not AIDS)

2 - a diagnosis of HIV infection and a later diagnosis of AIDS

3 - concurrent diagnoses of HIV and AIDS.

4 - other/unknown risk includes perinatal.

Data supplied from HIV Surveillance for cases reported through 2016