

**Connecticut Department of Public Health HIV Surveillance Program**  
**<30 years old People Living with HIV Infection by Sex, Race, and Risk, Connecticut, 2015**

	Mode of Transmission														Total	
	MSM		IDU		MSM and IDU		Heterosexual contact		Perinatal		Presumed Heterosexual contact		Unknown			
	N	% of row total	N	% of row total	N	% of row total	N	% of row total	N	% of row total	N	% of row total	N	% of row total	N	% of row total
Total	382	52.6	14	1.9	7	1.0	109	15.0	159	21.9	14	1.9	41	5.6	726	100.0
Sex																
Male	382	69.3	6	1.1	7	1.3	45	8.2	82	14.9	--	--	29	5.3	551	75.9
Female	--	--	8	4.6	--	--	64	36.6	77	44.0	14	8.0	12	6.9	175	24.1
Race/ethnicity																
Black/African American	160	48.8	5	1.5	2	0.6	64	19.5	65	19.8	9	2.7	23	7.0	328	45.2
Hispanic/Latino	118	49.0	7	2.9	4	1.7	31	12.9	67	27.8	2	0.8	12	5.0	241	33.2
White	97	66.9	2	1.4	1	0.7	13	9.0	25	17.2	2	1.4	5	3.4	145	20.0
Other/Multiple races	7	58.3	--	--	--	--	1	8.3	2	16.7	1	8.3	1	8.3	12	1.7
Current Age																
<20	7	17.9	--	--	--	--	3	7.7	24	61.5	--	--	5	12.8	39	5.4
20-29	375	54.6	14	2.0	7	1.0	106	15.4	135	19.7	14	2.0	36	5.2	687	94.6

Data based on address at diagnosis of HIV or AIDS

This table presents HIV Infection cases using the year the person was first diagnosed

The term HIV Infection is used to refer to three categories of diagnoses collectively:

1 - persons with a diagnosis of HIV infection (not AIDS)

2 - a diagnosis of HIV infection and a later diagnosis of AIDS

3 - concurrent diagnoses of HIV and AIDS

Data supplied from HIV Surveillance for cases reported through 2016