

2023 Cannabis Health Statistics Report Supplement:

Connecticut School Health Survey Supplemental Tables

April 2023



State of Connecticut Connecticut Department of Public Health

Manisha Juthani, MD, Commissioner

Prepared by:
Jack King, MPH
Epidemiologist II

Epidemiology Unit
Community, Family Health, and Prevention Section

Connecticut School Health Survey Supplemental Tables 2005-2021

Table of Contents

Tables	<i>Page</i>
Lifetime Cannabis Use, 2005-2021	3-11
Past Month Cannabis Use, 2005-2021	12-20
Cannabis Use Before Age 13, 2005-2021	21-29
Lifetime Synthetic Cannabis Use, 2015-2021	30-33

Other	<i>Page</i>
Appendix 1: Data	34
Appendix 2: Statistical Methods	34

Connecticut School Health Survey Supplemental Tables 2005-2021

Lifetime Cannabis Use

		2005				
Demographics		Percentage	CV	95% CI		N
Total		39.8	4.2	36.4	43.3	65900
Sex	Female	37.2	6.6	32.3	42.3	30400
	Male	42.2	4.6	38.3	46.2	34900
Race/ Ethnicity	Hispanic	41.0	8.1	34.4	48.0	9300
	NH Black	44.8	7.8	37.6	52.2	9300
	NH White	38.8	4.9	34.9	42.8	45200
	NH Other	39.6	9.3	32.3	47.4	1800
Grade	9th	27.3	9.8	21.9	33.4	12500
	10th	33.7	6.8	29.1	38.6	14300
	11th	50.4	6.7	43.3	57.4	19700
	12th	50.0	6.0	43.7	56.2	18300
Usual Grades in School	A's	26.9	9.6	21.9	32.6	9800
	B's	37.8	5.1	33.9	41.9	25000
	C's	47.5	5.9	41.8	53.2	18600
	D's or F's	65.6	5.6	57.5	72.9	6300
Depression	Yes	48.0	7.2	41.0	55.1	19100
	No	36.6	3.5	34.0	39.3	45200
3+ Weekly Family Meal Days	Yes	33.7	5.8	29.8	37.9	30400
	No	47.9	5.3	42.7	53.1	31200
Emotional Support	Yes	38.5	6.3	33.6	43.7	19000
	No	42.6	4.7	38.5	46.8	32700

Notes:

Data Source: Connecticut School Health Survey

CV = Coefficient of Variation, CI = Confidence Interval, N = Weighted Count

NH = Non Hispanic

Sample totals from demographic subgroups may not sum to the overall total: students without responses to demographic questions are not presented separately here.

Estimates with CV greater than 15% and less than or equal to 20% may be of limited validity and are thus flagged (^); with CV greater than 20% but less than or equal 30% are rounded to the nearest 5%, flagged (+), and confidence intervals are suppressed (*); estimates with CV greater than 30% or sample sizes less than 30 are suppressed entirely (*), as are accompanying estimates for all dichotomous variables.

See appendices on page 34 for detailed methods

Connecticut School Health Survey Supplemental Tables 2005-2021

Lifetime Cannabis Use

		2007				
Demographics		Percentage	CV	95% CI		N
Total		38.6	4.5	35.1	42.3	65400
Sex	Female	37.2	6.2	32.6	42.0	31200
	Male	39.9	5.1	35.8	44.2	34000
Race/ Ethnicity	Hispanic	37.0	11.2	28.9	45.9	8200
	NH Black	32.6	13.6	24.0	42.7	7300
	NH White	40.1	4.3	36.5	43.7	46500
	NH Other	33.4 [^]	15.5	23.6	44.9	1900
Grade	9th	23.0	9.8	18.6	28.1	10400
	10th	27.8	9.6	22.5	34.0	12000
	11th	50.2	5.1	44.8	55.5	20800
	12th	55.8	4.5	50.4	61.1	21200
Usual Grades in School	A's	24.0	12.0	18.5	30.5	10500
	B's	36.2	4.0	33.3	39.2	26500
	C's	53.2	6.4	46.1	60.2	19300
	D's or F's	67.6	9.8	52.2	80.0	5300
Depression	Yes	50.1	7.8	42.1	58.1	18800
	No	35.0	4.6	31.8	38.4	45600
3+ Weekly Family Meal Days	Yes	32.1	5.2	28.7	35.6	33900
	No	50.2	6.1	43.9	56.6	30300
Emotional Support	Yes	34.3	7.0	29.5	39.4	16400
	No	42.9	6.9	37.0	49.1	31400

Notes:

Data Source: Connecticut School Health Survey

CV = Coefficient of Variation, CI = Confidence Interval, N = Weighted Count

NH = Non Hispanic

Sample totals from demographic subgroups may not sum to the overall total: students without responses to demographic questions are not presented separately here.

Estimates with CV greater than 15% and less than or equal to 20% may be of limited validity and are thus flagged ([^]); with CV greater than 20% but less than or equal 30% are rounded to the nearest 5%, flagged ([†]), and confidence intervals are suppressed (*); estimates with CV greater than 30% or sample sizes less than 30 are suppressed entirely (*), as are accompanying estimates for all dichotomous variables.

See appendices on page 34 for detailed methods

Connecticut School Health Survey Supplemental Tables 2005-2021

Lifetime Cannabis Use

		2009				
Demographics		Percentage	CV	95% CI		N
Total		37.6	4.4	34.3	41.1	62600
Sex	Female	33.7	5.7	29.9	37.8	27700
	Male	41.3	4.8	37.3	45.4	34700
Race/ Ethnicity	Hispanic	36.6	8.1	30.7	42.9	8800
	NH Black	36.9	10.2	29.4	45.0	8100
	NH White	38.5	5.7	34.1	43.2	43000
	NH Other	29.0	12.9	21.9	37.4	1800
Grade	9th	25.0	8.6	20.8	29.9	11200
	10th	32.3	8.3	27.0	38.1	13600
	11th	43.1	7.5	36.6	49.8	17100
	12th	51.6	6.1	45.0	58.2	19400
Usual Grades in School	A's	23.8	11.9	18.4	30.1	11300
	B's	36.8	7.4	31.4	42.6	26700
	C's	53.7	5.3	47.9	59.5	16600
	D's or F's	60.1	10.5	46.4	72.4	4800
Depression	Yes	47.6	5.7	42.1	53.2	19200
	No	33.8	5.7	29.9	37.9	41400
3+ Weekly Family Meal Days	Yes	33.5	6.0	29.4	37.7	34700
	No	45.0	5.6	39.9	50.2	25900
Emotional Support	Yes	32.1	6.7	27.8	36.7	16500
	No	42.6	4.6	38.6	46.7	27500

Notes:

Data Source: Connecticut School Health Survey

CV = Coefficient of Variation, CI = Confidence Interval, N = Weighted Count

NH = Non Hispanic

Sample totals from demographic subgroups may not sum to the overall total: students without responses to demographic questions are not presented separately here.

Estimates with CV greater than 15% and less than or equal to 20% may be of limited validity and are thus flagged (^); with CV greater than 20% but less than or equal 30% are rounded to the nearest 5%, flagged (+), and confidence intervals are suppressed (*); estimates with CV greater than 30% or sample sizes less than 30 are suppressed entirely (*), as are accompanying estimates for all dichotomous variables.

See appendices on page 34 for detailed methods

Connecticut School Health Survey Supplemental Tables 2005-2021

Lifetime Cannabis Use

		2011				
Demographics		Percentage	CV	95% CI		N
Total		39.6	4.2	36.2	43.2	65300
Sex	Female	35.7	5.3	31.8	39.7	29000
	Male	43.7	4.8	39.4	48.1	36200
Race/ Ethnicity	Hispanic	40.1	9.5	32.5	48.2	10100
	NH Black	38.7	8.8	31.8	46.1	8100
	NH White	39.5	4.5	35.9	43.3	42500
	NH Other	38.9	12.5	29.4	49.4	3200
Grade	9th	24.5	9.7	19.5	30.3	10600
	10th	36.7	6.9	31.5	42.1	15400
	11th	46.6	6.8	40.0	53.3	18300
	12th	52.9	6.0	46.1	59.6	20400
Usual Grades in School	A's	25.2	8.5	21.0	29.9	11700
	B's	39.0	4.9	35.1	43.1	28100
	C's	52.8	5.7	46.6	59.0	16100
	D's or F's	72.8	5.9	62.7	81.0	6500
Depression	Yes	47.0	4.8	42.4	51.7	18300
	No	37.3	5.3	33.3	41.4	46100
3+ Weekly Family Meal Days	Yes	35.1	5.2	31.4	38.9	36600
	No	47.5	5.5	42.1	52.8	25000
Emotional Support	Yes	31.3	7.1	26.9	36.1	14600
	No	44.9	4.1	41.1	48.7	33600

Notes:

Data Source: Connecticut School Health Survey

CV = Coefficient of Variation, CI = Confidence Interval, N = Weighted Count

NH = Non Hispanic

Sample totals from demographic subgroups may not sum to the overall total: students without responses to demographic questions are not presented separately here.

Estimates with CV greater than 15% and less than or equal to 20% may be of limited validity and are thus flagged (^); with CV greater than 20% but less than or equal 30% are rounded to the nearest 5%, flagged (+), and confidence intervals are suppressed (*); estimates with CV greater than 30% or sample sizes less than 30 are suppressed entirely (*), as are accompanying estimates for all dichotomous variables.

See appendices on page 34 for detailed methods

Connecticut School Health Survey Supplemental Tables 2005-2021

Lifetime Cannabis Use

		2013				
Demographics		Percentage	CV	95% CI		N
Total		42.1	4.2	38.5	45.8	68000
Sex	Female	38.0	5.7	33.6	42.6	30400
	Male	46.1	4.9	41.4	50.8	37400
Race/ Ethnicity	Hispanic	43.9	7.2	37.4	50.5	11900
	NH Black	43.2	10.3	34.1	52.8	8500
	NH White	41.4	5.9	36.4	46.6	41700
	NH Other	36.6	6.9	31.5	41.9	3400
Grade	9th	25.0	9.4	20.3	30.4	10600
	10th	38.9	5.9	34.3	43.8	15500
	11th	48.6	5.6	43.0	54.3	19100
	12th	57.4	4.3	52.2	62.5	21900
Usual Grades in School	A's	25.0	10.9	19.8	31.1	10600
	B's	42.6	6.1	37.3	48.0	28500
	C's	56.4	4.1	51.6	61.1	19200
	D's or F's	68.5	5.5	60.0	75.9	5800
Depression	Yes	51.0	4.6	46.2	55.9	22000
	No	38.1	5.6	33.8	42.6	44500
3+ Weekly Family Meal Days	Yes	37.2	5.5	33.1	41.6	36700
	No	48.9	5.2	43.7	54.2	26100
Emotional Support	Yes	41.4	6.2	36.1	46.8	16900
	No	46.7	4.9	42.0	51.4	31200

Notes:

Data Source: Connecticut School Health Survey

CV = Coefficient of Variation, CI = Confidence Interval, N = Weighted Count

NH = Non Hispanic

Sample totals from demographic subgroups may not sum to the overall total: students without responses to demographic questions are not presented separately here.

Estimates with CV greater than 15% and less than or equal to 20% may be of limited validity and are thus flagged (^); with CV greater than 20% but less than or equal 30% are rounded to the nearest 5%, flagged (+), and confidence intervals are suppressed (*); estimates with CV greater than 30% or sample sizes less than 30 are suppressed entirely (*), as are accompanying estimates for all dichotomous variables.

See appendices on page 34 for detailed methods

Connecticut School Health Survey Supplemental Tables 2005-2021

Lifetime Cannabis Use

		2015				
Demographics		Percentage	CV	95% CI		N
Total		35.4	4.5	32.2	38.8	55200
Sex	Female	35.2	6.3	30.8	39.9	27300
	Male	35.3	4.9	31.8	39.0	27500
Race/ Ethnicity	Hispanic	39.6	8.0	33.2	46.3	11300
	NH Black	36.6	12.3	27.7	46.4	6700
	NH White	34.5	4.6	31.2	37.9	33000
	NH Other	28.9	13.9	21.3	37.9	2900
Grade	9th	21.4	9.5	17.4	26.0	8800
	10th	31.9	7.4	27.2	37.1	12500
	11th	39.2	8.7	32.3	46.7	14700
	12th	49.7	5.2	44.3	55.2	18000
Usual Grades in School	A's	24.7	7.8	20.9	28.9	14000
	B's	36.5	7.1	31.3	42.1	22900
	C's	52.6	5.5	46.6	58.6	12100
	D's or F's	52.9	10.1	41.5	63.9	3200
Depression	Yes	48.2	5.7	42.5	54.0	19500
	No	30.4	4.5	27.7	33.3	34600
3+ Weekly Family Meal Days	Yes	30.0	4.5	27.3	32.9	30600
	No	46.7	6.5	40.5	53.0	21400
Emotional Support	Yes	30.7	8.6	25.5	36.5	8200
	No	41.4	5.6	36.7	46.2	32500

Notes:

Data Source: Connecticut School Health Survey

CV = Coefficient of Variation, CI = Confidence Interval, N = Weighted Count

NH = Non Hispanic

Sample totals from demographic subgroups may not sum to the overall total: students without responses to demographic questions are not presented separately here.

Estimates with CV greater than 15% and less than or equal to 20% may be of limited validity and are thus flagged (^); with CV greater than 20% but less than or equal 30% are rounded to the nearest 5%, flagged (+), and confidence intervals are suppressed (*); estimates with CV greater than 30% or sample sizes less than 30 are suppressed entirely (*), as are accompanying estimates for all dichotomous variables.

See appendices on page 34 for detailed methods

Connecticut School Health Survey Supplemental Tables 2005-2021

Lifetime Cannabis Use

		2017				
Demographics		Percentage	CV	95% CI		N
Total		34.5	3.1	32.3	36.7	53600
Sex	Female	34.7	4.3	31.7	37.9	26400
	Male	34.3	5.3	30.5	38.2	26900
Race/ Ethnicity	Hispanic	37.7	4.7	34.1	41.4	11700
	NH Black	33.1	10.5	26.2	40.9	6200
	NH White	34.1	5.4	30.4	38.1	31000
	NH Other	30.3	13.6	22.4	39.5	3400
Grade	9th	19.3	10.1	15.5	23.8	7800
	10th	31.3	8.0	26.2	36.9	12200
	11th	38.5	6.1	33.7	43.6	14400
	12th	50.0	4.6	45.1	54.9	18500
Usual Grades in School	A's	25.8	7.1	22.1	29.8	14500
	B's	36.3	5.2	32.4	40.4	23700
	C's	47.8	5.7	42.2	53.5	9900
	D's or F's	48.6	12.3	35.8	61.5	2800
Depression	Yes	45.2	3.5	41.9	48.6	18300
	No	30.0	4.0	27.5	32.6	33600
3+ Weekly Family Meal Days	Yes	28.5	4.6	25.8	31.3	27300
	No	45.5	3.5	42.1	48.9	22300
Emotional Support	Yes	33.7	7.7	28.5	39.3	9000
	No	38.6	3.5	35.8	41.4	31200

Notes:

Data Source: Connecticut School Health Survey

CV = Coefficient of Variation, CI = Confidence Interval, N = Weighted Count

NH = Non Hispanic

Sample totals from demographic subgroups may not sum to the overall total: students without responses to demographic questions are not presented separately here.

Estimates with CV greater than 15% and less than or equal to 20% may be of limited validity and are thus flagged (^); with CV greater than 20% but less than or equal 30% are rounded to the nearest 5%, flagged (+), and confidence intervals are suppressed (*); estimates with CV greater than 30% or sample sizes less than 30 are suppressed entirely (*), as are accompanying estimates for all dichotomous variables.

See appendices on page 34 for detailed methods

Connecticut School Health Survey Supplemental Tables 2005-2021

Lifetime Cannabis Use

		2019				
Demographics		Percentage	CV	95% CI		N
Total		35.9	5.5	31.9	40.2	54700
Sex	Female	37.9	7.4	32.2	44.0	28400
	Male	33.9	4.7	30.6	37.4	26000
Race/ Ethnicity	Hispanic	38.6	8.2	32.1	45.4	13300
	NH Black	33.2 [^]	16.1	22.7	45.6	5900
	NH White	36.8	6.0	32.2	41.5	31700
	NH Other	28.3	14.2	20.6	37.4	3500
Grade	9th	20.8	9.3	17.0	25.1	8200
	10th	31.4	10.9	24.6	39.1	12300
	11th	42.7	6.1	37.3	48.3	15400
	12th	50.2	7.2	42.7	57.8	18400
Usual Grades in School	A's	27.4	7.5	23.3	31.9	15000
	B's	39.9	7.3	33.9	46.1	22200
	C's	46.7	7.2	39.6	53.9	8300
	D's or F's	56.0	10.8	42.6	68.6	3200
Depression	Yes	53.3	5.5	47.1	59.4	24600
	No	28.0	7.2	24.0	32.4	29400
3+ Weekly Family Meal Days	Yes	33.4	5.2	29.8	37.2	32600
	No	40.9	8.5	33.8	48.4	19200
Emotional Support	Yes	32.8	8.8	27.1	39.2	9000
	No	42.1	4.9	37.8	46.6	35800

Notes:

Data Source: Connecticut School Health Survey

CV = Coefficient of Variation, CI = Confidence Interval, N = Weighted Count

NH = Non Hispanic

Sample totals from demographic subgroups may not sum to the overall total: students without responses to demographic questions are not presented separately here.

Estimates with CV greater than 15% and less than or equal to 20% may be of limited validity and are thus flagged (^); with CV greater than 20% but less than or equal 30% are rounded to the nearest 5%, flagged (+), and confidence intervals are suppressed (*); estimates with CV greater than 30% or sample sizes less than 30 are suppressed entirely (*), as are accompanying estimates for all dichotomous variables.

See appendices on page 34 for detailed methods

Connecticut School Health Survey Supplemental Tables 2005-2021

Lifetime Cannabis Use

		2021				
Demographics		Percentage	CV	95% CI		N
Total		20.6	8.8	17.0	24.8	31300
Sex	Female	23.4	9.4	19.1	28.4	17300
	Male	18.0	10.5	14.3	22.4	13900
Race/ Ethnicity	Hispanic	24.6	6.7	21.3	28.4	10000
	NH Black	23.0	14.6	16.5	31.2	4500
	NH White	19.1	12.3	14.5	24.6	14700
	NH Other	15.0 [†]	21.3	*	*	1900
Grade	9th	8.7 [^]	15.4	6.2	12.1	3700
	10th	16.4 [^]	18.8	10.7	24.3	6200
	11th	26.2	8.8	21.4	31.5	9300
	12th	33.9	11.0	26.3	42.4	12100
Usual Grades in School	A's	15.0	11.2	11.7	18.9	10400
	B's	21.5	10.4	17.1	26.7	10100
	C's	31.6	13.3	23.4	41.1	4500
	D's or F's	51.0	12.1	36.7	65.1	3700
Depression	Yes	35.0	8.4	29.0	41.5	18600
	No	13.0	9.4	10.6	15.8	12600
3+ Weekly Family Meal Days	Yes	16.4	12.4	12.5	21.2	15600
	No	28.5	9.6	23.0	34.7	14700
Emotional Support	Yes	18.5 [^]	17.0	12.7	26.2	4800
	No	26.1	7.9	21.9	30.7	23200

Notes:

Data Source: Connecticut School Health Survey

CV = Coefficient of Variation, CI = Confidence Interval, N = Weighted Count

NH = Non Hispanic

Sample totals from demographic subgroups may not sum to the overall total: students without responses to demographic questions are not presented separately here.

Estimates with CV greater than 15% and less than or equal to 20% may be of limited validity and are thus flagged (^); with CV greater than 20% but less than or equal 30% are rounded to the nearest 5%, flagged (†), and confidence intervals are suppressed (*); estimates with CV greater than 30% or sample sizes less than 30 are suppressed entirely (*), as are accompanying estimates for all dichotomous variables.

See appendices on page 34 for detailed methods

Connecticut School Health Survey Supplemental Tables 2005-2021

Past Month Cannabis Use

		2005				
Demographics		Percentage	CV	95% CI		N
Total		23.1	5.9	20.4	26.1	38200
Sex	Female	20.0	9.4	16.4	24.1	16300
	Male	25.9	7.8	22.0	30.3	21400
Race/ Ethnicity	Hispanic	19.1	13.8	14.3	25.2	4400
	NH Black	23.6	14.4	17.2	31.5	4900
	NH White	23.8	7.0	20.6	27.4	27600
	NH Other	22.5 [^]	15.4	16.1	30.4	1000
Grade	9th	15.0	12.1	11.5	19.3	6900
	10th	20.8	11.3	16.3	26.1	8800
	11th	27.6	11.3	21.6	34.6	10700
	12th	30.1	10.4	23.9	37.0	10800
Usual Grades in School	A's	15.4	14.1	11.4	20.4	5600
	B's	20.4	6.7	17.7	23.4	13600
	C's	29.1	8.0	24.5	34.1	11300
	D's or F's	40.1 [^]	15.6	27.9	53.7	3600
Depression	Yes	28.1	9.6	22.8	34.0	11000
	No	21.1	7.2	18.1	24.4	26100
3+ Weekly Family Meal Days	Yes	19.7	8.2	16.5	23.2	17700
	No	27.2	7.3	23.3	31.4	17600
Emotional Support	Yes	20.5	11.0	16.3	25.6	10100
	No	25.6	5.8	22.7	28.8	19600

Notes:

Data Source: Connecticut School Health Survey

CV = Coefficient of Variation, CI = Confidence Interval, N = Weighted Count

NH = Non Hispanic

Sample totals from demographic subgroups may not sum to the overall total: students without responses to demographic questions are not presented separately here.

Estimates with CV greater than 15% and less than or equal to 20% may be of limited validity and are thus flagged ([^]); with CV greater than 20% but less than or equal 30% are rounded to the nearest 5%, flagged ([†]), and confidence intervals are suppressed (*); estimates with CV greater than 30% or sample sizes less than 30 are suppressed entirely (*), as are accompanying estimates for all dichotomous variables.

See appendices on page 34 for detailed methods

Connecticut School Health Survey Supplemental Tables 2005-2021

Past Month Cannabis Use

		2007				
Demographics		Percentage	CV	95% CI		N
Total		23.2	5.8	20.5	26.1	39400
Sex	Female	22.0	5.9	19.4	24.8	18500
	Male	24.4	8.8	20.2	29.1	20700
Race/ Ethnicity	Hispanic	20.7	12.5	15.8	26.5	4600
	NH Black	15.7 [^]	17.8	10.6	22.5	3500
	NH White	25.1	5.9	22.2	28.3	29200
	NH Other	23.1 [^]	18.7	15.4	33.3	1300
Grade	9th	15.4	10.9	12.2	19.4	6900
	10th	15.7	11.9	12.1	20.1	6800
	11th	28.8	10.5	22.9	35.6	12000
	12th	33.6	8.7	27.5	40.2	12800
Usual Grades in School	A's	10.5	13.7	7.8	13.8	4500
	B's	20.6	9.0	17.0	24.6	15200
	C's	37.0	7.9	31.2	43.3	13400
	D's or F's	52.1	14.0	36.9	67.0	4000
Depression	Yes	34.5	7.8	29.1	40.2	13100
	No	19.8	7.5	16.9	23.1	25800
3+ Weekly Family Meal Days	Yes	18.7	6.6	16.2	21.4	19700
	No	31.5	7.5	26.9	36.6	19000
Emotional Support	Yes	18.7	9.9	15.1	22.8	8900
	No	27.1	8.0	22.9	31.8	19900

Notes:

Data Source: Connecticut School Health Survey

CV = Coefficient of Variation, CI = Confidence Interval, N = Weighted Count

NH = Non Hispanic

Sample totals from demographic subgroups may not sum to the overall total: students without responses to demographic questions are not presented separately here.

Estimates with CV greater than 15% and less than or equal to 20% may be of limited validity and are thus flagged ([^]); with CV greater than 20% but less than or equal 30% are rounded to the nearest 5%, flagged ([†]), and confidence intervals are suppressed (*); estimates with CV greater than 30% or sample sizes less than 30 are suppressed entirely (*), as are accompanying estimates for all dichotomous variables.

See appendices on page 34 for detailed methods

Connecticut School Health Survey Supplemental Tables 2005-2021

Past Month Cannabis Use

		2009				
Demographics		Percentage	CV	95% CI		N
Total		21.8	7.0	18.9	25.1	36400
Sex	Female	18.2	7.4	15.6	21.2	15000
	Male	25.3	8.2	21.3	29.8	21400
Race/ Ethnicity	Hispanic	19.8	10.7	15.8	24.6	4800
	NH Black	20.5	14.2	15.0	27.2	4500
	NH White	23.1	8.7	19.2	27.6	25900
	NH Other	15.0 [†]	20.8	*	*	900
Grade	9th	15.7	11.3	12.3	19.8	7000
	10th	18.6	12.9	14.1	24.2	7900
	11th	24.9	12.1	19.2	31.6	9900
	12th	29.3	9.7	23.7	35.7	11100
Usual Grades in School	A's	12.2 [^]	17.4	8.4	17.2	5800
	B's	20.6	11.6	16.1	25.9	15000
	C's	35.0	7.9	29.5	40.9	10900
	D's or F's	35.0 [^]	17.6	23.4	48.8	2800
Depression	Yes	27.6	9.1	22.8	33.1	11100
	No	19.4	8.7	16.1	23.1	23900
3+ Weekly Family Meal Days	Yes	20.1	8.6	16.8	23.9	20900
	No	24.6	9.5	20.1	29.7	14200
Emotional Support	Yes	17.7	10.1	14.3	21.7	9100
	No	25.2	7.0	21.8	29.0	16400

Notes:

Data Source: Connecticut School Health Survey

CV = Coefficient of Variation, CI = Confidence Interval, N = Weighted Count

NH = Non Hispanic

Sample totals from demographic subgroups may not sum to the overall total: students without responses to demographic questions are not presented separately here.

Estimates with CV greater than 15% and less than or equal to 20% may be of limited validity and are thus flagged ([^]); with CV greater than 20% but less than or equal 30% are rounded to the nearest 5%, flagged ([†]), and confidence intervals are suppressed (*); estimates with CV greater than 30% or sample sizes less than 30 are suppressed entirely (*), as are accompanying estimates for all dichotomous variables.

See appendices on page 34 for detailed methods

Connecticut School Health Survey Supplemental Tables 2005-2021

Past Month Cannabis Use

		2011				
Demographics		Percentage	CV	95% CI		N
Total		24.1	6.0	21.3	27.3	39900
Sex	Female	21.0	8.2	17.6	24.8	17100
	Male	27.3	7.0	23.5	31.4	22700
Race/ Ethnicity	Hispanic	23.2	8.7	19.3	27.7	6000
	NH Black	20.3 [^]	16.7	14.0	28.5	4200
	NH White	25.1	7.0	21.6	28.9	27000
	NH Other	24.1 [^]	17.1	16.6	33.6	2000
Grade	9th	15.0	14.3	10.8	20.5	6500
	10th	22.8	7.2	19.5	26.5	9500
	11th	29.4	9.7	23.7	35.8	11700
	12th	30.6	10.2	24.4	37.7	11900
Usual Grades in School	A's	14.4	9.8	11.7	17.6	6700
	B's	22.1	8.6	18.4	26.3	15900
	C's	33.8	8.2	28.3	39.8	10300
	D's or F's	53.9	9.9	42.5	65.0	4800
Depression	Yes	31.4	7.9	26.5	36.7	12100
	No	21.8	8.0	18.4	25.7	27200
3+ Weekly Family Meal Days	Yes	20.9	7.6	17.8	24.4	22000
	No	29.6	8.4	24.7	35.0	15500
Emotional Support	Yes	15.9	10.6	12.7	19.8	7400
	No	29.2	5.9	25.8	32.8	21800

Notes:

Data Source: Connecticut School Health Survey

CV = Coefficient of Variation, CI = Confidence Interval, N = Weighted Count

NH = Non Hispanic

Sample totals from demographic subgroups may not sum to the overall total: students without responses to demographic questions are not presented separately here.

Estimates with CV greater than 15% and less than or equal to 20% may be of limited validity and are thus flagged ([^]); with CV greater than 20% but less than or equal 30% are rounded to the nearest 5%, flagged (⁺), and confidence intervals are suppressed (*); estimates with CV greater than 30% or sample sizes less than 30 are suppressed entirely (*), as are accompanying estimates for all dichotomous variables.

See appendices on page 34 for detailed methods

Connecticut School Health Survey Supplemental Tables 2005-2021

Past Month Cannabis Use

		2013				
Demographics		Percentage	CV	95% CI		N
Total		26.0	5.5	23.2	29.1	42600
Sex	Female	22.6	9.1	18.6	27.1	18300
	Male	29.4	5.8	26.0	33.0	24100
Race/ Ethnicity	Hispanic	27.3	10.9	21.6	33.9	7600
	NH Black	25.4 [^]	15.1	18.1	34.4	5100
	NH White	25.6	7.2	22.0	29.6	26100
	NH Other	23.2	14.0	17.1	30.6	2200
Grade	9th	17.7	13.5	13.1	23.4	7500
	10th	24.8	7.7	21.1	29.0	10100
	11th	26.4	6.9	22.8	30.4	10500
	12th	36.0	7.5	30.6	41.9	14100
Usual Grades in School	A's	13.1 [^]	15.8	9.4	18.1	5600
	B's	25.6	7.7	21.7	29.9	17500
	C's	36.3	5.7	32.1	40.7	12500
	D's or F's	52.7	8.4	43.4	61.8	4500
Depression	Yes	33.6	6.7	29.1	38.4	14700
	No	22.7	7.2	19.5	26.2	26700
3+ Weekly Family Meal Days	Yes	22.5	6.7	19.5	25.8	22400
	No	30.9	7.5	26.3	35.9	16700
Emotional Support	Yes	25.1	8.3	21.0	29.6	10500
	No	27.8	7.5	23.7	32.3	18900

Notes:

Data Source: Connecticut School Health Survey

CV = Coefficient of Variation, CI = Confidence Interval, N = Weighted Count

NH = Non Hispanic

Sample totals from demographic subgroups may not sum to the overall total: students without responses to demographic questions are not presented separately here.

Estimates with CV greater than 15% and less than or equal to 20% may be of limited validity and are thus flagged ([^]); with CV greater than 20% but less than or equal 30% are rounded to the nearest 5%, flagged ([†]), and confidence intervals are suppressed (^{*}); estimates with CV greater than 30% or sample sizes less than 30 are suppressed entirely (^{*}), as are accompanying estimates for all dichotomous variables.

See appendices on page 34 for detailed methods

Connecticut School Health Survey Supplemental Tables 2005-2021

Past Month Cannabis Use

		2015				
Demographics		Percentage	CV	95% CI		N
Total		20.4	6.9	17.6	23.4	32300
Sex	Female	20.9	8.9	17.3	25.0	16400
	Male	19.7	7.7	16.8	23.1	15700
Race/ Ethnicity	Hispanic	21.7	10.8	17.3	27.0	6400
	NH Black	20.0 [†]	22.7	*	*	3600
	NH White	20.2	6.9	17.4	23.3	19600
	NH Other	15.0 [†]	21.6	*	*	1600
Grade	9th	12.4	13.8	9.2	16.5	5200
	10th	16.8	12.2	13.0	21.6	6700
	11th	22.9	13.1	17.2	29.9	8700
	12th	29.3	9.7	23.7	35.7	10900
Usual Grades in School	A's	12.2	9.4	10.0	14.8	6900
	B's	21.2	10.5	17.0	26.2	13500
	C's	33.7	8.6	28.0	40.0	7900
	D's or F's	29.2 [^]	18.9	18.9	42.2	1800
Depression	Yes	28.1	9.7	22.8	34.0	11500
	No	17.3	7.2	14.8	20.0	20000
3+ Weekly Family Meal Days	Yes	16.6	7.2	14.2	19.2	17100
	No	28.7	9.3	23.5	34.5	13600
Emotional Support	Yes	15.9	12.1	12.3	20.4	4300
	No	25.1	9.1	20.6	30.1	20000

Notes:

Data Source: Connecticut School Health Survey

CV = Coefficient of Variation, CI = Confidence Interval, N = Weighted Count

NH = Non Hispanic

Sample totals from demographic subgroups may not sum to the overall total: students without responses to demographic questions are not presented separately here.

Estimates with CV greater than 15% and less than or equal to 20% may be of limited validity and are thus flagged (^); with CV greater than 20% but less than or equal 30% are rounded to the nearest 5%, flagged (†), and confidence intervals are suppressed (*); estimates with CV greater than 30% or sample sizes less than 30 are suppressed entirely (*), as are accompanying estimates for all dichotomous variables.

See appendices on page 34 for detailed methods

Connecticut School Health Survey Supplemental Tables 2005-2021

Past Month Cannabis Use

		2017				
Demographics		Percentage	CV	95% CI		N
Total		20.4	5.7	18.1	23.0	32300
Sex	Female	21.6	7.4	18.4	25.1	16600
	Male	19.3	10.7	15.4	24.0	15500
Race/ Ethnicity	Hispanic	22.1	7.7	18.7	25.8	7000
	NH Black	15.0 [†]	22.5	*	*	3100
	NH White	21.4	8.0	18.0	25.2	19600
	NH Other	15.0 [†]	20.4	*	*	1700
Grade	9th	11.2	14.6	8.1	15.2	4600
	10th	19.0	6.5	16.5	21.8	7500
	11th	21.9	8.9	18.0	26.2	8300
	12th	30.3	9.1	24.8	36.5	11400
Usual Grades in School	A's	15.5	9.5	12.7	18.9	8800
	B's	20.0	9.3	16.4	24.2	13200
	C's	31.7	10.0	25.4	38.7	6900
	D's or F's	25.0 [†]	25.1	*	*	1500
Depression	Yes	27.9	7.6	23.7	32.5	11500
	No	17.5	7.4	15.0	20.4	19900
3+ Weekly Family Meal Days	Yes	16.8	6.9	14.5	19.3	16200
	No	27.5	6.6	23.9	31.5	13800
Emotional Support	Yes	20.0	10.5	16.0	24.8	5400
	No	23.5	6.1	20.6	26.7	19300

Notes:

Data Source: Connecticut School Health Survey

CV = Coefficient of Variation, CI = Confidence Interval, N = Weighted Count

NH = Non Hispanic

Sample totals from demographic subgroups may not sum to the overall total: students without responses to demographic questions are not presented separately here.

Estimates with CV greater than 15% and less than or equal to 20% may be of limited validity and are thus flagged (^); with CV greater than 20% but less than or equal 30% are rounded to the nearest 5%, flagged (†), and confidence intervals are suppressed (*); estimates with CV greater than 30% or sample sizes less than 30 are suppressed entirely (*), as are accompanying estimates for all dichotomous variables.

See appendices on page 34 for detailed methods

Connecticut School Health Survey Supplemental Tables 2005-2021

Past Month Cannabis Use

		2019				
Demographics		Percentage	CV	95% CI		N
Total		21.7	6.8	18.8	25.0	33400
Sex	Female	22.9	9.0	18.9	27.5	17200
	Male	20.5	6.8	17.7	23.6	16000
Race/ Ethnicity	Hispanic	24.3	9.5	19.8	29.5	8500
	NH Black	15.5 [^]	19.4	10.0	23.2	2800
	NH White	22.4	8.4	18.6	26.7	19400
	NH Other	20.6 [^]	17.8	13.9	29.4	2500
Grade	9th	12.1	10.2	9.7	14.9	4800
	10th	18.9	14.3	13.8	25.4	7500
	11th	25.6	7.9	21.5	30.1	9300
	12th	31.0	6.3	27.0	35.3	11500
Usual Grades in School	A's	16.6	9.9	13.5	20.4	9200
	B's	22.7	9.7	18.4	27.7	12800
	C's	27.6	6.6	23.9	31.6	5000
	D's or F's	42.8	10.2	33.5	52.6	2500
Depression	Yes	34.2	7.3	29.1	39.6	15900
	No	15.9	9.0	13.1	19.2	16900
3+ Weekly Family Meal Days	Yes	19.9	7.1	17.1	23.0	19500
	No	25.7	9.7	20.8	31.3	12400
Emotional Support	Yes	20.9	11.5	16.2	26.4	5700
	No	25.5	7.0	21.9	29.4	21900

Notes:

Data Source: Connecticut School Health Survey

CV = Coefficient of Variation, CI = Confidence Interval, N = Weighted Count

NH = Non Hispanic

Sample totals from demographic subgroups may not sum to the overall total: students without responses to demographic questions are not presented separately here.

Estimates with CV greater than 15% and less than or equal to 20% may be of limited validity and are thus flagged (^); with CV greater than 20% but less than or equal 30% are rounded to the nearest 5%, flagged (+), and confidence intervals are suppressed (*); estimates with CV greater than 30% or sample sizes less than 30 are suppressed entirely (*), as are accompanying estimates for all dichotomous variables.

See appendices on page 34 for detailed methods

Connecticut School Health Survey Supplemental Tables 2005-2021

Past Month Cannabis Use

		2021				
Demographics		Percentage	CV	95% CI		N
Total		11.1	11.0	8.8	14.0	17000
Sex	Female	14.1	13.0	10.7	18.5	10600
	Male	8.2	11.9	6.4	10.6	6400
Race/ Ethnicity	Hispanic	13.9	12.6	10.5	18.0	5700
	NH Black	15.0 [†]	21.3	*	*	2900
	NH White	9.9	13.5	7.4	13.2	7800
	NH Other	*	36.2	*	*	*
Grade	9th	4.7	11.6	3.6	6.0	2000
	10th	10.0 [†]	22.5	*	*	3800
	11th	14.9	10.7	11.7	18.8	5400
	12th	16.0 [^]	15.5	11.3	22.2	5800
Usual Grades in School	A's	8.5 [^]	16.1	6.0	11.9	5900
	B's	9.5 [^]	17.8	6.4	13.7	4500
	C's	15.0 [†]	26.0	*	*	2600
	D's or F's	33.1 [^]	17.9	20.8	48.2	2400
Depression	Yes	19.0	10.9	15.0	23.8	10200
	No	6.7	12.8	5.1	8.8	6600
3+ Weekly Family Meal Days	Yes	7.6	12.2	5.8	9.8	7200
	No	17.3	12.3	13.2	22.3	9100
Emotional Support	Yes	10.0 [†]	26.3	*	*	2300
	No	14.4	10.0	11.6	17.8	13000

Notes:

Data Source: Connecticut School Health Survey

CV = Coefficient of Variation, CI = Confidence Interval, N = Weighted Count

NH = Non Hispanic

Sample totals from demographic subgroups may not sum to the overall total: students without responses to demographic questions are not presented separately here.

Estimates with CV greater than 15% and less than or equal to 20% may be of limited validity and are thus flagged (^); with CV greater than 20% but less than or equal 30% are rounded to the nearest 5%, flagged (†), and confidence intervals are suppressed (*); estimates with CV greater than 30% or sample sizes less than 30 are suppressed entirely (*), as are accompanying estimates for all dichotomous variables.

See appendices on page 34 for detailed methods

Connecticut School Health Survey Supplemental Tables 2005-2021

Cannabis Use Before Age 13

		2005				
Demographics		Percentage	CV	95% CI		N
Total		8.5	9.5	7.0	10.3	14300
Sex	Female	5.1 [^]	16.8	3.6	7.2	4200
	Male	11.7	8.5	9.8	13.9	9900
Race/ Ethnicity	Hispanic	11.4 [^]	17.7	7.8	16.3	2600
	NH Black	15.2	13.4	11.4	20.0	3300
	NH White	6.5	12.1	5.1	8.4	7700
	NH Other	15.0 [†]	26.4	*	*	700
Grade	9th	8.6 [^]	19.7	5.6	13.0	4000
	10th	6.3	15.0	4.6	8.6	2700
	11th	9.0 [^]	18.9	6.0	13.3	3600
	12th	10.0 [†]	23.0	*	*	3500
Usual Grades in School	A's	5.0 [†]	24.9	*	*	2000
	B's	6.3	15.0	4.6	8.5	4300
	C's	11.0	12.1	8.6	14.1	4400
	D's or F's	15.0 [†]	21.7	*	*	1400
Depression	Yes	13.1	12.4	10.1	16.8	5300
	No	6.2	10.6	5.0	7.7	7800
3+ Weekly Family Meal Days	Yes	6.9	12.8	5.3	9.0	6300
	No	10.0	11.2	7.9	12.6	6700
Emotional Support	Yes	6.3 [^]	15.5	4.5	8.6	3100
	No	10.3	11.8	8.0	13.1	8100

Notes:

Data Source: Connecticut School Health Survey

CV = Coefficient of Variation, CI = Confidence Interval, N = Weighted Count

NH = Non Hispanic

Sample totals from demographic subgroups may not sum to the overall total: students without responses to demographic questions are not presented separately here.

Estimates with CV greater than 15% and less than or equal to 20% may be of limited validity and are thus flagged ([^]); with CV greater than 20% but less than or equal 30% are rounded to the nearest 5%, flagged ([†]), and confidence intervals are suppressed (*); estimates with CV greater than 30% or sample sizes less than 30 are suppressed entirely (*), as are accompanying estimates for all dichotomous variables.

See appendices on page 34 for detailed methods

Connecticut School Health Survey Supplemental Tables 2005-2021

Cannabis Use Before Age 13

		2007				
Demographics		Percentage	CV	95% CI		N
Total		8.5	11.9	6.6	10.8	14500
Sex	Female	6.9	14.6	5.1	9.3	5800
	Male	9.9	14.2	7.4	13.3	8600
Race/ Ethnicity	Hispanic	12.8	14.8	9.3	17.2	2900
	NH Black	8.3 [^]	16.7	5.8	11.8	1900
	NH White	7.4 [^]	15.2	5.4	10.1	8600
	NH Other	*	38.3	*	*	*
Grade	9th	10.7 [^]	16.8	7.4	15.1	4900
	10th	5.1 [^]	19.6	3.3	7.7	2200
	11th	10.0 [†]	21.3	*	*	4700
	12th	5.0 [†]	21.1	*	*	2500
Usual Grades in School	A's	5.0 [†]	26.5	*	*	2000
	B's	5.6	14.7	4.1	7.6	4100
	C's	13.2 [^]	17.5	9.1	18.8	4900
	D's or F's	31.5 [^]	16.0	21.9	43.1	2500
Depression	Yes	13.1 [^]	15.7	9.4	17.9	4900
	No	6.5	14.2	4.8	8.7	8500
3+ Weekly Family Meal Days	Yes	6.4	13.7	4.8	8.5	6800
	No	12.0	13.8	9.0	15.9	7300
Emotional Support	Yes	5.0 [†]	21.8	*	*	1500
	No	10.4 [^]	17.2	7.2	14.7	7700

Notes:

Data Source: Connecticut School Health Survey

CV = Coefficient of Variation, CI = Confidence Interval, N = Weighted Count

NH = Non Hispanic

Sample totals from demographic subgroups may not sum to the overall total: students without responses to demographic questions are not presented separately here.

Estimates with CV greater than 15% and less than or equal to 20% may be of limited validity and are thus flagged ([^]); with CV greater than 20% but less than or equal 30% are rounded to the nearest 5%, flagged ([†]), and confidence intervals are suppressed (*); estimates with CV greater than 30% or sample sizes less than 30 are suppressed entirely (*), as are accompanying estimates for all dichotomous variables.

See appendices on page 34 for detailed methods

Connecticut School Health Survey Supplemental Tables 2005-2021

Cannabis Use Before Age 13

		2009				
Demographics		Percentage	CV	95% CI		N
Total		5.8	11.6	4.6	7.3	9700
Sex	Female	3.5 [^]	18.5	2.4	5.1	2900
	Male	7.9	11.8	6.2	10.1	6700
Race/ Ethnicity	Hispanic	7.6 [^]	16.1	5.4	10.5	1900
	NH Black	10.0 [†]	24.2	*	*	1700
	NH White	4.8 [^]	15.6	3.5	6.6	5300
	NH Other	10.0 [†]	29.0	*	*	500
Grade	9th	6.7 [^]	19.0	4.5	10.0	3000
	10th	4.8 [^]	16.4	3.4	6.7	2000
	11th	5.0 [†]	24.2	*	*	1900
	12th	5.0 [†]	25.6	*	*	2400
Usual Grades in School	A's	*	30.3	*	*	*
	B's	5.0 [†]	21.6	*	*	3100
	C's	10.4	12.7	7.9	13.4	3200
	D's or F's	15.0 [†]	22.4	*	*	1300
Depression	Yes	9.2 [^]	17.0	6.4	12.9	3700
	No	4.6	12.6	3.5	5.9	5600
3+ Weekly Family Meal Days	Yes	3.7	13.2	2.8	4.8	3800
	No	9.3	14.3	6.9	12.5	5400
Emotional Support	Yes	5.0 [†]	22.1	*	*	2500
	No	6.0	14.4	4.4	8.0	3900

Notes:

Data Source: Connecticut School Health Survey

CV = Coefficient of Variation, CI = Confidence Interval, N = Weighted Count

NH = Non Hispanic

Sample totals from demographic subgroups may not sum to the overall total: students without responses to demographic questions are not presented separately here.

Estimates with CV greater than 15% and less than or equal to 20% may be of limited validity and are thus flagged ([^]); with CV greater than 20% but less than or equal 30% are rounded to the nearest 5%, flagged ([†]), and confidence intervals are suppressed (*); estimates with CV greater than 30% or sample sizes less than 30 are suppressed entirely (*), as are accompanying estimates for all dichotomous variables.

See appendices on page 34 for detailed methods

Connecticut School Health Survey Supplemental Tables 2005-2021

Cannabis Use Before Age 13

		2011				
Demographics		Percentage	CV	95% CI		N
Total		6.3	10.6	5.1	7.9	10500
Sex	Female	4.4 [^]	19.5	2.9	6.5	3600
	Male	8.3	13.7	6.2	10.9	6900
Race/ Ethnicity	Hispanic	8.4 [^]	17.3	5.8	12.0	2200
	NH Black	5.0 [†]	26.5	*	*	1400
	NH White	5.6 [^]	17.7	3.9	8.1	6100
	NH Other	10.0 [†]	29.8	*	*	600
Grade	9th	5.9 [^]	15.8	4.1	8.5	2600
	10th	5.0 [†]	20.8	*	*	2100
	11th	7.8 [^]	19.5	5.1	11.7	3100
	12th	5.0 [†]	22.0	*	*	2400
Usual Grades in School	A's	<5 [†]	25.5	*	*	1200
	B's	4.5 [^]	19.9	3.0	6.7	3300
	C's	10.9	14.3	8.0	14.5	3400
	D's or F's	20.0 [†]	25.5	*	*	1800
Depression	Yes	9.3	13.6	7.0	12.2	3600
	No	5.2 [^]	16.6	3.7	7.3	6500
3+ Weekly Family Meal Days	Yes	3.6	11.8	2.8	4.6	3800
	No	11.2 [^]	18.1	7.7	16.2	6000
Emotional Support	Yes	*	32.1	*	*	*
	No	*	10.1	*	*	*

Notes:

Data Source: Connecticut School Health Survey

CV = Coefficient of Variation, CI = Confidence Interval, N = Weighted Count

NH = Non Hispanic

Sample totals from demographic subgroups may not sum to the overall total: students without responses to demographic questions are not presented separately here.

Estimates with CV greater than 15% and less than or equal to 20% may be of limited validity and are thus flagged ([^]); with CV greater than 20% but less than or equal 30% are rounded to the nearest 5%, flagged ([†]), and confidence intervals are suppressed (*); estimates with CV greater than 30% or sample sizes less than 30 are suppressed entirely (*), as are accompanying estimates for all dichotomous variables.

See appendices on page 34 for detailed methods

Connecticut School Health Survey Supplemental Tables 2005-2021

Cannabis Use Before Age 13

		2013				
Demographics		Percentage	CV	95% CI		N
Total		7.0	12.1	5.4	8.9	11300
Sex	Female	3.8 [^]	19.6	2.5	5.6	3000
	Male	10.0	11.7	7.8	12.7	8200
Race/ Ethnicity	Hispanic	8.7 [^]	16.3	6.2	12.1	2400
	NH Black	10.0 [†]	28.6	*	*	2000
	NH White	5.1	13.8	3.8	6.7	5100
	NH Other	10.0 [†]	24.0	*	*	1000
Grade	9th	10.0 [†]	22.8	*	*	3500
	10th	7.5 [^]	15.8	5.4	10.3	3000
	11th	6.8 [^]	19.3	4.5	10.1	2700
	12th	5.0 [†]	29.3	*	*	1900
Usual Grades in School	A's	*	32.4	*	*	*
	B's	4.5 [^]	16.1	3.2	6.3	3000
	C's	10.7 [^]	15.6	7.7	14.7	3700
	D's or F's	25.7	11.2	20.1	32.2	2200
Depression	Yes	9.5 [^]	17.2	6.6	13.5	4100
	No	5.2	14.9	3.8	7.1	6100
3+ Weekly Family Meal Days	Yes	4.2 [^]	17.1	2.9	5.9	4100
	No	10.4 [^]	16.6	7.4	14.6	5600
Emotional Support	Yes	5.0 [†]	27.8	*	*	1700
	No	7.8	13.3	5.9	10.3	5200

Notes:

Data Source: Connecticut School Health Survey

CV = Coefficient of Variation, CI = Confidence Interval, N = Weighted Count

NH = Non Hispanic

Sample totals from demographic subgroups may not sum to the overall total: students without responses to demographic questions are not presented separately here.

Estimates with CV greater than 15% and less than or equal to 20% may be of limited validity and are thus flagged ([^]); with CV greater than 20% but less than or equal 30% are rounded to the nearest 5%, flagged ([†]), and confidence intervals are suppressed (*); estimates with CV greater than 30% or sample sizes less than 30 are suppressed entirely (*), as are accompanying estimates for all dichotomous variables.

See appendices on page 34 for detailed methods

Connecticut School Health Survey Supplemental Tables 2005-2021

Cannabis Use Before Age 13

		2015				
Demographics		Percentage	CV	95% CI		N
Total		5.8	12.7	4.5	7.6	9100
Sex	Female	5.0 [†]	28.5	*	*	2400
	Male	8.2	11.8	6.4	10.5	6500
Race/ Ethnicity	Hispanic	8.0 [^]	18.8	5.4	11.8	2300
	NH Black	*	33.0	*	*	*
	NH White	4.7 [^]	18.2	3.2	6.9	4600
	NH Other	*	32.9	*	*	*
Grade	9th	5.7 [^]	18.2	3.9	8.3	2400
	10th	5.0 [†]	24.4	*	*	2100
	11th	5.0 [†]	21.7	*	*	2400
	12th	5.5 [^]	17.9	3.8	8.0	2000
Usual Grades in School	A's	5.0 [†]	23.9	*	*	1600
	B's	5.0 [†]	20.1	*	*	2100
	C's	14.3 [^]	19.0	9.5	21.0	3300
	D's or F's	20.0 [†]	24.9	*	*	1100
Depression	Yes	8.9 [^]	15.6	6.4	12.2	3600
	No	4.2	14.0	3.1	5.6	4800
3+ Weekly Family Meal Days	Yes	5.0 [†]	20.6	*	*	3100
	No	11.6	14.3	8.5	15.5	5400
Emotional Support	Yes	5.0 [†]	20.2	*	*	1700
	No	6.9 [^]	15.4	5.0	9.5	5500

Notes:

Data Source: Connecticut School Health Survey

CV = Coefficient of Variation, CI = Confidence Interval, N = Weighted Count

NH = Non Hispanic

Sample totals from demographic subgroups may not sum to the overall total: students without responses to demographic questions are not presented separately here.

Estimates with CV greater than 15% and less than or equal to 20% may be of limited validity and are thus flagged (^); with CV greater than 20% but less than or equal 30% are rounded to the nearest 5%, flagged (†), and confidence intervals are suppressed (*); estimates with CV greater than 30% or sample sizes less than 30 are suppressed entirely (*), as are accompanying estimates for all dichotomous variables.

See appendices on page 34 for detailed methods

Connecticut School Health Survey Supplemental Tables 2005-2021

Cannabis Use Before Age 13

		2017				
Demographics		Percentage	CV	95% CI		N
Total		4.4	11.8	3.4	5.6	6800
Sex	Female	2.6	12.1	2.0	3.3	2000
	Male	5.9 [^]	15.1	4.3	8.1	4600
Race/ Ethnicity	Hispanic	6.3 [^]	17.2	4.4	9.0	2000
	NH Black	*	38.4	*	*	*
	NH White	3.4 [^]	15.7	2.4	4.6	3000
	NH Other	*	43.9	*	*	*
Grade	9th	5.0 [†]	20.2	*	*	1600
	10th	5.0 [†]	27.6	*	*	1300
	11th	4.8	12.6	3.6	6.2	1800
	12th	5.0 [†]	23.6	*	*	1800
Usual Grades in School	A's	5.0 [†]	25.5	*	*	1800
	B's	3.1 [^]	16.7	2.2	4.4	2000
	C's	8.6 [^]	20.0	5.6	13.0	1800
	D's or F's	*	49.8	*	*	*
Depression	Yes	5.6 [^]	17.3	3.9	8.0	2300
	No	3.4	13.7	2.5	4.5	3800
3+ Weekly Family Meal Days	Yes	2.6 [^]	18.6	1.8	3.9	2500
	No	7.5	12.7	5.7	9.8	3700
Emotional Support	Yes	5.5 [^]	18.9	3.7	8.1	1500
	No	4.0 [^]	15.4	2.9	5.5	3200

Notes:

Data Source: Connecticut School Health Survey

CV = Coefficient of Variation, CI = Confidence Interval, N = Weighted Count

NH = Non Hispanic

Sample totals from demographic subgroups may not sum to the overall total: students without responses to demographic questions are not presented separately here.

Estimates with CV greater than 15% and less than or equal to 20% may be of limited validity and are thus flagged ([^]); with CV greater than 20% but less than or equal 30% are rounded to the nearest 5%, flagged ([†]), and confidence intervals are suppressed (*); estimates with CV greater than 30% or sample sizes less than 30 are suppressed entirely (*), as are accompanying estimates for all dichotomous variables.

See appendices on page 34 for detailed methods

Connecticut School Health Survey Supplemental Tables 2005-2021

Cannabis Use Before Age 13

		2019				
Demographics		Percentage	CV	95% CI		N
Total		3.8 [^]	15.1	2.7	5.2	5700
Sex	Female	2.2 [^]	20.0	1.5	3.4	1700
	Male	5.3 [^]	17.0	3.7	7.5	4000
Race/ Ethnicity	Hispanic	8.0 [^]	15.9	5.7	11.1	2800
	NH Black	*	37.9	*	*	*
	NH White	<5 [†]	22.2	*	*	1700
	NH Other	*	39.7	*	*	*
Grade	9th	5.0 [†]	30.0	*	*	2300
	10th	5.0 [†]	27.2	*	*	1300
	11th	*	33.5	*	*	*
	12th	5.0 [†]	25.3	*	*	1300
Usual Grades in School	A's	*	35.3	*	*	*
	B's	2.8 [^]	19.5	1.9	4.3	1600
	C's	*	36.3	*	*	*
	D's or F's	15.0 [†]	22.6	*	*	900
Depression	Yes	6.5	14.8	4.8	8.9	3000
	No	<5 [†]	25.1	*	*	2500
3+ Weekly Family Meal Days	Yes	2.7 [^]	16.3	1.9	3.8	2700
	No	5.6 [^]	19.3	3.7	8.4	2600
Emotional Support	Yes	5.0 [†]	30.0	*	*	1000
	No	4.0 [^]	17.1	2.8	5.8	3400

Notes:

Data Source: Connecticut School Health Survey

CV = Coefficient of Variation, CI = Confidence Interval, N = Weighted Count

NH = Non Hispanic

Sample totals from demographic subgroups may not sum to the overall total: students without responses to demographic questions are not presented separately here.

Estimates with CV greater than 15% and less than or equal to 20% may be of limited validity and are thus flagged ([^]); with CV greater than 20% but less than or equal 30% are rounded to the nearest 5%, flagged ([†]), and confidence intervals are suppressed (*); estimates with CV greater than 30% or sample sizes less than 30 are suppressed entirely (*), as are accompanying estimates for all dichotomous variables.

See appendices on page 34 for detailed methods

Connecticut School Health Survey Supplemental Tables 2005-2021

Cannabis Use Before Age 13

		2021				
Demographics		Percentage	CV	95% CI		N
Total		2.4	13.9	1.8	3.2	3600
Sex	Female	5.0 [†]	26.9	*	*	2000
	Male	2.1	14.0	1.6	2.9	1600
Race/ Ethnicity	Hispanic	5.0 [†]	22.8	*	*	1600
	NH Black	*	64.2	*	*	*
	NH White	*	32.0	*	*	*
	NH Other	*	76.7	*	*	*
Grade	9th	4.0 [^]	18.9	2.6	5.9	1700
	10th	*	44.6	*	*	*
	11th	<5 [†]	23.1	*	*	800
	12th	*	52.4	*	*	*
Usual Grades in School	A's	*	51.1	*	*	*
	B's	*	30.2	*	*	*
	C's	*	35.0	*	*	*
	D's or F's	15.0 [†]	25.3	*	*	1000
Depression	Yes	*	16.0	*	*	*
	No	*	31.0	*	*	*
3+ Weekly Family Meal Days	Yes	<5 [†]	21.3	*	*	1600
	No	3.2 [^]	15.2	2.3	4.4	1700
Emotional Support	Yes	*	41.3	*	*	*
	No	*	11.2	*	*	*

Notes:

Data Source: Connecticut School Health Survey

CV = Coefficient of Variation, CI = Confidence Interval, N = Weighted Count

NH = Non Hispanic

Sample totals from demographic subgroups may not sum to the overall total: students without responses to demographic questions are not presented separately here.

Estimates with CV greater than 15% and less than or equal to 20% may be of limited validity and are thus flagged (^); with CV greater than 20% but less than or equal 30% are rounded to the nearest 5%, flagged (†), and confidence intervals are suppressed (*); estimates with CV greater than 30% or sample sizes less than 30 are suppressed entirely (*), as are accompanying estimates for all dichotomous variables.

See appendices on page 34 for detailed methods

Connecticut School Health Survey Supplemental Tables 2005-2021

Lifetime Synthetic Cannabis Use

		2015				
Demographics		Percentage	CV	95% CI		N
Total		6.7	10.0	5.4	8.2	10700
Sex	Female	5.0 [^]	15.8	3.6	7.0	3900
	Male	7.9	11.3	6.2	9.9	6300
Race/ Ethnicity	Hispanic	8.8 [^]	19.1	5.9	13.0	2600
	NH Black	*	35.5	*	*	*
	NH White	5.5	14.2	4.1	7.4	5400
	NH Other	10.0 [†]	25.0	*	*	800
Grade	9th	5.0 [†]	21.0	*	*	2300
	10th	5.4 [^]	19.7	3.6	8.1	2200
	11th	7.5 [^]	15.2	5.4	10.3	2900
	12th	7.1 [^]	15.8	5.1	9.9	2700
Usual Grades in School	A's	5.0 [†]	24.4	*	*	1500
	B's	6.3 [^]	16.1	4.5	8.8	4000
	C's	15.4 [^]	17.1	10.7	21.7	3600
	D's or F's	*	36.9	*	*	*
Depression	Yes	11.2	12.1	8.7	14.3	4700
	No	4.5	14.3	3.4	6.1	5200
3+ Weekly Family Meal Days	Yes	4.4	11.4	3.4	5.5	4500
	No	12.1	11.5	9.5	15.3	5800
Emotional Support	Yes	5.0 [†]	21.4	*	*	1200
	No	8.2	9.8	6.6	10.0	6500

Notes:

Data Source: Connecticut School Health Survey

CV = Coefficient of Variation, CI = Confidence Interval, N = Weighted Count

NH = Non Hispanic

Sample totals from demographic subgroups may not sum to the overall total: students without responses to demographic questions are not presented separately here.

Estimates with CV greater than 15% and less than or equal to 20% may be of limited validity and are thus flagged ([^]); with CV greater than 20% but less than or equal 30% are rounded to the nearest 5%, flagged ([†]), and confidence intervals are suppressed (*); estimates with CV greater than 30% or sample sizes less than 30 are suppressed entirely (*), as are accompanying estimates for all dichotomous variables.

See appendices on page 34 for detailed methods

Connecticut School Health Survey Supplemental Tables 2005-2021

Lifetime Synthetic Cannabis Use

		2017				
Demographics		Percentage	CV	95% CI		N
Total		5.9	12.4	4.5	7.6	9300
Sex	Female	4.8 [^]	15.2	3.5	6.6	3800
	Male	6.9 [^]	15.1	5.0	9.4	5600
Race/ Ethnicity	Hispanic	7.6 [^]	17.5	5.2	10.9	2400
	NH Black	*	39.9	*	*	*
	NH White	5.0	14.1	3.7	6.7	4600
	NH Other	5.0 [†]	28.6	*	*	500
Grade	9th	4.0 [^]	18.5	2.7	6.0	1700
	10th	5.0 [†]	24.6	*	*	1700
	11th	5.5 [^]	16.5	3.9	7.8	2100
	12th	9.3 [^]	20.0	6.0	14.0	3600
Usual Grades in School	A's	5.0 [†]	24.2	*	*	1900
	B's	4.3 [^]	19.9	2.8	6.4	2800
	C's	11.4	12.8	8.7	14.8	2500
	D's or F's	15.0 [†]	28.1	*	*	1000
Depression	Yes	8.3	14.6	6.1	11.3	3500
	No	4.0 [^]	18.2	2.7	5.8	4500
3+ Weekly Family Meal Days	Yes	3.5	14.9	2.5	4.7	3400
	No	9.5	14.8	7.0	12.9	4900
Emotional Support	Yes	8.0 [^]	17.4	5.5	11.5	2200
	No	6.0	13.1	4.5	7.8	5000

Notes:

Data Source: Connecticut School Health Survey

CV = Coefficient of Variation, CI = Confidence Interval, N = Weighted Count

NH = Non Hispanic

Sample totals from demographic subgroups may not sum to the overall total: students without responses to demographic questions are not presented separately here.

Estimates with CV greater than 15% and less than or equal to 20% may be of limited validity and are thus flagged ([^]); with CV greater than 20% but less than or equal 30% are rounded to the nearest 5%, flagged ([†]), and confidence intervals are suppressed (*); estimates with CV greater than 30% or sample sizes less than 30 are suppressed entirely (*), as are accompanying estimates for all dichotomous variables.

See appendices on page 34 for detailed methods

Connecticut School Health Survey Supplemental Tables 2005-2021

Lifetime Synthetic Cannabis Use

		2019				
Demographics		Percentage	CV	95% CI		N
Total		6.5	12.4	5.0	8.5	10200
Sex	Female	6.4	14.2	4.7	8.6	4900
	Male	6.7	14.2	5.0	9.0	5300
Race/ Ethnicity	Hispanic	8.2 [^]	17.2	5.7	11.7	2900
	NH Black	5.0 [†]	25.9	*	*	1300
	NH White	6.1 [^]	16.0	4.3	8.5	5300
	NH Other	*	30.2	*	*	*
Grade	9th	5.0 [†]	22.9	*	*	2000
	10th	7.0 [^]	20.0	4.6	10.7	2800
	11th	5.0 [†]	20.2	*	*	2300
	12th	7.3 [^]	18.9	4.9	10.8	2800
Usual Grades in School	A's	5.5 [^]	15.7	3.9	7.6	3000
	B's	4.3 [^]	19.6	2.8	6.4	2400
	C's	*	33.3	*	*	*
	D's or F's	20.0 [†]	21.5	*	*	1100
Depression	Yes	9.9	13.5	7.4	13.1	4600
	No	4.7 [^]	15.5	3.4	6.5	5100
3+ Weekly Family Meal Days	Yes	5.3	10.6	4.2	6.6	5200
	No	7.5 [^]	18.4	5.0	10.9	3700
Emotional Support	Yes	5.0 [†]	27.7	*	*	1500
	No	7.7	10.2	6.2	9.5	6700

Notes:

Data Source: Connecticut School Health Survey

CV = Coefficient of Variation, CI = Confidence Interval, N = Weighted Count

NH = Non Hispanic

Sample totals from demographic subgroups may not sum to the overall total: students without responses to demographic questions are not presented separately here.

Estimates with CV greater than 15% and less than or equal to 20% may be of limited validity and are thus flagged ([^]); with CV greater than 20% but less than or equal 30% are rounded to the nearest 5%, flagged ([†]), and confidence intervals are suppressed (*); estimates with CV greater than 30% or sample sizes less than 30 are suppressed entirely (*), as are accompanying estimates for all dichotomous variables.

See appendices on page 34 for detailed methods

Connecticut School Health Survey Supplemental Tables 2005-2021

Lifetime Synthetic Cannabis Use

		2021				
Demographics		Percentage	CV	95% CI		N
Total		3.1 [^]	16.9	2.2	4.5	4900
Sex	Female	3.7 [^]	19.1	2.4	5.5	2800
	Male	5.0 [†]	21.6	*	*	2000
Race/ Ethnicity	Hispanic	4.2 [^]	17.9	2.9	6.1	1700
	NH Black	*	43.0	*	*	*
	NH White	5.0 [†]	24.0	*	*	2700
	NH Other	*	107.8	*	*	*
Grade	9th	<5 [†]	28.6	*	*	800
	10th	*	54.2	*	*	*
	11th	5.0 [†]	24.6	*	*	1900
	12th	*	33.2	*	*	*
Usual Grades in School	A's	*	37.8	*	*	*
	B's	5.0 [†]	28.4	*	*	1400
	C's	5.0 [†]	29.0	*	*	600
	D's or F's	15.0 [†]	28.2	*	*	1300
Depression	Yes	6.0 [^]	19.3	3.9	9.0	3200
	No	<5 [†]	24.5	*	*	1600
3+ Weekly Family Meal Days	Yes	<5 [†]	24.9	*	*	2100
	No	4.7 [^]	18.9	3.1	6.9	2500
Emotional Support	Yes	*	50.7	*	*	*
	No	*	13.9	*	*	*

Notes:

Data Source: Connecticut School Health Survey

CV = Coefficient of Variation, CI = Confidence Interval, N = Weighted Count

NH = Non Hispanic

Sample totals from demographic subgroups may not sum to the overall total: students without responses to demographic questions are not presented separately here.

Estimates with CV greater than 15% and less than or equal to 20% may be of limited validity and are thus flagged ([^]); with CV greater than 20% but less than or equal 30% are rounded to the nearest 5%, flagged ([†]), and confidence intervals are suppressed (*); estimates with CV greater than 30% or sample sizes less than 30 are suppressed entirely (*), as are accompanying estimates for all dichotomous variables.

See appendices on page 34 for detailed methods

Connecticut School Health Survey Supplemental Tables 2005-2021

Appendix 1: Data

<i>Questions*</i>	Data: Connecticut School Health Survey								
	2005	2007	2009	2011	2013	2015	2017	2019	2021
Lifetime Cannabis Use:	Q44	Q45	Q45	Q46	Q47	Q47	Q46	Q45	Q45
Past Month Cannabis Use:	Q46	Q47	Q47	Q48	Q49	Q49	Q48	Q47	Q47
Cannabis Use Before Age 13:	Q45	Q46	Q46	Q47	Q48	Q48	Q47	Q46	Q46
Lifetime Synthetic Cannabis Use:	N/A	N/A	N/A	N/A	N/A	Q55	Q54	Q48	Q48
Sex	Q2	Q2	Q2	Q2	Q2	Q2	Q2	Q2	Q2
Race/Ethnicity	Q4	RaceEth	RaceEth	RaceEth	RaceEth	RaceEth	RaceEth	RaceEth	RaceEth
Grade	Q3	Q3	Q3	Q3	Q3	Q3	Q3	Q3	Q3
Usual Grades in School	Q88	Q88	Q88	Q87	Q87	Q89	Q89	Q89	Q116
Depression	Q23	Q23	Q23	Q24	Q26	Q26	Q25	Q25	Q25
3+ Weekly Family Meal Days	Q101	Q99	Q103	Q108	Q110	Q101	Q103	Q104	Q103
Emotional Support**	Q95	Q94	Q97	Q96	Q97	Q96	Q96	Q93	Q93

Notes:

*Question IDs correspond to question text in the documents titled "YBC Question Results" at the link below:
[Connecticut School Health Survey](#)

**Among students who reported feeling sad, empty, hopeless, angry, or anxious; Yes = reported most of the time or always getting the help they need

Appendix 2: Statistical Methods

Software:	R version 4.1.3, survey package version 4.1-1
Survey Design*:	svydesign(id=~PSU, strata = ~STRATUM, weight = ~WEIGHT, nest = T)
Estimates:	Percentage svymean(, na.rm=T)
	CV cv(svyciprop(, na.rm=T))
	95% CI** svyciprop(, na.rm=T)
	N svytotal(, na.rm=T) rounded to nearest 100

Notes:

* = Per Software for Analysis of YRBS Data ([Centers for Disease Control and Prevention, 2018](#))

**Confidence intervals may differ slightly depending on software used for analyses: see the linked document above for a detailed comparison of analysis output from common statistical software packages.