Table 1C 2006 Pediatric Nutrition Surveillance Connecticut (1) **Summary of Demographic Indicators** Children Aged < 5 Years (2,3)

Total Records		Number		Source o	f Data	Numb	er %
Individual Children		55,013		WIC EPSDT		55,0	0.0
Total Records (All Visits)		77,073		Child Health-MCH Child Health-HMO			0 0.0 0 0.0
				Headstart			0 0.0
				School Health Other			0 0.0 0 0.0
				Total Excluded Unknown: 0	0.0 %	55,0	013 100.0
Race/Ethnic Distribut	tion	Number %		Age Dist	ribution ⁽⁴⁾	Number	%
White, Not Hispanic Black, Not Hispanic Hispanic		14,693 26.7 13,636 24.8 24,944 45.4		0 - 5 Months 6 - 11 Months		15,9 ⁻ 1,40	64 2.7
American Indian/Alaskan Native Asian/Pacific Islander	e	207 0.4 1,003 1.8		12 - 23 Months 24 - 35 Months		13,9 ⁻ 9,00	09 16.4
Multiple Races All Other		519 0.9 0 0.0		3 - 4 Years		14,70	07 26.7
Total Excluded Unknown: 11	* %	55,002 100.0		Total		55,0 ⁻	13 100.0
% of Poverty Level	Number %	6 Program Participat	tion	Number %	Migrant Status	•	Number %
0-50 51-100 101-130 131-150 151-185	26,912 49. 12,405 22. 6,683 12. 3,134 5. 4,309 7.	8 FoodStamps 3 Medicaid 8 TANF 9		55,013 100.0 55,013 20.9 55,013 82.8 55,013 10.0	Yes No		12 * 53,765100.0
186-200 Over 200 Adjunctive Eligibility	367 0. 673 1. 0 0.0	2		0 0.0 0 0.0	Total		53,777 100.0
TotalExcluded530Unknown:530	54,483 100.	Madiaaid		0 0.0 0 0.0	Excluded Unknown	1,236 2.2 %	

Reporting period is January 1 through December 31. Analyses based on one record per child. (1)

(2)

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

Table 2C2006 Pediatric Nutrition Surveillance (1)
ConnecticutSummary of Health Indicators
Children Aged < 5 Years (2)</td>

S	ummary of Health	Indicators	(3)		
		Connect Prevaler		Nation Prevaler (Prior Ye	nce
		Number	%	Number	%
Birthweight (4) Low High	< 2500 g > 4000 g	15,230 15,230	9.5 6.7	1,641,264 1,641,264	9.4 6.6
Height and Weight Short Stature (5)	< 5th < 10th	53,416 53,416	3.9 8.1	6,709,486 6,709,486	6.4 11.4
Underweight (6)	< 5th < 10th	53,416 53,416	7.7 12.2	6,709,486 6,709,486	4.8 8.1
Overweight (6) \geq 2 Yrs Overweight (6)	≥ 95th 85th - < 95th ≥ 95th	53,416 22,854 22,854	12.2 16.5 16.2	6,709,486 2,869,075 2,869,075	13.9 16.1 14.7
Anemia (7) Low Hb Low Hct Low Hb/Hct		35,554 927 36,481	9.5 7.0 9.4	3,841,438 773,087 4,381,087	14.1 9.8 13.6
Breastfeeding (8) Ever Breastfed Breastfed At Least 6 Mor Breastfed At Least 12 Mo		15,299 5,370 9,809	57.8 24.6 18.3	1,515,954 751,259 869,342	58.5 24.3 17.7
Smoking in Household < 2 Hours TV Viewing/ Day	(9)	0 0	*	1,120,034 343,170	16.9 64.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

(8) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(9) Children aged 2 years and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

CDC

Table 3C2006 Pediatric Nutrition Surveillance (1)
ConnecticutSummary of Breastfeeding Indicators
Children Aged < 5 Years (2)</td>

Summary of Breas	stfeeding	Indicate	ors ⁽³⁾	
	Connec Prevale		Nationa Prevalen (Prior Ye	ce
	Number	%	Number	%
Breastfeeding Duration (4,5)				
Ever Breastfed	15,299	57.8	1,515,954	58.5
Breastfed 1+ Weeks Breastfed 2+ Weeks Breastfed 3+ Weeks Breastfed 4+ Weeks Breastfed 6+ Weeks	11,987 7,386 5,109 3,912 2,885	62.1 58.4 55.7 52.8 46.2	1,172,664 926,501 762,421 664,998 564,520	56.4 53.2 50.4 47.8 41.9
Breastfed 2+ Months Breastfed 3+ Months Breastfed 4+ Months Breastfed 5+ Months Breastfed 6+ Months	2,582 2,925 3,669 4,549 5,370	37.8 32.7 29.7 27.9 24.6	534,246 566,821 639,313 718,188 751,259	36.5 32.0 28.6 25.9 24.3
Breastfed 9+ Months Breastfed 12+ Months	7,672 9,809	20.8 18.3	791,337 869,342	20.4 17.7
Breastfed 18+ Months	6,829	12.3	653,767	12.4
Exclusive Breastfeeding (6)				
Exclusively Breastfed at Least 3 Months	0	*	101,887	13.6
Exclusively Breastfed at Least 6 Months	0	*	136,891	6.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. For each breastfeding duration category, the analysis includes only children who turned that age during the reporting period by/on their date of visit. For example, infants who turned 9 months old during the reporting period by/on their date of visit are included in the 9+ months analysis.

(5) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.

(6) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

Table 4C 2006 Pediatric Nutrition Surveillance ⁽¹⁾ Connecticut Comparison of Racial and Ethnic Distribution by Contributor Children Aged < 5 Years ⁽²⁾

	Comparison of Racial and Ethnic Distribution by Contributor											
Contributor	Number Included in Analysis (3)	White, Not Hispanic	Black, Not Hispanic	Hispanic	American Indian/Alaskan Native	Asian/Pacific Islander	Multiple Races	All Other / Unknown				
	Analysis (3)	%	%	%	%	%	%	%				
Connecticut	55,013	26.7	24.8	45.3	0.4	1.8	0.9	0.0				
Nation (Prior Year)	7,117,562	32.3	18.5	37.7	1.0	2.5	1.0	7.0				

- Reporting period is January 1 through December 31.
 Analyses based on one record per child.
 Excludes records with errors.
 Percentages are not calculated if a 100 records and

 - Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5C 2006 Pediatric Nutrition Surveillance (1) Connecticut Comparison of Age Distribution by Contributor Children Aged < 5 Years ⁽²⁾

	Comparison of Age Distribution by Contributor											
ContributorNumber Included in Analysis (3,4)0 - 11 Months12 - 23 Months24 - 59 Mont%%%%												
Connecticut	55,013	31.6	25.3	43.1								
Nation (Prior Year)	7,117,562	35.3	22.0	42.6								

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

Percentages are not calculated if < 100 records are available for analysis after exclusions. *

Page: 1 Run Date: 5/29/07

Table 6C2006 Pediatric Nutrition Surveillance(1)ConnecticutComparison of Growth and Anemia Indicators by ContributorChildren Aged < 5 Years</td>(2)

	Comparison of Growth and Anemia Indicators by Contributor ⁽³⁾										
		Birthweigh	ıt (4)								
		Low	High	$\begin{array}{c cccc} Short & Under- & Over- & \geq 2 \ Yrs \\ Stature & weight & weight \\ (5) & (6) & (6) & weight \ (6) \end{array}$					Anemia Low Hb/Hct (7)	t	
Contributor	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥95th	Number % 85th- <95th	% ≥95th	Number	%
Connecticut	15,230	9.5	6.7	53,416	3.9	7.7	12.2	22,854 16.5 1	16.2	36,481 9.4	
Nation (Prior Year)	1,641,264	9.4	6.6	6,709,486	6.4	4.8	13.9	2,869,075 16.1 1	14.7	4,381,087 13.6	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

Table 7C2006 Pediatric Nutrition Surveillance (1)
ConnecticutConnecticutComparison of Breastfeeding, TV Viewing, and Smoking in Household by Contributor
Children Aged < 5 Years (3)</td>

	Breastfeeding (5)				Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)			Smoking in Household			
Contributor	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
Connecticut	15,299	57.8	5,370	24.6	9,809	18.3	0	*	0	*	0	*	0	*
Nation (Prior Year)	1,515,9	54 58.5	751,259	24.3	869,342	2 17.7	101,887	13.6	136,891	6.8	343,170	64.7	1,120,034	16.9

(1) Reporting period is January 1 through December 31.

- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.

(5) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(6) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Page: 1 Run Date: 5 / 29 / 07

(2)

Table 8C2006 Pediatric Nutrition Surveillance(1)ConnecticutConnecticutGrowth and Anemia Indicators by Race/Ethnicity or AgeChildren Aged < 5 Years</td>

	Growth	and An	emia In	dicators	by Rac	e/Ethr	nicity o	r Age (3)			
	Bi	rthweight (4	.)			Hei	ght and W	/eight				
		LowHigh $\%$ ShortUnder- weightOver- weight ≥ 2 Yrs Overweight 0					Anemia Low Hb/Ho (7)					
	Number	<2500 g	>4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th-<95tl	% h <u>></u> 95th	Number	%
Race/Ethnicity												
White, Not Hispanic	4,180	8.7	8.3	14,303	4.3	7.9	10.4	5,929	16.3	13.9	9,460	7.9
Black, Not Hispanic	3,785	11.7	5.6	13,170	3.9	9.0	10.8	5,703	15.3	13.7	9,102	12.6
Hispanic	6,695	8.8	6.3	24,248	3.7	6.5	14.3	10,573	17.5	19.1	16,849	8.5
American Indian/Alaskan Native	83	*	*	198	3.5	11.6	13.6	69	*	*	110	10.0
Asian/Pacific Islander	273	11.4	4.8	982	4.2	13.6	7.0	426	12.2	8.7	675	10.8
Multiple Races	208	7.7	7.7	505	4.2	8.7	9.9	152	15.8	13.2	279	9.7
All Other	6	*	*	10	*	*	*	2	*	*	6	*
Total	15,230	9.5	6.7	53,416	3.9	7.7	12.2	22,854	16.5	16.2	36,481	9.4
Age												
0 - 11 Months	-	-	-	17.275	4.0	13.8	5.5	_	*	*	2,929	10.8
12 - 23 Months	-	-	-	13,287	4.8	5.7	14.2	-	*	*	12,408	10.5
24 - 35 Months	-	-	-	8,701	3.1	5.1	13.4	8,701	15.1	13.4	8,526	9.8
36 - 47 Months	-	-	-	7,446	3.5	3.5	16.6	7,446	17.4	16.6	7,163	8.6
48 - 59 Months	-	-	-	6,707	3.5	3.6	19.3	6,707	17.4	19.3	5,455	6.7
Total	-	-	-	53,416	3.9	7.7	12.2	22,854	16.5	16.2	36,481	9.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

2006 Pediatric Nutrition Surveillance (1) Connecticut Breastfeeding, TV Viewing, and Smoking in Household by Race/Ethnicity or Age Children Aged < 5 Years (3)

Table 9C

Run Date:	5	/	29	/	(
-----------	---	---	----	---	---

1 5 / 29 / 07

(2)

Page:

Breastfeeding, T	V Viewin	g, and s	Smokin	g in Hou	sehold	by Race/	Ethnicity	v or Ag	e (4)	
			Breast	<2 Hours TV/Video Viewing/Day (6)		Smok House				
	Number	% Ever reastfed	Number % Breastfed At Least 6 Months		Number % Breastfed At Least 12 Months		Number	%	Number	%
Race/Ethnicity										
White, Not Hispanic	4,195	54.8	1,513	22.4	2,623	17.7	0	*	0	*
Black, Not Hispanic	3,807	51.2	1,189	21.5	2,317	13.9	0	*	0	*
Hispanic	6,725	63.0	2,487	27.4	4,552	20.6	0	*	0	*
American Indian/Alaskan Native	85	*	18	*	33	*	0	*	0	*
Asian/Pacific Islander	273	66.7	95	*	178	32.0	0	*	0	*
Multiple Races	208	53.4	67	*	106	8.5	0	*	0	*
All Other	6	*	1	*	0	*	0	*	0	*
Total	15,299	57.8	5,370	24.6	9,809	18.3	0	*	0	*
Age										
0 - 11 Months	-	-	-	-	-	-	0	*	0	*
12 - 23 Months	-	-	-	-	-	-	0	*	0	*
24 - 35 Months	-	-	-	-	-	-	0	*	0	*
36 - 47 Months	-	-	-	-	-	-	0	*	0	*
48 - 59 Months	-	-	-	-	-	-	0	*	0	*
Total	15,299	57.8	5,370	24.6	9,809	18.3	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.



Table 10C 2006 Pediatric Nutrition Surveillance (1) Connecticut Summary of Trends in Racial and Ethnic Distribution Children Aged < 5 Years ⁽²⁾

	Summary of Trends in Racial and Ethnic Distribution												
Year	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races	All Other / Unknown %					
2006	55,013	26.7	24.8	45.3	0.4	1.8	0.9	0.0					
2005	54,764	27.5	25.6	43.7	0.3	1.8	0.6	0.5					
2004	56,050	27.8	26.5	41.4	0.2	1.5	0.2	2.3					
2003	46,886	28.0	26.5	40.4	0.2	1.3	0.0	3.7					
2002	761	31.1	24.6	38.0	0.3	1.6	0.0	4.5					
2001	51,410	29.6	27.7	38.4	0.2	1.2	0.0	2.9					
2000	857	35.8	28.5	32.1	0.0	0.8	0.0	2.8					
1999	13	*	*	*	*	*	*	*					
1998	53,177	31.8	29.7	35.2	0.2	1.2	0.0	2.0					
1997	49,384	32.9	29.3	34.7	0.2	1.3	0.0	1.6					
1996	0	*	*	*	*	*	*	*					
1995	5,838	36.4	25.9	36.2	1.2	0.3	0.0	0.0					
1994	6,823	38.8	26.2	33.8	1.1	0.2	0.0	0.0					
1993	6,625	39.3	26.2	33.3	1.0	0.3	0.0	0.0					
1992	3,587	37.9	29.5	31.7	0.8	0.2	0.0	0.0					
1991	6,882	42.9	26.0	30.3	0.6	0.1	0.0	0.0					
1990	6,002	42.8	28.4	28.1	0.5	0.1	0.0	0.0					
1989	5,867	44.7	28.7	25.6	0.7	0.2	0.0	0.0					
1988	5,907	51.0	26.3	21.7	0.6	0.4	0.0	0.0					

(1) Reporting period is January 1 through December 31.
 (2) Analyses based on one record per child.
 (3) Excludes records with errors.
 * Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 10C 2006 Pediatric Nutrition Surveillance (1) Connecticut Summary of Trends in Racial and Ethnic Distribution Children Aged < 5 Years ⁽²⁾

		Sun	nmary of Tren	ds in Racial a	and Ethnic Dis	tribution		
Year	Number Included in	White, Not Hispanic	Black, Not Hispanic	Hispanic	American Indian/Alaskan Native	Asian/Pacific Islander	Multiple Races	All Other / Unknown
	Analysis (3)	%	%	%	%	%	%	%
1987	5,234	54.2	25.1	19.9	0.6	0.3	0.0	0.0
1986	2,396	59.2	28.1	11.7	0.7	0.3	0.0	0.0
1985	2,344	65.9	23.6	9.4	0.8	0.4	0.0	0.0
1984	2,529	70.1	19.4	9.6	0.6	0.4	0.0	0.0
1983	2,009	77.1	11.1	10.0	0.4	1.3	0.0	0.0
1982	3,232	57.3	17.8	23.2	0.3	1.4	0.0	0.0
1981	40	*	*	*	*	*	*	*

(1) Reporting period is January 1 through December 31.
 (2) Analyses based on one record per child.
 (3) Excludes records with errors.
 * Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 11C 2006 Pediatric Nutrition Surveillance (1) Connecticut Summary of Trends in Age Distribution Children Aged < 5 Years ⁽²⁾

Summary of Trends in Age Distribution ⁽³⁾								
Year	Number Included in Analysis (4)	0-11 Months %	12-23 Months %	24-59 Months %				
2006	55,013	31.6	25.3	43.1				
2005	54,764	29.9	22.8	47.3				
2004	56,050	28.8	22.8	48.5				
2003	46,886	27.9	22.7	49.4				
2002	761	33.1	26.0	40.9				
2001	51,410	34.7	21.1	44.1				
2000	857	45.6	15.5	38.9				
1999	13	*	*	*				
1998	53,177	34.8	20.4	44.8				
1997	49,384	26.8	22.5	50.7				
1996	0	*	*	*				
1995	5,838	34.8	18.6	46.6				
1994	6,823	34.7	18.3	47.0				
1993	6,625	33.8	18.9	47.4				
1992	3,587	33.0	20.2	46.8				
1991	6,882	35.3	20.0	44.6				
1990	6,002	36.2	19.5	44.3				
1989	5,867	35.0	19.6	45.4				

(1) Reporting period is January 1 through December 31.
 (2) Analyses based on one record per child.
 (3) Records rejected if date of birth and date of visit unknown.
 (4) Excludes records with unknown data or errors.
 * Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 11C 2006 Pediatric Nutrition Surveillance (1) Connecticut Summary of Trends in Age Distribution Children Aged < 5 Years ⁽²⁾

Summary of Trends in Age Distribution ⁽³⁾								
Year	Number Included in Analysis (4)	0-11 Months %	12-23 Months %	24-59 Months %				
1988	5,907	35.0	20.2	44.8				
1987	5,234	33.0	19.3	47.7				
1986	2,396	37.1	22.3	40.7				
1985	2,344	42.0	21.2	36.7				
1984	2,529	53.6	16.5	29.9				
1983	2,009	59.6	15.6	24.8				
1982	3,232	59.8	13.6	26.6				
1981	40	*	*	*				

(1) Reporting period is January 1 through December 31.
 (2) Analyses based on one record per child.
 (3) Records rejected if date of birth and date of visit unknown.
 (4) Endowersh with unknown data ensurements.

(4) Excludes records with unknown data or errors.
 * Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 12C2006 Pediatric Nutrition Surveillance (1)
ConnecticutSummary of Trends in Growth and Anemia Indicators
Children Aged < 5 Years (2)</td>

	Summary of Trends in Growth and Anemia Indicators ⁽³⁾											
	В	irthweight (4)			Hei	ght and V	Veight			Anemia Low Hb/Hct	
Year		Low	High		Short Stature (5)	Under- weight (6)	Over- weight (6)		>_2 Yrs Overweight (6)		(7)	
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th-<95th	% ≥95th	Number	%
2006	15,230	9.5	6.7	53,416	3.9	7.7	12.2	22,854	16.5	16.2	36,481	9.4
2005	14,616	9.3	7.0	53,180	4.0	7.1	12.7	24,956	16.3	16.6	37,032	8.7
2004	14,430	9.2	6.9	54,429	4.0	7.0	13.1	26,109	15.9	16.9	38,724	9.4
2003	10,899	9.7	6.9	45,457	6.0	5.1	16.8	22,495	17.6	19.6	36,004	9.9
2002	215	10.7	7.0	649	4.8	7.9	14.3	280	18.2	19.6	554	10.1
2001	13,868	9.0	7.9	50,032	6.2	5.2	16.3	22,083	17.3	18.7	39,670	10.4
2000	376	7.4	9.0	829	3.3	5.9	13.6	319	17.9	16.6	591	10.7
1999	0	*	*	2	*	*	*	0	*	*	5	*
1998	14,129	10.3	8.0	51,780	6.7	5.3	15.4	23,272	17.8	17.8	41,153	10.8
1997	8,817	9.4	8.1	48,370	6.9	4.9	15.9	24,511	17.1	16.6	42,707	10.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.



Table 12C2006 Pediatric Nutrition Surveillance (1)
ConnecticutSummary of Trends in Growth and Anemia Indicators
Children Aged < 5 Years (2)</td>

	Summary of Trends in Growth and Anemia Indicators ⁽³⁾											
	В	irthweight (4)			Hei	ght and V	Veight			Anemia Low Hb/Hct	
Year		Low	High		Short Stature (5)	Under- weight (6)	Over- weight (6)		>_2 Yrs Overweight (6)		(7)	
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% <u>></u> 95th	Numbe	r % 85th-<95th	% ≥95th	Number	%
1996	0	*	*	0	*	*	*	0	*	*	0	*
1995	992	8.9	8.9	5,683	4.7	6.6	11.5	2,659	15.0	13.2	3,407	9.4
1994	1,448	7.9	8.6	6,620	4.8	7.4	11.2	3,096	13.8	12.7	4,269	7.3
1993	1,215	10.1	6.0	6,431	4.7	7.4	10.7	3,068	12.9	11.8	4,065	6.0
1992	623	8.2	8.7	3,469	5.2	7.5	12.2	1,639	13.8	12.6	1,911	8.7
1991	1,401	8.3	7.6	6,582	4.6	8.2	10.5	2,952	14.7	11.3	4,497	9.4
1990	1,204	9.1	8.0	5,705	5.0	7.4	10.5	2,588	14.5	11.0	3,907	7.8
1989	1,237	10.3	7.0	5,570	4.8	6.8	10.4	2,582	13.7	11.0	3,909	8.4
1988	1,092	7.9	9.2	5,598	4.5	7.5	10.1	2,556	12.9	11.0	3,886	8.6
1987	1,039	8.3	9.9	4,983	4.7	7.2	9.3	2,416	13.6	9.9	3,209	7.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.



Table 12C2006 Pediatric Nutrition Surveillance (1)
ConnecticutSummary of Trends in Growth and Anemia Indicators
Children Aged < 5 Years (2)</td>

	Summary of Trends in Growth and Anemia Indicators ⁽³⁾											
	Birthweight (4) Height and Weight									Aner Low H		
Year		Low	High		Short Stature (5)	Under- weight (6)	Over- weight (6)		>_2 Yrs Overweight (6)		(7)	
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th-<95th	% ≥95th	Number	%
1986	487	8.4	9.2	2,320	5.9	6.4	10.6	949	12.8	8.7	1,498	7.6
1985	615	9.1	7.8	2,268	6.7	8.1	8.8	852	11.0	6.7	1,506	11.0
1984	926	9.4	9.9	2,420	6.2	9.1	6.4	723	12.3	6.6	1,311	10.1
1983	844	8.9	8.8	1,928	6.6	12.6	7.6	488	8.8	7.2	978	9.6
1982	1,653	9.7	6.2	2,991	8.5	11.3	6.4	838	13.0	7.6	1,371	10.9
1981	30	*	*	26	*	*	*	4	*	*	6	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.



Table 13C2006 Pediatric Nutrition Surveillance (1)
ConnecticutSummary of Trends in Breastfeeding
Children Aged < 5 Years (2)</td>

	Summary of Trends in Breastfeeding ⁽³⁾								
				tfeeding (4)					
Year	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months			
2006	15,299	57.8	5,370	24.6	9,809	18.3			
2005	14,667	56.3	5,330	22.9	9,646	17.2			
2004	14,459	55.3	5,725	22.9	10,005	17.2			
2003	10,899	53.8	4,793	23.0	7,741	16.5			
2002	215	56.7	151	23.8	183	15.3			
2001	13,868	49.3	8,784	23.4	7,977	17.7			
2000	377	46.4	196	15.8	131	11.5			
1999	0	*	7	*	1	*			
1998	14,129	42.7	8,760	22.4	7,588	16.8			
1997	8,817	40.2	8,818	17.5	7,760	11.8			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

Table 13C2006 Pediatric Nutrition Surveillance (1)
ConnecticutSummary of Trends in Breastfeeding
Children Aged < 5 Years (2)</td>

	Summary of Trends in Breastfeeding ⁽³⁾								
				tfeeding (4)					
Year	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months			
1996	0	*	0	*	0	*			
1995	788	35.7	300	11.3	197	7.1			
1994	1,151	33.7	628	12.4	447	5.1			
1993	995	33.3	508	9.6	378	4.5			
1992	556	26.1	308	8.1	237	4.2			
1991	1,286	25.8	814	7.4	689	3.6			
1990	1,087	29.8	665	8.3	561	2.5			
1989	1,152	26.1	788	7.0	645	3.7			
1988	1,047	26.7	837	6.6	618	2.6			
1987	1,002	25.1	736	7.3	613	4.4			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period by/on their date of visit included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

Table 13C2006 Pediatric Nutrition Surveillance (1)
ConnecticutSummary of Trends in Breastfeeding
Children Aged < 5 Years (2)</td>

	Summary of Trends in Breastfeeding ⁽³⁾								
				tfeeding (4)					
Year	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months			
1986	487	37.4	354	12.4	298	3.4			
1985	613	36.4	458	7.2	344	4.9			
1984	925	38.9	479	15.0	332	8.1			
1983	845	40.4	347	15.9	191	11.0			
1982	1,653	30.7	370	13.0	245	4.9			
1981	30	*	0	*	2	*			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

Table 14C2006 Pediatric Nutrition Surveillance
Connecticut
Children Aged < 5 Years</td>

This table is forthcoming. It may present changes over time in the prevalence of short stature, underweight, overweight, or anemia among cohorts of children participating in the PedNSS.

Table 15C2006 Pediatric Nutrition Surveillance
ConnecticutConnecticut
Children Aged < 5 Years</td>

This table is forthcoming. It may present changes over time in the prevalence of short stature, underweight, overweight, or anemia among cohorts of children participating in the PedNSS.

Table 16C2006 Pediatric Nutrition Surveillance (1)
ConnecticutGrowth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)</td>

Page:	1
Run Date:	5/29/2007

	G	rowth Inc	dicators by	Race/Ethn	icity and A	ge ⁽³⁾				
	Short Si (4)			Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th	
White, Not Hispanic 0 - 11 Months 12 - 23 Months 24 - 59 Months	4,806 3,568 5,929	4.8 4.3 3.9	4,806 3,568 5,929	13.4 6.3 4.3	4,806 3,568 5,929	5.5 11.2 13.9	0 0 5,929	0.0 0.0 16.3	0.0 0.0 13.9	
Total	14,303	4.3	14,303	7.9	14,303	10.4	5,929	16.3	13.9	
Black, Not Hispanic 0 - 11 Months 12 - 23 Months 24 - 59 Months Total	4,234 3,233 5,703 13,170	4.4 5.1 2.9 3.9	4,234 3,233 5,703 13,170	16.1 7.0 5.0 9.0	4,234 3,233 5,703 13,170	4.9 13.4 13.7 10.8	0 0 5,703 5,703	0.0 0.0 15.3 15.3	0.0 0.0 13.7 13.7	
Hispanic 0 - 11 Months 12 - 23 Months 24 - 59 Months Total	7,587 6,088 10,573 24,248	3.2 5.0 3.3 3.7	7,587 6,088 10,573 24,248	12.5 4.6 3.2 6.5	7,587 6,088 10,573 24,248	5.9 16.6 19.1 14.3	0 0 10,573 10,573	0.0 0.0 17.5 17.5	0.0 0.0 19.1 19.1	
American Indian/Alaskan Native 0 - 11 Months 12 - 23 Months 24 - 59 Months Total	88 41 69 198	* * 3.5	88 41 69 198	* * 11.6	88 41 69 198	* * 13.6	0 0 69 69	* * *	* * *	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

Table 16C2006 Pediatric Nutrition Surveillance (1)
ConnecticutGrowth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)</td>

	G	arowth Inc	licators by	Race/Ethn	icity and Ac	ge ⁽³⁾				
	Short S ⁻ (4)			Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th	
Asian/Pacific Islander										
0 - 11 Months	331	3.9	331	20.2	331	3.9	0	0.0	0.0	
12 - 23 Months	225	4.4	225	9.3	225	8.4	0	0.0	0.0	
24 - 59 Months	426	4.2	426	10.8	426	8.7	426	12.2	8.7	
Total	982	4.2	982	13.6	982	7.0	426	12.2	8.7	
Multiple Races										
0 - 11 Months	224	4.5	224	13.4	224	4.9	0	0.0	0.0	
12 - 23 Months	129	3.9	129	3.1	129	14.7	0	0.0	0.0	
24 - 59 Months	152	3.9	152	6.6	152	13.2	152	15.8	13.2	
Total	505	4.2	505	8.7	505	9.9	152	15.8	13.2	
All Other/Unknown										
0 - 11 Months	5	*	5	*	5	*	0	*	*	
12 - 23 Months	3	*	3	*	3	*	0	*	*	
24 - 59 Months	2	*	2	*	2	*	2	*	*	
Total	10	*	10	*	10	*	2	*	*	
Total All Race/Ethnic Groups										
0 - 11 Months	17,275	4.0	17,275	13.8	17,275	5.5	0	0.0	0.0	
12 - 23 Months	13,287	4.8	13,287	5.7	13,287	14.2	0	0.0	0.0	
24 - 59 Months	22,854	3.3	22,854	4.1	22,854	16.2	22,854	16.5	16.2	
Total	53,416	3.9	53,416	7.7	53,416	12.2	22,854	16.5	16.2	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.</p>

Table 17C 2006 Pediatric Nutrition Surveillance (1) Connecticut Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years ⁽²⁾

Page:	1
Run Date:	5 / 29 / 07

Anemia Low Hb/Hct %

*

10.5

11.5

11.1

10.8

* *

* *

9.7

*

* * *

10.8

10.2

10.9

9.8

7.8

9.4

	Anemia	Indicators	by Race/Ethnicity and Age	3, 4)
	Number	Anemia Low Hb/Hct %		Number
White, Not Hispanic			Asian/Pacific Islander	
6 - 11 Months	848	10.6	6 - 11 Months	65
12 - 17 Months	2,054	8.5	12 - 17 Months	133
18 - 23 Months	1,174	8.2	18 - 23 Months	85
24 - 35 Months	2,218	7.5	24 - 35 Months	148
36 - 59 Months	3,166	6.9	36 - 59 Months	244
Total	9,460	7.9	Total	675
Black, Not Hispanic			Multiple Races	
6 - 11 Months	652	13.8	6 - 11 Months	42
12 - 17 Months	2,005	12.3	12 - 17 Months	69
18 - 23 Months	1,088	14.3	18 - 23 Months	35
24 - 35 Months	2,164	14.2	24 - 35 Months	57
36 - 59 Months	3,193	10.8	36 - 59 Months	76
Total	9,102	12.6	Total	279
Hispanic			All Other/Unknown	
6 - 11 Months	1,310	9.5	6 - 11 Months	1
12 - 17 Months	3,717	10.0	12 - 17 Months	1
18 - 23 Months	2,011	10.5	18 - 23 Months	2
24 - 35 Months	3,917	8.6	24 - 35 Months	0
36 - 59 Months	5,894	6.5	36 - 59 Months	2
Total	16,849	8.5	Total	6
American Indian/Alaskan Native			Total All Race/Ethnic Groups	;
6 - 11 Months	11	*	6 - 11 Months	2,929
12 - 17 Months	21	*	12 - 17 Months	8,000
18 - 23 Months	13	*	18 - 23 Months	4,408
24 - 35 Months	22	*	24 - 35 Months	8,526
36 - 59 Months	43	*	36 - 59 Months	12,618
Total	110	10.0	Total	36,481

(1) Reporting period is January 1 through December 31.
 (2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

	2006	Number	Low % <2500 g	High	Number	Short Stature (5)	Under- weight (6)	Over- weight (6)		≥ 2 Yrs Overweight (6)		Anen Low Ht (7)	o/Hct
	2006	Number			Number					(•)			
	2006			>4000 g		% <5th	% <5th	% ≥95th	Number	% 85th - <95th	% ≥95th	Number	%
White, Not Hispanic		4,180	8.7	8.3	14,303	4.3	7.9	10.4	5,929	16.3	13.9	9,460	7.9
	2005	4,217	8.9	8.6	14,684	4.4	7.7	11.0	6,542	15.5	14.2	9,856	6.7
	2004	4,283	8.6	9.0	15,194	4.5	7.4	10.9	6,887	15.5	14.4	10,335	7.1
	2003	3,321	8.8	8.9	12,755	6.3	5.2	14.4	6,067	18.5	16.2	9,739	7.4
	2002	77	*	*	212	5.2	6.6	17.9	84	*	*	165	6.7
	2001	4,325	8.4	9.9	14,869	6.4	5.6	13.7	6,259	17.5	15.2	11,413	7.7
	2000	150	7.3	11.3	295	4.1	5.4 *	11.9	98	*	*	195	6.7
	1999	0			0				0			0	
	1998 1997	4,918 3,392	9.2 8.1	10.4 10.4	16,507 15,980	6.5 7.1	6.1 5.4	12.8 13.3	6,861 7,397	16.4 16.8	14.8 13.9	12,573 13,452	7.4 7.8
Black, Not Hispanic	2006	3,785	11.7	5.6	13,170	3.9	9.0	10.8	5,703	15.3	13.7	9,102	12.6
	2005	3,565	11.8	5.4	13,491	3.6	8.0	11.4	6,422	14.4	14.3	9,656	11.9
	2004	3,829	11.9	5.4	14,373	3.7	7.8	11.7	7,009	15.5	14.4	10,361	12.9
	2003	2,848	12.1	5.6	11,993	5.8	5.8	15.7	5,905	16.2	17.3	9,590	13.4
	2002	50	*	*	154	3.9	12.3	7.8	66	*	*	140	13.6
	2001	3,815	11.5	6.2	13,810	6.3	5.5	15.7	6,132	16.7	16.5	11,119	14.3
	2000	105	7.6	6.7	236	2.1	7.2	14.4	91	*	*	174	13.8
	1999	0			0				0			1	110
	1998 1997	4,194 2,635	12.6 11.1	6.6 5.7	15,322 14,119	6.4 6.5	5.6 5.4	14.8 15.4	6,904 7,166	17.2 16.1	16.0 15.3	12,333 12,584	14.8 14.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

CDC

	Sum	mary of 1	Frends ir	n Growt	h and Ar	nemia In	dicato	rs by F	Race/Etl	nnicity ⁽³⁾			
Race/Ethnicity and Year		E	Birthweight	(4)			Hei	ght and \	Weight			Aner	nia
			Low	High		Short Stature (5)	Under- weight (6)	Over- weight (6)		≥ 2 Yrs Overweight (6)		Low H	b/Hct
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th - <95th	% ≥95th	Number	%
Hispanic	2006 2005 2004 2003 2002 2001 2000 1999 1998 1997	6,695 6,342 5,669 4,107 71 5,078 100 0 4,504 2,491	8.8 8.1 7.9 9.0 * 7.5 6.0 * 9.7 8.9	6.3 6.8 6.4 6.4 * 7.6 9.0 * 6.7 7.1	24,248 23,289 22,520 18,364 242 19,204 267 2 18,204 16,771	3.7 3.8 3.8 6.0 5.4 6.0 3.7 * 7.1 7.1	6.5 6.1 5.9 4.1 5.8 4.5 5.6 * 4.3 3.6	14.3 14.9 15.6 19.6 15.7 19.2 15.0 * 18.4 19.2	10,573 11,208 11,147 9,478 119 8,849 121 0 8,815 9,282	17.5 17.9 16.4 18.2 20.2 17.7 20.7 * 19.5 18.4	19.1 19.9 20.1 23.3 20.2 23.1 21.5 * 21.9 19.9	16,849 16,332 16,404 14,887 220 15,470 206 3 14,897 15,380	8.5 8.1 8.7 9.1 10.9 9.7 12.6 * 10.2 10.4
American Indian/Alaskan Native	2006 2005 2004 2003 2002 2001 2000 1999 1998 1997	83 49 34 19 1 29 0 0 33 14	* * * * * * *	* * * * * * * * *	198 157 117 89 2 90 0 0 98 119	3.5 5.1 5.1 * * * * * 3.4	11.6 12.1 7.7 * * * * * * *	13.6 10.2 9.4 * * * * * * 9.2	69 69 57 44 0 36 0 46 81	* * * * * * *	* * * * * * *	110 102 85 70 2 70 0 0 74 111	10.0 7.8 * * * * * * *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

Table 18C 2006 Pediatric Nutrition Surveillance (1) Connecticut Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity Children Aged < 5 Years (2)

	Sum	mary of 1	Frends ir	n Growt	h and Ar	nemia In	dicato	rs by F	Race/Etl	nnicity ⁽³⁾			
Race/Ethnicity and Year		E	Birthweight	(4)			Hei	ght and \	Neight			Ane	mia
			Low	High		Short Stature (5)	Under- weight (6)	Over- weight (6)		≥ 2 Yrs Overweight (6)		Low F	lb/Hct
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th - <95th	% 1 ≥95th	Number	%
Asian/Pacific Islander	2006 2005 2004 2003 2002 2001 2000 1999 1998 1997	273 286 254 149 4 217 5 0 173 127	11.4 10.5 12.2 8.7 * 10.6 * * 8.1 11.8	4.8 4.9 7.1 2.7 * 6.0 * 4.6 6.3	982 983 843 575 11 608 7 0 622 624	4.2 5.3 3.9 6.3 * 6.7 * * 6.9 4.8	13.6 10.8 12.2 7.1 * 8.7 * * 7.9 7.1	7.0 7.7 10.3 13.4 * 12.7 * * 13.8 11.5	426 456 367 270 4 222 2 0 268 299	12.2 13.2 9.5 13.0 * 14.0 * 15.7 14.4	8.7 8.3 14.7 17.8 * 16.7 * 16.4 13.4	675 689 568 435 8 446 3 0 482 532	10.8 8.1 7.7 9.0 * 9.6 * 9.8 9.6
Multiple Races	2006 2005 2004 2003 2002 2001 2000 1999 1998 1997	208 131 35 0 0 0 0 0 0 0 0 0	7.7 7.6 * * * * *	7.7 10.7 * * * * *	505 327 119 0 0 0 0 0 0 0 0 0	4.2 4.0 0.8 * * * * *	8.7 8.0 8.4 * * * *	9.9 9.8 7.6 * * * *	152 129 43 0 0 0 0 0 0 0 0 0	15.8 17.1 * * * * * *	13.2 9.3 * * * * *	279 190 82 0 0 0 0 0 0 0 0	9.7 9.5 * * * * * * *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page:

CDC

	Sum	mary of T	rends ir	n Growt	h and Ar	nemia In	ndicato	rs by F	Race/Eth	nnicity ⁽³⁾			
Race/Ethnicity and Year		E	Birthweight	(4)			Hei	ght and \	Weight			Aner	mia
			Low	High		Short Stature (5)	Under- weight (6)	Over- weight (6)		≥ 2 Yrs Overweight (6)		Low H (7	b/Hct
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th - <95th	% n <u>≥</u> 95th	Number	%
All Other/Unknown	2006 2005 2004 2003 2002 2001 2000 1999 1998 1997	6 26 326 455 12 404 16 0 307 158	* 7.4 8.1 * 9.4 * * 7.2 14.6	* 6.4 6.6 * 7.7 * * 8.5 13.3	10 249 1,263 1,681 28 1,451 24 0 1,027 757	* 4.0 4.0 5.3 * 5.7 * * 6.1 8.1	* 4.8 9.4 7.6 * 7.0 * * 5.5 8.3	* 14.1 13.1 14.6 * 12.3 * * 13.6 14.3	2 130 599 731 7 585 7 0 378 286	* 19.2 17.0 16.1 * 17.4 * * 17.5 14.0	* 13.8 16.4 17.4 * 13.2 * * 15.1 12.9	6 207 889 1,283 19 1,152 13 1 794 648	* 8.2 8.1 11.5 * 10.9 * 12.5 9.7
Total All Race/Ethnic Groups	2006 2005 2004 2003 2002 2001 2000 1999 1998 1997	15,230 14,616 14,430 10,899 215 13,868 376 0 14,129 8,817	9.5 9.3 9.2 9.7 10.7 9.0 7.4 * 10.3 9.4	6.7 7.0 6.9 6.9 7.0 7.9 9.0 * 8.0 8.1	53,416 53,180 54,429 45,457 649 50,032 829 2 51,780 48,370	3.9 4.0 4.0 6.0 4.8 6.2 3.3 * 6.7 6.9	7.7 7.1 7.0 5.1 7.9 5.2 5.9 * 5.3 4.9	12.2 12.7 13.1 16.8 14.3 16.3 13.6 * 15.4 15.9	22,854 24,956 26,109 22,495 280 22,083 319 0 23,272 24,511	16.5 16.3 15.9 17.6 18.2 17.3 17.9 * 17.8 17.1	16.2 16.6 16.9 19.6 19.6 18.7 16.6 * 17.8 16.6	36,481 37,032 38,724 36,004 554 39,670 591 5 41,153 42,707	9.4 8.7 9.4 9.9 10.1 10.4 10.7 * 10.8 10.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 4 Run Date: 5 / 29 / 07

Page: 1 Run Date: 5 / 29 / 07

S	ummary of Tren	ds in Brea	stfeeding In	dicators by	Race/Ethnic	ity ⁽³⁾	
Race/Ethnicity and Year				Brea	astfeeding (4)		
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
White, Not Hispanic	2006 2005 2004 2003 2002 2001 2000 1999 1998 1997	4,195 4,232 4,288 3,321 77 4,325 150 0 4,918 3,392	54.8 52.9 51.5 48.9 * 44.7 48.0 * 43.1 42.5	1,513 1,501 1,645 1,257 47 2,510 70 4 2,785 2,961	22.4 21.7 20.9 18.1 * 20.2 * * 21.9 17.3	2,623 2,710 2,834 2,152 59 2,368 48 0 2,306 2,306 2,536	17.7 16.6 14.4 13.8 * 15.7 * * 16.5 12.7
Black, Not Hispanic	2006 2005 2004 2003 2002 2001 2000 1999 1998 1997	3,807 3,590 3,840 2,848 50 3,815 105 0 4,194 2,635	51.2 49.4 49.5 49.8 * 43.0 45.7 * 37.9 34.6	1,189 1,362 1,523 1,315 35 2,551 57 0 2,777 2,647	21.5 17.8 20.3 20.5 * 23.1 * * 20.1 15.9	2,317 2,506 2,597 2,064 47 2,150 40 0 2,273 2,286	13.9 14.2 14.9 15.7 * 16.8 * * 15.0 9.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

Page: 2 Run Date: 5 / 29 / 07

Sumi	mary of Tren	ids in Brea	stfeeding In	dicators by	Race/Ethnic	:ity ⁽³⁾	
Race/Ethnicity and Year				Brea	astfeeding (4)		
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
Hispanic	2006 2005 2004 2003 2002 2001 2000 1999 1998 1997	6,725 6,352 5,680 4,107 71 5,078 101 0 4,504 2,491	63.0 61.9 60.7 58.6 * 56.4 45.5 * 45.4 42.0	2,487 2,311 2,331 1,904 59 3,296 62 1 2,870 2,889	27.4 26.1 25.4 26.6 * 24.6 * 24.4 18.7	4,552 4,133 4,170 3,090 62 3,084 42 1 2,753 2,679	20.6 18.9 20.0 17.6 * 18.3 * * 17.6 12.0
American Indian/Alaskan Native	2006 2005 2004 2003 2002 2001 2000 1999 1998 1997	85 50 34 19 1 29 0 0 33 14	* * * * * * * *	18 15 12 11 1 13 0 0 20 9	* * * * * * *	33 28 21 17 1 15 0 0 12 11	* * * * * * * *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

Page: 3 Run Date: 5 / 29 / 07

S	ummary of Tren	ids in Brea	stfeeding In	dicators by	/ Race/Ethnic	ity ⁽³⁾	
Race/Ethnicity and Year				Brea	astfeeding (4)		
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
Asian/Pacific Islander	2006 2005 2004 2003 2002 2001 2000 1999 1998 1997	273 286 255 149 4 217 5 0 173 127	66.7 68.5 63.5 59.1 * 48.8 * * 44.5 38.6	95 104 90 78 2 125 1 0 102 137	* 31.7 * * 18.4 * 28.4 21.9	178 173 158 98 4 86 0 0 89 93	32.0 23.7 23.4 * * * * *
Multiple Races	2006 2005 2004 2003 2002 2001 2000 1999 1998 1997	208 131 35 0 0 0 0 0 0 0 0	53.4 54.2 * * * * * * *	67 31 12 0 0 0 0 0 0 0 0 0	* * * * * * * * *	106 60 33 0 0 0 0 0 0 0 0 0	8.5 * * * * * * *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

Page: 4 Run Date: 5 / 29 / 07

Sum	nmary of Tren	ds in Brea	stfeeding In	dicators by	Race/Ethnic	ity ⁽³⁾	
Race/Ethnicity and Year				Brea	astfeeding (4)		
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
All Other/Unknown	2006 2005 2004 2003 2002 2001 2000 1999 1998 1997	6 26 327 455 12 404 16 0 307 158	* 69.1 70.8 * 69.1 * 58.3 57.0	1 6 112 228 7 289 6 2 206 175	* 27.7 33.3 * 41.2 * * 30.6 21.7	0 36 192 320 10 274 1 0 155 155	* 25.0 28.1 * 31.8 * * 21.3 20.6
Total All Race/Ethnic Groups	2006 2005 2004 2003 2002 2001 2000 1999 1998 1997	15,299 14,667 14,459 10,899 215 13,868 377 0 14,129 8,817	57.8 56.3 55.3 53.8 56.7 49.3 46.4 * 42.7 40.2	5,370 5,330 5,725 4,793 151 8,784 196 7 8,760 8,818	24.6 22.9 23.0 23.8 23.4 15.8 * 22.4 17.5	9,809 9,646 10,005 7,741 183 7,977 131 1 7,588 7,760	18.3 17.2 17.2 16.5 15.3 17.7 11.5 * 16.8 11.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

Table 20C2006 Pediatric Nutrition Surveillance(1)ConnecticutConnecticutSummary of Trends in Growth Indicators by Age
Children Aged < 5 Years</td>(2)

				Su	mmary	of Tren	ds in C	rowth Indicators	by Ag	e ⁽³⁾					
Age and Year *			Heig	ht and V	Veight			Age and Year *			Heig	ht and V	Veight		
		Short Stature (4)		Over- weight (5)		\geq 2 Yrs Overweight (5)				Short Stature (4)		Over- weight (5)		≥ 2 Yrs Overweight (5)	
	Number	%	%	%	Number	%	%		Number	%	%	%	Number	· %	%
		<5th	<5th	<u>></u> 95th		85th-<95th	<u>></u> 95th			<5th	<5th	<u>></u> 95th		85th-<95th	<u>></u> 95th
0 - 11 Months								24 - 35 Months							
2006	17,275	4.0	13.8	5.5	-	-	-	2006	8,701	3.1	5.1	13.4	8,701	15.1	13.4
2005	16,254	4.1	12.1	5.6	-	-	-	2005	9,106	3.2	6.2	13.0	9,106	14.9	13.0
2004	15,989	4.3	12.2	6.0	-	-	-	2004	9,346	3.3	5.6	14.5	9,346	13.7	14.5
2003	12,437	6.8	8.4	11.6	-	-	-	2003	8,380	4.8	4.4	17.1	8,380	16.3	17.1
2002	209	4.8	9.6	10.0	-	-	-	2002	74	*	*	*	74	*	*
2001	17,237	6.8	7.5	11.7	-	-	-	2001	8,294	4.8	5.1	16.4	8,294	15.7	16.4
2000	378	2.9	6.6	10.1	-	-	-	2000	93	*	*	*	93	*	*
1999	1	*	*	*	-	-	-	1999	0	*	*	*	0	*	*
1998	17,801	6.8	8.1	10.8	-	-	-	1998	8,408	6.0	4.4	16.3	8,408	16.2	16.3
1997	12,888	7.9	7.1	12.8	-	-	-	1997	8,676	5.7	4.4	15.0	8,676	16.3	15.0
12 - 23 Months								36 - 47 Months							
2006	13,287	4.8	5.7	14.2	-	-	-	2006	7,446	3.5	3.5	16.6	7,446	17.4	16.6
2005	11,970	4.7	5.7	14.3	-	-	-	2005	7,744	3.9	3.8	18.1	7,744	17.2	18.1
2004	12,331	4.6	6.0	14.2	-	-	-	2004	8,209	3.7	3.8	18.5	8,209	16.7	18.5
2003	10,525	7.3	4.4	17.3	-	-	-	2003	6,906	6.1	3.1	21.5	6,906	17.8	21.5
2002	160	5.0	10.6	10.6	-	-	-	2002	66	*	*	*	66	*	*
2001	10,712	8.2	4.2	18.9	-	-	-	2001	6,970	5.1	3.4	19.7	6,970	18.7	19.7
2000	132	4.5	7.6	16.7	-	-	-	2000	72	*	*	*	72	*	*
1999	1	*	*	*	-	-	-	1999	0	*	*	*	0	*	*
1998	10,707	7.8	4.4	17.6	-	-	-	1998	7,408	6.5	3.4	18.9	7,408	18.4	18.9
1997	10,971	8.6	4.4	18.2	-	-	-	1997	7,712	5.7	3.4	17.7	7,712	17.3	17.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

Table 20C2006 Pediatric Nutrition Surveillance(1)ConnecticutConnecticutSummary of Trends in Growth Indicators by Age
Children Aged < 5 Years</td>(2)

%

<u>></u>95th

				Su	mmary	of Tren	ds in	Growth Indicators	by Ag	e ⁽³⁾				
Age and Year *			Heig	ht and \	Veight			Age and Year *			Heig	ht and V	Veight	
		Short Stature (4)		Over- weight (5)		\geq 2 Yrs Overweight (5)				Short Stature (4)		Over- weight (5)		≥ 2 Yrs Overweight (5)
	Number	% <5th	% <5th	% ≥95th	Number	% 85th-<95th	% <u>></u> 95th		Number	% <5th	% <5th	% ≥95th	Number	- % 85th-<95th
48 - 59 Months														
2006 2005 2004	6,707 8,106 8,554	3.5 3.5 3.4	3.6 3.5 3.4	19.3 19.4 17.9	6,707 8,106 8,554	17.4 17.0 17.5	19.3 19.4 17.9							
2004 2003	8,554 7,209	3.4 4.2	3.4 2.9	20.5	8,554 7,209	17.5	20.5							
2002	140	5.0	3.6	20.0	140	23.6	20.0							
2001	6,819	4.5	2.9	20.4	6,819	17.9	20.4							
2000	154	2.6	3.9	16.2	154	18.2	16.2							
1999	0	*	*	*	0	*	*							
1998	7,456	5.5	2.9	18.5	7,456	19.1	18.5							
1997	8,123	5.4	3.6	17.2	8,123	17.8	17.2							
Total All Age Groups														
2006	53,416	3.9	7.7	12.2	22,854	16.5	16.2							
2005	53,180	4.0	7.1	12.7	24,956	16.3	16.6							
2004	54,429	4.0	7.0	13.1	26,109	15.9	16.9							
2003	45,457	6.0	5.1	16.8	22,495	17.6	19.6							
2002 2001	649 50,032	4.8 6.2	7.9 5.2	14.3 16.3	280 22,083	18.2 17.3	19.6 18.7							
2001	50,032 829	6.2 3.3	5.2 5.9	16.3	22,083 319	17.3	18.7							
1999	2	3.3	5.9	13.0	0	17.9	10.0							
1998	51,780	6.7	5.3	15.4	23,272	17.8	17.8							
1997	48,370	6.9	4.9	15.9	24,511	17.1	16.6							

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

Table 21C2006 Pediatric Nutrition Surveillance (1)
ConnecticutSummary of Trends in Anemia by Age
Children Aged < 5 Years (2)</td>

		Summ	ary of Tr	ends in <i>l</i>	Anemia by Age	(3)		
Age and Year		Aner Low Hb	nia //Hct (4)		Age and Year		Anen Low Hb	nia //Hct (4)
		Number	%				Number	%
6 - 11 Months	2006 2005 2004 2003 2002 2001 2000 1999 1998 1997	2,929 2,566 2,775 2,218 59 6,148 125 1 6,522 6,595	10.8 10.4 11.1 15.2 * 15.8 14.4 * 16.1 15.6		18 - 23 Months	2006 2005 2004 2003 2002 2001 2000 1999 1998 1997	4,408 4,522 4,612 4,578 70 4,603 48 0 4,810 4,997	10.9 10.3 9.9 10.1 * 9.8 * 9.4 10.6
12 - 17 Months	2006 2005 2004 2003 2002 2001 2000 1999 1998 1997	8,000 6,996 7,179 6,082 114 6,246 85 2 6,029 6,102	10.2 9.6 11.1 11.5 11.4 10.4 * 11.1 10.8		24 - 35 Months	2006 2005 2004 2003 2002 2001 2000 1999 1998 1997	8,526 8,751 9,054 8,531 79 8,462 96 1 8,546 8,819	9.8 9.2 10.5 11.7 * 11.2 * * 11.8 11.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States",

altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

CDC

1

Run Date: 5 / 29 / 07

Page:

Table 21C 2006 Pediatric Nutrition Surveillance (1) Connecticut Summary of Trends in Anemia by Age Children Aged < 5 Years ⁽²⁾

Summary of Trends in Anemia by Age ⁽³⁾						
Age and Year		Anemia Low Hb/Hct (4)		Age and Year	Anemia Low Hb/Hct (4)	
		Number	%		Number	%
36 - 59 Months				Total All Age Groups		
	2006	12,618	7.8	2006	36,481	9.4
	2005	14,197	7.2	2005	37,032	8.
	2004	15,104	7.4	2004	38,724	9.4
	2003	14,595	7.2	2003	36,004	9.9
	2002	232	6.9	2002	554	10.
	2001	14,211	7.9	2001	39,670	10.4
	2000	237	6.3 *	2000	591	10.
	1999	1		1999	5	
	1998	15,246	8.2	1998	41,153	10.8
	1997	16,194	8.5	1997	42,707	10.8
All Other/Unknown						
	2006	0	*			
	2005	0	*			
	2004	0	*			
	2003 2002	0 0	*			
	2002	0	*			
	2001	0	*			
	1999	0	*			
	1998	Ő	*			
	1997	0	*			

Run Date: 5 / 29 / 07

Page:

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States",

altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

2