

Connecticut Resident Age-Adjusted Rates for 62 Cause of Death Classifications by Sex  
All Residents, 1991-1992

Page

Connecticut Resident Age-Adjusted Mortality Rate (AAMR) Tables  
by Cause of Death and Sex, All Residents, 1991-1992

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

2

1970 standard population

4

2000 standard population

6

Connecticut Resident Age-Adjusted Years of Potential Life Lost Rate (YPLL) Tables  
by Cause of Death and Sex, All Residents, 1991-1992

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

8

1970 standard population

14

2000 standard population

20

CONNECTICUT Resident DEATHS, 1991-1992  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes				Male				Female						
	*****1991-1992*****				*****1991-1992*****				*****1991-1992*****						
	No. of deaths	Crude rate	AAMR	Significance	1989-1990 AAMR	No. of deaths	Crude rate	AAMR	Significance	1989-1990 AAMR	No. of deaths	Crude rate	AAMR	Significance	1989-1990 AAMR
*****Causes of Death*****															
All causes	56,186	855.8	443.1	1	456.7	27,978	879.1	580.0	1	594.7	28,208	834.0	334.6	1	348.9
Infectious diseases and parasitic disease (1-139)	1,760	26.8	18.5	1	16.0	1,070	33.6	26.8	1	22.6	690	20.4	10.7	0	10.0
..Septicemia (038)	780	11.9	5.5	0	5.9	345	10.8	6.7	0	6.9	435	12.9	4.6	0	5.1
....Septicemia-related (038)	2,820	43.0	21.4	0	21.6	1,326	41.7	26.6	0	26.3	1,494	44.2	17.4	0	18.2
..HIV infection (042-044)	786	12.0	10.9	1	7.8	616	19.4	17.4	1	12.7	170	5.0	4.7	1	3.1
All cancer (140-208)	14,127	215.2	126.2	0	127.1	7,229	227.1	152.4	0	153.7	6,898	203.9	108.1	0	109.1
..Oral cavity or pharynx (140.0-149.9)	257	3.9	2.6	0	2.6	164	5.2	4.0	0	4.1	93	2.7	1.4	0	1.3
..Colorectal cancer (153.0-154.3,154.8,159.0)	1,632	24.9	13.0	0	14.0	811	25.5	16.2	0	17.4	821	24.3	10.6	0	11.6
....Colon cancer (153)	1,343	20.5	10.6	0	11.7	662	20.8	13.2	0	14.4	681	20.1	8.7	0	9.9
....Rectal cancer (154)	263	4.0	2.2	0	2.0	137	4.3	2.8	0	2.6	126	3.7	1.7	0	1.6
..Pancreatic cancer (157)	726	11.1	6.0	0	6.3	307	9.6	6.5	1	8.1	419	12.4	5.5	0	4.8
..Lung and other respiratory cancer (160-165)	3,829	58.3	36.4	0	35.9	2,298	72.2	49.8	0	50.2	1,531	45.3	26.6	0	25.2
....Lung cancer (162.2-.9)	3,691	56.2	35.1	0	34.7	2,196	69.0	47.4	0	48.4	1,495	44.2	26.0	0	24.6
..Malignant melanoma of skin (172)	185	2.8	1.9	0	1.9	109	3.4	2.5	0	2.2	76	2.2	1.5	0	1.6
..Female breast cancer (174)	1,200	.	.	.	.	.	.	.	.	.	1,200	35.5	21.8	0	22.7
..Cervical cancer (180)	91	.	.	.	.	.	.	.	.	.	91	2.7	2.0	0	1.9
..Endometrial cancer (182)	83	.	.	.	.	.	.	.	.	.	83	2.5	1.2	0	1.3
..Ovarian cancer (183)	363	.	.	.	.	.	.	.	.	.	363	10.7	6.0	0	6.2
..Prostate cancer (185)	918	.	.	.	.	918	28.8	15.8	0	15.0	.	.	.	.	.
..Bladder cancer (188)	343	5.2	2.4	0	2.3	211	6.6	3.9	0	4.1	132	3.9	1.4	0	1.1
..Brain & other CNS cancer (191-192)	322	4.9	3.6	0	3.3	184	5.8	4.8	0	4.1	138	4.1	2.6	0	2.6
..Leukemia (204-208)	497	7.6	4.6	0	4.7	260	8.2	5.8	0	5.8	237	7.0	3.8	0	3.9
Diabetes mellitus (250)	1,007	15.3	8.1	0	8.0	447	14.0	9.4	0	9.0	560	16.6	7.0	0	7.1
..Diabetes-related (250)	4,628	70.5	34.6	0	36.1	2,087	65.6	41.1	0	42.5	2,541	75.1	29.6	0	31.3
..Diabetic ketoacidosis (DKA) (250.1)	13	0.2	.	.	.	8	0.3	.	.	.	5	0.1	.	.	.
Alzheimer's diseases (331.0)	382	5.8	1.9	0	2.1	143	4.5	2.2	0	2.5	239	7.1	1.7	0	1.9
Cardiovascular disease (390-459)	24,163	368.1	160.1	1	167.3	11,276	354.3	214.3	1	224.2	12,887	381.0	117.9	1	124.0
..Diseases of the heart (390-398,402,404-429)	19,248	293.2	130.4	1	136.1	9,272	291.3	178.8	1	188.3	9,976	294.9	92.6	0	96.2
....Heart disease-related (390-398,402,404-429)	31,791	484.2	221.2	1	228.0	15,360	482.6	296.5	0	302.8	16,431	485.8	163.7	1	172.2
....Coronary heart disease (CHD) (402,410-414,429.2)	14,187	216.1	95.6	1	100.8	7,018	220.5	135.6	1	142.6	7,169	211.9	64.3	1	68.8
....Congestive heart failure (CHF) (428.0)	878	13.4	4.5	0	4.1	313	9.8	4.9	0	5.3	565	16.7	4.2	0	3.4
..Hypertension with or without renal disease (401,403)	257	3.9	1.8	0	1.6	113	3.6	2.1	0	1.8	144	4.3	1.5	0	1.4
....Hypertension-related (401,403)	3,257	49.6	22.2	1	24.1	1,289	40.5	25.4	0	26.7	1,968	58.2	19.2	1	21.6
..Cerebrovascular disease (430-438)	3,433	52.3	20.3	0	21.7	1,322	41.5	23.1	0	23.5	2,111	62.4	18.2	1	20.4
..Atherosclerosis (440)	416	6.3	2.0	0	2.0	140	4.4	2.2	0	2.3	276	8.2	1.8	0	1.8
....Atherosclerosis-related (440)	2,030	30.9	10.5	1	11.9	800	25.1	13.0	0	14.3	1,230	36.4	8.6	1	10.2
..Aortic aneurysm (441)	428	6.5	3.0	0	2.9	249	7.8	4.7	0	4.7	179	5.3	1.8	0	1.7
Pneumonia & influenza (480-487)	2,232	34.0	11.8	0	12.9	987	31.0	15.9	0	16.9	1,245	36.8	9.1	0	10.3

(CONTINUED)

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1991-1992 AAMR is significantly different (prob<0.05) from the 1989-1990 AAMR.  
 0 - The 1991-1992 AAMR is not significantly different (prob>0.05) from the 1989-1990 AAMR.

CONNECTICUT Resident DEATHS, 1991-1992  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes				Male				Female						
	*****1991-1992*****				*****1991-1992*****				*****1991-1992*****						
	No. of deaths	Crude rate	AAMR	Significance	1989-1990 AAMR	No. of deaths	Crude rate	AAMR	Significance	1989-1990 AAMR	No. of deaths	Crude rate	AAMR	Significance	1989-1990 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	2,140	32.6	14.7	0	14.9	1,111	34.9	19.6	0	19.7	1,029	30.4	11.7	0	12.2
..COPD-related (490-496)	4,915	74.9	33.9	0	34.9	2,635	82.8	46.8	0	49.1	2,280	67.4	25.8	0	26.4
..Asthma (493)	86	1.3	0.8	0	0.9	27	0.8	0.7	0	0.8	59	1.7	0.8	0	1.1
Chronic liver disease and cirrhosis (571)	588	9.0	6.7	0	7.4	371	11.7	9.5	0	10.3	217	6.4	4.2	0	4.8
Nephritis, nephrotic syndrome/nephrosis (580-589)	642	9.8	4.4	0	4.0	333	10.5	6.1	0	5.3	309	9.1	3.3	0	3.2
..Nephritis-related (580-589)	3,275	49.9	24.1	0	25.9	1,718	54.0	32.4	0	35.2	1,557	46.0	18.6	0	19.6
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	720	11.0	5.0	0	4.3	372	11.7	6.8	0	5.6	348	10.3	3.8	0	3.5
Unintentional injuries (E800-E949)	1,757	26.8	21.3	0	23.1	1,136	35.7	31.7	0	34.8	621	18.4	11.3	0	11.8
..Motor vehicle accidents (E810-E825)	658	10.0	9.9	1	12.6	450	14.1	14.4	1	18.8	208	6.1	5.5	0	6.4
..Falls and fall related injuries (E880-E888)	357	5.4	2.3	0	2.4	174	5.5	3.4	0	3.2	183	5.4	1.5	0	1.6
..Drowning (E830,E832,E910)	83	1.3	1.2	0	1.4	70	2.2	2.1	0	2.4	13	0.4	.	0	0.4
..Residential fires (E890-E899)	69	1.1	0.9	0	1.1	35	1.1	1.0	0	1.4	34	1.0	0.9	0	0.8
Suicide (E950-E959)	647	9.9	9.1	0	8.0	533	16.7	15.4	0	13.3	114	3.4	3.0	0	3.1
Homicide and legal intervention (E960-E978)	372	5.7	6.2	0	5.9	296	9.3	10.0	0	9.1	76	2.2	2.3	0	2.5
..Homicide (E960-E969)	370	5.6	6.1	0	5.8	294	9.2	9.9	0	9.1	76	2.2	2.3	0	2.5
All injury (E800-E999)	2,883	43.9	38.0	0	37.7	2,038	64.0	59.2	0	58.4	845	25.0	17.5	0	17.7
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	644	9.8	9.7	1	12.4	438	13.8	14.0	1	18.5	206	6.1	5.5	0	6.4
..All falls (E880-E886,E888,E957,E968.1,E987)	299	4.6	2.2	0	2.2	157	4.9	3.2	0	3.0	142	4.2	1.3	0	1.4
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	559	8.5	8.8	0	8.2	499	15.7	16.0	0	14.2	60	1.8	1.8	0	2.3
....Suicide (E955.0-.4)	288	4.4	4.1	0	3.4	262	8.2	7.6	0	6.1	26	0.8	0.7	0	1.0
....Homicide (E965.0-.4)	254	3.9	4.5	0	4.2	225	7.1	7.9	0	7.0	29	0.9	0.9	0	1.3
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	439	6.7	6.1	1	2.8	328	10.3	9.4	1	4.3	111	3.3	2.9	1	1.4
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	357	5.4	4.5	0	5.0	259	8.1	7.0	0	7.2	98	2.9	2.3	0	3.0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	316	4.8	4.5	1	1.3	235	7.4	6.8	1	1.8	81	2.4	2.2	1	0.9

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1991-1992 AAMR is significantly different (prob<0.05) from the 1989-1990 AAMR.  
 0 - The 1991-1992 AAMR is not significantly different (prob>0.05) from the 1989-1990 AAMR.

CONNECTICUT Resident DEATHS, 1991-1992  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes				Male				Female						
	*****1991-1992*****				*****1991-1992*****				*****1991-1992*****						
	No. of deaths	Crude rate	AAMR	Significance	1989-1990 AAMR	No. of deaths	Crude rate	AAMR	Significance	1989-1990 AAMR	No. of deaths	Crude rate	AAMR	Significance	1989-1990 AAMR
*****Causes of Death*****															
All causes	56,186	855.8	616.2	1	633.3	27,978	879.1	800.2	0	819.2	28,208	834.0	482.8	1	499.7
Infectious diseases and parasitic disease (1-139)	1,760	26.8	19.8	0	18.1	1,070	33.6	27.7	0	24.4	690	20.4	12.7	0	12.5
..Septicemia (038)	780	11.9	8.2	0	8.7	345	10.8	9.7	0	10.1	435	12.9	7.0	0	7.7
....Septicemia-related (038)	2,820	43.0	30.3	0	30.9	1,326	41.7	37.4	0	37.7	1,494	44.2	25.3	0	26.3
..HIV infection (042-044)	786	12.0	9.4	1	6.6	616	19.4	14.9	1	10.8	170	5.0	4.0	1	2.6
All cancer (140-208)	14,127	215.2	166.4	0	167.3	7,229	227.1	207.7	0	209.5	6,898	203.9	139.8	0	140.6
..Oral cavity or pharynx (140.0-149.9)	257	3.9	3.3	0	3.2	164	5.2	4.9	0	5.0	93	2.7	1.9	0	1.7
..Colorectal cancer (153.0-154.3,154.8,159.0)	1,632	24.9	18.2	0	20.0	811	25.5	23.1	0	25.2	821	24.3	14.9	0	16.6
....Colon cancer (153)	1,343	20.5	15.0	1	16.7	662	20.8	18.9	0	20.9	681	20.1	12.3	0	14.1
....Rectal cancer (154)	263	4.0	3.0	0	2.9	137	4.3	3.9	0	3.6	126	3.7	2.4	0	2.3
..Pancreatic cancer (157)	726	11.1	8.3	0	8.6	307	9.6	8.8	0	10.9	419	12.4	7.7	0	6.7
..Lung and other respiratory cancer (160-165)	3,829	58.3	46.9	0	45.8	2,298	72.2	66.4	0	66.2	1,531	45.3	33.4	0	31.5
....Lung cancer (162.2-.9)	3,691	56.2	45.2	0	44.3	2,196	69.0	63.4	0	63.7	1,495	44.2	32.7	0	30.8
..Malignant melanoma of skin (172)	185	2.8	2.3	0	2.1	109	3.4	3.1	0	2.6	76	2.2	1.7	0	1.8
..Female breast cancer (174)	1,200	.	.	.	.	.	.	.	.	1,200	35.5	26.2	0	27.6	
..Cervical cancer (180)	91	.	.	.	.	.	.	.	.	91	2.7	2.1	0	2.1	
..Endometrial cancer (182)	83	.	.	.	.	.	.	.	.	83	2.5	1.7	0	1.7	
..Ovarian cancer (183)	363	.	.	.	.	.	.	.	.	363	10.7	7.7	0	7.6	
..Prostate cancer (185)	918	.	.	.	.	918	28.8	25.8	0	24.1	.	.	.	.	.
..Bladder cancer (188)	343	5.2	3.7	0	3.6	211	6.6	6.0	0	6.7	132	3.9	2.2	0	1.8
..Brain & other CNS cancer (191-192)	322	4.9	4.2	0	3.9	184	5.8	5.5	0	4.8	138	4.1	3.1	0	3.1
..Leukemia (204-208)	497	7.6	5.9	0	6.0	260	8.2	7.5	0	7.5	237	7.0	4.8	0	4.9
Diabetes mellitus (250)	1,007	15.3	11.2	0	11.2	447	14.0	12.8	0	12.2	560	16.6	10.0	0	10.2
..Diabetes-related (250)	4,628	70.5	50.3	0	52.1	2,087	65.6	59.2	0	61.2	2,541	75.1	43.8	0	45.7
..Diabetic ketoacidosis (DKA) (250.1)	13	0.2	.	.	.	8	0.3	.	.	.	5	0.1	.	.	.
Alzheimer's diseases (331.0)	382	5.8	3.6	0	3.9	143	4.5	4.0	0	4.5	239	7.1	3.3	0	3.6
Cardiovascular disease (390-459)	24,163	368.1	248.3	1	259.3	11,276	354.3	322.2	1	337.7	12,887	381.0	194.3	1	203.0
..Diseases of the heart (390-398,402,404-429)	19,248	293.2	199.8	1	208.6	9,272	291.3	265.5	1	280.6	9,976	294.9	151.6	0	157.0
....Heart disease-related (390-398,402,404-429)	31,791	484.2	333.0	1	343.9	15,360	482.6	438.5	0	449.9	16,431	485.8	258.4	1	270.2
....Coronary heart disease (CHD) (402,410-414,429.2)	14,187	216.1	147.2	1	155.7	7,018	220.5	201.2	1	213.1	7,169	211.9	107.4	1	114.4
....Congestive heart failure (CHF) (428.0)	878	13.4	8.2	0	7.6	313	9.8	8.9	0	9.4	565	16.7	7.7	0	6.5
..Hypertension with or without renal disease (401,403)	257	3.9	2.7	0	2.5	113	3.6	3.2	0	2.6	144	4.3	2.3	0	2.4
....Hypertension-related (401,403)	3,257	49.6	34.0	0	36.3	1,289	40.5	36.8	0	38.7	1,968	58.2	30.9	0	33.8
..Cerebrovascular disease (430-438)	3,433	52.3	33.6	0	35.7	1,322	41.5	37.4	0	38.2	2,111	62.4	30.7	1	33.9
..Atherosclerosis (440)	416	6.3	3.8	0	3.8	140	4.4	4.0	0	4.2	276	8.2	3.5	0	3.5
....Atherosclerosis-related (440)	2,030	30.9	19.0	1	21.5	800	25.1	22.6	0	24.9	1,230	36.4	16.4	1	19.2
..Aortic aneurysm (441)	428	6.5	4.6	0	4.4	249	7.8	7.0	0	7.2	179	5.3	2.9	0	2.6
Pneumonia & influenza (480-487)	2,232	34.0	20.9	0	22.3	987	31.0	28.2	0	29.1	1,245	36.8	16.8	0	18.4

(CONTINUED)

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1991-1992 AAMR is significantly different (prob<0.05) from the 1989-1990 AAMR.  
 0 - The 1991-1992 AAMR is not significantly different (prob>0.05) from the 1989-1990 AAMR.

CONNECTICUT Resident DEATHS, 1991-1992  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes				Male				Female						
	*****1991-1992*****				*****1991-1992*****				*****1991-1992*****						
	No. of deaths	Crude rate	AAMR	Significance	1989-1990 AAMR	No. of deaths	Crude rate	AAMR	Significance	1989-1990 AAMR	No. of deaths	Crude rate	AAMR	Significance	1989-1990 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	2,140	32.6	22.5	0	22.2	1,111	34.9	31.3	0	30.8	1,029	30.4	17.6	0	17.5
..COPD-related (490-496)	4,915	74.9	51.9	0	52.5	2,635	82.8	74.4	0	77.4	2,280	67.4	38.9	0	38.6
..Asthma (493)	86	1.3	1.0	0	1.2	27	0.8	0.8	0	1.0	59	1.7	1.1	0	1.3
Chronic liver disease and cirrhosis (571)	588	9.0	7.5	0	8.4	371	11.7	10.7	0	11.6	217	6.4	4.9	0	5.6
Nephritis, nephrotic syndrome/nephrosis (580-589)	642	9.8	6.7	0	6.1	333	10.5	9.4	0	8.3	309	9.1	5.1	0	4.9
..Nephritis-related (580-589)	3,275	49.9	35.1	0	37.4	1,718	54.0	48.4	0	52.2	1,557	46.0	27.0	0	28.4
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	720	11.0	7.5	0	6.6	372	11.7	10.5	0	8.8	348	10.3	5.7	0	5.3
Unintentional injuries (E800-E949)	1,757	26.8	22.7	0	24.6	1,136	35.7	33.3	0	36.3	621	18.4	13.1	0	13.8
..Motor vehicle accidents (E810-E825)	658	10.0	9.7	1	12.2	450	14.1	13.9	1	18.0	208	6.1	5.6	0	6.6
..Falls and fall related injuries (E880-E888)	357	5.4	3.6	0	3.7	174	5.5	5.0	0	4.6	183	5.4	2.6	0	2.9
..Drowning (E830,E832,E910)	83	1.3	1.2	0	1.4	70	2.2	2.1	0	2.3	13	0.4	.	0	0.5
..Residential fires (E890-E899)	69	1.1	1.0	0	1.2	35	1.1	1.1	0	1.6	34	1.0	1.0	0	0.8
Suicide (E950-E959)	647	9.9	8.6	0	7.7	533	16.7	15.0	0	13.0	114	3.4	2.8	0	3.0
Homicide and legal intervention (E960-E978)	372	5.7	5.6	0	5.4	296	9.3	9.1	0	8.4	76	2.2	2.1	0	2.4
..Homicide (E960-E969)	370	5.6	5.6	0	5.4	294	9.2	9.1	0	8.4	76	2.2	2.1	0	2.4
All injury (E800-E999)	2,883	43.9	38.2	0	38.4	2,038	64.0	59.3	0	58.7	845	25.0	18.8	0	19.4
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	644	9.8	9.5	1	12.1	438	13.8	13.5	1	17.7	206	6.1	5.5	0	6.5
..All falls (E880-E886,E888,E957,E968.1,E987)	299	4.6	3.1	0	3.1	157	4.9	4.5	0	4.0	142	4.2	2.1	0	2.3
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	559	8.5	8.2	0	7.7	499	15.7	15.1	0	13.5	60	1.8	1.6	0	2.1
....Suicide (E955.0-.4)	288	4.4	3.9	0	3.3	262	8.2	7.5	0	6.0	26	0.8	0.6	0	0.9
....Homicide (E965.0-.4)	254	3.9	4.1	0	3.8	225	7.1	7.2	0	6.4	29	0.9	0.8	0	1.2
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	439	6.7	5.5	1	2.7	328	10.3	8.3	1	4.1	111	3.3	2.7	1	1.4
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	357	5.4	4.7	0	5.2	259	8.1	7.3	0	7.6	98	2.9	2.4	0	3.1
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	316	4.8	3.9	1	1.2	235	7.4	5.8	1	1.6	81	2.4	2.0	1	0.8

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1991-1992 AAMR is significantly different (prob<0.05) from the 1989-1990 AAMR.  
 0 - The 1991-1992 AAMR is not significantly different (prob>0.05) from the 1989-1990 AAMR.

CONNECTICUT Resident DEATHS, 1991-1992  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes				Male				Female						
	*****1991-1992*****				*****1991-1992*****				*****1991-1992*****						
	No. of deaths	Crude rate	AAMR	Significance	1989-1990 AAMR	No. of deaths	Crude rate	AAMR	Significance	1989-1990 AAMR	No. of deaths	Crude rate	AAMR	Significance	1989-1990 AAMR
*****Causes of Death*****															
All causes	56,186	855.8	839.3	1	857.6	27,978	879.1	1084.5	0	1102.5	28,208	834.0	674.9	1	693.5
Infectious diseases and parasitic disease (1-139)	1,760	26.8	26.1	0	24.2	1,070	33.6	36.3	0	32.0	690	20.4	17.1	0	17.2
..Septicemia (038)	780	11.9	11.7	0	12.5	345	10.8	13.9	0	14.4	435	12.9	10.2	0	11.3
....Septicemia-related (038)	2,820	43.0	42.2	0	43.4	1,326	41.7	52.3	0	52.9	1,494	44.2	35.6	0	37.5
..HIV infection (042-044)	786	12.0	11.5	1	8.1	616	19.4	18.5	1	13.2	170	5.0	4.7	1	3.1
All cancer (140-208)	14,127	215.2	208.5	0	209.0	7,229	227.1	266.9	0	268.2	6,898	203.9	174.0	0	174.5
..Oral cavity or pharynx (140.0-149.9)	257	3.9	3.9	0	3.7	164	5.2	5.9	0	5.9	93	2.7	2.3	0	2.0
..Colorectal cancer (153.0-154.3,154.8,159.0)	1,632	24.9	24.1	1	26.7	811	25.5	30.8	0	33.9	821	24.3	19.9	0	22.4
....Colon cancer (153)	1,343	20.5	19.8	1	22.3	662	20.8	25.2	0	28.2	681	20.1	16.5	0	18.9
....Rectal cancer (154)	263	4.0	3.9	0	3.8	137	4.3	5.1	0	4.6	126	3.7	3.1	0	3.1
..Pancreatic cancer (157)	726	11.1	10.7	0	10.8	307	9.6	11.3	0	13.7	419	12.4	10.1	0	8.8
..Lung and other respiratory cancer (160-165)	3,829	58.3	56.0	0	54.1	2,298	72.2	81.8	0	80.8	1,531	45.3	39.3	0	36.6
....Lung cancer (162.2-.9)	3,691	56.2	53.9	0	52.3	2,196	69.0	78.2	0	77.6	1,495	44.2	38.4	0	35.6
..Malignant melanoma of skin (172)	185	2.8	2.7	0	2.6	109	3.4	3.8	0	3.1	76	2.2	2.0	0	2.2
..Female breast cancer (174)	1,200	.	.	.	.	.	.	.	.	1,200	35.5	31.7	0	33.7	
..Cervical cancer (180)	91	.	.	.	.	.	.	.	.	91	2.7	2.6	0	2.6	
..Endometrial cancer (182)	83	.	.	.	.	.	.	.	.	83	2.5	2.0	0	2.1	
..Ovarian cancer (183)	363	.	.	.	.	.	.	.	.	363	10.7	9.3	0	9.0	
..Prostate cancer (185)	918	.	.	.	.	918	28.8	37.8	0	34.5	.	.	.	.	
..Bladder cancer (188)	343	5.2	5.1	0	5.0	211	6.6	8.2	0	9.8	132	3.9	3.2	0	2.5
..Brain & other CNS cancer (191-192)	322	4.9	4.8	0	4.5	184	5.8	6.3	0	5.6	138	4.1	3.6	0	3.6
..Leukemia (204-208)	497	7.6	7.4	0	7.5	260	8.2	9.6	0	9.5	237	7.0	6.0	0	6.3
Diabetes mellitus (250)	1,007	15.3	14.9	0	14.8	447	14.0	16.6	0	15.8	560	16.6	13.5	0	13.7
..Diabetes-related (250)	4,628	70.5	68.2	0	70.0	2,087	65.6	79.6	0	82.0	2,541	75.1	60.3	0	62.0
..Diabetic ketoacidosis (DKA) (250.1)	13	0.2	.	.	.	8	0.3	.	.	5	0.1	.	.	.	
Alzheimer's diseases (331.0)	382	5.8	5.8	0	6.4	143	4.5	6.5	0	7.4	239	7.1	5.4	0	5.8
Cardiovascular disease (390-459)	24,163	368.1	363.1	1	377.8	11,276	354.3	458.5	1	478.7	12,887	381.0	297.4	1	309.1
..Diseases of the heart (390-398,402,404-429)	19,248	293.2	288.8	1	300.6	9,272	291.3	373.6	1	393.8	9,976	294.9	230.4	0	237.6
....Heart disease-related (390-398,402,404-429)	31,791	484.2	476.3	1	491.1	15,360	482.6	617.7	0	632.4	16,431	485.8	383.0	1	398.7
....Coronary heart disease (CHD) (402,410-414,429.2)	14,187	216.1	212.8	1	225.1	7,018	220.5	281.7	1	298.8	7,169	211.9	164.9	1	174.8
....Congestive heart failure (CHF) (428.0)	878	13.4	13.3	0	12.6	313	9.8	14.5	0	15.1	565	16.7	12.7	0	11.1
....Hypertension with or without renal disease (401,403)	257	3.9	3.9	0	3.7	113	3.6	4.6	0	3.6	144	4.3	3.4	0	3.6
....Hypertension-related (401,403)	3,257	49.6	48.6	0	51.1	1,289	40.5	50.3	0	52.6	1,968	58.2	45.8	0	48.7
..Cerebrovascular disease (430-438)	3,433	52.3	52.1	0	55.1	1,322	41.5	56.9	0	57.7	2,111	62.4	48.6	1	52.9
..Atherosclerosis (440)	416	6.3	6.4	0	6.5	140	4.4	6.5	0	6.8	276	8.2	6.1	0	6.2
....Atherosclerosis-related (440)	2,030	30.9	30.9	1	35.0	800	25.1	35.5	0	39.1	1,230	36.4	27.7	1	32.0
..Aortic aneurysm (441)	428	6.5	6.3	0	6.1	249	7.8	9.5	0	10.0	179	5.3	4.2	0	3.8
Pneumonia & influenza (480-487)	2,232	34.0	34.2	0	35.9	987	31.0	46.1	0	46.3	1,245	36.8	28.1	0	30.4

(CONTINUED)

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1991-1992 AAMR is significantly different (prob<0.05) from the 1989-1990 AAMR.  
 0 - The 1991-1992 AAMR is not significantly different (prob>0.05) from the 1989-1990 AAMR.

CONNECTICUT Resident DEATHS, 1991-1992  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes				Male				Female						
	*****1991-1992*****				*****1991-1992*****				*****1991-1992*****						
	No. of deaths	Crude rate	AAMR	Significance	1989-1990 AAMR	No. of deaths	Crude rate	AAMR	Significance	1989-1990 AAMR	No. of deaths	Crude rate	AAMR	Significance	1989-1990 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	2,140	32.6	31.4	0	30.1	1,111	34.9	45.3	0	43.7	1,029	30.4	24.2	0	23.1
..COPD-related (490-496)	4,915	74.9	72.3	0	71.8	2,635	82.8	107.4	0	110.6	2,280	67.4	53.7	0	51.5
..Asthma (493)	86	1.3	1.3	0	1.4	27	0.8	0.9	0	1.3	59	1.7	1.4	0	1.6
Chronic liver disease and cirrhosis (571)	588	9.0	8.9	0	9.8	371	11.7	12.6	0	13.7	217	6.4	5.7	0	6.6
Nephritis, nephrotic syndrome/nephrosis (580-589)	642	9.8	9.6	0	8.8	333	10.5	13.9	0	12.2	309	9.1	7.3	0	7.0
..Nephritis-related (580-589)	3,275	49.9	48.7	0	51.8	1,718	54.0	69.3	0	74.3	1,557	46.0	37.3	0	39.1
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	720	11.0	10.7	0	9.4	372	11.7	15.5	0	13.0	348	10.3	8.2	0	7.6
Unintentional injuries (E800-E949)	1,757	26.8	26.2	0	27.8	1,136	35.7	38.2	0	40.5	621	18.4	16.0	0	16.6
..Motor vehicle accidents (E810-E825)	658	10.0	9.8	1	12.2	450	14.1	14.0	1	17.9	208	6.1	5.8	0	6.7
..Falls and fall related injuries (E880-E888)	357	5.4	5.4	0	5.5	174	5.5	7.3	0	6.4	183	5.4	4.2	0	4.6
..Drowning (E830,E832,E910)	83	1.3	1.2	0	1.4	70	2.2	2.2	0	2.4	13	0.4	.	0	0.5
..Residential fires (E890-E899)	69	1.1	1.0	0	1.2	35	1.1	1.2	0	1.6	34	1.0	1.0	0	0.9
Suicide (E950-E959)	647	9.9	9.5	0	8.6	533	16.7	16.7	0	14.6	114	3.4	3.2	0	3.4
Homicide and legal intervention (E960-E978)	372	5.7	5.4	0	5.3	296	9.3	8.7	0	8.1	76	2.2	2.1	0	2.5
..Homicide (E960-E969)	370	5.6	5.4	0	5.3	294	9.2	8.6	0	8.1	76	2.2	2.1	0	2.5
All injury (E800-E999)	2,883	43.9	42.8	0	42.4	2,038	64.0	65.8	0	64.4	845	25.0	22.3	0	22.7
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	644	9.8	9.5	1	12.0	438	13.8	13.5	1	17.6	206	6.1	5.8	0	6.6
..All falls (E880-E886,E888,E957,E968.1,E987)	299	4.6	4.5	0	4.5	157	4.9	6.3	0	5.4	142	4.2	3.3	0	3.6
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	559	8.5	8.2	0	7.8	499	15.7	15.2	0	13.7	60	1.8	1.7	0	2.3
....Suicide (E955.0-.4)	288	4.4	4.2	0	3.6	262	8.2	8.2	0	6.7	26	0.8	0.8	0	1.0
....Homicide (E965.0-.4)	254	3.9	3.8	0	3.6	225	7.1	6.7	0	6.0	29	0.9	0.8	0	1.2
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	439	6.7	6.5	1	3.2	328	10.3	10.0	1	4.9	111	3.3	3.2	1	1.7
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	357	5.4	5.5	0	6.0	259	8.1	8.6	0	8.8	98	2.9	2.8	0	3.6
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	316	4.8	4.6	1	1.5	235	7.4	7.0	1	2.1	81	2.4	2.3	1	1.0

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1991-1992 AAMR is significantly different (prob<0.05) from the 1989-1990 AAMR.  
 0 - The 1991-1992 AAMR is not significantly different (prob>0.05) from the 1989-1990 AAMR.

CONNECTICUT Resident DEATHS, 1991-1992  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1991-1992			Years of life lost, 1991-1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991-1992	1989-1990	Significance	1991-1992	1989-1990	Significance
*****Causes of Death*****											
All causes	56,186	13,411	25,564	251,895	442,427	4290.2	4569.0	1	6675.8	7035.8	1
Infectious diseases and parasitic disease (1-139)	1,760	1,010	1,206	24,777	35,737	381.1	325.7	1	517.2	436.3	1
..Septicemia (038)	780	148	294	2,687	4,777	44.5	48.8	0	70.3	75.6	0
...Septicemia-related (038)	2,820	617	1,220	10,618	19,475	172.8	171.2	0	282.7	279.4	0
..HIV infection (042-044)	786	769	781	20,144	27,894	305.0	230.0	1	400.9	298.3	1
All cancer (140-208)	14,127	3,951	8,330	43,690	104,347	712.3	710.8	0	1476.7	1485.2	0
..Oral cavity or pharynx (140.0-149.9)	257	107	176	1,053	2,505	17.2	17.0	0	36.4	35.9	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	1,632	324	800	3,120	8,535	49.8	51.7	0	116.7	123.3	0
...Colon cancer (153)	1,343	258	654	2,480	6,875	39.6	42.4	0	93.8	102.5	0
...Rectal cancer (154)	263	62	137	590	1,553	9.4	8.9	0	21.5	19.5	0
..Pancreatic cancer (157)	726	152	384	1,280	3,880	20.5	23.4	0	52.6	59.8	0
..Lung and other respiratory cancer (160-165)	3,829	1,159	2,555	9,968	28,483	161.5	160.0	0	394.9	394.1	0
...Lung cancer (162.2-.9)	3,691	1,113	2,461	9,503	27,303	153.4	153.9	0	377.5	381.2	0
..Malignant melanoma of skin (172)	185	82	140	1,320	2,425	20.6	19.5	0	34.6	33.1	0
..Female breast cancer (174)	1,200	481	795	5,813	12,183	.	.	.	.	.	.
..Cervical cancer (180)	91	52	67	890	1,488	.	.	.	.	.	.
..Endometrial cancer (182)	83	16	50	95	430	.	.	.	.	.	.
..Ovarian cancer (183)	363	114	221	1,160	2,823	.	.	.	.	.	.
..Prostate cancer (185)	918	74	347	385	2,348	.	.	.	.	.	.
..Bladder cancer (188)	343	48	134	335	1,210	5.3	4.6	0	15.9	14.1	0
..Brain & other CNS cancer (191-192)	322	165	256	2,529	4,621	42.5	41.3	0	70.0	65.0	0
..Leukemia (204-208)	497	166	299	3,164	5,407	55.7	62.8	0	84.4	92.3	0
Diabetes mellitus (250)	1,007	231	491	2,673	6,138	42.2	36.8	0	85.3	79.9	0
..Diabetes-related (250)	4,628	768	2,056	7,365	21,020	116.5	119.7	0	282.0	296.8	0
..Diabetic ketoacidosis (DKA) (250.1)	13	7	8	208	280	.	.	.	.	.	.
Alzheimer's diseases (331.0)	382	11	70	48	420	0.8	0.8	0	4.9	4.7	0
Cardiovascular disease (390-459)	24,163	3,387	8,297	37,792	94,037	611.1	613.2	0	1303.0	1333.4	0
..Diseases of the heart (390-398,402,404-429)	19,248	2,883	6,947	31,397	79,012	508.6	504.6	0	1095.6	1110.5	0
...Heart disease-related (390-398,402,404-429)	31,791	5,161	11,977	64,754	147,514	1058.3	1053.4	0	2079.2	2094.3	0
....Coronary heart disease (CHD) (402,410-414,429.2)	14,187	2,047	5,112	18,987	53,654	304.5	304.3	0	731.7	745.3	0
....Congestive heart failure (CHF) (428.0)	878	40	164	372	1,297	6.1	9.3	0	16.7	18.6	0
..Hypertension with or without renal disease (401,403)	257	36	86	420	1,040	6.6	4.8	0	14.3	11.6	0
...Hypertension-related (401,403)	3,257	445	1,202	4,268	12,245	68.2	75.1	0	165.1	182.5	0
..Cerebrovascular disease (430-438)	3,433	342	888	4,471	10,136	71.4	75.5	0	140.5	151.2	0
..Atherosclerosis (440)	416	20	68	150	565	2.5	4.0	0	7.4	9.0	0
...Atherosclerosis-related (440)	2,030	93	380	703	2,870	11.5	12.8	0	36.8	43.7	0
..Aortic aneurysm (441)	428	46	179	544	1,587	8.7	7.6	0	20.6	19.8	0
Pneumonia & influenza (480-487)	2,232	178	415	3,086	5,854	52.1	61.1	0	85.9	101.3	0
Chronic obstructive pulmonary disease (COPD) (490-496)	2,140	211	839	1,800	6,795	29.6	35.4	0	87.3	97.9	0
..COPD-related (490-496)	4,915	524	1,903	4,221	15,694	69.0	74.9	0	203.2	218.7	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).



CONNECTICUT Resident DEATHS, 1991-1992  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1991-1992			Years of life lost, 1991-1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991-1992	1989-1990	Significance	1991-1992	1989-1990	Significance
*****Causes of Death*****											
..Asthma (493)	86	28	53	585	998	10.2	11.0	0	15.4	17.1	0
Chronic liver disease and cirrhosis (571)	588	326	477	4,810	8,828	74.2	76.1	0	126.3	134.2	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	642	101	238	1,397	2,984	22.0	20.7	0	41.3	39.6	0
..Nephritis-related (580-589)	3,275	580	1,365	8,038	17,366	129.2	138.6	0	243.2	264.6	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	720	113	268	1,507	3,314	23.6	20.6	0	45.6	40.3	0
Unintentional injuries (E800-E949)	1,757	1,078	1,279	33,519	45,257	618.0	706.9	0	775.0	875.9	0
..Motor vehicle accidents (E810-E825)	658	534	588	18,277	23,882	352.7	458.8	1	430.9	557.5	1
..Falls and fall related injuries (E880-E888)	357	63	111	1,063	1,913	18.0	26.4	0	28.7	37.1	0
..Drowning (E830,E832,E910)	83	64	75	2,194	2,882	41.4	52.4	0	50.7	63.3	0
..Residential fires (E890-E899)	69	46	60	1,766	2,286	33.2	35.0	0	40.0	43.1	0
Suicide (E950-E959)	647	529	587	14,773	20,368	257.8	222.5	0	331.9	288.4	0
Homicide and legal intervention (E960-E978)	372	352	362	12,774	16,339	245.0	227.9	0	294.7	275.2	0
..Homicide (E960-E969)	370	350	360	12,719	16,264	244.1	227.5	0	293.6	274.6	0
All injury (E800-E999)	2,883	2,058	2,329	63,899	85,797	1165.8	1178.2	0	1459.3	1466.2	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	644	524	576	18,007	23,497	346.9	455.2	1	423.4	552.8	1
..All falls (E880-E886,E888,E957,E968.1,E987)	299	73	116	1,418	2,350	23.6	27.9	0	35.4	39.1	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	559	495	530	16,680	21,807	317.0	292.7	0	388.2	359.2	0
....Suicide (E955.0-.4)	288	232	263	6,775	9,253	120.1	97.9	0	153.1	125.9	0
....Homicide (E965.0-.4)	254	249	252	9,400	11,907	186.9	170.0	0	222.9	203.6	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	439	399	416	10,890	14,967	175.5	71.2	1	227.4	94.6	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	357	253	324	4,483	7,385	68.6	67.9	0	106.5	110.9	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	316	302	307	8,447	11,490	134.4	33.3	1	172.7	44.1	1

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1991-1992  
Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
for selected causes of death by sex of decedent  
\*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1991-1992			Years of life lost, 1991-1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991-1992	1989-1990	Significance	1991-1992	1989-1990	Significance
*****Causes of Death*****											
All causes	27,978	8,629	15,563	166,610	285,535	5691.7	5912.0	0	8831.0	9111.6	0
Infectious diseases and parasitic disease (1-139)	1,070	766	867	18,315	26,433	559.1	473.5	0	766.0	636.2	1
..Septicemia (038)	345	94	168	1,687	2,927	54.3	53.8	0	86.7	85.3	0
...Septicemia-related (038)	1,326	380	701	6,588	11,841	212.5	196.4	0	350.1	326.5	0
..HIV infection (042-044)	616	606	615	15,328	21,441	463.5	359.6	1	617.5	470.9	1
All cancer (140-208)	7,229	2,059	4,451	22,419	54,624	750.6	714.7	0	1609.9	1581.7	0
..Oral cavity or pharynx (140.0-149.9)	164	86	124	860	1,940	28.8	26.2	0	59.4	56.1	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	811	181	442	1,738	4,755	57.5	56.1	0	137.5	141.0	0
...Colon cancer (153)	662	146	360	1,395	3,840	46.3	41.9	0	111.2	111.3	0
...Rectal cancer (154)	137	33	78	338	880	11.0	13.4	0	25.4	27.4	0
..Pancreatic cancer (157)	307	82	197	720	2,068	24.1	30.6	0	60.2	79.1	0
..Lung and other respiratory cancer (160-165)	2,298	682	1,537	5,710	16,793	189.7	202.6	0	486.0	507.6	0
...Lung cancer (162.2-.9)	2,196	646	1,466	5,330	15,875	176.0	194.4	0	457.4	489.6	0
..Malignant melanoma of skin (172)	109	49	84	803	1,445	25.3	21.7	0	42.3	36.8	0
..Female breast cancer (174)	.	.	.	.	.	.	.	.	.	.	.
..Cervical cancer (180)	.	.	.	.	.	.	.	.	.	.	.
..Endometrial cancer (182)	.	.	.	.	.	.	.	.	.	.	.
..Ovarian cancer (183)	.	.	.	.	.	.	.	.	.	.	.
..Prostate cancer (185)	918	74	347	385	2,348	12.7	12.3	0	61.3	60.5	0
..Bladder cancer (188)	211	31	98	178	795	5.7	6.5	0	21.4	21.2	0
..Brain & other CNS cancer (191-192)	184	109	156	1,634	2,966	54.1	53.1	0	91.1	83.2	0
..Leukemia (204-208)	260	96	173	1,937	3,230	69.0	70.1	0	103.3	105.2	0
Diabetes mellitus (250)	447	137	265	1,593	3,568	51.3	44.7	0	104.0	95.4	0
..Diabetes-related (250)	2,087	443	1,111	4,388	11,958	142.1	141.4	0	339.8	348.3	0
..Diabetic ketoacidosis (DKA) (250.1)	8	2	3	80	103	.	.	.	.	.	.
Alzheimer's diseases (331.0)	143	7	33	23	223	0.7	1.0	0	5.6	5.5	0
Cardiovascular disease (390-459)	11,276	2,348	5,326	26,023	63,408	854.7	851.6	0	1844.0	1866.8	0
..Diseases of the heart (390-398,402,404-429)	9,272	2,058	4,564	22,285	54,715	732.7	736.0	0	1593.4	1618.5	0
...Heart disease-related (390-398,402,404-429)	15,360	3,472	7,501	43,305	96,768	1427.3	1360.6	0	2840.4	2765.3	0
....Coronary heart disease (CHD) (402,410-414,429.2)	7,018	1,541	3,484	14,645	39,317	480.0	475.1	0	1136.4	1140.0	0
....Congestive heart failure (CHF) (428.0)	313	24	77	195	683	6.2	12.8	0	18.6	25.2	0
..Hypertension with or without renal disease (401,403)	113	23	49	273	648	8.7	7.3	0	18.6	17.0	0
...Hypertension-related (401,403)	1,289	284	679	2,825	7,603	93.1	98.7	0	219.1	230.1	0
..Cerebrovascular disease (430-438)	1,322	187	476	2,502	5,574	81.0	77.7	0	161.0	158.6	0
...Atherosclerosis (440)	140	11	37	83	318	2.8	2.7	0	8.8	8.5	0
...Atherosclerosis-related (440)	800	56	238	415	1,790	13.8	13.0	0	48.5	51.7	0
..Aortic aneurysm (441)	249	34	128	414	1,184	13.7	10.0	0	32.9	28.8	0
Pneumonia & influenza (480-487)	987	116	259	2,178	3,911	74.0	62.2	0	118.9	115.7	0
Chronic obstructive pulmonary disease (COPD) (490-496)	1,111	114	455	922	3,650	30.7	33.2	0	99.0	102.4	0
..COPD-related (490-496)	2,635	299	1,069	2,302	8,842	77.2	83.4	0	243.2	254.2	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1991-1992  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1991-1992			Years of life lost, 1991-1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991-1992	1989-1990	Significance	1991-1992	1989-1990	Significance
*****Causes of Death*****											
..Asthma (493)	27	15	22	278	470	9.6	10.7	0	14.8	15.5	0
Chronic liver disease and cirrhosis (571)	371	229	313	3,383	6,078	107.3	108.0	0	181.4	189.8	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	333	65	139	915	1,885	29.2	27.7	0	54.3	49.9	0
..Nephritis-related (580-589)	1,718	358	792	5,067	10,552	161.7	177.9	0	303.9	335.2	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	372	71	157	970	2,075	30.9	27.1	0	59.5	50.1	0
Unintentional injuries (E800-E949)	1,136	818	940	25,693	34,478	938.8	1085.8	0	1177.1	1345.8	0
..Motor vehicle accidents (E810-E825)	450	391	419	13,624	17,679	520.6	693.0	1	634.5	841.6	1
..Falls and fall related injuries (E880-E888)	174	50	81	910	1,558	31.1	45.0	0	48.2	61.5	0
..Drowning (E830,E832,E910)	70	58	66	2,002	2,617	74.7	86.2	0	91.4	105.3	0
..Residential fires (E890-E899)	35	22	29	896	1,154	33.1	45.2	0	39.9	55.6	0
Suicide (E950-E959)	533	433	486	12,308	16,910	432.0	366.7	0	555.8	473.8	0
Homicide and legal intervention (E960-E978)	296	283	292	10,257	13,129	394.7	359.6	0	475.6	433.6	0
..Homicide (E960-E969)	294	281	290	10,202	13,054	392.9	359.6	0	473.2	433.6	0
All injury (E800-E999)	2,038	1,604	1,788	50,328	67,288	1832.3	1848.2	0	2293.0	2299.1	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	438	382	408	13,366	17,316	509.7	685.9	1	620.4	832.5	1
..All falls (E880-E886,E888,E957,E968.1,E987)	157	56	84	1,140	1,835	38.5	48.6	0	56.8	66.2	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	499	439	472	14,918	19,475	567.2	502.0	0	694.8	616.2	0
....Suicide (E955.0-.4)	262	208	238	6,135	8,365	218.9	166.1	0	279.4	214.7	0
....Homicide (E965.0-.4)	225	220	223	8,355	10,573	331.1	290.1	0	394.9	346.8	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	328	307	318	8,520	11,657	273.9	112.7	1	354.3	147.9	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	259	189	233	3,358	5,488	104.7	93.8	0	162.7	155.0	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	235	230	232	6,577	8,887	208.8	47.9	1	267.1	62.5	1

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1991-1992  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1991-1992			Years of life lost, 1991-1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991-1992	1989-1990	Significance	1991-1992	1989-1990	Significance
*****Causes of Death*****											
All causes	28,208	4,782	10,001	85,285	156,893	2894.6	3233.3	1	4587.9	5030.8	1
Infectious diseases and parasitic disease (1-139)	690	244	339	6,462	9,305	208.3	180.9	0	276.7	241.4	0
..Septicemia (038)	435	54	126	1,000	1,850	35.1	43.9	0	54.9	66.6	0
...Septicemia-related (038)	1,494	237	519	4,030	7,635	134.9	147.0	0	219.5	235.7	0
..HIV infection (042-044)	170	163	166	4,816	6,453	150.8	103.3	1	190.7	130.1	1
All cancer (140-208)	6,898	1,892	3,879	21,271	49,724	674.5	707.7	0	1358.2	1404.9	0
..Oral cavity or pharynx (140.0-149.9)	93	21	52	193	565	6.2	8.3	0	15.1	17.4	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	821	143	358	1,383	3,780	42.4	47.5	0	98.0	107.8	0
...Colon cancer (153)	681	112	294	1,085	3,035	33.2	42.9	0	78.0	95.4	0
...Rectal cancer (154)	126	29	59	253	673	7.9	4.5	0	18.0	12.0	0
..Pancreatic cancer (157)	419	70	187	560	1,813	17.1	16.7	0	45.6	42.4	0
..Lung and other respiratory cancer (160-165)	1,531	477	1,018	4,258	11,690	135.0	119.9	0	313.8	291.9	0
...Lung cancer (162.2-.9)	1,495	467	995	4,173	11,428	132.2	115.8	0	306.8	283.6	0
..Malignant melanoma of skin (172)	76	33	56	518	980	16.1	17.4	0	27.3	29.6	0
..Female breast cancer (174)	1,200	481	795	5,813	12,183	178.1	188.8	0	336.2	350.1	0
..Cervical cancer (180)	91	52	67	890	1,488	27.6	25.1	0	43.2	39.0	0
..Endometrial cancer (182)	83	16	50	95	430	3.1	3.1	0	10.7	10.7	0
..Ovarian cancer (183)	363	114	221	1,160	2,823	36.5	41.6	0	76.7	85.1	0
..Prostate cancer (185)	.	.	.	.	.	.	.	.	.	.	.
..Bladder cancer (188)	132	17	36	158	415	5.0	2.9	0	11.2	7.8	0
..Brain & other CNS cancer (191-192)	138	56	100	895	1,655	31.3	29.7	0	50.2	47.6	0
..Leukemia (204-208)	237	70	126	1,227	2,177	42.3	55.5	0	65.9	79.9	0
Diabetes mellitus (250)	560	94	226	1,080	2,570	33.6	29.2	0	68.1	65.5	0
..Diabetes-related (250)	2,541	325	945	2,978	9,063	92.1	99.3	0	229.2	250.2	0
..Diabetic ketoacidosis (DKA) (250.1)	5	5	5	128	178	.	.	.	.	.	.
Alzheimer's diseases (331.0)	239	4	37	25	198	0.8	0.5	0	4.2	4.1	0
Cardiovascular disease (390-459)	12,887	1,039	2,971	11,769	30,629	379.3	386.6	0	806.5	845.3	0
..Diseases of the heart (390-398,402,404-429)	9,976	825	2,383	9,112	24,297	295.6	284.4	0	638.9	644.5	0
...Heart disease-related (390-398,402,404-429)	16,431	1,689	4,476	21,449	50,746	704.9	761.5	0	1375.2	1479.6	0
....Coronary heart disease (CHD) (402,410-414,429.2)	7,169	506	1,628	4,342	14,337	138.4	143.3	0	361.7	385.7	0
....Congestive heart failure (CHF) (428.0)	565	16	87	177	615	6.2	5.7	0	15.2	12.4	0
..Hypertension with or without renal disease (401,403)	144	13	37	148	393	4.7	2.4	0	10.3	6.6	0
...Hypertension-related (401,403)	1,968	161	523	1,443	4,643	44.5	52.7	0	115.4	138.4	0
..Cerebrovascular disease (430-438)	2,111	155	412	1,970	4,562	62.2	73.3	0	121.9	144.7	0
..Atherosclerosis (440)	276	9	31	68	248	2.2	5.4	0	6.2	9.8	0
...Atherosclerosis-related (440)	1,230	37	142	288	1,080	9.3	12.7	0	26.9	37.2	0
..Aortic aneurysm (441)	179	12	51	130	403	3.8	5.3	0	9.5	11.8	0
Pneumonia & influenza (480-487)	1,245	62	156	908	1,943	30.2	61.2	0	53.8	89.9	0
Chronic obstructive pulmonary disease (COPD) (490-496)	1,029	97	384	878	3,145	28.6	37.5	0	77.5	94.8	0
..COPD-related (490-496)	2,280	225	834	1,920	6,852	61.3	66.3	0	168.6	188.1	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1991-1992  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1991-1992			Years of life lost, 1991-1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991-1992	1989-1990	Significance	1991-1992	1989-1990	Significance
*****Causes of Death*****											
..Asthma (493)	59	13	31	308	528	10.9	11.2	0	16.0	18.5	0
Chronic liver disease and cirrhosis (571)	217	97	164	1,428	2,750	42.6	45.5	0	74.3	81.7	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	309	36	99	482	1,100	15.0	13.8	0	29.0	29.5	0
..Nephritis-related (580-589)	1,557	222	573	2,971	6,814	98.0	100.9	0	186.8	198.7	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	348	42	111	537	1,240	16.6	14.2	0	32.6	30.7	0
Unintentional injuries (E800-E949)	621	260	339	7,826	10,779	291.8	322.0	0	368.9	401.1	0
..Motor vehicle accidents (E810-E825)	208	143	169	4,654	6,204	180.4	219.7	0	222.7	268.4	0
..Falls and fall related injuries (E880-E888)	183	13	30	153	355	4.9	7.5	0	9.7	12.7	0
..Drowning (E830,E832,E910)	13	6	9	192	265	.	18.0	.	.	20.9	.
..Residential fires (E890-E899)	34	24	31	870	1,133	33.1	24.6	0	40.0	30.4	0
Suicide (E950-E959)	114	96	101	2,465	3,458	82.2	77.7	0	107.9	103.7	0
Homicide and legal intervention (E960-E978)	76	69	70	2,518	3,210	90.9	93.0	0	109.3	113.4	0
..Homicide (E960-E969)	76	69	70	2,518	3,210	90.9	92.2	0	109.3	112.3	0
All injury (E800-E999)	845	454	541	13,571	18,509	488.1	498.5	0	616.7	625.9	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	206	142	168	4,641	6,181	180.0	219.7	0	221.9	268.1	0
..All falls (E880-E886,E888,E957,E968.1,E987)	142	17	32	278	515	8.7	6.9	0	14.4	12.1	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	60	56	58	1,762	2,332	60.8	79.3	0	75.6	98.6	0
....Suicide (E955.0-.4)	26	24	25	640	888	20.1	29.3	0	26.4	37.5	0
....Homicide (E965.0-.4)	29	29	29	1,045	1,335	38.0	46.7	0	45.7	57.0	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	111	92	98	2,370	3,310	77.9	29.7	1	102.1	41.7	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	98	64	91	1,125	1,898	33.8	43.0	0	52.9	69.4	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	81	72	75	1,870	2,603	60.6	19.0	1	79.3	26.0	1

\* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1991-1992  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1991-1992			Years of life lost, 1991-1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991-1992	1989-1990	Significance	1991-1992	1989-1990	Significance
*****Causes of Death*****											
All causes	56,186	13,411	25,564	251,895	442,427	4208.0	4511.7	1	6739.7	7131.7	1
Infectious diseases and parasitic disease (1-139)	1,760	1,010	1,206	24,777	35,737	331.5	289.5	0	452.6	388.5	1
..Septicemia (038)	780	148	294	2,687	4,777	43.6	47.0	0	71.1	75.1	0
...Septicemia-related (038)	2,820	617	1,220	10,618	19,475	166.3	163.3	0	283.0	277.7	0
..HIV infection (042-044)	786	769	781	20,144	27,894	259.0	195.7	1	338.5	251.5	1
All cancer (140-208)	14,127	3,951	8,330	43,690	104,347	710.1	709.0	0	1560.5	1571.5	0
..Oral cavity or pharynx (140.0-149.9)	257	107	176	1,053	2,505	17.5	17.1	0	38.7	37.9	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	1,632	324	800	3,120	8,535	49.8	51.9	0	125.7	133.3	0
...Colon cancer (153)	1,343	258	654	2,480	6,875	39.7	42.6	0	101.3	111.0	0
...Rectal cancer (154)	263	62	137	590	1,553	9.5	8.8	0	23.0	20.8	0
..Pancreatic cancer (157)	726	152	384	1,280	3,880	21.0	24.0	0	57.8	65.6	0
..Lung and other respiratory cancer (160-165)	3,829	1,159	2,555	9,968	28,483	166.4	166.5	0	431.3	432.5	0
...Lung cancer (162.2-.9)	3,691	1,113	2,461	9,503	27,303	157.8	160.2	0	412.3	418.7	0
..Malignant melanoma of skin (172)	185	82	140	1,320	2,425	18.9	17.9	0	33.4	31.9	0
..Female breast cancer (174)	1,200	481	795	5,813	12,183	.	.	.	.	.	.
..Cervical cancer (180)	91	52	67	890	1,488	.	.	.	.	.	.
..Endometrial cancer (182)	83	16	50	95	430	.	.	.	.	.	.
..Ovarian cancer (183)	363	114	221	1,160	2,823	.	.	.	.	.	.
..Prostate cancer (185)	918	74	347	385	2,348	.	.	.	.	.	.
..Bladder cancer (188)	343	48	134	335	1,210	5.6	4.8	0	17.9	15.9	0
..Brain & other CNS cancer (191-192)	322	165	256	2,529	4,621	42.0	40.6	0	71.0	65.5	0
..Leukemia (204-208)	497	166	299	3,164	5,407	56.6	62.4	0	86.8	92.8	0
Diabetes mellitus (250)	1,007	231	491	2,673	6,138	41.0	35.9	0	88.7	84.0	0
..Diabetes-related (250)	4,628	768	2,056	7,365	21,020	115.4	120.3	0	304.6	323.2	0
..Diabetic ketoacidosis (DKA) (250.1)	13	7	8	208	280	.	.	.	.	.	.
Alzheimer's diseases (331.0)	382	11	70	48	420	0.9	0.9	0	5.9	5.8	0
Cardiovascular disease (390-459)	24,163	3,387	8,297	37,792	94,037	606.7	614.2	0	1385.2	1427.7	0
..Diseases of the heart (390-398,402,404-429)	19,248	2,883	6,947	31,397	79,012	507.4	508.6	0	1168.9	1194.5	0
...Heart disease-related (390-398,402,404-429)	31,791	5,161	11,977	64,754	147,514	1045.7	1050.7	0	2182.4	2214.1	0
....Coronary heart disease (CHD) (402,410-414,429.2)	14,187	2,047	5,112	18,987	53,654	307.9	309.4	0	794.4	813.5	0
....Congestive heart failure (CHF) (428.0)	878	40	164	372	1,297	6.4	9.7	0	19.0	20.6	0
..Hypertension with or without renal disease (401,403)	257	36	86	420	1,040	6.4	4.9	0	14.9	12.6	0
...Hypertension-related (401,403)	3,257	445	1,202	4,268	12,245	68.3	76.1	0	178.8	198.8	0
..Cerebrovascular disease (430-438)	3,433	342	888	4,471	10,136	69.0	73.0	0	145.5	157.0	0
..Atherosclerosis (440)	416	20	68	150	565	2.6	4.3	0	8.4	10.1	0
...Atherosclerosis-related (440)	2,030	93	380	703	2,870	12.1	13.7	0	42.1	50.7	0
..Aortic aneurysm (441)	428	46	179	544	1,587	8.7	7.7	0	22.7	21.8	0
Pneumonia & influenza (480-487)	2,232	178	415	3,086	5,854	52.8	60.7	0	89.7	104.6	0
Chronic obstructive pulmonary disease (COPD) (490-496)	2,140	211	839	1,800	6,795	30.0	36.9	0	98.3	110.3	0
..COPD-related (490-496)	4,915	524	1,903	4,221	15,694	71.1	78.6	0	229.5	248.4	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (&lt;15).

CONNECTICUT Resident DEATHS, 1991-1992  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1991-1992			Years of life lost, 1991-1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991-1992	1989-1990	Significance	1991-1992	1989-1990	Significance
*****Causes of Death*****											
..Asthma (493)	86	28	53	585	998	9.5	10.9	0	14.8	17.2	0
Chronic liver disease and cirrhosis (571)	588	326	477	4,810	8,828	68.9	71.6	0	122.5	132.0	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	642	101	238	1,397	2,984	20.8	20.4	0	41.9	41.5	0
..Nephritis-related (580-589)	3,275	580	1,365	8,038	17,366	124.4	132.9	0	250.0	271.4	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	720	113	268	1,507	3,314	22.3	20.4	0	46.5	42.5	0
Unintentional injuries (E800-E949)	1,757	1,078	1,279	33,519	45,257	588.5	680.9	1	730.7	834.0	0
..Motor vehicle accidents (E810-E825)	658	534	588	18,277	23,882	336.9	439.6	1	406.1	526.5	1
..Falls and fall related injuries (E880-E888)	357	63	111	1,063	1,913	16.7	26.9	0	27.9	38.1	0
..Drowning (E830,E832,E910)	83	64	75	2,194	2,882	41.0	52.6	0	49.3	62.4	0
..Residential fires (E890-E899)	69	46	60	1,766	2,286	35.2	36.1	0	41.8	43.8	0
Suicide (E950-E959)	647	529	587	14,773	20,368	233.5	201.8	0	299.1	260.4	0
Homicide and legal intervention (E960-E978)	372	352	362	12,774	16,339	229.8	216.0	0	271.8	256.5	0
..Homicide (E960-E969)	370	350	360	12,719	16,264	229.0	215.7	0	270.8	256.1	0
All injury (E800-E999)	2,883	2,058	2,329	63,899	85,797	1091.5	1117.1	0	1351.8	1374.3	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	644	524	576	18,007	23,497	331.1	436.2	1	398.6	521.9	1
..All falls (E880-E886,E888,E957,E968.1,E987)	299	73	116	1,418	2,350	21.8	27.9	0	33.7	39.5	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	559	495	530	16,680	21,807	296.1	274.9	0	357.6	332.7	0
....Suicide (E955.0-.4)	288	232	263	6,775	9,253	108.8	89.7	0	138.0	114.7	0
....Homicide (E965.0-.4)	254	249	252	9,400	11,907	177.7	160.8	0	208.2	189.3	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	439	399	416	10,890	14,967	152.8	62.8	1	196.6	83.6	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	357	253	324	4,483	7,385	61.8	63.0	0	98.8	106.2	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	316	302	307	8,447	11,490	115.7	27.6	1	147.2	36.5	1

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1991-1992  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1991-1992			Years of life lost, 1991-1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991-1992	1989-1990	Significance	1991-1992	1989-1990	Significance
*****Causes of Death*****											
All causes	27,978	8,629	15,563	166,610	285,535	5534.6	5781.6	0	8851.4	9169.1	0
Infectious diseases and parasitic disease (1-139)	1,070	766	867	18,315	26,433	480.7	415.4	0	663.4	559.7	1
..Septicemia (038)	345	94	168	1,687	2,927	52.2	51.3	0	86.2	84.6	0
....Septicemia-related (038)	1,326	380	701	6,588	11,841	201.6	186.1	0	346.8	324.2	0
..HIV infection (042-044)	616	606	615	15,328	21,441	391.9	304.6	1	520.6	396.1	1
All cancer (140-208)	7,229	2,059	4,451	22,419	54,624	752.4	719.3	0	1718.1	1697.4	0
..Oral cavity or pharynx (140.0-149.9)	164	86	124	860	1,940	29.3	26.3	0	62.6	59.2	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	811	181	442	1,738	4,755	58.1	56.6	0	149.3	154.1	0
....Colon cancer (153)	662	146	360	1,395	3,840	46.8	42.6	0	120.9	122.7	0
....Rectal cancer (154)	137	33	78	338	880	11.1	13.2	0	27.3	28.9	0
..Pancreatic cancer (157)	307	82	197	720	2,068	24.9	31.5	0	66.1	87.1	0
..Lung and other respiratory cancer (160-165)	2,298	682	1,537	5,710	16,793	196.3	210.8	0	535.5	558.7	0
....Lung cancer (162.2-.9)	2,196	646	1,466	5,330	15,875	181.7	202.4	0	504.3	539.2	0
..Malignant melanoma of skin (172)	109	49	84	803	1,445	23.1	19.9	0	40.7	35.7	0
..Female breast cancer (174)	.	.	.	.	.	.	.	.	.	.	.
..Cervical cancer (180)	.	.	.	.	.	.	.	.	.	.	.
..Endometrial cancer (182)	.	.	.	.	.	.	.	.	.	.	.
..Ovarian cancer (183)	.	.	.	.	.	.	.	.	.	.	.
..Prostate cancer (185)	918	74	347	385	2,348	14.0	13.9	0	73.2	72.7	0
..Bladder cancer (188)	211	31	98	178	795	6.1	6.7	0	24.8	24.2	0
..Brain & other CNS cancer (191-192)	184	109	156	1,634	2,966	52.8	52.3	0	91.6	83.6	0
..Leukemia (204-208)	260	96	173	1,937	3,230	69.3	70.8	0	105.4	107.7	0
Diabetes mellitus (250)	447	137	265	1,593	3,568	50.1	43.1	0	108.2	99.5	0
..Diabetes-related (250)	2,087	443	1,111	4,388	11,958	140.5	141.0	0	366.0	377.5	0
..Diabetic ketoacidosis (DKA) (250.1)	8	2	3	80	103	.	.	.	.	.	.
Alzheimer's diseases (331.0)	143	7	33	23	223	0.8	1.2	0	6.8	6.7	0
Cardiovascular disease (390-459)	11,276	2,348	5,326	26,023	63,408	847.5	852.5	0	1959.3	1997.8	0
..Diseases of the heart (390-398,402,404-429)	9,272	2,058	4,564	22,285	54,715	728.7	739.9	0	1696.3	1735.9	0
....Heart disease-related (390-398,402,404-429)	15,360	3,472	7,501	43,305	96,768	1403.9	1353.1	0	2974.9	2923.8	0
....Coronary heart disease (CHD) (402,410-414,429.2)	7,018	1,541	3,484	14,645	39,317	483.5	481.4	0	1227.5	1237.4	0
....Congestive heart failure (CHF) (428.0)	313	24	77	195	683	6.3	13.7	0	20.9	28.2	0
..Hypertension with or without renal disease (401,403)	113	23	49	273	648	8.2	7.3	0	19.2	18.3	0
....Hypertension-related (401,403)	1,289	284	679	2,825	7,603	93.1	99.1	0	236.2	248.0	0
..Cerebrovascular disease (430-438)	1,322	187	476	2,502	5,574	78.0	74.8	0	166.8	165.0	0
..Atherosclerosis (440)	140	11	37	83	318	2.9	2.9	0	10.1	9.9	0
....Atherosclerosis-related (440)	800	56	238	415	1,790	14.5	14.1	0	55.9	60.7	0
..Aortic aneurysm (441)	249	34	128	414	1,184	14.1	10.3	0	36.7	32.5	0
Pneumonia & influenza (480-487)	987	116	259	2,178	3,911	74.8	59.5	0	123.7	118.7	0
Chronic obstructive pulmonary disease (COPD) (490-496)	1,111	114	455	922	3,650	31.6	35.0	0	113.1	117.6	0
..COPD-related (490-496)	2,635	299	1,069	2,302	8,842	80.6	87.5	0	277.9	290.7	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).



CONNECTICUT Resident DEATHS, 1991-1992  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1991-1992			Years of life lost, 1991-1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991-1992	1989-1990	Significance	1991-1992	1989-1990	Significance
*****Causes of Death*****											
..Asthma (493)	27	15	22	278	470	8.8	10.4	0	14.2	15.2	0
Chronic liver disease and cirrhosis (571)	371	229	313	3,383	6,078	100.6	101.8	0	176.5	186.6	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	333	65	139	915	1,885	27.4	27.4	0	54.9	51.9	0
..Nephritis-related (580-589)	1,718	358	792	5,067	10,552	153.0	168.6	0	309.0	340.4	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	372	71	157	970	2,075	29.1	27.0	0	60.5	52.6	0
Unintentional injuries (E800-E949)	1,136	818	940	25,693	34,478	889.3	1038.1	0	1103.7	1271.3	0
..Motor vehicle accidents (E810-E825)	450	391	419	13,624	17,679	496.6	659.1	1	597.0	788.7	1
..Falls and fall related injuries (E880-E888)	174	50	81	910	1,558	28.7	45.7	0	46.5	62.8	0
..Drowning (E830,E832,E910)	70	58	66	2,002	2,617	73.8	85.8	0	88.6	102.9	0
..Residential fires (E890-E899)	35	22	29	896	1,154	35.4	46.8	0	42.1	57.0	0
Suicide (E950-E959)	533	433	486	12,308	16,910	392.4	332.8	0	502.6	428.1	0
Homicide and legal intervention (E960-E978)	296	283	292	10,257	13,129	370.5	340.5	0	439.3	403.9	0
..Homicide (E960-E969)	294	281	290	10,202	13,054	368.9	340.5	0	437.3	403.9	0
All injury (E800-E999)	2,038	1,604	1,788	50,328	67,288	1712.1	1743.3	0	2120.2	2143.7	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	438	382	408	13,366	17,316	485.8	652.4	1	583.0	780.1	1
..All falls (E880-E886,E888,E957,E968.1,E987)	157	56	84	1,140	1,835	35.6	48.6	0	54.1	66.5	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	499	439	472	14,918	19,475	530.5	472.8	0	641.5	572.5	0
....Suicide (E955.0-.4)	262	208	238	6,135	8,365	199.2	152.7	0	253.1	196.4	0
....Homicide (E965.0-.4)	225	220	223	8,355	10,573	314.8	274.8	0	369.0	322.7	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	328	307	318	8,520	11,657	237.5	99.0	1	304.7	129.8	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	259	189	233	3,358	5,488	94.8	86.8	0	151.4	148.5	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	235	230	232	6,577	8,887	178.6	38.9	1	225.9	50.7	1

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1991-1992  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1991-1992			Years of life lost, 1991-1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991-1992	1989-1990	Significance	1991-1992	1989-1990	Significance
*****Causes of Death*****											
All causes	28,208	4,782	10,001	85,285	156,893	2886.4	3248.2	1	4706.9	5177.4	1
Infectious diseases and parasitic disease (1-139)	690	244	339	6,462	9,305	187.2	166.2	0	249.7	222.2	0
..Septicemia (038)	435	54	126	1,000	1,850	35.5	43.0	0	57.1	66.6	0
...Septicemia-related (038)	1,494	237	519	4,030	7,635	132.7	141.5	0	223.7	235.0	0
..HIV infection (042-044)	170	163	166	4,816	6,453	130.0	89.4	0	162.3	110.8	1
All cancer (140-208)	6,898	1,892	3,879	21,271	49,724	668.6	699.9	0	1421.4	1466.2	0
..Oral cavity or pharynx (140.0-149.9)	93	21	52	193	565	6.5	8.4	0	16.5	18.5	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	821	143	358	1,383	3,780	42.0	47.3	0	104.7	115.2	0
...Colon cancer (153)	681	112	294	1,085	3,035	32.9	42.7	0	83.6	101.4	0
...Rectal cancer (154)	126	29	59	253	673	8.0	4.5	0	19.3	13.2	0
..Pancreatic cancer (157)	419	70	187	560	1,813	17.3	17.0	0	50.2	46.5	0
..Lung and other respiratory cancer (160-165)	1,531	477	1,018	4,258	11,690	138.3	124.9	0	339.2	319.7	0
...Lung cancer (162.2-.9)	1,495	467	995	4,173	11,428	135.4	120.8	0	331.6	311.0	0
..Malignant melanoma of skin (172)	76	33	56	518	980	14.8	15.8	0	26.5	28.4	0
..Female breast cancer (174)	1,200	481	795	5,813	12,183	172.3	180.7	0	341.1	352.8	0
..Cervical cancer (180)	91	52	67	890	1,488	25.5	22.6	0	40.7	36.3	0
..Endometrial cancer (182)	83	16	50	95	430	3.4	3.4	0	12.4	12.3	0
..Ovarian cancer (183)	363	114	221	1,160	2,823	36.4	42.1	0	80.9	90.0	0
..Prostate cancer (185)	.	.	.	.	.	.	.	0	.	.	0
..Bladder cancer (188)	132	17	36	158	415	5.1	3.1	0	12.0	8.8	0
..Brain & other CNS cancer (191-192)	138	56	100	895	1,655	31.7	29.2	0	51.8	48.1	0
..Leukemia (204-208)	237	70	126	1,227	2,177	43.8	53.9	0	68.7	78.6	0
Diabetes mellitus (250)	560	94	226	1,080	2,570	32.4	29.0	0	70.8	69.9	0
..Diabetes-related (250)	2,541	325	945	2,978	9,063	91.7	101.1	0	249.1	274.6	0
..Diabetic ketoacidosis (DKA) (250.1)	5	5	5	128	178	.	.	0	.	.	0
Alzheimer's diseases (331.0)	239	4	37	25	198	0.9	0.6	0	5.1	5.0	0
Cardiovascular disease (390-459)	12,887	1,039	2,971	11,769	30,629	378.3	388.3	0	863.0	910.2	0
..Diseases of the heart (390-398,402,404-429)	9,976	825	2,383	9,112	24,297	297.7	289.2	0	689.0	701.8	0
...Heart disease-related (390-398,402,404-429)	16,431	1,689	4,476	21,449	50,746	703.6	764.1	0	1455.9	1569.9	0
....Coronary heart disease (CHD) (402,410-414,429.2)	7,169	506	1,628	4,342	14,337	142.3	147.8	0	401.5	430.1	0
....Congestive heart failure (CHF) (428.0)	565	16	87	177	615	6.6	5.7	0	17.4	13.4	0
..Hypertension with or without renal disease (401,403)	144	13	37	148	393	4.6	2.6	0	10.9	7.3	0
...Hypertension-related (401,403)	1,968	161	523	1,443	4,643	44.6	54.3	0	126.3	153.6	0
..Cerebrovascular disease (430-438)	2,111	155	412	1,970	4,562	60.3	71.2	0	126.3	150.1	0
..Atherosclerosis (440)	276	9	31	68	248	2.3	5.7	0	7.1	10.6	0
...Atherosclerosis-related (440)	1,230	37	142	288	1,080	9.9	13.5	0	30.4	42.6	0
..Aortic aneurysm (441)	179	12	51	130	403	3.4	5.1	0	10.0	12.6	0
Pneumonia & influenza (480-487)	1,245	62	156	908	1,943	30.6	63.1	0	56.9	94.0	0
Chronic obstructive pulmonary disease (COPD) (490-496)	1,029	97	384	878	3,145	28.5	38.7	0	85.9	105.0	0
..COPD-related (490-496)	2,280	225	834	1,920	6,852	62.1	69.8	0	187.9	212.4	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1991-1992  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1991-1992			Years of life lost, 1991-1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991-1992	1989-1990	Significance	1991-1992	1989-1990	Significance
*****Causes of Death*****											
..Asthma (493)	59	13	31	308	528	10.1	11.2	0	15.4	18.9	0
Chronic liver disease and cirrhosis (571)	217	97	164	1,428	2,750	38.6	42.8	0	71.6	80.8	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	309	36	99	482	1,100	14.3	13.5	0	29.8	31.3	0
..Nephritis-related (580-589)	1,557	222	573	2,971	6,814	97.2	98.8	0	196.0	207.7	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	348	42	111	537	1,240	15.8	13.9	0	33.5	32.8	0
Unintentional injuries (E800-E949)	621	260	339	7,826	10,779	281.9	317.1	0	353.5	391.4	0
..Motor vehicle accidents (E810-E825)	208	143	169	4,654	6,204	172.6	214.9	0	210.5	259.1	0
..Falls and fall related injuries (E880-E888)	183	13	30	153	355	4.7	7.6	0	10.0	13.4	0
..Drowning (E830,E832,E910)	13	6	9	192	265	.	18.7	.	.	21.4	.
..Residential fires (E890-E899)	34	24	31	870	1,133	34.9	25.0	0	41.4	30.5	0
Suicide (E950-E959)	114	96	101	2,465	3,458	73.1	70.0	0	95.6	93.5	0
Homicide and legal intervention (E960-E978)	76	69	70	2,518	3,210	84.6	88.3	0	99.7	105.8	0
..Homicide (E960-E969)	76	69	70	2,518	3,210	84.6	87.7	0	99.7	105.0	0
All injury (E800-E999)	845	454	541	13,571	18,509	459.0	480.3	0	574.3	597.1	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	206	142	168	4,641	6,181	172.1	214.9	0	209.8	258.7	0
..All falls (E880-E886,E888,E957,E968.1,E987)	142	17	32	278	515	7.8	6.9	0	13.7	12.6	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	60	56	58	1,762	2,332	55.3	72.7	0	67.8	89.1	0
....Suicide (E955.0-.4)	26	24	25	640	888	17.2	26.3	0	22.5	33.4	0
....Homicide (E965.0-.4)	29	29	29	1,045	1,335	35.7	43.6	0	42.1	52.4	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	111	92	98	2,370	3,310	68.8	26.6	1	89.8	37.8	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	98	64	91	1,125	1,898	30.0	40.2	0	48.8	66.4	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	81	72	75	1,870	2,603	53.2	16.4	1	69.3	22.6	1

\* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1991-1992  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1991-1992			Years of life lost, 1991-1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991-1992	1989-1990	Significance	1991-1992	1989-1990	Significance
*****Causes of Death*****											
All causes	56,186	13,411	25,564	251,895	442,427	4405.1	4647.0	1	7082.9	7403.6	1
Infectious diseases and parasitic disease (1-139)	1,760	1,010	1,206	24,777	35,737	406.6	338.8	1	549.6	453.5	1
..Septicemia (038)	780	148	294	2,687	4,777	46.8	50.8	0	76.2	81.1	0
...Septicemia-related (038)	2,820	617	1,220	10,618	19,475	187.0	184.2	0	313.3	308.1	0
..HIV infection (042-044)	786	769	781	20,144	27,894	326.4	241.1	1	424.3	309.5	1
All cancer (140-208)	14,127	3,951	8,330	43,690	104,347	817.6	815.4	0	1718.7	1727.3	0
..Oral cavity or pharynx (140.0-149.9)	257	107	176	1,053	2,505	20.8	20.4	0	43.3	42.5	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	1,632	324	800	3,120	8,535	58.9	61.4	0	139.4	147.5	0
...Colon cancer (153)	1,343	258	654	2,480	6,875	46.7	50.6	0	111.9	122.9	0
...Rectal cancer (154)	263	62	137	590	1,553	11.5	10.3	0	25.9	23.0	0
..Pancreatic cancer (157)	726	152	384	1,280	3,880	24.4	28.1	0	63.0	71.8	0
..Lung and other respiratory cancer (160-165)	3,829	1,159	2,555	9,968	28,483	192.9	190.7	0	470.7	468.8	0
...Lung cancer (162.2-.9)	3,691	1,113	2,461	9,503	27,303	183.5	183.9	0	450.4	454.0	0
..Malignant melanoma of skin (172)	185	82	140	1,320	2,425	23.4	22.5	0	39.4	38.0	0
..Female breast cancer (174)	1,200	481	795	5,813	12,183	.	.	.	.	.	.
..Cervical cancer (180)	91	52	67	890	1,488	.	.	.	.	.	.
..Endometrial cancer (182)	83	16	50	95	430	.	.	.	.	.	.
..Ovarian cancer (183)	363	114	221	1,160	2,823	.	.	.	.	.	.
..Prostate cancer (185)	918	74	347	385	2,348	.	.	.	.	.	.
..Bladder cancer (188)	343	48	134	335	1,210	6.4	5.5	0	19.2	17.0	0
..Brain & other CNS cancer (191-192)	322	165	256	2,529	4,621	45.9	43.3	0	77.0	69.7	0
..Leukemia (204-208)	497	166	299	3,164	5,407	57.5	64.1	0	89.5	96.3	0
Diabetes mellitus (250)	1,007	231	491	2,673	6,138	48.6	43.1	0	99.5	94.3	0
..Diabetes-related (250)	4,628	768	2,056	7,365	21,020	135.6	140.9	0	335.1	354.2	0
..Diabetic ketoacidosis (DKA) (250.1)	13	7	8	208	280	.	.	.	.	.	.
Alzheimer's diseases (331.0)	382	11	70	48	420	0.9	0.9	0	6.1	5.9	0
Cardiovascular disease (390-459)	24,163	3,387	8,297	37,792	94,037	696.7	700.9	0	1522.5	1561.9	0
..Diseases of the heart (390-398,402,404-429)	19,248	2,883	6,947	31,397	79,012	580.0	578.0	0	1279.7	1302.2	0
...Heart disease-related (390-398,402,404-429)	31,791	5,161	11,977	64,754	147,514	1175.7	1172.4	0	2381.6	2404.5	0
....Coronary heart disease (CHD) (402,410-414,429.2)	14,187	2,047	5,112	18,987	53,654	361.1	361.2	0	875.1	893.0	0
....Congestive heart failure (CHF) (428.0)	878	40	164	372	1,297	6.6	9.3	0	19.8	20.6	0
..Hypertension with or without renal disease (401,403)	257	36	86	420	1,040	7.6	5.7	0	16.6	14.0	0
...Hypertension-related (401,403)	3,257	445	1,202	4,268	12,245	80.8	88.7	0	198.0	218.3	0
..Cerebrovascular disease (430-438)	3,433	342	888	4,471	10,136	81.7	85.9	0	164.9	176.5	0
..Atherosclerosis (440)	416	20	68	150	565	3.0	4.5	0	9.1	10.6	0
...Atherosclerosis-related (440)	2,030	93	380	703	2,870	13.8	14.8	0	45.6	53.3	0
..Aortic aneurysm (441)	428	46	179	544	1,587	9.5	8.1	0	24.3	22.7	0
Pneumonia & influenza (480-487)	2,232	178	415	3,086	5,854	55.6	64.3	0	95.1	111.2	0
Chronic obstructive pulmonary disease (COPD) (490-496)	2,140	211	839	1,800	6,795	32.5	40.1	0	103.7	116.6	0
..COPD-related (490-496)	4,915	524	1,903	4,221	15,694	77.9	85.1	0	243.3	261.9	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1991-1992  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1991-1992			Years of life lost, 1991-1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991-1992	1989-1990	Significance	1991-1992	1989-1990	Significance
*****Causes of Death*****											
..Asthma (493)	86	28	53	585	998	9.9	11.8	0	15.5	18.6	0
Chronic liver disease and cirrhosis (571)	588	326	477	4,810	8,828	87.3	90.2	0	147.2	157.2	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	642	101	238	1,397	2,984	24.7	22.2	0	47.6	44.1	0
..Nephritis-related (580-589)	3,275	580	1,365	8,038	17,366	142.9	155.4	0	277.4	304.0	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	720	113	268	1,507	3,314	26.6	22.4	0	52.6	45.4	0
Unintentional injuries (E800-E949)	1,757	1,078	1,279	33,519	45,257	572.0	643.3	0	717.3	795.6	0
..Motor vehicle accidents (E810-E825)	658	534	588	18,277	23,882	312.0	405.7	1	378.7	489.0	1
..Falls and fall related injuries (E880-E888)	357	63	111	1,063	1,913	18.1	25.4	0	30.0	36.8	0
..Drowning (E830,E832,E910)	83	64	75	2,194	2,882	38.5	49.0	0	46.8	58.8	0
..Residential fires (E890-E899)	69	46	60	1,766	2,286	31.2	32.5	0	37.6	40.1	0
Suicide (E950-E959)	647	529	587	14,773	20,368	245.6	213.1	0	316.3	276.6	0
Homicide and legal intervention (E960-E978)	372	352	362	12,774	16,339	214.6	202.2	0	254.9	241.6	0
..Homicide (E960-E969)	370	350	360	12,719	16,264	213.8	201.8	0	253.8	241.0	0
All injury (E800-E999)	2,883	2,058	2,329	63,899	85,797	1078.5	1079.5	0	1347.1	1340.4	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	644	524	576	18,007	23,497	307.0	402.5	1	372.1	484.7	1
..All falls (E880-E886,E888,E957,E968.1,E987)	299	73	116	1,418	2,350	23.8	26.9	0	36.5	38.7	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	559	495	530	16,680	21,807	281.6	263.3	0	342.3	321.1	0
....Suicide (E955.0-.4)	288	232	263	6,775	9,253	111.6	93.6	0	142.4	120.5	0
....Homicide (E965.0-.4)	254	249	252	9,400	11,907	161.5	147.8	0	189.8	174.6	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	439	399	416	10,890	14,967	178.7	71.5	1	230.1	95.0	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	357	253	324	4,483	7,385	79.0	79.5	0	121.5	128.3	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	316	302	307	8,447	11,490	137.1	34.6	1	174.6	45.4	1

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1991-1992  
Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
for selected causes of death by sex of decedent  
\*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1991-1992			Years of life lost, 1991-1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991-1992	1989-1990	Significance	1991-1992	1989-1990	Significance
*****Causes of Death*****											
All causes	27,978	8,629	15,563	166,610	285,535	5837.0	6001.0	0	9354.1	9571.8	0
Infectious diseases and parasitic disease (1-139)	1,070	766	867	18,315	26,433	610.1	497.9	1	829.7	667.5	1
..Septicemia (038)	345	94	168	1,687	2,927	59.2	56.2	0	96.3	92.2	0
...Septicemia-related (038)	1,326	380	701	6,588	11,841	234.2	213.2	0	393.1	362.7	0
..HIV infection (042-044)	616	606	615	15,328	21,441	506.5	382.0	1	666.6	494.9	1
All cancer (140-208)	7,229	2,059	4,451	22,419	54,624	853.8	817.4	0	1872.0	1846.1	0
..Oral cavity or pharynx (140.0-149.9)	164	86	124	860	1,940	34.8	31.2	0	70.3	66.1	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	811	181	442	1,738	4,755	67.6	66.3	0	164.1	169.0	0
...Colon cancer (153)	662	146	360	1,395	3,840	54.0	49.9	0	132.2	134.0	0
...Rectal cancer (154)	137	33	78	338	880	13.5	15.4	0	30.8	32.2	0
..Pancreatic cancer (157)	307	82	197	720	2,068	28.8	36.8	0	72.3	95.2	0
..Lung and other respiratory cancer (160-165)	2,298	682	1,537	5,710	16,793	226.5	241.5	0	581.2	605.0	0
...Lung cancer (162.2-.9)	2,196	646	1,466	5,330	15,875	210.7	232.8	0	547.8	585.0	0
..Malignant melanoma of skin (172)	109	49	84	803	1,445	28.9	24.9	0	48.5	42.4	0
..Female breast cancer (174)	.	.	.	.	.	.	.	.	.	.	.
..Cervical cancer (180)	.	.	.	.	.	.	.	.	.	.	.
..Endometrial cancer (182)	.	.	.	.	.	.	.	.	.	.	.
..Ovarian cancer (183)	.	.	.	.	.	.	.	.	.	.	.
..Prostate cancer (185)	918	74	347	385	2,348	15.0	14.4	0	76.6	75.3	0
..Bladder cancer (188)	211	31	98	178	795	6.7	7.6	0	26.0	25.7	0
..Brain & other CNS cancer (191-192)	184	109	156	1,634	2,966	60.1	55.9	0	102.0	89.3	0
..Leukemia (204-208)	260	96	173	1,937	3,230	70.6	71.4	0	108.9	110.0	0
Diabetes mellitus (250)	447	137	265	1,593	3,568	60.0	52.7	0	122.2	112.9	0
..Diabetes-related (250)	2,087	443	1,111	4,388	11,958	166.5	167.2	0	405.0	416.6	0
..Diabetic ketoacidosis (DKA) (250.1)	8	2	3	80	103	.	.	.	.	.	.
Alzheimer's diseases (331.0)	143	7	33	23	223	0.8	1.2	0	7.0	6.9	0
Cardiovascular disease (390-459)	11,276	2,348	5,326	26,023	63,408	986.9	982.2	0	2168.4	2194.5	0
..Diseases of the heart (390-398,402,404-429)	9,272	2,058	4,564	22,285	54,715	846.8	849.8	0	1872.5	1902.6	0
...Heart disease-related (390-398,402,404-429)	15,360	3,472	7,501	43,305	96,768	1606.2	1536.1	0	3277.7	3202.9	0
....Coronary heart disease (CHD) (402,410-414,429.2)	7,018	1,541	3,484	14,645	39,317	572.2	567.4	0	1359.5	1366.5	0
....Congestive heart failure (CHF) (428.0)	313	24	77	195	683	7.3	12.8	0	22.6	27.8	0
..Hypertension with or without renal disease (401,403)	113	23	49	273	648	9.8	8.6	0	21.4	20.3	0
...Hypertension-related (401,403)	1,289	284	679	2,825	7,603	109.6	116.9	0	261.0	274.3	0
..Cerebrovascular disease (430-438)	1,322	187	476	2,502	5,574	93.5	88.1	0	190.3	184.9	0
..Atherosclerosis (440)	140	11	37	83	318	3.3	3.2	0	10.8	10.5	0
...Atherosclerosis-related (440)	800	56	238	415	1,790	16.6	15.5	0	60.3	63.9	0
..Aortic aneurysm (441)	249	34	128	414	1,184	15.0	10.9	0	38.8	33.8	0
Pneumonia & influenza (480-487)	987	116	259	2,178	3,911	78.3	67.8	0	130.8	131.4	0
Chronic obstructive pulmonary disease (COPD) (490-496)	1,111	114	455	922	3,650	33.9	36.7	0	118.8	122.7	0
..COPD-related (490-496)	2,635	299	1,069	2,302	8,842	87.1	93.6	0	292.4	305.7	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1991-1992  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1991-1992			Years of life lost, 1991-1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991-1992	1989-1990	Significance	1991-1992	1989-1990	Significance
*****Causes of Death*****											
..Asthma (493)	27	15	22	278	470	9.3	11.0	0	14.8	16.2	0
Chronic liver disease and cirrhosis (571)	371	229	313	3,383	6,078	127.3	128.0	0	212.4	221.8	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	333	65	139	915	1,885	32.9	29.4	0	62.6	54.8	0
..Nephritis-related (580-589)	1,718	358	792	5,067	10,552	181.0	201.2	0	349.2	387.0	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	372	71	157	970	2,075	34.9	29.4	0	68.8	56.1	0
Unintentional injuries (E800-E949)	1,136	818	940	25,693	34,478	868.7	990.2	0	1088.4	1224.1	0
..Motor vehicle accidents (E810-E825)	450	391	419	13,624	17,679	458.7	612.3	1	554.9	737.0	1
..Falls and fall related injuries (E880-E888)	174	50	81	910	1,558	30.9	43.3	0	49.5	60.8	0
..Drowning (E830,E832,E910)	70	58	66	2,002	2,617	69.6	81.0	0	84.7	98.3	0
..Residential fires (E890-E899)	35	22	29	896	1,154	31.1	41.3	0	37.5	51.0	0
Suicide (E950-E959)	533	433	486	12,308	16,910	409.7	350.4	0	527.7	453.3	0
Homicide and legal intervention (E960-E978)	296	283	292	10,257	13,129	343.2	315.8	0	408.4	376.6	0
..Homicide (E960-E969)	294	281	290	10,202	13,054	341.5	315.8	0	406.2	376.6	0
All injury (E800-E999)	2,038	1,604	1,788	50,328	67,288	1689.9	1692.2	0	2110.2	2099.3	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	438	382	408	13,366	17,316	449.4	606.0	1	542.7	728.8	1
..All falls (E880-E886,E888,E957,E968.1,E987)	157	56	84	1,140	1,835	38.3	46.9	0	57.9	65.3	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	499	439	472	14,918	19,475	501.0	449.5	0	609.6	548.4	0
....Suicide (E955.0-.4)	262	208	238	6,135	8,365	202.1	158.7	0	258.4	205.7	0
....Homicide (E965.0-.4)	225	220	223	8,355	10,573	284.4	250.3	0	334.1	294.8	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	328	307	318	8,520	11,657	279.9	112.5	1	359.5	147.4	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	259	189	233	3,358	5,488	121.2	109.7	0	186.3	179.1	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	235	230	232	6,577	8,887	213.2	49.8	1	270.0	64.3	1

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1991-1992  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1991-1992			Years of life lost, 1991-1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991-1992	1989-1990	Significance	1991-1992	1989-1990	Significance
*****Causes of Death*****											
All causes	28,208	4,782	10,001	85,285	156,893	2988.8	3309.3	1	4907.7	5334.3	1
Infectious diseases and parasitic disease (1-139)	690	244	339	6,462	9,305	209.3	183.4	0	279.3	246.0	0
..Septicemia (038)	435	54	126	1,000	1,850	35.1	45.7	0	57.4	71.0	0
...Septicemia-related (038)	1,494	237	519	4,030	7,635	141.7	156.6	0	238.6	257.8	0
..HIV infection (042-044)	170	163	166	4,816	6,453	151.4	103.8	1	189.6	129.2	1
All cancer (140-208)	6,898	1,892	3,879	21,271	49,724	782.4	814.4	0	1585.1	1629.9	0
..Oral cavity or pharynx (140.0-149.9)	93	21	52	193	565	7.5	10.1	0	18.1	20.8	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	821	143	358	1,383	3,780	50.7	56.7	0	117.3	128.9	0
...Colon cancer (153)	681	112	294	1,085	3,035	39.7	51.3	0	93.6	113.9	0
...Rectal cancer (154)	126	29	59	253	673	9.6	5.3	0	21.5	14.4	0
..Pancreatic cancer (157)	419	70	187	560	1,813	20.3	20.0	0	54.5	51.0	0
..Lung and other respiratory cancer (160-165)	1,531	477	1,018	4,258	11,690	161.3	142.9	0	373.1	346.7	0
...Lung cancer (162.2-.9)	1,495	467	995	4,173	11,428	158.0	137.9	0	364.8	336.8	0
..Malignant melanoma of skin (172)	76	33	56	518	980	18.0	20.1	0	30.8	34.0	0
..Female breast cancer (174)	1,200	481	795	5,813	12,183	213.9	224.5	0	397.8	411.9	0
..Cervical cancer (180)	91	52	67	890	1,488	32.4	29.0	0	50.2	44.8	0
..Endometrial cancer (182)	83	16	50	95	430	3.6	3.8	0	12.8	12.8	0
..Ovarian cancer (183)	363	114	221	1,160	2,823	42.6	48.3	0	89.8	99.3	0
..Prostate cancer (185)	.	.	.	.	.	.	.	.	.	.	.
..Bladder cancer (188)	132	17	36	158	415	6.1	3.4	0	13.5	9.5	0
..Brain & other CNS cancer (191-192)	138	56	100	895	1,655	32.4	31.0	0	53.5	50.9	0
..Leukemia (204-208)	237	70	126	1,227	2,177	44.4	56.9	0	70.8	83.4	0
Diabetes mellitus (250)	560	94	226	1,080	2,570	37.7	33.9	0	78.5	77.1	0
..Diabetes-related (250)	2,541	325	945	2,978	9,063	106.3	116.1	0	271.6	298.1	0
..Diabetic ketoacidosis (DKA) (250.1)	5	5	5	128	178	.	.	.	.	.	.
Alzheimer's diseases (331.0)	239	4	37	25	198	1.0	0.6	0	5.5	5.1	0
Cardiovascular disease (390-459)	12,887	1,039	2,971	11,769	30,629	420.8	433.9	0	932.9	986.0	0
..Diseases of the heart (390-398,402,404-429)	9,976	825	2,383	9,112	24,297	326.7	319.8	0	738.2	754.5	0
...Heart disease-related (390-398,402,404-429)	16,431	1,689	4,476	21,449	50,746	764.4	827.1	0	1557.7	1677.2	0
....Coronary heart disease (CHD) (402,410-414,429.2)	7,169	506	1,628	4,342	14,337	161.3	166.7	0	433.8	463.3	0
....Congestive heart failure (CHF) (428.0)	565	16	87	177	615	6.1	5.8	0	17.3	14.0	0
..Hypertension with or without renal disease (401,403)	144	13	37	148	393	5.4	2.9	0	12.2	8.1	0
...Hypertension-related (401,403)	1,968	161	523	1,443	4,643	53.4	61.9	0	140.2	166.5	0
..Cerebrovascular disease (430-438)	2,111	155	412	1,970	4,562	70.4	83.8	0	141.8	169.1	0
..Atherosclerosis (440)	276	9	31	68	248	2.6	5.9	0	7.6	11.1	0
...Atherosclerosis-related (440)	1,230	37	142	288	1,080	11.2	14.3	0	33.1	44.7	0
..Aortic aneurysm (441)	179	12	51	130	403	4.2	5.5	0	11.3	13.1	0
Pneumonia & influenza (480-487)	1,245	62	156	908	1,943	33.0	62.0	0	60.9	94.6	0
Chronic obstructive pulmonary disease (COPD) (490-496)	1,029	97	384	878	3,145	31.1	43.1	0	91.1	112.5	0
..COPD-related (490-496)	2,280	225	834	1,920	6,852	69.3	76.7	0	201.2	225.0	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).



CONNECTICUT Resident DEATHS, 1991-1992  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1991-1992			Years of life lost, 1991-1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991-1992	1989-1990	Significance	1991-1992	1989-1990	Significance
*****Causes of Death*****											
..Asthma (493)	59	13	31	308	528	10.5	12.4	0	16.1	20.7	0
Chronic liver disease and cirrhosis (571)	217	97	164	1,428	2,750	49.2	54.2	0	85.6	96.4	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	309	36	99	482	1,100	16.9	15.0	0	33.6	33.6	0
..Nephritis-related (580-589)	1,557	222	573	2,971	6,814	106.5	111.5	0	211.1	227.1	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	348	42	111	537	1,240	18.6	15.4	0	37.6	35.1	0
Unintentional injuries (E800-E949)	621	260	339	7,826	10,779	271.9	292.4	0	345.0	365.3	0
..Motor vehicle accidents (E810-E825)	208	143	169	4,654	6,204	162.0	195.4	0	199.4	237.7	0
..Falls and fall related injuries (E880-E888)	183	13	30	153	355	5.5	7.3	0	11.1	13.1	0
..Drowning (E830,E832,E910)	13	6	9	192	265	.	16.7	.	.	19.3	.
..Residential fires (E890-E899)	34	24	31	870	1,133	31.2	23.6	0	37.6	29.1	0
Suicide (E950-E959)	114	96	101	2,465	3,458	81.2	76.2	0	106.3	101.9	0
Homicide and legal intervention (E960-E978)	76	69	70	2,518	3,210	82.8	86.3	0	98.1	104.2	0
..Homicide (E960-E969)	76	69	70	2,518	3,210	82.8	85.3	0	98.1	103.0	0
All injury (E800-E999)	845	454	541	13,571	18,509	459.9	461.0	0	580.9	579.5	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	206	142	168	4,641	6,181	161.5	195.4	0	198.5	237.3	0
..All falls (E880-E886,E888,E957,E968.1,E987)	142	17	32	278	515	9.2	6.7	0	15.6	12.4	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	60	56	58	1,762	2,332	57.8	74.3	0	71.3	91.9	0
....Suicide (E955.0-.4)	26	24	25	640	888	20.5	28.5	0	26.8	36.3	0
....Homicide (E965.0-.4)	29	29	29	1,045	1,335	34.9	42.8	0	41.5	51.8	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	111	92	98	2,370	3,310	78.8	30.8	1	102.8	43.4	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	98	64	91	1,125	1,898	38.4	50.5	0	59.9	80.4	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	81	72	75	1,870	2,603	61.9	19.6	1	80.6	26.9	1

\* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).