

Connecticut Resident Age-Adjusted Rates for 62 Cause of Death Classifications by Sex Black Residents, 1995

Page

Connecticut Resident Age-Adjusted Mortality Rate (AAMR) Tables by Cause of Death and Sex, Black Residents, 1995

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

2

1970 standard population

4

2000 standard population

6

Connecticut Resident Age-Adjusted Years of Potential Life Lost Rate (YPLL) Tables by Cause of Death and Sex, Black Residents, 1995

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

8

1970 standard population

14

2000 standard population

20

CONNECTICUT Black Resident DEATHS, 1995
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1995*****				*****1995*****				*****1995*****						
	No. of deaths	Crude rate	AAMR	Significance	1994 AAMR	No. of deaths	Crude rate	AAMR	Significance	1994 AAMR	No. of deaths	Crude rate	AAMR	Significance	1994 AAMR
*****Causes of Death*****															
All causes	2,062	699.9	705.2	1	773.6	1,151	823.2	950.2	0	1054.5	911	588.6	514.4	0	555.2
Infectious diseases and parasitic disease (1-139)	321	109.0	107.1	0	96.4	199	142.3	150.2	0	151.2	122	78.8	71.6	0	51.1
..Septicemia (038)	44	14.9	14.8	0	12.5	17	12.2	14.9	0	.	27	17.4	14.1	0	13.2
....Septicemia-related (038)	144	48.9	48.6	0	49.2	62	44.3	51.6	0	58.2	82	53.0	45.8	0	42.6
..HIV infection (042-044)	248	84.2	82.2	0	76.0	163	116.6	121.1	0	127.1	85	54.9	50.9	0	33.3
All cancer (140-208)	385	130.7	141.1	1	173.1	222	158.8	200.3	0	230.1	163	105.3	98.8	0	132.7
..Oral cavity or pharynx (140.0-149.9)	7	2.4	.	.	.	6	4.3	.	.	.	1	0.6	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	32	10.9	11.1	0	16.4	15	10.7	13.5	0	23.6	17	11.0	9.8	0	10.8
....Colon cancer (153)	29	9.8	10.1	0	13.6	14	10.0	.	.	17.9	15	9.7	8.8	0	10.3
....Rectal cancer (154)	2	0.7	.	.	.	1	0.7	.	.	.	1	0.6	.	.	.
..Pancreatic cancer (157)	29	9.8	10.6	0	13.1	14	10.0	.	.	16.0	15	9.7	8.6	0	10.7
..Lung and other respiratory cancer (160-165)	103	35.0	39.0	0	46.0	72	51.5	66.1	0	71.8	31	20.0	18.8	0	27.5
....Lung cancer (162.2-.9)	94	31.9	35.3	0	42.2	65	46.5	59.4	0	64.3	29	18.7	17.5	0	26.3
..Malignant melanoma of skin (172)	1	0.3	.	.	.	1	0.7
..Female breast cancer (174)	35	35	22.6	22.4	0	31.4
..Cervical cancer (180)	4	4	2.6	.	.	.
..Endometrial cancer (182)	3	3	1.9	.	.	.
..Ovarian cancer (183)	4	4	2.6	.	.	.
..Prostate cancer (185)	40	40	28.6	36.6	0	30.5
..Bladder cancer (188)	6	2.0	.	.	.	2	1.4	.	.	.	4	2.6	.	.	.
..Brain & other CNS cancer (191-192)	6	2.0	.	.	.	5	3.6	.	.	.	1	0.6	.	.	.
..Leukemia (204-208)	13	4.4	.	.	.	6	4.3	.	.	.	7	4.5	.	.	.
Diabetes mellitus (250)	62	21.0	22.6	0	24.0	20	14.3	17.9	0	29.1	42	27.1	25.8	0	20.3
..Diabetes-related (250)	214	72.6	77.0	0	73.9	88	62.9	80.6	0	88.4	126	81.4	73.7	0	64.4
..Diabetic ketoacidosis (DKA) (250.1)	2	0.7	.	.	.	1	0.7	.	.	.	1	0.6	.	.	.
Alzheimer's diseases (331.0)	7	2.4	7	4.5	.	.	.
Cardiovascular disease (390-459)	678	230.1	228.9	0	246.5	335	239.6	291.3	0	333.3	343	221.6	182.0	0	183.9
..Diseases of the heart (390-398,402,404-429)	539	183.0	183.5	0	193.8	271	193.8	236.5	0	257.5	268	173.2	144.1	0	148.3
....Heart disease-related (390-398,402,404-429)	1,031	350.0	351.7	0	387.2	532	380.5	458.8	0	504.2	499	322.4	271.3	0	299.9
....Coronary heart disease (CHD) (402,410-414,429.2)	363	123.2	124.6	0	130.0	188	134.5	167.9	0	174.1	175	113.1	93.6	0	99.2
....Congestive heart failure (CHF) (428.0)	19	6.4	5.2	0	.	8	5.7	.	.	.	11	7.1	.	.	.
....Hypertension with or without renal disease (401,403)	15	5.1	5.3	0	.	6	4.3	.	.	.	9	5.8	.	.	.
....Hypertension-related (401,403)	148	50.2	51.4	0	61.4	67	47.9	61.2	0	76.8	81	52.3	43.7	0	49.3
..Cerebrovascular disease (430-438)	95	32.2	31.1	0	41.8	42	30.0	36.1	1	62.0	53	34.2	26.8	0	26.6
..Atherosclerosis (440)	10	3.4	.	.	.	4	2.9	.	.	.	6	3.9	.	.	.
....Atherosclerosis-related (440)	44	14.9	14.0	0	18.4	21	15.0	17.6	0	27.3	23	14.9	11.5	0	12.6
..Aortic aneurysm (441)	10	3.4	.	.	.	8	5.7	.	.	.	2	1.3	.	.	.
Pneumonia & influenza (480-487)	45	15.3	14.6	0	20.1	26	18.6	22.0	0	31.1	19	12.3	8.6	0	12.0

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1995 AAMR is significantly different (prob<0.05) from the 1994 AAMR.
 0 - The 1995 AAMR is not significantly different (prob>0.05) from the 1994 AAMR.

CONNECTICUT Black Resident DEATHS, 1995
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1995*****				*****1995*****				*****1995*****						
	No. of deaths	Crude rate	AAMR	Signif- icance	1994 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1994 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1994 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	32	10.9	11.2	0	13.7	19	13.6	17.4	0	21.7	13	8.4	.	.	.
..COPD-related (490-496)	95	32.2	33.6	0	38.3	58	41.5	52.6	0	54.9	37	23.9	21.1	0	27.0
..Asthma (493)	9	3.1	.	.	.	3	2.1	.	.	.	6	3.9	.	.	.
Chronic liver disease and cirrhosis (571)	22	7.5	7.8	0	7.5	15	10.7	12.7	0	.	7	4.5	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	38	12.9	13.0	0	12.9	18	12.9	15.1	0	13.8	20	12.9	11.5	0	11.5
..Nephritis-related (580-589)	176	59.7	60.5	0	58.9	81	57.9	67.8	0	78.1	95	61.4	56.5	0	44.7
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	49	16.6	16.8	0	16.5	26	18.6	21.8	0	17.9	23	14.9	13.2	0	14.7
Unintentional injuries (E800-E949)	112	38.0	38.7	0	37.3	86	61.5	65.0	0	57.3	26	16.8	17.1	0	20.0
..Motor vehicle accidents (E810-E825)	35	11.9	12.0	0	10.9	25	17.9	17.6	0	19.0	10	6.5	.	.	.
..Falls and fall related injuries (E880-E888)	4	1.4	.	.	.	2	1.4	.	.	.	2	1.3	.	.	.
..Drowning (E830,E832,E910)	4	1.4	.	.	.	3	2.1	.	.	.	1	0.6	.	.	.
..Residential fires (E890-E899)	6	2.0	.	.	.	4	2.9	.	.	.	2	1.3	.	.	.
Suicide (E950-E959)	14	4.8	.	.	7.2	10	7.2	.	.	13.0	4	2.6	.	.	.
Homicide and legal intervention (E960-E978)	70	23.8	24.7	0	31.6	59	42.2	43.0	0	51.9	11	7.1	.	.	11.6
..Homicide (E960-E969)	70	23.8	24.7	0	31.6	59	42.2	43.0	0	51.9	11	7.1	.	.	11.6
All injury (E800-E999)	196	66.5	68.2	0	76.4	155	110.9	114.9	0	122.3	41	26.5	27.6	0	34.2
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	34	11.5	11.7	0	10.9	24	17.2	17.0	0	19.0	10	6.5	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	3	1.0	.	.	.	2	1.4	.	.	.	1	0.6	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	59	20.0	21.3	0	30.7	50	35.8	36.9	0	55.8	9	5.8	.	.	.
....Suicide (E955.0-.4)	4	1.4	.	.	.	3	2.1	.	.	.	1	0.6	.	.	.
....Homicide (E965.0-.4)	54	18.3	19.4	0	25.0	46	32.9	34.1	0	45.3	8	5.2	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	38	12.9	12.8	0	10.1	34	24.3	24.7	0	14.0	4	2.6	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	18	6.1	6.7	0	.	14	10.0	.	.	.	4	2.6	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	43	14.6	14.4	0	10.7	37	26.5	26.5	0	15.3	6	3.9	.	.	.

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1995 AAMR is significantly different (prob<0.05) from the 1994 AAMR.
 0 - The 1995 AAMR is not significantly different (prob>0.05) from the 1994 AAMR.

CONNECTICUT Black Resident DEATHS, 1995
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

*****Causes of Death*****	Both Sexes					Male					Female				
	*****1995*****					*****1995*****					*****1995*****				
	No. of deaths	Crude rate	AAMR	Signif-icance	1994 AAMR	No. of deaths	Crude rate	AAMR	Signif-icance	1994 AAMR	No. of deaths	Crude rate	AAMR	Signif-icance	1994 AAMR
All causes	2,062	699.9	864.5	1	957.8	1,151	823.2	1129.8	0	1272.6	911	588.6	662.1	0	722.4
Infectious diseases and parasitic disease (1-139)	321	109.0	102.6	0	92.1	199	142.3	141.1	0	140.6	122	78.8	70.5	0	52.3
..Septicemia (038)	44	14.9	19.3	0	17.6	17	12.2	17.0	0	.	27	17.4	19.7	0	18.6
....Septicemia-related (038)	144	48.9	61.7	0	63.9	62	44.3	61.9	0	73.2	82	53.0	60.4	0	56.4
..HIV infection (042-044)	248	84.2	73.0	0	66.2	163	116.6	110.1	0	111.2	85	54.9	43.7	0	28.9
All cancer (140-208)	385	130.7	179.1	1	221.0	222	158.8	255.8	0	294.7	163	105.3	126.2	1	169.2
..Oral cavity or pharynx (140.0-149.9)	7	2.4	.	.	.	6	4.3	.	.	.	1	0.6	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	32	10.9	15.1	0	22.8	15	10.7	19.0	0	29.9	17	11.0	13.0	0	16.7
....Colon cancer (153)	29	9.8	13.5	0	19.5	14	10.0	.	.	23.6	15	9.7	11.4	0	15.9
....Rectal cancer (154)	2	0.7	.	.	.	1	0.7	.	.	.	1	0.6	.	.	.
..Pancreatic cancer (157)	29	9.8	13.9	0	17.8	14	10.0	.	.	19.7	15	9.7	12.1	0	15.5
..Lung and other respiratory cancer (160-165)	103	35.0	48.6	0	57.7	72	51.5	81.2	0	89.9	31	20.0	24.8	0	35.1
....Lung cancer (162.2-.9)	94	31.9	44.3	0	52.8	65	46.5	73.4	0	80.1	29	18.7	23.1	0	33.6
..Malignant melanoma of skin (172)	1	0.3	.	.	.	1	0.7
..Female breast cancer (174)	35	35	22.6	26.3	0	36.5
..Cervical cancer (180)	4	4	2.6	.	.	.
..Endometrial cancer (182)	3	3	1.9	.	.	.
..Ovarian cancer (183)	4	4	2.6	.	.	.
..Prostate cancer (185)	40	40	28.6	52.7	0	44.6
..Bladder cancer (188)	6	2.0	.	.	.	2	1.4	.	.	.	4	2.6	.	.	.
..Brain & other CNS cancer (191-192)	6	2.0	.	.	.	5	3.6	.	.	.	1	0.6	.	.	.
..Leukemia (204-208)	13	4.4	.	.	.	6	4.3	.	.	.	7	4.5	.	.	.
Diabetes mellitus (250)	62	21.0	29.3	0	33.1	20	14.3	23.1	0	38.5	42	27.1	33.3	0	29.5
..Diabetes-related (250)	214	72.6	102.7	0	101.3	88	62.9	104.4	0	121.6	126	81.4	99.8	0	88.8
..Diabetic ketoacidosis (DKA) (250.1)	2	0.7	.	.	.	1	0.7	.	.	.	1	0.6	.	.	.
Alzheimer's diseases (331.0)	7	2.4	7	4.5	.	.	.
Cardiovascular disease (390-459)	678	230.1	314.5	0	344.4	335	239.6	385.3	0	450.6	343	221.6	261.4	0	270.3
..Diseases of the heart (390-398,402,404-429)	539	183.0	249.9	0	271.4	271	193.8	311.0	0	350.0	268	173.2	204.8	0	217.2
....Heart disease-related (390-398,402,404-429)	1,031	350.0	461.1	0	517.3	532	380.5	581.9	0	651.8	499	322.4	370.9	0	419.6
....Coronary heart disease (CHD) (402,410-414,429.2)	363	123.2	172.9	0	186.5	188	134.5	226.3	0	243.6	175	113.1	135.0	0	148.4
....Congestive heart failure (CHF) (428.0)	19	6.4	8.0	0	.	8	5.7	.	.	.	11	7.1	.	.	.
....Hypertension with or without renal disease (401,403)	15	5.1	7.0	0	.	6	4.3	.	.	.	9	5.8	.	.	.
....Hypertension-related (401,403)	148	50.2	70.4	0	82.8	67	47.9	79.4	0	99.3	81	52.3	62.4	0	69.9
..Cerebrovascular disease (430-438)	95	32.2	44.5	0	56.0	42	30.0	49.1	0	79.4	53	34.2	39.9	0	38.8
..Atherosclerosis (440)	10	3.4	.	.	.	4	2.9	.	.	.	6	3.9	.	.	.
....Atherosclerosis-related (440)	44	14.9	21.0	0	30.6	21	15.0	26.1	0	44.0	23	14.9	17.9	0	22.3
..Aortic aneurysm (441)	10	3.4	.	.	.	8	5.7	.	.	.	2	1.3	.	.	.
Pneumonia & influenza (480-487)	45	15.3	19.7	0	26.2	26	18.6	26.3	0	40.1	19	12.3	13.9	0	16.7

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1995 AAMR is significantly different (prob<0.05) from the 1994 AAMR.
 0 - The 1995 AAMR is not significantly different (prob>0.05) from the 1994 AAMR.

CONNECTICUT Black Resident DEATHS, 1995
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes					Male					Female				
	*****1995*****					*****1995*****					*****1995*****				
	No. of deaths	Crude rate	AAMR	Signif- icance	1994 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1994 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1994 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	32	10.9	15.5	0	19.3	19	13.6	24.1	0	32.8	13	8.4	.	.	.
..COPD-related (490-496)	95	32.2	45.9	0	53.2	58	41.5	74.1	0	78.4	37	23.9	28.1	0	38.2
..Asthma (493)	9	3.1	.	.	.	3	2.1	.	.	.	6	3.9	.	.	.
Chronic liver disease and cirrhosis (571)	22	7.5	9.1	0	8.3	15	10.7	16.0	0	.	7	4.5	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	38	12.9	17.4	0	16.7	18	12.9	20.1	0	15.5	20	12.9	15.8	0	16.3
..Nephritis-related (580-589)	176	59.7	76.3	0	75.0	81	57.9	88.6	0	97.2	95	61.4	70.0	0	59.6
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	49	16.6	22.1	0	21.3	26	18.6	29.0	0	20.0	23	14.9	17.8	0	20.6
Unintentional injuries (E800-E949)	112	38.0	39.1	0	37.0	86	61.5	64.6	0	56.4	26	16.8	18.7	0	20.7
..Motor vehicle accidents (E810-E825)	35	11.9	11.3	0	10.2	25	17.9	15.9	0	18.3	10	6.5	.	.	.
..Falls and fall related injuries (E880-E888)	4	1.4	.	.	.	2	1.4	.	.	.	2	1.3	.	.	.
..Drowning (E830,E832,E910)	4	1.4	.	.	.	3	2.1	.	.	.	1	0.6	.	.	.
..Residential fires (E890-E899)	6	2.0	.	.	.	4	2.9	.	.	.	2	1.3	.	.	.
Suicide (E950-E959)	14	4.8	.	.	6.7	10	7.2	.	.	12.2	4	2.6	.	.	.
Homicide and legal intervention (E960-E978)	70	23.8	22.5	0	28.6	59	42.2	39.1	0	46.7	11	7.1	.	.	10.6
..Homicide (E960-E969)	70	23.8	22.5	0	28.6	59	42.2	39.1	0	46.7	11	7.1	.	.	10.6
All injury (E800-E999)	196	66.5	65.8	0	72.5	155	110.9	109.4	0	115.4	41	26.5	28.5	0	33.4
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	34	11.5	11.1	0	10.2	24	17.2	15.5	0	18.3	10	6.5	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	3	1.0	.	.	.	2	1.4	.	.	.	1	0.6	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	59	20.0	19.4	0	27.7	50	35.8	33.2	0	50.7	9	5.8	.	.	.
....Suicide (E955.0-.4)	4	1.4	.	.	.	3	2.1	.	.	.	1	0.6	.	.	.
....Homicide (E965.0-.4)	54	18.3	17.6	0	22.3	46	32.9	30.8	0	40.8	8	5.2	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	38	12.9	11.3	0	8.6	34	24.3	21.4	0	12.2	4	2.6	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	18	6.1	7.4	0	.	14	10.0	.	.	.	4	2.6	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	43	14.6	12.6	0	9.1	37	26.5	22.8	0	13.2	6	3.9	.	.	.

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1995 AAMR is significantly different (prob<0.05) from the 1994 AAMR.
 0 - The 1995 AAMR is not significantly different (prob>0.05) from the 1994 AAMR.

CONNECTICUT Black Resident DEATHS, 1995
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

*****Causes of Death*****	Both Sexes				Male				Female						
	*****1995*****				*****1995*****				*****1995*****						
	No. of deaths	Crude rate	AAMR	Significance	1994 AAMR	No. of deaths	Crude rate	AAMR	Significance	1994 AAMR	No. of deaths	Crude rate	AAMR	Significance	1994 AAMR
All causes	2,062	699.9	1095.7	1	1221.3	1,151	823.2	1397.8	1	1594.5	911	588.6	864.8	0	949.0
Infectious diseases and parasitic disease (1-139)	321	109.0	127.7	0	116.4	199	142.3	172.8	0	177.3	122	78.8	88.6	0	65.4
..Septicemia (038)	44	14.9	25.4	0	24.5	17	12.2	19.2	0	.	27	17.4	27.3	0	26.0
....Septicemia-related (038)	144	48.9	81.2	0	85.9	62	44.3	79.2	0	94.4	82	53.0	80.4	0	77.5
..HIV infection (042-044)	248	84.2	91.0	0	81.9	163	116.6	137.8	0	138.8	85	54.9	53.8	0	34.6
All cancer (140-208)	385	130.7	217.9	1	269.3	222	158.8	308.6	0	350.6	163	105.3	157.7	1	212.9
..Oral cavity or pharynx (140.0-149.9)	7	2.4	.	.	.	6	4.3	.	.	.	1	0.6	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	32	10.9	19.6	0	30.0	15	10.7	24.9	0	35.6	17	11.0	17.0	0	24.1
....Colon cancer (153)	29	9.8	17.5	0	26.1	14	10.0	.	.	28.6	15	9.7	14.4	0	22.8
....Rectal cancer (154)	2	0.7	.	.	.	1	0.7	.	.	.	1	0.6	.	.	.
..Pancreatic cancer (157)	29	9.8	17.4	0	22.5	14	10.0	.	.	22.4	15	9.7	16.0	0	20.8
..Lung and other respiratory cancer (160-165)	103	35.0	57.4	0	67.3	72	51.5	93.8	0	104.1	31	20.0	30.9	0	41.8
....Lung cancer (162.2-.9)	94	31.9	53.0	0	61.3	65	46.5	85.9	0	92.3	29	18.7	29.1	0	39.8
..Malignant melanoma of skin (172)	1	0.3	.	.	.	1	0.7
..Female breast cancer (174)	35	35	22.6	31.1	0	45.6
..Cervical cancer (180)	4	4	2.6	.	.	.
..Endometrial cancer (182)	3	3	1.9	.	.	.
..Ovarian cancer (183)	4	4	2.6	.	.	.
..Prostate cancer (185)	40	40	28.6	66.8	0	58.7
..Bladder cancer (188)	6	2.0	.	.	.	2	1.4	.	.	.	4	2.6	.	.	.
..Brain & other CNS cancer (191-192)	6	2.0	.	.	.	5	3.6	.	.	.	1	0.6	.	.	.
..Leukemia (204-208)	13	4.4	.	.	.	6	4.3	.	.	.	7	4.5	.	.	.
Diabetes mellitus (250)	62	21.0	36.1	0	44.0	20	14.3	28.5	0	51.4	42	27.1	40.8	0	39.1
..Diabetes-related (250)	214	72.6	129.0	0	132.1	88	62.9	125.9	0	160.1	126	81.4	128.2	0	115.4
..Diabetic ketoacidosis (DKA) (250.1)	2	0.7	.	.	.	1	0.7	.	.	.	1	0.6	.	.	.
Alzheimer's diseases (331.0)	7	2.4	7	4.5	.	.	.
Cardiovascular disease (390-459)	678	230.1	421.4	0	469.1	335	239.6	497.3	0	596.2	343	221.6	362.4	0	382.7
..Diseases of the heart (390-398,402,404-429)	539	183.0	331.6	0	368.0	271	193.8	398.0	0	463.2	268	173.2	281.6	0	303.8
....Heart disease-related (390-398,402,404-429)	1,031	350.0	605.3	1	689.6	532	380.5	735.7	0	849.3	499	322.4	505.6	0	574.7
....Coronary heart disease (CHD) (402,410-414,429.2)	363	123.2	229.6	0	255.2	188	134.5	290.0	0	326.2	175	113.1	186.6	0	209.9
....Congestive heart failure (CHF) (428.0)	19	6.4	12.7	0	.	8	5.7	.	.	.	11	7.1	.	.	.
....Hypertension with or without renal disease (401,403)	15	5.1	9.1	0	.	6	4.3	.	.	.	9	5.8	.	.	.
....Hypertension-related (401,403)	148	50.2	92.3	0	109.8	67	47.9	97.7	0	126.6	81	52.3	85.2	0	96.7
..Cerebrovascular disease (430-438)	95	32.2	61.5	0	75.0	42	30.0	65.0	0	101.3	53	34.2	56.7	0	56.2
..Atherosclerosis (440)	10	3.4	.	.	.	4	2.9	.	.	.	6	3.9	.	.	.
....Atherosclerosis-related (440)	44	14.9	30.1	0	45.1	21	15.0	37.8	0	63.3	23	14.9	25.6	0	34.7
..Aortic aneurysm (441)	10	3.4	.	.	.	8	5.7	.	.	.	2	1.3	.	.	.
Pneumonia & influenza (480-487)	45	15.3	27.5	0	37.2	26	18.6	33.4	0	56.0	19	12.3	21.6	0	25.1

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1995 AAMR is significantly different (prob<0.05) from the 1994 AAMR.
 0 - The 1995 AAMR is not significantly different (prob>0.05) from the 1994 AAMR.

CONNECTICUT Black Resident DEATHS, 1995
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes					Male					Female				
	*****1995*****					*****1995*****					*****1995*****				
	No. of deaths	Crude rate	AAMR	Signif- icance	1994 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1994 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1994 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	32	10.9	20.6	0	25.8	19	13.6	31.0	0	47.4	13	8.4	.	.	.
..COPD-related (490-496)	95	32.2	58.7	0	70.9	58	41.5	95.6	0	108.5	37	23.9	36.6	0	51.0
..Asthma (493)	9	3.1	.	.	.	3	2.1	.	.	.	6	3.9	.	.	.
Chronic liver disease and cirrhosis (571)	22	7.5	11.3	0	10.3	15	10.7	20.9	0	.	7	4.5	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	38	12.9	23.0	0	21.1	18	12.9	27.9	0	17.6	20	12.9	20.5	0	21.5
..Nephritis-related (580-589)	176	59.7	98.9	0	96.5	81	57.9	119.4	0	125.9	95	61.4	88.1	0	76.9
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	49	16.6	29.0	0	27.4	26	18.6	39.3	0	23.5	23	14.9	23.0	0	27.5
Unintentional injuries (E800-E949)	112	38.0	44.9	0	42.4	86	61.5	75.9	0	64.5	26	16.8	20.7	0	24.1
..Motor vehicle accidents (E810-E825)	35	11.9	12.1	0	10.5	25	17.9	17.9	0	19.3	10	6.5	.	.	.
..Falls and fall related injuries (E880-E888)	4	1.4	.	.	.	2	1.4	.	.	.	2	1.3	.	.	.
..Drowning (E830,E832,E910)	4	1.4	.	.	.	3	2.1	.	.	.	1	0.6	.	.	.
..Residential fires (E890-E899)	6	2.0	.	.	.	4	2.9	.	.	.	2	1.3	.	.	.
Suicide (E950-E959)	14	4.8	.	.	6.7	10	7.2	.	.	12.5	4	2.6	.	.	.
Homicide and legal intervention (E960-E978)	70	23.8	21.1	0	27.1	59	42.2	37.3	0	43.2	11	7.1	.	.	11.3
..Homicide (E960-E969)	70	23.8	21.1	0	27.1	59	42.2	37.3	0	43.2	11	7.1	.	.	11.3
All injury (E800-E999)	196	66.5	70.6	0	76.4	155	110.9	119.9	0	120.1	41	26.5	29.6	0	37.7
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	34	11.5	11.8	0	10.5	24	17.2	17.3	0	19.3	10	6.5	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	3	1.0	.	.	.	2	1.4	.	.	.	1	0.6	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	59	20.0	17.7	0	25.3	50	35.8	31.0	0	46.1	9	5.8	.	.	.
....Suicide (E955.0-.4)	4	1.4	.	.	.	3	2.1	.	.	.	1	0.6	.	.	.
....Homicide (E965.0-.4)	54	18.3	16.0	0	20.8	46	32.9	28.6	0	37.7	8	5.2	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	38	12.9	13.9	0	10.7	34	24.3	26.9	0	15.2	4	2.6	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	18	6.1	8.9	0	.	14	10.0	.	.	.	4	2.6	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	43	14.6	15.6	0	11.4	37	26.5	28.9	0	16.7	6	3.9	.	.	.

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1995 AAMR is significantly different (prob<0.05) from the 1994 AAMR.
 0 - The 1995 AAMR is not significantly different (prob>0.05) from the 1994 AAMR.

CONNECTICUT Black Resident DEATHS, 1995
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1995			Years of life lost, 1995		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995	1994	Signif- icance	1995	1994	Signif- icance
*****Causes of Death*****											
All causes	2,062	1,192	1,558	27,188	40,983	9716.8	11108.6	0	14411.7	16093.7	0
Infectious diseases and parasitic disease (1-139)	321	285	306	7,058	10,005	2408.7	2300.1	0	3299.9	3102.7	0
..Septicemia (038)	44	21	31	380	635	131.0	89.4	0	221.3	162.4	0
...Septicemia-related (038)	144	79	102	1,400	2,302	502.3	482.5	0	819.7	783.4	0
..HIV infection (042-044)	248	240	247	5,979	8,412	2039.2	2034.0	0	2760.6	2701.8	0
All cancer (140-208)	385	191	291	2,303	4,733	920.9	1078.2	0	1867.1	2188.5	0
..Oral cavity or pharynx (140.0-149.9)	7	6	6	135	195
..Colorectal cancer (153.0-154.3,154.8,159.0)	32	14	21	145	328	58.5	71.5	0	131.3	163.8	0
...Colon cancer (153)	29	13	20	143	315	57.3	49.5	0	125.7	121.9	0
...Rectal cancer (154)	2	1	1	3	13
..Pancreatic cancer (157)	29	12	20	125	280	51.4	55.7	0	113.1	133.6	0
..Lung and other respiratory cancer (160-165)	103	56	81	535	1,218	224.0	224.9	0	496.3	531.9	0
...Lung cancer (162.2-.9)	94	49	72	483	1,090	201.3	204.9	0	443.0	492.6	0
..Malignant melanoma of skin (172)	1	1	1	18	28
..Female breast cancer (174)	35	22	29	295	548
..Cervical cancer (180)	4	2	3	40	68
..Endometrial cancer (182)	3	1	3	3	28
..Ovarian cancer (183)	4	2	3	10	33
..Prostate cancer (185)	40	10	25	40	223
..Bladder cancer (188)	6	1	1	3	13
..Brain & other CNS cancer (191-192)	6	5	6	98	155
..Leukemia (204-208)	13	6	10	145	230
Diabetes mellitus (250)	62	29	46	318	685	128.9	112.7	0	273.3	242.3	0
..Diabetes-related (250)	214	91	147	853	2,068	355.0	339.6	0	842.4	747.1	0
..Diabetic ketoacidosis (DKA) (250.1)	2	1	1	33	43
Alzheimer's diseases (331.0)	7	.	1	0	8
Cardiovascular disease (390-459)	678	256	426	3,902	7,347	1471.4	1489.0	0	2766.1	2871.0	0
..Diseases of the heart (390-398,402,404-429)	539	208	345	3,217	6,025	1219.2	1118.0	0	2275.0	2204.9	0
...Heart disease-related (390-398,402,404-429)	1,031	477	705	8,210	14,145	3019.9	3121.5	0	5177.6	5394.7	0
....Coronary heart disease (CHD) (402,410-414,429.2)	363	122	228	1,380	3,160	556.8	571.6	0	1254.4	1258.6	0
....Congestive heart failure (CHF) (428.0)	19	8	8	212	292	74.8	.	0	100.4	.	0
..Hypertension with or without renal disease (401,403)	15	6	11	75	158	28.7	.	0	60.9	.	0
...Hypertension-related (401,403)	148	55	97	623	1,388	248.5	366.0	0	548.0	733.6	0
..Cerebrovascular disease (430-438)	95	32	54	435	865	159.6	293.9	0	321.4	542.5	0
..Atherosclerosis (440)	10	3	5	33	68
...Atherosclerosis-related (440)	44	13	22	153	320	57.2	7.2	1	121.2	60.5	0
..Aortic aneurysm (441)	10	3	6	58	100
Pneumonia & influenza (480-487)	45	23	28	348	595	126.3	258.7	0	214.9	372.9	0
Chronic obstructive pulmonary disease (COPD) (490-496)	32	15	19	143	308	58.2	100.3	0	123.8	170.2	0
..COPD-related (490-496)	95	35	61	363	853	141.4	255.4	0	334.3	455.7	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1995
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1995			Years of life lost, 1995		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995	1994	Signif- icance	1995	1994	Signif- icance
*****Causes of Death*****											
..Asthma (493)	9	5	6	73	125
Chronic liver disease and cirrhosis (571)	22	15	17	268	433	101.2	92.6	0	159.6	150.2	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	38	18	25	230	448	86.9	97.6	0	169.3	175.2	0
..Nephritis-related (580-589)	176	94	127	1,624	2,742	590.2	578.7	0	990.4	926.5	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	49	23	32	333	615	121.0	151.7	0	225.4	250.4	0
Unintentional injuries (E800-E949)	112	93	106	2,622	3,609	934.6	1037.8	0	1237.7	1331.2	0
..Motor vehicle accidents (E810-E825)	35	32	35	1,052	1,385	376.6	358.2	0	473.3	447.1	0
..Falls and fall related injuries (E880-E888)	4	1	2	13	25
..Drowning (E830,E832,E910)	4	3	3	125	155
..Residential fires (E890-E899)	6	3	5	98	143
Suicide (E950-E959)	14	14	14	400	540	.	274.6	.	.	331.5	.
Homicide and legal intervention (E960-E978)	70	69	70	2,709	3,401	1029.8	1326.2	0	1228.9	1575.0	0
..Homicide (E960-E969)	70	69	70	2,709	3,401	1029.8	1326.2	0	1228.9	1575.0	0
All injury (E800-E999)	196	176	190	5,730	7,550	2106.0	2648.4	0	2649.6	3249.9	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	34	31	34	1,020	1,342	366.9	358.2	0	461.3	447.1	0
..All falls (E880-E886,E888,E957,E968.1,E987)	3	1	2	13	25
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	59	59	59	2,282	2,872	882.6	1321.9	0	1056.6	1566.9	0
....Suicide (E955.0-.4)	4	4	4	110	150
....Homicide (E965.0-.4)	54	54	54	2,124	2,664	821.9	1064.6	0	980.1	1264.6	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	38	38	38	915	1,295	321.4	272.3	0	436.6	361.6	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	18	13	16	208	355	79.6	.	0	132.8	.	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	43	43	43	1,038	1,468	362.4	290.8	0	491.5	385.3	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1995
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Male										
	Number of Deaths, 1995			Years of life lost, 1995		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995	1994	Signif- icance	1995	1994	Signif- icance
*****Causes of Death*****											
All causes	1,151	761	964	17,137	25,794	13052.9	15303.8	0	19602.6	22283.6	0
Infectious diseases and parasitic disease (1-139)	199	185	197	4,327	6,232	3219.3	3527.8	0	4511.6	4798.3	0
..Septicemia (038)	17	11	16	173	305	136.7	.	0	245.8	.	0
...Septicemia-related (038)	62	41	52	703	1,170	549.5	485.8	0	919.5	845.1	0
..HIV infection (042-044)	163	157	162	3,680	5,272	2749.2	3226.6	0	3813.8	4345.3	0
All cancer (140-208)	222	114	177	1,320	2,798	1181.0	1147.5	0	2508.1	2596.9	0
..Oral cavity or pharynx (140.0-149.9)	6	5	5	128	178	.	.	0	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	15	7	11	53	143	49.0	121.0	0	133.8	269.2	0
...Colon cancer (153)	14	6	10	50	130	.	71.3	0	.	173.9	0
...Rectal cancer (154)	1	1	1	3	13	.	.	0	.	.	0
..Pancreatic cancer (157)	14	8	12	75	180	.	77.4	0	.	179.1	0
..Lung and other respiratory cancer (160-165)	72	43	59	418	933	393.9	336.0	0	865.1	805.7	0
...Lung cancer (162.2-.9)	65	37	52	373	825	349.4	307.1	0	761.3	740.7	0
..Malignant melanoma of skin (172)	1	1	1	18	28	.	.	0	.	.	0
..Female breast cancer (174)	0	.	.	0
..Cervical cancer (180)	0	.	.	0
..Endometrial cancer (182)	0	.	.	0
..Ovarian cancer (183)	0	.	.	0
..Prostate cancer (185)	40	10	25	40	223	42.6	47.7	0	219.7	181.8	0
..Bladder cancer (188)	2	.	.	0	0	.	.	0	.	.	0
..Brain & other CNS cancer (191-192)	5	4	5	55	103	.	.	0	.	.	0
..Leukemia (204-208)	6	2	5	30	68	.	.	0	.	.	0
Diabetes mellitus (250)	20	10	15	125	253	112.2	204.3	0	225.9	370.1	0
..Diabetes-related (250)	88	43	69	403	978	378.9	418.1	0	911.1	887.2	0
..Diabetic ketoacidosis (DKA) (250.1)	1	.	.	0	0	.	.	0	.	.	0
Alzheimer's diseases (331.0)	0	.	.	0
Cardiovascular disease (390-459)	335	156	246	2,543	4,558	2064.6	2058.7	0	3761.5	4023.5	0
..Diseases of the heart (390-398,402,404-429)	271	130	202	2,113	3,768	1715.8	1518.6	0	3114.0	3023.3	0
...Heart disease-related (390-398,402,404-429)	532	293	418	4,935	8,487	3935.8	4191.8	0	6865.0	7307.3	0
....Coronary heart disease (CHD) (402,410-414,429.2)	188	77	136	868	1,935	778.1	803.6	0	1736.9	1769.4	0
....Congestive heart failure (CHF) (428.0)	8	5	5	108	158	.	.	0	.	.	0
..Hypertension with or without renal disease (401,403)	6	3	5	58	93	.	.	0	.	.	0
...Hypertension-related (401,403)	67	30	53	340	758	313.0	491.3	0	689.3	999.4	0
..Cerebrovascular disease (430-438)	42	16	28	235	470	195.3	440.0	0	394.8	841.8	1
..Atherosclerosis (440)	4	2	2	30	50	.	.	0	.	.	0
...Atherosclerosis-related (440)	21	9	12	113	215	95.9	13.6	0	184.3	103.4	0
..Aortic aneurysm (441)	8	3	6	58	100	.	.	0	.	.	0
Pneumonia & influenza (480-487)	26	19	21	293	493	234.8	400.7	0	395.8	582.5	0
Chronic obstructive pulmonary disease (COPD) (490-496)	19	9	13	78	183	70.1	185.6	0	167.1	282.4	0
..COPD-related (490-496)	58	20	38	155	450	150.5	422.5	1	427.8	714.8	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1995
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Male										
	Number of Deaths, 1995			Years of life lost, 1995		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995	1994	Signif- icance	1995	1994	Signif- icance
*****Causes of Death*****											
..Asthma (493)	3	1	2	18	30
Chronic liver disease and cirrhosis (571)	15	10	11	140	248	117.9	.	0	207.2	.	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	18	12	13	160	283	134.3	162.2	0	238.3	262.9	0
..Nephritis-related (580-589)	81	46	58	797	1,312	625.0	831.5	0	1035.6	1310.7	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	26	15	18	223	390	180.8	223.0	0	319.7	353.8	0
Unintentional injuries (E800-E949)	86	74	83	2,032	2,820	1509.2	1539.7	0	2032.9	2003.2	0
..Motor vehicle accidents (E810-E825)	25	23	25	765	1,005	553.1	566.8	0	695.9	721.7	0
..Falls and fall related injuries (E880-E888)	2	1	1	13	23
..Drowning (E830,E832,E910)	3	2	2	60	80
..Residential fires (E890-E899)	4	2	4	70	105
Suicide (E950-E959)	10	10	10	315	415	.	471.1	.	.	571.3	.
Homicide and legal intervention (E960-E978)	59	58	59	2,244	2,827	1728.7	2224.2	0	2074.9	2637.3	0
..Homicide (E960-E969)	59	58	59	2,244	2,827	1728.7	2224.2	0	2074.9	2637.3	0
All injury (E800-E999)	155	142	152	4,591	6,061	3470.2	4235.0	0	4398.8	5211.8	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	24	22	24	732	962	532.2	566.8	0	669.9	721.7	0
..All falls (E880-E886,E888,E957,E968.1,E987)	2	1	1	13	23
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	50	50	50	1,917	2,417	1505.9	2385.6	0	1808.9	2830.4	0
....Suicide (E955.0-.4)	3	3	3	108	138
....Homicide (E965.0-.4)	46	46	46	1,762	2,222	1385.1	1913.9	0	1664.8	2274.7	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	34	34	34	830	1,170	619.4	361.3	0	840.7	486.9	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	14	10	13	150	268
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	37	37	37	913	1,283	674.9	401.3	0	912.2	537.9	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1995
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Female										
	Number of Deaths, 1995			Years of life lost, 1995		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995	1994	Signif- icance	1995	1994	Signif- icance
*****Causes of Death*****											
All causes	911	431	594	10,052	15,189	6840.3	7369.4	0	10038.6	10715.4	0
Infectious diseases and parasitic disease (1-139)	122	100	109	2,731	3,774	1738.9	1259.3	0	2304.1	1671.0	0
..Septicemia (038)	27	10	15	207	330	131.7	119.3	0	207.8	201.8	0
...Septicemia-related (038)	82	38	50	697	1,132	475.6	494.4	0	752.3	752.5	0
..HIV infection (042-044)	85	83	85	2,300	3,140	1450.4	1017.2	0	1892.2	1307.4	0
All cancer (140-208)	163	77	114	983	1,935	709.3	1034.2	0	1361.8	1888.8	0
..Oral cavity or pharynx (140.0-149.9)	1	1	1	8	18
..Colorectal cancer (153.0-154.3,154.8,159.0)	17	7	10	93	185	67.5	32.3	0	132.1	81.8	0
...Colon cancer (153)	15	7	10	93	185	67.5	32.3	0	132.1	81.8	0
...Rectal cancer (154)	1	.	.	0	0
..Pancreatic cancer (157)	15	4	8	50	100	34.1	37.8	0	67.4	97.6	0
..Lung and other respiratory cancer (160-165)	31	13	22	118	285	90.1	137.0	0	209.1	319.1	0
...Lung cancer (162.2-.9)	29	12	20	110	265	84.3	124.0	0	194.5	299.8	0
..Malignant melanoma of skin (172)
..Female breast cancer (174)	35	22	29	295	548	202.4	345.4	0	370.2	571.0	0
..Cervical cancer (180)	4	2	3	40	68
..Endometrial cancer (182)	3	1	3	3	28
..Ovarian cancer (183)	4	2	3	10	33
..Prostate cancer (185)
..Bladder cancer (188)	4	1	1	3	13
..Brain & other CNS cancer (191-192)	1	1	1	43	53
..Leukemia (204-208)	7	4	5	115	163
Diabetes mellitus (250)	42	19	31	193	433	141.0	35.6	0	308.4	135.8	0
..Diabetes-related (250)	126	48	78	450	1,090	336.3	278.2	0	790.2	637.8	0
..Diabetic ketoacidosis (DKA) (250.1)	1	1	1	33	43
Alzheimer's diseases (331.0)	7	.	1	0	8
Cardiovascular disease (390-459)	343	100	180	1,359	2,789	957.2	1038.5	0	1934.2	1969.2	0
..Diseases of the heart (390-398,402,404-429)	268	78	143	1,104	2,257	786.4	808.2	0	1574.2	1572.1	0
...Heart disease-related (390-398,402,404-429)	499	184	287	3,275	5,658	2256.9	2257.8	0	3813.3	3870.2	0
....Coronary heart disease (CHD) (402,410-414,429.2)	175	45	92	513	1,225	378.5	391.8	0	876.5	864.4	0
....Congestive heart failure (CHF) (428.0)	11	3	3	105	135
..Hypertension with or without renal disease (401,403)	9	3	6	18	65
...Hypertension-related (401,403)	81	25	44	283	630	198.5	268.2	0	439.7	527.2	0
..Cerebrovascular disease (430-438)	53	16	26	200	395	129.9	174.4	0	260.3	303.7	0
..Atherosclerosis (440)	6	1	3	3	18
...Atherosclerosis-related (440)	23	4	10	40	105	26.2	2.1	0	71.0	27.7	0
..Aortic aneurysm (441)	2	.	.	0	0
Pneumonia & influenza (480-487)	19	4	7	55	103	36.7	134.8	0	67.5	194.4	0
Chronic obstructive pulmonary disease (COPD) (490-496)	13	6	6	65	125
..COPD-related (490-496)	37	15	23	208	403	137.0	102.4	0	266.9	226.5	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1995
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Female										
	Number of Deaths, 1995			Years of life lost, 1995		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995	1994	Signif- icance	1995	1994	Signif- icance
*****Causes of Death*****											
..Asthma (493)	6	4	4	55	95
Chronic liver disease and cirrhosis (571)	7	5	6	128	185
Nephritis, nephrotic syndrome/nephrosis (580-589)	20	6	12	70	165	48.8	40.2	0	114.6	98.8	0
..Nephritis-related (580-589)	95	48	69	827	1,430	565.8	365.1	0	959.2	607.1	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	23	8	14	110	225	72.7	91.3	0	150.0	164.1	0
Unintentional injuries (E800-E949)	26	19	23	590	790	433.3	577.8	0	551.9	724.5	0
..Motor vehicle accidents (E810-E825)	10	9	10	288	380
..Falls and fall related injuries (E880-E888)	2	.	1	0	3
..Drowning (E830,E832,E910)	1	1	1	65	75
..Residential fires (E890-E899)	2	1	1	28	38
Suicide (E950-E959)	4	4	4	85	125
Homicide and legal intervention (E960-E978)	11	11	11	465	575	.	433.8	.	.	521.4	.
..Homicide (E960-E969)	11	11	11	465	575	.	433.8	.	.	521.4	.
All injury (E800-E999)	41	34	38	1,139	1,489	847.0	1113.1	0	1052.8	1368.2	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	10	9	10	288	380
..All falls (E880-E886,E888,E957,E968.1,E987)	1	.	1	0	3
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	9	9	9	365	455
....Suicide (E955.0-.4)	1	1	1	3	13
....Homicide (E965.0-.4)	8	8	8	362	442
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	4	4	4	85	125
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	4	3	3	58	88
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	6	6	6	125	185

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1995
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1995			Years of life lost, 1995		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995	1994	Signif- icance	1995	1994	Signif- icance
*****Causes of Death*****											
All causes	2,062	1,192	1,558	27,188	40,983	9326.8	10695.9	0	14086.2	15732.3	0
Infectious diseases and parasitic disease (1-139)	321	285	306	7,058	10,005	2123.5	2021.2	0	2915.1	2723.1	0
..Septicemia (038)	44	21	31	380	635	121.9	87.6	0	217.5	167.2	0
...Septicemia-related (038)	144	79	102	1,400	2,302	470.9	446.2	0	797.4	755.1	0
..HIV infection (042-044)	248	240	247	5,979	8,412	1771.2	1761.0	0	2391.1	2325.5	0
All cancer (140-208)	385	191	291	2,303	4,733	920.6	1077.9	0	1963.6	2303.9	0
..Oral cavity or pharynx (140.0-149.9)	7	6	6	135	195
..Colorectal cancer (153.0-154.3,154.8,159.0)	32	14	21	145	328	58.1	73.7	0	139.6	177.2	0
...Colon cancer (153)	29	13	20	143	315	56.7	51.1	0	132.9	133.4	0
...Rectal cancer (154)	2	1	1	3	13
..Pancreatic cancer (157)	29	12	20	125	280	51.6	56.8	0	119.9	145.7	0
..Lung and other respiratory cancer (160-165)	103	56	81	535	1,218	234.2	231.3	0	537.0	577.1	0
...Lung cancer (162.2-.9)	94	49	72	483	1,090	209.3	211.4	0	477.4	536.2	0
..Malignant melanoma of skin (172)	1	1	1	18	28
..Female breast cancer (174)	35	22	29	295	548
..Cervical cancer (180)	4	2	3	40	68
..Endometrial cancer (182)	3	1	3	3	28
..Ovarian cancer (183)	4	2	3	10	33
..Prostate cancer (185)	40	10	25	40	223
..Bladder cancer (188)	6	1	1	3	13
..Brain & other CNS cancer (191-192)	6	5	6	98	155
..Leukemia (204-208)	13	6	10	145	230
Diabetes mellitus (250)	62	29	46	318	685	131.0	105.1	0	291.4	250.0	0
..Diabetes-related (250)	214	91	147	853	2,068	369.3	329.7	0	918.4	788.8	0
..Diabetic ketoacidosis (DKA) (250.1)	2	1	1	33	43
Alzheimer's diseases (331.0)	7	.	1	0	8
Cardiovascular disease (390-459)	678	256	426	3,902	7,347	1434.4	1458.4	0	2844.1	2966.7	0
..Diseases of the heart (390-398,402,404-429)	539	208	345	3,217	6,025	1198.9	1110.2	0	2348.6	2305.1	0
...Heart disease-related (390-398,402,404-429)	1,031	477	705	8,210	14,145	2895.6	2982.5	0	5179.9	5395.5	0
....Coronary heart disease (CHD) (402,410-414,429.2)	363	122	228	1,380	3,160	558.6	574.9	0	1338.2	1344.2	0
....Congestive heart failure (CHF) (428.0)	19	8	8	212	292	71.6	.	0	95.8	.	0
..Hypertension with or without renal disease (401,403)	15	6	11	75	158	27.2	.	0	62.7	.	0
...Hypertension-related (401,403)	148	55	97	623	1,388	248.7	350.9	0	582.5	750.7	0
..Cerebrovascular disease (430-438)	95	32	54	435	865	149.7	276.7	0	327.1	541.8	0
..Atherosclerosis (440)	10	3	5	33	68
...Atherosclerosis-related (440)	44	13	22	153	320	55.3	8.7	1	126.7	75.0	0
..Aortic aneurysm (441)	10	3	6	58	100
Pneumonia & influenza (480-487)	45	23	28	348	595	117.1	239.1	0	208.3	347.9	0
Chronic obstructive pulmonary disease (COPD) (490-496)	32	15	19	143	308	59.8	100.9	0	132.3	178.4	0
..COPD-related (490-496)	95	35	61	363	853	141.2	243.1	0	359.3	460.8	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1995
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1995			Years of life lost, 1995		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995	1994	Signif- icance	1995	1994	Signif- icance
*****Causes of Death*****											
..Asthma (493)	9	5	6	73	125
Chronic liver disease and cirrhosis (571)	22	15	17	268	433	96.7	87.6	0	155.5	144.8	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	38	18	25	230	448	83.5	92.6	0	172.3	176.9	0
..Nephritis-related (580-589)	176	94	127	1,624	2,742	554.3	537.5	0	969.7	899.6	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	49	23	32	333	615	113.0	140.0	0	224.1	243.7	0
Unintentional injuries (E800-E949)	112	93	106	2,622	3,609	876.5	974.0	0	1154.7	1237.3	0
..Motor vehicle accidents (E810-E825)	35	32	35	1,052	1,385	352.7	332.0	0	438.1	409.8	0
..Falls and fall related injuries (E880-E888)	4	1	2	13	25
..Drowning (E830,E832,E910)	4	3	3	125	155
..Residential fires (E890-E899)	6	3	5	98	143
Suicide (E950-E959)	14	14	14	400	540	.	252.2	.	.	299.7	.
Homicide and legal intervention (E960-E978)	70	69	70	2,709	3,401	971.2	1238.5	0	1139.2	1444.5	0
..Homicide (E960-E969)	70	69	70	2,709	3,401	971.2	1238.5	0	1139.2	1444.5	0
All injury (E800-E999)	196	176	190	5,730	7,550	1971.1	2472.1	0	2453.1	2990.5	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	34	31	34	1,020	1,342	345.5	332.0	0	429.3	409.8	0
..All falls (E880-E886,E888,E957,E968.1,E987)	3	1	2	13	25
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	59	59	59	2,282	2,872	830.9	1242.1	0	979.6	1446.2	0
....Suicide (E955.0-.4)	4	4	4	110	150
....Homicide (E965.0-.4)	54	54	54	2,124	2,664	774.5	989.0	0	908.6	1153.9	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	38	38	38	915	1,295	281.5	234.5	0	380.8	309.1	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	18	13	16	208	355	76.4	.	0	130.1	.	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	43	43	43	1,038	1,468	316.3	250.1	0	426.9	328.6	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1995
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male										
	Number of Deaths, 1995			Years of life lost, 1995		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995	1994	Signif- icance	1995	1994	Signif- icance
*****Causes of Death*****											
All causes	1,151	761	964	17,137	25,794	12386.4	14596.0	0	19003.9	21610.2	0
Infectious diseases and parasitic disease (1-139)	199	185	197	4,327	6,232	2847.5	3043.7	0	4011.0	4145.9	0
..Septicemia (038)	17	11	16	173	305	125.7	.	0	241.8	.	0
...Septicemia-related (038)	62	41	52	703	1,170	498.3	444.0	0	875.6	819.9	0
..HIV infection (042-044)	163	157	162	3,680	5,272	2400.4	2764.0	0	3335.6	3716.3	0
All cancer (140-208)	222	114	177	1,320	2,798	1188.7	1187.7	0	2667.5	2822.7	0
..Oral cavity or pharynx (140.0-149.9)	6	5	5	128	178
..Colorectal cancer (153.0-154.3,154.8,159.0)	15	7	11	53	143	51.2	125.0	0	149.0	290.3	0
...Colon cancer (153)	14	6	10	50	130	.	73.7	.	.	190.6	.
...Rectal cancer (154)	1	1	1	3	13
..Pancreatic cancer (157)	14	8	12	75	180	.	76.7	.	.	192.5	.
..Lung and other respiratory cancer (160-165)	72	43	59	418	933	411.2	345.7	0	934.1	876.2	0
...Lung cancer (162.2-.9)	65	37	52	373	825	362.6	316.8	0	818.6	806.6	0
..Malignant melanoma of skin (172)	1	1	1	18	28
..Female breast cancer (174)
..Cervical cancer (180)
..Endometrial cancer (182)
..Ovarian cancer (183)
..Prostate cancer (185)	40	10	25	40	223	50.0	53.1	0	263.8	212.6	0
..Bladder cancer (188)	2	.	.	0	0
..Brain & other CNS cancer (191-192)	5	4	5	55	103
..Leukemia (204-208)	6	2	5	30	68
Diabetes mellitus (250)	20	10	15	125	253	112.2	185.5	0	237.2	361.8	0
..Diabetes-related (250)	88	43	69	403	978	394.8	397.2	0	996.8	920.4	0
..Diabetic ketoacidosis (DKA) (250.1)	1	.	.	0	0
Alzheimer's diseases (331.0)
Cardiovascular disease (390-459)	335	156	246	2,543	4,558	1999.2	2023.0	0	3832.4	4164.8	0
..Diseases of the heart (390-398,402,404-429)	271	130	202	2,113	3,768	1676.3	1501.2	0	3190.2	3147.8	0
...Heart disease-related (390-398,402,404-429)	532	293	418	4,935	8,487	3766.5	3998.5	0	6875.9	7292.3	0
....Coronary heart disease (CHD) (402,410-414,429.2)	188	77	136	868	1,935	779.2	814.7	0	1850.5	1892.6	0
....Congestive heart failure (CHF) (428.0)	8	5	5	108	158
..Hypertension with or without renal disease (401,403)	6	3	5	58	93
...Hypertension-related (401,403)	67	30	53	340	758	318.7	487.5	0	738.1	1042.9	0
..Cerebrovascular disease (430-438)	42	16	28	235	470	184.8	421.4	0	401.6	855.4	1
..Atherosclerosis (440)	4	2	2	30	50
...Atherosclerosis-related (440)	21	9	12	113	215	94.2	16.5	0	189.9	128.0	0
..Aortic aneurysm (441)	8	3	6	58	100
Pneumonia & influenza (480-487)	26	19	21	293	493	218.3	381.8	0	382.3	558.4	0
Chronic obstructive pulmonary disease (COPD) (490-496)	19	9	13	78	183	72.0	184.7	0	182.6	288.3	0
..COPD-related (490-496)	58	20	38	155	450	161.4	401.4	0	483.0	715.0	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1995
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male										
	Number of Deaths, 1995			Years of life lost, 1995		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995	1994	Signif- icance	1995	1994	Signif- icance
*****Causes of Death*****											
..Asthma (493)	3	1	2	18	30
Chronic liver disease and cirrhosis (571)	15	10	11	140	248	112.6	.	0	204.9	.	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	18	12	13	160	283	129.4	154.7	0	237.7	260.0	0
..Nephritis-related (580-589)	81	46	58	797	1,312	583.1	765.8	0	1004.0	1255.3	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	26	15	18	223	390	170.1	210.7	0	315.0	344.2	0
Unintentional injuries (E800-E949)	86	74	83	2,032	2,820	1379.4	1444.8	0	1856.8	1864.2	0
..Motor vehicle accidents (E810-E825)	25	23	25	765	1,005	497.4	522.2	0	617.7	660.8	0
..Falls and fall related injuries (E880-E888)	2	1	1	13	23
..Drowning (E830,E832,E910)	3	2	2	60	80
..Residential fires (E890-E899)	4	2	4	70	105
Suicide (E950-E959)	10	10	10	315	415	.	431.1	.	.	515.4	.
Homicide and legal intervention (E960-E978)	59	58	59	2,244	2,827	1621.0	2079.6	0	1913.7	2422.0	0
..Homicide (E960-E969)	59	58	59	2,244	2,827	1621.0	2079.6	0	1913.7	2422.0	0
All injury (E800-E999)	155	142	152	4,591	6,061	3202.8	3955.4	0	4019.5	4801.6	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	24	22	24	732	962	481.8	522.2	0	598.6	660.8	0
..All falls (E880-E886,E888,E957,E968.1,E987)	2	1	1	13	23
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	50	50	50	1,917	2,417	1405.1	2246.2	0	1661.2	2619.2	0
....Suicide (E955.0-.4)	3	3	3	108	138
....Homicide (E965.0-.4)	46	46	46	1,762	2,222	1293.9	1785.3	0	1531.1	2085.2	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	34	34	34	830	1,170	535.7	313.6	0	723.8	420.0	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	14	10	13	150	268
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	37	37	37	913	1,283	579.8	347.3	0	779.5	462.0	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1995
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Female										
	Number of Deaths, 1995			Years of life lost, 1995		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995	1994	Signif- icance	1995	1994	Signif- icance
*****Causes of Death*****											
All causes	911	431	594	10,052	15,189	6696.4	7219.4	0	9974.7	10652.6	0
Infectious diseases and parasitic disease (1-139)	122	100	109	2,731	3,774	1529.2	1162.9	0	2021.0	1534.0	0
..Septicemia (038)	27	10	15	207	330	124.5	120.5	0	204.7	209.4	0
...Septicemia-related (038)	82	38	50	697	1,132	462.6	463.0	0	750.4	722.9	0
..HIV infection (042-044)	85	83	85	2,300	3,140	1254.1	911.9	0	1619.2	1154.7	0
All cancer (140-208)	163	77	114	983	1,935	704.7	999.4	0	1413.3	1916.5	0
..Oral cavity or pharynx (140.0-149.9)	1	1	1	8	18
..Colorectal cancer (153.0-154.3,154.8,159.0)	17	7	10	93	185	64.8	33.3	0	135.0	89.6	0
...Colon cancer (153)	15	7	10	93	185	64.8	33.3	0	135.0	89.6	0
...Rectal cancer (154)	1	.	.	0	0
..Pancreatic cancer (157)	15	4	8	50	100	32.0	40.5	0	68.8	109.3	0
..Lung and other respiratory cancer (160-165)	31	13	22	118	285	95.2	141.1	0	229.0	345.9	0
...Lung cancer (162.2-.9)	29	12	20	110	265	88.6	128.4	0	212.2	327.2	0
..Malignant melanoma of skin (172)
..Female breast cancer (174)	35	22	29	295	548	193.9	328.5	0	371.7	556.5	0
..Cervical cancer (180)	4	2	3	40	68
..Endometrial cancer (182)	3	1	3	3	28
..Ovarian cancer (183)	4	2	3	10	33
..Prostate cancer (185)
..Bladder cancer (188)	4	1	1	3	13
..Brain & other CNS cancer (191-192)	1	1	1	43	53
..Leukemia (204-208)	7	4	5	115	163
Diabetes mellitus (250)	42	19	31	193	433	144.9	37.9	0	331.6	157.5	0
..Diabetes-related (250)	126	48	78	450	1,090	349.6	278.1	0	859.5	688.1	0
..Diabetic ketoacidosis (DKA) (250.1)	1	1	1	33	43
Alzheimer's diseases (331.0)	7	.	1	0	8
Cardiovascular disease (390-459)	343	100	180	1,359	2,789	945.8	1015.5	0	2025.8	2036.3	0
..Diseases of the heart (390-398,402,404-429)	268	78	143	1,104	2,257	783.8	811.5	0	1652.8	1659.5	0
...Heart disease-related (390-398,402,404-429)	499	184	287	3,275	5,658	2174.7	2167.3	0	3822.7	3895.2	0
....Coronary heart disease (CHD) (402,410-414,429.2)	175	45	92	513	1,225	382.6	390.1	0	941.2	923.5	0
....Congestive heart failure (CHF) (428.0)	11	3	3	105	135
..Hypertension with or without renal disease (401,403)	9	3	6	18	65
...Hypertension-related (401,403)	81	25	44	283	630	194.5	243.4	0	463.6	523.4	0
..Cerebrovascular disease (430-438)	53	16	26	200	395	120.5	159.1	0	264.8	293.6	0
..Atherosclerosis (440)	6	1	3	3	18
...Atherosclerosis-related (440)	23	4	10	40	105	24.3	2.6	0	76.7	34.7	0
..Aortic aneurysm (441)	2	.	.	0	0
Pneumonia & influenza (480-487)	19	4	7	55	103	34.2	113.6	0	67.5	168.1	0
Chronic obstructive pulmonary disease (COPD) (490-496)	13	6	6	65	125
..COPD-related (490-496)	37	15	23	208	403	127.7	98.0	0	268.2	236.8	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1995
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Female										
	Number of Deaths, 1995			Years of life lost, 1995		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995	1994	Signif- icance	1995	1994	Signif- icance
*****Causes of Death*****											
..Asthma (493)	6	4	4	55	95
Chronic liver disease and cirrhosis (571)	7	5	6	128	185
Nephritis, nephrotic syndrome/nephrosis (580-589)	20	6	12	70	165	47.0	37.1	0	121.0	104.1	0
..Nephritis-related (580-589)	95	48	69	827	1,430	535.6	345.3	0	948.6	606.2	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	23	8	14	110	225	67.1	79.5	0	152.1	159.1	0
Unintentional injuries (E800-E949)	26	19	23	590	790	436.9	541.2	0	550.1	671.0	0
..Motor vehicle accidents (E810-E825)	10	9	10	288	380
..Falls and fall related injuries (E880-E888)	2	.	1	0	3
..Drowning (E830,E832,E910)	1	1	1	65	75
..Residential fires (E890-E899)	2	1	1	28	38
Suicide (E950-E959)	4	4	4	85	125
Homicide and legal intervention (E960-E978)	11	11	11	465	575	.	398.7	.	.	470.0	.
..Homicide (E960-E969)	11	11	11	465	575	.	398.7	.	.	470.0	.
All injury (E800-E999)	41	34	38	1,139	1,489	826.5	1030.0	0	1016.7	1247.3	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	10	9	10	288	380
..All falls (E880-E886,E888,E957,E968.1,E987)	1	.	1	0	3
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	9	9	9	365	455
....Suicide (E955.0-.4)	1	1	1	3	13
....Homicide (E965.0-.4)	8	8	8	362	442
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	4	4	4	85	125
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	4	3	3	58	88
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	6	6	6	125	185

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1995
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1995			Years of life lost, 1995		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995	1994	Signif- icance	1995	1994	Signif- icance
*****Causes of Death*****											
All causes	2,062	1,192	1,558	27,188	40,983	10248.0	11525.0	0	15427.3	16987.7	0
Infectious diseases and parasitic disease (1-139)	321	285	306	7,058	10,005	2675.7	2530.7	0	3636.7	3384.3	0
..Septicemia (038)	44	21	31	380	635	147.3	99.4	0	251.3	184.5	0
...Septicemia-related (038)	144	79	102	1,400	2,302	573.8	546.2	0	934.9	891.0	0
..HIV infection (042-044)	248	240	247	5,979	8,412	2286.3	2236.8	0	3060.7	2938.1	0
All cancer (140-208)	385	191	291	2,303	4,733	1051.6	1253.5	0	2151.7	2557.4	0
..Oral cavity or pharynx (140.0-149.9)	7	6	6	135	195
..Colorectal cancer (153.0-154.3,154.8,159.0)	32	14	21	145	328	65.8	86.9	0	149.9	196.3	0
...Colon cancer (153)	29	13	20	143	315	64.4	60.3	0	143.6	146.1	0
...Rectal cancer (154)	2	1	1	3	13
..Pancreatic cancer (157)	29	12	20	125	280	61.8	66.6	0	135.3	160.6	0
..Lung and other respiratory cancer (160-165)	103	56	81	535	1,218	271.9	270.5	0	591.1	635.0	0
...Lung cancer (162.2-.9)	94	49	72	483	1,090	245.1	246.0	0	529.0	586.7	0
..Malignant melanoma of skin (172)	1	1	1	18	28
..Female breast cancer (174)	35	22	29	295	548
..Cervical cancer (180)	4	2	3	40	68
..Endometrial cancer (182)	3	1	3	3	28
..Ovarian cancer (183)	4	2	3	10	33
..Prostate cancer (185)	40	10	25	40	223
..Bladder cancer (188)	6	1	1	3	13
..Brain & other CNS cancer (191-192)	6	5	6	98	155
..Leukemia (204-208)	13	6	10	145	230
Diabetes mellitus (250)	62	29	46	318	685	147.2	129.9	0	316.4	287.1	0
..Diabetes-related (250)	214	91	147	853	2,068	416.8	397.5	0	988.7	889.1	0
..Diabetic ketoacidosis (DKA) (250.1)	2	1	1	33	43
Alzheimer's diseases (331.0)	7	.	1	0	8
Cardiovascular disease (390-459)	678	256	426	3,902	7,347	1674.3	1715.7	0	3192.8	3335.8	0
..Diseases of the heart (390-398,402,404-429)	539	208	345	3,217	6,025	1383.5	1288.1	0	2620.8	2563.3	0
...Heart disease-related (390-398,402,404-429)	1,031	477	705	8,210	14,145	3382.6	3521.8	0	5867.5	6154.1	0
....Coronary heart disease (CHD) (402,410-414,429.2)	363	122	228	1,380	3,160	672.1	682.3	0	1507.8	1500.6	0
....Congestive heart failure (CHF) (428.0)	19	8	8	212	292	75.5	.	0	101.4	.	0
..Hypertension with or without renal disease (401,403)	15	6	11	75	158	32.4	.	0	70.6	.	0
...Hypertension-related (401,403)	148	55	97	623	1,388	295.8	435.1	0	652.2	866.2	0
..Cerebrovascular disease (430-438)	95	32	54	435	865	186.9	344.3	0	377.8	635.8	0
..Atherosclerosis (440)	10	3	5	33	68
...Atherosclerosis-related (440)	44	13	22	153	320	68.9	8.2	1	145.1	76.2	0
..Aortic aneurysm (441)	10	3	6	58	100
Pneumonia & influenza (480-487)	45	23	28	348	595	151.6	293.7	0	253.5	421.7	0
Chronic obstructive pulmonary disease (COPD) (490-496)	32	15	19	143	308	71.3	96.1	0	147.5	175.6	0
..COPD-related (490-496)	95	35	61	363	853	166.1	264.2	0	393.9	494.1	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1995
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1995			Years of life lost, 1995		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995	1994	Signif- icance	1995	1994	Signif- icance
*****Causes of Death*****											
..Asthma (493)	9	5	6	73	125
Chronic liver disease and cirrhosis (571)	22	15	17	268	433	117.3	112.3	0	183.1	179.2	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	38	18	25	230	448	102.5	111.8	0	197.7	202.9	0
..Nephritis-related (580-589)	176	94	127	1,624	2,742	670.9	642.6	0	1127.9	1045.0	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	49	23	32	333	615	139.6	167.8	0	259.2	280.7	0
Unintentional injuries (E800-E949)	112	93	106	2,622	3,609	947.3	1019.6	0	1258.9	1309.6	0
..Motor vehicle accidents (E810-E825)	35	32	35	1,052	1,385	359.9	327.0	0	451.6	406.4	0
..Falls and fall related injuries (E880-E888)	4	1	2	13	25
..Drowning (E830,E832,E910)	4	3	3	125	155
..Residential fires (E890-E899)	6	3	5	98	143
Suicide (E950-E959)	14	14	14	400	540	.	240.4	.	.	286.2	.
Homicide and legal intervention (E960-E978)	70	69	70	2,709	3,401	890.7	1144.9	0	1047.3	1337.7	0
..Homicide (E960-E969)	70	69	70	2,709	3,401	890.7	1144.9	0	1047.3	1337.7	0
All injury (E800-E999)	196	176	190	5,730	7,550	1974.5	2414.5	0	2481.8	2945.2	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	34	31	34	1,020	1,342	350.5	327.0	0	440.1	406.4	0
..All falls (E880-E886,E888,E957,E968.1,E987)	3	1	2	13	25
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	59	59	59	2,282	2,872	751.7	1123.2	0	887.1	1308.0	0
....Suicide (E955.0-.4)	4	4	4	110	150
....Homicide (E965.0-.4)	54	54	54	2,124	2,664	698.6	908.7	0	820.2	1060.7	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	38	38	38	915	1,295	356.6	297.0	0	479.0	390.5	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	18	13	16	208	355	101.1	.	0	164.0	.	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	43	43	43	1,038	1,468	406.0	320.1	0	543.9	419.4	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1995
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Male										
	Number of Deaths, 1995			Years of life lost, 1995		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995	1994	Signif- icance	1995	1994	Signif- icance
*****Causes of Death*****											
All causes	1,151	761	964	17,137	25,794	13943.4	15983.3	0	21198.7	23663.6	0
Infectious diseases and parasitic disease (1-139)	199	185	197	4,327	6,232	3688.7	3959.1	0	5111.9	5326.6	0
..Septicemia (038)	17	11	16	173	305	158.6	.	0	285.9	.	0
...Septicemia-related (038)	62	41	52	703	1,170	642.4	595.4	0	1065.5	1021.4	0
..HIV infection (042-044)	163	157	162	3,680	5,272	3170.8	3607.6	0	4339.4	4799.1	0
All cancer (140-208)	222	114	177	1,320	2,798	1346.2	1332.6	0	2894.7	3056.6	0
..Oral cavity or pharynx (140.0-149.9)	6	5	5	128	178	.	.	0	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	15	7	11	53	143	60.0	147.2	0	160.2	324.1	0
...Colon cancer (153)	14	6	10	50	130	.	87.0	0	.	209.9	0
...Rectal cancer (154)	1	1	1	3	13	.	.	0	.	.	0
..Pancreatic cancer (157)	14	8	12	75	180	.	92.4	0	.	217.3	0
..Lung and other respiratory cancer (160-165)	72	43	59	418	933	478.4	401.1	0	1027.9	963.4	0
...Lung cancer (162.2-.9)	65	37	52	373	825	425.9	365.8	0	907.6	882.3	0
..Malignant melanoma of skin (172)	1	1	1	18	28	.	.	0	.	.	0
..Female breast cancer (174)	0	.	.	0
..Cervical cancer (180)	0	.	.	0
..Endometrial cancer (182)	0	.	.	0
..Ovarian cancer (183)	0	.	.	0
..Prostate cancer (185)	40	10	25	40	223	49.2	56.0	0	263.8	221.9	0
..Bladder cancer (188)	2	.	.	0	0	.	.	0	.	.	0
..Brain & other CNS cancer (191-192)	5	4	5	55	103	.	.	0	.	.	0
..Leukemia (204-208)	6	2	5	30	68	.	.	0	.	.	0
Diabetes mellitus (250)	20	10	15	125	253	124.7	234.0	0	256.1	431.5	0
..Diabetes-related (250)	88	43	69	403	978	437.4	497.5	0	1060.4	1065.1	0
..Diabetic ketoacidosis (DKA) (250.1)	1	.	.	0	0	.	.	0	.	.	0
Alzheimer's diseases (331.0)	0	.	.	0
Cardiovascular disease (390-459)	335	156	246	2,543	4,558	2331.8	2411.0	0	4315.7	4730.2	0
..Diseases of the heart (390-398,402,404-429)	271	130	202	2,113	3,768	1926.9	1791.3	0	3558.4	3566.5	0
...Heart disease-related (390-398,402,404-429)	532	293	418	4,935	8,487	4459.3	4862.7	0	7842.6	8502.5	0
....Coronary heart disease (CHD) (402,410-414,429.2)	188	77	136	868	1,935	932.1	968.7	0	2078.6	2120.1	0
....Congestive heart failure (CHF) (428.0)	8	5	5	108	158	.	.	0	.	.	0
..Hypertension with or without renal disease (401,403)	6	3	5	58	93	.	.	0	.	.	0
...Hypertension-related (401,403)	67	30	53	340	758	375.4	591.8	0	825.7	1193.3	0
..Cerebrovascular disease (430-438)	42	16	28	235	470	238.0	512.0	0	475.4	987.4	1
..Atherosclerosis (440)	4	2	2	30	50	.	.	0	.	.	0
...Atherosclerosis-related (440)	21	9	12	113	215	116.4	15.5	0	219.5	129.1	0
..Aortic aneurysm (441)	8	3	6	58	100	.	.	0	.	.	0
Pneumonia & influenza (480-487)	26	19	21	293	493	282.2	459.8	0	465.0	667.3	0
Chronic obstructive pulmonary disease (COPD) (490-496)	19	9	13	78	183	85.7	174.6	0	200.3	279.2	0
..COPD-related (490-496)	58	20	38	155	450	180.3	425.8	0	512.1	751.6	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1995
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Male										
	Number of Deaths, 1995			Years of life lost, 1995		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995	1994	Signif- icance	1995	1994	Signif- icance
*****Causes of Death*****											
..Asthma (493)	3	1	2	18	30
Chronic liver disease and cirrhosis (571)	15	10	11	140	248	145.8	.	0	248.2	.	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	18	12	13	160	283	157.4	183.2	0	274.6	300.2	0
..Nephritis-related (580-589)	81	46	58	797	1,312	727.2	940.8	0	1197.6	1497.4	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	26	15	18	223	390	210.0	258.1	0	367.3	409.1	0
Unintentional injuries (E800-E949)	86	74	83	2,032	2,820	1561.4	1539.2	0	2106.8	2007.0	0
..Motor vehicle accidents (E810-E825)	25	23	25	765	1,005	540.5	521.9	0	677.1	664.7	0
..Falls and fall related injuries (E880-E888)	2	1	1	13	23
..Drowning (E830,E832,E910)	3	2	2	60	80
..Residential fires (E890-E899)	4	2	4	70	105
Suicide (E950-E959)	10	10	10	315	415	.	412.1	.	.	493.1	.
Homicide and legal intervention (E960-E978)	59	58	59	2,244	2,827	1506.6	1896.1	0	1784.9	2209.2	0
..Homicide (E960-E969)	59	58	59	2,244	2,827	1506.6	1896.1	0	1784.9	2209.2	0
All injury (E800-E999)	155	142	152	4,591	6,061	3299.6	3847.4	0	4178.6	4709.3	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	24	22	24	732	962	520.1	521.9	0	652.3	664.7	0
..All falls (E880-E886,E888,E957,E968.1,E987)	2	1	1	13	23
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	50	50	50	1,917	2,417	1292.4	2018.8	0	1531.4	2354.7	0
....Suicide (E955.0-.4)	3	3	3	108	138
....Homicide (E965.0-.4)	46	46	46	1,762	2,222	1187.0	1624.3	0	1407.9	1898.0	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	34	34	34	830	1,170	697.3	401.9	0	934.2	535.6	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	14	10	13	150	268
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	37	37	37	913	1,283	762.1	451.9	0	1015.6	598.3	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1995
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Female										
	Number of Deaths, 1995			Years of life lost, 1995		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995	1994	Signif- icance	1995	1994	Signif- icance
*****Causes of Death*****											
All causes	911	431	594	10,052	15,189	7095.5	7617.1	0	10617.3	11290.3	0
Infectious diseases and parasitic disease (1-139)	122	100	109	2,731	3,774	1836.5	1322.3	0	2422.1	1748.8	0
..Septicemia (038)	27	10	15	207	330	143.2	125.7	0	229.8	218.8	0
...Septicemia-related (038)	82	38	50	697	1,132	527.8	517.2	0	840.4	801.2	0
..HIV infection (042-044)	85	83	85	2,300	3,140	1551.9	1072.0	0	2005.3	1364.8	0
All cancer (140-208)	163	77	114	983	1,935	814.6	1203.7	0	1571.2	2192.3	0
..Oral cavity or pharynx (140.0-149.9)	1	1	1	8	18
..Colorectal cancer (153.0-154.3,154.8,159.0)	17	7	10	93	185	71.6	39.1	0	144.4	97.0	0
...Colon cancer (153)	15	7	10	93	185	71.6	39.1	0	144.4	97.0	0
...Rectal cancer (154)	1	.	.	0	0
..Pancreatic cancer (157)	15	4	8	50	100	40.5	45.1	0	81.4	116.0	0
..Lung and other respiratory cancer (160-165)	31	13	22	118	285	108.8	167.3	0	250.6	381.0	0
...Lung cancer (162.2-.9)	29	12	20	110	265	102.0	151.4	0	233.2	357.8	0
..Malignant melanoma of skin (172)
..Female breast cancer (174)	35	22	29	295	548	241.8	426.0	0	435.6	688.7	0
..Cervical cancer (180)	4	2	3	40	68
..Endometrial cancer (182)	3	1	3	3	28
..Ovarian cancer (183)	4	2	3	10	33
..Prostate cancer (185)
..Bladder cancer (188)	4	1	1	3	13
..Brain & other CNS cancer (191-192)	1	1	1	43	53
..Leukemia (204-208)	7	4	5	115	163
Diabetes mellitus (250)	42	19	31	193	433	164.3	42.7	0	361.4	167.5	0
..Diabetes-related (250)	126	48	78	450	1,090	401.3	317.7	0	935.4	750.6	0
..Diabetic ketoacidosis (DKA) (250.1)	1	1	1	33	43
Alzheimer's diseases (331.0)	7	.	1	0	8
Cardiovascular disease (390-459)	343	100	180	1,359	2,789	1110.7	1164.1	0	2267.0	2245.8	0
..Diseases of the heart (390-398,402,404-429)	268	78	143	1,104	2,257	915.8	893.6	0	1849.5	1783.6	0
...Heart disease-related (390-398,402,404-429)	499	184	287	3,275	5,658	2489.3	2432.5	0	4279.2	4277.3	0
....Coronary heart disease (CHD) (402,410-414,429.2)	175	45	92	513	1,225	462.6	458.7	0	1062.9	1022.4	0
....Congestive heart failure (CHF) (428.0)	11	3	3	105	135
..Hypertension with or without renal disease (401,403)	9	3	6	18	65
...Hypertension-related (401,403)	81	25	44	283	630	233.9	312.7	0	519.4	612.9	0
..Cerebrovascular disease (430-438)	53	16	26	200	395	144.3	208.2	0	296.1	357.9	0
..Atherosclerosis (440)	6	1	3	3	18
...Atherosclerosis-related (440)	23	4	10	40	105	30.7	2.5	0	85.8	36.2	0
..Aortic aneurysm (441)	2	.	.	0	0
Pneumonia & influenza (480-487)	19	4	7	55	103	43.8	150.7	0	81.0	215.2	0
Chronic obstructive pulmonary disease (COPD) (490-496)	13	6	6	65	125
..COPD-related (490-496)	37	15	23	208	403	158.0	118.5	0	308.2	269.8	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1995
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Female										
	Number of Deaths, 1995			Years of life lost, 1995		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995	1994	Signif- icance	1995	1994	Signif- icance
*****Causes of Death*****											
..Asthma (493)	6	4	4	55	95
Chronic liver disease and cirrhosis (571)	7	5	6	128	185
Nephritis, nephrotic syndrome/nephrosis (580-589)	20	6	12	70	165	58.4	49.2	0	136.8	119.1	0
..Nephritis-related (580-589)	95	48	69	827	1,430	627.6	391.4	0	1075.4	670.8	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	23	8	14	110	225	82.7	91.6	0	172.9	173.5	0
Unintentional injuries (E800-E949)	26	19	23	590	790	415.6	552.9	0	533.5	693.0	0
..Motor vehicle accidents (E810-E825)	10	9	10	288	380
..Falls and fall related injuries (E880-E888)	2	.	1	0	3
..Drowning (E830,E832,E910)	1	1	1	65	75
..Residential fires (E890-E899)	2	1	1	28	38
Suicide (E950-E959)	4	4	4	85	125
Homicide and legal intervention (E960-E978)	11	11	11	465	575	.	401.4	.	.	477.1	.
..Homicide (E960-E969)	11	11	11	465	575	.	401.4	.	.	477.1	.
All injury (E800-E999)	41	34	38	1,139	1,489	766.5	1046.4	0	954.1	1279.3	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	10	9	10	288	380
..All falls (E880-E886,E888,E957,E968.1,E987)	1	.	1	0	3
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	9	9	9	365	455
....Suicide (E955.0-.4)	1	1	1	3	13
....Homicide (E965.0-.4)	8	8	8	362	442
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	4	4	4	85	125
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	4	3	3	58	88
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	6	6	6	125	185

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).