

Connecticut Resident Age-Adjusted Rates for 62 Cause of Death Classifications by Sex Black Residents, 1997

Page

Connecticut Resident Age-Adjusted Mortality Rate (AAMR) Tables by Cause of Death and Sex, Black Residents, 1997

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

2

1970 standard population

4

2000 standard population

6

Connecticut Resident Age-Adjusted Years of Potential Life Lost Rate (YPLL) Tables by Cause of Death and Sex, Black Residents, 1997

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

8

1970 standard population

14

2000 standard population

20

CONNECTICUT Black Resident DEATHS, 1997
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1997*****				*****1997*****				*****1997*****						
	No. of deaths	Crude rate	AAMR	Significance	1996 AAMR	No. of deaths	Crude rate	AAMR	Significance	1996 AAMR	No. of deaths	Crude rate	AAMR	Significance	1996 AAMR
*****Causes of Death*****															
All causes	1,862	621.2	596.6	1	672.4	965	678.6	760.5	1	898.7	897	569.3	467.6	0	496.6
Infectious diseases and parasitic disease (1-139)	130	43.4	42.0	1	70.6	80	56.3	59.5	1	106.7	50	31.7	28.3	0	40.8
..Septicemia (038)	29	9.7	8.6	0	9.5	11	7.7	.	.	14.2	18	11.4	8.8	0	.
....Septicemia-related (038)	118	39.4	38.0	0	40.0	58	40.8	46.0	0	51.7	60	38.1	32.4	0	31.4
..HIV infection (042-044)	77	25.7	25.0	1	54.3	51	35.9	36.4	1	85.4	26	16.5	15.6	0	28.2
All cancer (140-208)	450	150.1	151.6	0	152.0	231	162.4	190.9	0	210.0	219	139.0	125.0	0	112.0
..Oral cavity or pharynx (140.0-149.9)	7	2.3	.	.	.	5	3.5	.	.	.	2	1.3	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	45	15.0	15.4	0	14.8	23	16.2	18.9	0	18.0	22	14.0	12.8	0	12.4
....Colon cancer (153)	41	13.7	14.0	0	12.7	20	14.1	16.4	0	13.5	21	13.3	12.2	0	12.2
....Rectal cancer (154)	4	1.3	.	.	.	3	2.1	.	.	.	1	0.6	.	.	.
..Pancreatic cancer (157)	29	9.7	9.3	0	8.3	12	8.4	.	.	.	17	10.8	8.8	0	.
..Lung and other respiratory cancer (160-165)	123	41.0	43.1	0	35.2	71	49.9	60.2	0	56.3	52	33.0	31.4	0	20.2
....Lung cancer (162.2-.9)	115	38.4	40.3	0	33.6	65	45.7	55.0	0	53.5	50	31.7	30.2	0	19.5
..Female breast cancer (174)	42	42	26.7	24.2	0	23.4
..Cervical cancer (180)	5	5	3.2	.	.	.
..Endometrial cancer (182)	5	5	3.2	.	.	.
..Ovarian cancer (183)	7	7	4.4	.	.	.
..Prostate cancer (185)	42	42	29.5	32.6	0	32.3
..Bladder cancer (188)	6	2.0	.	.	.	2	1.4	.	.	.	4	2.5	.	.	.
..Brain & other CNS cancer (191-192)	2	0.7	.	.	.	1	0.7	.	.	.	1	0.6	.	.	.
..Leukemia (204-208)	10	3.3	.	.	6.1	6	4.2	.	.	.	4	2.5	.	.	.
Diabetes mellitus (250)	56	18.7	18.5	0	28.2	24	16.9	20.5	0	31.3	32	20.3	17.2	0	25.8
..Diabetes-related (250)	226	75.4	73.7	0	78.8	92	64.7	77.5	0	76.0	134	85.0	70.5	0	79.8
..Diabetic ketoacidosis (DKA) (250.1)	1	0.3	1	0.6	.	.	.
Alzheimer's diseases (331.0)	3	1.0	.	.	.	1	0.7	.	.	.	2	1.3	.	.	.
Cardiovascular disease (390-459)	644	214.8	198.3	0	220.9	274	192.7	226.1	0	264.4	370	234.8	175.7	0	189.7
..Diseases of the heart (390-398,402,404-429)	501	167.1	156.2	0	179.1	225	158.2	186.6	0	221.5	276	175.2	133.0	0	149.1
....Heart disease-related (390-398,402,404-429)	925	308.6	289.0	1	330.0	430	302.4	352.1	0	416.4	495	314.2	242.7	0	267.1
....Coronary heart disease (CHD) (402,410-414,429.2)	357	119.1	112.1	0	110.6	163	114.6	136.8	0	136.3	194	123.1	92.7	0	93.3
....Congestive heart failure (CHF) (428.0)	25	8.3	7.0	0	5.1	9	6.3	.	.	.	16	10.2	7.2	0	.
..Hypertension with or without renal disease (401,403)	15	5.0	4.7	0	5.5	5	3.5	.	.	.	10	6.3	.	.	.
....Hypertension-related (401,403)	187	62.4	58.4	0	62.2	82	57.7	68.0	0	67.1	105	66.6	51.6	0	57.4
..Cerebrovascular disease (430-438)	103	34.4	30.0	0	30.6	36	25.3	29.2	0	31.6	67	42.5	29.3	0	29.8
..Atherosclerosis (440)	6	2.0	.	.	.	1	0.7	.	.	.	5	3.2	.	.	.
....Atherosclerosis-related (440)	46	15.3	12.8	0	12.4	15	10.5	11.1	0	.	31	19.7	14.0	0	13.4
..Aortic aneurysm (441)	6	2.0	6	3.8	.	.	.
Pneumonia & influenza (480-487)	57	19.0	17.2	0	19.2	28	19.7	21.5	0	24.4	29	18.4	14.2	0	15.4
Chronic obstructive pulmonary disease (COPD) (490-496)	34	11.3	11.2	0	9.9	17	12.0	14.0	0	12.8	17	10.8	9.2	0	8.4

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1997 AAMR is significantly different (prob<0.05) from the 1996 AAMR.
 0 - The 1997 AAMR is not significantly different (prob>0.05) from the 1996 AAMR.

CONNECTICUT Black Resident DEATHS, 1997
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1997*****				*****1997*****				*****1997*****						
	No. of deaths	Crude rate	AAMR	Signif- icance	1996 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1996 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1996 AAMR
*****Causes of Death*****															
..COPD-related (490-496)	93	31.0	29.1	0	27.9	48	33.8	39.9	0	43.0	45	28.6	21.6	0	19.2
..Asthma (493)	9	3.0	.	.	.	4	2.8	.	.	.	5	3.2	.	.	.
Chronic liver disease and cirrhosis (571)	21	7.0	7.5	0	8.3	10	7.0	.	.	.	11	7.0	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	34	11.3	10.0	0	10.9	16	11.3	11.9	0	.	18	11.4	8.6	0	10.5
..Nephritis-related (580-589)	136	45.4	44.2	0	53.8	63	44.3	49.4	0	59.5	73	46.3	40.4	0	49.7
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	45	15.0	13.6	0	14.2	23	16.2	17.4	0	15.1	22	14.0	10.8	0	13.6
Unintentional injuries (E800-E949)	87	29.0	27.5	0	34.9	61	42.9	43.5	0	61.1	26	16.5	13.6	0	13.1
..Motor vehicle accidents (E810-E825)	33	11.0	10.8	0	12.9	22	15.5	15.9	0	23.7	11	7.0	.	.	.
..Falls and fall related injuries (E880-E888)	5	1.7	.	.	.	3	2.1	.	.	.	2	1.3	.	.	.
..Drowning (E830,E832,E910)	3	1.0	.	.	.	1	0.7	.	.	.	2	1.3	.	.	.
..Residential fires (E890-E899)	2	0.7	.	.	.	2	1.4
Suicide (E950-E959)	20	6.7	6.6	0	8.8	16	11.3	11.5	0	16.0	4	2.5	.	.	.
Homicide and legal intervention (E960-E978)	71	23.7	25.0	0	28.3	56	39.4	41.1	0	52.1	15	9.5	8.8	0	.
..Homicide (E960-E969)	70	23.4	24.6	0	27.9	55	38.7	40.3	0	51.3	15	9.5	8.8	0	.
All injury (E800-E999)	179	59.7	59.3	0	73.1	134	94.2	96.7	0	131.3	45	28.6	24.5	0	21.5
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	33	11.0	10.8	0	12.9	22	15.5	15.9	0	23.7	11	7.0	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	5	1.7	.	.	.	4	2.8	.	.	.	1	0.6	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	57	19.0	20.6	0	27.0	52	36.6	39.1	0	51.4	5	3.2	.	.	.
....Suicide (E955.0-.4)	5	1.7	.	.	.	5	3.5
....Homicide (E965.0-.4)	51	17.0	18.4	0	21.6	46	32.3	34.3	0	40.1	5	3.2	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	28	9.3	8.5	0	10.9	19	13.4	12.8	0	18.8	9	5.7	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	14	4.7	.	.	6.5	11	7.7	.	.	.	3	1.9	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	27	9.0	8.2	0	9.1	18	12.7	12.0	0	16.7	9	5.7	.	.	.

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1997 AAMR is significantly different (prob<0.05) from the 1996 AAMR.
 0 - The 1997 AAMR is not significantly different (prob>0.05) from the 1996 AAMR.

CONNECTICUT Black Resident DEATHS, 1997
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1997*****				*****1997*****				*****1997*****						
	No. of deaths	Crude rate	AAMR	Significance	1996 AAMR	No. of deaths	Crude rate	AAMR	Significance	1996 AAMR	No. of deaths	Crude rate	AAMR	Significance	1996 AAMR
*****Causes of Death*****															
All causes	1,862	621.2	769.4	0	838.5	965	678.6	956.9	1	1097.3	897	569.3	627.0	0	646.2
Infectious diseases and parasitic disease (1-139)	130	43.4	44.1	1	66.7	80	56.3	61.9	1	100.3	50	31.7	30.5	0	39.4
..Septicemia (038)	29	9.7	12.3	0	11.9	11	7.7	.	.	17.5	18	11.4	12.3	0	.
....Septicemia-related (038)	118	39.4	50.5	0	51.9	58	40.8	61.0	0	65.9	60	38.1	43.7	0	41.9
..HIV infection (042-044)	77	25.7	22.4	1	47.9	51	35.9	32.9	1	75.9	26	16.5	13.9	0	24.6
All cancer (140-208)	450	150.1	199.4	0	196.6	231	162.4	257.9	0	277.5	219	139.0	162.3	0	143.9
..Oral cavity or pharynx (140.0-149.9)	7	2.3	.	.	.	5	3.5	.	.	.	2	1.3	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	45	15.0	19.7	0	17.9	23	16.2	23.9	0	22.1	22	14.0	16.6	0	14.8
....Colon cancer (153)	41	13.7	18.2	0	15.2	20	14.1	21.2	0	16.6	21	13.3	16.0	0	14.2
....Rectal cancer (154)	4	1.3	.	.	.	3	2.1	.	.	.	1	0.6	.	.	.
..Pancreatic cancer (157)	29	9.7	13.4	0	11.2	12	8.4	.	.	.	17	10.8	12.8	0	.
..Lung and other respiratory cancer (160-165)	123	41.0	55.7	0	44.6	71	49.9	80.0	0	71.9	52	33.0	40.0	0	25.9
....Lung cancer (162.2-.9)	115	38.4	52.0	0	42.7	65	45.7	73.0	0	68.8	50	31.7	38.4	0	25.0
..Female breast cancer (174)	42	42	26.7	29.3	0	27.8
..Cervical cancer (180)	5	5	3.2	.	.	.
..Endometrial cancer (182)	5	5	3.2	.	.	.
..Ovarian cancer (183)	7	7	4.4	.	.	.
..Prostate cancer (185)	42	42	29.5	53.0	0	51.6
..Bladder cancer (188)	6	2.0	.	.	.	2	1.4	.	.	.	4	2.5	.	.	.
..Brain & other CNS cancer (191-192)	2	0.7	.	.	.	1	0.7	.	.	.	1	0.6	.	.	.
..Leukemia (204-208)	10	3.3	.	.	7.9	6	4.2	.	.	.	4	2.5	.	.	.
Diabetes mellitus (250)	56	18.7	24.1	0	37.5	24	16.9	26.2	0	41.6	32	20.3	22.7	0	34.8
..Diabetes-related (250)	226	75.4	100.4	0	106.7	92	64.7	102.1	0	100.4	134	85.0	98.0	0	109.8
..Diabetic ketoacidosis (DKA) (250.1)	1	0.3	1	0.6	.	.	.
Alzheimer's diseases (331.0)	3	1.0	.	.	.	1	0.7	.	.	.	2	1.3	.	.	.
Cardiovascular disease (390-459)	644	214.8	284.4	0	305.1	274	192.7	307.9	0	359.6	370	234.8	262.7	0	266.7
..Diseases of the heart (390-398,402,404-429)	501	167.1	220.8	0	246.3	225	158.2	252.8	0	300.5	276	175.2	195.3	0	208.9
....Heart disease-related (390-398,402,404-429)	925	308.6	402.7	0	436.7	430	302.4	474.5	0	542.2	495	314.2	349.4	0	362.7
....Coronary heart disease (CHD) (402,410-414,429.2)	357	119.1	157.8	0	157.1	163	114.6	181.9	0	192.2	194	123.1	137.6	0	134.6
....Congestive heart failure (CHF) (428.0)	25	8.3	11.8	0	7.9	9	6.3	.	.	.	16	10.2	11.8	0	.
..Hypertension with or without renal disease (401,403)	15	5.0	6.5	0	7.3	5	3.5	.	.	.	10	6.3	.	.	.
....Hypertension-related (401,403)	187	62.4	83.1	0	82.3	82	57.7	94.6	0	84.5	105	66.6	75.0	0	78.5
..Cerebrovascular disease (430-438)	103	34.4	45.7	0	43.3	36	25.3	39.5	0	44.6	67	42.5	47.6	0	42.4
..Atherosclerosis (440)	6	2.0	.	.	.	1	0.7	.	.	.	5	3.2	.	.	.
....Atherosclerosis-related (440)	46	15.3	21.3	0	19.3	15	10.5	19.4	0	.	31	19.7	22.7	0	20.7
..Aortic aneurysm (441)	6	2.0	6	3.8	.	.	.
Pneumonia & influenza (480-487)	57	19.0	23.9	0	28.3	28	19.7	29.5	0	34.6	29	18.4	20.3	0	24.2
Chronic obstructive pulmonary disease (COPD) (490-496)	34	11.3	14.6	0	13.6	17	12.0	18.5	0	18.3	17	10.8	12.0	0	11.2

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1997 AAMR is significantly different (prob<0.05) from the 1996 AAMR.
 0 - The 1997 AAMR is not significantly different (prob>0.05) from the 1996 AAMR.

CONNECTICUT Black Resident DEATHS, 1997
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes					Male					Female				
	*****1997*****					*****1997*****					*****1997*****				
	No. of deaths	Crude rate	AAMR	Signif- icance	1996 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1996 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1996 AAMR
*****Causes of Death*****															
..COPD-related (490-496)	93	31.0	41.4	0	39.4	48	33.8	56.2	0	64.4	45	28.6	31.4	0	25.5
..Asthma (493)	9	3.0	.	.	.	4	2.8	.	.	.	5	3.2	.	.	.
Chronic liver disease and cirrhosis (571)	21	7.0	8.6	0	9.0	10	7.0	.	.	.	11	7.0	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	34	11.3	14.2	0	14.3	16	11.3	16.6	0	.	18	11.4	12.6	0	14.1
..Nephritis-related (580-589)	136	45.4	57.9	0	67.2	63	44.3	65.1	0	73.6	73	46.3	53.4	0	63.4
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	45	15.0	18.6	0	18.5	23	16.2	23.4	0	19.0	22	14.0	15.4	0	17.8
Unintentional injuries (E800-E949)	87	29.0	28.1	0	33.9	61	42.9	44.7	0	60.5	26	16.5	14.2	0	12.5
..Motor vehicle accidents (E810-E825)	33	11.0	10.9	0	11.9	22	15.5	16.6	0	22.0	11	7.0	.	.	.
..Falls and fall related injuries (E880-E888)	5	1.7	.	.	.	3	2.1	.	.	.	2	1.3	.	.	.
..Drowning (E830,E832,E910)	3	1.0	.	.	.	1	0.7	.	.	.	2	1.3	.	.	.
..Residential fires (E890-E899)	2	0.7	.	.	.	2	1.4
Suicide (E950-E959)	20	6.7	6.5	0	8.4	16	11.3	11.1	0	15.0	4	2.5	.	.	.
Homicide and legal intervention (E960-E978)	71	23.7	22.4	0	26.8	56	39.4	36.7	0	48.8	15	9.5	8.0	0	.
..Homicide (E960-E969)	70	23.4	22.0	0	26.4	55	38.7	35.9	0	48.0	15	9.5	8.0	0	.
All injury (E800-E999)	179	59.7	57.2	0	70.1	134	94.2	92.8	0	126.3	45	28.6	24.6	0	21.1
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	33	11.0	10.9	0	11.9	22	15.5	16.6	0	22.0	11	7.0	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	5	1.7	.	.	.	4	2.8	.	.	.	1	0.6	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	57	19.0	18.7	0	24.9	52	36.6	35.7	0	46.9	5	3.2	.	.	.
....Suicide (E955.0-.4)	5	1.7	.	.	.	5	3.5
....Homicide (E965.0-.4)	51	17.0	16.5	0	19.8	46	32.3	30.9	0	36.3	5	3.2	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	28	9.3	7.4	0	10.3	19	13.4	11.1	0	17.8	9	5.7	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	14	4.7	.	.	7.3	11	7.7	.	.	.	3	1.9	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	27	9.0	7.0	0	8.3	18	12.7	10.4	0	15.4	9	5.7	.	.	.

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1997 AAMR is significantly different (prob<0.05) from the 1996 AAMR.
 0 - The 1997 AAMR is not significantly different (prob>0.05) from the 1996 AAMR.

CONNECTICUT Black Resident DEATHS, 1997
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1997*****				*****1997*****				*****1997*****						
	No. of deaths	Crude rate	AAMR	Significance	1996 AAMR	No. of deaths	Crude rate	AAMR	Significance	1996 AAMR	No. of deaths	Crude rate	AAMR	Significance	1996 AAMR
*****Causes of Death*****															
All causes	1,862	621.2	988.3	0	1056.7	965	678.6	1199.4	0	1364.4	897	569.3	832.6	0	836.1
Infectious diseases and parasitic disease (1-139)	130	43.4	55.3	1	83.3	80	56.3	77.6	1	126.3	50	31.7	38.3	0	48.5
..Septicemia (038)	29	9.7	17.3	0	14.6	11	7.7	.	.	20.7	18	11.4	17.2	0	.
....Septicemia-related (038)	118	39.4	65.5	0	66.0	58	40.8	80.4	0	82.1	60	38.1	56.0	0	54.6
..HIV infection (042-044)	77	25.7	27.1	1	60.7	51	35.9	40.4	1	96.5	26	16.5	16.3	0	31.0
All cancer (140-208)	450	150.1	250.3	0	242.6	231	162.4	330.4	0	347.3	219	139.0	203.1	0	178.8
..Oral cavity or pharynx (140.0-149.9)	7	2.3	.	.	.	5	3.5	.	.	.	2	1.3	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	45	15.0	24.0	0	20.7	23	16.2	29.2	0	25.1	22	14.0	20.4	0	17.7
....Colon cancer (153)	41	13.7	22.4	0	17.3	20	14.1	26.6	0	18.9	21	13.3	19.7	0	16.4
....Rectal cancer (154)	4	1.3	.	.	.	3	2.1	.	.	.	1	0.6	.	.	.
..Pancreatic cancer (157)	29	9.7	17.7	0	14.3	12	8.4	.	.	.	17	10.8	17.4	0	.
..Lung and other respiratory cancer (160-165)	123	41.0	67.2	0	53.3	71	49.9	99.1	0	85.7	52	33.0	47.6	0	32.1
....Lung cancer (162.2-.9)	115	38.4	62.6	0	51.5	65	45.7	90.2	0	82.6	50	31.7	45.7	0	31.3
..Female breast cancer (174)	42	42	26.7	37.2	0	33.4
..Cervical cancer (180)	5	5	3.2	.	.	.
..Endometrial cancer (182)	5	5	3.2	.	.	.
..Ovarian cancer (183)	7	7	4.4	.	.	.
..Prostate cancer (185)	42	42	29.5	77.7	0	74.2
..Bladder cancer (188)	6	2.0	.	.	.	2	1.4	.	.	.	4	2.5	.	.	.
..Brain & other CNS cancer (191-192)	2	0.7	.	.	.	1	0.7	.	.	.	1	0.6	.	.	.
..Leukemia (204-208)	10	3.3	.	.	9.7	6	4.2	.	.	.	4	2.5	.	.	.
Diabetes mellitus (250)	56	18.7	30.8	0	46.7	24	16.9	32.3	0	53.1	32	20.3	29.9	0	42.7
..Diabetes-related (250)	226	75.4	129.6	0	136.1	92	64.7	126.9	0	127.1	134	85.0	128.9	0	140.3
..Diabetic ketoacidosis (DKA) (250.1)	1	0.3	1	0.6	.	.	.
Alzheimer's diseases (331.0)	3	1.0	.	.	.	1	0.7	.	.	.	2	1.3	.	.	.
Cardiovascular disease (390-459)	644	214.8	390.2	0	406.3	274	192.7	400.6	0	468.2	370	234.8	373.3	0	363.3
..Diseases of the heart (390-398,402,404-429)	501	167.1	299.5	0	327.7	225	158.2	326.4	0	390.6	276	175.2	275.0	0	284.7
....Heart disease-related (390-398,402,404-429)	925	308.6	543.4	0	569.1	430	302.4	615.6	0	697.2	495	314.2	487.2	0	481.1
....Coronary heart disease (CHD) (402,410-414,429.2)	357	119.1	212.3	0	212.3	163	114.6	229.1	0	257.2	194	123.1	194.5	0	184.3
....Congestive heart failure (CHF) (428.0)	25	8.3	17.8	0	11.5	9	6.3	.	.	.	16	10.2	17.3	0	.
..Hypertension with or without renal disease (401,403)	15	5.0	8.7	0	8.7	5	3.5	.	.	.	10	6.3	.	.	.
....Hypertension-related (401,403)	187	62.4	111.3	0	103.0	82	57.7	122.6	0	98.9	105	66.6	103.2	0	102.1
..Cerebrovascular disease (430-438)	103	34.4	65.7	0	59.3	36	25.3	51.7	0	61.4	67	42.5	71.2	0	58.1
..Atherosclerosis (440)	6	2.0	.	.	.	1	0.7	.	.	.	5	3.2	.	.	.
....Atherosclerosis-related (440)	46	15.3	32.0	0	28.1	15	10.5	30.5	0	.	31	19.7	33.2	0	29.9
..Aortic aneurysm (441)	6	2.0	6	3.8	.	.	.
Pneumonia & influenza (480-487)	57	19.0	32.8	0	41.2	28	19.7	40.0	0	50.6	29	18.4	28.2	0	35.5
Chronic obstructive pulmonary disease (COPD) (490-496)	34	11.3	18.5	0	17.9	17	12.0	23.2	0	24.6	17	10.8	15.7	0	14.1

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1997 AAMR is significantly different (prob<0.05) from the 1996 AAMR.
 0 - The 1997 AAMR is not significantly different (prob>0.05) from the 1996 AAMR.

CONNECTICUT Black Resident DEATHS, 1997
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes					Male					Female				
	*****1997*****					*****1997*****					*****1997*****				
	No. of deaths	Crude rate	AAMR	Signif- icance	1996 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1996 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1996 AAMR
*****Causes of Death*****															
..COPD-related (490-496)	93	31.0	56.2	0	52.8	48	33.8	73.1	0	90.3	45	28.6	45.1	0	32.6
..Asthma (493)	9	3.0	.	.	.	4	2.8	.	.	.	5	3.2	.	.	.
Chronic liver disease and cirrhosis (571)	21	7.0	9.6	0	10.0	10	7.0	.	.	.	11	7.0	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	34	11.3	20.2	0	17.6	16	11.3	24.0	0	.	18	11.4	18.0	0	17.5
..Nephritis-related (580-589)	136	45.4	75.2	0	86.0	63	44.3	87.8	0	98.3	73	46.3	68.1	0	78.8
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	45	15.0	25.9	0	22.9	23	16.2	32.6	0	21.8	22	14.0	21.5	0	22.7
Unintentional injuries (E800-E949)	87	29.0	34.3	0	36.9	61	42.9	53.1	0	67.0	26	16.5	19.5	0	13.5
..Motor vehicle accidents (E810-E825)	33	11.0	12.4	0	11.8	22	15.5	18.6	0	22.0	11	7.0	.	.	.
..Falls and fall related injuries (E880-E888)	5	1.7	.	.	.	3	2.1	.	.	.	2	1.3	.	.	.
..Drowning (E830,E832,E910)	3	1.0	.	.	.	1	0.7	.	.	.	2	1.3	.	.	.
..Residential fires (E890-E899)	2	0.7	.	.	.	2	1.4
Suicide (E950-E959)	20	6.7	7.5	0	8.2	16	11.3	11.9	0	14.9	4	2.5	.	.	.
Homicide and legal intervention (E960-E978)	71	23.7	21.2	0	25.0	56	39.4	33.4	0	46.4	15	9.5	9.0	0	.
..Homicide (E960-E969)	70	23.4	20.9	0	24.7	55	38.7	32.8	0	45.7	15	9.5	9.0	0	.
All injury (E800-E999)	179	59.7	63.3	0	70.9	134	94.2	99.0	0	129.9	45	28.6	31.8	0	21.3
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	33	11.0	12.4	0	11.8	22	15.5	18.6	0	22.0	11	7.0	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	5	1.7	.	.	.	4	2.8	.	.	.	1	0.6	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	57	19.0	17.2	0	22.8	52	36.6	32.4	0	43.9	5	3.2	.	.	.
....Suicide (E955.0-.4)	5	1.7	.	.	.	5	3.5
....Homicide (E965.0-.4)	51	17.0	15.0	0	17.8	46	32.3	27.4	0	33.2	5	3.2	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	28	9.3	9.9	0	11.6	19	13.4	14.8	0	20.3	9	5.7	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	14	4.7	.	.	8.0	11	7.7	.	.	.	3	1.9	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	27	9.0	9.5	0	10.0	18	12.7	13.8	0	18.3	9	5.7	.	.	.

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1997 AAMR is significantly different (prob<0.05) from the 1996 AAMR.
 0 - The 1997 AAMR is not significantly different (prob>0.05) from the 1996 AAMR.

CONNECTICUT Black Resident DEATHS, 1997
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1997			Years of life lost, 1997		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997	1996	Signif- icance	1997	1996	Signif- icance
*****Causes of Death*****											
All causes	1,862	940	1,288	20,958	32,028	7541.9	9147.8	1	11256.4	13535.1	1
Infectious diseases and parasitic disease (1-139)	130	103	114	2,307	3,399	790.8	1608.8	1	1127.7	2216.2	1
..Septicemia (038)	29	11	16	190	327	68.7	111.1	0	117.0	179.2	0
...Septicemia-related (038)	118	48	80	766	1,421	277.9	382.2	0	511.8	626.8	0
..HIV infection (042-044)	77	73	77	1,798	2,553	605.1	1352.7	1	824.5	1835.9	1
All cancer (140-208)	450	202	314	2,360	4,890	901.5	911.8	0	1838.5	1887.6	0
..Oral cavity or pharynx (140.0-149.9)	7	3	5	78	118
..Colorectal cancer (153.0-154.3,154.8,159.0)	45	23	33	243	523	91.5	97.9	0	196.1	209.1	0
...Colon cancer (153)	41	20	29	190	433	74.0	89.1	0	165.8	186.6	0
...Rectal cancer (154)	4	3	4	53	90
..Pancreatic cancer (157)	29	8	16	85	205	30.7	33.2	0	75.7	83.2	0
..Lung and other respiratory cancer (160-165)	123	58	94	515	1,240	201.6	189.0	0	477.8	420.5	0
...Lung cancer (162.2-.9)	115	54	89	480	1,163	186.9	178.8	0	447.0	394.1	0
..Female breast cancer (174)	42	25	32	353	625
..Cervical cancer (180)	5	4	5	90	138
..Endometrial cancer (182)	5	.	3	0	18
..Ovarian cancer (183)	7	4	7	20	68
..Prostate cancer (185)	42	9	19	38	173
..Bladder cancer (188)	6	1	4	18	35
..Brain & other CNS cancer (191-192)	2	1	1	3	13
..Leukemia (204-208)	10	6	7	135	198	.	76.2	.	.	116.7	.
Diabetes mellitus (250)	56	27	39	323	658	120.6	146.6	0	243.5	325.6	0
..Diabetes-related (250)	226	81	147	903	2,058	335.3	390.4	0	765.1	857.8	0
..Diabetic ketoacidosis (DKA) (250.1)	1	1	1	18	28
Alzheimer's diseases (331.0)	3	.	.	0	0
Cardiovascular disease (390-459)	644	214	358	2,525	5,365	951.4	1388.0	1	2000.3	2620.2	1
..Diseases of the heart (390-398,402,404-429)	501	174	290	2,050	4,365	777.4	1173.2	1	1632.1	2176.6	1
...Heart disease-related (390-398,402,404-429)	925	349	549	4,789	9,259	1768.1	2594.2	1	3386.1	4569.5	1
...Coronary heart disease (CHD) (402,410-414,429.2)	357	120	214	1,365	3,005	522.2	485.0	0	1131.5	1078.4	0
....Congestive heart failure (CHF) (428.0)	25	4	7	25	83	10.6	15.5	0	33.4	37.7	0
..Hypertension with or without renal disease (401,403)	15	5	8	83	150	29.3	16.6	0	53.4	53.6	0
...Hypertension-related (401,403)	187	60	108	620	1,460	229.6	293.0	0	543.9	697.9	0
..Cerebrovascular disease (430-438)	103	30	48	350	730	128.6	182.9	0	269.3	347.9	0
..Atherosclerosis (440)	6	1	3	3	23
...Atherosclerosis-related (440)	46	8	15	102	220	38.1	33.0	0	83.2	85.2	0
..Aortic aneurysm (441)	6	1	2	23	35
Pneumonia & influenza (480-487)	57	23	34	450	727	149.5	137.6	0	241.9	227.5	0
Chronic obstructive pulmonary disease (COPD) (490-496)	34	15	25	213	413	75.3	83.8	0	147.0	140.9	0
..COPD-related (490-496)	93	29	53	378	788	138.7	159.6	0	288.6	303.4	0
..Asthma (493)	9	7	8	163	235

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1997
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1997			Years of life lost, 1997		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997	1996	Signif- icance	1997	1996	Signif- icance
*****Causes of Death*****											
Chronic liver disease and cirrhosis (571)	21	15	19	178	353	62.7	88.4	0	126.1	155.1	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	34	11	19	265	420	90.3	66.0	0	140.9	131.2	0
..Nephritis-related (580-589)	136	61	92	955	1,702	335.8	533.0	0	595.8	878.2	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	45	16	27	367	585	123.3	96.4	0	193.7	179.8	0
Unintentional injuries (E800-E949)	87	72	78	2,183	2,933	769.9	986.2	0	985.6	1280.3	0
..Motor vehicle accidents (E810-E825)	33	27	30	910	1,197	335.2	466.7	0	419.8	575.9	0
..Falls and fall related injuries (E880-E888)	5	1	3	23	38
..Drowning (E830,E832,E910)	3	3	3	138	168
..Residential fires (E890-E899)	2	1	2	23	40
Suicide (E950-E959)	20	18	19	515	698	184.0	315.8	0	237.6	385.3	0
Homicide and legal intervention (E960-E978)	71	71	71	2,739	3,449	1047.3	1098.3	0	1251.0	1327.9	0
..Homicide (E960-E969)	70	70	70	2,696	3,396	1028.2	1079.3	0	1228.5	1305.6	0
All injury (E800-E999)	179	162	169	5,464	7,117	2009.3	2454.8	0	2484.8	3055.9	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	33	27	30	910	1,197	335.2	466.7	0	419.8	575.9	0
..All falls (E880-E886,E888,E957,E968.1,E987)	5	2	4	50	75
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	57	56	57	2,205	2,768	867.5	1133.0	0	1032.4	1349.0	0
...Suicide (E955.0-.4)	5	4	5	115	158
...Homicide (E965.0-.4)	51	51	51	2,048	2,558	804.8	914.2	0	953.1	1088.7	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	28	28	28	645	925	205.1	242.7	0	282.3	341.6	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	14	11	13	208	328	.	57.2	.	.	110.9	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	27	27	27	628	898	198.4	211.7	0	272.3	294.6	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1997
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Male										
	Number of Deaths, 1997			Years of life lost, 1997		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997	1996	Signif- icance	1997	1996	Signif- icance
*****Causes of Death*****											
All causes	965	572	749	13,654	20,257	10296.0	12655.3	1	15195.2	18685.2	1
Infectious diseases and parasitic disease (1-139)	80	68	72	1,504	2,209	1106.4	2386.4	1	1586.2	3309.9	1
..Septicemia (038)	11	5	6	120	172	.	141.0	.	.	249.5	.
...Septicemia-related (038)	58	28	42	509	849	390.0	467.1	0	655.7	798.2	0
..HIV infection (042-044)	51	48	51	1,115	1,618	808.8	2091.5	1	1134.3	2849.7	1
All cancer (140-208)	231	101	163	1,253	2,578	1042.0	1068.3	0	2173.9	2412.5	0
..Oral cavity or pharynx (140.0-149.9)	5	2	3	65	93
..Colorectal cancer (153.0-154.3,154.8,159.0)	23	12	18	150	305	118.5	87.8	0	248.5	222.4	0
...Colon cancer (153)	20	10	15	115	243	95.2	67.7	0	203.5	170.8	0
...Rectal cancer (154)	3	2	3	35	63
..Pancreatic cancer (157)	12	4	8	40	100
..Lung and other respiratory cancer (160-165)	71	32	54	305	720	259.5	274.0	0	624.1	654.3	0
...Lung cancer (162.2-.9)	65	29	50	278	660	233.0	253.6	0	569.0	606.3	0
..Female breast cancer (174)
..Cervical cancer (180)
..Endometrial cancer (182)
..Ovarian cancer (183)
..Prostate cancer (185)	42	9	19	38	173	38.1	36.0	0	165.8	160.3	0
..Bladder cancer (188)	2	1	2	18	30
..Brain & other CNS cancer (191-192)	1	1	1	3	13
..Leukemia (204-208)	6	4	5	80	123
Diabetes mellitus (250)	24	15	19	153	323	128.7	206.6	0	277.7	398.1	0
..Diabetes-related (250)	92	43	67	483	1,043	397.0	438.2	0	879.1	915.3	0
..Diabetic ketoacidosis (DKA) (250.1)
Alzheimer's diseases (331.0)	1	.	.	0	0
Cardiovascular disease (390-459)	274	123	189	1,518	3,083	1259.8	1593.3	0	2590.1	3108.5	0
..Diseases of the heart (390-398,402,404-429)	225	97	156	1,188	2,470	992.7	1389.6	0	2082.8	2641.8	0
...Heart disease-related (390-398,402,404-429)	430	199	300	2,752	5,239	2196.0	3330.9	1	4264.1	5864.7	1
...Coronary heart disease (CHD) (402,410-414,429.2)	163	73	120	828	1,800	705.6	609.2	0	1544.5	1335.4	0
...Congestive heart failure (CHF) (428.0)	9	2	2	15	35
..Hypertension with or without renal disease (401,403)	5	3	3	53	83
...Hypertension-related (401,403)	82	34	55	335	778	281.9	330.7	0	671.1	817.0	0
..Cerebrovascular disease (430-438)	36	20	26	260	480	206.5	177.8	0	391.1	363.7	0
..Atherosclerosis (440)	1	.	.	0	0
...Atherosclerosis-related (440)	15	3	4	80	117	57.9	.	0	87.3	.	0
..Aortic aneurysm (441)
Pneumonia & influenza (480-487)	28	14	18	270	430	187.7	235.5	0	306.5	361.2	0
Chronic obstructive pulmonary disease (COPD) (490-496)	17	7	14	103	205	81.2	60.8	0	167.5	124.3	0
..COPD-related (490-496)	48	16	32	165	405	142.4	153.5	0	353.8	336.3	0
..Asthma (493)	4	2	3	70	93

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1997
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Male										
	Number of Deaths, 1997			Years of life lost, 1997		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997	1996	Signif- icance	1997	1996	Signif- icance
*****Causes of Death*****											
Chronic liver disease and cirrhosis (571)	10	7	9	73	153
Nephritis, nephrotic syndrome/nephrosis (580-589)	16	8	11	182	275	131.1	.	0	197.8	.	0
..Nephritis-related (580-589)	63	35	43	560	950	437.3	682.1	0	742.1	1060.6	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	23	12	16	252	387	182.3	66.4	0	280.0	153.0	0
Unintentional injuries (E800-E949)	61	53	57	1,711	2,261	1265.7	1586.2	0	1605.6	2103.2	0
..Motor vehicle accidents (E810-E825)	22	19	20	720	917	557.7	816.3	0	680.3	1017.8	0
..Falls and fall related injuries (E880-E888)	3	1	3	23	38
..Drowning (E830,E832,E910)	1	1	1	53	63
..Residential fires (E890-E899)	2	1	2	23	40
Suicide (E950-E959)	16	15	16	463	615	342.1	588.5	0	436.2	711.9	0
Homicide and legal intervention (E960-E978)	56	56	56	2,257	2,817	1793.3	1954.5	0	2124.8	2376.6	0
..Homicide (E960-E969)	55	55	55	2,215	2,765	1755.2	1916.5	0	2080.1	2332.0	0
All injury (E800-E999)	134	125	130	4,458	5,730	3418.4	4238.0	0	4189.2	5316.3	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	22	19	20	720	917	557.7	816.3	0	680.3	1017.8	0
..All falls (E880-E886,E888,E957,E968.1,E987)	4	2	4	50	75
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	52	51	52	2,033	2,545	1640.2	2129.5	0	1951.8	2538.5	0
...Suicide (E955.0-.4)	5	4	5	115	158
...Homicide (E965.0-.4)	46	46	46	1,875	2,335	1512.4	1687.8	0	1788.6	2012.2	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	19	19	19	433	623	297.8	393.3	0	413.9	566.4	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	11	9	11	163	263
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	18	18	18	415	595	282.8	371.7	0	391.5	523.5	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1997
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Female										
	Number of Deaths, 1997			Years of life lost, 1997		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997	1996	Signif- icance	1997	1996	Signif- icance
*****Causes of Death*****											
All causes	897	368	539	7,304	11,772	4967.9	5985.7	0	7709.7	9025.3	0
Infectious diseases and parasitic disease (1-139)	50	35	42	803	1,190	525.6	948.8	0	746.6	1293.2	0
..Septicemia (038)	18	6	10	70	155	49.5	.	0	105.2	.	0
...Septicemia-related (038)	60	20	38	257	572	180.1	314.8	0	388.2	492.0	0
..HIV infection (042-044)	26	25	26	683	935	442.2	717.2	0	575.5	970.1	0
All cancer (140-208)	219	101	151	1,108	2,313	773.1	801.2	0	1560.8	1499.3	0
..Oral cavity or pharynx (140.0-149.9)	2	1	2	13	25	.	.	0	.	.	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	22	11	15	93	218	68.1	107.5	0	152.6	201.7	0
...Colon cancer (153)	21	10	14	75	190	56.0	107.5	0	134.4	201.7	0
...Rectal cancer (154)	1	1	1	18	28	.	.	0	.	.	0
..Pancreatic cancer (157)	17	4	8	45	105	31.8	.	0	71.2	.	0
..Lung and other respiratory cancer (160-165)	52	26	40	210	520	153.9	123.7	0	363.7	241.7	0
...Lung cancer (162.2-.9)	50	25	39	203	503	148.4	121.7	0	351.5	232.1	0
..Female breast cancer (174)	42	25	32	353	625	236.6	218.9	0	405.6	399.6	0
..Cervical cancer (180)	5	4	5	90	138	.	.	0	.	.	0
..Endometrial cancer (182)	5	.	3	0	18	.	.	0	.	.	0
..Ovarian cancer (183)	7	4	7	20	68	.	.	0	.	.	0
..Prostate cancer (185)	0	.	.	0
..Bladder cancer (188)	4	.	2	0	5	.	.	0	.	.	0
..Brain & other CNS cancer (191-192)	1	.	.	0	0	.	.	0	.	.	0
..Leukemia (204-208)	4	2	2	55	75	.	.	0	.	.	0
Diabetes mellitus (250)	32	12	20	170	335	114.7	90.6	0	219.5	257.4	0
..Diabetes-related (250)	134	38	80	420	1,015	285.1	350.1	0	675.9	806.9	0
..Diabetic ketoacidosis (DKA) (250.1)	1	1	1	18	28	.	.	0	.	.	0
Alzheimer's diseases (331.0)	2	.	.	0	0	.	.	0	.	.	0
Cardiovascular disease (390-459)	370	91	169	1,008	2,283	688.7	1225.8	1	1521.9	2240.2	1
..Diseases of the heart (390-398,402,404-429)	276	77	134	863	1,895	594.7	993.6	0	1268.5	1803.4	0
...Heart disease-related (390-398,402,404-429)	495	150	249	2,037	4,020	1413.1	1983.5	0	2690.6	3518.1	0
...Coronary heart disease (CHD) (402,410-414,429.2)	194	47	94	538	1,205	371.6	384.7	0	806.2	875.0	0
...Congestive heart failure (CHF) (428.0)	16	2	5	10	48	7.4	.	0	33.3	.	0
..Hypertension with or without renal disease (401,403)	10	2	5	30	68	.	.	0	.	.	0
...Hypertension-related (401,403)	105	26	53	285	683	187.8	263.6	0	447.4	606.4	0
..Cerebrovascular disease (430-438)	67	10	22	90	250	61.3	194.9	0	168.3	345.2	0
..Atherosclerosis (440)	5	1	3	3	23	.	.	0	.	.	0
...Atherosclerosis-related (440)	31	5	11	23	103	17.1	41.0	0	72.8	99.2	0
..Aortic aneurysm (441)	6	1	2	23	35	.	.	0	.	.	0
Pneumonia & influenza (480-487)	29	9	16	180	297	118.2	52.9	0	189.7	113.1	0
Chronic obstructive pulmonary disease (COPD) (490-496)	17	8	11	110	208	69.8	111.7	0	130.7	165.6	0
..COPD-related (490-496)	45	13	21	213	383	138.2	174.5	0	243.4	290.6	0
..Asthma (493)	5	5	5	93	143	.	.	0	.	.	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1997
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Female										
	Number of Deaths, 1997			Years of life lost, 1997		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997	1996	Signif- icance	1997	1996	Signif- icance
*****Causes of Death*****											
Chronic liver disease and cirrhosis (571)	11	8	10	105	200
Nephritis, nephrotic syndrome/nephrosis (580-589)	18	3	8	83	145	53.6	70.4	0	91.6	136.7	0
..Nephritis-related (580-589)	73	26	49	395	753	251.5	411.3	0	474.6	727.6	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	22	4	11	115	198	71.7	125.6	0	120.9	208.6	0
Unintentional injuries (E800-E949)	26	19	21	473	673	292.0	444.4	0	396.6	551.1	0
..Motor vehicle accidents (E810-E825)	11	8	10	190	280
..Falls and fall related injuries (E880-E888)	2	.	.	0	0
..Drowning (E830,E832,E910)	2	2	2	85	105
..Residential fires (E890-E899)
Suicide (E950-E959)	4	3	3	53	83
Homicide and legal intervention (E960-E978)	15	15	15	482	632	301.7	.	0	376.8	.	0
..Homicide (E960-E969)	15	15	15	482	632	301.7	.	0	376.8	.	0
All injury (E800-E999)	45	37	39	1,007	1,387	628.8	760.2	0	826.4	935.7	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	11	8	10	190	280
..All falls (E880-E886,E888,E957,E968.1,E987)	1	.	.	0	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	5	5	5	173	223
....Suicide (E955.0-.4)
....Homicide (E965.0-.4)	5	5	5	173	223
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	9	9	9	213	303
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	3	2	2	45	65
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	9	9	9	213	303

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1997
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1997			Years of life lost, 1997		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997	1996	Signif- icance	1997	1996	Signif- icance
*****Causes of Death*****											
All causes	1,862	940	1,288	20,958	32,028	7456.3	8965.4	1	11323.9	13478.3	1
Infectious diseases and parasitic disease (1-139)	130	103	114	2,307	3,399	715.3	1440.2	1	1029.9	1981.4	1
..Septicemia (038)	29	11	16	190	327	70.2	112.8	0	122.4	185.3	0
...Septicemia-related (038)	118	48	80	766	1,421	279.1	368.1	0	535.3	629.2	0
..HIV infection (042-044)	77	73	77	1,798	2,553	529.3	1189.1	1	720.7	1604.3	1
All cancer (140-208)	450	202	314	2,360	4,890	911.6	917.6	0	1948.1	1998.9	0
..Oral cavity or pharynx (140.0-149.9)	7	3	5	78	118
..Colorectal cancer (153.0-154.3,154.8,159.0)	45	23	33	243	523	91.5	99.2	0	207.0	222.1	0
...Colon cancer (153)	41	20	29	190	433	76.3	89.9	0	178.5	197.3	0
...Rectal cancer (154)	4	3	4	53	90
..Pancreatic cancer (157)	29	8	16	85	205	29.5	34.2	0	81.0	91.0	0
..Lung and other respiratory cancer (160-165)	123	58	94	515	1,240	209.1	189.2	0	521.6	447.2	0
...Lung cancer (162.2-.9)	115	54	89	480	1,163	192.9	178.4	0	487.8	417.8	0
..Female breast cancer (174)	42	25	32	353	625
..Cervical cancer (180)	5	4	5	90	138
..Endometrial cancer (182)	5	.	.	0	18
..Ovarian cancer (183)	7	4	7	20	68
..Prostate cancer (185)	42	9	19	38	173
..Bladder cancer (188)	6	1	4	18	35
..Brain & other CNS cancer (191-192)	2	1	1	3	13
..Leukemia (204-208)	10	6	7	135	198	.	78.8	.	.	122.9	.
Diabetes mellitus (250)	56	27	39	323	658	118.8	153.2	0	252.6	355.0	0
..Diabetes-related (250)	226	81	147	903	2,058	329.7	394.1	0	812.6	919.9	0
..Diabetic ketoacidosis (DKA) (250.1)	1	1	1	18	28
Alzheimer's diseases (331.0)	3	.	.	0	0
Cardiovascular disease (390-459)	644	214	358	2,525	5,365	943.2	1382.3	1	2109.3	2734.0	1
..Diseases of the heart (390-398,402,404-429)	501	174	290	2,050	4,365	770.7	1168.3	1	1718.1	2266.4	1
...Heart disease-related (390-398,402,404-429)	925	349	549	4,789	9,259	1741.0	2525.3	1	3511.5	4648.1	1
...Coronary heart disease (CHD) (402,410-414,429.2)	357	120	214	1,365	3,005	520.6	491.0	0	1202.0	1155.6	0
....Congestive heart failure (CHF) (428.0)	25	4	7	25	83	11.7	15.5	0	38.1	41.0	0
..Hypertension with or without renal disease (401,403)	15	5	8	83	150	25.6	18.6	0	51.5	61.8	0
...Hypertension-related (401,403)	187	60	108	620	1,460	226.8	305.0	0	583.8	761.4	0
..Cerebrovascular disease (430-438)	103	30	48	350	730	130.8	179.5	0	288.8	358.7	0
..Atherosclerosis (440)	6	1	3	3	23
...Atherosclerosis-related (440)	46	8	15	102	220	41.6	35.5	0	94.1	95.3	0
..Aortic aneurysm (441)	6	1	2	23	35
Pneumonia & influenza (480-487)	57	23	34	450	727	145.5	131.5	0	243.3	226.0	0
Chronic obstructive pulmonary disease (COPD) (490-496)	34	15	25	213	413	69.5	87.6	0	148.0	149.7	0
..COPD-related (490-496)	93	29	53	378	788	131.7	162.9	0	298.3	321.6	0
..Asthma (493)	9	7	8	163	235

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1997
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1997			Years of life lost, 1997		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997	1996	Signif- icance	1997	1996	Signif- icance
*****Causes of Death*****											
Chronic liver disease and cirrhosis (571)	21	15	19	178	353	60.1	84.4	0	128.9	154.7	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	34	11	19	265	420	84.4	62.6	0	136.8	135.3	0
..Nephritis-related (580-589)	136	61	92	955	1,702	316.6	497.2	0	592.7	854.9	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	45	16	27	367	585	112.6	88.3	0	185.1	180.1	0
Unintentional injuries (E800-E949)	87	72	78	2,183	2,933	722.6	945.4	0	914.7	1214.3	0
..Motor vehicle accidents (E810-E825)	33	27	30	910	1,197	311.2	439.4	0	386.2	534.6	0
..Falls and fall related injuries (E880-E888)	5	1	3	23	38
..Drowning (E830,E832,E910)	3	3	3	138	168
..Residential fires (E890-E899)	2	1	2	23	40
Suicide (E950-E959)	20	18	19	515	698	176.1	292.9	0	224.7	353.3	0
Homicide and legal intervention (E960-E978)	71	71	71	2,739	3,449	986.1	1056.9	0	1156.5	1260.7	0
..Homicide (E960-E969)	70	70	70	2,696	3,396	968.0	1038.9	0	1135.5	1239.9	0
All injury (E800-E999)	179	162	169	5,464	7,117	1891.2	2350.0	0	2304.0	2889.8	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	33	27	30	910	1,197	311.2	439.4	0	386.2	534.6	0
..All falls (E880-E886,E888,E957,E968.1,E987)	5	2	4	50	75
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	57	56	57	2,205	2,768	819.4	1074.9	0	958.0	1258.9	0
....Suicide (E955.0-.4)	5	4	5	115	158
....Homicide (E965.0-.4)	51	51	51	2,048	2,558	759.7	870.9	0	882.9	1020.4	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	28	28	28	645	925	176.6	229.1	0	241.9	321.0	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	14	11	13	208	328	.	57.1	.	.	114.7	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	27	27	27	628	898	170.0	192.2	0	232.2	266.3	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1997
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male										
	Number of Deaths, 1997			Years of life lost, 1997		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997	1996	Signif- icance	1997	1996	Signif- icance
*****Causes of Death*****											
All causes	965	572	749	13,654	20,257	10135.7	12319.8	1	15211.2	18477.0	1
Infectious diseases and parasitic disease (1-139)	80	68	72	1,504	2,209	1001.3	2128.1	1	1448.0	2948.9	1
..Septicemia (038)	11	5	6	120	172	.	143.7	.	.	261.8	.
...Septicemia-related (038)	58	28	42	509	849	384.1	453.8	0	666.7	808.2	0
..HIV infection (042-044)	51	48	51	1,115	1,618	705.6	1850.5	1	995.0	2505.0	1
All cancer (140-208)	231	101	163	1,253	2,578	1049.7	1112.5	0	2314.1	2622.9	0
..Oral cavity or pharynx (140.0-149.9)	5	2	3	65	93
..Colorectal cancer (153.0-154.3,154.8,159.0)	23	12	18	150	305	113.1	93.9	0	256.4	247.1	0
...Colon cancer (153)	20	10	15	115	243	94.4	72.5	0	214.1	190.3	0
...Rectal cancer (154)	3	2	3	35	63
..Pancreatic cancer (157)	12	4	8	40	100
..Lung and other respiratory cancer (160-165)	71	32	54	305	720	264.5	283.3	0	679.9	711.8	0
...Lung cancer (162.2-.9)	65	29	50	278	660	235.6	262.0	0	619.8	659.5	0
..Female breast cancer (174)
..Cervical cancer (180)
..Endometrial cancer (182)
..Ovarian cancer (183)
..Prostate cancer (185)	42	9	19	38	173	44.7	39.7	0	198.2	190.0	0
..Bladder cancer (188)	2	1	2	18	30
..Brain & other CNS cancer (191-192)	1	1	1	3	13
..Leukemia (204-208)	6	4	5	80	123
Diabetes mellitus (250)	24	15	19	153	323	127.6	206.9	0	292.2	417.4	0
..Diabetes-related (250)	92	43	67	483	1,043	387.4	437.2	0	925.0	966.2	0
..Diabetic ketoacidosis (DKA) (250.1)
Alzheimer's diseases (331.0)	1	.	.	0	0
Cardiovascular disease (390-459)	274	123	189	1,518	3,083	1244.6	1607.0	0	2717.2	3278.9	0
..Diseases of the heart (390-398,402,404-429)	225	97	156	1,188	2,470	975.9	1396.1	0	2184.4	2773.2	0
...Heart disease-related (390-398,402,404-429)	430	199	300	2,752	5,239	2150.4	3243.5	1	4418.4	5953.5	1
...Coronary heart disease (CHD) (402,410-414,429.2)	163	73	120	828	1,800	702.7	613.9	0	1640.3	1424.2	0
...Congestive heart failure (CHF) (428.0)	9	2	2	15	35
..Hypertension with or without renal disease (401,403)	5	3	3	53	83
...Hypertension-related (401,403)	82	34	55	335	778	281.4	346.7	0	724.3	897.7	0
..Cerebrovascular disease (430-438)	36	20	26	260	480	211.2	180.6	0	414.7	383.6	0
..Atherosclerosis (440)	1	.	.	0	0
...Atherosclerosis-related (440)	15	3	4	80	117	62.6	.	0	95.0	.	0
..Aortic aneurysm (441)
Pneumonia & influenza (480-487)	28	14	18	270	430	180.1	224.9	0	304.5	350.4	0
Chronic obstructive pulmonary disease (COPD) (490-496)	17	7	14	103	205	74.1	59.8	0	171.2	129.0	0
..COPD-related (490-496)	48	16	32	165	405	141.7	153.9	0	384.4	358.1	0
..Asthma (493)	4	2	3	70	93

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1997
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male										
	Number of Deaths, 1997			Years of life lost, 1997		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997	1996	Signif- icance	1997	1996	Signif- icance
*****Causes of Death*****											
Chronic liver disease and cirrhosis (571)	10	7	9	73	153
Nephritis, nephrotic syndrome/nephrosis (580-589)	16	8	11	182	275	127.5	.	0	195.8	.	0
..Nephritis-related (580-589)	63	35	43	560	950	424.4	626.7	0	740.3	1002.6	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	23	12	16	252	387	173.9	60.4	0	273.3	159.4	0
Unintentional injuries (E800-E949)	61	53	57	1,711	2,261	1205.4	1518.6	0	1510.3	1997.7	0
..Motor vehicle accidents (E810-E825)	22	19	20	720	917	527.6	776.6	0	636.0	955.9	0
..Falls and fall related injuries (E880-E888)	3	1	3	23	38
..Drowning (E830,E832,E910)	1	1	1	53	63
..Residential fires (E890-E899)	2	1	2	23	40
Suicide (E950-E959)	16	15	16	463	615	325.7	542.9	0	410.7	647.8	0
Homicide and legal intervention (E960-E978)	56	56	56	2,257	2,817	1680.4	1850.0	0	1954.5	2221.1	0
..Homicide (E960-E969)	55	55	55	2,215	2,765	1644.4	1814.1	0	1912.8	2179.6	0
All injury (E800-E999)	134	125	130	4,458	5,730	3225.1	4020.4	0	3892.8	4988.9	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	22	19	20	720	917	527.6	776.6	0	636.0	955.9	0
..All falls (E880-E886,E888,E957,E968.1,E987)	4	2	4	50	75
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	52	51	52	2,033	2,545	1545.9	1995.8	0	1809.4	2339.0	0
...Suicide (E955.0-.4)	5	4	5	115	158
...Homicide (E965.0-.4)	46	46	46	1,875	2,335	1424.5	1584.9	0	1654.6	1858.2	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	19	19	19	433	623	255.3	367.0	0	354.6	528.8	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	11	9	11	163	263
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	18	18	18	415	595	240.6	342.1	0	332.9	480.0	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1997
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Female										
	Number of Deaths, 1997			Years of life lost, 1997		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997	1996	Signif- icance	1997	1996	Signif- icance
*****Causes of Death*****											
All causes	897	368	539	7,304	11,772	4943.0	5937.2	0	7835.6	9118.0	0
Infectious diseases and parasitic disease (1-139)	50	35	42	803	1,190	476.1	857.6	0	684.7	1167.8	0
..Septicemia (038)	18	6	10	70	155	50.8	.	0	112.3	.	0
...Septicemia-related (038)	60	20	38	257	572	187.4	300.0	0	422.7	488.7	0
..HIV infection (042-044)	26	25	26	683	935	390.8	619.9	0	503.5	836.1	0
All cancer (140-208)	219	101	151	1,108	2,313	785.6	774.9	0	1648.9	1532.6	0
..Oral cavity or pharynx (140.0-149.9)	2	1	2	13	25
..Colorectal cancer (153.0-154.3,154.8,159.0)	22	11	15	93	218	72.9	105.0	0	166.8	205.5	0
...Colon cancer (153)	21	10	14	75	190	61.0	105.0	0	149.2	205.5	0
...Rectal cancer (154)	1	1	1	18	28
..Pancreatic cancer (157)	17	4	8	45	105	32.5	.	0	76.8	.	0
..Lung and other respiratory cancer (160-165)	52	26	40	210	520	163.9	116.8	0	400.0	244.7	0
...Lung cancer (162.2-.9)	50	25	39	203	503	157.7	114.3	0	386.3	233.2	0
..Female breast cancer (174)	42	25	32	353	625	233.1	208.7	0	406.4	399.3	0
..Cervical cancer (180)	5	4	5	90	138
..Endometrial cancer (182)	5	.	3	0	18
..Ovarian cancer (183)	7	4	7	20	68
..Prostate cancer (185)
..Bladder cancer (188)	4	.	2	0	5
..Brain & other CNS cancer (191-192)	1	.	.	0	0
..Leukemia (204-208)	4	2	2	55	75
Diabetes mellitus (250)	32	12	20	170	335	112.5	102.0	0	225.0	294.7	0
..Diabetes-related (250)	134	38	80	420	1,015	283.4	356.6	0	726.1	876.5	0
..Diabetic ketoacidosis (DKA) (250.1)	1	1	1	18	28
Alzheimer's diseases (331.0)	2	.	.	0	0
Cardiovascular disease (390-459)	370	91	169	1,008	2,283	688.0	1203.1	1	1621.4	2308.8	0
..Diseases of the heart (390-398,402,404-429)	276	77	134	863	1,895	598.0	978.0	0	1346.8	1859.9	0
...Heart disease-related (390-398,402,404-429)	495	150	249	2,037	4,020	1404.2	1929.5	0	2802.3	3592.3	0
...Coronary heart disease (CHD) (402,410-414,429.2)	194	47	94	538	1,205	372.5	392.2	0	860.0	944.4	0
...Congestive heart failure (CHF) (428.0)	16	2	5	10	48	8.6	.	0	39.5	.	0
..Hypertension with or without renal disease (401,403)	10	2	5	30	68
...Hypertension-related (401,403)	105	26	53	285	683	183.9	272.7	0	478.4	656.9	0
..Cerebrovascular disease (430-438)	67	10	22	90	250	61.1	186.6	0	184.6	348.7	0
..Atherosclerosis (440)	5	1	3	3	23
...Atherosclerosis-related (440)	31	5	11	23	103	19.0	43.9	0	85.5	110.2	0
..Aortic aneurysm (441)	6	1	2	23	35
Pneumonia & influenza (480-487)	29	9	16	180	297	117.3	50.4	0	194.4	119.4	0
Chronic obstructive pulmonary disease (COPD) (490-496)	17	8	11	110	208	65.3	120.7	0	130.3	179.2	0
..COPD-related (490-496)	45	13	21	213	383	126.4	181.3	0	237.3	307.7	0
..Asthma (493)	5	5	5	93	143

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1997
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Female										
	Number of Deaths, 1997			Years of life lost, 1997		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997	1996	Signif- icance	1997	1996	Signif- icance
*****Causes of Death*****											
Chronic liver disease and cirrhosis (571)	11	8	10	105	200
Nephritis, nephrotic syndrome/nephrosis (580-589)	18	3	8	83	145	45.1	69.7	0	85.5	144.3	0
..Nephritis-related (580-589)	73	26	49	395	753	226.7	392.1	0	469.6	733.2	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	22	4	11	115	198	58.7	115.4	0	110.6	204.0	0
Unintentional injuries (E800-E949)	26	19	21	473	673	254.4	427.7	0	346.4	521.6	0
..Motor vehicle accidents (E810-E825)	11	8	10	190	280
..Falls and fall related injuries (E880-E888)	2	.	.	0	0
..Drowning (E830,E832,E910)	2	2	2	85	105
..Residential fires (E890-E899)
Suicide (E950-E959)	4	3	3	53	83
Homicide and legal intervention (E960-E978)	15	15	15	482	632	288.0	.	0	352.9	.	0
..Homicide (E960-E969)	15	15	15	482	632	288.0	.	0	352.9	.	0
All injury (E800-E999)	45	37	39	1,007	1,387	576.4	756.7	0	749.9	917.4	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	11	8	10	190	280
..All falls (E880-E886,E888,E957,E968.1,E987)	1	.	.	0	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	5	5	5	173	223
....Suicide (E955.0-.4)
....Homicide (E965.0-.4)	5	5	5	173	223
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	9	9	9	213	303
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	3	2	2	45	65
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	9	9	9	213	303

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1997
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1997			Years of life lost, 1997		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997	1996	Signif- icance	1997	1996	Signif- icance
*****Causes of Death*****											
All causes	1,862	940	1,288	20,958	32,028	7726.0	9471.9	1	11814.2	14291.7	1
Infectious diseases and parasitic disease (1-139)	130	103	114	2,307	3,399	872.7	1839.6	1	1238.8	2503.0	1
..Septicemia (038)	29	11	16	190	327	76.4	115.8	0	131.8	190.9	0
...Septicemia-related (038)	118	48	80	766	1,421	316.3	394.1	0	590.5	670.1	0
..HIV infection (042-044)	77	73	77	1,798	2,553	665.4	1562.2	1	899.0	2088.8	1
All cancer (140-208)	450	202	314	2,360	4,890	1032.7	1058.8	0	2128.7	2201.1	0
..Oral cavity or pharynx (140.0-149.9)	7	3	5	78	118	.	.	0	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	45	23	33	243	523	105.4	116.4	0	226.3	245.9	0
...Colon cancer (153)	41	20	29	190	433	86.5	106.0	0	193.2	219.1	0
...Rectal cancer (154)	4	3	4	53	90	.	.	0	.	.	.
..Pancreatic cancer (157)	29	8	16	85	205	34.7	40.7	0	88.1	100.2	0
..Lung and other respiratory cancer (160-165)	123	58	94	515	1,240	241.9	225.3	0	569.7	498.6	0
...Lung cancer (162.2-.9)	115	54	89	480	1,163	224.6	213.1	0	533.7	468.2	0
..Female breast cancer (174)	42	25	32	353	625	.	.	0	.	.	.
..Cervical cancer (180)	5	4	5	90	138	.	.	0	.	.	.
..Endometrial cancer (182)	5	.	.	0	18	.	.	0	.	.	.
..Ovarian cancer (183)	7	4	7	20	68	.	.	0	.	.	.
..Prostate cancer (185)	42	9	19	38	173	.	.	0	.	.	.
..Bladder cancer (188)	6	1	4	18	35	.	.	0	.	.	.
..Brain & other CNS cancer (191-192)	2	1	1	3	13	.	.	0	.	.	.
..Leukemia (204-208)	10	6	7	135	198	.	74.4	0	.	119.5	.
Diabetes mellitus (250)	56	27	39	323	658	144.6	166.0	0	287.9	373.8	0
..Diabetes-related (250)	226	81	147	903	2,058	388.9	433.8	0	897.6	980.2	0
..Diabetic ketoacidosis (DKA) (250.1)	1	1	1	18	28	.	.	0	.	.	.
Alzheimer's diseases (331.0)	3	.	.	0	0	.	.	0	.	.	.
Cardiovascular disease (390-459)	644	214	358	2,525	5,365	1096.4	1562.7	1	2330.7	3001.9	1
..Diseases of the heart (390-398,402,404-429)	501	174	290	2,050	4,365	898.8	1310.6	1	1904.2	2482.3	1
...Heart disease-related (390-398,402,404-429)	925	349	549	4,789	9,259	1998.6	2902.8	1	3882.7	5190.5	1
...Coronary heart disease (CHD) (402,410-414,429.2)	357	120	214	1,365	3,005	605.0	578.4	0	1328.6	1282.3	0
....Congestive heart failure (CHF) (428.0)	25	4	7	25	83	12.6	19.4	0	39.4	47.1	0
..Hypertension with or without renal disease (401,403)	15	5	8	83	150	29.8	19.5	0	56.8	62.7	0
...Hypertension-related (401,403)	187	60	108	620	1,460	264.3	346.9	0	635.9	822.4	0
..Cerebrovascular disease (430-438)	103	30	48	350	730	147.9	213.8	0	313.0	405.0	0
..Atherosclerosis (440)	6	1	3	3	23	.	.	0	.	.	.
...Atherosclerosis-related (440)	46	8	15	102	220	39.4	39.3	0	92.2	102.2	0
..Aortic aneurysm (441)	6	1	2	23	35	.	.	0	.	.	.
Pneumonia & influenza (480-487)	57	23	34	450	727	165.0	152.5	0	270.8	257.6	0
Chronic obstructive pulmonary disease (COPD) (490-496)	34	15	25	213	413	84.2	87.4	0	167.8	150.9	0
..COPD-related (490-496)	93	29	53	378	788	154.5	179.9	0	331.0	348.2	0
..Asthma (493)	9	7	8	163	235	.	.	0	.	.	.

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1997
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1997			Years of life lost, 1997		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997	1996	Signif- icance	1997	1996	Signif- icance
*****Causes of Death*****											
Chronic liver disease and cirrhosis (571)	21	15	19	178	353	76.5	102.5	0	149.4	179.9	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	34	11	19	265	420	97.8	69.4	0	156.0	144.6	0
..Nephritis-related (580-589)	136	61	92	955	1,702	385.7	600.9	0	688.0	997.2	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	45	16	27	367	585	136.0	101.5	0	217.4	198.1	0
Unintentional injuries (E800-E949)	87	72	78	2,183	2,933	775.9	962.2	0	991.8	1251.3	0
..Motor vehicle accidents (E810-E825)	33	27	30	910	1,197	310.0	422.6	0	387.4	518.3	0
..Falls and fall related injuries (E880-E888)	5	1	3	23	38
..Drowning (E830,E832,E910)	3	3	3	138	168
..Residential fires (E890-E899)	2	1	2	23	40
Suicide (E950-E959)	20	18	19	515	698	182.8	272.0	0	236.3	329.7	0
Homicide and legal intervention (E960-E978)	71	71	71	2,739	3,449	917.5	956.9	0	1079.2	1147.3	0
..Homicide (E960-E969)	70	70	70	2,696	3,396	902.1	941.6	0	1061.5	1129.7	0
All injury (E800-E999)	179	162	169	5,464	7,117	1885.8	2238.1	0	2319.6	2780.7	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	33	27	30	910	1,197	310.0	422.6	0	387.4	518.3	0
..All falls (E880-E886,E888,E957,E968.1,E987)	5	2	4	50	75
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	57	56	57	2,205	2,768	742.0	964.4	0	868.6	1130.5	0
...Suicide (E955.0-.4)	5	4	5	115	158
...Homicide (E965.0-.4)	51	51	51	2,048	2,558	686.2	776.5	0	797.4	910.6	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	28	28	28	645	925	254.3	261.1	0	342.2	365.9	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	14	11	13	208	328	.	68.9	.	.	130.7	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	27	27	27	628	898	246.1	237.6	0	330.1	327.1	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1997
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Male										
	Number of Deaths, 1997			Years of life lost, 1997		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997	1996	Signif- icance	1997	1996	Signif- icance
*****Causes of Death*****											
All causes	965	572	749	13,654	20,257	10436.5	13123.5	1	15773.4	19732.5	1
Infectious diseases and parasitic disease (1-139)	80	68	72	1,504	2,209	1247.3	2766.8	1	1772.7	3782.4	1
..Septicemia (038)	11	5	6	120	172	.	149.9	.	.	270.2	.
...Septicemia-related (038)	58	28	42	509	849	443.9	498.8	0	754.6	874.4	0
..HIV infection (042-044)	51	48	51	1,115	1,618	923.1	2433.9	1	1279.4	3265.8	1
All cancer (140-208)	231	101	163	1,253	2,578	1168.5	1270.6	0	2490.6	2856.5	0
..Oral cavity or pharynx (140.0-149.9)	5	2	3	65	93
..Colorectal cancer (153.0-154.3,154.8,159.0)	23	12	18	150	305	133.4	105.6	0	283.1	264.5	0
...Colon cancer (153)	20	10	15	115	243	110.2	81.6	0	236.0	203.3	0
...Rectal cancer (154)	3	2	3	35	63
..Pancreatic cancer (157)	12	4	8	40	100
..Lung and other respiratory cancer (160-165)	71	32	54	305	720	311.2	330.6	0	745.5	779.2	0
...Lung cancer (162.2-.9)	65	29	50	278	660	279.8	306.0	0	680.6	723.7	0
..Female breast cancer (174)
..Cervical cancer (180)
..Endometrial cancer (182)
..Ovarian cancer (183)
..Prostate cancer (185)	42	9	19	38	173	44.0	42.6	0	197.7	196.6	0
..Bladder cancer (188)	2	1	2	18	30
..Brain & other CNS cancer (191-192)	1	1	1	3	13
..Leukemia (204-208)	6	4	5	80	123
Diabetes mellitus (250)	24	15	19	153	323	151.6	231.4	0	322.5	452.8	0
..Diabetes-related (250)	92	43	67	483	1,043	454.7	506.4	0	1015.6	1066.1	0
..Diabetic ketoacidosis (DKA) (250.1)
Alzheimer's diseases (331.0)	1	.	.	0	0
Cardiovascular disease (390-459)	274	123	189	1,518	3,083	1435.0	1813.2	0	2984.5	3588.1	0
..Diseases of the heart (390-398,402,404-429)	225	97	156	1,188	2,470	1137.8	1567.7	0	2413.5	3036.7	0
...Heart disease-related (390-398,402,404-429)	430	199	300	2,752	5,239	2489.3	3778.8	1	4891.7	6719.9	1
...Coronary heart disease (CHD) (402,410-414,429.2)	163	73	120	828	1,800	814.3	730.0	0	1800.5	1591.9	0
...Congestive heart failure (CHF) (428.0)	9	2	2	15	35
..Hypertension with or without renal disease (401,403)	5	3	3	53	83
...Hypertension-related (401,403)	82	34	55	335	778	318.0	385.0	0	772.6	953.3	0
..Cerebrovascular disease (430-438)	36	20	26	260	480	235.6	215.6	0	448.0	430.9	0
..Atherosclerosis (440)	1	.	.	0	0
...Atherosclerosis-related (440)	15	3	4	80	117	57.4	.	0	89.6	.	0
..Aortic aneurysm (441)
Pneumonia & influenza (480-487)	28	14	18	270	430	209.7	268.0	0	343.2	413.0	0
Chronic obstructive pulmonary disease (COPD) (490-496)	17	7	14	103	205	81.1	72.6	0	181.9	145.0	0
..COPD-related (490-496)	48	16	32	165	405	153.2	186.2	0	403.9	402.7	0
..Asthma (493)	4	2	3	70	93

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1997
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Male										
	Number of Deaths, 1997			Years of life lost, 1997		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997	1996	Signif- icance	1997	1996	Signif- icance
*****Causes of Death*****											
Chronic liver disease and cirrhosis (571)	10	7	9	73	153
Nephritis, nephrotic syndrome/nephrosis (580-589)	16	8	11	182	275	146.7	.	0	223.4	.	0
..Nephritis-related (580-589)	63	35	43	560	950	512.5	789.1	0	861.4	1225.6	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	23	12	16	252	387	209.9	74.3	0	323.0	179.8	0
Unintentional injuries (E800-E949)	61	53	57	1,711	2,261	1245.6	1560.9	0	1579.1	2079.2	0
..Motor vehicle accidents (E810-E825)	22	19	20	720	917	487.6	748.2	0	590.1	930.0	0
..Falls and fall related injuries (E880-E888)	3	1	3	23	38
..Drowning (E830,E832,E910)	1	1	1	53	63
..Residential fires (E890-E899)	2	1	2	23	40
Suicide (E950-E959)	16	15	16	463	615	331.7	505.9	0	423.3	605.7	0
Homicide and legal intervention (E960-E978)	56	56	56	2,257	2,817	1526.9	1701.3	0	1775.5	2054.4	0
..Homicide (E960-E969)	55	55	55	2,215	2,765	1496.3	1670.7	0	1740.3	2019.2	0
All injury (E800-E999)	134	125	130	4,458	5,730	3124.9	3861.6	0	3804.0	4843.7	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	22	19	20	720	917	487.6	748.2	0	590.1	930.0	0
..All falls (E880-E886,E888,E957,E968.1,E987)	4	2	4	50	75
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	52	51	52	2,033	2,545	1384.1	1817.9	0	1620.4	2133.5	0
....Suicide (E955.0-.4)	5	4	5	115	158
....Homicide (E965.0-.4)	46	46	46	1,875	2,335	1269.6	1437.2	0	1472.3	1687.2	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	19	19	19	433	623	366.9	431.3	0	498.1	617.3	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	11	9	11	163	263
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	18	18	18	415	595	348.5	419.2	0	471.2	584.4	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1997
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Female										
	Number of Deaths, 1997			Years of life lost, 1997		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997	1996	Signif- icance	1997	1996	Signif- icance
*****Causes of Death*****											
All causes	897	368	539	7,304	11,772	5232.6	6237.5	0	8318.3	9614.2	0
Infectious diseases and parasitic disease (1-139)	50	35	42	803	1,190	558.0	1054.1	1	795.1	1425.1	1
..Septicemia (038)	18	6	10	70	155	59.8	.	0	125.4	.	0
...Septicemia-related (038)	60	20	38	257	572	206.0	310.8	0	451.4	509.1	0
..HIV infection (042-044)	26	25	26	683	935	456.2	815.8	0	590.0	1087.9	0
All cancer (140-208)	219	101	151	1,108	2,313	910.5	904.0	0	1834.7	1712.3	0
..Oral cavity or pharynx (140.0-149.9)	2	1	2	13	25
..Colorectal cancer (153.0-154.3,154.8,159.0)	22	11	15	93	218	81.3	126.9	0	179.6	234.7	0
...Colon cancer (153)	21	10	14	75	190	66.4	126.9	0	157.8	234.7	0
...Rectal cancer (154)	1	1	1	18	28
..Pancreatic cancer (157)	17	4	8	45	105	38.5	.	0	85.9	.	0
..Lung and other respiratory cancer (160-165)	52	26	40	210	520	184.9	143.9	0	433.0	283.6	0
...Lung cancer (162.2-.9)	50	25	39	203	503	178.5	141.6	0	419.1	272.9	0
..Female breast cancer (174)	42	25	32	353	625	289.3	254.3	0	487.1	460.0	0
..Cervical cancer (180)	5	4	5	90	138
..Endometrial cancer (182)	5	.	3	0	18
..Ovarian cancer (183)	7	4	7	20	68
..Prostate cancer (185)
..Bladder cancer (188)	4	.	2	0	5
..Brain & other CNS cancer (191-192)	1	.	.	0	0
..Leukemia (204-208)	4	2	2	55	75
Diabetes mellitus (250)	32	12	20	170	335	139.8	105.9	0	264.1	300.6	0
..Diabetes-related (250)	134	38	80	420	1,015	335.8	372.0	0	805.6	903.8	0
..Diabetic ketoacidosis (DKA) (250.1)	1	1	1	18	28
Alzheimer's diseases (331.0)	2	.	.	0	0
Cardiovascular disease (390-459)	370	91	169	1,008	2,283	812.0	1365.2	1	1806.1	2546.5	0
..Diseases of the heart (390-398,402,404-429)	276	77	134	863	1,895	698.4	1098.9	0	1497.4	2040.4	0
...Heart disease-related (390-398,402,404-429)	495	150	249	2,037	4,020	1593.1	2179.9	0	3086.7	3954.6	0
...Coronary heart disease (CHD) (402,410-414,429.2)	194	47	94	538	1,205	434.7	455.9	0	958.8	1037.5	0
....Congestive heart failure (CHF) (428.0)	16	2	5	10	48	8.6	.	0	39.7	.	0
..Hypertension with or without renal disease (401,403)	10	2	5	30	68
...Hypertension-related (401,403)	105	26	53	285	683	222.3	317.9	0	533.4	722.7	0
..Cerebrovascular disease (430-438)	67	10	22	90	250	73.3	220.4	0	202.5	394.2	0
..Atherosclerosis (440)	5	1	3	3	23
...Atherosclerosis-related (440)	31	5	11	23	103	20.2	48.9	0	87.4	119.2	0
..Aortic aneurysm (441)	6	1	2	23	35
Pneumonia & influenza (480-487)	29	9	16	180	297	128.0	53.4	0	211.9	125.5	0
Chronic obstructive pulmonary disease (COPD) (490-496)	17	8	11	110	208	86.6	107.1	0	157.9	165.3	0
..COPD-related (490-496)	45	13	21	213	383	158.8	183.5	0	281.5	316.8	0
..Asthma (493)	5	5	5	93	143

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1997
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Female										
	Number of Deaths, 1997			Years of life lost, 1997		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997	1996	Signif- icance	1997	1996	Signif- icance
*****Causes of Death*****											
Chronic liver disease and cirrhosis (571)	11	8	10	105	200
Nephritis, nephrotic syndrome/nephrosis (580-589)	18	3	8	83	145	54.4	69.7	0	98.4	144.2	0
..Nephritis-related (580-589)	73	26	49	395	753	280.8	446.0	0	544.2	807.5	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	22	4	11	115	198	72.1	127.5	0	128.9	219.6	0
Unintentional injuries (E800-E949)	26	19	21	473	673	328.8	432.2	0	442.6	532.4	0
..Motor vehicle accidents (E810-E825)	11	8	10	190	280
..Falls and fall related injuries (E880-E888)	2	.	.	0	0
..Drowning (E830,E832,E910)	2	2	2	85	105
..Residential fires (E890-E899)
Suicide (E950-E959)	4	3	3	53	83
Homicide and legal intervention (E960-E978)	15	15	15	482	632	308.8	.	0	382.6	.	0
..Homicide (E960-E969)	15	15	15	482	632	308.8	.	0	382.6	.	0
All injury (E800-E999)	45	37	39	1,007	1,387	681.7	717.1	0	889.9	878.4	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	11	8	10	190	280
..All falls (E880-E886,E888,E957,E968.1,E987)	1	.	.	0	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	5	5	5	173	223
....Suicide (E955.0-.4)
....Homicide (E965.0-.4)	5	5	5	173	223
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	9	9	9	213	303
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	3	2	2	45	65
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	9	9	9	213	303

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).