

Connecticut Resident Age-Adjusted Rates for 62 Cause of Death Classifications by Sex Black Residents, 1998

Page

Connecticut Resident Age-Adjusted Mortality Rate (AAMR) Tables by Cause of Death and Sex, Black Residents, 1998

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

2

1970 standard population

4

2000 standard population

6

Connecticut Resident Age-Adjusted Years of Potential Life Lost Rate (YPLL) Tables by Cause of Death and Sex, Black Residents, 1998

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

8

1970 standard population

14

2000 standard population

20

CONNECTICUT Black Resident DEATHS, 1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1998*****				*****1998*****				*****1998*****						
	No. of deaths	Crude rate	Signif- AAMR	1997 AAMR	No. of deaths	Crude rate	Signif- AAMR	1997 AAMR	No. of deaths	Crude rate	Signif- AAMR	1997 AAMR			
*****Causes of Death*****															
All causes	2,030	668.4	633.3	0	596.6	1,043	723.5	805.1	0	760.5	987	618.6	502.5	0	467.6
Infectious diseases and parasitic disease (1-139)	126	41.5	38.9	0	42.0	68	47.2	49.6	0	59.5	58	36.4	30.5	0	28.3
..Septicemia (038)	40	13.2	11.6	0	8.6	17	11.8	12.8	0	.	23	14.4	10.6	0	8.8
....Septicemia-related (038)	140	46.1	42.5	0	38.0	68	47.2	51.5	0	46.0	72	45.1	36.3	0	32.4
..HIV infection (042-044)	67	22.1	21.4	0	25.0	40	27.7	29.1	0	36.4	27	16.9	15.4	0	15.6
All cancer (140-208)	447	147.2	148.3	0	151.6	242	167.9	198.7	0	190.9	205	128.5	114.2	0	125.0
..Oral cavity or pharynx (140.0-149.9)	12	4.0	.	.	.	10	6.9	.	.	.	2	1.3	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	44	14.5	13.9	0	15.4	21	14.6	16.8	0	18.9	23	14.4	11.8	0	12.8
....Colon cancer (153)	38	12.5	11.9	0	14.0	17	11.8	13.4	0	16.4	21	13.2	10.9	0	12.2
....Rectal cancer (154)	6	2.0	.	.	.	4	2.8	.	.	.	2	1.3	.	.	.
..Pancreatic cancer (157)	28	9.2	9.6	0	9.3	14	9.7	.	.	.	14	8.8	.	.	8.8
..Lung and other respiratory cancer (160-165)	127	41.8	43.7	0	43.1	87	60.3	73.3	0	60.2	40	25.1	23.3	0	31.4
....Lung cancer (162.2-.9)	114	37.5	39.0	0	40.3	78	54.1	65.4	0	55.0	36	22.6	21.0	0	30.2
..Female breast cancer (174)	55	55	34.5	31.8	0	24.2
..Cervical cancer (180)	7	7	4.4	.	.	.
..Endometrial cancer (182)	3	3	1.9	.	.	.
..Ovarian cancer (183)	4	4	2.5	.	.	.
..Prostate cancer (185)	35	35	24.3	25.5	0	32.6
..Bladder cancer (188)	4	1.3	.	.	.	4	2.8
..Brain & other CNS cancer (191-192)	7	2.3	.	.	.	3	2.1	.	.	.	4	2.5	.	.	.
..Leukemia (204-208)	10	3.3	.	.	.	6	4.2	.	.	.	4	2.5	.	.	.
Diabetes mellitus (250)	78	25.7	24.3	0	18.5	39	27.1	30.8	0	20.5	39	24.4	19.9	0	17.2
..Diabetes-related (250)	243	80.0	75.8	0	73.7	102	70.7	81.6	0	77.5	141	88.4	70.9	0	70.5
..Diabetic ketoacidosis (DKA) (250.1)	2	0.7	2	1.3	.	.	.
Alzheimer's diseases (331.0)	8	2.6	.	.	.	1	0.7	.	.	.	7	4.4	.	.	.
Cardiovascular disease (390-459)	710	233.8	214.0	0	198.3	322	223.3	254.9	0	226.1	388	243.2	182.0	0	175.7
..Diseases of the heart (390-398,402,404-429)	568	187.0	172.1	0	156.2	263	182.4	208.7	0	186.6	305	191.2	144.3	0	133.0
....Heart disease-related (390-398,402,404-429)	1,002	329.9	307.3	0	289.0	479	332.2	378.6	0	352.1	523	327.8	254.2	0	242.7
....Coronary heart disease (CHD) (402,410-414,429.2)	381	125.4	115.2	0	112.1	179	124.2	142.2	0	136.8	202	126.6	95.7	0	92.7
....Congestive heart failure (CHF) (428.0)	23	7.6	5.9	0	7.0	6	4.2	.	.	.	17	10.7	6.9	0	7.2
..Hypertension with or without renal disease (401,403)	18	5.9	5.1	0	4.7	7	4.9	.	.	.	11	6.9	.	.	.
....Hypertension-related (401,403)	209	68.8	66.3	0	58.4	86	59.7	69.2	0	68.0	123	77.1	64.0	0	51.6
..Cerebrovascular disease (430-438)	89	29.3	26.9	0	30.0	31	21.5	24.4	0	29.2	58	36.4	27.8	0	29.3
..Atherosclerosis (440)	8	2.6	.	.	.	6	4.2	.	.	.	2	1.3	.	.	.
....Atherosclerosis-related (440)	32	10.5	8.3	0	12.8	12	8.3	.	.	11.1	20	12.5	8.0	0	14.0
..Aortic aneurysm (441)	8	2.6	.	.	.	5	3.5	.	.	.	3	1.9	.	.	.
Pneumonia & influenza (480-487)	57	18.8	14.9	0	17.2	28	19.4	19.9	0	21.5	29	18.2	10.8	0	14.2
Chronic obstructive pulmonary disease (COPD) (490-496)	31	10.2	10.1	0	11.2	13	9.0	.	.	14.0	18	11.3	10.2	0	9.2

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1998 AAMR is significantly different (prob<0.05) from the 1997 AAMR.
 0 - The 1998 AAMR is not significantly different (prob>0.05) from the 1997 AAMR.

CONNECTICUT Black Resident DEATHS, 1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1998*****				*****1998*****				*****1998*****						
	No. of deaths	Crude rate	AAMR	Signif- icance	1997 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1997 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1997 AAMR
*****Causes of Death*****															
..COPD-related (490-496)	106	34.9	32.0	0	29.1	56	38.8	43.4	0	39.9	50	31.3	24.8	0	21.6
..Asthma (493)	8	2.6	.	.	.	3	2.1	.	.	.	5	3.1	.	.	.
Chronic liver disease and cirrhosis (571)	15	4.9	5.1	0	7.5	13	9.0	.	.	.	2	1.3	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	39	12.8	12.7	0	10.0	18	12.5	14.9	0	11.9	21	13.2	11.0	0	8.6
..Nephritis-related (580-589)	152	50.0	48.8	0	44.2	77	53.4	61.6	0	49.4	75	47.0	38.9	0	40.4
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	50	16.5	16.2	0	13.6	24	16.6	19.5	0	17.4	26	16.3	14.0	0	10.8
Unintentional injuries (E800-E949)	95	31.3	30.8	0	27.5	62	43.0	44.8	0	43.5	33	20.7	18.7	0	13.6
..Motor vehicle accidents (E810-E825)	31	10.2	10.3	0	10.8	21	14.6	15.3	0	15.9	10	6.3	.	.	.
..Falls and fall related injuries (E880-E888)	5	1.6	.	.	.	4	2.8	.	.	.	1	0.6	.	.	.
..Drowning (E830,E832,E910)	2	0.7	.	.	.	2	1.4
..Residential fires (E890-E899)	8	2.6	.	.	.	2	1.4	.	.	.	6	3.8	.	.	.
Suicide (E950-E959)	22	7.2	7.6	0	6.6	17	11.8	12.2	0	11.5	5	3.1	.	.	.
Homicide and legal intervention (E960-E978)	72	23.7	24.6	0	25.0	54	37.5	38.8	0	41.1	18	11.3	11.9	0	8.8
..Homicide (E960-E969)	70	23.0	23.8	0	24.6	52	36.1	37.2	0	40.3	18	11.3	11.9	0	8.8
All injury (E800-E999)	194	63.9	64.5	0	59.3	138	95.7	99.0	0	96.7	56	35.1	33.7	0	24.5
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	31	10.2	10.3	0	10.8	21	14.6	15.3	0	15.9	10	6.3	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	6	2.0	.	.	.	4	2.8	.	.	.	2	1.3	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	62	20.4	21.8	0	20.6	53	36.8	38.1	0	39.1	9	5.6	.	.	.
....Suicide (E955.0-.4)	8	2.6	.	.	.	8	5.5
....Homicide (E965.0-.4)	50	16.5	17.6	0	18.4	41	28.4	29.5	0	34.3	9	5.6	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	36	11.9	11.3	0	8.5	28	19.4	19.0	0	12.8	8	5.0	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	18	5.9	5.9	0	.	15	10.4	11.1	0	.	3	1.9	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	34	11.2	10.8	0	8.2	27	18.7	18.3	0	12.0	7	4.4	.	.	.

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1998 AAMR is significantly different (prob<0.05) from the 1997 AAMR.
 0 - The 1998 AAMR is not significantly different (prob>0.05) from the 1997 AAMR.

CONNECTICUT Black Resident DEATHS, 1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1998*****				*****1998*****				*****1998*****						
	No. of deaths	Crude rate	AAMR	Significance	1997 AAMR	No. of deaths	Crude rate	AAMR	Significance	1997 AAMR	No. of deaths	Crude rate	AAMR	Significance	1997 AAMR
*****Causes of Death*****															
All causes	2,030	668.4	814.6	0	769.4	1,043	723.5	1012.5	0	956.9	987	618.6	666.6	0	627.0
Infectious diseases and parasitic disease (1-139)	126	41.5	41.9	0	44.1	68	47.2	52.7	0	61.9	58	36.4	33.4	0	30.5
..Septicemia (038)	40	13.2	15.9	0	12.3	17	11.8	16.4	0	.	23	14.4	15.1	0	12.3
....Septicemia-related (038)	140	46.1	57.8	0	50.5	68	47.2	70.0	0	61.0	72	45.1	49.6	0	43.7
..HIV infection (042-044)	67	22.1	19.4	0	22.4	40	27.7	27.1	0	32.9	27	16.9	13.3	0	13.9
All cancer (140-208)	447	147.2	192.5	0	199.4	242	167.9	264.2	0	257.9	205	128.5	145.3	0	162.3
..Oral cavity or pharynx (140.0-149.9)	12	4.0	.	.	.	10	6.9	.	.	.	2	1.3	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	44	14.5	18.6	0	19.7	21	14.6	22.1	0	23.9	23	14.4	16.2	0	16.6
....Colon cancer (153)	38	12.5	16.3	0	18.2	17	11.8	18.5	0	21.2	21	13.2	15.0	0	16.0
....Rectal cancer (154)	6	2.0	.	.	.	4	2.8	.	.	.	2	1.3	.	.	.
..Pancreatic cancer (157)	28	9.2	12.3	0	13.4	14	9.7	.	.	.	14	8.8	.	.	12.8
..Lung and other respiratory cancer (160-165)	127	41.8	56.0	0	55.7	87	60.3	96.8	0	80.0	40	25.1	28.6	0	40.0
....Lung cancer (162.2-.9)	114	37.5	50.5	0	52.0	78	54.1	87.4	0	73.0	36	22.6	26.0	0	38.4
..Female breast cancer (174)	55	55	34.5	39.2	0	29.3
..Cervical cancer (180)	7	7	4.4	.	.	.
..Endometrial cancer (182)	3	3	1.9	.	.	.
..Ovarian cancer (183)	4	4	2.5	.	.	.
..Prostate cancer (185)	35	35	24.3	42.3	0	53.0
..Bladder cancer (188)	4	1.3	.	.	.	4	2.8
..Brain & other CNS cancer (191-192)	7	2.3	.	.	.	3	2.1	.	.	.	4	2.5	.	.	.
..Leukemia (204-208)	10	3.3	.	.	.	6	4.2	.	.	.	4	2.5	.	.	.
Diabetes mellitus (250)	78	25.7	34.6	0	24.1	39	27.1	44.2	0	26.2	39	24.4	28.5	0	22.7
..Diabetes-related (250)	243	80.0	106.1	0	100.4	102	70.7	110.6	0	102.1	141	88.4	101.5	0	98.0
..Diabetic ketoacidosis (DKA) (250.1)	2	0.7	2	1.3	.	.	.
Alzheimer's diseases (331.0)	8	2.6	.	.	.	1	0.7	.	.	.	7	4.4	.	.	.
Cardiovascular disease (390-459)	710	233.8	299.1	0	284.4	322	223.3	340.2	0	307.9	388	243.2	265.0	0	262.7
..Diseases of the heart (390-398,402,404-429)	568	187.0	239.4	0	220.8	263	182.4	278.9	0	252.8	305	191.2	208.5	0	195.3
....Heart disease-related (390-398,402,404-429)	1,002	329.9	419.6	0	402.7	479	332.2	502.8	0	474.5	523	327.8	357.5	0	349.4
....Coronary heart disease (CHD) (402,410-414,429.2)	381	125.4	162.1	0	157.8	179	124.2	194.9	0	181.9	202	126.6	138.5	0	137.6
....Congestive heart failure (CHF) (428.0)	23	7.6	9.6	0	11.8	6	4.2	.	.	.	17	10.7	11.2	0	11.8
..Hypertension with or without renal disease (401,403)	18	5.9	6.7	0	6.5	7	4.9	.	.	.	11	6.9	.	.	.
....Hypertension-related (401,403)	209	68.8	89.6	0	83.1	86	59.7	92.3	0	94.6	123	77.1	87.3	0	75.0
..Cerebrovascular disease (430-438)	89	29.3	38.3	0	45.7	31	21.5	31.7	0	39.5	58	36.4	41.2	0	47.6
..Atherosclerosis (440)	8	2.6	.	.	.	6	4.2	.	.	.	2	1.3	.	.	.
....Atherosclerosis-related (440)	32	10.5	13.6	0	21.3	12	8.3	.	.	19.4	20	12.5	13.4	0	22.7
..Aortic aneurysm (441)	8	2.6	.	.	.	5	3.5	.	.	.	3	1.9	.	.	.
Pneumonia & influenza (480-487)	57	18.8	23.3	0	23.9	28	19.4	29.4	0	29.5	29	18.2	18.6	0	20.3
Chronic obstructive pulmonary disease (COPD) (490-496)	31	10.2	13.2	0	14.6	13	9.0	.	.	18.5	18	11.3	12.9	0	12.0

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1998 AAMR is significantly different (prob<0.05) from the 1997 AAMR.
 0 - The 1998 AAMR is not significantly different (prob>0.05) from the 1997 AAMR.

CONNECTICUT Black Resident DEATHS, 1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1998*****				*****1998*****				*****1998*****						
	No. of deaths	Crude rate	AAMR	Signif- icance	1997 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1997 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1997 AAMR
*****Causes of Death*****															
..COPD-related (490-496)	106	34.9	45.2	0	41.4	56	38.8	63.7	0	56.2	50	31.3	33.9	0	31.4
..Asthma (493)	8	2.6	.	.	.	3	2.1	.	.	.	5	3.1	.	.	.
Chronic liver disease and cirrhosis (571)	15	4.9	5.2	0	8.6	13	9.0	.	.	.	2	1.3	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	39	12.8	17.1	0	14.2	18	12.5	19.9	0	16.6	21	13.2	15.1	0	12.6
..Nephritis-related (580-589)	152	50.0	65.2	0	57.9	77	53.4	80.1	0	65.1	75	47.0	53.9	0	53.4
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	50	16.5	21.5	0	18.6	24	16.6	26.6	0	23.4	26	16.3	18.2	0	15.4
Unintentional injuries (E800-E949)	95	31.3	32.2	0	28.1	62	43.0	44.7	0	44.7	33	20.7	21.5	0	14.2
..Motor vehicle accidents (E810-E825)	31	10.2	10.1	0	10.9	21	14.6	14.6	0	16.6	10	6.3	.	.	.
..Falls and fall related injuries (E880-E888)	5	1.6	.	.	.	4	2.8	.	.	.	1	0.6	.	.	.
..Drowning (E830,E832,E910)	2	0.7	.	.	.	2	1.4
..Residential fires (E890-E899)	8	2.6	.	.	.	2	1.4	.	.	.	6	3.8	.	.	.
Suicide (E950-E959)	22	7.2	7.1	0	6.5	17	11.8	11.4	0	11.1	5	3.1	.	.	.
Homicide and legal intervention (E960-E978)	72	23.7	21.9	0	22.4	54	37.5	35.0	0	36.7	18	11.3	10.2	0	8.0
..Homicide (E960-E969)	70	23.0	21.2	0	22.0	52	36.1	33.7	0	35.9	18	11.3	10.2	0	8.0
All injury (E800-E999)	194	63.9	62.4	0	57.2	138	95.7	93.7	0	92.8	56	35.1	34.5	0	24.6
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	31	10.2	10.1	0	10.9	21	14.6	14.6	0	16.6	10	6.3	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	6	2.0	.	.	.	4	2.8	.	.	.	2	1.3	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	62	20.4	19.3	0	18.7	53	36.8	33.7	0	35.7	9	5.6	.	.	.
....Suicide (E955.0-.4)	8	2.6	.	.	.	8	5.5
....Homicide (E965.0-.4)	50	16.5	15.5	0	16.5	41	28.4	25.8	0	30.9	9	5.6	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	36	11.9	9.8	0	7.4	28	19.4	16.6	0	11.1	8	5.0	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	18	5.9	5.7	0	.	15	10.4	11.0	0	.	3	1.9	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	34	11.2	9.4	0	7.0	27	18.7	16.1	0	10.4	7	4.4	.	.	.

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1998 AAMR is significantly different (prob<0.05) from the 1997 AAMR.
 0 - The 1998 AAMR is not significantly different (prob>0.05) from the 1997 AAMR.

CONNECTICUT Black Resident DEATHS, 1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1998*****				*****1998*****				*****1998*****						
	No. of deaths	Crude rate	AAMR	Significance	1997 AAMR	No. of deaths	Crude rate	AAMR	Significance	1997 AAMR	No. of deaths	Crude rate	AAMR	Significance	1997 AAMR
*****Causes of Death*****															
All causes	2,030	668.4	1035.3	0	988.3	1,043	723.5	1253.8	0	1199.4	987	618.6	871.3	0	832.6
Infectious diseases and parasitic disease (1-139)	126	41.5	54.2	0	55.3	68	47.2	66.8	0	77.6	58	36.4	44.0	0	38.3
..Septicemia (038)	40	13.2	22.1	0	17.3	17	11.8	21.8	0	.	23	14.4	21.6	0	17.2
....Septicemia-related (038)	140	46.1	76.5	0	65.5	68	47.2	93.2	0	80.4	72	45.1	65.5	0	56.0
..HIV infection (042-044)	67	22.1	23.8	0	27.1	40	27.7	33.0	0	40.4	27	16.9	16.5	0	16.3
All cancer (140-208)	447	147.2	235.4	0	250.3	242	167.9	322.9	0	330.4	205	128.5	180.2	0	203.1
..Oral cavity or pharynx (140.0-149.9)	12	4.0	.	.	.	10	6.9	.	.	.	2	1.3	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	44	14.5	23.7	0	24.0	21	14.6	27.4	0	29.2	23	14.4	21.3	0	20.4
....Colon cancer (153)	38	12.5	21.0	0	22.4	17	11.8	23.8	0	26.6	21	13.2	19.5	0	19.7
....Rectal cancer (154)	6	2.0	.	.	.	4	2.8	.	.	.	2	1.3	.	.	.
..Pancreatic cancer (157)	28	9.2	14.3	0	17.7	14	9.7	.	.	.	14	8.8	.	.	17.4
..Lung and other respiratory cancer (160-165)	127	41.8	66.4	0	67.2	87	60.3	115.7	0	99.1	40	25.1	33.9	0	47.6
....Lung cancer (162.2-.9)	114	37.5	60.4	0	62.6	78	54.1	106.2	0	90.2	36	22.6	30.5	0	45.7
..Female breast cancer (174)	55	55	34.5	47.3	0	37.2
..Cervical cancer (180)	7	7	4.4	.	.	.
..Endometrial cancer (182)	3	3	1.9	.	.	.
..Ovarian cancer (183)	4	4	2.5	.	.	.
..Prostate cancer (185)	35	35	24.3	62.7	0	77.7
..Bladder cancer (188)	4	1.3	.	.	.	4	2.8
..Brain & other CNS cancer (191-192)	7	2.3	.	.	.	3	2.1	.	.	.	4	2.5	.	.	.
..Leukemia (204-208)	10	3.3	.	.	.	6	4.2	.	.	.	4	2.5	.	.	.
Diabetes mellitus (250)	78	25.7	44.9	0	30.8	39	27.1	58.2	0	32.3	39	24.4	36.6	0	29.9
..Diabetes-related (250)	243	80.0	138.1	0	129.6	102	70.7	139.7	0	126.9	141	88.4	133.9	0	128.9
..Diabetic ketoacidosis (DKA) (250.1)	2	0.7	2	1.3	.	.	.
Alzheimer's diseases (331.0)	8	2.6	.	.	.	1	0.7	.	.	.	7	4.4	.	.	.
Cardiovascular disease (390-459)	710	233.8	400.5	0	390.2	322	223.3	433.3	0	400.6	388	243.2	368.4	0	373.3
..Diseases of the heart (390-398,402,404-429)	568	187.0	319.2	0	299.5	263	182.4	355.6	0	326.4	305	191.2	288.2	0	275.0
....Heart disease-related (390-398,402,404-429)	1,002	329.9	551.7	0	543.4	479	332.2	639.5	0	615.6	523	327.8	484.9	0	487.2
....Coronary heart disease (CHD) (402,410-414,429.2)	381	125.4	216.4	0	212.3	179	124.2	251.7	0	229.1	202	126.6	190.9	0	194.5
....Congestive heart failure (CHF) (428.0)	23	7.6	14.4	0	17.8	6	4.2	.	.	.	17	10.7	16.9	0	17.3
..Hypertension with or without renal disease (401,403)	18	5.9	9.2	0	8.7	7	4.9	.	.	.	11	6.9	.	.	.
....Hypertension-related (401,403)	209	68.8	114.7	0	111.3	86	59.7	115.9	0	122.6	123	77.1	112.5	0	103.2
..Cerebrovascular disease (430-438)	89	29.3	51.4	0	65.7	31	21.5	39.0	0	51.7	58	36.4	57.0	0	71.2
..Atherosclerosis (440)	8	2.6	.	.	.	6	4.2	.	.	.	2	1.3	.	.	.
....Atherosclerosis-related (440)	32	10.5	20.3	0	32.0	12	8.3	.	.	30.5	20	12.5	20.1	0	33.2
..Aortic aneurysm (441)	8	2.6	.	.	.	5	3.5	.	.	.	3	1.9	.	.	.
Pneumonia & influenza (480-487)	57	18.8	34.6	0	32.8	28	19.4	42.0	0	40.0	29	18.2	29.2	0	28.2
Chronic obstructive pulmonary disease (COPD) (490-496)	31	10.2	16.6	0	18.5	13	9.0	.	.	23.2	18	11.3	15.9	0	15.7

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1998 AAMR is significantly different (prob<0.05) from the 1997 AAMR.
 0 - The 1998 AAMR is not significantly different (prob>0.05) from the 1997 AAMR.

CONNECTICUT Black Resident DEATHS, 1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1998*****				*****1998*****				*****1998*****						
	No. of deaths	Crude rate	AAMR	Signif- icance	1997 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1997 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1997 AAMR
*****Causes of Death*****															
..COPD-related (490-496)	106	34.9	61.4	0	56.2	56	38.8	86.8	0	73.1	50	31.3	46.6	0	45.1
..Asthma (493)	8	2.6	.	.	.	3	2.1	.	.	.	5	3.1	.	.	.
Chronic liver disease and cirrhosis (571)	15	4.9	5.9	0	9.6	13	9.0	.	.	.	2	1.3	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	39	12.8	21.3	0	20.2	18	12.5	23.9	0	24.0	21	13.2	19.3	0	18.0
..Nephritis-related (580-589)	152	50.0	82.1	0	75.2	77	53.4	98.7	0	87.8	75	47.0	69.6	0	68.1
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	50	16.5	27.0	0	25.9	24	16.6	33.2	0	32.6	26	16.3	22.9	0	21.5
Unintentional injuries (E800-E949)	95	31.3	37.1	0	34.3	62	43.0	51.8	0	53.1	33	20.7	24.4	0	19.5
..Motor vehicle accidents (E810-E825)	31	10.2	11.0	0	12.4	21	14.6	15.9	0	18.6	10	6.3	.	.	.
..Falls and fall related injuries (E880-E888)	5	1.6	.	.	.	4	2.8	.	.	.	1	0.6	.	.	.
..Drowning (E830,E832,E910)	2	0.7	.	.	.	2	1.4
..Residential fires (E890-E899)	8	2.6	.	.	.	2	1.4	.	.	.	6	3.8	.	.	.
Suicide (E950-E959)	22	7.2	6.8	0	7.5	17	11.8	10.7	0	11.9	5	3.1	.	.	.
Homicide and legal intervention (E960-E978)	72	23.7	21.9	0	21.2	54	37.5	35.4	0	33.4	18	11.3	10.1	0	9.0
..Homicide (E960-E969)	70	23.0	21.3	0	20.9	52	36.1	34.2	0	32.8	18	11.3	10.1	0	9.0
All injury (E800-E999)	194	63.9	67.3	0	63.3	138	95.7	101.2	0	99.0	56	35.1	37.6	0	31.8
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	31	10.2	11.0	0	12.4	21	14.6	15.9	0	18.6	10	6.3	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	6	2.0	.	.	.	4	2.8	.	.	.	2	1.3	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	62	20.4	18.4	0	17.2	53	36.8	32.8	0	32.4	9	5.6	.	.	.
....Suicide (E955.0-.4)	8	2.6	.	.	.	8	5.5
....Homicide (E965.0-.4)	50	16.5	14.7	0	15.0	41	28.4	25.1	0	27.4	9	5.6	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	36	11.9	12.1	0	9.9	28	19.4	20.6	0	14.8	8	5.0	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	18	5.9	6.9	0	.	15	10.4	13.0	0	.	3	1.9	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	34	11.2	11.4	0	9.5	27	18.7	19.6	0	13.8	7	4.4	.	.	.

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1998 AAMR is significantly different (prob<0.05) from the 1997 AAMR.
 0 - The 1998 AAMR is not significantly different (prob>0.05) from the 1997 AAMR.

CONNECTICUT Black Resident DEATHS, 1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1998			Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1998	1997	Signif- icance	1998	1997	Signif- icance
*****Causes of Death*****											
All causes	2,030	999	1,398	22,233	34,110	7972.9	7541.9	0	11872.4	11256.4	0
Infectious diseases and parasitic disease (1-139)	126	98	104	2,087	3,097	700.8	790.8	0	1002.3	1127.7	0
..Septicemia (038)	40	18	21	275	473	92.0	68.7	0	156.6	117.0	0
...Septicemia-related (038)	140	57	84	1,024	1,721	354.7	277.9	0	587.2	511.8	0
..HIV infection (042-044)	67	67	67	1,503	2,173	502.9	605.1	0	696.8	824.5	0
All cancer (140-208)	447	206	313	2,394	4,992	883.9	901.5	0	1818.5	1838.5	0
..Oral cavity or pharynx (140.0-149.9)	12	7	11	43	138	.	.	0	.	.	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	44	15	31	198	428	70.5	91.5	0	152.4	196.1	0
...Colon cancer (153)	38	11	26	133	315	45.5	74.0	0	110.6	165.8	0
...Rectal cancer (154)	6	4	5	65	113	.	.	0	.	.	0
..Pancreatic cancer (157)	28	15	21	118	303	42.5	30.7	0	111.2	75.7	0
..Lung and other respiratory cancer (160-165)	127	63	90	568	1,330	215.6	201.6	0	497.0	477.8	0
...Lung cancer (162.2-.9)	114	56	78	495	1,155	188.7	186.9	0	432.8	447.0	0
..Female breast cancer (174)	55	30	41	340	703	.	.	0	.	.	0
..Cervical cancer (180)	7	5	5	88	138	.	.	0	.	.	0
..Endometrial cancer (182)	3	1	2	23	35	.	.	0	.	.	0
..Ovarian cancer (183)	4	1	4	3	20	.	.	0	.	.	0
..Prostate cancer (185)	35	3	12	23	90	.	.	0	.	.	0
..Bladder cancer (188)	4	2	3	15	43	.	.	0	.	.	0
..Brain & other CNS cancer (191-192)	7	3	4	63	95	.	.	0	.	.	0
..Leukemia (204-208)	10	4	8	90	155	.	.	0	.	.	0
Diabetes mellitus (250)	78	21	47	148	483	56.4	120.6	0	183.1	243.5	0
..Diabetes-related (250)	243	74	149	705	1,793	253.8	335.3	0	651.5	765.1	0
..Diabetic ketoacidosis (DKA) (250.1)	2	.	.	0	0	.	.	0	.	.	0
Alzheimer's diseases (331.0)	8	.	.	0	0	.	.	0	.	.	0
Cardiovascular disease (390-459)	710	248	421	3,076	6,354	1113.7	951.4	0	2280.7	2000.3	0
..Diseases of the heart (390-398,402,404-429)	568	200	340	2,439	5,089	886.5	777.4	0	1832.6	1632.1	0
...Heart disease-related (390-398,402,404-429)	1,002	384	627	5,144	10,137	1844.4	1768.1	0	3605.7	3386.1	0
...Coronary heart disease (CHD) (402,410-414,429.2)	381	131	221	1,403	3,118	514.0	522.2	0	1134.5	1131.5	0
....Congestive heart failure (CHF) (428.0)	23	4	9	50	118	16.8	10.6	0	41.0	33.4	0
..Hypertension with or without renal disease (401,403)	18	11	12	128	245	44.2	29.3	0	84.7	53.4	0
...Hypertension-related (401,403)	209	85	139	843	1,918	309.5	229.6	0	698.4	543.9	0
..Cerebrovascular disease (430-438)	89	26	52	402	777	143.7	128.6	0	274.6	269.3	0
..Atherosclerosis (440)	8	1	4	3	30	.	.	0	.	.	0
...Atherosclerosis-related (440)	32	3	12	38	120	11.8	38.1	0	42.2	83.2	0
..Aortic aneurysm (441)	8	2	3	40	63	.	.	0	.	.	0
Pneumonia & influenza (480-487)	57	14	24	309	504	108.8	149.5	0	174.5	241.9	0
Chronic obstructive pulmonary disease (COPD) (490-496)	31	11	22	275	427	104.5	75.3	0	155.5	147.0	0
..COPD-related (490-496)	106	32	58	552	967	201.7	138.7	0	343.5	288.6	0
..Asthma (493)	8	5	7	170	225	.	.	0	.	.	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1998			Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1998	1997	Signif- icance	1998	1997	Signif- icance
*****Causes of Death*****											
Chronic liver disease and cirrhosis (571)	15	13	15	213	353	70.8	62.7	0	115.8	126.1	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	39	11	27	98	278	37.3	90.3	0	103.7	140.9	0
..Nephritis-related (580-589)	152	55	100	782	1,559	285.7	335.8	0	561.6	595.8	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	50	16	35	195	433	69.0	123.3	0	153.0	193.7	0
Unintentional injuries (E800-E949)	95	76	86	2,092	2,907	731.2	769.9	0	973.2	985.6	0
..Motor vehicle accidents (E810-E825)	31	27	29	895	1,175	320.6	335.2	0	400.4	419.8	0
..Falls and fall related injuries (E880-E888)	5	1	3	13	28
..Drowning (E830,E832,E910)	2	2	2	60	80
..Residential fires (E890-E899)	8	7	8	233	310
Suicide (E950-E959)	22	21	22	788	1,005	300.0	184.0	0	362.3	237.6	0
Homicide and legal intervention (E960-E978)	72	69	71	2,525	3,230	946.0	1047.3	0	1145.9	1251.0	0
..Homicide (E960-E969)	70	67	69	2,445	3,130	913.1	1028.2	0	1106.8	1228.5	0
All injury (E800-E999)	194	171	184	5,552	7,339	2026.5	2009.3	0	2543.7	2484.8	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	31	27	29	895	1,175	320.6	335.2	0	400.4	419.8	0
..All falls (E880-E886,E888,E957,E968.1,E987)	6	2	4	50	75
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	62	61	62	2,298	2,915	884.8	867.5	0	1062.7	1032.4	0
...Suicide (E955.0-.4)	8	7	8	268	345
...Homicide (E965.0-.4)	50	50	50	1,875	2,375	724.5	804.8	0	868.9	953.1	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	36	36	36	915	1,275	308.0	205.1	0	408.3	282.3	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	18	17	18	308	480	101.7	.	0	154.5	.	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	34	34	34	885	1,225	303.0	198.4	0	398.2	272.3	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Male										
	Number of Deaths, 1998			Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1998	1997	Signif- icance	1998	1997	Signif- icance
*****Causes of Death*****											
All causes	1,043	592	797	12,857	19,780	9733.4	10296.0	0	14872.3	15195.2	0
Infectious diseases and parasitic disease (1-139)	68	58	60	1,132	1,717	834.6	1106.4	0	1231.5	1586.2	0
..Septicemia (038)	17	10	11	160	263	121.6	.	0	196.6	.	0
...Septicemia-related (038)	68	30	42	596	951	440.5	390.0	0	703.5	655.7	0
..HIV infection (042-044)	40	40	40	785	1,185	584.3	808.8	0	852.4	1134.3	0
All cancer (140-208)	242	108	171	1,104	2,517	933.7	1042.0	0	2146.2	2173.9	0
..Oral cavity or pharynx (140.0-149.9)	10	7	9	43	123
..Colorectal cancer (153.0-154.3,154.8,159.0)	21	9	16	113	245	89.6	118.5	0	201.1	248.5	0
...Colon cancer (153)	17	6	12	60	155	46.4	95.2	0	127.6	203.5	0
...Rectal cancer (154)	4	3	4	53	90
..Pancreatic cancer (157)	14	8	12	50	155
..Lung and other respiratory cancer (160-165)	87	41	61	318	823	283.1	259.5	0	726.8	624.1	0
...Lung cancer (162.2-.9)	78	36	52	285	715	252.7	233.0	0	629.6	569.0	0
..Female breast cancer (174)
..Cervical cancer (180)
..Endometrial cancer (182)
..Ovarian cancer (183)
..Prostate cancer (185)	35	3	12	23	90	20.7	38.1	0	80.0	165.8	0
..Bladder cancer (188)	4	2	3	15	43
..Brain & other CNS cancer (191-192)	3	2	2	55	75
..Leukemia (204-208)	6	2	6	35	80
Diabetes mellitus (250)	39	11	24	103	270	84.8	128.7	0	229.5	277.7	0
..Diabetes-related (250)	102	35	72	403	920	313.1	397.0	0	742.9	879.1	0
..Diabetic ketoacidosis (DKA) (250.1)
Alzheimer's diseases (331.0)	1	.	.	0	0
Cardiovascular disease (390-459)	322	146	227	1,849	3,697	1480.6	1259.8	0	2995.1	2590.1	0
..Diseases of the heart (390-398,402,404-429)	263	118	184	1,422	2,922	1153.4	992.7	0	2393.4	2082.8	0
...Heart disease-related (390-398,402,404-429)	479	218	342	2,910	5,700	2312.9	2196.0	0	4589.5	4264.1	0
...Coronary heart disease (CHD) (402,410-414,429.2)	179	77	118	783	1,755	652.8	705.6	0	1477.2	1544.5	0
....Congestive heart failure (CHF) (428.0)	6	1	3	3	28
..Hypertension with or without renal disease (401,403)	7	7	7	68	138
...Hypertension-related (401,403)	86	42	61	430	928	350.5	281.9	0	763.7	671.1	0
..Cerebrovascular disease (430-438)	31	14	24	277	462	203.7	206.5	0	344.1	391.1	0
..Atherosclerosis (440)	6	.	3	0	18
...Atherosclerosis-related (440)	12	1	6	33	70	.	57.9	.	.	87.3	.
..Aortic aneurysm (441)	5	2	2	40	60
Pneumonia & influenza (480-487)	28	10	17	274	407	199.0	187.7	0	294.6	306.5	0
Chronic obstructive pulmonary disease (COPD) (490-496)	13	4	9	80	143	.	81.2	.	.	167.5	.
..COPD-related (490-496)	56	15	32	178	390	153.6	142.4	0	333.2	353.8	0
..Asthma (493)	3	2	2	60	80

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Male										
	Number of Deaths, 1998			Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1998	1997	Signif- icance	1998	1997	Signif- icance
*****Causes of Death*****											
Chronic liver disease and cirrhosis (571)	13	11	13	173	293
Nephritis, nephrotic syndrome/nephrosis (580-589)	18	5	14	38	130	34.4	131.1	0	115.8	197.8	0
..Nephritis-related (580-589)	77	33	57	542	997	428.7	437.3	0	794.4	742.1	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	24	6	17	60	168	49.5	182.3	0	140.8	280.0	0
Unintentional injuries (E800-E949)	62	55	59	1,453	2,018	1087.7	1265.7	0	1450.3	1605.6	0
..Motor vehicle accidents (E810-E825)	21	19	20	613	805	475.6	557.7	0	594.7	680.3	0
..Falls and fall related injuries (E880-E888)	4	1	3	13	28
..Drowning (E830,E832,E910)	2	2	2	60	80
..Residential fires (E890-E899)	2	2	2	45	65
Suicide (E950-E959)	17	16	17	635	803	492.2	342.1	0	590.6	436.2	0
Homicide and legal intervention (E960-E978)	54	51	53	1,843	2,368	1419.7	1793.3	0	1733.5	2124.8	0
..Homicide (E960-E969)	52	49	51	1,763	2,268	1351.8	1755.2	0	1652.8	2080.1	0
All injury (E800-E999)	138	127	134	4,078	5,385	3103.0	3418.4	0	3904.9	4189.2	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	21	19	20	613	805	475.6	557.7	0	594.7	680.3	0
..All falls (E880-E886,E888,E957,E968.1,E987)	4	1	3	13	28
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	53	52	53	1,930	2,458	1501.5	1640.2	0	1814.0	1951.8	0
...Suicide (E955.0-.4)	8	7	8	268	345
...Homicide (E965.0-.4)	41	41	41	1,508	1,918	1177.9	1512.4	0	1421.3	1788.6	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	28	28	28	695	975	499.2	297.8	0	668.3	413.9	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	15	14	15	245	388	177.1	.	0	275.4	.	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	27	27	27	698	968	504.7	282.8	0	667.0	391.5	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Female										
	Number of Deaths, 1998			Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1998	1997	Signif- icance	1998	1997	Signif- icance
*****Causes of Death*****											
All causes	987	407	601	9,376	14,331	6444.8	4967.9	0	9365.4	7709.7	0
Infectious diseases and parasitic disease (1-139)	58	40	44	955	1,380	595.5	525.6	0	821.5	746.6	0
..Septicemia (038)	23	8	10	115	210	68.5	49.5	0	124.6	105.2	0
...Septicemia-related (038)	72	27	42	428	770	277.1	180.1	0	484.0	388.2	0
..HIV infection (042-044)	27	27	27	718	988	443.0	442.2	0	578.8	575.5	0
All cancer (140-208)	205	98	142	1,290	2,475	844.9	773.1	0	1577.9	1560.8	0
..Oral cavity or pharynx (140.0-149.9)	2	.	2	0	15
..Colorectal cancer (153.0-154.3,154.8,159.0)	23	6	15	85	183	54.5	68.1	0	114.3	152.6	0
...Colon cancer (153)	21	5	14	73	160	45.5	56.0	0	98.9	134.4	0
...Rectal cancer (154)	2	1	1	13	23
..Pancreatic cancer (157)	14	7	9	68	148	.	31.8	.	.	71.2	.
..Lung and other respiratory cancer (160-165)	40	22	29	250	508	163.5	153.9	0	324.7	363.7	0
...Lung cancer (162.2-.9)	36	20	26	210	440	138.4	148.4	0	283.8	351.5	0
..Female breast cancer (174)	55	30	41	340	703	226.9	236.6	0	456.5	405.6	0
..Cervical cancer (180)	7	5	5	88	138
..Endometrial cancer (182)	3	1	2	23	35
..Ovarian cancer (183)	4	1	4	3	20
..Prostate cancer (185)
..Bladder cancer (188)
..Brain & other CNS cancer (191-192)	4	1	2	8	20
..Leukemia (204-208)	4	2	2	55	75
Diabetes mellitus (250)	39	10	23	45	213	32.7	114.7	0	145.2	219.5	0
..Diabetes-related (250)	141	39	77	303	873	203.4	285.1	0	575.3	675.9	0
..Diabetic ketoacidosis (DKA) (250.1)	2	.	.	0	0
Alzheimer's diseases (331.0)	7	.	.	0	0
Cardiovascular disease (390-459)	388	102	194	1,227	2,657	805.6	688.7	0	1705.3	1521.9	0
..Diseases of the heart (390-398,402,404-429)	305	82	156	1,017	2,167	668.8	594.7	0	1390.7	1268.5	0
...Heart disease-related (390-398,402,404-429)	523	166	285	2,234	4,437	1457.4	1413.1	0	2825.3	2690.6	0
...Coronary heart disease (CHD) (402,410-414,429.2)	202	54	103	620	1,363	403.6	371.6	0	870.7	806.2	0
...Congestive heart failure (CHF) (428.0)	17	3	6	48	90	28.9	7.4	0	54.4	33.3	0
..Hypertension with or without renal disease (401,403)	11	4	5	60	108
...Hypertension-related (401,403)	123	43	78	413	990	276.6	187.8	0	646.6	447.4	0
..Cerebrovascular disease (430-438)	58	12	28	125	315	84.2	61.3	0	205.9	168.3	0
..Atherosclerosis (440)	2	1	1	3	13
...Atherosclerosis-related (440)	20	2	6	5	50	3.7	17.1	0	34.3	72.8	0
..Aortic aneurysm (441)	3	.	1	0	3
Pneumonia & influenza (480-487)	29	4	7	35	98	20.2	118.2	0	60.6	189.7	0
Chronic obstructive pulmonary disease (COPD) (490-496)	18	7	13	195	285	141.0	69.8	0	193.5	130.7	0
..COPD-related (490-496)	50	17	26	375	577	249.0	138.2	0	365.3	243.4	0
..Asthma (493)	5	3	5	110	145

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Female										
	Number of Deaths, 1998			Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1998	1997	Signif- icance	1998	1997	Signif- icance
*****Causes of Death*****											
Chronic liver disease and cirrhosis (571)	2	2	2	40	60
Nephritis, nephrotic syndrome/nephrosis (580-589)	21	6	13	60	148	40.0	53.6	0	95.4	91.6	0
..Nephritis-related (580-589)	75	22	43	240	563	155.0	251.5	0	359.2	474.6	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	26	10	18	135	265	85.7	71.7	0	165.0	120.9	0
Unintentional injuries (E800-E949)	33	21	27	640	890	417.7	292.0	0	555.5	396.6	0
..Motor vehicle accidents (E810-E825)	10	8	9	282	370
..Falls and fall related injuries (E880-E888)	1	.	.	0	0
..Drowning (E830,E832,E910)
..Residential fires (E890-E899)	6	5	6	188	245
Suicide (E950-E959)	5	5	5	153	203
Homicide and legal intervention (E960-E978)	18	18	18	682	862	498.6	301.7	0	595.2	376.8	0
..Homicide (E960-E969)	18	18	18	682	862	498.6	301.7	0	595.2	376.8	0
All injury (E800-E999)	56	44	50	1,474	1,954	1022.5	628.8	0	1284.1	826.4	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	10	8	9	282	370
..All falls (E880-E886,E888,E957,E968.1,E987)	2	1	1	38	48
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	9	9	9	368	458
...Suicide (E955.0-.4)
...Homicide (E965.0-.4)	9	9	9	368	458
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	8	8	8	220	300
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	3	3	3	63	93
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	7	7	7	188	258

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1998			Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1998	1997	Signif- icance	1998	1997	Signif- icance
*****Causes of Death*****											
All causes	2,030	999	1,398	22,233	34,110	7940.1	7456.3	0	12021.3	11323.9	0
Infectious diseases and parasitic disease (1-139)	126	98	104	2,087	3,097	643.9	715.3	0	924.1	1029.9	0
..Septicemia (038)	40	18	21	275	473	86.6	70.2	0	152.8	122.4	0
...Septicemia-related (038)	140	57	84	1,024	1,721	351.8	279.1	0	599.8	535.3	0
..HIV infection (042-044)	67	67	67	1,503	2,173	457.3	529.3	0	629.5	720.7	0
All cancer (140-208)	447	206	313	2,394	4,992	897.5	911.6	0	1936.0	1948.1	0
..Oral cavity or pharynx (140.0-149.9)	12	7	11	43	138
..Colorectal cancer (153.0-154.3,154.8,159.0)	44	15	31	198	428	67.0	91.5	0	159.1	207.0	0
...Colon cancer (153)	38	11	26	133	315	44.1	76.3	0	118.7	178.5	0
...Rectal cancer (154)	6	4	5	65	113
..Pancreatic cancer (157)	28	15	21	118	303	44.1	29.5	0	122.4	81.0	0
..Lung and other respiratory cancer (160-165)	127	63	90	568	1,330	221.8	209.1	0	537.8	521.6	0
...Lung cancer (162.2-.9)	114	56	78	495	1,155	194.3	192.9	0	468.2	487.8	0
..Female breast cancer (174)	55	30	41	340	703
..Cervical cancer (180)	7	5	5	88	138
..Endometrial cancer (182)	3	1	2	23	35
..Ovarian cancer (183)	4	1	4	3	20
..Prostate cancer (185)	35	3	12	23	90
..Bladder cancer (188)	4	2	3	15	43
..Brain & other CNS cancer (191-192)	7	3	4	63	95
..Leukemia (204-208)	10	4	8	90	155
Diabetes mellitus (250)	78	21	47	148	483	58.6	118.8	0	208.0	252.6	0
..Diabetes-related (250)	243	74	149	705	1,793	254.4	329.7	0	711.5	812.6	0
..Diabetic ketoacidosis (DKA) (250.1)	2	.	.	0	0
Alzheimer's diseases (331.0)	8	.	.	0	0
Cardiovascular disease (390-459)	710	248	421	3,076	6,354	1106.9	943.2	0	2403.1	2109.3	0
..Diseases of the heart (390-398,402,404-429)	568	200	340	2,439	5,089	874.8	770.7	0	1925.3	1718.1	0
...Heart disease-related (390-398,402,404-429)	1,002	384	627	5,144	10,137	1814.6	1741.0	0	3755.7	3511.5	0
...Coronary heart disease (CHD) (402,410-414,429.2)	381	131	221	1,403	3,118	510.1	520.6	0	1205.9	1202.0	0
....Congestive heart failure (CHF) (428.0)	23	4	9	50	118	15.5	11.7	0	43.2	38.1	0
..Hypertension with or without renal disease (401,403)	18	11	12	128	245	43.9	25.6	0	87.3	51.5	0
...Hypertension-related (401,403)	209	85	139	843	1,918	316.4	226.8	0	753.7	583.8	0
..Cerebrovascular disease (430-438)	89	26	52	402	777	148.8	130.8	0	295.5	288.8	0
..Atherosclerosis (440)	8	1	4	3	30
...Atherosclerosis-related (440)	32	3	12	38	120	9.9	41.6	0	46.0	94.1	0
..Aortic aneurysm (441)	8	2	3	40	63
Pneumonia & influenza (480-487)	57	14	24	309	504	107.9	145.5	0	180.0	243.3	0
Chronic obstructive pulmonary disease (COPD) (490-496)	31	11	22	275	427	104.9	69.5	0	159.4	148.0	0
..COPD-related (490-496)	106	32	58	552	967	197.8	131.7	0	350.8	298.3	0
..Asthma (493)	8	5	7	170	225

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1998			Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1998	1997	Signif- icance	1998	1997	Signif- icance
*****Causes of Death*****											
Chronic liver disease and cirrhosis (571)	15	13	15	213	353	65.5	60.1	0	110.7	128.9	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	39	11	27	98	278	39.5	84.4	0	116.8	136.8	0
..Nephritis-related (580-589)	152	55	100	782	1,559	288.2	316.6	0	596.6	592.7	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	50	16	35	195	433	68.1	112.6	0	162.9	185.1	0
Unintentional injuries (E800-E949)	95	76	86	2,092	2,907	705.9	722.6	0	934.0	914.7	0
..Motor vehicle accidents (E810-E825)	31	27	29	895	1,175	308.8	311.2	0	379.7	386.2	0
..Falls and fall related injuries (E880-E888)	5	1	3	13	28
..Drowning (E830,E832,E910)	2	2	2	60	80
..Residential fires (E890-E899)	8	7	8	233	310
Suicide (E950-E959)	22	21	22	788	1,005	286.5	176.1	0	340.6	224.7	0
Homicide and legal intervention (E960-E978)	72	69	71	2,525	3,230	862.4	986.1	0	1027.8	1156.5	0
..Homicide (E960-E969)	70	67	69	2,445	3,130	833.1	968.0	0	993.6	1135.5	0
All injury (E800-E999)	194	171	184	5,552	7,339	1897.4	1891.2	0	2355.1	2304.0	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	31	27	29	895	1,175	308.8	311.2	0	379.7	386.2	0
..All falls (E880-E886,E888,E957,E968.1,E987)	6	2	4	50	75
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	62	61	62	2,298	2,915	815.8	819.4	0	963.6	958.0	0
...Suicide (E955.0-.4)	8	7	8	268	345
...Homicide (E965.0-.4)	50	50	50	1,875	2,375	663.9	759.7	0	782.6	882.9	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	36	36	36	915	1,275	269.3	176.6	0	354.0	241.9	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	18	17	18	308	480	93.4	.	0	143.3	.	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	34	34	34	885	1,225	269.2	170.0	0	350.1	232.2	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male										
	Number of Deaths, 1998			Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1998	1997	Signif- icance	1998	1997	Signif- icance
*****Causes of Death*****											
All causes	1,043	592	797	12,857	19,780	9611.3	10135.7	0	14999.5	15211.2	0
Infectious diseases and parasitic disease (1-139)	68	58	60	1,132	1,717	786.2	1001.3	0	1160.5	1448.0	0
..Septicemia (038)	17	10	11	160	263	115.2	.	0	189.9	.	0
...Septicemia-related (038)	68	30	42	596	951	436.4	384.1	0	711.4	666.7	0
..HIV infection (042-044)	40	40	40	785	1,185	546.5	705.6	0	793.4	995.0	0
All cancer (140-208)	242	108	171	1,104	2,517	967.3	1049.7	0	2345.1	2314.1	0
..Oral cavity or pharynx (140.0-149.9)	10	7	9	43	123
..Colorectal cancer (153.0-154.3,154.8,159.0)	21	9	16	113	245	83.6	113.1	0	209.3	256.4	0
...Colon cancer (153)	17	6	12	60	155	45.1	94.4	0	138.8	214.1	0
...Rectal cancer (154)	4	3	4	53	90
..Pancreatic cancer (157)	14	8	12	50	155
..Lung and other respiratory cancer (160-165)	87	41	61	318	823	298.1	264.5	0	804.5	679.9	0
...Lung cancer (162.2-.9)	78	36	52	285	715	264.4	235.6	0	693.1	619.8	0
..Female breast cancer (174)
..Cervical cancer (180)
..Endometrial cancer (182)
..Ovarian cancer (183)
..Prostate cancer (185)	35	3	12	23	90	22.6	44.7	0	94.2	198.2	0
..Bladder cancer (188)	4	2	3	15	43
..Brain & other CNS cancer (191-192)	3	2	2	55	75
..Leukemia (204-208)	6	2	6	35	80
Diabetes mellitus (250)	39	11	24	103	270	84.6	127.6	0	252.6	292.2	0
..Diabetes-related (250)	102	35	72	403	920	304.5	387.4	0	793.8	925.0	0
..Diabetic ketoacidosis (DKA) (250.1)
Alzheimer's diseases (331.0)	1	.	.	0	0
Cardiovascular disease (390-459)	322	146	227	1,849	3,697	1480.9	1244.6	0	3156.7	2717.2	0
..Diseases of the heart (390-398,402,404-429)	263	118	184	1,422	2,922	1142.4	975.9	0	2515.6	2184.4	0
...Heart disease-related (390-398,402,404-429)	479	218	342	2,910	5,700	2303.4	2150.4	0	4816.0	4418.4	0
...Coronary heart disease (CHD) (402,410-414,429.2)	179	77	118	783	1,755	657.8	702.7	0	1583.1	1640.3	0
...Congestive heart failure (CHF) (428.0)	6	1	3	3	28
..Hypertension with or without renal disease (401,403)	7	7	7	68	138
...Hypertension-related (401,403)	86	42	61	430	928	358.2	281.4	0	819.1	724.3	0
..Cerebrovascular disease (430-438)	31	14	24	277	462	212.6	211.2	0	367.2	414.7	0
..Atherosclerosis (440)	6	.	3	0	18
...Atherosclerosis-related (440)	12	1	6	33	70	.	62.6	.	.	95.0	.
..Aortic aneurysm (441)	5	2	2	40	60
Pneumonia & influenza (480-487)	28	10	17	274	407	198.7	180.1	0	301.5	304.5	0
Chronic obstructive pulmonary disease (COPD) (490-496)	13	4	9	80	143	.	74.1	.	.	171.2	.
..COPD-related (490-496)	56	15	32	178	390	159.8	141.7	0	364.9	384.4	0
..Asthma (493)	3	2	2	60	80

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male										
	Number of Deaths, 1998			Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1998	1997	Signif- icance	1998	1997	Signif- icance
*****Causes of Death*****											
Chronic liver disease and cirrhosis (571)	13	11	13	173	293
Nephritis, nephrotic syndrome/nephrosis (580-589)	18	5	14	38	130	37.1	127.5	0	133.3	195.8	0
..Nephritis-related (580-589)	77	33	57	542	997	437.8	424.4	0	842.2	740.3	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	24	6	17	60	168	50.8	173.9	0	157.9	273.3	0
Unintentional injuries (E800-E949)	62	55	59	1,453	2,018	1013.3	1205.4	0	1344.6	1510.3	0
..Motor vehicle accidents (E810-E825)	21	19	20	613	805	435.2	527.6	0	537.2	636.0	0
..Falls and fall related injuries (E880-E888)	4	1	3	13	28
..Drowning (E830,E832,E910)	2	2	2	60	80
..Residential fires (E890-E899)	2	2	2	45	65
Suicide (E950-E959)	17	16	17	635	803	473.2	325.7	0	559.2	410.7	0
Homicide and legal intervention (E960-E978)	54	51	53	1,843	2,368	1292.0	1680.4	0	1555.0	1954.5	0
..Homicide (E960-E969)	52	49	51	1,763	2,268	1231.6	1644.4	0	1484.5	1912.8	0
All injury (E800-E999)	138	127	134	4,078	5,385	2867.6	3225.1	0	3569.1	3892.8	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	21	19	20	613	805	435.2	527.6	0	537.2	636.0	0
..All falls (E880-E886,E888,E957,E968.1,E987)	4	1	3	13	28
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	53	52	53	1,930	2,458	1375.2	1545.9	0	1634.9	1809.4	0
...Suicide (E955.0-.4)	8	7	8	268	345
...Homicide (E965.0-.4)	41	41	41	1,508	1,918	1069.8	1424.5	0	1269.3	1654.6	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	28	28	28	695	975	439.7	255.3	0	583.9	354.6	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	15	14	15	245	388	163.8	.	0	258.6	.	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	27	27	27	698	968	450.4	240.6	0	589.2	332.9	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Female										
	Number of Deaths, 1998			Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1998	1997	Signif- icance	1998	1997	Signif- icance
*****Causes of Death*****											
All causes	987	407	601	9,376	14,331	6501.2	4943.0	0	9562.9	7835.6	0
Infectious diseases and parasitic disease (1-139)	58	40	44	955	1,380	531.1	476.1	0	736.6	684.7	0
..Septicemia (038)	23	8	10	115	210	64.1	50.8	0	123.3	112.3	0
...Septicemia-related (038)	72	27	42	428	770	275.0	187.4	0	500.1	422.7	0
..HIV infection (042-044)	27	27	27	718	988	391.0	390.8	0	504.4	503.5	0
All cancer (140-208)	205	98	142	1,290	2,475	843.5	785.6	0	1635.2	1648.9	0
..Oral cavity or pharynx (140.0-149.9)	2	.	2	0	15
..Colorectal cancer (153.0-154.3,154.8,159.0)	23	6	15	85	183	53.3	72.9	0	120.5	166.8	0
...Colon cancer (153)	21	5	14	73	160	44.1	61.0	0	105.0	149.2	0
...Rectal cancer (154)	2	1	1	13	23
..Pancreatic cancer (157)	14	7	9	68	148	.	32.5	.	.	76.8	.
..Lung and other respiratory cancer (160-165)	40	22	29	250	508	163.2	163.9	0	338.4	400.0	0
...Lung cancer (162.2-.9)	36	20	26	210	440	139.5	157.7	0	298.7	386.3	0
..Female breast cancer (174)	55	30	41	340	703	227.0	233.1	0	475.0	406.4	0
..Cervical cancer (180)	7	5	5	88	138
..Endometrial cancer (182)	3	1	2	23	35
..Ovarian cancer (183)	4	1	4	3	20
..Prostate cancer (185)
..Bladder cancer (188)
..Brain & other CNS cancer (191-192)	4	1	2	8	20
..Leukemia (204-208)	4	2	2	55	75
Diabetes mellitus (250)	39	10	23	45	213	37.2	112.5	0	172.0	225.0	0
..Diabetes-related (250)	141	39	77	303	873	212.1	283.4	0	643.7	726.1	0
..Diabetic ketoacidosis (DKA) (250.1)	2	.	.	0	0
Alzheimer's diseases (331.0)	7	.	.	0	0
Cardiovascular disease (390-459)	388	102	194	1,227	2,657	794.1	688.0	0	1800.4	1621.4	0
..Diseases of the heart (390-398,402,404-429)	305	82	156	1,017	2,167	658.8	598.0	0	1464.5	1346.8	0
...Heart disease-related (390-398,402,404-429)	523	166	285	2,234	4,437	1411.4	1404.2	0	2918.6	2802.3	0
...Coronary heart disease (CHD) (402,410-414,429.2)	202	54	103	620	1,363	393.4	372.5	0	917.2	860.0	0
....Congestive heart failure (CHF) (428.0)	17	3	6	48	90	25.8	8.6	0	53.6	39.5	0
..Hypertension with or without renal disease (401,403)	11	4	5	60	108
...Hypertension-related (401,403)	123	43	78	413	990	283.5	183.9	0	702.5	478.4	0
..Cerebrovascular disease (430-438)	58	12	28	125	315	85.1	61.1	0	223.9	184.6	0
..Atherosclerosis (440)	2	1	1	3	13
...Atherosclerosis-related (440)	20	2	6	5	50	4.5	19.0	0	41.8	85.5	0
..Aortic aneurysm (441)	3	.	1	0	3
Pneumonia & influenza (480-487)	29	4	7	35	98	18.2	117.3	0	64.8	194.4	0
Chronic obstructive pulmonary disease (COPD) (490-496)	18	7	13	195	285	140.2	65.3	0	193.8	130.3	0
..COPD-related (490-496)	50	17	26	375	577	236.7	126.4	0	353.1	237.3	0
..Asthma (493)	5	3	5	110	145

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Female										
	Number of Deaths, 1998			Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1998	1997	Signif- icance	1998	1997	Signif- icance
*****Causes of Death*****											
Chronic liver disease and cirrhosis (571)	2	2	2	40	60
Nephritis, nephrotic syndrome/nephrosis (580-589)	21	6	13	60	148	41.7	45.1	0	105.1	85.5	0
..Nephritis-related (580-589)	75	22	43	240	563	150.9	226.7	0	383.3	469.6	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	26	10	18	135	265	82.6	58.7	0	169.0	110.6	0
Unintentional injuries (E800-E949)	33	21	27	640	890	437.9	254.4	0	577.4	346.4	0
..Motor vehicle accidents (E810-E825)	10	8	9	282	370
..Falls and fall related injuries (E880-E888)	1	.	.	0	0
..Drowning (E830,E832,E910)
..Residential fires (E890-E899)	6	5	6	188	245
Suicide (E950-E959)	5	5	5	153	203
Homicide and legal intervention (E960-E978)	18	18	18	682	862	454.3	288.0	0	531.6	352.9	0
..Homicide (E960-E969)	18	18	18	682	862	454.3	288.0	0	531.6	352.9	0
All injury (E800-E999)	56	44	50	1,474	1,954	989.3	576.4	0	1229.2	749.9	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	10	8	9	282	370
..All falls (E880-E886,E888,E957,E968.1,E987)	2	1	1	38	48
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	9	9	9	368	458
...Suicide (E955.0-.4)
...Homicide (E965.0-.4)	9	9	9	368	458
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	8	8	8	220	300
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	3	3	3	63	93
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	7	7	7	188	258

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1998			Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1998	1997	Signif- icance	1998	1997	Signif- icance
*****Causes of Death*****											
All causes	2,030	999	1,398	22,233	34,110	8166.5	7726.0	0	12476.8	11814.2	0
Infectious diseases and parasitic disease (1-139)	126	98	104	2,087	3,097	801.3	872.7	0	1134.7	1238.8	0
..Septicemia (038)	40	18	21	275	473	110.7	76.4	0	184.3	131.8	0
...Septicemia-related (038)	140	57	84	1,024	1,721	390.4	316.3	0	657.5	590.5	0
..HIV infection (042-044)	67	67	67	1,503	2,173	576.2	665.4	0	788.7	899.0	0
All cancer (140-208)	447	206	313	2,394	4,992	1004.3	1032.7	0	2091.0	2128.7	0
..Oral cavity or pharynx (140.0-149.9)	12	7	11	43	138	.	.	0	.	.	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	44	15	31	198	428	80.7	105.4	0	178.9	226.3	0
...Colon cancer (153)	38	11	26	133	315	56.0	86.5	0	135.9	193.2	0
...Rectal cancer (154)	6	4	5	65	113	.	.	0	.	.	0
..Pancreatic cancer (157)	28	15	21	118	303	50.8	34.7	0	130.1	88.1	0
..Lung and other respiratory cancer (160-165)	127	63	90	568	1,330	252.2	241.9	0	579.1	569.7	0
...Lung cancer (162.2-.9)	114	56	78	495	1,155	219.3	224.6	0	502.1	533.7	0
..Female breast cancer (174)	55	30	41	340	703	.	.	0	.	.	0
..Cervical cancer (180)	7	5	5	88	138	.	.	0	.	.	0
..Endometrial cancer (182)	3	1	2	23	35	.	.	0	.	.	0
..Ovarian cancer (183)	4	1	4	3	20	.	.	0	.	.	0
..Prostate cancer (185)	35	3	12	23	90	.	.	0	.	.	0
..Bladder cancer (188)	4	2	3	15	43	.	.	0	.	.	0
..Brain & other CNS cancer (191-192)	7	3	4	63	95	.	.	0	.	.	0
..Leukemia (204-208)	10	4	8	90	155	.	.	0	.	.	0
Diabetes mellitus (250)	78	21	47	148	483	64.6	144.6	0	217.7	287.9	0
..Diabetes-related (250)	243	74	149	705	1,793	303.6	388.9	0	783.6	897.6	0
..Diabetic ketoacidosis (DKA) (250.1)	2	.	.	0	0	.	.	0	.	.	0
Alzheimer's diseases (331.0)	8	.	.	0	0	.	.	0	.	.	0
Cardiovascular disease (390-459)	710	248	421	3,076	6,354	1282.1	1096.4	0	2661.3	2330.7	0
..Diseases of the heart (390-398,402,404-429)	568	200	340	2,439	5,089	1020.7	898.8	0	2138.5	1904.2	0
...Heart disease-related (390-398,402,404-429)	1,002	384	627	5,144	10,137	2084.7	1998.6	0	4147.0	3882.7	0
...Coronary heart disease (CHD) (402,410-414,429.2)	381	131	221	1,403	3,118	599.7	605.0	0	1334.0	1328.6	0
....Congestive heart failure (CHF) (428.0)	23	4	9	50	118	17.7	12.6	0	46.3	39.4	0
..Hypertension with or without renal disease (401,403)	18	11	12	128	245	53.8	29.8	0	99.8	56.8	0
...Hypertension-related (401,403)	209	85	139	843	1,918	373.1	264.3	0	835.5	635.9	0
..Cerebrovascular disease (430-438)	89	26	52	402	777	162.9	147.9	0	320.8	313.0	0
..Atherosclerosis (440)	8	1	4	3	30	.	.	0	.	.	0
...Atherosclerosis-related (440)	32	3	12	38	120	11.9	39.4	0	49.1	92.2	0
..Aortic aneurysm (441)	8	2	3	40	63	.	.	0	.	.	0
Pneumonia & influenza (480-487)	57	14	24	309	504	110.4	165.0	0	184.8	270.8	0
Chronic obstructive pulmonary disease (COPD) (490-496)	31	11	22	275	427	104.8	84.2	0	163.8	167.8	0
..COPD-related (490-496)	106	32	58	552	967	220.8	154.5	0	389.2	331.0	0
..Asthma (493)	8	5	7	170	225	.	.	0	.	.	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1998			Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1998	1997	Signif- icance	1998	1997	Signif- icance
*****Causes of Death*****											
Chronic liver disease and cirrhosis (571)	15	13	15	213	353	84.0	76.5	0	135.0	149.4	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	39	11	27	98	278	45.1	97.8	0	127.2	156.0	0
..Nephritis-related (580-589)	152	55	100	782	1,559	317.1	385.7	0	642.7	688.0	0
...End stage renal disease (ESRD) (581-588,591,593.8,593.9)	50	16	35	195	433	82.4	136.0	0	185.7	217.4	0
Unintentional injuries (E800-E949)	95	76	86	2,092	2,907	738.8	775.9	0	987.9	991.8	0
..Motor vehicle accidents (E810-E825)	31	27	29	895	1,175	305.6	310.0	0	380.6	387.4	0
...Falls and fall related injuries (E880-E888)	5	1	3	13	28
...Drowning (E830,E832,E910)	2	2	2	60	80
...Residential fires (E890-E899)	8	7	8	233	310
Suicide (E950-E959)	22	21	22	788	1,005	265.0	182.8	0	317.2	236.3	0
Homicide and legal intervention (E960-E978)	72	69	71	2,525	3,230	838.1	917.5	0	1002.8	1079.2	0
..Homicide (E960-E969)	70	67	69	2,445	3,130	811.4	902.1	0	971.8	1061.5	0
All injury (E800-E999)	194	171	184	5,552	7,339	1894.1	1885.8	0	2373.0	2319.6	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	31	27	29	895	1,175	305.6	310.0	0	380.6	387.4	0
..All falls (E880-E886,E888,E957,E968.1,E987)	6	2	4	50	75
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	62	61	62	2,298	2,915	766.5	742.0	0	907.6	868.6	0
...Suicide (E955.0-.4)	8	7	8	268	345
...Homicide (E965.0-.4)	50	50	50	1,875	2,375	624.9	686.2	0	737.8	797.4	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	36	36	36	915	1,275	334.8	254.3	0	439.6	342.2	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	18	17	18	308	480	123.5	.	0	183.4	.	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	34	34	34	885	1,225	323.6	246.1	0	422.1	330.1	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Male										
	Number of Deaths, 1998			Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1998	1997	Signif- icance	1998	1997	Signif- icance
*****Causes of Death*****											
All causes	1,043	592	797	12,857	19,780	10009.6	10436.5	0	15695.4	15773.4	0
Infectious diseases and parasitic disease (1-139)	68	58	60	1,132	1,717	986.5	1247.3	0	1433.5	1772.7	0
..Septicemia (038)	17	10	11	160	263	142.6	.	0	227.0	.	0
...Septicemia-related (038)	68	30	42	596	951	482.7	443.9	0	783.2	754.6	0
..HIV infection (042-044)	40	40	40	785	1,185	699.4	923.1	0	1001.7	1279.4	0
All cancer (140-208)	242	108	171	1,104	2,517	1038.1	1168.5	0	2448.7	2490.6	0
..Oral cavity or pharynx (140.0-149.9)	10	7	9	43	123
..Colorectal cancer (153.0-154.3,154.8,159.0)	21	9	16	113	245	95.7	133.4	0	224.9	283.1	0
...Colon cancer (153)	17	6	12	60	155	55.2	110.2	0	151.8	236.0	0
...Rectal cancer (154)	4	3	4	53	90
..Pancreatic cancer (157)	14	8	12	50	155
..Lung and other respiratory cancer (160-165)	87	41	61	318	823	326.8	311.2	0	844.0	745.5	0
...Lung cancer (162.2-.9)	78	36	52	285	715	291.0	279.8	0	729.5	680.6	0
..Female breast cancer (174)
..Cervical cancer (180)
..Endometrial cancer (182)
..Ovarian cancer (183)
..Prostate cancer (185)	35	3	12	23	90	24.6	44.0	0	101.2	197.7	0
..Bladder cancer (188)	4	2	3	15	43
..Brain & other CNS cancer (191-192)	3	2	2	55	75
..Leukemia (204-208)	6	2	6	35	80
Diabetes mellitus (250)	39	11	24	103	270	96.5	151.6	0	271.9	322.5	0
..Diabetes-related (250)	102	35	72	403	920	372.3	454.7	0	893.6	1015.6	0
..Diabetic ketoacidosis (DKA) (250.1)
Alzheimer's diseases (331.0)	1	.	.	0	0
Cardiovascular disease (390-459)	322	146	227	1,849	3,697	1689.7	1435.0	0	3461.1	2984.5	0
..Diseases of the heart (390-398,402,404-429)	263	118	184	1,422	2,922	1319.9	1137.8	0	2769.9	2413.5	0
...Heart disease-related (390-398,402,404-429)	479	218	342	2,910	5,700	2621.2	2489.3	0	5280.8	4891.7	0
...Coronary heart disease (CHD) (402,410-414,429.2)	179	77	118	783	1,755	755.7	814.3	0	1719.0	1800.5	0
...Congestive heart failure (CHF) (428.0)	6	1	3	3	28
..Hypertension with or without renal disease (401,403)	7	7	7	68	138
...Hypertension-related (401,403)	86	42	61	430	928	419.3	318.0	0	904.1	772.6	0
..Cerebrovascular disease (430-438)	31	14	24	277	462	226.7	235.6	0	393.3	448.0	0
..Atherosclerosis (440)	6	.	3	0	18
...Atherosclerosis-related (440)	12	1	6	33	70	.	57.4	.	.	89.6	.
..Aortic aneurysm (441)	5	2	2	40	60
Pneumonia & influenza (480-487)	28	10	17	274	407	199.7	209.7	0	307.8	343.2	0
Chronic obstructive pulmonary disease (COPD) (490-496)	13	4	9	80	143	.	81.1	.	.	181.9	.
..COPD-related (490-496)	56	15	32	178	390	171.0	153.2	0	390.9	403.9	0
..Asthma (493)	3	2	2	60	80

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Male										
	Number of Deaths, 1998			Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1998	1997	Signif- icance	1998	1997	Signif- icance
*****Causes of Death*****											
Chronic liver disease and cirrhosis (571)	13	11	13	173	293
Nephritis, nephrotic syndrome/nephrosis (580-589)	18	5	14	38	130	41.0	146.7	0	142.3	223.4	0
..Nephritis-related (580-589)	77	33	57	542	997	471.3	512.5	0	900.9	861.4	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	24	6	17	60	168	60.8	209.9	0	176.0	323.0	0
Unintentional injuries (E800-E949)	62	55	59	1,453	2,018	1109.3	1245.6	0	1482.7	1579.1	0
..Motor vehicle accidents (E810-E825)	21	19	20	613	805	439.6	487.6	0	548.2	590.1	0
..Falls and fall related injuries (E880-E888)	4	1	3	13	28
..Drowning (E830,E832,E910)	2	2	2	60	80
..Residential fires (E890-E899)	2	2	2	45	65
Suicide (E950-E959)	17	16	17	635	803	429.6	331.7	0	510.3	423.3	0
Homicide and legal intervention (E960-E978)	54	51	53	1,843	2,368	1260.7	1526.9	0	1524.0	1775.5	0
..Homicide (E960-E969)	52	49	51	1,763	2,268	1205.6	1496.3	0	1460.1	1740.3	0
All injury (E800-E999)	138	127	134	4,078	5,385	2909.5	3124.9	0	3654.2	3804.0	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	21	19	20	613	805	439.6	487.6	0	548.2	590.1	0
..All falls (E880-E886,E888,E957,E968.1,E987)	4	1	3	13	28
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	53	52	53	1,930	2,458	1315.8	1384.1	0	1569.5	1620.4	0
...Suicide (E955.0-.4)	8	7	8	268	345
...Homicide (E965.0-.4)	41	41	41	1,508	1,918	1028.6	1269.6	0	1223.5	1472.3	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	28	28	28	695	975	554.6	366.9	0	734.7	498.1	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	15	14	15	245	388	215.0	.	0	326.8	.	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	27	27	27	698	968	546.9	348.5	0	717.1	471.2	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Female										
	Number of Deaths, 1998			Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1998	1997	Signif- icance	1998	1997	Signif- icance
*****Causes of Death*****											
All causes	987	407	601	9,376	14,331	6594.3	5232.6	0	9830.1	8318.3	0
Infectious diseases and parasitic disease (1-139)	58	40	44	955	1,380	653.4	558.0	0	896.6	795.1	0
..Septicemia (038)	23	8	10	115	210	85.7	59.8	0	150.6	125.4	0
...Septicemia-related (038)	72	27	42	428	770	308.0	206.0	0	547.4	451.4	0
..HIV infection (042-044)	27	27	27	718	988	482.0	456.2	0	623.5	590.0	0
All cancer (140-208)	205	98	142	1,290	2,475	981.9	910.5	0	1834.4	1834.7	0
..Oral cavity or pharynx (140.0-149.9)	2	.	2	0	15
..Colorectal cancer (153.0-154.3,154.8,159.0)	23	6	15	85	183	68.3	81.3	0	143.7	179.6	0
...Colon cancer (153)	21	5	14	73	160	57.4	66.4	0	125.4	157.8	0
...Rectal cancer (154)	2	1	1	13	23
..Pancreatic cancer (157)	14	7	9	68	148	.	38.5	.	.	85.9	.
..Lung and other respiratory cancer (160-165)	40	22	29	250	508	195.4	184.9	0	381.5	433.0	0
...Lung cancer (162.2-.9)	36	20	26	210	440	163.5	178.5	0	330.6	419.1	0
..Female breast cancer (174)	55	30	41	340	703	270.4	289.3	0	536.7	487.1	0
..Cervical cancer (180)	7	5	5	88	138
..Endometrial cancer (182)	3	1	2	23	35
..Ovarian cancer (183)	4	1	4	3	20
..Prostate cancer (185)
..Bladder cancer (188)
..Brain & other CNS cancer (191-192)	4	1	2	8	20
..Leukemia (204-208)	4	2	2	55	75
Diabetes mellitus (250)	39	10	23	45	213	38.2	139.8	0	174.0	264.1	0
..Diabetes-related (250)	141	39	77	303	873	245.3	335.8	0	692.7	805.6	0
..Diabetic ketoacidosis (DKA) (250.1)	2	.	.	0	0
Alzheimer's diseases (331.0)	7	.	.	0	0
Cardiovascular disease (390-459)	388	102	194	1,227	2,657	943.5	812.0	0	2022.3	1806.1	0
..Diseases of the heart (390-398,402,404-429)	305	82	156	1,017	2,167	778.7	698.4	0	1643.5	1497.4	0
...Heart disease-related (390-398,402,404-429)	523	166	285	2,234	4,437	1646.0	1593.1	0	3254.0	3086.7	0
...Coronary heart disease (CHD) (402,410-414,429.2)	202	54	103	620	1,363	476.8	434.7	0	1039.1	958.8	0
....Congestive heart failure (CHF) (428.0)	17	3	6	48	90	30.1	8.6	0	59.9	39.7	0
..Hypertension with or without renal disease (401,403)	11	4	5	60	108
...Hypertension-related (401,403)	123	43	78	413	990	336.1	222.3	0	780.9	533.4	0
..Cerebrovascular disease (430-438)	58	12	28	125	315	100.7	73.3	0	250.3	202.5	0
..Atherosclerosis (440)	2	1	1	3	13
...Atherosclerosis-related (440)	20	2	6	5	50	4.3	20.2	0	41.3	87.4	0
..Aortic aneurysm (441)	3	.	1	0	3
Pneumonia & influenza (480-487)	29	4	7	35	98	23.8	128.0	0	70.6	211.9	0
Chronic obstructive pulmonary disease (COPD) (490-496)	18	7	13	195	285	141.7	86.6	0	200.9	157.9	0
..COPD-related (490-496)	50	17	26	375	577	269.8	158.8	0	402.6	281.5	0
..Asthma (493)	5	3	5	110	145

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Female										
	Number of Deaths, 1998			Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1998	1997	Signif- icance	1998	1997	Signif- icance
*****Causes of Death*****											
Chronic liver disease and cirrhosis (571)	2	2	2	40	60
Nephritis, nephrotic syndrome/nephrosis (580-589)	21	6	13	60	148	48.8	54.4	0	117.1	98.4	0
..Nephritis-related (580-589)	75	22	43	240	563	179.2	280.8	0	422.8	544.2	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	26	10	18	135	265	100.9	72.1	0	196.1	128.9	0
Unintentional injuries (E800-E949)	33	21	27	640	890	417.5	328.8	0	560.7	442.6	0
..Motor vehicle accidents (E810-E825)	10	8	9	282	370
..Falls and fall related injuries (E880-E888)	1	.	.	0	0
..Drowning (E830,E832,E910)
..Residential fires (E890-E899)	6	5	6	188	245
Suicide (E950-E959)	5	5	5	153	203
Homicide and legal intervention (E960-E978)	18	18	18	682	862	442.1	308.8	0	519.0	382.6	0
..Homicide (E960-E969)	18	18	18	682	862	442.1	308.8	0	519.0	382.6	0
All injury (E800-E999)	56	44	50	1,474	1,954	959.5	681.7	0	1204.5	889.9	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	10	8	9	282	370
..All falls (E880-E886,E888,E957,E968.1,E987)	2	1	1	38	48
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	9	9	9	368	458
...Suicide (E955.0-.4)
...Homicide (E965.0-.4)	9	9	9	368	458
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	8	8	8	220	300
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	3	3	3	63	93
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	7	7	7	188	258

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).