

Connecticut Resident Age-Adjusted Rates for 62 Cause of Death Classifications by Sex Hispanic Residents, 1991-1992

Page

Connecticut Resident Age-Adjusted Mortality Rate (AAMR) Tables by Cause of Death and Sex, Hispanic Residents, 1991-1992

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

2

1970 standard population

4

2000 standard population

6

Connecticut Resident Age-Adjusted Years of Potential Life Lost Rate (YPLL) Tables by Cause of Death and Sex, Hispanic Residents, 1991-1992

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

8

1970 standard population

14

2000 standard population

20

CONNECTICUT Hispanic Resident DEATHS, 1991-1992
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes					Male					Female				
	*****1991-1992*****					*****1991-1992*****					*****1991-1992*****				
	No. of deaths	Crude rate	AAMR	Significance	1989-1990 AAMR	No. of deaths	Crude rate	AAMR	Significance	1989-1990 AAMR	No. of deaths	Crude rate	AAMR	Significance	1989-1990 AAMR
*****Causes of Death*****															
All causes	1,202	268.2	333.7	0	328.6	738	333.1	443.5	0	442.2	464	204.7	236.0	0	232.1
Infectious diseases and parasitic disease (1-139)	163	36.4	37.4	0	27.9	124	56.0	61.0	0	42.5	39	17.2	15.9	0	14.6
..Septicemia (038)	18	4.0	5.2	0	5.8	14	6.3	.	.	.	4	1.8	.	.	.
....Septicemia-related (038)	69	15.4	20.6	0	18.4	42	19.0	27.2	0	24.9	27	11.9	14.8	0	12.7
..HIV infection (042-044)	131	29.2	28.9	0	19.6	99	44.7	46.1	0	31.2	32	14.1	12.9	0	9.0
All cancer (140-208)	228	50.9	76.2	0	56.9	119	53.7	93.7	0	66.7	109	48.1	64.0	0	49.2
..Oral cavity or pharynx (140.0-149.9)	9	2.0	.	.	.	8	3.6	.	.	.	1	0.4	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	18	4.0	5.9	0	5.2	9	4.1	.	.	.	9	4.0	.	.	.
....Colon cancer (153)	10	2.2	.	.	.	6	2.7	.	.	.	4	1.8	.	.	.
....Rectal cancer (154)	7	1.6	.	.	.	3	1.4	.	.	.	4	1.8	.	.	.
..Pancreatic cancer (157)	9	2.0	.	.	.	3	1.4	.	.	.	6	2.6	.	.	.
..Lung and other respiratory cancer (160-165)	47	10.5	17.3	0	11.9	35	15.8	30.0	0	17.6	12	5.3	.	.	.
....Lung cancer (162.2-.9)	44	9.8	16.2	0	11.9	32	14.4	27.5	0	17.6	12	5.3	.	.	.
..Malignant melanoma of skin (172)	1	0.2	1	0.4	.	.	.
..Female breast cancer (174)	23	23	10.1	14.1	1	.
..Cervical cancer (180)	7	7	3.1	.	.	.
..Ovarian cancer (183)	5	5	2.2	.	.	.
..Prostate cancer (185)	8	8	3.6
..Bladder cancer (188)	1	0.2	.	.	.	1	0.5
..Brain & other CNS cancer (191-192)	6	1.3	.	.	.	3	1.4	.	.	.	3	1.3	.	.	.
..Leukemia (204-208)	7	1.6	.	.	.	3	1.4	.	.	.	4	1.8	.	.	.
Diabetes mellitus (250)	26	5.8	8.5	0	10.0	8	3.6	.	.	.	18	7.9	9.7	0	12.0
..Diabetes-related (250)	108	24.1	35.8	0	41.1	43	19.4	35.0	0	45.1	65	28.7	35.8	0	38.1
Alzheimer's diseases (331.0)	4	0.9	4	1.8	.	.	.
Cardiovascular disease (390-459)	285	63.6	90.6	0	109.3	139	62.7	106.9	0	137.6	146	64.4	76.8	0	88.5
..Diseases of the heart (390-398,402,404-429)	221	49.3	70.6	0	81.6	106	47.8	82.5	0	103.5	115	50.7	60.5	0	65.6
....Heart disease-related (390-398,402,404-429)	448	99.9	137.0	0	146.3	236	106.5	168.8	0	181.5	212	93.5	110.7	0	118.4
....Coronary heart disease (CHD) (402,410-414,429.2)	163	36.4	53.5	0	56.3	80	36.1	64.6	0	75.5	83	36.6	43.8	0	42.5
....Congestive heart failure (CHF) (428.0)	2	0.4	2	0.9	.	.	.
..Hypertension with or without renal disease (401,403)	7	1.6	.	.	.	3	1.4	.	.	.	4	1.8	.	.	.
....Hypertension-related (401,403)	65	14.5	20.4	0	19.6	22	9.9	18.2	0	19.6	43	19.0	21.6	0	20.1
..Cerebrovascular disease (430-438)	49	10.9	15.4	0	19.2	23	10.4	18.0	0	20.8	26	11.5	13.0	0	17.8
....Atherosclerosis-related (440)	12	2.7	.	.	8.3	3	1.4	.	.	.	9	4.0	.	.	.
..Aortic aneurysm (441)	2	0.4	.	.	.	2	0.9
Pneumonia & influenza (480-487)	28	6.2	7.8	0	7.9	16	7.2	11.6	0	.	12	5.3	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	21	4.7	7.3	0	8.1	8	3.6	.	.	.	13	5.7	.	.	.
..COPD-related (490-496)	58	12.9	19.3	0	20.0	23	10.4	19.1	0	24.1	35	15.4	19.8	0	17.3
..Asthma (493)	4	0.9	.	.	.	1	0.5	.	.	.	3	1.3	.	.	.

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1991-1992 AAMR is significantly different (prob<0.05) from the 1989-1990 AAMR.
 0 - The 1991-1992 AAMR is not significantly different (prob>0.05) from the 1989-1990 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1991-1992
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes					Male					Female				
	*****1991-1992*****					*****1991-1992*****					*****1991-1992*****				
	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1990 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1990 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1990 AAMR
*****Causes of Death*****															
Chronic liver disease and cirrhosis (571)	29	6.5	9.5	0	14.7	23	10.4	16.3	0	28.4	6	2.6			
Nephritis, nephrotic syndrome/nephrosis (580-589)	15	3.3	4.7	0	6.3	9	4.1				6	2.6			
..Nephritis-related (580-589)	64	14.3	20.2	0	30.6	35	15.8	25.1	0	37.2	29	12.8	16.2	0	25.6
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	16	3.6	5.2	0	7.2	10	4.5				6	2.6			
Unintentional injuries (E800-E949)	93	20.7	20.6	0	15.9	76	34.3	34.7	0	26.9	17	7.5	7.3	0	
..Motor vehicle accidents (E810-E825)	26	5.8	5.6	0	8.5	22	9.9	9.1	0	15.0	4	1.8			
..Falls and fall related injuries (E880-E888)	5	1.1				2	0.9				3	1.3			
..Drowning (E830,E832,E910)	4	0.9				4	1.8								
..Residential fires (E890-E899)	11	2.5				4	1.8				7	3.1			
Suicide (E950-E959)	32	7.1	7.3	0	9.7	29	13.1	13.2	0	18.8	3	1.3			
Homicide and legal intervention (E960-E978)	80	17.8	16.6	0	11.5	72	32.5	30.3	0	19.4	8	3.5			
..Homicide (E960-E969)	79	17.6	16.4	0	11.5	71	32.0	30.0	0	19.4	8	3.5			
All injury (E800-E999)	213	47.5	46.3	0	38.0	184	83.1	81.5	0	67.1	29	12.8	12.3	0	11.0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	26	5.8	5.6	0	8.3	22	9.9	9.1	0	14.6	4	1.8			
..All falls (E880-E886,E888,E957,E968.1,E987)	5	1.1				3	1.4				2	0.9			
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	82	18.3	17.5	0	12.4	78	35.2	33.5	0	21.4	4	1.8			
....Suicide (E955.0-.4)	16	3.6	3.7	0		15	6.8	6.9	0		1	0.4			
....Homicide (E965.0-.4)	61	13.6	12.8	0	8.3	58	26.2	24.5	0	14.0	3	1.3			
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	40	8.9	8.8	1		36	16.2	16.1	1		4	1.8			
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	23	5.1	6.6	0	12.3	19	8.6	11.9	0	25.4	4	1.8			
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	41	9.1	9.0	1		37	16.7	16.6	1		4	1.8			

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1991-1992 AAMR is significantly different (prob<0.05) from the 1989-1990 AAMR.
 0 - The 1991-1992 AAMR is not significantly different (prob>0.05) from the 1989-1990 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1991-1992
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes				Male				Female				1989-1990 AAMR		
	*****1991-1992*****				*****1991-1992*****				*****1991-1992*****						
	No. of deaths	Crude rate	AAMR	Significance	No. of deaths	Crude rate	AAMR	Significance	No. of deaths	Crude rate	AAMR	Significance			
*****Causes of Death*****															
All causes	1,202	268.2	409.1	0	410.7	738	333.1	520.3	0	532.5	464	204.7	312.5	0	311.1
Infectious diseases and parasitic disease (1-139)	163	36.4	33.1	0	26.7	124	56.0	53.7	0	39.7	39	17.2	14.4	0	15.2
..Septicemia (038)	18	4.0	5.6	0	7.3	14	6.3	.	.	.	4	1.8	.	.	.
....Septicemia-related (038)	69	15.4	23.1	0	24.4	42	19.0	29.0	0	30.1	27	11.9	17.8	0	18.9
..HIV infection (042-044)	131	29.2	24.2	0	16.6	99	44.7	39.0	0	26.5	32	14.1	10.7	0	7.7
All cancer (140-208)	228	50.9	95.8	0	72.2	119	53.7	121.7	0	84.2	109	48.1	78.3	0	63.1
..Oral cavity or pharynx (140.0-149.9)	9	2.0	.	.	.	8	3.6	.	.	.	1	0.4	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	18	4.0	8.2	0	7.3	9	4.1	.	.	.	9	4.0	.	.	.
....Colon cancer (153)	10	2.2	.	.	.	6	2.7	.	.	.	4	1.8	.	.	.
....Rectal cancer (154)	7	1.6	.	.	.	3	1.4	.	.	.	4	1.8	.	.	.
..Pancreatic cancer (157)	9	2.0	.	.	.	3	1.4	.	.	.	6	2.6	.	.	.
..Lung and other respiratory cancer (160-165)	47	10.5	22.5	0	16.0	35	15.8	39.8	0	24.0	12	5.3	.	.	.
....Lung cancer (162.2-.9)	44	9.8	21.1	0	16.0	32	14.4	36.6	0	24.0	12	5.3	.	.	.
..Malignant melanoma of skin (172)	1	0.2	1	0.4	.	.	.
..Female breast cancer (174)	23	23	10.1	14.2	1	.
..Cervical cancer (180)	7	7	3.1	.	.	.
..Ovarian cancer (183)	5	5	2.2	.	.	.
..Prostate cancer (185)	8
..Bladder cancer (188)	1	0.2	.	.	.	1	0.5
..Brain & other CNS cancer (191-192)	6	1.3	.	.	.	3	1.4	.	.	.	3	1.3	.	.	.
..Leukemia (204-208)	7	1.6	.	.	.	3	1.4	.	.	.	4	1.8	.	.	.
Diabetes mellitus (250)	26	5.8	12.5	0	14.1	8	3.6	.	.	.	18	7.9	14.7	0	17.3
..Diabetes-related (250)	108	24.1	51.7	0	53.9	43	19.4	48.8	0	58.5	65	28.7	52.9	0	50.6
Alzheimer's diseases (331.0)	4	0.9	4	1.8	.	.	.
Cardiovascular disease (390-459)	285	63.6	130.6	0	156.6	139	62.7	148.3	0	193.6	146	64.4	115.8	0	130.4
..Diseases of the heart (390-398,402,404-429)	221	49.3	102.3	0	116.9	106	47.8	116.2	0	145.6	115	50.7	91.2	0	96.7
....Heart disease-related (390-398,402,404-429)	448	99.9	188.7	0	201.7	236	106.5	224.9	0	242.7	212	93.5	160.0	0	170.3
....Coronary heart disease (CHD) (402,410-414,429.2)	163	36.4	79.0	0	82.3	80	36.1	91.5	0	108.9	83	36.6	68.5	0	64.2
....Congestive heart failure (CHF) (428.0)	2	0.4	2	0.9	.	.	.
..Hypertension with or without renal disease (401,403)	7	1.6	.	.	.	3	1.4	.	.	.	4	1.8	.	.	.
....Hypertension-related (401,403)	65	14.5	30.6	0	25.9	22	9.9	25.2	0	26.1	43	19.0	33.4	0	26.3
..Cerebrovascular disease (430-438)	49	10.9	23.0	0	27.8	23	10.4	25.0	0	28.4	26	11.5	20.8	0	26.9
....Atherosclerosis-related (440)	12	2.7	.	.	13.7	3	1.4	.	.	.	9	4.0	.	.	.
..Aortic aneurysm (441)	2	0.4	.	.	.	2	0.9
Pneumonia & influenza (480-487)	28	6.2	11.3	0	14.4	16	7.2	16.0	0	.	12	5.3	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	21	4.7	9.9	0	11.6	8	3.6	.	.	.	13	5.7	.	.	.
..COPD-related (490-496)	58	12.9	26.7	0	28.7	23	10.4	27.5	0	35.2	35	15.4	26.5	0	24.5
..Asthma (493)	4	0.9	.	.	.	1	0.5	.	.	.	3	1.3	.	.	.

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1991-1992 AAMR is significantly different (prob<0.05) from the 1989-1990 AAMR.
 0 - The 1991-1992 AAMR is not significantly different (prob>0.05) from the 1989-1990 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1991-1992
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1991-1992*****				*****1991-1992*****				*****1991-1992*****						
	No. of deaths	Crude rate	AAMR	Significance	1989-1990 AAMR	No. of deaths	Crude rate	AAMR	Significance	1989-1990 AAMR	No. of deaths	Crude rate	AAMR	Significance	1989-1990 AAMR
*****Causes of Death*****															
Chronic liver disease and cirrhosis (571)	29	6.5	9.9	0	15.7	23	10.4	16.8	0	29.7	6	2.6	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	15	3.3	6.6	0	7.7	9	4.1	.	.	.	6	2.6	.	.	.
..Nephritis-related (580-589)	64	14.3	28.1	0	38.0	35	15.8	33.3	0	46.1	29	12.8	23.9	0	32.3
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	16	3.6	7.1	0	8.8	10	4.5	.	.	.	6	2.6	.	.	.
Unintentional injuries (E800-E949)	93	20.7	20.8	0	15.7	76	34.3	34.3	0	25.3	17	7.5	8.4	0	.
..Motor vehicle accidents (E810-E825)	26	5.8	5.2	0	8.1	22	9.9	8.5	0	13.9	4	1.8	.	.	.
..Falls and fall related injuries (E880-E888)	5	1.1	.	.	.	2	0.9	.	.	.	3	1.3	.	.	.
..Drowning (E830,E832,E910)	4	0.9	.	.	.	4	1.8
..Residential fires (E890-E899)	11	2.5	.	.	.	4	1.8	.	.	.	7	3.1	.	.	.
Suicide (E950-E959)	32	7.1	6.7	0	9.0	29	13.1	11.9	0	17.8	3	1.3	.	.	.
Homicide and legal intervention (E960-E978)	80	17.8	15.1	0	10.6	72	32.5	27.6	0	18.4	8	3.5	.	.	.
..Homicide (E960-E969)	79	17.6	14.9	0	10.6	71	32.0	27.3	0	18.4	8	3.5	.	.	.
All injury (E800-E999)	213	47.5	44.1	0	36.1	184	83.1	76.6	0	63.2	29	12.8	13.0	0	11.3
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	26	5.8	5.2	0	7.9	22	9.9	8.5	0	13.6	4	1.8	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	5	1.1	.	.	.	3	1.4	.	.	.	2	0.9	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	82	18.3	16.0	0	11.8	78	35.2	30.7	0	21.0	4	1.8	.	.	.
....Suicide (E955.0-.4)	16	3.6	3.3	0	.	15	6.8	6.2	0	.	1	0.4	.	.	.
....Homicide (E965.0-.4)	61	13.6	11.7	0	7.8	58	26.2	22.5	0	13.6	3	1.3	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	40	8.9	7.5	1	.	36	16.2	13.7	1	.	4	1.8	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	23	5.1	6.5	0	12.8	19	8.6	11.7	0	26.9	4	1.8	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	41	9.1	7.7	1	.	37	16.7	14.0	1	.	4	1.8	.	.	.

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1991-1992 AAMR is significantly different (prob<0.05) from the 1989-1990 AAMR.
 0 - The 1991-1992 AAMR is not significantly different (prob>0.05) from the 1989-1990 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1991-1992
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1991-1992*****				*****1991-1992*****				*****1991-1992*****						
	No. of deaths	Crude rate	AAMR	Significance	1989-1990 AAMR	No. of deaths	Crude rate	AAMR	Significance	1989-1990 AAMR	No. of deaths	Crude rate	AAMR	Significance	1989-1990 AAMR
*****Causes of Death*****															
All causes	1,202	268.2	521.5	0	530.7	738	333.1	645.7	0	673.6	464	204.7	414.5	0	415.6
Infectious diseases and parasitic disease (1-139)	163	36.4	40.9	0	33.8	124	56.0	65.9	0	49.8	39	17.2	17.7	0	19.6
..Septicemia (038)	18	4.0	6.7	0	10.3	14	6.3	.	.	.	4	1.8	.	.	.
....Septicemia-related (038)	69	15.4	27.2	0	34.0	42	19.0	33.5	0	37.7	27	11.9	21.1	0	29.5
..HIV infection (042-044)	131	29.2	29.7	0	20.0	99	44.7	48.0	0	32.3	32	14.1	12.8	0	8.9
All cancer (140-208)	228	50.9	119.0	0	88.1	119	53.7	151.6	0	101.4	109	48.1	97.9	0	78.2
..Oral cavity or pharynx (140.0-149.9)	9	2.0	.	.	.	8	3.6	.	.	.	1	0.4	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	18	4.0	11.3	0	9.7	9	4.1	.	.	.	9	4.0	.	.	.
....Colon cancer (153)	10	2.2	.	.	.	6	2.7	.	.	.	4	1.8	.	.	.
....Rectal cancer (154)	7	1.6	.	.	.	3	1.4	.	.	.	4	1.8	.	.	.
..Pancreatic cancer (157)	9	2.0	.	.	.	3	1.4	.	.	.	6	2.6	.	.	.
..Lung and other respiratory cancer (160-165)	47	10.5	26.9	0	19.4	35	15.8	48.6	0	30.2	12	5.3	.	.	.
....Lung cancer (162.2-.9)	44	9.8	25.3	0	19.4	32	14.4	44.8	0	30.2	12	5.3	.	.	.
..Malignant melanoma of skin (172)	1	0.2	1	0.4	.	.	.
..Female breast cancer (174)	23	23	10.1	15.8	0	.
..Cervical cancer (180)	7	7	3.1	.	.	.
..Ovarian cancer (183)	5	5	2.2	.	.	.
..Prostate cancer (185)	8	8	3.6
..Bladder cancer (188)	1	0.2	.	.	.	1	0.5
..Brain & other CNS cancer (191-192)	6	1.3	.	.	.	3	1.4	.	.	.	3	1.3	.	.	.
..Leukemia (204-208)	7	1.6	.	.	.	3	1.4	.	.	.	4	1.8	.	.	.
Diabetes mellitus (250)	26	5.8	17.2	0	18.5	8	3.6	.	.	.	18	7.9	20.7	0	23.0
..Diabetes-related (250)	108	24.1	70.2	0	65.4	43	19.4	64.4	0	70.5	65	28.7	72.9	0	61.6
Alzheimer's diseases (331.0)	4	0.9	4	1.8	.	.	.
Cardiovascular disease (390-459)	285	63.6	181.2	0	217.3	139	62.7	200.7	0	263.2	146	64.4	165.2	0	185.1
..Diseases of the heart (390-398,402,404-429)	221	49.3	142.1	0	161.1	106	47.8	158.7	0	197.7	115	50.7	129.4	0	135.7
....Heart disease-related (390-398,402,404-429)	448	99.9	256.8	0	275.7	236	106.5	300.4	0	323.2	212	93.5	223.5	0	239.5
....Coronary heart disease (CHD) (402,410-414,429.2)	163	36.4	109.5	0	114.1	80	36.1	124.4	0	149.4	83	36.6	97.9	0	90.5
....Congestive heart failure (CHF) (428.0)	2	0.4	2	0.9	.	.	.
..Hypertension with or without renal disease (401,403)	7	1.6	.	.	.	3	1.4	.	.	.	4	1.8	.	.	.
....Hypertension-related (401,403)	65	14.5	44.2	0	33.1	22	9.9	32.8	0	33.8	43	19.0	50.0	0	33.0
..Cerebrovascular disease (430-438)	49	10.9	33.0	0	40.4	23	10.4	33.4	0	38.1	26	11.5	31.4	0	40.9
....Atherosclerosis-related (440)	12	2.7	.	.	20.9	3	1.4	.	.	.	9	4.0	.	.	.
..Aortic aneurysm (441)	2	0.4	.	.	.	2	0.9
Pneumonia & influenza (480-487)	28	6.2	16.3	0	23.5	16	7.2	22.2	0	.	12	5.3	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	21	4.7	12.5	0	16.4	8	3.6	.	.	.	13	5.7	.	.	.
..COPD-related (490-496)	58	12.9	35.3	0	39.4	23	10.4	36.4	0	48.0	35	15.4	35.0	0	34.1
..Asthma (493)	4	0.9	.	.	.	1	0.5	.	.	.	3	1.3	.	.	.

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1991-1992 AAMR is significantly different (prob<0.05) from the 1989-1990 AAMR.
 0 - The 1991-1992 AAMR is not significantly different (prob>0.05) from the 1989-1990 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1991-1992
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1991-1992*****				*****1991-1992*****				*****1991-1992*****						
	No. of deaths	Crude rate	AAMR	Significance	1989-1990 AAMR	No. of deaths	Crude rate	AAMR	Significance	1989-1990 AAMR	No. of deaths	Crude rate	AAMR	Significance	1989-1990 AAMR
*****Causes of Death*****															
Chronic liver disease and cirrhosis (571)	29	6.5	11.0	0	17.7	23	10.4	18.4	0	32.9	6	2.6	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	15	3.3	9.0	0	9.2	9	4.1	.	.	.	6	2.6	.	.	.
..Nephritis-related (580-589)	64	14.3	37.6	0	46.0	35	15.8	43.8	0	57.1	29	12.8	32.3	0	38.5
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	16	3.6	9.5	0	10.2	10	4.5	.	.	.	6	2.6	.	.	.
Unintentional injuries (E800-E949)	93	20.7	23.9	0	16.7	76	34.3	38.6	0	26.6	17	7.5	10.7	0	.
..Motor vehicle accidents (E810-E825)	26	5.8	5.0	0	7.7	22	9.9	8.0	0	13.5	4	1.8	.	.	.
..Falls and fall related injuries (E880-E888)	5	1.1	.	.	.	2	0.9	.	.	.	3	1.3	.	.	.
..Drowning (E830,E832,E910)	4	0.9	.	.	.	4	1.8
..Residential fires (E890-E899)	11	2.5	.	.	.	4	1.8	.	.	.	7	3.1	.	.	.
Suicide (E950-E959)	32	7.1	7.1	0	10.5	29	13.1	12.6	0	21.3	3	1.3	.	.	.
Homicide and legal intervention (E960-E978)	80	17.8	14.5	0	10.9	72	32.5	26.8	0	19.2	8	3.5	.	.	.
..Homicide (E960-E969)	79	17.6	14.3	0	10.9	71	32.0	26.5	0	19.2	8	3.5	.	.	.
All injury (E800-E999)	213	47.5	47.3	0	39.1	184	83.1	81.6	0	69.1	29	12.8	15.1	0	12.1
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	26	5.8	5.0	0	7.5	22	9.9	8.0	0	13.1	4	1.8	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	5	1.1	.	.	.	3	1.4	.	.	.	2	0.9	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	82	18.3	15.4	0	11.9	78	35.2	29.5	0	21.7	4	1.8	.	.	.
....Suicide (E955.0-.4)	16	3.6	3.5	0	.	15	6.8	6.6	0	.	1	0.4	.	.	.
....Homicide (E965.0-.4)	61	13.6	11.0	0	7.7	58	26.2	21.4	0	13.8	3	1.3	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	40	8.9	8.7	1	.	36	16.2	16.0	0	.	4	1.8	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	23	5.1	7.6	0	14.1	19	8.6	13.7	0	29.5	4	1.8	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	41	9.1	8.9	1	.	37	16.7	16.4	0	.	4	1.8	.	.	.

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1991-1992 AAMR is significantly different (prob<0.05) from the 1989-1990 AAMR.
 0 - The 1991-1992 AAMR is not significantly different (prob>0.05) from the 1989-1990 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1991-1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1991-1992			Years of life lost, 1991-1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991-1992	1989-1990	Significance	1991-1992	1989-1990	Significance
*****Causes of Death*****											
All causes	1,202	807	947	23,506	32,346	5233.6	4429.9	1	7442.3	6563.9	0
Infectious diseases and parasitic disease (1-139)	163	159	160	4,514	6,106	1002.7	695.8	1	1324.5	923.0	1
..Septicemia (038)	18	15	16	360	512	86.3	86.0	0	125.7	122.4	0
...Septicemia-related (038)	69	53	60	1,172	1,749	281.7	185.0	0	441.9	299.9	0
..HIV infection (042-044)	131	131	131	3,827	5,137	838.6	552.8	1	1092.4	724.6	1
All cancer (140-208)	228	127	172	2,052	3,579	591.2	399.7	0	1101.3	773.0	0
..Oral cavity or pharynx (140.0-149.9)	9	6	7	90	158
..Colorectal cancer (153.0-154.3,154.8,159.0)	18	8	11	95	183	32.6	25.1	0	63.4	53.8	0
...Colon cancer (153)	10	4	5	45	88
...Rectal cancer (154)	7	4	6	50	95
..Pancreatic cancer (157)	9	6	7	105	173
..Lung and other respiratory cancer (160-165)	47	16	33	185	453	65.1	38.6	0	168.9	104.7	0
...Lung cancer (162.2-.9)	44	14	31	170	418	58.9	38.6	0	155.0	104.7	0
..Malignant melanoma of skin (172)	1	.	.	0	0
..Female breast cancer (174)	23	22	23	350	578
..Cervical cancer (180)	7	7	7	173	243
..Ovarian cancer (183)	5	2	3	15	43
..Prostate cancer (185)	8	2	5	35	78
..Bladder cancer (188)	1	1	1	3	13
..Brain & other CNS cancer (191-192)	6	2	4	72	107
..Leukemia (204-208)	7	6	7	102	165
Diabetes mellitus (250)	26	9	14	93	205	30.0	35.6	0	72.1	88.6	0
..Diabetes-related (250)	108	36	60	400	895	129.4	167.8	0	315.8	431.0	0
Alzheimer's diseases (331.0)	4	2	3	15	38
Cardiovascular disease (390-459)	285	111	165	1,627	3,027	478.2	605.3	0	967.5	1183.0	0
..Diseases of the heart (390-398,402,404-429)	221	84	123	1,182	2,255	354.9	410.3	0	736.7	842.9	0
...Heart disease-related (390-398,402,404-429)	448	211	284	4,242	6,744	1074.1	1049.5	0	1845.1	1881.7	0
...Coronary heart disease (CHD) (402,410-414,429.2)	163	52	85	540	1,268	187.3	223.8	0	466.9	509.1	0
...Congestive heart failure (CHF) (428.0)	2	.	.	0	0
..Hypertension with or without renal disease (401,403)	7	4	5	65	113
...Hypertension-related (401,403)	65	22	33	265	533	90.9	111.2	0	186.7	230.0	0
..Cerebrovascular disease (430-438)	49	15	29	203	403	61.3	147.7	0	131.1	243.1	0
...Atherosclerosis-related (440)	12	2	4	20	55	.	14.7	.	.	50.7	.
..Aortic aneurysm (441)	2	2	2	92	112
Pneumonia & influenza (480-487)	28	12	16	366	506	77.2	11.1	1	113.4	32.5	0
Chronic obstructive pulmonary disease (COPD) (490-496)	21	6	13	105	208	30.4	63.1	0	67.3	103.1	0
..COPD-related (490-496)	58	20	36	330	630	95.3	102.3	0	202.3	195.0	0
..Asthma (493)	4	2	3	40	68
Chronic liver disease and cirrhosis (571)	29	24	29	415	688	116.0	167.2	0	199.9	294.4	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	15	8	9	110	198	31.9	60.6	0	62.2	103.1	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1991-1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1991-1992			Years of life lost, 1991-1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991-1992	1989-1990	Significance	1991-1992	1989-1990	Significance
*****Causes of Death*****											
..Nephritis-related (580-589)	64	29	38	483	830	129.5	235.2	0	243.3	448.4	1
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	16	8	10	110	205	31.9	64.0	0	65.6	114.3	0
Unintentional injuries (E800-E949)	93	86	87	3,149	4,012	681.4	478.1	0	840.5	603.9	0
..Motor vehicle accidents (E810-E825)	26	26	26	1,034	1,294	223.3	316.5	0	269.3	386.3	0
..Falls and fall related injuries (E880-E888)	5	2	2	30	50
..Drowning (E830,E832,E910)	4	4	4	130	170
..Residential fires (E890-E899)	11	11	11	546	656
Suicide (E950-E959)	32	32	32	1,070	1,390	246.4	270.3	0	309.3	349.3	0
Homicide and legal intervention (E960-E978)	80	79	80	3,144	3,936	680.6	434.2	0	813.6	526.5	0
..Homicide (E960-E969)	79	78	79	3,106	3,889	673.4	434.2	0	804.9	526.5	0
All injury (E800-E999)	213	205	207	7,625	9,680	1665.4	1212.3	1	2035.6	1518.1	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	26	26	26	1,034	1,294	223.3	309.3	0	269.3	377.4	0
..All falls (E880-E886,E888,E957,E968.1,E987)	5	3	3	63	93
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	82	81	82	3,183	3,995	716.7	449.1	0	857.3	547.1	0
....Suicide (E955.0-.4)	16	16	16	545	705	129.4	.	0	160.7	.	0
....Homicide (E965.0-.4)	61	60	61	2,420	3,023	538.3	328.0	0	639.5	393.3	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	40	40	40	1,230	1,630	273.4	.	1	349.8	.	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	23	20	23	430	653	110.5	149.7	0	169.5	259.9	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	41	41	41	1,258	1,668	279.7	.	1	358.0	.	1

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1991-1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Male										
	Number of Deaths, 1991-1992			Years of life lost, 1991-1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991-1992	1989-1990	Significance	1991-1992	1989-1990	Significance
*****Causes of Death*****											
All causes	738	562	641	16,706	22,779	7536.2	6502.2	0	10616.4	9479.5	0
Infectious diseases and parasitic disease (1-139)	124	122	123	3,282	4,505	1530.2	1089.5	0	2061.3	1440.1	0
..Septicemia (038)	14	12	13	282	405	.	.	0	.	.	0
...Septicemia-related (038)	42	35	39	755	1,130	383.7	270.2	0	601.8	446.5	0
..HIV infection (042-044)	99	99	99	2,743	3,733	1252.6	856.5	0	1661.9	1130.6	0
All cancer (140-208)	119	63	91	1,027	1,817	593.7	426.7	0	1180.3	875.4	0
..Oral cavity or pharynx (140.0-149.9)	8	6	7	90	158	.	.	0	.	.	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	9	4	7	45	93	.	.	0	.	.	0
...Colon cancer (153)	6	3	4	33	65	.	.	0	.	.	0
...Rectal cancer (154)	3	1	3	13	28	.	.	0	.	.	0
..Pancreatic cancer (157)	3	3	3	53	83	.	.	0	.	.	0
..Lung and other respiratory cancer (160-165)	35	12	24	140	340	99.2	68.5	0	270.5	164.3	0
...Lung cancer (162.2-.9)	32	10	22	125	305	85.9	68.5	0	240.3	164.3	0
..Malignant melanoma of skin (172)	0	.	.	0
..Female breast cancer (174)	0	.	.	0
..Cervical cancer (180)	0	.	.	0
..Ovarian cancer (183)	0	.	.	0
..Prostate cancer (185)	8	2	5	35	78	.	.	0	.	.	0
..Bladder cancer (188)	1	1	1	3	13	.	.	0	.	.	0
..Brain & other CNS cancer (191-192)	3	2	2	72	92	.	.	0	.	.	0
..Leukemia (204-208)	3	3	3	75	105	.	.	0	.	.	0
Diabetes mellitus (250)	8	4	6	50	100	.	.	0	.	.	0
..Diabetes-related (250)	43	18	29	220	468	143.2	200.7	0	345.9	490.3	0
Alzheimer's diseases (331.0)	0	.	.	0
Cardiovascular disease (390-459)	139	69	97	1,055	1,905	636.4	777.9	0	1270.4	1491.8	0
..Diseases of the heart (390-398,402,404-429)	106	51	71	703	1,338	452.1	569.3	0	942.7	1104.7	0
...Heart disease-related (390-398,402,404-429)	236	133	175	2,786	4,351	1428.2	1411.3	0	2442.8	2473.5	0
...Coronary heart disease (CHD) (402,410-414,429.2)	80	35	54	393	865	287.9	336.7	0	680.7	701.0	0
...Congestive heart failure (CHF) (428.0)	0	.	.	0
..Hypertension with or without renal disease (401,403)	3	1	2	33	50	.	.	0	.	.	0
...Hypertension-related (401,403)	22	9	15	118	238	81.7	120.8	0	177.2	221.8	0
..Cerebrovascular disease (430-438)	23	10	17	150	278	88.4	150.8	0	182.2	259.9	0
...Atherosclerosis-related (440)	3	1	2	8	25	.	.	0	.	.	0
..Aortic aneurysm (441)	2	2	2	92	112	.	.	0	.	.	0
Pneumonia & influenza (480-487)	16	8	11	150	248	83.2	.	0	148.1	.	0
Chronic obstructive pulmonary disease (COPD) (490-496)	8	1	5	8	48	.	.	0	.	.	0
..COPD-related (490-496)	23	6	14	100	215	58.9	104.4	0	157.7	213.7	0
..Asthma (493)	1	.	1	0	8	.	.	0	.	.	0
Chronic liver disease and cirrhosis (571)	23	20	23	335	558	198.4	322.3	0	346.7	576.6	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	9	6	6	100	160	.	.	0	.	.	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1991-1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Male										
	Number of Deaths, 1991-1992			Years of life lost, 1991-1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991-1992	1989-1990	Significance	1991-1992	1989-1990	Significance
*****Causes of Death*****											
..Nephritis-related (580-589)	35	20	24	385	610	202.4	309.9	0	344.7	565.8	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	10	6	7	100	168
Unintentional injuries (E800-E949)	76	72	73	2,640	3,363	1138.6	845.5	0	1406.8	1067.3	0
..Motor vehicle accidents (E810-E825)	22	22	22	924	1,144	391.3	570.2	0	465.1	695.6	0
..Falls and fall related injuries (E880-E888)	2	2	2	30	50
..Drowning (E830,E832,E910)	4	4	4	130	170
..Residential fires (E890-E899)	4	4	4	229	269
Suicide (E950-E959)	29	29	29	1,008	1,298	464.4	485.5	0	576.0	636.5	0
Homicide and legal intervention (E960-E978)	72	71	72	2,780	3,492	1206.5	722.0	0	1449.2	875.0	0
..Homicide (E960-E969)	71	70	71	2,742	3,445	1191.8	722.0	0	1431.6	875.0	0
All injury (E800-E999)	184	179	181	6,652	8,447	2910.1	2114.4	0	3561.2	2658.1	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	22	22	22	924	1,144	391.3	555.5	0	465.1	677.3	0
..All falls (E880-E886,E888,E957,E968.1,E987)	3	3	3	63	93
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	78	77	78	3,038	3,810	1355.4	724.9	1	1622.7	890.4	1
....Suicide (E955.0-.4)	15	15	15	523	673	245.7	.	0	304.4	.	0
....Homicide (E965.0-.4)	58	57	58	2,298	2,870	1013.6	534.3	1	1206.1	641.7	1
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	36	36	36	1,110	1,470	499.1	.	1	639.3	.	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	19	17	19	348	533	191.3	272.6	0	297.9	499.0	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	37	37	37	1,138	1,508	512.0	.	1	656.1	.	1

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1991-1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Female										
	Number of Deaths, 1991-1992			Years of life lost, 1991-1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991-1992	1989-1990	Significance	1991-1992	1989-1990	Significance
*****Causes of Death*****											
All causes	464	245	306	6,800	9,567	2977.9	2469.2	0	4392.1	3851.5	0
Infectious diseases and parasitic disease (1-139)	39	37	37	1,232	1,602	508.8	325.7	0	638.6	439.9	0
..Septicemia (038)	4	3	3	78	108	.	.	0	.	.	0
...Septicemia-related (038)	27	18	21	417	620	189.3	105.3	0	298.6	167.9	0
..HIV infection (042-044)	32	32	32	1,084	1,404	449.6	270.4	0	559.5	349.1	0
All cancer (140-208)	109	64	81	1,025	1,763	587.1	380.6	0	1037.7	690.6	0
..Oral cavity or pharynx (140.0-149.9)	1	.	.	0	0	.	.	0	.	.	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	9	4	4	50	90	.	.	0	.	.	0
...Colon cancer (153)	4	1	1	13	23	.	.	0	.	.	0
...Rectal cancer (154)	4	3	3	38	68	.	.	0	.	.	0
..Pancreatic cancer (157)	6	3	4	53	90	.	.	0	.	.	0
..Lung and other respiratory cancer (160-165)	12	4	9	45	113	.	.	0	.	.	0
...Lung cancer (162.2-.9)	12	4	9	45	113	.	.	0	.	.	0
..Malignant melanoma of skin (172)	1	.	.	0	0	.	.	0	.	.	0
..Female breast cancer (174)	23	22	23	350	578	200.3	.	1	332.6	.	1
..Cervical cancer (180)	7	7	7	173	243	.	.	0	.	.	0
..Ovarian cancer (183)	5	2	3	15	43	.	.	0	.	.	0
..Prostate cancer (185)	0	.	.	0
..Bladder cancer (188)	0	.	.	0
..Brain & other CNS cancer (191-192)	3	.	2	0	15	.	.	0	.	.	0
..Leukemia (204-208)	4	3	4	28	60	.	.	0	.	.	0
Diabetes mellitus (250)	18	5	8	43	105	31.0	32.0	0	75.4	95.7	0
..Diabetes-related (250)	65	18	31	180	428	116.4	138.3	0	289.5	380.5	0
Alzheimer's diseases (331.0)	4	2	3	15	38	.	.	0	.	.	0
Cardiovascular disease (390-459)	146	42	68	572	1,122	334.2	448.6	0	700.0	912.5	0
..Diseases of the heart (390-398,402,404-429)	115	33	52	480	917	269.9	263.1	0	559.3	609.5	0
...Heart disease-related (390-398,402,404-429)	212	78	109	1,456	2,394	742.1	716.1	0	1304.0	1351.7	0
...Coronary heart disease (CHD) (402,410-414,429.2)	83	17	31	148	403	98.0	121.5	0	281.8	339.8	0
...Congestive heart failure (CHF) (428.0)	2	.	.	0	0	.	.	0	.	.	0
..Hypertension with or without renal disease (401,403)	4	3	3	33	63	.	.	0	.	.	0
...Hypertension-related (401,403)	43	13	18	148	295	98.7	102.1	0	195.5	236.5	0
..Cerebrovascular disease (430-438)	26	5	12	53	125	36.0	145.7	0	85.3	230.3	0
...Atherosclerosis-related (440)	9	1	2	13	30	.	.	0	.	.	0
..Aortic aneurysm (441)	0	.	.	0
Pneumonia & influenza (480-487)	12	4	5	216	259	.	.	0	.	.	0
Chronic obstructive pulmonary disease (COPD) (490-496)	13	5	8	98	160	.	.	0	.	.	0
..COPD-related (490-496)	35	14	22	230	415	126.8	98.4	0	242.2	178.7	0
..Asthma (493)	3	2	2	40	60	.	.	0	.	.	0
Chronic liver disease and cirrhosis (571)	6	4	6	80	130	.	.	0	.	.	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	6	2	3	10	38	.	.	0	.	.	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1991-1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Female										
	Number of Deaths, 1991-1992			Years of life lost, 1991-1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991-1992	1989-1990	Significance	1991-1992	1989-1990	Significance
*****Causes of Death*****											
..Nephritis-related (580-589)	29	9	14	98	220	61.8	166.4	0	149.2	344.2	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	6	2	3	10	38
Unintentional injuries (E800-E949)	17	14	14	509	649	223.1	.	0	276.5	.	0
..Motor vehicle accidents (E810-E825)	4	4	4	110	150
..Falls and fall related injuries (E880-E888)	3	.	.	0	0
..Drowning (E830,E832,E910)
..Residential fires (E890-E899)	7	7	7	317	387
Suicide (E950-E959)	3	3	3	63	93
Homicide and legal intervention (E960-E978)	8	8	8	364	444
..Homicide (E960-E969)	8	8	8	364	444
All injury (E800-E999)	29	26	26	973	1,233	410.0	339.6	0	505.1	422.3	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	4	4	4	110	150
..All falls (E880-E886,E888,E957,E968.1,E987)	2	.	.	0	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	4	4	4	145	185
....Suicide (E955.0-.4)	1	1	1	23	33
....Homicide (E965.0-.4)	3	3	3	123	153
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	4	4	4	120	160
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	4	3	4	83	120
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	4	4	4	120	160

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1991-1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1991-1992			Years of life lost, 1991-1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991-1992	1989-1990	Significance	1991-1992	1989-1990	Significance
*****Causes of Death*****											
All causes	1,202	807	947	23,506	32,346	4994.4	4187.8	1	7194.2	6345.7	0
Infectious diseases and parasitic disease (1-139)	163	159	160	4,514	6,106	848.6	594.8	0	1118.1	788.6	0
..Septicemia (038)	18	15	16	360	512	80.5	76.5	0	118.5	110.1	0
...Septicemia-related (038)	69	53	60	1,172	1,749	259.5	165.7	0	421.2	283.0	0
..HIV infection (042-044)	131	131	131	3,827	5,137	703.1	463.7	1	910.3	605.6	1
All cancer (140-208)	228	127	172	2,052	3,579	573.1	390.6	0	1120.8	797.9	0
..Oral cavity or pharynx (140.0-149.9)	9	6	7	90	158	.	.	0	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	18	8	11	95	183	32.4	23.6	0	65.6	55.7	0
...Colon cancer (153)	10	4	5	45	88	.	.	0	.	.	.
...Rectal cancer (154)	7	4	6	50	95	.	.	0	.	.	.
..Pancreatic cancer (157)	9	6	7	105	173	.	.	0	.	.	.
..Lung and other respiratory cancer (160-165)	47	16	33	185	453	66.1	39.7	0	184.2	115.8	0
...Lung cancer (162.2-.9)	44	14	31	170	418	59.6	39.7	0	169.2	115.8	0
..Malignant melanoma of skin (172)	1	.	.	0	0	.	.	0	.	.	.
..Female breast cancer (174)	23	22	23	350	578	.	.	0	.	.	.
..Cervical cancer (180)	7	7	7	173	243	.	.	0	.	.	.
..Ovarian cancer (183)	5	2	3	15	43	.	.	0	.	.	.
..Prostate cancer (185)	8	2	5	35	78	.	.	0	.	.	.
..Bladder cancer (188)	1	1	1	3	13	.	.	0	.	.	.
..Brain & other CNS cancer (191-192)	6	2	4	72	107	.	.	0	.	.	.
..Leukemia (204-208)	7	6	7	102	165	.	.	0	.	.	.
Diabetes mellitus (250)	26	9	14	93	205	30.5	36.0	0	78.2	97.1	0
..Diabetes-related (250)	108	36	60	400	895	129.8	169.5	0	341.1	470.8	0
Alzheimer's diseases (331.0)	4	2	3	15	38	.	.	0	.	.	.
Cardiovascular disease (390-459)	285	111	165	1,627	3,027	473.7	585.5	0	1012.9	1218.5	0
..Diseases of the heart (390-398,402,404-429)	221	84	123	1,182	2,255	354.2	396.7	0	776.0	874.7	0
...Heart disease-related (390-398,402,404-429)	448	211	284	4,242	6,744	1014.1	982.2	0	1831.5	1872.4	0
...Coronary heart disease (CHD) (402,410-414,429.2)	163	52	85	540	1,268	193.7	223.2	0	510.6	543.8	0
...Congestive heart failure (CHF) (428.0)	2	.	.	0	0	.	.	0	.	.	.
..Hypertension with or without renal disease (401,403)	7	4	5	65	113	.	.	0	.	.	.
...Hypertension-related (401,403)	65	22	33	265	533	92.0	112.9	0	197.3	243.8	0
..Cerebrovascular disease (430-438)	49	15	29	203	403	59.9	142.4	0	138.8	241.1	0
...Atherosclerosis-related (440)	12	2	4	20	55	.	16.1	0	.	58.7	.
..Aortic aneurysm (441)	2	2	2	92	112	.	.	0	.	.	.
Pneumonia & influenza (480-487)	28	12	16	366	506	76.0	11.7	1	113.3	36.7	0
Chronic obstructive pulmonary disease (COPD) (490-496)	21	6	13	105	208	29.4	60.5	0	70.9	102.6	0
..COPD-related (490-496)	58	20	36	330	630	91.8	100.0	0	211.0	201.3	0
..Asthma (493)	4	2	3	40	68	.	.	0	.	.	.
Chronic liver disease and cirrhosis (571)	29	24	29	415	688	108.2	160.5	0	194.7	291.4	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	15	8	9	110	198	31.9	56.9	0	65.1	103.0	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1991-1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1991-1992			Years of life lost, 1991-1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991-1992	1989-1990	Significance	1991-1992	1989-1990	Significance
*****Causes of Death*****											
..Nephritis-related (580-589)	64	29	38	483	830	122.3	226.6	0	245.8	458.6	1
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	16	8	10	110	205	31.9	60.8	0	69.3	115.9	0
Unintentional injuries (E800-E949)	93	86	87	3,149	4,012	649.0	459.6	0	787.3	574.0	0
..Motor vehicle accidents (E810-E825)	26	26	26	1,034	1,294	219.2	308.6	0	259.6	371.1	0
..Falls and fall related injuries (E880-E888)	5	2	2	30	50
..Drowning (E830,E832,E910)	4	4	4	130	170
..Residential fires (E890-E899)	11	11	11	546	656
Suicide (E950-E959)	32	32	32	1,070	1,390	232.4	240.6	0	287.4	308.0	0
Homicide and legal intervention (E960-E978)	80	79	80	3,144	3,936	641.1	407.2	0	752.7	484.8	0
..Homicide (E960-E969)	79	78	79	3,106	3,889	635.2	407.2	0	745.7	484.8	0
All injury (E800-E999)	213	205	207	7,625	9,680	1574.3	1133.2	1	1891.8	1399.7	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	26	26	26	1,034	1,294	219.2	303.2	0	259.6	364.6	0
..All falls (E880-E886,E888,E957,E968.1,E987)	5	3	3	63	93
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	82	81	82	3,183	3,995	681.4	420.9	0	800.1	505.2	0
....Suicide (E955.0-.4)	16	16	16	545	705	121.1	.	0	147.8	.	0
....Homicide (E965.0-.4)	61	60	61	2,420	3,023	512.7	308.1	0	597.7	362.9	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	40	40	40	1,230	1,630	237.7	.	1	300.7	.	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	23	20	23	430	653	98.0	143.1	0	154.9	256.1	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	41	41	41	1,258	1,668	242.6	.	1	307.0	.	1

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1991-1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male										
	Number of Deaths, 1991-1992			Years of life lost, 1991-1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991-1992	1989-1990	Significance	1991-1992	1989-1990	Significance
*****Causes of Death*****											
All causes	738	562	641	16,706	22,779	7082.2	6074.6	0	10108.0	9034.4	0
Infectious diseases and parasitic disease (1-139)	124	122	123	3,282	4,505	1284.9	924.7	0	1736.0	1221.0	0
..Septicemia (038)	14	12	13	282	405	.	.	0	.	.	0
...Septicemia-related (038)	42	35	39	755	1,130	345.7	246.0	0	562.5	428.7	0
..HIV infection (042-044)	99	99	99	2,743	3,733	1035.5	712.5	0	1374.6	939.4	0
All cancer (140-208)	119	63	91	1,027	1,817	582.0	420.5	0	1227.7	912.3	0
..Oral cavity or pharynx (140.0-149.9)	8	6	7	90	158	.	.	0	.	.	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	9	4	7	45	93	.	.	0	.	.	0
...Colon cancer (153)	6	3	4	33	65	.	.	0	.	.	0
...Rectal cancer (154)	3	1	3	13	28	.	.	0	.	.	0
..Pancreatic cancer (157)	3	3	3	53	83	.	.	0	.	.	0
..Lung and other respiratory cancer (160-165)	35	12	24	140	340	99.8	70.9	0	296.1	179.8	0
...Lung cancer (162.2-.9)	32	10	22	125	305	85.7	70.9	0	263.5	179.8	0
..Malignant melanoma of skin (172)	0	.	.	0
..Female breast cancer (174)	0	.	.	0
..Cervical cancer (180)	0	.	.	0
..Ovarian cancer (183)	0	.	.	0
..Prostate cancer (185)	8	2	5	35	78	.	.	0	.	.	0
..Bladder cancer (188)	1	1	1	3	13	.	.	0	.	.	0
..Brain & other CNS cancer (191-192)	3	2	2	72	92	.	.	0	.	.	0
..Leukemia (204-208)	3	3	3	75	105	.	.	0	.	.	0
Diabetes mellitus (250)	8	4	6	50	100	.	.	0	.	.	0
..Diabetes-related (250)	43	18	29	220	468	141.0	200.6	0	370.2	529.2	0
Alzheimer's diseases (331.0)	0	.	.	0
Cardiovascular disease (390-459)	139	69	97	1,055	1,905	620.6	737.8	0	1314.3	1516.4	0
..Diseases of the heart (390-398,402,404-429)	106	51	71	703	1,338	447.0	538.2	0	986.6	1123.4	0
...Heart disease-related (390-398,402,404-429)	236	133	175	2,786	4,351	1324.5	1303.9	0	2394.8	2430.1	0
...Coronary heart disease (CHD) (402,410-414,429.2)	80	35	54	393	865	297.4	325.4	0	739.0	728.7	0
...Congestive heart failure (CHF) (428.0)	0	.	.	0
..Hypertension with or without renal disease (401,403)	3	1	2	33	50	.	.	0	.	.	0
...Hypertension-related (401,403)	9	1	15	118	238	81.9	119.1	0	188.3	227.6	0
..Cerebrovascular disease (430-438)	23	10	17	150	278	83.7	144.9	0	188.7	259.8	0
...Atherosclerosis-related (440)	3	1	2	8	25	.	.	0	.	.	0
..Aortic aneurysm (441)	2	2	2	92	112	.	.	0	.	.	0
Pneumonia & influenza (480-487)	16	8	11	150	248	76.0	.	0	144.5	.	0
Chronic obstructive pulmonary disease (COPD) (490-496)	8	1	5	8	48	.	.	0	.	.	0
..COPD-related (490-496)	23	6	14	100	215	59.1	103.3	0	174.3	225.7	0
..Asthma (493)	1	.	1	0	8	.	.	0	.	.	0
Chronic liver disease and cirrhosis (571)	23	20	23	335	558	186.2	314.8	0	339.6	577.9	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	9	6	6	100	160	.	.	0	.	.	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1991-1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male										
	Number of Deaths, 1991-1992			Years of life lost, 1991-1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991-1992	1989-1990	Significance	1991-1992	1989-1990	Significance
*****Causes of Death*****											
..Nephritis-related (580-589)	35	20	24	385	610	183.9	290.0	0	331.7	563.7	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	10	6	7	100	168
Unintentional injuries (E800-E949)	76	72	73	2,640	3,363	1071.6	798.9	0	1302.9	996.1	0
..Motor vehicle accidents (E810-E825)	22	22	22	924	1,144	386.4	547.3	0	449.9	656.7	0
..Falls and fall related injuries (E880-E888)	2	2	2	30	50
..Drowning (E830,E832,E910)	4	4	4	130	170
..Residential fires (E890-E899)	4	4	4	229	269
Suicide (E950-E959)	29	29	29	1,008	1,298	438.9	432.5	0	534.3	563.0	0
Homicide and legal intervention (E960-E978)	72	71	72	2,780	3,492	1131.0	680.5	0	1335.2	810.2	0
..Homicide (E960-E969)	71	70	71	2,742	3,445	1119.1	680.5	0	1321.1	810.2	0
All injury (E800-E999)	184	179	181	6,652	8,447	2734.1	1965.1	0	3289.0	2437.2	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	22	22	22	924	1,144	386.4	536.3	0	449.9	643.2	0
..All falls (E880-E886,E888,E957,E968.1,E987)	3	3	3	63	93
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	78	77	78	3,038	3,810	1288.5	682.0	1	1514.4	827.1	1
....Suicide (E955.0-.4)	15	15	15	523	673	229.8	.	0	279.9	.	0
....Homicide (E965.0-.4)	58	57	58	2,298	2,870	965.5	503.8	1	1127.5	595.1	1
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	36	36	36	1,110	1,470	431.4	.	1	546.5	.	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	19	17	19	348	533	172.9	269.7	0	276.8	506.8	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	37	37	37	1,138	1,508	441.5	.	1	559.4	.	1

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1991-1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Female										
	Number of Deaths, 1991-1992			Years of life lost, 1991-1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991-1992	1989-1990	Significance	1991-1992	1989-1990	Significance
*****Causes of Death*****											
All causes	464	245	306	6,800	9,567	2945.4	2400.0	0	4404.5	3851.8	0
Infectious diseases and parasitic disease (1-139)	39	37	37	1,232	1,602	443.0	284.4	0	547.7	385.2	0
..Septicemia (038)	4	3	3	78	108
...Septicemia-related (038)	27	18	21	417	620	182.6	90.5	0	296.5	153.0	0
..HIV infection (042-044)	32	32	32	1,084	1,404	393.3	232.8	0	479.8	297.9	0
All cancer (140-208)	109	64	81	1,025	1,763	562.9	369.9	0	1034.3	706.2	0
..Oral cavity or pharynx (140.0-149.9)	1	.	.	0	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	9	4	4	50	90
...Colon cancer (153)	4	1	1	13	23
...Rectal cancer (154)	4	3	3	38	68
..Pancreatic cancer (157)	6	3	4	53	90
..Lung and other respiratory cancer (160-165)	12	4	9	45	113
...Lung cancer (162.2-.9)	12	4	9	45	113
..Malignant melanoma of skin (172)	1	.	.	0	0
..Female breast cancer (174)	23	22	23	350	578	190.2	.	1	323.1	.	1
..Cervical cancer (180)	7	7	7	173	243
..Ovarian cancer (183)	5	2	3	15	43
..Prostate cancer (185)
..Bladder cancer (188)
..Brain & other CNS cancer (191-192)	3	.	2	0	15
..Leukemia (204-208)	4	3	4	28	60
Diabetes mellitus (250)	18	5	8	43	105	33.7	34.1	0	84.4	108.8	0
..Diabetes-related (250)	65	18	31	180	428	119.3	141.7	0	316.3	421.7	0
Alzheimer's diseases (331.0)	4	2	3	15	38
Cardiovascular disease (390-459)	146	42	68	572	1,122	341.3	447.9	0	749.8	961.1	0
..Diseases of the heart (390-398,402,404-429)	115	33	52	480	917	273.9	265.8	0	596.4	655.5	0
...Heart disease-related (390-398,402,404-429)	212	78	109	1,456	2,394	725.1	686.7	0	1329.0	1378.1	0
...Coronary heart disease (CHD) (402,410-414,429.2)	83	17	31	148	403	101.7	130.8	0	314.1	382.4	0
...Congestive heart failure (CHF) (428.0)	2	.	.	0	0
..Hypertension with or without renal disease (401,403)	4	3	3	33	63
...Hypertension-related (401,403)	43	13	18	148	295	100.6	106.8	0	206.0	257.3	0
..Cerebrovascular disease (430-438)	26	5	12	53	125	37.7	141.2	0	94.8	227.2	0
...Atherosclerosis-related (440)	9	1	2	13	30
..Aortic aneurysm (441)
Pneumonia & influenza (480-487)	12	4	5	216	259
Chronic obstructive pulmonary disease (COPD) (490-496)	13	5	8	98	160
..COPD-related (490-496)	35	14	22	230	415	119.5	95.1	0	243.7	180.4	0
..Asthma (493)	3	2	2	40	60
Chronic liver disease and cirrhosis (571)	6	4	6	80	130
Nephritis, nephrotic syndrome/nephrosis (580-589)	6	2	3	10	38

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1991-1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Female										
	Number of Deaths, 1991-1992			Years of life lost, 1991-1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991-1992	1989-1990	Significance	1991-1992	1989-1990	Significance
*****Causes of Death*****											
..Nephritis-related (580-589)	29	9	14	98	220	65.8	168.3	0	166.7	366.7	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	6	2	3	10	38
Unintentional injuries (E800-E949)	17	14	14	509	649	223.6	.	0	272.3	.	0
..Motor vehicle accidents (E810-E825)	4	4	4	110	150
..Falls and fall related injuries (E880-E888)	3	.	.	0	0
..Drowning (E830,E832,E910)
..Residential fires (E890-E899)	7	7	7	317	387
Suicide (E950-E959)	3	3	3	63	93
Homicide and legal intervention (E960-E978)	8	8	8	364	444
..Homicide (E960-E969)	8	8	8	364	444
All injury (E800-E999)	29	26	26	973	1,233	399.4	325.4	0	485.0	400.1	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	4	4	4	110	150
..All falls (E880-E886,E888,E957,E968.1,E987)	2	.	.	0	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	4	4	4	145	185
....Suicide (E955.0-.4)	1	1	1	23	33
....Homicide (E965.0-.4)	3	3	3	123	153
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	4	4	4	120	160
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	4	3	4	83	120
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	4	4	4	120	160

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1991-1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1991-1992			Years of life lost, 1991-1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991-1992	1989-1990	Significance	1991-1992	1989-1990	Significance
*****Causes of Death*****											
All causes	1,202	807	947	23,506	32,346	5316.0	4571.1	0	7676.5	6902.6	0
Infectious diseases and parasitic disease (1-139)	163	159	160	4,514	6,106	1062.1	722.8	1	1388.9	953.1	1
..Septicemia (038)	18	15	16	360	512	93.2	92.9	0	136.0	132.1	0
...Septicemia-related (038)	69	53	60	1,172	1,749	309.0	205.8	0	485.3	336.7	0
..HIV infection (042-044)	131	131	131	3,827	5,137	882.8	572.5	1	1136.7	743.8	1
All cancer (140-208)	228	127	172	2,052	3,579	676.3	449.2	0	1264.7	879.8	1
..Oral cavity or pharynx (140.0-149.9)	9	6	7	90	158
..Colorectal cancer (153.0-154.3,154.8,159.0)	18	8	11	95	183	39.1	25.1	0	75.6	56.6	0
...Colon cancer (153)	10	4	5	45	88
...Rectal cancer (154)	7	4	6	50	95
..Pancreatic cancer (157)	9	6	7	105	173
..Lung and other respiratory cancer (160-165)	47	16	33	185	453	78.6	47.1	0	203.7	127.1	0
...Lung cancer (162.2-.9)	44	14	31	170	418	71.2	47.1	0	187.5	127.1	0
..Malignant melanoma of skin (172)	1	.	.	0	0
..Female breast cancer (174)	23	22	23	350	578
..Cervical cancer (180)	7	7	7	173	243
..Ovarian cancer (183)	5	2	3	15	43
..Prostate cancer (185)	8	2	5	35	78
..Bladder cancer (188)	1	1	1	3	13
..Brain & other CNS cancer (191-192)	6	2	4	72	107
..Leukemia (204-208)	7	6	7	102	165
Diabetes mellitus (250)	26	9	14	93	205	34.3	40.1	0	83.6	102.9	0
..Diabetes-related (250)	108	36	60	400	895	149.5	199.7	0	369.4	512.4	0
Alzheimer's diseases (331.0)	4	2	3	15	38
Cardiovascular disease (390-459)	285	111	165	1,627	3,027	541.8	689.8	0	1112.0	1369.2	0
..Diseases of the heart (390-398,402,404-429)	221	84	123	1,182	2,255	398.5	469.9	0	840.7	979.9	0
...Heart disease-related (390-398,402,404-429)	448	211	284	4,242	6,744	1163.1	1170.7	0	2038.3	2132.7	0
...Coronary heart disease (CHD) (402,410-414,429.2)	163	52	85	540	1,268	219.1	268.2	0	547.7	609.3	0
...Congestive heart failure (CHF) (428.0)	2	.	.	0	0
..Hypertension with or without renal disease (401,403)	7	4	5	65	113
...Hypertension-related (401,403)	65	22	33	265	533	108.3	136.4	0	221.9	279.0	0
..Cerebrovascular disease (430-438)	49	15	29	203	403	73.0	166.7	0	158.8	277.0	0
...Atherosclerosis-related (440)	12	2	4	20	55	.	17.4	.	.	60.5	.
..Aortic aneurysm (441)	2	2	2	92	112
Pneumonia & influenza (480-487)	28	12	16	366	506	83.0	13.3	1	124.2	39.5	0
Chronic obstructive pulmonary disease (COPD) (490-496)	21	6	13	105	208	34.3	68.5	0	78.7	114.3	0
..COPD-related (490-496)	58	20	36	330	630	106.6	115.3	0	232.9	225.4	0
..Asthma (493)	4	2	3	40	68
Chronic liver disease and cirrhosis (571)	29	24	29	415	688	138.8	202.2	0	235.2	349.0	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	15	8	9	110	198	34.3	64.3	0	68.0	113.6	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1991-1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1991-1992			Years of life lost, 1991-1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991-1992	1989-1990	Significance	1991-1992	1989-1990	Significance
*****Causes of Death*****											
..Nephritis-related (580-589)	64	29	38	483	830	143.4	264.8	0	272.6	512.2	1
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	16	8	10	110	205	34.3	68.2	0	72.2	126.7	0
Unintentional injuries (E800-E949)	93	86	87	3,149	4,012	641.6	447.8	0	786.3	566.2	0
..Motor vehicle accidents (E810-E825)	26	26	26	1,034	1,294	202.7	282.5	0	241.9	342.8	0
..Falls and fall related injuries (E880-E888)	5	2	2	30	50
..Drowning (E830,E832,E910)	4	4	4	130	170
..Residential fires (E890-E899)	11	11	11	546	656
Suicide (E950-E959)	32	32	32	1,070	1,390	235.5	273.8	0	294.3	352.3	0
Homicide and legal intervention (E960-E978)	80	79	80	3,144	3,936	599.4	391.7	0	706.1	469.9	0
..Homicide (E960-E969)	79	78	79	3,106	3,889	593.5	391.7	0	699.1	469.9	0
All injury (E800-E999)	213	205	207	7,625	9,680	1535.8	1143.9	0	1861.4	1427.6	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	26	26	26	1,034	1,294	202.7	275.5	0	241.9	334.3	0
..All falls (E880-E886,E888,E957,E968.1,E987)	5	3	3	63	93
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	82	81	82	3,183	3,995	631.5	395.5	0	745.4	477.8	0
....Suicide (E955.0-.4)	16	16	16	545	705	123.6	.	0	152.6	.	0
....Homicide (E965.0-.4)	61	60	61	2,420	3,023	467.9	283.8	0	547.2	335.5	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	40	40	40	1,230	1,630	273.0	.	1	346.4	.	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	23	20	23	430	653	133.8	178.6	0	201.6	304.9	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	41	41	41	1,258	1,668	280.5	.	1	356.0	.	1

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1991-1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Male										
	Number of Deaths, 1991-1992			Years of life lost, 1991-1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991-1992	1989-1990	Significance	1991-1992	1989-1990	Significance
*****Causes of Death*****											
All causes	738	562	641	16,706	22,779	7632.4	6719.1	0	10899.7	9946.8	0
Infectious diseases and parasitic disease (1-139)	124	122	123	3,282	4,505	1656.9	1140.4	0	2208.0	1495.8	0
..Septicemia (038)	14	12	13	282	405	.	.	0	.	.	0
...Septicemia-related (038)	42	35	39	755	1,130	430.7	295.1	0	673.0	495.1	0
..HIV infection (042-044)	99	99	99	2,743	3,733	1340.5	901.5	0	1757.2	1178.1	0
All cancer (140-208)	119	63	91	1,027	1,817	673.3	485.2	0	1357.2	1003.2	0
..Oral cavity or pharynx (140.0-149.9)	8	6	7	90	158	.	.	0	.	.	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	9	4	7	45	93	.	.	0	.	.	0
...Colon cancer (153)	6	3	4	33	65	.	.	0	.	.	0
...Rectal cancer (154)	3	1	3	13	28	.	.	0	.	.	0
..Pancreatic cancer (157)	3	3	3	53	83	.	.	0	.	.	0
..Lung and other respiratory cancer (160-165)	35	12	24	140	340	120.0	83.2	0	325.7	197.5	0
...Lung cancer (162.2-.9)	32	10	22	125	305	104.0	83.2	0	290.6	197.5	0
..Malignant melanoma of skin (172)	0	.	.	0
..Female breast cancer (174)	0	.	.	0
..Cervical cancer (180)	0	.	.	0
..Ovarian cancer (183)	0	.	.	0
..Prostate cancer (185)	8	2	5	35	78	.	.	0	.	.	0
..Bladder cancer (188)	1	1	1	3	13	.	.	0	.	.	0
..Brain & other CNS cancer (191-192)	3	2	2	72	92	.	.	0	.	.	0
..Leukemia (204-208)	3	3	3	75	105	.	.	0	.	.	0
Diabetes mellitus (250)	8	4	6	50	100	.	.	0	.	.	0
..Diabetes-related (250)	43	18	29	220	468	162.8	238.2	0	400.9	583.0	0
Alzheimer's diseases (331.0)	0	.	.	0
Cardiovascular disease (390-459)	139	69	97	1,055	1,905	720.8	889.8	0	1456.5	1731.4	0
..Diseases of the heart (390-398,402,404-429)	106	51	71	703	1,338	508.6	648.3	0	1075.1	1278.9	0
...Heart disease-related (390-398,402,404-429)	236	133	175	2,786	4,351	1540.7	1569.9	0	2691.0	2793.2	0
...Coronary heart disease (CHD) (402,410-414,429.2)	80	35	54	393	865	334.2	404.0	0	794.9	840.3	0
...Congestive heart failure (CHF) (428.0)	0	.	.	0
..Hypertension with or without renal disease (401,403)	3	1	2	33	50	.	.	0	.	.	0
...Hypertension-related (401,403)	22	9	15	118	238	95.1	150.3	0	209.4	275.6	0
..Cerebrovascular disease (430-438)	23	10	17	150	278	104.9	170.1	0	219.1	297.0	0
...Atherosclerosis-related (440)	3	1	2	8	25	.	.	0	.	.	0
..Aortic aneurysm (441)	2	2	2	92	112	.	.	0	.	.	0
Pneumonia & influenza (480-487)	16	8	11	150	248	96.8	.	0	172.5	.	0
Chronic obstructive pulmonary disease (COPD) (490-496)	8	1	5	8	48	.	.	0	.	.	0
..COPD-related (490-496)	23	6	14	100	215	61.3	109.6	0	178.9	238.1	0
..Asthma (493)	1	.	1	0	8	.	.	0	.	.	0
Chronic liver disease and cirrhosis (571)	23	20	23	335	558	239.0	393.5	0	408.7	688.3	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	9	6	6	100	160	.	.	0	.	.	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1991-1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Male										
	Number of Deaths, 1991-1992			Years of life lost, 1991-1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991-1992	1989-1990	Significance	1991-1992	1989-1990	Significance
*****Causes of Death*****											
..Nephritis-related (580-589)	35	20	24	385	610	228.6	351.0	0	389.1	648.6	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	10	6	7	100	168
Unintentional injuries (E800-E949)	76	72	73	2,640	3,363	1067.9	798.3	0	1310.8	1007.6	0
..Motor vehicle accidents (E810-E825)	22	22	22	924	1,144	353.0	512.5	0	413.6	620.2	0
..Falls and fall related injuries (E880-E888)	2	2	2	30	50
..Drowning (E830,E832,E910)	4	4	4	130	170
..Residential fires (E890-E899)	4	4	4	229	269
Suicide (E950-E959)	29	29	29	1,008	1,298	443.5	505.3	0	546.5	659.7	0
Homicide and legal intervention (E960-E978)	72	71	72	2,780	3,492	1065.1	647.3	0	1262.5	776.6	0
..Homicide (E960-E969)	71	70	71	2,742	3,445	1053.1	647.3	0	1248.4	776.6	0
All injury (E800-E999)	184	179	181	6,652	8,447	2685.1	2014.3	0	3257.9	2525.1	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	22	22	22	924	1,144	353.0	498.2	0	413.6	602.8	0
..All falls (E880-E886,E888,E957,E968.1,E987)	3	3	3	63	93
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	78	77	78	3,038	3,810	1196.0	640.3	1	1413.3	782.5	1
....Suicide (E955.0-.4)	15	15	15	523	673	231.7	.	0	285.4	.	0
....Homicide (E965.0-.4)	58	57	58	2,298	2,870	885.9	457.9	1	1038.5	542.9	1
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	36	36	36	1,110	1,470	499.6	.	1	634.3	.	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	19	17	19	348	533	234.1	331.9	0	356.8	594.3	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	37	37	37	1,138	1,508	515.0	.	1	653.8	.	1

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1991-1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Female										
	Number of Deaths, 1991-1992			Years of life lost, 1991-1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991-1992	1989-1990	Significance	1991-1992	1989-1990	Significance
*****Causes of Death*****											
All causes	464	245	306	6,800	9,567	3067.2	2555.4	0	4615.7	4097.7	0
Infectious diseases and parasitic disease (1-139)	39	37	37	1,232	1,602	506.3	332.0	0	628.3	448.4	0
..Septicemia (038)	4	3	3	78	108	.	.	0	.	.	0
...Septicemia-related (038)	27	18	21	417	620	198.8	122.8	0	317.3	195.7	0
..HIV infection (042-044)	32	32	32	1,084	1,404	453.6	267.3	0	557.4	343.1	0
All cancer (140-208)	109	64	81	1,025	1,763	677.5	422.3	0	1192.7	779.4	0
..Oral cavity or pharynx (140.0-149.9)	1	.	.	0	0	.	.	0	.	.	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	9	4	4	50	90	.	.	0	.	.	0
...Colon cancer (153)	4	1	1	13	23	.	.	0	.	.	0
...Rectal cancer (154)	4	3	3	38	68	.	.	0	.	.	0
..Pancreatic cancer (157)	6	3	4	53	90	.	.	0	.	.	0
..Lung and other respiratory cancer (160-165)	12	4	9	45	113	.	.	0	.	.	0
...Lung cancer (162.2-.9)	12	4	9	45	113	.	.	0	.	.	0
..Malignant melanoma of skin (172)	1	.	.	0	0	.	.	0	.	.	0
..Female breast cancer (174)	23	22	23	350	578	238.2	.	1	387.1	.	1
..Cervical cancer (180)	7	7	7	173	243	.	.	0	.	.	0
..Ovarian cancer (183)	5	2	3	15	43	.	.	0	.	.	0
..Prostate cancer (185)	0	.	.	0
..Bladder cancer (188)	0	.	.	0
..Brain & other CNS cancer (191-192)	3	.	2	0	15	.	.	0	.	.	0
..Leukemia (204-208)	4	3	4	28	60	.	.	0	.	.	0
Diabetes mellitus (250)	18	5	8	43	105	36.6	38.8	0	89.1	115.3	0
..Diabetes-related (250)	65	18	31	180	428	137.2	165.4	0	342.3	452.5	0
Alzheimer's diseases (331.0)	4	2	3	15	38	.	.	0	.	.	0
Cardiovascular disease (390-459)	146	42	68	572	1,122	379.3	508.6	0	809.2	1054.0	0
..Diseases of the heart (390-398,402,404-429)	115	33	52	480	917	302.1	305.7	0	639.3	715.8	0
...Heart disease-related (390-398,402,404-429)	212	78	109	1,456	2,394	811.0	805.0	0	1453.0	1545.9	0
...Coronary heart disease (CHD) (402,410-414,429.2)	83	17	31	148	403	117.2	145.4	0	335.1	406.8	0
...Congestive heart failure (CHF) (428.0)	2	.	.	0	0	.	.	0	.	.	0
..Hypertension with or without renal disease (401,403)	4	3	3	33	63	.	.	0	.	.	0
...Hypertension-related (401,403)	43	13	18	148	295	119.8	123.4	0	233.8	281.4	0
..Cerebrovascular disease (430-438)	26	5	12	53	125	43.1	164.5	0	105.2	261.7	0
...Atherosclerosis-related (440)	9	1	2	13	30	.	.	0	.	.	0
..Aortic aneurysm (441)	0	.	.	0
Pneumonia & influenza (480-487)	12	4	5	216	259	.	.	0	.	.	0
Chronic obstructive pulmonary disease (COPD) (490-496)	13	5	8	98	160	.	.	0	.	.	0
..COPD-related (490-496)	35	14	22	230	415	146.3	118.7	0	281.7	215.3	0
..Asthma (493)	3	2	2	40	60	.	.	0	.	.	0
Chronic liver disease and cirrhosis (571)	6	4	6	80	130	.	.	0	.	.	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	6	2	3	10	38	.	.	0	.	.	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1991-1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Female										
	Number of Deaths, 1991-1992			Years of life lost, 1991-1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991-1992	1989-1990	Significance	1991-1992	1989-1990	Significance
*****Causes of Death*****											
..Nephritis-related (580-589)	29	9	14	98	220	64.3	185.7	0	164.7	392.0	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	6	2	3	10	38
Unintentional injuries (E800-E949)	17	14	14	509	649	216.9	.	0	268.1	.	0
..Motor vehicle accidents (E810-E825)	4	4	4	110	150
..Falls and fall related injuries (E880-E888)	3	.	.	0	0
..Drowning (E830,E832,E910)
..Residential fires (E890-E899)	7	7	7	317	387
Suicide (E950-E959)	3	3	3	63	93
Homicide and legal intervention (E960-E978)	8	8	8	364	444
..Homicide (E960-E969)	8	8	8	364	444
All injury (E800-E999)	29	26	26	973	1,233	384.7	309.2	0	471.7	383.2	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	4	4	4	110	150
..All falls (E880-E886,E888,E957,E968.1,E987)	2	.	.	0	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	4	4	4	145	185
....Suicide (E955.0-.4)	1	1	1	23	33
....Homicide (E965.0-.4)	3	3	3	123	153
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	4	4	4	120	160
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	4	3	4	83	120
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	4	4	4	120	160

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).