

Connecticut Resident Age-Adjusted Rates for 62 Cause of Death Classifications by Sex Hispanic Residents, 1993-1994

Page

Connecticut Resident Age-Adjusted Mortality Rate (AAMR) Tables by Cause of Death and Sex, Hispanic Residents, 1993-1994

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

2

1970 standard population

4

2000 standard population

6

Connecticut Resident Age-Adjusted Years of Potential Life Lost Rate (YPLL) Tables by Cause of Death and Sex, Hispanic Residents, 1993-1994

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

8

1970 standard population

14

2000 standard population

20

CONNECTICUT Hispanic Resident DEATHS, 1993-1994
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

*****Causes of Death*****	Both Sexes					Male					Female				
	*****1993-1994*****				1991-1992	*****1993-1994*****				1991-1992	*****1993-1994*****				1991-1992
	No. of deaths	Crude rate	AAMR	Significance	AAMR	No. of deaths	Crude rate	AAMR	Significance	AAMR	No. of deaths	Crude rate	AAMR	Significance	AAMR
All causes	1,471	311.5	380.8	1	333.7	924	394.0	523.7	1	443.5	547	230.1	256.7	0	236.0
Infectious diseases and parasitic disease (1-139)	241	51.0	53.4	1	37.4	168	71.6	80.1	0	61.0	73	30.7	28.9	1	15.9
..Septicemia (038)	23	4.9	6.0	0	5.2	9	3.8	.	.	.	14	5.9	.	.	.
....Septicemia-related (038)	74	15.7	19.7	0	20.6	37	15.8	23.8	0	27.2	37	15.6	16.2	0	14.8
..HIV infection (042-044)	190	40.2	41.0	1	28.9	138	58.8	63.8	0	46.1	52	21.9	20.1	0	12.9
All cancer (140-208)	209	44.3	65.8	0	76.2	121	51.6	87.8	0	93.7	88	37.0	49.2	0	64.0
..Oral cavity or pharynx (140.0-149.9)	6	1.3	.	.	.	5	2.1	.	.	.	1	0.4	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	19	4.0	6.0	0	5.9	14	6.0	.	.	.	5	2.1	.	.	.
....Colon cancer (153)	15	3.2	4.4	0	.	10	4.3	.	.	.	5	2.1	.	.	.
....Rectal cancer (154)	4	0.8	.	.	.	4	1.7
..Pancreatic cancer (157)	5	1.1	.	.	.	3	1.3	.	.	.	2	0.8	.	.	.
..Lung and other respiratory cancer (160-165)	35	7.4	11.7	0	17.3	27	11.5	20.7	0	30.0	8	3.4	.	.	.
....Lung cancer (162.2-.9)	32	6.8	10.7	0	16.2	25	10.7	19.4	0	27.5	7	2.9	.	.	.
..Malignant melanoma of skin (172)	3	0.6	.	.	.	1	0.4	.	.	.	2	0.8	.	.	.
..Female breast cancer (174)	20	20	8.4	11.9	0	14.1
..Cervical cancer (180)	4	4	1.7	.	.	.
..Endometrial cancer (182)	1	1	0.4	.	.	.
..Ovarian cancer (183)	6	6	2.5	.	.	.
..Prostate cancer (185)	6	6	2.6
..Bladder cancer (188)	2	0.4	2	0.8	.	.	.
..Brain & other CNS cancer (191-192)	7	1.5	.	.	.	1	0.4	.	.	.	6	2.5	.	.	.
..Leukemia (204-208)	10	2.1	.	.	.	6	2.6	.	.	.	4	1.7	.	.	.
Diabetes mellitus (250)	29	6.1	9.3	0	8.5	12	5.1	.	.	.	17	7.2	9.5	0	9.7
..Diabetes-related (250)	128	27.1	41.3	0	35.8	60	25.6	46.5	0	35.0	68	28.6	36.9	0	35.8
..Diabetic ketoacidosis (DKA) (250.1)	1	0.2	.	.	.	1	0.4
Alzheimer's diseases (331.0)	2	0.4	2	0.8	.	.	.
Cardiovascular disease (390-459)	361	76.4	108.0	0	90.6	199	84.9	140.8	0	106.9	162	68.1	80.4	0	76.8
..Diseases of the heart (390-398,402,404-429)	287	60.8	86.1	0	70.6	158	67.4	113.2	0	82.5	129	54.3	63.7	0	60.5
....Heart disease-related (390-398,402,404-429)	567	120.1	162.8	0	137.0	317	135.2	209.8	0	168.8	250	105.2	123.6	0	110.7
....Coronary heart disease (CHD) (402,410-414,429.2)	192	40.7	59.4	0	53.5	105	44.8	79.7	0	64.6	87	36.6	43.0	0	43.8
....Congestive heart failure (CHF) (428.0)	5	1.1	.	.	.	2	0.9	.	.	.	3	1.3	.	.	.
..Hypertension with or without renal disease (401,403)	5	1.1	.	.	.	2	0.9	.	.	.	3	1.3	.	.	.
....Hypertension-related (401,403)	51	10.8	15.6	0	20.4	24	10.2	18.8	0	18.2	27	11.4	12.6	0	21.6
..Cerebrovascular disease (430-438)	59	12.5	17.3	0	15.4	33	14.1	21.8	0	18.0	26	10.9	13.4	0	13.0
..Atherosclerosis (440)	2	0.4	.	.	.	1	0.4	.	.	.	1	0.4	.	.	.
....Atherosclerosis-related (440)	17	3.6	4.6	0	.	7	3.0	.	.	.	10	4.2	.	.	.
..Aortic aneurysm (441)	5	1.1	.	.	.	2	0.9	.	.	.	3	1.3	.	.	.
Pneumonia & influenza (480-487)	37	7.8	9.3	0	7.8	23	9.8	13.8	0	11.6	14	5.9	.	.	.

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1993-1994 AAMR is significantly different (prob<0.05) from the 1991-1992 AAMR.
 0 - The 1993-1994 AAMR is not significantly different (prob>0.05) from the 1991-1992 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1993-1994
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1993-1994*****				*****1993-1994*****				*****1993-1994*****						
	No. of deaths	Crude rate	AAMR	Signif- icance	1991- 1992 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1991- 1992 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1991- 1992 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	36	7.6	11.2	0	7.3	17	7.2	12.7	0	.	19	8.0	10.5	0	.
..COPD-related (490-496)	78	16.5	24.0	0	19.3	42	17.9	30.8	0	19.1	36	15.1	19.7	0	19.8
..Asthma (493)	9	1.9	.	.	.	3	1.3	.	.	.	6	2.5	.	.	.
Chronic liver disease and cirrhosis (571)	34	7.2	10.8	0	9.5	22	9.4	15.7	0	16.3	12	5.0	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	11	2.3	.	.	4.7	6	2.6	.	.	.	5	2.1	.	.	.
..Nephritis-related (580-589)	71	15.0	20.9	0	20.2	41	17.5	27.0	0	25.1	30	12.6	16.2	0	16.2
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	14	3.0	.	.	5.2	8	3.4	.	.	.	6	2.5	.	.	.
Unintentional injuries (E800-E949)	121	25.6	26.1	0	20.6	96	40.9	42.3	0	34.7	25	10.5	10.7	0	7.3
..Motor vehicle accidents (E810-E825)	38	8.0	8.4	0	5.6	28	11.9	12.3	0	9.1	10	4.2	.	.	.
..Falls and fall related injuries (E880-E888)	8	1.7	.	.	.	7	3.0	.	.	.	1	0.4	.	.	.
..Drowning (E830,E832,E910)	8	1.7	.	.	.	6	2.6	.	.	.	2	0.8	.	.	.
..Residential fires (E890-E899)	4	0.8	.	.	.	2	0.9	.	.	.	2	0.8	.	.	.
Suicide (E950-E959)	30	6.4	6.7	0	7.3	28	11.9	12.6	0	13.2	2	0.8	.	.	.
Homicide and legal intervention (E960-E978)	104	22.0	22.1	0	16.6	84	35.8	36.2	0	30.3	20	8.4	7.9	0	.
..Homicide (E960-E969)	104	22.0	22.1	0	16.4	84	35.8	36.2	0	30.0	20	8.4	7.9	0	.
All injury (E800-E999)	260	55.1	55.9	0	46.3	213	90.8	93.0	0	81.5	47	19.8	19.6	0	12.3
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	37	7.8	8.2	0	5.6	27	11.5	11.9	0	9.1	10	4.2	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	9	1.9	.	.	.	7	3.0	.	.	.	2	0.8	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	102	21.6	22.0	0	17.5	89	38.0	38.7	0	33.5	13	5.5	.	.	.
....Suicide (E955.0-.4)	16	3.4	3.5	0	3.7	16	6.8	7.2	0	6.9
....Homicide (E965.0-.4)	84	17.8	18.0	0	12.8	71	30.3	30.7	0	24.5	13	5.5	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	58	12.3	11.7	0	8.8	52	22.2	21.3	0	16.1	6	2.5	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	22	4.7	6.4	0	6.6	20	8.5	13.1	0	11.9	2	0.8	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	64	13.6	12.8	0	9.0	55	23.5	22.3	0	16.6	9	3.8	.	.	.

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1993-1994 AAMR is significantly different (prob<0.05) from the 1991-1992 AAMR.
 0 - The 1993-1994 AAMR is not significantly different (prob>0.05) from the 1991-1992 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1993-1994
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes					Male					Female				
	*****1993-1994*****				1991-	*****1993-1994*****				1991-	*****1993-1994*****				1991-
	No. of deaths	Crude rate	AAMR	Signif-icance	1992 AAMR	No. of deaths	Crude rate	AAMR	Signif-icance	1992 AAMR	No. of deaths	Crude rate	AAMR	Signif-icance	1992 AAMR
*****Causes of Death*****															
All causes	1,471	311.5	454.5	0	409.1	924	394.0	607.0	0	520.3	547	230.1	327.0	0	312.5
Infectious diseases and parasitic disease (1-139)	241	51.0	49.5	1	33.1	168	71.6	73.4	0	53.7	73	30.7	27.6	1	14.4
..Septicemia (038)	23	4.9	7.9	0	5.6	9	3.8	.	.	.	14	5.9	.	.	.
....Septicemia-related (038)	74	15.7	25.5	0	23.1	37	15.8	28.9	0	29.0	37	15.6	22.4	0	17.8
..HIV infection (042-044)	190	40.2	35.3	1	24.2	138	58.8	56.1	0	39.0	52	21.9	16.4	0	10.7
All cancer (140-208)	209	44.3	81.2	0	95.8	121	51.6	109.6	0	121.7	88	37.0	60.5	0	78.3
..Oral cavity or pharynx (140.0-149.9)	6	1.3	.	.	.	5	2.1	.	.	.	1	0.4	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	19	4.0	7.9	0	8.2	14	6.0	.	.	.	5	2.1	.	.	.
....Colon cancer (153)	15	3.2	6.1	0	.	10	4.3	.	.	.	5	2.1	.	.	.
....Rectal cancer (154)	4	0.8	.	.	.	4	1.7
..Pancreatic cancer (157)	5	1.1	.	.	.	3	1.3	.	.	.	2	0.8	.	.	.
..Lung and other respiratory cancer (160-165)	35	7.4	14.9	0	22.5	27	11.5	26.4	0	39.8	8	3.4	.	.	.
....Lung cancer (162.2-.9)	32	6.8	13.8	0	21.1	25	10.7	25.0	0	36.6	7	2.9	.	.	.
..Malignant melanoma of skin (172)	3	0.6	.	.	.	1	0.4	.	.	.	2	0.8	.	.	.
..Female breast cancer (174)	20	20	8.4	13.3	0	14.2
..Cervical cancer (180)	4	4	1.7	.	.	.
..Endometrial cancer (182)	1	1	0.4	.	.	.
..Ovarian cancer (183)	6	6	2.5	.	.	.
..Prostate cancer (185)	6	6	2.6
..Bladder cancer (188)	2	0.4	2	0.8	.	.	.
..Brain & other CNS cancer (191-192)	7	1.5	.	.	.	1	0.4	.	.	.	6	2.5	.	.	.
..Leukemia (204-208)	10	2.1	.	.	.	6	2.6	.	.	.	4	1.7	.	.	.
Diabetes mellitus (250)	29	6.1	12.4	0	12.5	12	5.1	.	.	.	17	7.2	12.6	0	14.7
..Diabetes-related (250)	128	27.1	56.0	0	51.7	60	25.6	60.9	0	48.8	68	28.6	51.5	0	52.9
..Diabetic ketoacidosis (DKA) (250.1)	1	0.2	.	.	.	1	0.4
Alzheimer's diseases (331.0)	2	0.4	2	0.8	.	.	.
Cardiovascular disease (390-459)	361	76.4	147.1	0	130.6	199	84.9	183.1	0	148.3	162	68.1	117.6	0	115.8
..Diseases of the heart (390-398,402,404-429)	287	60.8	117.9	0	102.3	158	67.4	147.9	0	116.2	129	54.3	93.5	0	91.2
....Heart disease-related (390-398,402,404-429)	567	120.1	215.3	0	188.7	317	135.2	266.8	0	224.9	250	105.2	173.7	0	160.0
....Coronary heart disease (CHD) (402,410-414,429.2)	192	40.7	83.0	0	79.0	105	44.8	106.5	0	91.5	87	36.6	64.3	0	68.5
....Congestive heart failure (CHF) (428.0)	5	1.1	.	.	.	2	0.9	.	.	.	3	1.3	.	.	.
....Hypertension with or without renal disease (401,403)	5	1.1	.	.	.	2	0.9	.	.	.	3	1.3	.	.	.
....Hypertension-related (401,403)	51	10.8	22.0	0	30.6	24	10.2	23.7	0	25.2	27	11.4	19.6	0	33.4
..Cerebrovascular disease (430-438)	59	12.5	23.0	0	23.0	33	14.1	28.6	0	25.0	26	10.9	18.8	0	20.8
..Atherosclerosis (440)	2	0.4	.	.	.	1	0.4	.	.	.	1	0.4	.	.	.
....Atherosclerosis-related (440)	17	3.6	7.7	0	.	7	3.0	.	.	.	10	4.2	.	.	.
..Aortic aneurysm (441)	5	1.1	.	.	.	2	0.9	.	.	.	3	1.3	.	.	.
Pneumonia & influenza (480-487)	37	7.8	13.5	0	11.3	23	9.8	19.8	0	16.0	14	5.9	.	.	.

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1993-1994 AAMR is significantly different (prob<0.05) from the 1991-1992 AAMR.
 0 - The 1993-1994 AAMR is not significantly different (prob>0.05) from the 1991-1992 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1993-1994
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes				Male				Female				1991-1992 AAMR	
	*****1993-1994*****				*****1993-1994*****				*****1993-1994*****					
	No. of deaths	Crude rate	AAMR	Significance	No. of deaths	Crude rate	AAMR	Significance	No. of deaths	Crude rate	AAMR	Significance		
*****Causes of Death*****														
Chronic obstructive pulmonary disease (COPD) (490-496)	36	7.6	15.5	0	9.9	17	7.2	18.4	0	.	19	8.0	13.9	0
..COPD-related (490-496)	78	16.5	33.2	0	26.7	42	17.9	44.7	0	27.5	36	15.1	26.2	0
..Asthma (493)	9	1.9	.	.	.	3	1.3	.	.	.	6	2.5	.	.
Chronic liver disease and cirrhosis (571)	34	7.2	12.4	0	9.9	22	9.4	17.9	0	16.8	12	5.0	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	11	2.3	.	.	6.6	6	2.6	.	.	.	5	2.1	.	.
..Nephritis-related (580-589)	71	15.0	28.8	0	28.1	41	17.5	37.4	0	33.3	30	12.6	22.8	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	14	3.0	.	.	7.1	8	3.4	.	.	.	6	2.5	.	.
Unintentional injuries (E800-E949)	121	25.6	24.7	0	20.8	96	40.9	39.1	0	34.3	25	10.5	10.9	0
..Motor vehicle accidents (E810-E825)	38	8.0	8.4	0	5.2	28	11.9	12.1	0	8.5	10	4.2	.	.
..Falls and fall related injuries (E880-E888)	8	1.7	.	.	.	7	3.0	.	.	.	1	0.4	.	.
..Drowning (E830,E832,E910)	8	1.7	.	.	.	6	2.6	.	.	.	2	0.8	.	.
..Residential fires (E890-E899)	4	0.8	.	.	.	2	0.9	.	.	.	2	0.8	.	.
Suicide (E950-E959)	30	6.4	6.0	0	6.7	28	11.9	11.3	0	11.9	2	0.8	.	.
Homicide and legal intervention (E960-E978)	104	22.0	20.5	0	15.1	84	35.8	33.8	0	27.6	20	8.4	7.1	0
..Homicide (E960-E969)	104	22.0	20.5	0	14.9	84	35.8	33.8	0	27.3	20	8.4	7.1	0
All injury (E800-E999)	260	55.1	51.9	0	44.1	213	90.8	85.7	0	76.6	47	19.8	18.9	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	37	7.8	8.2	0	5.2	27	11.5	11.8	0	8.5	10	4.2	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	9	1.9	.	.	.	7	3.0	.	.	.	2	0.8	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	102	21.6	20.4	0	16.0	89	38.0	36.1	0	30.7	13	5.5	.	.
....Suicide (E955.0-.4)	16	3.4	3.2	0	3.3	16	6.8	6.5	0	6.2
....Homicide (E965.0-.4)	84	17.8	16.8	0	11.7	71	30.3	28.8	0	22.5	13	5.5	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	58	12.3	9.7	0	7.5	52	22.2	17.6	0	13.7	6	2.5	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	22	4.7	6.8	0	6.5	20	8.5	14.4	0	11.7	2	0.8	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	64	13.6	10.5	0	7.7	55	23.5	18.3	0	14.0	9	3.8	.	.

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1993-1994 AAMR is significantly different (prob<0.05) from the 1991-1992 AAMR.
 0 - The 1993-1994 AAMR is not significantly different (prob>0.05) from the 1991-1992 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1993-1994
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes					Male					Female				
	*****1993-1994*****				1991-	*****1993-1994*****				1991-	*****1993-1994*****				1991-
	No. of deaths	Crude rate	AAMR	Significance	1992 AAMR	No. of deaths	Crude rate	AAMR	Significance	1992 AAMR	No. of deaths	Crude rate	AAMR	Significance	1992 AAMR
*****Causes of Death*****															
All causes	1,471	311.5	564.6	0	521.5	924	394.0	744.4	0	645.7	547	230.1	417.4	0	414.5
Infectious diseases and parasitic disease (1-139)	241	51.0	61.5	1	40.9	168	71.6	89.9	0	65.9	73	30.7	34.9	1	17.7
..Septicemia (038)	23	4.9	10.7	0	6.7	9	3.8	.	.	.	14	5.9	.	.	.
....Septicemia-related (038)	74	15.7	33.6	0	27.2	37	15.8	36.0	0	33.5	37	15.6	30.7	0	21.1
..HIV infection (042-044)	190	40.2	42.9	1	29.7	138	58.8	68.4	0	48.0	52	21.9	19.6	0	12.8
All cancer (140-208)	209	44.3	96.6	0	119.0	121	51.6	130.7	0	151.6	88	37.0	72.5	0	97.9
..Oral cavity or pharynx (140.0-149.9)	6	1.3	.	.	.	5	2.1	.	.	.	1	0.4	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	19	4.0	10.0	0	11.3	14	6.0	.	.	.	5	2.1	.	.	.
....Colon cancer (153)	15	3.2	8.1	0	.	10	4.3	.	.	.	5	2.1	.	.	.
....Rectal cancer (154)	4	0.8	.	.	.	4	1.7
..Pancreatic cancer (157)	5	1.1	.	.	.	3	1.3	.	.	.	2	0.8	.	.	.
..Lung and other respiratory cancer (160-165)	35	7.4	17.8	0	26.9	27	11.5	31.7	0	48.6	8	3.4	.	.	.
....Lung cancer (162.2-.9)	32	6.8	16.7	0	25.3	25	10.7	30.4	0	44.8	7	2.9	.	.	.
..Malignant melanoma of skin (172)	3	0.6	.	.	.	1	0.4	.	.	.	2	0.8	.	.	.
..Female breast cancer (174)	20	20	8.4	14.7	0	15.8
..Cervical cancer (180)	4	4	1.7	.	.	.
..Endometrial cancer (182)	1	1	0.4	.	.	.
..Ovarian cancer (183)	6	6	2.5	.	.	.
..Prostate cancer (185)	6	6	2.6
..Bladder cancer (188)	2	0.4	2	0.8	.	.	.
..Brain & other CNS cancer (191-192)	7	1.5	.	.	.	1	0.4	.	.	.	6	2.5	.	.	.
..Leukemia (204-208)	10	2.1	.	.	.	6	2.6	.	.	.	4	1.7	.	.	.
Diabetes mellitus (250)	29	6.1	15.8	0	17.2	12	5.1	.	.	.	17	7.2	16.0	0	20.7
..Diabetes-related (250)	128	27.1	71.2	0	70.2	60	25.6	74.1	0	64.4	68	28.6	67.5	0	72.9
..Diabetic ketoacidosis (DKA) (250.1)	1	0.2	.	.	.	1	0.4
Alzheimer's diseases (331.0)	2	0.4	2	0.8	.	.	.
Cardiovascular disease (390-459)	361	76.4	194.9	0	181.2	199	84.9	234.0	0	200.7	162	68.1	162.9	0	165.2
..Diseases of the heart (390-398,402,404-429)	287	60.8	155.9	0	142.1	158	67.4	187.9	0	158.7	129	54.3	129.8	0	129.4
....Heart disease-related (390-398,402,404-429)	567	120.1	282.9	0	256.8	317	135.2	343.2	0	300.4	250	105.2	234.6	0	223.5
....Coronary heart disease (CHD) (402,410-414,429.2)	192	40.7	110.2	0	109.5	105	44.8	135.3	0	124.4	87	36.6	90.6	0	97.9
....Congestive heart failure (CHF) (428.0)	5	1.1	.	.	.	2	0.9	.	.	.	3	1.3	.	.	.
....Hypertension with or without renal disease (401,403)	5	1.1	.	.	.	2	0.9	.	.	.	3	1.3	.	.	.
....Hypertension-related (401,403)	51	10.8	29.6	0	44.2	24	10.2	28.1	0	32.8	27	11.4	28.7	0	50.0
..Cerebrovascular disease (430-438)	59	12.5	30.7	0	33.0	33	14.1	38.3	0	33.4	26	10.9	25.3	0	31.4
..Atherosclerosis (440)	2	0.4	.	.	.	1	0.4	.	.	.	1	0.4	.	.	.
....Atherosclerosis-related (440)	17	3.6	11.7	0	.	7	3.0	.	.	.	10	4.2	.	.	.
..Aortic aneurysm (441)	5	1.1	.	.	.	2	0.9	.	.	.	3	1.3	.	.	.
Pneumonia & influenza (480-487)	37	7.8	19.8	0	16.3	23	9.8	29.0	0	22.2	14	5.9	.	.	.

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1993-1994 AAMR is significantly different (prob<0.05) from the 1991-1992 AAMR.
 0 - The 1993-1994 AAMR is not significantly different (prob>0.05) from the 1991-1992 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1993-1994
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1993-1994*****				*****1993-1994*****				*****1993-1994*****						
	No. of deaths	Crude rate	AAMR	Significance	1991-1992 AAMR	No. of deaths	Crude rate	AAMR	Significance	1991-1992 AAMR	No. of deaths	Crude rate	AAMR	Significance	1991-1992 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	36	7.6	20.0	0	12.5	17	7.2	24.5	0		19	8.0	17.3	0	
..COPD-related (490-496)	78	16.5	43.5	0	35.3	42	17.9	60.4	0	36.4	36	15.1	33.2	0	35.0
..Asthma (493)	9	1.9	.	.	.	3	1.3	.	.	.	6	2.5	.	.	.
Chronic liver disease and cirrhosis (571)	34	7.2	14.2	0	11.0	22	9.4	20.6	0	18.4	12	5.0	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	11	2.3	.	.	9.0	6	2.6	.	.	.	5	2.1	.	.	.
..Nephritis-related (580-589)	71	15.0	37.7	0	37.6	41	17.5	51.3	0	43.8	30	12.6	29.1	0	32.3
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	14	3.0	.	.	9.5	8	3.4	.	.	.	6	2.5	.	.	.
Unintentional injuries (E800-E949)	121	25.6	26.5	0	23.9	96	40.9	42.3	0	38.6	25	10.5	11.3	0	10.7
..Motor vehicle accidents (E810-E825)	38	8.0	7.8	0	5.0	28	11.9	11.4	0	8.0	10	4.2	.	.	.
..Falls and fall related injuries (E880-E888)	8	1.7	.	.	.	7	3.0	.	.	.	1	0.4	.	.	.
..Drowning (E830,E832,E910)	8	1.7	.	.	.	6	2.6	.	.	.	2	0.8	.	.	.
..Residential fires (E890-E899)	4	0.8	.	.	.	2	0.9	.	.	.	2	0.8	.	.	.
Suicide (E950-E959)	30	6.4	6.7	0	7.1	28	11.9	12.5	0	12.6	2	0.8	.	.	.
Homicide and legal intervention (E960-E978)	104	22.0	19.4	0	14.5	84	35.8	32.0	0	26.8	20	8.4	7.0	0	
..Homicide (E960-E969)	104	22.0	19.4	0	14.3	84	35.8	32.0	0	26.5	20	8.4	7.0	0	
All injury (E800-E999)	260	55.1	53.5	0	47.3	213	90.8	88.6	0	81.6	47	19.8	19.5	0	15.1
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	37	7.8	7.6	0	5.0	27	11.5	11.1	0	8.0	10	4.2	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	9	1.9	.	.	.	7	3.0	.	.	.	2	0.8	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	102	21.6	19.4	0	15.4	89	38.0	34.8	0	29.5	13	5.5	.	.	.
....Suicide (E955.0-.4)	16	3.4	3.5	0	3.5	16	6.8	7.2	0	6.6	
....Homicide (E965.0-.4)	84	17.8	15.6	0	11.0	71	30.3	27.0	0	21.4	13	5.5	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	58	12.3	11.8	0	8.7	52	22.2	21.2	0	16.0	6	2.5	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	22	4.7	8.2	0	7.6	20	8.5	17.3	0	13.7	2	0.8	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	64	13.6	12.9	0	8.9	55	23.5	22.5	0	16.4	9	3.8	.	.	.

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1993-1994 AAMR is significantly different (prob<0.05) from the 1991-1992 AAMR.
 0 - The 1993-1994 AAMR is not significantly different (prob>0.05) from the 1991-1992 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1993-1994
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance
*****Causes of Death*****											
All causes	1,471	1,034	1,202	30,543	41,728	6432.1	5233.6	1	9011.4	7442.3	1
Infectious diseases and parasitic disease (1-139)	241	225	231	6,380	8,670	1356.2	1002.7	1	1800.4	1324.5	1
..Septicemia (038)	23	13	15	357	497	72.7	86.3	0	105.6	125.7	0
...Septicemia-related (038)	74	42	51	1,163	1,636	246.3	281.7	0	361.2	441.9	0
..HIV infection (042-044)	190	187	190	5,289	7,181	1121.1	838.6	0	1481.2	1092.4	0
All cancer (140-208)	209	120	169	2,146	3,609	542.1	591.2	0	991.5	1101.3	0
..Oral cavity or pharynx (140.0-149.9)	6	3	4	33	65	.	.	0	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	19	9	13	123	228	34.8	32.6	0	68.0	63.4	0
...Colon cancer (153)	15	7	9	108	183	28.9	.	0	50.8	.	0
...Rectal cancer (154)	4	2	4	15	45	.	.	0	.	.	0
..Pancreatic cancer (157)	5	4	5	50	98	.	.	0	.	.	0
..Lung and other respiratory cancer (160-165)	35	14	26	205	420	55.8	65.1	0	128.4	168.9	0
...Lung cancer (162.2-.9)	32	12	23	175	363	49.0	58.9	0	112.5	155.0	0
..Malignant melanoma of skin (172)	3	2	3	40	68	.	.	0	.	.	0
..Female breast cancer (174)	20	16	18	225	400	.	.	0	.	.	0
..Cervical cancer (180)	4	4	4	80	120	.	.	0	.	.	0
..Endometrial cancer (182)	1	.	1	0	8	.	.	0	.	.	0
..Ovarian cancer (183)	6	3	5	43	83	.	.	0	.	.	0
..Prostate cancer (185)	6	2	4	5	30	.	.	0	.	.	0
..Bladder cancer (188)	2	1	2	18	35	.	.	0	.	.	0
..Brain & other CNS cancer (191-192)	7	4	6	95	145	.	.	0	.	.	0
..Leukemia (204-208)	10	5	9	220	295	.	.	0	.	.	0
Diabetes mellitus (250)	29	12	19	160	313	45.4	30.0	0	95.7	72.1	0
..Diabetes-related (250)	128	59	82	583	1,280	185.1	129.4	0	429.4	315.8	0
..Diabetic ketoacidosis (DKA) (250.1)	1	1	1	33	43	.	.	0	.	.	0
Alzheimer's diseases (331.0)	2	1	1	3	13	.	.	0	.	.	0
Cardiovascular disease (390-459)	361	167	235	2,741	4,746	710.6	478.2	1	1336.5	967.5	1
..Diseases of the heart (390-398,402,404-429)	287	132	189	2,096	3,694	540.8	354.9	0	1047.3	736.7	1
...Heart disease-related (390-398,402,404-429)	567	295	394	6,102	9,539	1437.0	1074.1	1	2412.2	1845.1	1
....Coronary heart disease (CHD) (402,410-414,429.2)	192	82	121	920	1,928	280.4	187.3	0	628.3	466.9	0
....Congestive heart failure (CHF) (428.0)	5	1	1	43	53	.	.	0	.	.	0
..Hypertension with or without renal disease (401,403)	5	3	3	33	63	.	.	0	.	.	0
...Hypertension-related (401,403)	51	22	28	260	510	82.0	90.9	0	166.7	186.7	0
..Cerebrovascular disease (430-438)	59	29	36	550	877	142.3	61.3	0	236.0	131.1	0
...Atherosclerosis (440)	2	.	.	0	0	.	.	0	.	.	0
...Atherosclerosis-related (440)	17	3	5	43	83	11.9	.	0	24.9	.	0
..Aortic aneurysm (441)	5	.	4	0	20	.	.	0	.	.	0
Pneumonia & influenza (480-487)	37	18	20	481	671	100.6	77.2	0	146.4	113.4	0
Chronic obstructive pulmonary disease (COPD) (490-496)	36	11	24	260	422	61.2	30.4	0	110.6	67.3	0
..COPD-related (490-496)	78	29	48	525	897	133.7	95.3	0	250.4	202.3	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1993-1994
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance
*****Causes of Death*****											
..Asthma (493)	9	6	8	135	200
Chronic liver disease and cirrhosis (571)	34	24	30	375	645	100.1	116.0	0	181.6	199.9	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	11	3	5	38	73	.	31.9	.	.	62.2	.
..Nephritis-related (580-589)	71	30	47	610	993	138.4	129.5	0	252.7	243.3	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	14	4	6	50	95	.	31.9	.	.	65.6	.
Unintentional injuries (E800-E949)	121	116	120	4,111	5,296	855.4	681.4	0	1072.1	840.5	0
..Motor vehicle accidents (E810-E825)	38	36	38	1,491	1,866	312.3	223.3	0	380.7	269.3	0
..Falls and fall related injuries (E880-E888)	8	6	8	125	195
..Drowning (E830,E832,E910)	8	8	8	377	457
..Residential fires (E890-E899)	4	4	4	179	219
Suicide (E950-E959)	30	30	30	875	1,175	191.3	246.4	0	250.0	309.3	0
Homicide and legal intervention (E960-E978)	104	104	104	3,964	5,004	869.8	680.6	0	1052.9	813.6	0
..Homicide (E960-E969)	104	104	104	3,964	5,004	869.8	673.4	0	1052.9	804.9	0
All injury (E800-E999)	260	255	259	9,118	11,693	1951.3	1665.4	0	2417.8	2035.6	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	37	35	37	1,454	1,819	305.1	223.3	0	372.0	269.3	0
..All falls (E880-E886,E888,E957,E968.1,E987)	9	7	9	143	223
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	102	102	102	3,825	4,845	850.8	716.7	0	1033.1	857.3	0
....Suicide (E955.0-.4)	16	16	16	490	650	107.7	129.4	0	138.4	160.7	0
....Homicide (E965.0-.4)	84	84	84	3,240	4,080	720.2	538.3	0	868.3	639.5	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	58	58	58	1,740	2,320	360.6	273.4	0	462.3	349.8	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	22	18	20	325	515	86.5	110.5	0	137.3	169.5	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	64	64	64	1,930	2,570	400.2	279.7	0	511.2	358.0	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1993-1994
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Male										
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance
*****Causes of Death*****											
All causes	924	719	813	20,671	28,336	8938.9	7536.2	1	12629.0	10616.4	1
Infectious diseases and parasitic disease (1-139)	168	160	165	4,306	5,939	1912.3	1530.2	0	2594.4	2061.3	0
..Septicemia (038)	9	5	7	125	185
...Septicemia-related (038)	37	24	30	582	857	268.7	383.7	0	420.5	601.8	0
..HIV infection (042-044)	138	135	138	3,657	5,029	1616.3	1252.6	0	2180.9	1661.9	0
All cancer (140-208)	121	70	101	1,259	2,122	639.5	593.7	0	1216.6	1180.3	0
..Oral cavity or pharynx (140.0-149.9)	5	3	4	33	65
..Colorectal cancer (153.0-154.3,154.8,159.0)	14	8	11	115	208
...Colon cancer (153)	10	6	7	100	163
...Rectal cancer (154)	4	2	4	15	45
..Pancreatic cancer (157)	3	3	3	38	68
..Lung and other respiratory cancer (160-165)	27	12	21	185	368	103.9	99.2	0	237.9	270.5	0
...Lung cancer (162.2-.9)	25	10	19	155	318	89.7	85.9	0	211.4	240.3	0
..Malignant melanoma of skin (172)	1	1	1	38	48
..Female breast cancer (174)
..Cervical cancer (180)
..Endometrial cancer (182)
..Ovarian cancer (183)
..Prostate cancer (185)	6	2	4	5	30
..Bladder cancer (188)
..Brain & other CNS cancer (191-192)	1	.	1	0	8
..Leukemia (204-208)	6	2	6	95	140
Diabetes mellitus (250)	12	5	8	78	140
..Diabetes-related (250)	60	33	44	348	730	225.0	143.2	0	513.2	345.9	0
..Diabetic ketoacidosis (DKA) (250.1)	1	1	1	33	43
Alzheimer's diseases (331.0)
Cardiovascular disease (390-459)	199	117	155	1,954	3,309	1042.3	636.4	1	1944.2	1270.4	1
..Diseases of the heart (390-398,402,404-429)	158	92	124	1,449	2,519	776.1	452.1	1	1504.5	942.7	1
...Heart disease-related (390-398,402,404-429)	317	200	253	4,086	6,339	1982.2	1428.2	0	3326.8	2442.8	1
....Coronary heart disease (CHD) (402,410-414,429.2)	105	56	80	630	1,305	399.8	287.9	0	909.4	680.7	0
....Congestive heart failure (CHF) (428.0)	2	.	.	0	0
..Hypertension with or without renal disease (401,403)	2	2	2	25	45
...Hypertension-related (401,403)	24	15	18	148	315	104.4	81.7	0	231.6	177.2	0
..Cerebrovascular disease (430-438)	33	20	24	417	637	214.1	88.4	0	343.9	182.2	0
..Atherosclerosis (440)	1	.	.	0	0
...Atherosclerosis-related (440)	7	2	2	20	40
..Aortic aneurysm (441)	2	.	2	0	15
Pneumonia & influenza (480-487)	23	13	14	320	452	143.0	83.2	0	207.9	148.1	0
Chronic obstructive pulmonary disease (COPD) (490-496)	17	4	10	115	180	56.2	.	0	97.1	.	0
..COPD-related (490-496)	42	14	23	290	473	147.4	58.9	0	266.8	157.7	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1993-1994
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Male										
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance
*****Causes of Death*****											
..Asthma (493)	3	2	3	75	98
Chronic liver disease and cirrhosis (571)	22	17	20	243	425	146.3	198.4	0	266.1	346.7	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	6	2	2	35	55
..Nephritis-related (580-589)	41	21	29	458	713	208.3	202.4	0	362.8	344.7	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	8	3	3	48	78
Unintentional injuries (E800-E949)	96	93	96	3,191	4,138	1328.6	1138.6	0	1682.7	1406.8	0
..Motor vehicle accidents (E810-E825)	28	27	28	1,097	1,374	447.2	391.3	0	548.2	465.1	0
..Falls and fall related injuries (E880-E888)	7	5	7	113	173
..Drowning (E830,E832,E910)	6	6	6	260	320
..Residential fires (E890-E899)	2	2	2	72	92
Suicide (E950-E959)	28	28	28	835	1,115	362.4	464.4	0	473.3	576.0	0
Homicide and legal intervention (E960-E978)	84	84	84	3,170	4,010	1389.8	1206.5	0	1691.5	1449.2	0
..Homicide (E960-E969)	84	84	84	3,170	4,010	1389.8	1191.8	0	1691.5	1431.6	0
All injury (E800-E999)	213	210	213	7,363	9,481	3150.3	2910.1	0	3933.1	3561.2	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	27	26	27	1,059	1,327	432.6	391.3	0	530.6	465.1	0
..All falls (E880-E886,E888,E957,E968.1,E987)	7	5	7	113	173
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	89	89	89	3,293	4,183	1450.5	1355.4	0	1774.6	1622.7	0
....Suicide (E955.0-.4)	16	16	16	490	650	215.2	245.7	0	277.7	304.4	0
....Homicide (E965.0-.4)	71	71	71	2,708	3,418	1191.4	1013.6	0	1446.3	1206.1	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	52	52	52	1,580	2,100	656.2	499.1	0	841.0	639.3	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	20	16	18	280	450	158.4	191.3	0	258.0	297.9	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	55	55	55	1,668	2,218	695.8	512.0	0	889.5	656.1	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1993-1994
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Female										
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance
*****Causes of Death*****											
All causes	547	315	389	9,873	13,393	3998.9	2977.9	1	5574.5	4392.1	1
Infectious diseases and parasitic disease (1-139)	73	65	66	2,074	2,731	835.0	508.8	0	1062.2	638.6	0
..Septicemia (038)	14	8	8	232	312
...Septicemia-related (038)	37	18	21	581	779	231.4	189.3	0	315.7	298.6	0
..HIV infection (042-044)	52	52	52	1,632	2,152	654.0	449.6	0	827.2	559.5	0
All cancer (140-208)	88	50	68	887	1,487	453.5	587.1	0	797.4	1037.7	0
..Oral cavity or pharynx (140.0-149.9)	1	.	.	0	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	5	1	2	8	20
...Colon cancer (153)	5	1	2	8	20
...Rectal cancer (154)
..Pancreatic cancer (157)	2	1	2	13	30
..Lung and other respiratory cancer (160-165)	8	2	5	20	53
...Lung cancer (162.2-.9)	7	2	4	20	45
..Malignant melanoma of skin (172)	2	1	2	3	20
..Female breast cancer (174)	20	16	18	225	400	122.0	200.3	0	225.3	332.6	0
..Cervical cancer (180)	4	4	4	80	120
..Endometrial cancer (182)	1	.	1	0	8
..Ovarian cancer (183)	6	3	5	43	83
..Prostate cancer (185)
..Bladder cancer (188)	2	1	2	18	35
..Brain & other CNS cancer (191-192)	6	4	5	95	138
..Leukemia (204-208)	4	3	3	125	155
Diabetes mellitus (250)	17	7	11	83	173	48.1	31.0	0	104.6	75.4	0
..Diabetes-related (250)	68	26	38	235	550	149.1	116.4	0	356.3	289.5	0
..Diabetic ketoacidosis (DKA) (250.1)
Alzheimer's diseases (331.0)	2	1	1	3	13
Cardiovascular disease (390-459)	162	50	80	787	1,437	405.8	334.2	0	795.3	700.0	0
..Diseases of the heart (390-398,402,404-429)	129	40	65	647	1,175	327.2	269.9	0	645.0	559.3	0
...Heart disease-related (390-398,402,404-429)	250	95	141	2,016	3,201	936.8	742.1	0	1591.5	1304.0	0
....Coronary heart disease (CHD) (402,410-414,429.2)	87	26	41	290	623	174.6	98.0	0	387.3	281.8	0
....Congestive heart failure (CHF) (428.0)	3	1	1	43	53
..Hypertension with or without renal disease (401,403)	3	1	1	8	18
...Hypertension-related (401,403)	27	7	10	113	195	65.0	98.7	0	114.1	195.5	0
..Cerebrovascular disease (430-438)	26	9	12	133	240	73.2	36.0	0	135.1	85.3	0
..Atherosclerosis (440)	1	.	.	0	0
...Atherosclerosis-related (440)	10	1	3	23	43
..Aortic aneurysm (441)	3	.	2	0	5
Pneumonia & influenza (480-487)	14	5	6	162	219
Chronic obstructive pulmonary disease (COPD) (490-496)	19	7	14	145	242	64.6	.	0	121.0	.	0
..COPD-related (490-496)	36	15	25	235	425	117.1	126.8	0	230.9	242.2	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1993-1994
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Female										
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance
*****Causes of Death*****											
..Asthma (493)	6	4	5	60	103
Chronic liver disease and cirrhosis (571)	12	7	10	133	220
Nephritis, nephrotic syndrome/nephrosis (580-589)	5	1	3	3	18
..Nephritis-related (580-589)	30	9	18	153	280	71.5	61.8	0	150.1	149.2	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	6	1	3	3	18
Unintentional injuries (E800-E949)	25	23	24	921	1,158	384.7	223.1	0	470.5	276.5	0
..Motor vehicle accidents (E810-E825)	10	9	10	395	492
..Falls and fall related injuries (E880-E888)	1	1	1	13	23
..Drowning (E830,E832,E910)	2	2	2	117	137
..Residential fires (E890-E899)	2	2	2	107	127
Suicide (E950-E959)	2	2	2	40	60
Homicide and legal intervention (E960-E978)	20	20	20	794	994	327.7	.	0	392.4	.	0
..Homicide (E960-E969)	20	20	20	794	994	327.7	.	0	392.4	.	0
All injury (E800-E999)	47	45	46	1,755	2,212	733.3	410.0	0	892.7	505.1	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	10	9	10	395	492
..All falls (E880-E886,E888,E957,E968.1,E987)	2	2	2	30	50
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	13	13	13	533	663
....Suicide (E955.0-.4)
....Homicide (E965.0-.4)	13	13	13	533	663
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	6	6	6	160	220
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	2	2	2	45	65
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	9	9	9	263	353

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1993-1994
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance
*****Causes of Death*****											
All causes	1,471	1,034	1,202	30,543	41,728	6187.0	4994.4	1	8743.5	7194.2	1
Infectious diseases and parasitic disease (1-139)	241	225	231	6,380	8,670	1170.4	848.6	1	1549.6	1118.1	1
..Septicemia (038)	23	13	15	357	497	68.3	80.5	0	101.0	118.5	0
...Septicemia-related (038)	74	42	51	1,163	1,636	233.3	259.5	0	349.2	421.2	0
..HIV infection (042-044)	190	187	190	5,289	7,181	954.4	703.1	0	1256.0	910.3	1
All cancer (140-208)	209	120	169	2,146	3,609	531.3	573.1	0	1019.1	1120.8	0
..Oral cavity or pharynx (140.0-149.9)	6	3	4	33	65	.	.	0	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	19	9	13	123	228	34.5	32.4	0	70.8	65.6	0
...Colon cancer (153)	15	7	9	108	183	27.8	.	0	50.9	.	0
...Rectal cancer (154)	4	2	4	15	45	.	.	0	.	.	0
..Pancreatic cancer (157)	5	4	5	50	98	.	.	0	.	.	0
..Lung and other respiratory cancer (160-165)	35	14	26	205	420	53.7	66.1	0	135.4	184.2	0
...Lung cancer (162.2-.9)	32	12	23	175	363	47.8	59.6	0	119.5	169.2	0
..Malignant melanoma of skin (172)	3	2	3	40	68	.	.	0	.	.	0
..Female breast cancer (174)	20	16	18	225	400	.	.	0	.	.	0
..Cervical cancer (180)	4	4	4	80	120	.	.	0	.	.	0
..Endometrial cancer (182)	1	.	1	0	8	.	.	0	.	.	0
..Ovarian cancer (183)	6	3	5	43	83	.	.	0	.	.	0
..Prostate cancer (185)	6	2	4	5	30	.	.	0	.	.	0
..Bladder cancer (188)	2	1	2	18	35	.	.	0	.	.	0
..Brain & other CNS cancer (191-192)	7	4	6	95	145	.	.	0	.	.	0
..Leukemia (204-208)	10	5	9	220	295	.	.	0	.	.	0
Diabetes mellitus (250)	29	12	19	160	313	44.3	30.5	0	100.0	78.2	0
..Diabetes-related (250)	128	59	82	583	1,280	190.9	129.8	0	465.4	341.1	0
..Diabetic ketoacidosis (DKA) (250.1)	1	1	1	33	43	.	.	0	.	.	0
Alzheimer's diseases (331.0)	2	1	1	3	13	.	.	0	.	.	0
Cardiovascular disease (390-459)	361	167	235	2,741	4,746	696.3	473.7	1	1377.7	1012.9	1
..Diseases of the heart (390-398,402,404-429)	287	132	189	2,096	3,694	531.3	354.2	0	1088.2	776.0	0
...Heart disease-related (390-398,402,404-429)	567	295	394	6,102	9,539	1371.0	1014.1	1	2403.6	1831.5	1
....Coronary heart disease (CHD) (402,410-414,429.2)	192	82	121	920	1,928	286.1	193.7	0	676.5	510.6	0
....Congestive heart failure (CHF) (428.0)	5	1	1	43	53	.	.	0	.	.	0
..Hypertension with or without renal disease (401,403)	5	3	3	33	63	.	.	0	.	.	0
...Hypertension-related (401,403)	51	22	28	260	510	85.6	92.0	0	178.7	197.3	0
..Cerebrovascular disease (430-438)	59	29	36	550	877	138.3	59.9	0	235.3	138.8	0
..Atherosclerosis (440)	2	.	.	0	0	.	.	0	.	.	0
...Atherosclerosis-related (440)	17	3	5	43	83	11.6	.	0	26.0	.	0
..Aortic aneurysm (441)	5	.	4	0	20	.	.	0	.	.	0
Pneumonia & influenza (480-487)	37	18	20	481	671	97.2	76.0	0	142.9	113.3	0
Chronic obstructive pulmonary disease (COPD) (490-496)	36	11	24	260	422	60.2	29.4	0	115.3	70.9	0
..COPD-related (490-496)	78	29	48	525	897	131.8	91.8	0	260.7	211.0	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1993-1994
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance
*****Causes of Death*****											
..Asthma (493)	9	6	8	135	200
Chronic liver disease and cirrhosis (571)	34	24	30	375	645	94.7	108.2	0	180.7	194.7	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	11	3	5	38	73	.	31.9	.	.	65.1	.
..Nephritis-related (580-589)	71	30	47	610	993	131.1	122.3	0	257.1	245.8	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	14	4	6	50	95	.	31.9	.	.	69.3	.
Unintentional injuries (E800-E949)	121	116	120	4,111	5,296	815.9	649.0	0	1007.6	787.3	0
..Motor vehicle accidents (E810-E825)	38	36	38	1,491	1,866	318.8	219.2	0	382.7	259.6	0
..Falls and fall related injuries (E880-E888)	8	6	8	125	195
..Drowning (E830,E832,E910)	8	8	8	377	457
..Residential fires (E890-E899)	4	4	4	179	219
Suicide (E950-E959)	30	30	30	875	1,175	169.4	232.4	0	220.6	287.4	0
Homicide and legal intervention (E960-E978)	104	104	104	3,964	5,004	838.3	641.1	0	998.0	752.7	0
..Homicide (E960-E969)	104	104	104	3,964	5,004	838.3	635.2	0	998.0	745.7	0
All injury (E800-E999)	260	255	259	9,118	11,693	1853.3	1574.3	0	2262.0	1891.8	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	37	35	37	1,454	1,819	312.9	219.2	0	375.7	259.6	0
..All falls (E880-E886,E888,E957,E968.1,E987)	9	7	9	143	223
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	102	102	102	3,825	4,845	820.1	681.4	0	979.7	800.1	0
....Suicide (E955.0-.4)	16	16	16	490	650	97.3	121.1	0	124.1	147.8	0
....Homicide (E965.0-.4)	84	84	84	3,240	4,080	699.0	512.7	0	828.7	597.7	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	58	58	58	1,740	2,320	300.5	237.7	0	381.9	300.7	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	22	18	20	325	515	80.7	98.0	0	130.5	154.9	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	64	64	64	1,930	2,570	332.7	242.6	0	420.3	307.0	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1993-1994
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male										
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance
*****Causes of Death*****											
All causes	924	719	813	20,671	28,336	8489.7	7082.2	1	12121.4	10108.0	1
Infectious diseases and parasitic disease (1-139)	168	160	165	4,306	5,939	1658.9	1284.9	0	2252.4	1736.0	0
..Septicemia (038)	9	5	7	125	185
...Septicemia-related (038)	37	24	30	582	857	255.2	345.7	0	410.6	562.5	0
..HIV infection (042-044)	138	135	138	3,657	5,029	1391.8	1035.5	0	1876.9	1374.6	0
All cancer (140-208)	121	70	101	1,259	2,122	616.4	582.0	0	1249.1	1227.7	0
..Oral cavity or pharynx (140.0-149.9)	5	3	4	33	65
..Colorectal cancer (153.0-154.3,154.8,159.0)	14	8	11	115	208
...Colon cancer (153)	10	6	7	100	163
...Rectal cancer (154)	4	2	4	15	45
..Pancreatic cancer (157)	3	3	3	38	68
..Lung and other respiratory cancer (160-165)	27	12	21	185	368	99.4	99.8	0	249.7	296.1	0
...Lung cancer (162.2-.9)	25	10	19	155	318	87.3	85.7	0	224.5	263.5	0
..Malignant melanoma of skin (172)	1	1	1	38	48
..Female breast cancer (174)
..Cervical cancer (180)
..Endometrial cancer (182)
..Ovarian cancer (183)
..Prostate cancer (185)	6	2	4	5	30
..Bladder cancer (188)
..Brain & other CNS cancer (191-192)	1	.	1	0	8
..Leukemia (204-208)	6	2	6	95	140
Diabetes mellitus (250)	12	5	8	78	140
..Diabetes-related (250)	60	33	44	348	730	229.6	141.0	0	552.7	370.2	0
..Diabetic ketoacidosis (DKA) (250.1)	1	1	1	33	43
Alzheimer's diseases (331.0)
Cardiovascular disease (390-459)	199	117	155	1,954	3,309	1012.5	620.6	1	1988.8	1314.3	1
..Diseases of the heart (390-398,402,404-429)	158	92	124	1,449	2,519	755.2	447.0	1	1552.7	986.6	1
...Heart disease-related (390-398,402,404-429)	317	200	253	4,086	6,339	1865.4	1324.5	1	3275.1	2394.8	1
....Coronary heart disease (CHD) (402,410-414,429.2)	105	56	80	630	1,305	405.6	297.4	0	978.9	739.0	0
....Congestive heart failure (CHF) (428.0)	2	.	.	0	0
..Hypertension with or without renal disease (401,403)	2	2	2	25	45
...Hypertension-related (401,403)	24	15	18	148	315	109.3	81.9	0	249.9	188.3	0
..Cerebrovascular disease (430-438)	33	20	24	417	637	207.8	83.7	0	340.9	188.7	0
..Atherosclerosis (440)	1	.	.	0	0
...Atherosclerosis-related (440)	7	2	2	20	40
..Aortic aneurysm (441)	2	.	2	0	15
Pneumonia & influenza (480-487)	23	13	14	320	452	131.9	76.0	0	194.7	144.5	0
Chronic obstructive pulmonary disease (COPD) (490-496)	17	4	10	115	180	53.3	.	0	99.1	.	0
..COPD-related (490-496)	42	14	23	290	473	140.9	59.1	0	272.4	174.3	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1993-1994
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male										
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance
*****Causes of Death*****											
..Asthma (493)	3	2	3	75	98
Chronic liver disease and cirrhosis (571)	22	17	20	243	425	142.8	186.2	0	269.1	339.6	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	6	2	2	35	55
..Nephritis-related (580-589)	41	21	29	458	713	192.1	183.9	0	357.9	331.7	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	8	3	3	48	78
Unintentional injuries (E800-E949)	96	93	96	3,191	4,138	1242.0	1071.6	0	1553.1	1302.9	0
..Motor vehicle accidents (E810-E825)	28	27	28	1,097	1,374	452.0	386.4	0	545.6	449.9	0
..Falls and fall related injuries (E880-E888)	7	5	7	113	173
..Drowning (E830,E832,E910)	6	6	6	260	320
..Residential fires (E890-E899)	2	2	2	72	92
Suicide (E950-E959)	28	28	28	835	1,115	319.5	438.9	0	416.4	534.3	0
Homicide and legal intervention (E960-E978)	84	84	84	3,170	4,010	1342.2	1131.0	0	1608.1	1335.2	0
..Homicide (E960-E969)	84	84	84	3,170	4,010	1342.2	1119.1	0	1608.1	1321.1	0
All injury (E800-E999)	213	210	213	7,363	9,481	2962.8	2734.1	0	3648.8	3289.0	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	27	26	27	1,059	1,327	440.2	386.4	0	531.6	449.9	0
..All falls (E880-E886,E888,E957,E968.1,E987)	7	5	7	113	173
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	89	89	89	3,293	4,183	1398.9	1288.5	0	1685.3	1514.4	0
....Suicide (E955.0-.4)	16	16	16	490	650	194.1	229.8	0	248.9	279.9	0
....Homicide (E965.0-.4)	71	71	71	2,708	3,418	1159.4	965.5	0	1384.8	1127.5	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	52	52	52	1,580	2,100	545.4	431.4	0	693.5	546.5	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	20	16	18	280	450	149.5	172.9	0	248.9	276.8	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	55	55	55	1,668	2,218	577.8	441.5	0	731.1	559.4	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1993-1994
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Female										
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance
*****Causes of Death*****											
All causes	547	315	389	9,873	13,393	3953.2	2945.4	1	5552.8	4404.5	0
Infectious diseases and parasitic disease (1-139)	73	65	66	2,074	2,731	714.5	443.0	0	900.1	547.7	0
..Septicemia (038)	14	8	8	232	312
...Septicemia-related (038)	37	18	21	581	779	219.0	182.6	0	302.5	296.5	0
..HIV infection (042-044)	52	52	52	1,632	2,152	543.0	393.3	0	678.4	479.8	0
All cancer (140-208)	88	50	68	887	1,487	455.3	562.9	0	825.2	1034.3	0
..Oral cavity or pharynx (140.0-149.9)	1	.	.	0	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	5	1	2	8	20
...Colon cancer (153)	5	1	2	8	20
...Rectal cancer (154)
..Pancreatic cancer (157)	2	1	2	13	30
..Lung and other respiratory cancer (160-165)	8	2	5	20	53
...Lung cancer (162.2-.9)	7	2	4	20	45
..Malignant melanoma of skin (172)	2	1	2	3	20
..Female breast cancer (174)	20	16	18	225	400	120.9	190.2	0	231.3	323.1	0
..Cervical cancer (180)	4	4	4	80	120
..Endometrial cancer (182)	1	.	1	0	8
..Ovarian cancer (183)	6	3	5	43	83
..Prostate cancer (185)
..Bladder cancer (188)	2	1	2	18	35
..Brain & other CNS cancer (191-192)	6	4	5	95	138
..Leukemia (204-208)	4	3	3	125	155
Diabetes mellitus (250)	17	7	11	83	173	48.2	33.7	0	111.0	84.4	0
..Diabetes-related (250)	68	26	38	235	550	156.5	119.3	0	390.2	316.3	0
..Diabetic ketoacidosis (DKA) (250.1)
Alzheimer's diseases (331.0)	2	1	1	3	13
Cardiovascular disease (390-459)	162	50	80	787	1,437	407.5	341.3	0	839.3	749.8	0
..Diseases of the heart (390-398,402,404-429)	129	40	65	647	1,175	330.0	273.9	0	684.4	596.4	0
...Heart disease-related (390-398,402,404-429)	250	95	141	2,016	3,201	921.1	725.1	0	1631.3	1329.0	0
....Coronary heart disease (CHD) (402,410-414,429.2)	87	26	41	290	623	181.2	101.7	0	420.0	314.1	0
....Congestive heart failure (CHF) (428.0)	3	1	1	43	53
..Hypertension with or without renal disease (401,403)	3	1	1	8	18
...Hypertension-related (401,403)	27	7	10	113	195	67.6	100.6	0	121.2	206.0	0
..Cerebrovascular disease (430-438)	26	9	12	133	240	71.4	37.7	0	136.9	94.8	0
...Atherosclerosis (440)	1	.	.	0	0
...Atherosclerosis-related (440)	10	1	3	23	43
..Aortic aneurysm (441)	3	.	2	0	5
Pneumonia & influenza (480-487)	14	5	6	162	219
Chronic obstructive pulmonary disease (COPD) (490-496)	19	7	14	145	242	65.3	.	0	128.3	.	0
..COPD-related (490-496)	36	15	25	235	425	119.6	119.5	0	245.9	243.7	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1993-1994
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Female										
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance
*****Causes of Death*****											
..Asthma (493)	6	4	5	60	103
Chronic liver disease and cirrhosis (571)	12	7	10	133	220
Nephritis, nephrotic syndrome/nephrosis (580-589)	5	1	3	3	18
..Nephritis-related (580-589)	30	9	18	153	280	72.9	65.8	0	164.0	166.7	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	6	1	3	3	18
Unintentional injuries (E800-E949)	25	23	24	921	1,158	390.6	223.6	0	469.8	272.3	0
..Motor vehicle accidents (E810-E825)	10	9	10	395	492
..Falls and fall related injuries (E880-E888)	1	1	1	13	23
..Drowning (E830,E832,E910)	2	2	2	117	137
..Residential fires (E890-E899)	2	2	2	107	127
Suicide (E950-E959)	2	2	2	40	60
Homicide and legal intervention (E960-E978)	20	20	20	794	994	312.2	.	0	366.1	.	0
..Homicide (E960-E969)	20	20	20	794	994	312.2	.	0	366.1	.	0
All injury (E800-E999)	47	45	46	1,755	2,212	722.5	399.4	0	863.7	485.0	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	10	9	10	395	492
..All falls (E880-E886,E888,E957,E968.1,E987)	2	2	2	30	50
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	13	13	13	533	663
....Suicide (E955.0-.4)
....Homicide (E965.0-.4)	13	13	13	533	663
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	6	6	6	160	220
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	2	2	2	45	65
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	9	9	9	263	353

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1993-1994
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance
*****Causes of Death*****											
All causes	1,471	1,034	1,202	30,543	41,728	6518.5	5316.0	1	9265.5	7676.5	1
Infectious diseases and parasitic disease (1-139)	241	225	231	6,380	8,670	1443.8	1062.1	1	1902.3	1388.9	1
..Septicemia (038)	23	13	15	357	497	77.7	93.2	0	113.8	136.0	0
...Septicemia-related (038)	74	42	51	1,163	1,636	256.4	309.0	0	381.8	485.3	0
..HIV infection (042-044)	190	187	190	5,289	7,181	1192.2	882.8	0	1561.0	1136.7	1
All cancer (140-208)	209	120	169	2,146	3,609	597.0	676.3	0	1114.3	1264.7	0
..Oral cavity or pharynx (140.0-149.9)	6	3	4	33	65	.	.	0	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	19	9	13	123	228	40.8	39.1	0	79.8	75.6	0
...Colon cancer (153)	15	7	9	108	183	34.0	.	0	59.4	.	0
...Rectal cancer (154)	4	2	4	15	45	.	.	0	.	.	0
..Pancreatic cancer (157)	5	4	5	50	98	.	.	0	.	.	0
..Lung and other respiratory cancer (160-165)	35	14	26	205	420	66.8	78.6	0	153.6	203.7	0
...Lung cancer (162.2-.9)	32	12	23	175	363	58.7	71.2	0	135.1	187.5	0
..Malignant melanoma of skin (172)	3	2	3	40	68	.	.	0	.	.	0
..Female breast cancer (174)	20	16	18	225	400	.	.	0	.	.	0
..Cervical cancer (180)	4	4	4	80	120	.	.	0	.	.	0
..Endometrial cancer (182)	1	.	1	0	8	.	.	0	.	.	0
..Ovarian cancer (183)	6	3	5	43	83	.	.	0	.	.	0
..Prostate cancer (185)	6	2	4	5	30	.	.	0	.	.	0
..Bladder cancer (188)	2	1	2	18	35	.	.	0	.	.	0
..Brain & other CNS cancer (191-192)	7	4	6	95	145	.	.	0	.	.	0
..Leukemia (204-208)	10	5	9	220	295	.	.	0	.	.	0
Diabetes mellitus (250)	29	12	19	160	313	54.8	34.3	0	114.9	83.6	0
..Diabetes-related (250)	128	59	82	583	1,280	220.4	149.5	0	505.6	369.4	0
..Diabetic ketoacidosis (DKA) (250.1)	1	1	1	33	43	.	.	0	.	.	0
Alzheimer's diseases (331.0)	2	1	1	3	13	.	.	0	.	.	0
Cardiovascular disease (390-459)	361	167	235	2,741	4,746	796.7	541.8	1	1521.2	1112.0	1
..Diseases of the heart (390-398,402,404-429)	287	132	189	2,096	3,694	601.5	398.5	0	1187.9	840.7	1
...Heart disease-related (390-398,402,404-429)	567	295	394	6,102	9,539	1557.2	1163.1	1	2665.6	2038.3	1
....Coronary heart disease (CHD) (402,410-414,429.2)	192	82	121	920	1,928	323.7	219.1	0	730.8	547.7	0
....Congestive heart failure (CHF) (428.0)	5	1	1	43	53	.	.	0	.	.	0
..Hypertension with or without renal disease (401,403)	5	3	3	33	63	.	.	0	.	.	0
...Hypertension-related (401,403)	51	22	28	260	510	93.9	108.3	0	191.1	221.9	0
..Cerebrovascular disease (430-438)	59	29	36	550	877	163.3	73.0	0	270.8	158.8	0
..Atherosclerosis (440)	2	.	.	0	0	.	.	0	.	.	0
...Atherosclerosis-related (440)	17	3	5	43	83	15.0	.	0	30.7	.	0
..Aortic aneurysm (441)	5	.	4	0	20	.	.	0	.	.	0
Pneumonia & influenza (480-487)	37	18	20	481	671	109.1	83.0	0	159.4	124.2	0
Chronic obstructive pulmonary disease (COPD) (490-496)	36	11	24	260	422	65.8	34.3	0	126.6	78.7	0
..COPD-related (490-496)	78	29	48	525	897	144.5	106.6	0	281.9	232.9	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1993-1994
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance
*****Causes of Death*****											
..Asthma (493)	9	6	8	135	200
Chronic liver disease and cirrhosis (571)	34	24	30	375	645	116.1	138.8	0	209.5	235.2	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	11	3	5	38	73	.	34.3	.	.	68.0	.
..Nephritis-related (580-589)	71	30	47	610	993	144.1	143.4	0	275.7	272.6	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	14	4	6	50	95	.	34.3	.	.	72.2	.
Unintentional injuries (E800-E949)	121	116	120	4,111	5,296	824.5	641.6	0	1029.8	786.3	0
..Motor vehicle accidents (E810-E825)	38	36	38	1,491	1,866	280.3	202.7	0	340.5	241.9	0
..Falls and fall related injuries (E880-E888)	8	6	8	125	195
..Drowning (E830,E832,E910)	8	8	8	377	457
..Residential fires (E890-E899)	4	4	4	179	219
Suicide (E950-E959)	30	30	30	875	1,175	191.6	235.5	0	249.3	294.3	0
Homicide and legal intervention (E960-E978)	104	104	104	3,964	5,004	769.1	599.4	0	922.0	706.1	0
..Homicide (E960-E969)	104	104	104	3,964	5,004	769.1	593.5	0	922.0	699.1	0
All injury (E800-E999)	260	255	259	9,118	11,693	1819.9	1535.8	0	2243.1	1861.4	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	37	35	37	1,454	1,819	274.3	202.7	0	333.5	241.9	0
..All falls (E880-E886,E888,E957,E968.1,E987)	9	7	9	143	223
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	102	102	102	3,825	4,845	755.0	631.5	0	908.6	745.4	0
....Suicide (E955.0-.4)	16	16	16	490	650	106.4	123.6	0	136.2	152.6	0
....Homicide (E965.0-.4)	84	84	84	3,240	4,080	629.8	467.9	0	751.3	547.2	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	58	58	58	1,740	2,320	372.0	273.0	0	471.5	346.4	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	22	18	20	325	515	104.7	133.8	0	163.0	201.6	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	64	64	64	1,930	2,570	414.7	280.5	0	523.3	356.0	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1993-1994
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Male										
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance
*****Causes of Death*****											
All causes	924	719	813	20,671	28,336	9171.9	7632.4	1	13118.6	10899.7	1
Infectious diseases and parasitic disease (1-139)	168	160	165	4,306	5,939	2097.9	1656.9	0	2821.9	2208.0	0
..Septicemia (038)	9	5	7	125	185
...Septicemia-related (038)	37	24	30	582	857	295.5	430.7	0	467.3	673.0	0
..HIV infection (042-044)	138	135	138	3,657	5,029	1766.1	1340.5	0	2360.7	1757.2	0
All cancer (140-208)	121	70	101	1,259	2,122	704.7	673.3	0	1374.7	1357.2	0
..Oral cavity or pharynx (140.0-149.9)	5	3	4	33	65
..Colorectal cancer (153.0-154.3,154.8,159.0)	14	8	11	115	208
...Colon cancer (153)	10	6	7	100	163
...Rectal cancer (154)	4	2	4	15	45
..Pancreatic cancer (157)	3	3	3	38	68
..Lung and other respiratory cancer (160-165)	27	12	21	185	368	124.2	120.0	0	283.4	325.7	0
...Lung cancer (162.2-.9)	25	10	19	155	318	107.5	104.0	0	253.0	290.6	0
..Malignant melanoma of skin (172)	1	1	1	38	48
..Female breast cancer (174)
..Cervical cancer (180)
..Endometrial cancer (182)
..Ovarian cancer (183)
..Prostate cancer (185)	6	2	4	5	30
..Bladder cancer (188)
..Brain & other CNS cancer (191-192)	1	.	1	0	8
..Leukemia (204-208)	6	2	6	95	140
Diabetes mellitus (250)	12	5	8	78	140
..Diabetes-related (250)	60	33	44	348	730	264.2	162.8	0	599.1	400.9	0
..Diabetic ketoacidosis (DKA) (250.1)	1	1	1	33	43
Alzheimer's diseases (331.0)
Cardiovascular disease (390-459)	199	117	155	1,954	3,309	1174.4	720.8	1	2215.9	1456.5	1
..Diseases of the heart (390-398,402,404-429)	158	92	124	1,449	2,519	872.9	508.6	1	1715.5	1075.1	1
...Heart disease-related (390-398,402,404-429)	317	200	253	4,086	6,339	2200.8	1540.7	1	3734.5	2691.0	1
....Coronary heart disease (CHD) (402,410-414,429.2)	105	56	80	630	1,305	459.6	334.2	0	1055.6	794.9	0
....Congestive heart failure (CHF) (428.0)	2	.	.	0	0
..Hypertension with or without renal disease (401,403)	2	2	2	25	45
...Hypertension-related (401,403)	24	15	18	148	315	124.6	95.1	0	270.6	209.4	0
..Cerebrovascular disease (430-438)	33	20	24	417	637	241.1	104.9	0	389.0	219.1	0
...Atherosclerosis (440)	1	.	.	0	0
...Atherosclerosis-related (440)	7	2	2	20	40
..Aortic aneurysm (441)	2	.	2	0	15
Pneumonia & influenza (480-487)	23	13	14	320	452	159.4	96.8	0	231.1	172.5	0
Chronic obstructive pulmonary disease (COPD) (490-496)	17	4	10	115	180	60.6	.	0	112.7	.	0
..COPD-related (490-496)	42	14	23	290	473	157.8	61.3	0	298.6	178.9	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1993-1994
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Male										
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance
*****Causes of Death*****											
..Asthma (493)	3	2	3	75	98
Chronic liver disease and cirrhosis (571)	22	17	20	243	425	175.6	239.0	0	314.0	408.7	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	6	2	2	35	55
..Nephritis-related (580-589)	41	21	29	458	713	222.6	228.6	0	398.3	389.1	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	8	3	3	48	78
Unintentional injuries (E800-E949)	96	93	96	3,191	4,138	1297.4	1067.9	0	1637.8	1310.8	0
..Motor vehicle accidents (E810-E825)	28	27	28	1,097	1,374	405.9	353.0	0	495.8	413.6	0
..Falls and fall related injuries (E880-E888)	7	5	7	113	173
..Drowning (E830,E832,E910)	6	6	6	260	320
..Residential fires (E890-E899)	2	2	2	72	92
Suicide (E950-E959)	28	28	28	835	1,115	358.9	443.5	0	466.9	546.5	0
Homicide and legal intervention (E960-E978)	84	84	84	3,170	4,010	1226.0	1065.1	0	1480.3	1262.5	0
..Homicide (E960-E969)	84	84	84	3,170	4,010	1226.0	1053.1	0	1480.3	1248.4	0
All injury (E800-E999)	213	210	213	7,363	9,481	2951.7	2685.1	0	3669.1	3257.9	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	27	26	27	1,059	1,327	394.0	353.0	0	481.8	413.6	0
..All falls (E880-E886,E888,E957,E968.1,E987)	7	5	7	113	173
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	89	89	89	3,293	4,183	1297.7	1196.0	0	1577.0	1413.3	0
....Suicide (E955.0-.4)	16	16	16	490	650	213.7	231.7	0	274.8	285.4	0
....Homicide (E965.0-.4)	71	71	71	2,708	3,418	1047.9	885.9	0	1261.6	1038.5	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	52	52	52	1,580	2,100	669.1	499.6	0	847.9	634.3	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	20	16	18	280	450	191.8	234.1	0	306.6	356.8	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	55	55	55	1,668	2,218	718.2	515.0	0	907.2	653.8	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1993-1994
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Female										
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance
*****Causes of Death*****											
All causes	547	315	389	9,873	13,393	3969.8	3067.2	1	5648.4	4615.7	0
Infectious diseases and parasitic disease (1-139)	73	65	66	2,074	2,731	831.7	506.3	0	1049.0	628.3	0
..Septicemia (038)	14	8	8	232	312	.	.	0	.	.	0
...Septicemia-related (038)	37	18	21	581	779	225.5	198.8	0	312.4	317.3	0
..HIV infection (042-044)	52	52	52	1,632	2,152	652.6	453.6	0	815.7	557.4	0
All cancer (140-208)	88	50	68	887	1,487	498.9	677.5	0	891.8	1192.7	0
..Oral cavity or pharynx (140.0-149.9)	1	.	.	0	0	.	.	0	.	.	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	5	1	2	8	20	.	.	0	.	.	0
...Colon cancer (153)	5	1	2	8	20	.	.	0	.	.	0
...Rectal cancer (154)	0	.	.	0
..Pancreatic cancer (157)	2	1	2	13	30	.	.	0	.	.	0
..Lung and other respiratory cancer (160-165)	8	2	5	20	53	.	.	0	.	.	0
...Lung cancer (162.2-.9)	7	2	4	20	45	.	.	0	.	.	0
..Malignant melanoma of skin (172)	2	1	2	3	20	.	.	0	.	.	0
..Female breast cancer (174)	20	16	18	225	400	137.8	238.2	0	253.6	387.1	0
..Cervical cancer (180)	4	4	4	80	120	.	.	0	.	.	0
..Endometrial cancer (182)	1	.	1	0	8	.	.	0	.	.	0
..Ovarian cancer (183)	6	3	5	43	83	.	.	0	.	.	0
..Prostate cancer (185)	0	.	.	0
..Bladder cancer (188)	2	1	2	18	35	.	.	0	.	.	0
..Brain & other CNS cancer (191-192)	6	4	5	95	138	.	.	0	.	.	0
..Leukemia (204-208)	4	3	3	125	155	.	.	0	.	.	0
Diabetes mellitus (250)	17	7	11	83	173	59.9	36.6	0	127.4	89.1	0
..Diabetes-related (250)	68	26	38	235	550	181.0	137.2	0	424.6	342.3	0
..Diabetic ketoacidosis (DKA) (250.1)	0	.	.	0
Alzheimer's diseases (331.0)	2	1	1	3	13	.	.	0	.	.	0
Cardiovascular disease (390-459)	162	50	80	787	1,437	451.0	379.3	0	906.5	809.2	0
..Diseases of the heart (390-398,402,404-429)	129	40	65	647	1,175	355.5	302.1	0	725.9	639.3	0
...Heart disease-related (390-398,402,404-429)	250	95	141	2,016	3,201	966.2	811.0	0	1708.6	1453.0	0
....Coronary heart disease (CHD) (402,410-414,429.2)	87	26	41	290	623	203.4	117.2	0	454.0	335.1	0
....Congestive heart failure (CHF) (428.0)	3	1	1	43	53	.	.	0	.	.	0
..Hypertension with or without renal disease (401,403)	3	1	1	8	18	.	.	0	.	.	0
...Hypertension-related (401,403)	27	7	10	113	195	69.0	119.8	0	125.3	233.8	0
..Cerebrovascular disease (430-438)	26	9	12	133	240	89.2	43.1	0	161.6	105.2	0
..Atherosclerosis (440)	1	.	.	0	0	.	.	0	.	.	0
...Atherosclerosis-related (440)	10	1	3	23	43	.	.	0	.	.	0
..Aortic aneurysm (441)	3	.	2	0	5	.	.	0	.	.	0
Pneumonia & influenza (480-487)	14	5	6	162	219	.	.	0	.	.	0
Chronic obstructive pulmonary disease (COPD) (490-496)	19	7	14	145	242	69.2	.	0	137.4	.	0
..COPD-related (490-496)	36	15	25	235	425	128.5	146.3	0	262.7	281.7	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1993-1994
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Female										
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance
*****Causes of Death*****											
..Asthma (493)	6	4	5	60	103
Chronic liver disease and cirrhosis (571)	12	7	10	133	220
Nephritis, nephrotic syndrome/nephrosis (580-589)	5	1	3	3	18
..Nephritis-related (580-589)	30	9	18	153	280	69.4	64.3	0	161.9	164.7	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	6	1	3	3	18
Unintentional injuries (E800-E949)	25	23	24	921	1,158	358.3	216.9	0	436.8	268.1	0
..Motor vehicle accidents (E810-E825)	10	9	10	395	492
..Falls and fall related injuries (E880-E888)	1	1	1	13	23
..Drowning (E830,E832,E910)	2	2	2	117	137
..Residential fires (E890-E899)	2	2	2	107	127
Suicide (E950-E959)	2	2	2	40	60
Homicide and legal intervention (E960-E978)	20	20	20	794	994	297.2	.	0	350.8	.	0
..Homicide (E960-E969)	20	20	20	794	994	297.2	.	0	350.8	.	0
All injury (E800-E999)	47	45	46	1,755	2,212	681.9	384.7	0	824.6	471.7	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	10	9	10	395	492
..All falls (E880-E886,E888,E957,E968.1,E987)	2	2	2	30	50
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	13	13	13	533	663
....Suicide (E955.0-.4)
....Homicide (E965.0-.4)	13	13	13	533	663
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	6	6	6	160	220
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	2	2	2	45	65
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	9	9	9	263	353

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).