

# Connecticut Resident Age-Adjusted Rates for 62 Cause of Death Classifications by Sex Hispanic Residents, 1994

Page

## Connecticut Resident Age-Adjusted Mortality Rate (AAMR) Tables by Cause of Death and Sex, Hispanic Residents, 1994

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

2

1970 standard population

4

2000 standard population

6

## Connecticut Resident Age-Adjusted Years of Potential Life Lost Rate (YPLL) Tables by Cause of Death and Sex, Hispanic Residents, 1994

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

8

1970 standard population

14

2000 standard population

20

CONNECTICUT Hispanic Resident DEATHS, 1994  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes					Male					Female				
	*****1994*****					*****1994*****					*****1994*****				
	No. of deaths	Crude rate	AAMR	Signif- icance	1993 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1993 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1993 AAMR
*****Causes of Death*****															
All causes	779	326.1	400.2	0	360.7	495	416.9	560.9	0	485.4	284	236.3	261.6	0	251.5
Infectious diseases and parasitic disease (1-139)	133	55.7	59.9	0	46.5	96	80.9	91.3	0	68.3	37	30.8	30.3	0	27.4
..Septicemia (038)	15	6.3	8.1	0	.	6	5.1	.	.	.	9	7.5	.	.	.
....Septicemia-related (038)	44	18.4	24.2	0	15.1	17	14.3	23.2	0	24.3	27	22.5	24.6	1	.
..HIV infection (042-044)	102	42.7	44.4	0	37.4	78	65.7	72.0	0	55.2	24	20.0	18.9	0	21.3
All cancer (140-208)	117	49.0	72.8	0	58.6	69	58.1	99.5	0	76.1	48	39.9	52.3	0	46.0
..Oral cavity or pharynx (140.0-149.9)	4	1.7	.	.	.	4	3.4	.	.	.	.	.	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	11	4.6	.	.	.	9	7.6	.	.	.	2	1.7	.	.	.
....Colon cancer (153)	9	3.8	.	.	.	7	5.9	.	.	.	2	1.7	.	.	.
....Rectal cancer (154)	2	0.8	.	.	.	2	1.7	.	.	.	.	.	.	.	.
..Pancreatic cancer (157)	3	1.3	.	.	.	3	2.5	.	.	.	.	.	.	.	.
..Lung and other respiratory cancer (160-165)	17	7.1	12.1	0	11.3	12	10.1	.	.	22.2	5	4.2	.	.	.
....Lung cancer (162.2-.9)	15	6.3	10.5	0	10.9	11	9.3	.	.	.	4	3.3	.	.	.
..Malignant melanoma of skin (172)	2	0.8	.	.	.	1	0.8	.	.	.	1	0.8	.	.	.
..Female breast cancer (174)	14	.	.	.	.	.	.	.	.	.	14	11.7	.	.	.
..Cervical cancer (180)	1	.	.	.	.	.	.	.	.	.	1	0.8	.	.	.
..Endometrial cancer (182)	1	.	.	.	.	.	.	.	.	.	1	0.8	.	.	.
..Ovarian cancer (183)	1	.	.	.	.	.	.	.	.	.	1	0.8	.	.	.
..Prostate cancer (185)	3	.	.	.	.	3	2.5	.	.	.	.	.	.	.	.
..Bladder cancer (188)	2	0.8	.	.	.	.	.	.	.	.	2	1.7	.	.	.
..Brain & other CNS cancer (191-192)	5	2.1	.	.	.	1	0.8	.	.	.	4	3.3	.	.	.
..Leukemia (204-208)	9	3.8	.	.	.	6	5.1	.	.	.	3	2.5	.	.	.
Diabetes mellitus (250)	16	6.7	10.7	0	.	8	6.7	.	.	.	8	6.7	.	.	.
..Diabetes-related (250)	71	29.7	45.3	0	37.1	37	31.2	57.8	0	35.2	34	28.3	34.8	0	38.8
..Diabetic ketoacidosis (DKA) (250.1)	1	0.4	.	.	.	1	0.8	.	.	.	.	.	.	.	.
Cardiovascular disease (390-459)	194	81.2	114.0	0	101.8	110	92.6	155.5	0	126.0	84	69.9	80.8	0	80.1
..Diseases of the heart (390-398,402,404-429)	159	66.6	93.6	0	78.5	88	74.1	125.3	0	101.1	71	59.1	68.5	0	58.6
....Heart disease-related (390-398,402,404-429)	307	128.5	175.7	0	149.5	175	147.4	229.5	0	189.8	132	109.9	130.9	0	116.0
....Coronary heart disease (CHD) (402,410-414,429.2)	110	46.0	65.8	0	52.7	60	50.5	90.4	0	68.8	50	41.6	46.5	0	39.3
....Congestive heart failure (CHF) (428.0)	3	1.3	.	.	.	2	1.7	.	.	.	1	0.8	.	.	.
..Hypertension with or without renal disease (401,403)	2	0.8	.	.	.	1	0.8	.	.	.	1	0.8	.	.	.
....Hypertension-related (401,403)	26	10.9	15.0	0	16.3	13	10.9	.	.	.	13	10.8	.	.	.
..Cerebrovascular disease (430-438)	28	11.7	15.9	0	18.6	17	14.3	22.5	0	21.2	11	9.2	.	.	16.5
..Atherosclerosis (440)	1	0.4	.	.	.	1	0.8	.	.	.	.	.	.	.	.
....Atherosclerosis-related (440)	7	2.9	.	.	.	2	1.7	.	.	.	5	4.2	.	.	.
..Aortic aneurysm (441)	3	1.3	.	.	.	2	1.7	.	.	.	1	0.8	.	.	.
Pneumonia & influenza (480-487)	11	4.6	.	.	12.8	7	5.9	.	.	19.3	4	3.3	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	16	6.7	10.0	0	12.6	7	5.9	.	.	.	9	7.5	.	.	.

(CONTINUED)

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1994 AAMR is significantly different (prob<0.05) from the 1993 AAMR.  
 0 - The 1994 AAMR is not significantly different (prob>0.05) from the 1993 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1994  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes					Male					Female				
	*****1994*****					*****1994*****					*****1994*****				
	No. of deaths	Crude rate	AAMR	Signif- icance	1993 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1993 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1993 AAMR
*****Causes of Death*****															
..COPD-related (490-496)	31	13.0	19.6	0	28.5	15	12.6	22.5	0	39.5	16	13.3	17.9	0	21.6
..Asthma (493)	5	2.1	.	.	.	2	1.7	.	.	.	3	2.5	.	.	.
Chronic liver disease and cirrhosis (571)	20	8.4	12.2	0	.	13	10.9	.	.	.	7	5.8	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	5	2.1	.	.	.	3	2.5	.	.	.	2	1.7	.	.	.
..Nephritis-related (580-589)	34	14.2	20.9	0	21.1	22	18.5	30.2	0	24.0	12	10.0	.	.	18.3
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	7	2.9	.	.	.	4	3.4	.	.	.	3	2.5	.	.	.
Unintentional injuries (E800-E949)	59	24.7	24.9	0	27.2	45	37.9	40.0	0	44.4	14	11.7	.	.	.
..Motor vehicle accidents (E810-E825)	14	5.9	.	.	11.0	8	6.7	.	.	17.8	6	5.0	.	.	.
..Falls and fall related injuries (E880-E888)	5	2.1	.	.	.	5	4.2	.	.	.	.	.	.	.	.
..Drowning (E830,E832,E910)	4	1.7	.	.	.	3	2.5	.	.	.	1	0.8	.	.	.
..Residential fires (E890-E899)	3	1.3	.	.	.	1	0.8	.	.	.	2	1.7	.	.	.
Suicide (E950-E959)	19	8.0	8.1	0	.	17	14.3	14.4	0	.	2	1.7	.	.	.
Homicide and legal intervention (E960-E978)	56	23.4	23.4	0	20.8	47	39.6	40.2	0	32.2	9	7.5	.	.	.
..Homicide (E960-E969)	56	23.4	23.4	0	20.8	47	39.6	40.2	0	32.2	9	7.5	.	.	.
All injury (E800-E999)	135	56.5	56.8	0	54.8	110	92.6	95.4	0	90.5	25	20.8	19.6	0	19.6
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	14	5.9	.	.	10.6	8	6.7	.	.	17.0	6	5.0	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	6	2.5	.	.	.	5	4.2	.	.	.	1	0.8	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	56	23.4	24.2	0	19.6	51	43.0	44.7	0	32.6	5	4.2	.	.	.
....Suicide (E955.0-.4)	11	4.6	.	.	.	11	9.3	.	.	.	.	.	.	.	.
....Homicide (E965.0-.4)	43	18.0	18.5	0	17.4	38	32.0	33.1	0	28.2	5	4.2	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	30	12.6	11.9	0	11.5	26	21.9	20.8	0	21.7	4	3.3	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	16	6.7	8.9	0	.	14	11.8	.	.	.	2	1.7	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	34	14.2	13.5	0	12.0	28	23.6	22.6	0	21.9	6	5.0	.	.	.

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1994 AAMR is significantly different (prob<0.05) from the 1993 AAMR.  
 0 - The 1994 AAMR is not significantly different (prob>0.05) from the 1993 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1994  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes				Male				Female						
	*****1994*****				*****1994*****				*****1994*****						
	No. of deaths	Crude rate	AAMR	Signif- icance	1993 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1993 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1993 AAMR
*****Causes of Death*****															
All causes	779	326.1	473.3	0	435.0	495	416.9	645.3	0	567.8	284	236.3	330.4	0	323.2
Infectious diseases and parasitic disease (1-139)	133	55.7	57.0	0	41.5	96	80.9	83.6	0	62.6	37	30.8	31.4	0	23.5
..Septicemia (038)	15	6.3	11.3	0	.	6	5.1	.	.	.	9	7.5	.	.	.
....Septicemia-related (038)	44	18.4	32.3	0	18.7	17	14.3	28.6	0	29.2	27	22.5	34.0	1	.
..HIV infection (042-044)	102	42.7	38.5	0	31.8	78	65.7	63.5	0	48.3	24	20.0	15.5	0	17.2
All cancer (140-208)	117	49.0	88.4	0	73.8	69	58.1	120.9	0	98.3	48	39.9	64.0	0	56.9
..Oral cavity or pharynx (140.0-149.9)	4	1.7	.	.	.	4	3.4	.	.	.	.	.	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	11	4.6	.	.	.	9	7.6	.	.	.	2	1.7	.	.	.
....Colon cancer (153)	9	3.8	.	.	.	7	5.9	.	.	.	2	1.7	.	.	.
....Rectal cancer (154)	2	0.8	.	.	.	2	1.7	.	.	.	.	.	.	.	.
..Pancreatic cancer (157)	3	1.3	.	.	.	3	2.5	.	.	.	.	.	.	.	.
..Lung and other respiratory cancer (160-165)	17	7.1	15.1	0	14.8	12	10.1	.	.	29.9	5	4.2	.	.	.
....Lung cancer (162.2-.9)	15	6.3	13.2	0	14.5	11	9.3	.	.	.	4	3.3	.	.	.
..Malignant melanoma of skin (172)	2	0.8	.	.	.	1	0.8	.	.	.	1	0.8	.	.	.
..Female breast cancer (174)	14	.	.	.	.	.	.	.	.	.	14	11.7	.	.	.
..Cervical cancer (180)	1	.	.	.	.	.	.	.	.	.	1	0.8	.	.	.
..Endometrial cancer (182)	1	.	.	.	.	.	.	.	.	.	1	0.8	.	.	.
..Ovarian cancer (183)	1	.	.	.	.	.	.	.	.	.	1	0.8	.	.	.
..Prostate cancer (185)	3	.	.	.	.	3	2.5	.	.	.	.	.	.	.	.
..Bladder cancer (188)	2	0.8	.	.	.	.	.	.	.	.	2	1.7	.	.	.
..Brain & other CNS cancer (191-192)	5	2.1	.	.	.	1	0.8	.	.	.	4	3.3	.	.	.
..Leukemia (204-208)	9	3.8	.	.	.	6	5.1	.	.	.	3	2.5	.	.	.
Diabetes mellitus (250)	16	6.7	13.1	0	.	8	6.7	.	.	.	8	6.7	.	.	.
..Diabetes-related (250)	71	29.7	59.9	0	52.0	37	31.2	72.2	0	49.8	34	28.3	48.8	0	54.1
..Diabetic ketoacidosis (DKA) (250.1)	1	0.4	.	.	.	1	0.8	.	.	.	.	.	.	.	.
Cardiovascular disease (390-459)	194	81.2	157.5	0	136.5	110	92.6	207.2	0	158.8	84	69.9	119.4	0	115.7
..Diseases of the heart (390-398,402,404-429)	159	66.6	129.3	0	106.2	88	74.1	167.5	0	128.1	71	59.1	100.2	0	86.4
....Heart disease-related (390-398,402,404-429)	307	128.5	230.3	0	200.0	175	147.4	289.1	0	244.3	132	109.9	183.1	0	164.1
....Coronary heart disease (CHD) (402,410-414,429.2)	110	46.0	93.1	0	72.4	60	50.5	122.3	0	90.5	50	41.6	70.5	0	57.5
....Congestive heart failure (CHF) (428.0)	3	1.3	.	.	.	2	1.7	.	.	.	1	0.8	.	.	.
..Hypertension with or without renal disease (401,403)	2	0.8	.	.	.	1	0.8	.	.	.	1	0.8	.	.	.
....Hypertension-related (401,403)	26	10.9	22.5	0	21.6	13	10.9	.	.	.	13	10.8	.	.	.
..Cerebrovascular disease (430-438)	28	11.7	22.1	0	24.0	17	14.3	29.9	0	27.2	11	9.2	.	.	21.5
..Atherosclerosis (440)	1	0.4	.	.	.	1	0.8	.	.	.	.	.	.	.	.
....Atherosclerosis-related (440)	7	2.9	.	.	.	2	1.7	.	.	.	5	4.2	.	.	.
..Aortic aneurysm (441)	3	1.3	.	.	.	2	1.7	.	.	.	1	0.8	.	.	.
Pneumonia & influenza (480-487)	11	4.6	.	.	19.6	7	5.9	.	.	29.5	4	3.3	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	16	6.7	12.6	0	18.5	7	5.9	.	.	.	9	7.5	.	.	.

(CONTINUED)

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1994 AAMR is significantly different (prob<0.05) from the 1993 AAMR.  
 0 - The 1994 AAMR is not significantly different (prob>0.05) from the 1993 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1994  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes					Male					Female				
	*****1994*****					*****1994*****					*****1994*****				
	No. of deaths	Crude rate	AAMR	Signif- icance	1993 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1993 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1993 AAMR
*****Causes of Death*****															
..COPD-related (490-496)	31	13.0	25.4	0	41.4	15	12.6	30.5	0	59.7	16	13.3	22.4	0	30.3
..Asthma (493)	5	2.1	.	.	.	2	1.7	.	.	.	3	2.5	.	.	.
Chronic liver disease and cirrhosis (571)	20	8.4	14.3	0	.	13	10.9	.	.	.	7	5.8	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	5	2.1	.	.	.	3	2.5	.	.	.	2	1.7	.	.	.
..Nephritis-related (580-589)	34	14.2	27.9	0	29.8	22	18.5	42.0	0	33.0	12	10.0	.	.	27.3
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	7	2.9	.	.	.	4	3.4	.	.	.	3	2.5	.	.	.
Unintentional injuries (E800-E949)	59	24.7	22.5	0	26.8	45	37.9	36.1	0	42.0	14	11.7	.	.	.
..Motor vehicle accidents (E810-E825)	14	5.9	.	.	11.3	8	6.7	.	.	18.0	6	5.0	.	.	.
..Falls and fall related injuries (E880-E888)	5	2.1	.	.	.	5	4.2	.	.	.	.	.	.	.	.
..Drowning (E830,E832,E910)	4	1.7	.	.	.	3	2.5	.	.	.	1	0.8	.	.	.
..Residential fires (E890-E899)	3	1.3	.	.	.	1	0.8	.	.	.	2	1.7	.	.	.
Suicide (E950-E959)	19	8.0	7.2	0	.	17	14.3	12.7	0	.	2	1.7	.	.	.
Homicide and legal intervention (E960-E978)	56	23.4	21.5	0	19.4	47	39.6	37.1	0	30.3	9	7.5	.	.	.
..Homicide (E960-E969)	56	23.4	21.5	0	19.4	47	39.6	37.1	0	30.3	9	7.5	.	.	.
All injury (E800-E999)	135	56.5	51.5	0	52.2	110	92.6	86.6	0	84.7	25	20.8	18.1	0	19.8
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	14	5.9	.	.	11.0	8	6.7	.	.	17.4	6	5.0	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	6	2.5	.	.	.	5	4.2	.	.	.	1	0.8	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	56	23.4	22.7	0	18.0	51	43.0	41.8	0	30.2	5	4.2	.	.	.
....Suicide (E955.0-.4)	11	4.6	.	.	.	11	9.3	.	.	.	.	.	.	.	.
....Homicide (E965.0-.4)	43	18.0	17.3	0	16.2	38	32.0	30.9	0	26.5	5	4.2	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	30	12.6	9.5	0	9.8	26	21.9	16.6	0	18.5	4	3.3	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	16	6.7	9.3	0	.	14	11.8	.	.	.	2	1.7	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	34	14.2	10.8	0	10.0	28	23.6	18.1	0	18.3	6	5.0	.	.	.

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1994 AAMR is significantly different (prob<0.05) from the 1993 AAMR.  
 0 - The 1994 AAMR is not significantly different (prob>0.05) from the 1993 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1994  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes				Male				Female						
	*****1994*****				*****1994*****				*****1994*****						
	No. of deaths	Crude rate	AAMR	Signif- icance	1993 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1993 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1993 AAMR
*****Causes of Death*****															
All causes	779	326.1	587.9	0	540.3	495	416.9	791.5	0	696.0	284	236.3	421.9	0	412.4
Infectious diseases and parasitic disease (1-139)	133	55.7	72.7	0	49.8	96	80.9	103.3	0	75.8	37	30.8	42.1	0	27.2
..Septicemia (038)	15	6.3	15.8	0	.	6	5.1	.	.	.	9	7.5	.	.	.
....Septicemia-related (038)	44	18.4	41.6	0	25.4	17	14.3	33.7	0	38.0	27	22.5	45.4	0	.
..HIV infection (042-044)	102	42.7	47.3	0	38.3	78	65.7	78.1	0	58.2	24	20.0	19.0	0	20.3
All cancer (140-208)	117	49.0	103.8	0	89.2	69	58.1	140.7	0	120.7	48	39.9	76.6	0	68.1
..Oral cavity or pharynx (140.0-149.9)	4	1.7	.	.	.	4	3.4	.	.	.	.	.	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	11	4.6	.	.	.	9	7.6	.	.	.	2	1.7	.	.	.
....Colon cancer (153)	9	3.8	.	.	.	7	5.9	.	.	.	2	1.7	.	.	.
....Rectal cancer (154)	2	0.8	.	.	.	2	1.7	.	.	.	.	.	.	.	.
..Pancreatic cancer (157)	3	1.3	.	.	.	3	2.5	.	.	.	.	.	.	.	.
..Lung and other respiratory cancer (160-165)	17	7.1	16.9	0	18.9	12	10.1	.	.	38.9	5	4.2	.	.	.
....Lung cancer (162.2-.9)	15	6.3	15.0	0	18.5	11	9.3	.	.	.	4	3.3	.	.	.
..Malignant melanoma of skin (172)	2	0.8	.	.	.	1	0.8	.	.	.	1	0.8	.	.	.
..Female breast cancer (174)	14	.	.	.	.	.	.	.	.	.	14	11.7	.	.	.
..Cervical cancer (180)	1	.	.	.	.	.	.	.	.	.	1	0.8	.	.	.
..Endometrial cancer (182)	1	.	.	.	.	.	.	.	.	.	1	0.8	.	.	.
..Ovarian cancer (183)	1	.	.	.	.	.	.	.	.	.	1	0.8	.	.	.
..Prostate cancer (185)	3	.	.	.	.	3	2.5	.	.	.	.	.	.	.	.
..Bladder cancer (188)	2	0.8	.	.	.	.	.	.	.	.	2	1.7	.	.	.
..Brain & other CNS cancer (191-192)	5	2.1	.	.	.	1	0.8	.	.	.	4	3.3	.	.	.
..Leukemia (204-208)	9	3.8	.	.	.	6	5.1	.	.	.	3	2.5	.	.	.
Diabetes mellitus (250)	16	6.7	15.2	0	.	8	6.7	.	.	.	8	6.7	.	.	.
..Diabetes-related (250)	71	29.7	74.7	0	67.6	37	31.2	82.8	0	65.9	34	28.3	65.6	0	69.2
....Diabetic ketoacidosis (DKA) (250.1)	1	0.4	.	.	.	1	0.8	.	.	.	.	.	.	.	.
Cardiovascular disease (390-459)	194	81.2	210.7	0	178.5	110	92.6	270.0	0	197.5	84	69.9	166.7	0	159.1
..Diseases of the heart (390-398,402,404-429)	159	66.6	172.2	0	138.9	88	74.1	217.0	0	158.2	71	59.1	138.9	0	120.1
....Heart disease-related (390-398,402,404-429)	307	128.5	300.8	0	264.6	175	147.4	371.2	0	314.9	132	109.9	245.0	0	224.0
....Coronary heart disease (CHD) (402,410-414,429.2)	110	46.0	125.6	0	94.0	60	50.5	156.6	0	113.5	50	41.6	101.8	0	78.5
....Congestive heart failure (CHF) (428.0)	3	1.3	.	.	.	2	1.7	.	.	.	1	0.8	.	.	.
..Hypertension with or without renal disease (401,403)	2	0.8	.	.	.	1	0.8	.	.	.	1	0.8	.	.	.
....Hypertension-related (401,403)	26	10.9	31.6	0	27.6	13	10.9	.	.	.	13	10.8	.	.	.
..Cerebrovascular disease (430-438)	28	11.7	30.7	0	30.7	17	14.3	41.3	0	35.2	11	9.2	.	.	27.6
..Atherosclerosis (440)	1	0.4	.	.	.	1	0.8	.	.	.	.	.	.	.	.
....Atherosclerosis-related (440)	7	2.9	.	.	.	2	1.7	.	.	.	5	4.2	.	.	.
..Aortic aneurysm (441)	3	1.3	.	.	.	2	1.7	.	.	.	1	0.8	.	.	.
Pneumonia & influenza (480-487)	11	4.6	.	.	29.7	7	5.9	.	.	45.2	4	3.3	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	16	6.7	14.8	0	25.4	7	5.9	.	.	.	9	7.5	.	.	.

(CONTINUED)

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1994 AAMR is significantly different (prob<0.05) from the 1993 AAMR.  
 0 - The 1994 AAMR is not significantly different (prob>0.05) from the 1993 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1994  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes					Male					Female				
	*****1994*****					*****1994*****					*****1994*****				
	No. of deaths	Crude rate	AAMR	Signif- icance	1993 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1993 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1993 AAMR
*****Causes of Death*****															
..COPD-related (490-496)	31	13.0	30.8	0	56.7	15	12.6	38.5	0	83.3	16	13.3	26.3	0	40.6
..Asthma (493)	5	2.1	.	.	.	2	1.7	.	.	.	3	2.5	.	.	.
Chronic liver disease and cirrhosis (571)	20	8.4	17.0	0	.	13	10.9	.	.	.	7	5.8	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	5	2.1	.	.	.	3	2.5	.	.	.	2	1.7	.	.	.
..Nephritis-related (580-589)	34	14.2	34.9	0	40.7	22	18.5	56.0	0	46.7	12	10.0	.	.	36.7
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	7	2.9	.	.	.	4	3.4	.	.	.	3	2.5	.	.	.
Unintentional injuries (E800-E949)	59	24.7	25.6	0	27.4	45	37.9	42.6	0	41.8	14	11.7	.	.	.
..Motor vehicle accidents (E810-E825)	14	5.9	.	.	9.9	8	6.7	.	.	15.9	6	5.0	.	.	.
..Falls and fall related injuries (E880-E888)	5	2.1	.	.	.	5	4.2	.	.	.	.	.	.	.	.
..Drowning (E830,E832,E910)	4	1.7	.	.	.	3	2.5	.	.	.	1	0.8	.	.	.
..Residential fires (E890-E899)	3	1.3	.	.	.	1	0.8	.	.	.	2	1.7	.	.	.
Suicide (E950-E959)	19	8.0	8.0	0	.	17	14.3	13.9	0	.	2	1.7	.	.	.
Homicide and legal intervention (E960-E978)	56	23.4	20.6	0	18.2	47	39.6	35.7	0	28.1	9	7.5	.	.	.
..Homicide (E960-E969)	56	23.4	20.6	0	18.2	47	39.6	35.7	0	28.1	9	7.5	.	.	.
All injury (E800-E999)	135	56.5	54.7	0	52.3	110	92.6	93.1	0	83.9	25	20.8	18.4	0	20.7
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	14	5.9	.	.	9.6	8	6.7	.	.	15.3	6	5.0	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	6	2.5	.	.	.	5	4.2	.	.	.	1	0.8	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	56	23.4	21.7	0	17.0	51	43.0	40.5	0	29.0	5	4.2	.	.	.
....Suicide (E955.0-.4)	11	4.6	.	.	.	11	9.3	.	.	.	.	.	.	.	.
....Homicide (E965.0-.4)	43	18.0	16.3	0	14.8	38	32.0	29.6	0	24.3	5	4.2	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	30	12.6	12.7	0	10.9	26	21.9	21.9	0	20.4	4	3.3	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	16	6.7	11.3	0	.	14	11.8	.	.	.	2	1.7	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	34	14.2	14.3	0	11.4	28	23.6	24.1	0	20.7	6	5.0	.	.	.

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1994 AAMR is significantly different (prob<0.05) from the 1993 AAMR.  
 0 - The 1994 AAMR is not significantly different (prob>0.05) from the 1993 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
All causes	779	554	645	15,744	21,742	6634.0	6213.6	0	9401.8	8597.2	0
Infectious diseases and parasitic disease (1-139)	133	123	125	3,195	4,440	1389.5	1317.8	0	1889.1	1703.6	0
..Septicemia (038)	15	8	8	130	210	67.1	.	0	110.8	.	0
...Septicemia-related (038)	44	23	28	617	879	264.3	228.2	0	399.6	322.6	0
..HIV infection (042-044)	102	101	102	2,710	3,727	1162.8	1074.9	0	1556.6	1399.4	0
All cancer (140-208)	117	70	98	1,242	2,102	620.8	461.4	0	1142.6	837.3	0
..Oral cavity or pharynx (140.0-149.9)	4	2	3	25	48	.	.	.	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	11	6	7	100	168	.	.	.	.	.	.
...Colon cancer (153)	9	5	5	93	143	.	.	.	.	.	.
...Rectal cancer (154)	2	1	2	8	25	.	.	.	.	.	.
..Pancreatic cancer (157)	3	3	3	38	68	.	.	.	.	.	.
..Lung and other respiratory cancer (160-165)	17	7	14	73	185	43.7	68.5	0	125.0	132.4	0
...Lung cancer (162.2-.9)	15	6	12	70	165	41.5	56.8	0	108.3	117.2	0
..Malignant melanoma of skin (172)	2	2	2	40	60	.	.	.	.	.	.
..Female breast cancer (174)	14	11	13	128	253	.	.	.	.	.	.
..Cervical cancer (180)	1	1	1	18	28	.	.	.	.	.	.
..Endometrial cancer (182)	1	.	1	0	8	.	.	.	.	.	.
..Ovarian cancer (183)	1	1	1	8	18	.	.	.	.	.	.
..Prostate cancer (185)	3	.	1	0	3	.	.	.	.	.	.
..Bladder cancer (188)	2	1	2	18	35	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	5	3	5	48	88	.	.	.	.	.	.
..Leukemia (204-208)	9	4	8	217	282	.	.	.	.	.	.
Diabetes mellitus (250)	16	9	14	113	220	64.6	.	0	134.5	.	0
..Diabetes-related (250)	71	37	50	373	800	231.6	136.5	0	522.9	332.0	0
...Diabetic ketoacidosis (DKA) (250.1)	1	1	1	33	43	.	.	.	.	.	.
Cardiovascular disease (390-459)	194	85	122	1,337	2,374	694.3	727.1	0	1342.3	1330.8	0
..Diseases of the heart (390-398,402,404-429)	159	70	103	1,114	1,977	565.0	515.6	0	1107.1	986.2	0
...Heart disease-related (390-398,402,404-429)	307	163	217	3,151	5,041	1525.4	1342.7	0	2600.0	2215.1	0
...Coronary heart disease (CHD) (402,410-414,429.2)	110	47	67	518	1,088	312.2	247.7	0	700.2	554.5	0
....Congestive heart failure (CHF) (428.0)	3	.	.	0	0	.	.	.	.	.	.
..Hypertension with or without renal disease (401,403)	2	1	1	13	23	.	.	.	.	.	.
...Hypertension-related (401,403)	26	9	11	123	223	72.5	92.0	0	138.0	196.6	0
..Cerebrovascular disease (430-438)	28	13	15	193	333	110.2	174.9	0	192.0	280.6	0
...Atherosclerosis (440)	1	.	.	0	0	.	.	.	.	.	.
....Atherosclerosis-related (440)	7	1	1	23	33	.	.	.	.	.	.
..Aortic aneurysm (441)	3	.	2	0	15	.	.	.	.	.	.
Pneumonia & influenza (480-487)	11	7	7	118	188	.	143.7	.	.	198.4	.
Chronic obstructive pulmonary disease (COPD) (490-496)	16	7	13	200	295	85.7	36.3	0	137.7	83.0	0
..COPD-related (490-496)	31	14	23	272	455	130.8	137.0	0	243.1	258.5	0
..Asthma (493)	5	4	5	95	138	.	.	.	.	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (&lt;15).



CONNECTICUT Hispanic Resident DEATHS, 1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
Chronic liver disease and cirrhosis (571)	20	13	17	223	373	119.8	.	0	205.7	.	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	5	2	3	5	28	.	.	.	.	.	.
..Nephritis-related (580-589)	34	13	25	283	473	125.5	152.1	0	242.2	264.2	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	7	2	3	5	28	.	.	.	.	.	.
Unintentional injuries (E800-E949)	59	57	59	1,889	2,469	784.5	924.2	0	992.4	1148.9	0
..Motor vehicle accidents (E810-E825)	14	14	14	507	647	.	416.7	.	.	504.0	.
..Falls and fall related injuries (E880-E888)	5	3	5	43	83	.	.	.	.	.	.
..Drowning (E830,E832,E910)	4	4	4	175	215	.	.	.	.	.	.
..Residential fires (E890-E899)	3	3	3	172	202	.	.	.	.	.	.
Suicide (E950-E959)	19	19	19	588	778	253.7	.	0	324.1	.	0
Homicide and legal intervention (E960-E978)	56	56	56	2,134	2,694	916.4	820.4	0	1109.8	992.8	0
..Homicide (E960-E969)	56	56	56	2,134	2,694	916.4	820.4	0	1109.8	992.8	0
All injury (E800-E999)	135	133	135	4,638	5,978	1965.8	1931.5	0	2440.9	2388.4	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	14	14	14	507	647	.	402.2	.	.	486.4	.
..All falls (E880-E886,E888,E957,E968.1,E987)	6	4	6	60	110	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	56	56	56	2,050	2,610	907.1	791.9	0	1110.0	952.7	0
....Suicide (E955.0-.4)	11	11	11	353	463	.	.	.	.	.	.
....Homicide (E965.0-.4)	43	43	43	1,603	2,033	707.6	731.4	0	861.5	873.3	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	30	30	30	850	1,150	352.7	365.8	0	456.3	465.0	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	16	13	15	253	393	128.3	.	0	198.9	.	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	34	34	34	970	1,310	403.5	394.1	0	521.0	497.6	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
All causes	495	385	440	10,578	14,710	9232.8	8622.2	0	13252.5	11971.6	0
Infectious diseases and parasitic disease (1-139)	96	93	94	2,375	3,312	2145.5	1667.2	0	2935.1	2236.4	0
..Septicemia (038)	6	4	4	60	100	.	.	.	.	.	.
...Septicemia-related (038)	17	10	13	230	353	215.5	325.1	0	362.9	482.4	0
..HIV infection (042-044)	78	77	78	2,010	2,787	1795.2	1427.7	0	2437.2	1910.7	0
All cancer (140-208)	69	41	61	723	1,243	743.3	534.0	0	1436.2	993.9	0
..Oral cavity or pharynx (140.0-149.9)	4	2	3	25	48	.	.	.	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	9	6	7	100	168	.	.	.	.	.	.
...Colon cancer (153)	7	5	5	93	143	.	.	.	.	.	.
...Rectal cancer (154)	2	1	2	8	25	.	.	.	.	.	.
..Pancreatic cancer (157)	3	3	3	38	68	.	.	.	.	.	.
..Lung and other respiratory cancer (160-165)	12	6	11	70	163	.	121.0	.	.	245.9	.
...Lung cancer (162.2-.9)	11	5	10	68	150	.	.	.	.	.	.
..Malignant melanoma of skin (172)	1	1	1	38	48	.	.	.	.	.	.
..Female breast cancer (174)	.	.	.	.	.	.	.	.	.	.	.
..Cervical cancer (180)	.	.	.	.	.	.	.	.	.	.	.
..Endometrial cancer (182)	.	.	.	.	.	.	.	.	.	.	.
..Ovarian cancer (183)	.	.	.	.	.	.	.	.	.	.	.
..Prostate cancer (185)	3	.	1	0	3	.	.	.	.	.	.
..Bladder cancer (188)	.	.	.	.	.	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	1	.	1	0	8	.	.	.	.	.	.
..Leukemia (204-208)	6	2	6	95	140	.	.	.	.	.	.
Diabetes mellitus (250)	8	4	7	55	108	.	.	.	.	.	.
..Diabetes-related (250)	37	22	31	225	493	289.6	157.5	0	695.9	324.7	0
...Diabetic ketoacidosis (DKA) (250.1)	1	1	1	33	43	.	.	.	.	.	.
Cardiovascular disease (390-459)	110	59	83	930	1,640	1018.6	1066.6	0	1977.0	1911.8	0
..Diseases of the heart (390-398,402,404-429)	88	46	67	742	1,305	786.9	765.3	0	1551.9	1457.4	0
...Heart disease-related (390-398,402,404-429)	175	112	142	2,184	3,444	2175.3	1779.6	0	3669.1	2971.3	0
...Coronary heart disease (CHD) (402,410-414,429.2)	60	30	45	320	698	407.3	391.6	0	981.6	836.1	0
...Congestive heart failure (CHF) (428.0)	2	.	.	0	0	.	.	.	.	.	.
..Hypertension with or without renal disease (401,403)	13	7	8	63	140	.	.	.	.	.	.
...Hypertension-related (401,403)	13	7	8	63	140	.	.	.	.	.	.
..Cerebrovascular disease (430-438)	17	11	12	158	270	191.3	236.9	0	331.6	355.5	0
...Atherosclerosis (440)	1	.	.	0	0	.	.	.	.	.	.
...Atherosclerosis-related (440)	2	.	.	0	0	.	.	.	.	.	.
..Aortic aneurysm (441)	2	.	2	0	15	.	.	.	.	.	.
Pneumonia & influenza (480-487)	7	5	5	98	148	.	192.1	.	.	271.7	.
Chronic obstructive pulmonary disease (COPD) (490-496)	7	3	6	88	130	.	.	.	.	.	.
..COPD-related (490-496)	15	5	11	118	198	115.2	181.3	0	223.7	312.7	0
..Asthma (493)	2	1	2	48	60	.	.	.	.	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
Chronic liver disease and cirrhosis (571)	13	9	11	128	228	.	.	.	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	3	1	1	3	13	.	.	.	.	.	.
..Nephritis-related (580-589)	22	9	16	228	355	197.4	220.4	0	357.3	370.1	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	4	1	1	3	13	.	.	.	.	.	.
Unintentional injuries (E800-E949)	45	43	45	1,325	1,765	1120.2	1534.7	0	1454.2	1907.6	0
..Motor vehicle accidents (E810-E825)	8	8	8	260	340	.	678.4	.	.	821.4	.
..Falls and fall related injuries (E880-E888)	5	3	5	43	83	.	.	.	.	.	.
..Drowning (E830,E832,E910)	3	3	3	123	153	.	.	.	.	.	.
..Residential fires (E890-E899)	1	1	1	65	75	.	.	.	.	.	.
Suicide (E950-E959)	17	17	17	548	718	461.5	.	0	585.5	.	0
Homicide and legal intervention (E960-E978)	47	47	47	1,733	2,203	1506.5	1268.4	0	1842.8	1534.4	0
..Homicide (E960-E969)	47	47	47	1,733	2,203	1506.5	1268.4	0	1842.8	1534.4	0
All injury (E800-E999)	110	108	110	3,632	4,722	3111.1	3182.6	0	3912.3	3945.2	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	8	8	8	260	340	.	649.2	.	.	786.2	.
..All falls (E880-E886,E888,E957,E968.1,E987)	5	3	5	43	83	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	51	51	51	1,838	2,348	1609.4	1286.4	0	1986.3	1556.1	0
...Suicide (E955.0-.4)	11	11	11	353	463	.	.	.	.	.	.
...Homicide (E965.0-.4)	38	38	38	1,390	1,770	1217.6	1162.4	0	1495.6	1393.1	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	26	26	26	750	1,010	626.7	682.3	0	807.8	869.9	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	14	11	13	208	328	.	.	.	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	28	28	28	795	1,075	671.7	716.0	0	869.1	904.6	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
All causes	284	169	205	5,167	7,032	4123.3	3865.1	0	5768.3	5367.7	0
Infectious diseases and parasitic disease (1-139)	37	30	31	820	1,128	672.3	997.4	0	903.4	1219.6	0
..Septicemia (038)	9	4	4	70	110	.	.	.	.	.	.
...Septicemia-related (038)	27	13	15	387	527	319.4	.	0	446.5	.	0
..HIV infection (042-044)	24	24	24	700	940	564.3	742.9	0	729.3	923.8	0
All cancer (140-208)	48	29	37	520	860	507.0	397.3	0	888.3	703.2	0
..Oral cavity or pharynx (140.0-149.9)	.	.	.	.	.	.	.	.	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	2	.	.	0	0	.	.	.	.	.	.
...Colon cancer (153)	2	.	.	0	0	.	.	.	.	.	.
...Rectal cancer (154)	.	.	.	.	.	.	.	.	.	.	.
..Pancreatic cancer (157)	.	.	.	.	.	.	.	.	.	.	.
..Lung and other respiratory cancer (160-165)	5	1	3	3	23	.	.	.	.	.	.
...Lung cancer (162.2-.9)	4	1	2	3	15	.	.	.	.	.	.
..Malignant melanoma of skin (172)	1	1	1	3	13	.	.	.	.	.	.
..Female breast cancer (174)	14	11	13	128	253	.	.	.	.	.	.
..Cervical cancer (180)	1	1	1	18	28	.	.	.	.	.	.
..Endometrial cancer (182)	1	.	1	0	8	.	.	.	.	.	.
..Ovarian cancer (183)	1	1	1	8	18	.	.	.	.	.	.
..Prostate cancer (185)	.	.	.	.	.	.	.	.	.	.	.
..Bladder cancer (188)	2	1	2	18	35	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	4	3	4	48	80	.	.	.	.	.	.
..Leukemia (204-208)	3	2	2	122	142	.	.	.	.	.	.
Diabetes mellitus (250)	8	5	7	58	113	.	.	.	.	.	.
..Diabetes-related (250)	34	15	19	148	308	179.7	117.1	0	376.7	333.8	0
..Diabetic ketoacidosis (DKA) (250.1)	.	.	.	.	.	.	.	.	.	.	.
Cardiovascular disease (390-459)	84	26	39	407	735	400.3	411.5	0	786.9	804.1	0
..Diseases of the heart (390-398,402,404-429)	71	24	36	372	672	362.7	291.0	0	718.3	569.7	0
...Heart disease-related (390-398,402,404-429)	132	51	75	967	1,597	923.2	947.3	0	1633.0	1544.2	0
...Coronary heart disease (CHD) (402,410-414,429.2)	50	17	22	198	390	229.9	118.7	0	465.8	307.1	0
...Congestive heart failure (CHF) (428.0)	1	.	.	0	0	.	.	.	.	.	.
..Hypertension with or without renal disease (401,403)	1	.	.	0	0	.	.	.	.	.	.
...Hypertension-related (401,403)	13	2	3	60	83	.	.	.	.	.	.
..Cerebrovascular disease (430-438)	11	2	3	35	63	.	109.4	.	.	203.3	.
..Atherosclerosis (440)	.	.	.	.	.	.	.	.	.	.	.
...Atherosclerosis-related (440)	5	1	1	23	33	.	.	.	.	.	.
..Aortic aneurysm (441)	1	.	.	0	0	.	.	.	.	.	.
Pneumonia & influenza (480-487)	4	2	2	20	40	.	.	.	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	9	4	7	112	165	.	.	.	.	.	.
..COPD-related (490-496)	16	9	12	155	257	142.1	91.6	0	258.9	202.2	0
..Asthma (493)	3	3	3	48	78	.	.	.	.	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
Chronic liver disease and cirrhosis (571)	7	4	6	95	145	.	.	.	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	2	1	2	3	15	.	.	.	.	.	.
..Nephritis-related (580-589)	12	4	9	55	118	.	90.0	.	.	167.6	.
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	3	1	2	3	15	.	.	.	.	.	.
Unintentional injuries (E800-E949)	14	14	14	564	704	.	.	.	.	.	.
..Motor vehicle accidents (E810-E825)	6	6	6	247	307	.	.	.	.	.	.
..Falls and fall related injuries (E880-E888)	.	.	.	.	.	.	.	.	.	.	.
..Drowning (E830,E832,E910)	1	1	1	53	63	.	.	.	.	.	.
..Residential fires (E890-E899)	2	2	2	107	127	.	.	.	.	.	.
Suicide (E950-E959)	2	2	2	40	60	.	.	.	.	.	.
Homicide and legal intervention (E960-E978)	9	9	9	402	492	.	.	.	.	.	.
..Homicide (E960-E969)	9	9	9	402	492	.	.	.	.	.	.
All injury (E800-E999)	25	25	25	1,006	1,256	808.0	656.0	0	968.0	814.7	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	6	6	6	247	307	.	.	.	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	1	1	1	18	28	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	5	5	5	213	263	.	.	.	.	.	.
...Suicide (E955.0-.4)	.	.	.	.	.	.	.	.	.	.	.
...Homicide (E965.0-.4)	5	5	5	213	263	.	.	.	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	4	4	4	100	140	.	.	.	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	2	2	2	45	65	.	.	.	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	6	6	6	175	235	.	.	.	.	.	.

\* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
All causes	779	554	645	15,744	21,742	6363.6	5995.1	0	9109.1	8356.2	0
Infectious diseases and parasitic disease (1-139)	133	123	125	3,195	4,440	1204.2	1131.6	0	1637.3	1454.1	0
..Septicemia (038)	15	8	8	130	210	63.1	.	0	107.1	.	0
...Septicemia-related (038)	44	23	28	617	879	261.2	204.9	0	403.0	294.8	0
..HIV infection (042-044)	102	101	102	2,710	3,727	1001.5	902.8	0	1334.8	1170.9	0
All cancer (140-208)	117	70	98	1,242	2,102	608.7	452.1	0	1175.6	859.9	0
..Oral cavity or pharynx (140.0-149.9)	4	2	3	25	48	.	.	.	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	11	6	7	100	168	.	.	.	.	.	.
...Colon cancer (153)	9	5	5	93	143	.	.	.	.	.	.
...Rectal cancer (154)	2	1	2	8	25	.	.	.	.	.	.
..Pancreatic cancer (157)	3	3	3	38	68	.	.	.	.	.	.
..Lung and other respiratory cancer (160-165)	17	7	14	73	185	44.6	63.2	0	138.9	132.3	0
...Lung cancer (162.2-.9)	15	6	12	70	165	41.9	54.1	0	118.8	120.6	0
..Malignant melanoma of skin (172)	2	2	2	40	60	.	.	.	.	.	.
..Female breast cancer (174)	14	11	13	128	253	.	.	.	.	.	.
..Cervical cancer (180)	1	1	1	18	28	.	.	.	.	.	.
..Endometrial cancer (182)	1	.	1	0	8	.	.	.	.	.	.
..Ovarian cancer (183)	1	1	1	8	18	.	.	.	.	.	.
..Prostate cancer (185)	3	.	1	0	3	.	.	.	.	.	.
..Bladder cancer (188)	2	1	2	18	35	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	5	3	5	48	88	.	.	.	.	.	.
..Leukemia (204-208)	9	4	8	217	282	.	.	.	.	.	.
Diabetes mellitus (250)	16	9	14	113	220	63.9	.	0	141.1	.	0
..Diabetes-related (250)	71	37	50	373	800	238.7	141.0	0	564.4	362.2	0
...Diabetic ketoacidosis (DKA) (250.1)	1	1	1	33	43	.	.	.	.	.	.
Cardiovascular disease (390-459)	194	85	122	1,337	2,374	684.4	708.3	0	1393.9	1361.5	0
..Diseases of the heart (390-398,402,404-429)	159	70	103	1,114	1,977	557.2	504.6	0	1155.9	1019.3	0
...Heart disease-related (390-398,402,404-429)	307	163	217	3,151	5,041	1466.4	1269.6	0	2604.9	2193.0	0
...Coronary heart disease (CHD) (402,410-414,429.2)	110	47	67	518	1,088	320.2	251.2	0	755.6	595.6	0
....Congestive heart failure (CHF) (428.0)	3	.	.	0	0	.	.	.	.	.	.
..Hypertension with or without renal disease (401,403)	26	9	11	13	23	76.1	95.5	0	148.1	210.7	0
..Cerebrovascular disease (430-438)	28	13	15	193	333	108.1	168.9	0	192.4	278.8	0
..Atherosclerosis (440)	1	.	.	0	0	.	.	.	.	.	.
...Atherosclerosis-related (440)	7	1	1	23	33	.	.	.	.	.	.
..Aortic aneurysm (441)	3	.	2	0	15	.	.	.	.	.	.
Pneumonia & influenza (480-487)	11	7	7	118	188	.	142.2	.	.	196.8	.
Chronic obstructive pulmonary disease (COPD) (490-496)	16	7	13	200	295	84.8	35.0	0	142.1	88.2	0
..COPD-related (490-496)	31	14	23	272	455	131.3	132.7	0	256.1	266.1	0
..Asthma (493)	5	4	5	95	138	.	.	.	.	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
Chronic liver disease and cirrhosis (571)	20	13	17	223	373	114.5	.	0	203.7	.	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	5	2	3	5	28	.	.	.	.	.	.
..Nephritis-related (580-589)	34	13	25	283	473	120.8	142.0	0	252.5	262.5	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	7	2	3	5	28	.	.	.	.	.	.
Unintentional injuries (E800-E949)	59	57	59	1,889	2,469	721.3	909.4	0	898.7	1115.0	0
..Motor vehicle accidents (E810-E825)	14	14	14	507	647	.	434.0	.	.	518.6	.
..Falls and fall related injuries (E880-E888)	5	3	5	43	83	.	.	.	.	.	.
..Drowning (E830,E832,E910)	4	4	4	175	215	.	.	.	.	.	.
..Residential fires (E890-E899)	3	3	3	172	202	.	.	.	.	.	.
Suicide (E950-E959)	19	19	19	588	778	227.2	.	0	287.7	.	0
Homicide and legal intervention (E960-E978)	56	56	56	2,134	2,694	879.1	794.9	0	1046.9	945.9	0
..Homicide (E960-E969)	56	56	56	2,134	2,694	879.1	794.9	0	1046.9	945.9	0
All injury (E800-E999)	135	133	135	4,638	5,978	1836.4	1866.3	0	2244.5	2274.8	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	14	14	14	507	647	.	422.2	.	.	504.6	.
..All falls (E880-E886,E888,E957,E968.1,E987)	6	4	6	60	110	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	56	56	56	2,050	2,610	873.9	763.5	0	1053.9	902.0	0
....Suicide (E955.0-.4)	11	11	11	353	463	.	.	.	.	.	.
....Homicide (E965.0-.4)	43	43	43	1,603	2,033	684.1	712.6	0	819.9	835.6	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	30	30	30	850	1,150	289.3	309.4	0	369.8	391.1	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	16	13	15	253	393	118.7	.	0	187.2	.	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	34	34	34	970	1,310	331.8	331.1	0	423.1	414.1	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
All causes	495	385	440	10,578	14,710	8739.5	8219.4	0	12710.3	11501.7	0
Infectious diseases and parasitic disease (1-139)	96	93	94	2,375	3,312	1886.4	1419.8	0	2575.5	1912.7	0
..Septicemia (038)	6	4	4	60	100	.	.	.	.	.	.
...Septicemia-related (038)	17	10	13	230	353	215.6	297.3	0	373.6	451.1	0
..HIV infection (042-044)	78	77	78	2,010	2,787	1571.0	1202.9	0	2124.6	1615.7	0
All cancer (140-208)	69	41	61	723	1,243	711.9	519.7	0	1474.0	1022.0	0
..Oral cavity or pharynx (140.0-149.9)	4	2	3	25	48	.	.	.	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	9	6	7	100	168	.	.	.	.	.	.
...Colon cancer (153)	7	5	5	93	143	.	.	.	.	.	.
...Rectal cancer (154)	2	1	2	8	25	.	.	.	.	.	.
..Pancreatic cancer (157)	3	3	3	38	68	.	.	.	.	.	.
..Lung and other respiratory cancer (160-165)	12	6	11	70	163	.	110.7	.	.	246.9	.
...Lung cancer (162.2-.9)	11	5	10	68	150	.	.	.	.	.	.
..Malignant melanoma of skin (172)	1	1	1	38	48	.	.	.	.	.	.
..Female breast cancer (174)	.	.	.	.	.	.	.	.	.	.	.
..Cervical cancer (180)	.	.	.	.	.	.	.	.	.	.	.
..Endometrial cancer (182)	.	.	.	.	.	.	.	.	.	.	.
..Ovarian cancer (183)	.	.	.	.	.	.	.	.	.	.	.
..Prostate cancer (185)	3	.	1	0	3	.	.	.	.	.	.
..Bladder cancer (188)	.	.	.	.	.	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	1	.	1	0	8	.	.	.	.	.	.
..Leukemia (204-208)	6	2	6	95	140	.	.	.	.	.	.
Diabetes mellitus (250)	8	4	7	55	108	.	.	.	.	.	.
..Diabetes-related (250)	37	22	31	225	493	296.6	159.7	0	755.7	343.7	0
...Diabetic ketoacidosis (DKA) (250.1)	1	1	1	33	43	.	.	.	.	.	.
Cardiovascular disease (390-459)	110	59	83	930	1,640	1001.9	1023.7	0	2050.1	1928.0	0
..Diseases of the heart (390-398,402,404-429)	88	46	67	742	1,305	772.7	737.8	0	1617.2	1488.8	0
...Heart disease-related (390-398,402,404-429)	175	112	142	2,184	3,444	2057.3	1664.7	0	3620.7	2917.5	0
...Coronary heart disease (CHD) (402,410-414,429.2)	60	30	45	320	698	415.8	394.8	0	1067.6	889.3	0
....Congestive heart failure (CHF) (428.0)	2	.	.	0	0	.	.	.	.	.	.
..Hypertension with or without renal disease (401,403)	13	7	8	13	23	.	.	.	.	.	.
...Hypertension-related (401,403)	13	7	8	63	140	.	.	.	.	.	.
..Cerebrovascular disease (430-438)	17	11	12	158	270	188.7	226.7	0	333.4	347.8	0
...Atherosclerosis (440)	1	.	.	0	0	.	.	.	.	.	.
...Atherosclerosis-related (440)	2	.	.	0	0	.	.	.	.	.	.
..Aortic aneurysm (441)	2	.	2	0	15	.	.	.	.	.	.
Pneumonia & influenza (480-487)	7	5	5	98	148	.	181.3	.	.	259.0	.
Chronic obstructive pulmonary disease (COPD) (490-496)	7	3	6	88	130	.	.	.	.	.	.
..COPD-related (490-496)	15	5	11	118	198	110.4	173.1	0	233.8	313.7	0
..Asthma (493)	2	1	2	48	60	.	.	.	.	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).



CONNECTICUT Hispanic Resident DEATHS, 1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
Chronic liver disease and cirrhosis (571)	13	9	11	128	228	.	.	.	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	3	1	1	3	13	.	.	.	.	.	.
..Nephritis-related (580-589)	22	9	16	228	355	190.9	194.0	0	369.2	347.8	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	4	1	1	3	13	.	.	.	.	.	.
Unintentional injuries (E800-E949)	45	43	45	1,325	1,765	994.8	1488.5	0	1280.7	1823.9	0
..Motor vehicle accidents (E810-E825)	8	8	8	260	340	.	700.0	.	.	836.4	.
..Falls and fall related injuries (E880-E888)	5	3	5	43	83	.	.	.	.	.	.
..Drowning (E830,E832,E910)	3	3	3	123	153	.	.	.	.	.	.
..Residential fires (E890-E899)	1	1	1	65	75	.	.	.	.	.	.
Suicide (E950-E959)	17	17	17	548	718	410.3	.	0	516.3	.	0
Homicide and legal intervention (E960-E978)	47	47	47	1,733	2,203	1435.6	1244.4	0	1730.2	1480.5	0
..Homicide (E960-E969)	47	47	47	1,733	2,203	1435.6	1244.4	0	1730.2	1480.5	0
All injury (E800-E999)	110	108	110	3,632	4,722	2858.6	3062.1	0	3550.0	3741.4	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	8	8	8	260	340	.	676.2	.	.	808.2	.
..All falls (E880-E886,E888,E957,E968.1,E987)	5	3	5	43	83	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	51	51	51	1,838	2,348	1542.6	1250.1	0	1879.2	1484.8	0
...Suicide (E955.0-.4)	11	11	11	353	463	.	.	.	.	.	.
...Homicide (E965.0-.4)	38	38	38	1,390	1,770	1170.6	1145.5	0	1417.4	1348.5	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	26	26	26	750	1,010	512.3	575.6	0	652.3	731.0	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	14	11	13	208	328	.	.	.	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	28	28	28	795	1,075	551.1	601.0	0	704.4	753.1	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
All causes	284	169	205	5,167	7,032	4072.9	3824.4	0	5737.2	5356.1	0
Infectious diseases and parasitic disease (1-139)	37	30	31	820	1,128	558.3	870.5	0	755.6	1043.3	0
..Septicemia (038)	9	4	4	70	110	.	.	.	.	.	.
...Septicemia-related (038)	27	13	15	387	527	313.2	.	0	443.2	.	0
..HIV infection (042-044)	24	24	24	700	940	463.4	621.6	0	595.1	760.3	0
All cancer (140-208)	48	29	37	520	860	514.6	393.2	0	924.1	722.9	0
..Oral cavity or pharynx (140.0-149.9)	.	.	.	.	.	.	.	.	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	2	.	.	0	0	.	.	.	.	.	.
...Colon cancer (153)	2	.	.	0	0	.	.	.	.	.	.
...Rectal cancer (154)	.	.	.	.	.	.	.	.	.	.	.
..Pancreatic cancer (157)	.	.	.	.	.	.	.	.	.	.	.
..Lung and other respiratory cancer (160-165)	5	1	3	3	23	.	.	.	.	.	.
...Lung cancer (162.2-.9)	4	1	2	3	15	.	.	.	.	.	.
..Malignant melanoma of skin (172)	1	1	1	3	13	.	.	.	.	.	.
..Female breast cancer (174)	14	11	13	128	253	.	.	.	.	.	.
..Cervical cancer (180)	1	1	1	18	28	.	.	.	.	.	.
..Endometrial cancer (182)	1	.	1	0	8	.	.	.	.	.	.
..Ovarian cancer (183)	1	1	1	8	18	.	.	.	.	.	.
..Prostate cancer (185)	.	.	.	.	.	.	.	.	.	.	.
..Bladder cancer (188)	2	1	2	18	35	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	4	3	4	48	80	.	.	.	.	.	.
..Leukemia (204-208)	3	2	2	122	142	.	.	.	.	.	.
Diabetes mellitus (250)	8	5	7	58	113	.	.	.	.	.	.
..Diabetes-related (250)	34	15	19	148	308	187.7	123.9	0	404.7	373.6	0
..Diabetic ketoacidosis (DKA) (250.1)	.	.	.	.	.	.	.	.	.	.	.
Cardiovascular disease (390-459)	84	26	39	407	735	397.7	417.6	0	825.8	853.2	0
..Diseases of the heart (390-398,402,404-429)	71	24	36	372	672	361.5	297.6	0	757.3	609.2	0
...Heart disease-related (390-398,402,404-429)	132	51	75	967	1,597	922.5	916.3	0	1697.4	1558.9	0
...Coronary heart disease (CHD) (402,410-414,429.2)	50	17	22	198	390	238.0	123.7	0	498.3	339.9	0
...Congestive heart failure (CHF) (428.0)	1	.	.	0	0	.	.	.	.	.	.
..Hypertension with or without renal disease (401,403)	1	.	.	0	0	.	.	.	.	.	.
...Hypertension-related (401,403)	13	2	3	60	83	.	.	.	.	.	.
..Cerebrovascular disease (430-438)	11	2	3	35	63	.	107.3	.	.	207.2	.
..Atherosclerosis (440)	.	.	.	.	.	.	.	.	.	.	.
...Atherosclerosis-related (440)	5	1	1	23	33	.	.	.	.	.	.
..Aortic aneurysm (441)	1	.	.	0	0	.	.	.	.	.	.
Pneumonia & influenza (480-487)	4	2	2	20	40	.	.	.	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	9	4	7	112	165	.	.	.	.	.	.
..COPD-related (490-496)	16	9	12	155	257	147.4	91.2	0	275.3	215.7	0
..Asthma (493)	3	3	3	48	78	.	.	.	.	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
Chronic liver disease and cirrhosis (571)	7	4	6	95	145	.	.	.	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	2	1	2	3	15	.	.	.	.	.	.
..Nephritis-related (580-589)	12	4	9	55	118	.	96.1	.	.	185.8	.
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	3	1	2	3	15	.	.	.	.	.	.
Unintentional injuries (E800-E949)	14	14	14	564	704	.	.	.	.	.	.
..Motor vehicle accidents (E810-E825)	6	6	6	247	307	.	.	.	.	.	.
..Falls and fall related injuries (E880-E888)	.	.	.	.	.	.	.	.	.	.	.
..Drowning (E830,E832,E910)	1	1	1	53	63	.	.	.	.	.	.
..Residential fires (E890-E899)	2	2	2	107	127	.	.	.	.	.	.
Suicide (E950-E959)	2	2	2	40	60	.	.	.	.	.	.
Homicide and legal intervention (E960-E978)	9	9	9	402	492	.	.	.	.	.	.
..Homicide (E960-E969)	9	9	9	402	492	.	.	.	.	.	.
All injury (E800-E999)	25	25	25	1,006	1,256	800.2	642.4	0	937.1	788.0	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	6	6	6	247	307	.	.	.	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	1	1	1	18	28	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	5	5	5	213	263	.	.	.	.	.	.
...Suicide (E955.0-.4)	.	.	.	.	.	.	.	.	.	.	.
...Homicide (E965.0-.4)	5	5	5	213	263	.	.	.	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	4	4	4	100	140	.	.	.	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	2	2	2	45	65	.	.	.	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	6	6	6	175	235	.	.	.	.	.	.

\* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
All causes	779	554	645	15,744	21,742	6841.9	6174.8	0	9824.1	8678.2	0
Infectious diseases and parasitic disease (1-139)	133	123	125	3,195	4,440	1528.1	1352.9	0	2057.0	1737.6	0
..Septicemia (038)	15	8	8	130	210	80.8	.	0	129.8	.	0
...Septicemia-related (038)	44	23	28	617	879	271.1	241.6	0	419.0	344.5	0
..HIV infection (042-044)	102	101	102	2,710	3,727	1266.8	1112.5	0	1678.5	1436.1	0
All cancer (140-208)	117	70	98	1,242	2,102	689.8	501.7	0	1290.8	934.2	0
..Oral cavity or pharynx (140.0-149.9)	4	2	3	25	48	.	.	.	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	11	6	7	100	168	.	.	.	.	.	.
...Colon cancer (153)	9	5	5	93	143	.	.	.	.	.	.
...Rectal cancer (154)	2	1	2	8	25	.	.	.	.	.	.
..Pancreatic cancer (157)	3	3	3	38	68	.	.	.	.	.	.
..Lung and other respiratory cancer (160-165)	17	7	14	73	185	53.6	80.7	0	151.5	156.4	0
...Lung cancer (162.2-.9)	15	6	12	70	165	51.1	66.8	0	132.0	138.7	0
..Malignant melanoma of skin (172)	2	2	2	40	60	.	.	.	.	.	.
..Female breast cancer (174)	14	11	13	128	253	.	.	.	.	.	.
..Cervical cancer (180)	1	1	1	18	28	.	.	.	.	.	.
..Endometrial cancer (182)	1	.	1	0	8	.	.	.	.	.	.
..Ovarian cancer (183)	1	1	1	8	18	.	.	.	.	.	.
..Prostate cancer (185)	3	.	1	0	3	.	.	.	.	.	.
..Bladder cancer (188)	2	1	2	18	35	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	5	3	5	48	88	.	.	.	.	.	.
..Leukemia (204-208)	9	4	8	217	282	.	.	.	.	.	.
Diabetes mellitus (250)	16	9	14	113	220	75.8	.	0	159.2	.	0
..Diabetes-related (250)	71	37	50	373	800	276.2	162.0	0	615.8	390.8	0
...Diabetic ketoacidosis (DKA) (250.1)	1	1	1	33	43	.	.	.	.	.	.
Cardiovascular disease (390-459)	194	85	122	1,337	2,374	794.0	799.0	0	1549.8	1491.9	0
..Diseases of the heart (390-398,402,404-429)	159	70	103	1,114	1,977	635.0	566.7	0	1266.9	1107.1	0
...Heart disease-related (390-398,402,404-429)	307	163	217	3,151	5,041	1692.5	1414.2	0	2924.3	2395.3	0
...Coronary heart disease (CHD) (402,410-414,429.2)	110	47	67	518	1,088	364.1	282.0	0	817.0	642.1	0
....Congestive heart failure (CHF) (428.0)	3	.	.	0	0	.	.	.	.	.	.
..Hypertension with or without renal disease (401,403)	26	9	11	13	23	79.0	109.4	0	153.2	230.5	0
...Hypertension-related (401,403)	26	9	11	123	223	79.0	109.4	0	153.2	230.5	0
..Cerebrovascular disease (430-438)	28	13	15	193	333	135.8	191.1	0	230.8	311.1	0
...Atherosclerosis (440)	1	.	.	0	0	.	.	.	.	.	.
....Atherosclerosis-related (440)	7	1	1	23	33	.	.	.	.	.	.
..Aortic aneurysm (441)	3	.	2	0	15	.	.	.	.	.	.
Pneumonia & influenza (480-487)	11	7	7	118	188	.	147.7	.	.	207.0	.
Chronic obstructive pulmonary disease (COPD) (490-496)	16	7	13	200	295	87.7	43.4	0	149.7	103.2	0
..COPD-related (490-496)	31	14	23	272	455	140.8	148.7	0	272.8	292.0	0
..Asthma (493)	5	4	5	95	138	.	.	.	.	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
Chronic liver disease and cirrhosis (571)	20	13	17	223	373	141.2	.	0	241.3	.	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	5	2	3	5	28	.	.	.	.	.	.
..Nephritis-related (580-589)	34	13	25	283	473	130.0	158.9	0	268.1	284.1	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	7	2	3	5	28	.	.	.	.	.	.
Unintentional injuries (E800-E949)	59	57	59	1,889	2,469	789.0	857.1	0	993.4	1062.3	0
..Motor vehicle accidents (E810-E825)	14	14	14	507	647	.	360.6	.	.	434.8	.
..Falls and fall related injuries (E880-E888)	5	3	5	43	83	.	.	.	.	.	.
..Drowning (E830,E832,E910)	4	4	4	175	215	.	.	.	.	.	.
..Residential fires (E890-E899)	3	3	3	172	202	.	.	.	.	.	.
Suicide (E950-E959)	19	19	19	588	778	251.4	.	0	319.4	.	0
Homicide and legal intervention (E960-E978)	56	56	56	2,134	2,694	815.8	719.8	0	978.1	862.7	0
..Homicide (E960-E969)	56	56	56	2,134	2,694	815.8	719.8	0	978.1	862.7	0
All injury (E800-E999)	135	133	135	4,638	5,978	1869.6	1763.9	0	2307.9	2170.7	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	14	14	14	507	647	.	348.7	.	.	420.8	.
..All falls (E880-E886,E888,E957,E968.1,E987)	6	4	6	60	110	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	56	56	56	2,050	2,610	809.4	698.0	0	983.6	830.3	0
....Suicide (E955.0-.4)	11	11	11	353	463	.	.	.	.	.	.
....Homicide (E965.0-.4)	43	43	43	1,603	2,033	625.8	632.4	0	755.7	745.0	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	30	30	30	850	1,150	390.6	350.0	0	497.9	440.9	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	16	13	15	253	393	155.4	.	0	236.9	.	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	34	34	34	970	1,310	444.0	381.6	0	565.2	476.6	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
All causes	495	385	440	10,578	14,710	9659.8	8654.2	0	14024.2	12170.0	0
Infectious diseases and parasitic disease (1-139)	96	93	94	2,375	3,312	2396.8	1784.6	0	3243.0	2380.2	0
..Septicemia (038)	6	4	4	60	100	.	.	.	.	.	.
...Septicemia-related (038)	17	10	13	230	353	235.3	359.1	0	402.4	536.7	0
..HIV infection (042-044)	78	77	78	2,010	2,787	1996.1	1524.5	0	2680.9	2024.1	0
All cancer (140-208)	69	41	61	723	1,243	827.2	579.3	0	1636.4	1108.5	0
..Oral cavity or pharynx (140.0-149.9)	4	2	3	25	48	.	.	.	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	9	6	7	100	168	.	.	.	.	.	.
...Colon cancer (153)	7	5	5	93	143	.	.	.	.	.	.
...Rectal cancer (154)	2	1	2	8	25	.	.	.	.	.	.
..Pancreatic cancer (157)	3	3	3	38	68	.	.	.	.	.	.
..Lung and other respiratory cancer (160-165)	12	6	11	70	163	.	141.5	.	.	288.1	.
...Lung cancer (162.2-.9)	11	5	10	68	150	.	.	.	.	.	.
..Malignant melanoma of skin (172)	1	1	1	38	48	.	.	.	.	.	.
..Female breast cancer (174)	.	.	.	.	.	.	.	.	.	.	.
..Cervical cancer (180)	.	.	.	.	.	.	.	.	.	.	.
..Endometrial cancer (182)	.	.	.	.	.	.	.	.	.	.	.
..Ovarian cancer (183)	.	.	.	.	.	.	.	.	.	.	.
..Prostate cancer (185)	3	.	1	0	3	.	.	.	.	.	.
..Bladder cancer (188)	.	.	.	.	.	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	1	.	1	0	8	.	.	.	.	.	.
..Leukemia (204-208)	6	2	6	95	140	.	.	.	.	.	.
Diabetes mellitus (250)	8	4	7	55	108	.	.	.	.	.	.
..Diabetes-related (250)	37	22	31	225	493	341.0	184.0	0	815.8	375.7	0
...Diabetic ketoacidosis (DKA) (250.1)	1	1	1	33	43	.	.	.	.	.	.
Cardiovascular disease (390-459)	110	59	83	930	1,640	1183.9	1164.3	0	2309.7	2120.9	0
..Diseases of the heart (390-398,402,404-429)	88	46	67	742	1,305	900.6	844.3	0	1800.4	1629.9	0
...Heart disease-related (390-398,402,404-429)	175	112	142	2,184	3,444	2471.1	1917.7	0	4190.9	3260.6	0
...Coronary heart disease (CHD) (402,410-414,429.2)	60	30	45	320	698	480.9	437.2	0	1158.7	950.7	0
....Congestive heart failure (CHF) (428.0)	2	.	.	0	0	.	.	.	.	.	.
..Hypertension with or without renal disease (401,403)	13	7	8	63	140	.	.	.	.	.	.
...Hypertension-related (401,403)	13	7	8	63	140	.	.	.	.	.	.
..Cerebrovascular disease (430-438)	17	11	12	158	270	234.1	247.6	0	395.8	380.9	0
...Atherosclerosis (440)	1	.	.	0	0	.	.	.	.	.	.
....Atherosclerosis-related (440)	2	.	.	0	0	.	.	.	.	.	.
..Aortic aneurysm (441)	2	.	2	0	15	.	.	.	.	.	.
Pneumonia & influenza (480-487)	7	5	5	98	148	.	203.7	.	.	290.7	.
Chronic obstructive pulmonary disease (COPD) (490-496)	7	3	6	88	130	.	.	.	.	.	.
..COPD-related (490-496)	15	5	11	118	198	124.3	193.0	0	257.7	342.5	0
..Asthma (493)	2	1	2	48	60	.	.	.	.	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
Chronic liver disease and cirrhosis (571)	13	9	11	128	228	.	.	.	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	3	1	1	3	13	.	.	.	.	.	.
..Nephritis-related (580-589)	22	9	16	228	355	207.9	238.5	0	396.9	401.6	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	4	1	1	3	13	.	.	.	.	.	.
Unintentional injuries (E800-E949)	45	43	45	1,325	1,765	1163.0	1427.8	0	1503.7	1766.0	0
..Motor vehicle accidents (E810-E825)	8	8	8	260	340	.	591.8	.	.	713.1	.
..Falls and fall related injuries (E880-E888)	5	3	5	43	83	.	.	.	.	.	.
..Drowning (E830,E832,E910)	3	3	3	123	153	.	.	.	.	.	.
..Residential fires (E890-E899)	1	1	1	65	75	.	.	.	.	.	.
Suicide (E950-E959)	17	17	17	548	718	447.9	.	0	564.8	.	0
Homicide and legal intervention (E960-E978)	47	47	47	1,733	2,203	1335.1	1112.5	0	1621.3	1333.7	0
..Homicide (E960-E969)	47	47	47	1,733	2,203	1335.1	1112.5	0	1621.3	1333.7	0
All injury (E800-E999)	110	108	110	3,632	4,722	2973.2	2921.5	0	3724.3	3602.9	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	8	8	8	260	340	.	567.9	.	.	685.0	.
..All falls (E880-E886,E888,E957,E968.1,E987)	5	3	5	43	83	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	51	51	51	1,838	2,348	1442.3	1148.1	0	1771.7	1375.9	0
...Suicide (E955.0-.4)	11	11	11	353	463	.	.	.	.	.	.
...Homicide (E965.0-.4)	38	38	38	1,390	1,770	1079.9	1013.2	0	1318.7	1200.6	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	26	26	26	750	1,010	682.8	650.9	0	867.4	822.5	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	14	11	13	208	328	.	.	.	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	28	28	28	795	1,075	744.0	687.0	0	948.4	858.6	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
All causes	284	169	205	5,167	7,032	4148.1	3780.8	0	5908.6	5373.8	0
Infectious diseases and parasitic disease (1-139)	37	30	31	820	1,128	708.2	954.3	0	944.4	1151.1	0
..Septicemia (038)	9	4	4	70	110	.	.	.	.	.	.
...Septicemia-related (038)	27	13	15	387	527	312.9	.	0	446.0	.	0
..HIV infection (042-044)	24	24	24	700	940	579.4	725.1	0	740.4	889.9	0
All cancer (140-208)	48	29	37	520	860	562.8	432.6	0	995.5	785.3	0
..Oral cavity or pharynx (140.0-149.9)	.	.	.	.	.	.	.	.	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	2	.	.	0	0	.	.	.	.	.	.
...Colon cancer (153)	2	.	.	0	0	.	.	.	.	.	.
...Rectal cancer (154)	.	.	.	.	.	.	.	.	.	.	.
..Pancreatic cancer (157)	.	.	.	.	.	.	.	.	.	.	.
..Lung and other respiratory cancer (160-165)	5	1	3	3	23	.	.	.	.	.	.
...Lung cancer (162.2-.9)	4	1	2	3	15	.	.	.	.	.	.
..Malignant melanoma of skin (172)	1	1	1	3	13	.	.	.	.	.	.
..Female breast cancer (174)	14	11	13	128	253	.	.	.	.	.	.
..Cervical cancer (180)	1	1	1	18	28	.	.	.	.	.	.
..Endometrial cancer (182)	1	.	1	0	8	.	.	.	.	.	.
..Ovarian cancer (183)	1	1	1	8	18	.	.	.	.	.	.
..Prostate cancer (185)	.	.	.	.	.	.	.	.	.	.	.
..Bladder cancer (188)	2	1	2	18	35	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	4	3	4	48	80	.	.	.	.	.	.
..Leukemia (204-208)	3	2	2	122	142	.	.	.	.	.	.
Diabetes mellitus (250)	8	5	7	58	113	.	.	.	.	.	.
..Diabetes-related (250)	34	15	19	148	308	218.5	141.6	0	448.0	398.7	0
..Diabetic ketoacidosis (DKA) (250.1)	.	.	.	.	.	.	.	.	.	.	.
Cardiovascular disease (390-459)	84	26	39	407	735	440.2	462.2	0	887.6	926.0	0
..Diseases of the heart (390-398,402,404-429)	71	24	36	372	672	392.5	317.7	0	802.8	646.8	0
...Heart disease-related (390-398,402,404-429)	132	51	75	967	1,597	971.6	957.8	0	1782.7	1628.5	0
...Coronary heart disease (CHD) (402,410-414,429.2)	50	17	22	198	390	261.8	144.1	0	532.6	373.3	0
...Congestive heart failure (CHF) (428.0)	1	.	.	0	0	.	.	.	.	.	.
..Hypertension with or without renal disease (401,403)	1	.	.	0	0	.	.	.	.	.	.
...Hypertension-related (401,403)	13	2	3	60	83	.	.	.	.	.	.
..Cerebrovascular disease (430-438)	11	2	3	35	63	.	131.5	.	.	240.1	.
..Atherosclerosis (440)	.	.	.	.	.	.	.	.	.	.	.
...Atherosclerosis-related (440)	5	1	1	23	33	.	.	.	.	.	.
..Aortic aneurysm (441)	1	.	.	0	0	.	.	.	.	.	.
Pneumonia & influenza (480-487)	4	2	2	20	40	.	.	.	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	9	4	7	112	165	.	.	.	.	.	.
..COPD-related (490-496)	16	9	12	155	257	152.6	103.8	0	285.7	238.9	0
..Asthma (493)	3	3	3	48	78	.	.	.	.	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).



CONNECTICUT Hispanic Resident DEATHS, 1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
Chronic liver disease and cirrhosis (571)	7	4	6	95	145	.	.	.	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	2	1	2	3	15	.	.	.	.	.	.
..Nephritis-related (580-589)	12	4	9	55	118	.	86.4	.	.	176.1	.
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	3	1	2	3	15	.	.	.	.	.	.
Unintentional injuries (E800-E949)	14	14	14	564	704	.	.	.	.	.	.
..Motor vehicle accidents (E810-E825)	6	6	6	247	307	.	.	.	.	.	.
..Falls and fall related injuries (E880-E888)	.	.	.	.	.	.	.	.	.	.	.
..Drowning (E830,E832,E910)	1	1	1	53	63	.	.	.	.	.	.
..Residential fires (E890-E899)	2	2	2	107	127	.	.	.	.	.	.
Suicide (E950-E959)	2	2	2	40	60	.	.	.	.	.	.
Homicide and legal intervention (E960-E978)	9	9	9	402	492	.	.	.	.	.	.
..Homicide (E960-E969)	9	9	9	402	492	.	.	.	.	.	.
All injury (E800-E999)	25	25	25	1,006	1,256	766.9	593.8	0	908.6	737.5	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	6	6	6	247	307	.	.	.	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	1	1	1	18	28	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	5	5	5	213	263	.	.	.	.	.	.
...Suicide (E955.0-.4)	.	.	.	.	.	.	.	.	.	.	.
...Homicide (E965.0-.4)	5	5	5	213	263	.	.	.	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	4	4	4	100	140	.	.	.	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	2	2	2	45	65	.	.	.	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	6	6	6	175	235	.	.	.	.	.	.

\* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).