

# Connecticut Resident Age-Adjusted Rates for 62 Cause of Death Classifications by Sex Hispanic Residents, 1998

Page

## Connecticut Resident Age-Adjusted Mortality Rate (AAMR) Tables by Cause of Death and Sex, Hispanic Residents, 1998

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

2

1970 standard population

4

2000 standard population

6

## Connecticut Resident Age-Adjusted Years of Potential Life Lost Rate (YPLL) Tables by Cause of Death and Sex, Hispanic Residents, 1998

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

8

1970 standard population

14

2000 standard population

20

CONNECTICUT Hispanic Resident DEATHS, 1998  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes				Male				Female						
	*****1998*****				*****1998*****				*****1998*****						
	No. of deaths	Crude rate	AAMR	Significance	1997 AAMR	No. of deaths	Crude rate	AAMR	Significance	1997 AAMR	No. of deaths	Crude rate	AAMR	Significance	1997 AAMR
*****Causes of Death*****															
All causes	785	292.5	342.4	0	372.9	450	343.2	444.1	0	492.6	335	244.2	256.3	0	278.1
Infectious diseases and parasitic disease (1-139)	73	27.2	30.5	0	34.9	52	39.7	45.7	0	42.8	21	15.3	17.3	0	27.6
..Septicemia (038)	9	3.4	.	.	8.5	5	3.8	.	.	.	4	2.9	.	.	.
....Septicemia-related (038)	41	15.3	19.1	0	21.0	27	20.6	27.9	0	23.8	14	10.2	.	.	18.8
..HIV infection (042-044)	51	19.0	20.4	0	20.6	38	29.0	32.6	0	29.8	13	9.5	.	.	12.8
All cancer (140-208)	137	51.1	68.5	0	74.4	80	61.0	90.6	0	88.2	57	41.5	51.3	0	67.2
..Oral cavity or pharynx (140.0-149.9)	2	0.7	.	.	.	1	0.8	.	.	.	1	0.7	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	16	6.0	7.6	0	.	12	9.2	.	.	.	4	2.9	.	.	.
....Colon cancer (153)	14	5.2	.	.	.	11	8.4	.	.	.	3	2.2	.	.	.
....Rectal cancer (154)	2	0.7	.	.	.	1	0.8	.	.	.	1	0.7	.	.	.
..Pancreatic cancer (157)	5	1.9	.	.	.	3	2.3	.	.	.	2	1.5	.	.	.
..Lung and other respiratory cancer (160-165)	26	9.7	14.3	0	13.9	17	13.0	20.4	0	.	9	6.6	.	.	.
....Lung cancer (162.2-.9)	25	9.3	14.0	0	13.2	16	12.2	19.3	0	.	9	6.6	.	.	.
..Female breast cancer (174)	10	.	.	.	.	.	.	.	.	.	10	7.3	.	.	16.1
..Cervical cancer (180)	4	.	.	.	.	.	.	.	.	.	4	2.9	.	.	.
..Ovarian cancer (183)	2	.	.	.	.	.	.	.	.	.	2	1.5	.	.	.
..Prostate cancer (185)	3	.	.	.	.	3	2.3	.	.	.	.	.	.	.	.
..Bladder cancer (188)	4	1.5	.	.	.	.	.	.	.	.	4	2.9	.	.	.
..Brain & other CNS cancer (191-192)	1	0.4	.	.	.	.	.	.	.	.	1	0.7	.	.	.
..Leukemia (204-208)	8	3.0	.	.	.	7	5.3	.	.	.	1	0.7	.	.	.
Diabetes mellitus (250)	21	7.8	11.7	0	14.3	10	7.6	.	.	22.5	11	8.0	.	.	.
..Diabetes-related (250)	92	34.3	47.3	0	50.7	45	34.3	53.6	0	57.2	47	34.3	42.4	0	45.5
Alzheimer's diseases (331.0)	1	0.4	.	.	.	.	.	.	.	.	1	0.7	.	.	.
Cardiovascular disease (390-459)	218	81.2	101.8	0	115.9	103	78.5	121.4	0	149.4	115	83.8	86.2	0	90.4
..Diseases of the heart (390-398,402,404-429)	160	59.6	75.8	0	91.2	73	55.7	87.1	0	123.4	87	63.4	67.1	0	67.7
....Heart disease-related (390-398,402,404-429)	322	120.0	149.1	0	180.1	162	123.5	181.6	0	234.4	160	116.6	122.6	0	138.9
....Coronary heart disease (CHD) (402,410-414,429.2)	102	38.0	50.9	0	65.0	49	37.4	60.7	0	89.4	53	38.6	44.4	0	47.4
....Congestive heart failure (CHF) (428.0)	11	4.1	.	.	.	4	3.1	.	.	.	7	5.1	.	.	.
....Hypertension with or without renal disease (401,403)	1	0.4	.	.	.	1	0.8	.	.	.	.	.	.	.	.
....Hypertension-related (401,403)	45	16.8	20.3	0	24.2	18	13.7	19.6	0	28.3	27	19.7	20.4	0	21.1
..Cerebrovascular disease (430-438)	47	17.5	20.9	0	19.8	24	18.3	26.8	0	18.9	23	16.8	16.1	0	19.8
..Atherosclerosis (440)	1	0.4	.	.	.	.	.	.	.	.	1	0.7	.	.	.
....Atherosclerosis-related (440)	8	3.0	.	.	.	5	3.8	.	.	.	3	2.2	.	.	.
..Aortic aneurysm (441)	4	1.5	.	.	.	2	1.5	.	.	.	2	1.5	.	.	.
Pneumonia & influenza (480-487)	25	9.3	9.9	0	8.6	10	7.6	.	.	.	15	10.9	9.0	0	.
Chronic obstructive pulmonary disease (COPD) (490-496)	23	8.6	9.9	0	9.8	10	7.6	.	.	.	13	9.5	.	.	.
..COPD-related (490-496)	52	19.4	22.7	0	20.6	22	16.8	21.7	0	26.6	30	21.9	23.7	0	17.0
..Asthma (493)	9	3.4	.	.	.	4	3.1	.	.	.	5	3.6	.	.	.

(CONTINUED)

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1998 AAMR is significantly different (prob<0.05) from the 1997 AAMR.  
 0 - The 1998 AAMR is not significantly different (prob>0.05) from the 1997 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1998  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes					Male					Female				
	*****1998*****					*****1998*****					*****1998*****				
	No. of deaths	Crude rate	AAMR	Signif- icance	1997 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1997 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1997 AAMR
*****Causes of Death*****															
Chronic liver disease and cirrhosis (571)	25	9.3	12.3	0	14.1	16	12.2	17.6	0	19.8	9	6.6	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	11	4.1	.	.	.	5	3.8	.	.	.	6	4.4	.	.	.
..Nephritis-related (580-589)	65	24.2	30.8	0	27.6	34	25.9	38.3	0	32.4	31	22.6	25.0	0	24.4
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	15	5.6	7.2	0	8.6	9	6.9	.	.	.	6	4.4	.	.	.
Unintentional injuries (E800-E949)	84	31.3	32.0	0	32.0	65	49.6	53.8	0	50.2	19	13.8	12.2	0	15.1
..Motor vehicle accidents (E810-E825)	28	10.4	11.2	0	12.3	19	14.5	16.3	0	17.4	9	6.6	.	.	.
..Falls and fall related injuries (E880-E888)	5	1.9	.	.	.	3	2.3	.	.	.	2	1.5	.	.	.
..Drowning (E830,E832,E910)	3	1.1	.	.	.	2	1.5	.	.	.	1	0.7	.	.	.
..Residential fires (E890-E899)	6	2.2	.	.	.	5	3.8	.	.	.	1	0.7	.	.	.
Suicide (E950-E959)	14	5.2	.	.	.	11	8.4	.	.	.	3	2.2	.	.	.
Homicide and legal intervention (E960-E978)	20	7.5	7.7	0	8.2	17	13.0	13.2	0	14.8	3	2.2	.	.	.
..Homicide (E960-E969)	20	7.5	7.7	0	8.2	17	13.0	13.2	0	14.8	3	2.2	.	.	.
All injury (E800-E999)	121	45.1	46.3	0	45.1	95	72.4	77.6	0	73.5	26	18.9	17.5	0	18.1
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	28	10.4	11.2	0	11.1	19	14.5	16.3	0	15.8	9	6.6	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	3	1.1	.	.	.	3	2.3	.	.	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	19	7.1	7.4	0	6.6	18	13.7	14.1	0	13.0	1	0.7	.	.	.
....Suicide (E955.0-.4)	4	1.5	.	.	.	4	3.1	.	.	.	.	.	.	.	.
....Homicide (E965.0-.4)	14	5.2	.	.	.	13	9.9	.	.	.	1	0.7	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	35	13.0	12.7	0	12.6	28	21.4	21.6	0	21.4	7	5.1	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	15	5.6	6.8	0	.	11	8.4	.	.	.	4	2.9	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	37	13.8	13.5	0	12.7	30	22.9	23.3	0	21.6	7	5.1	.	.	.

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1998 AAMR is significantly different (prob<0.05) from the 1997 AAMR.  
 0 - The 1998 AAMR is not significantly different (prob>0.05) from the 1997 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1998  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes					Male					Female				
	*****1998*****					*****1998*****					*****1998*****				
	No. of deaths	Crude rate	AAMR	Signif-icance	1997 AAMR	No. of deaths	Crude rate	AAMR	Signif-icance	1997 AAMR	No. of deaths	Crude rate	AAMR	Signif-icance	1997 AAMR
*****Causes of Death*****															
All causes	785	292.5	423.2	0	472.2	450	343.2	534.8	0	624.0	335	244.2	331.8	0	360.5
Infectious diseases and parasitic disease (1-139)	73	27.2	29.9	0	36.5	52	39.7	45.2	0	42.3	21	15.3	17.1	0	30.7
..Septicemia (038)	9	3.4	.	.	11.8	5	3.8	.	.	.	4	2.9	.	.	.
....Septicemia-related (038)	41	15.3	23.3	0	28.6	27	20.6	33.2	0	32.5	14	10.2	.	.	25.8
..HIV infection (042-044)	51	19.0	18.5	0	19.2	38	29.0	29.6	0	28.0	13	9.5	.	.	11.8
All cancer (140-208)	137	51.1	86.4	0	92.7	80	61.0	116.2	0	118.4	57	41.5	64.8	0	78.5
..Oral cavity or pharynx (140.0-149.9)	2	0.7	.	.	.	1	0.8	.	.	.	1	0.7	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	16	6.0	10.1	0	.	12	9.2	.	.	.	4	2.9	.	.	.
....Colon cancer (153)	14	5.2	.	.	.	11	8.4	.	.	.	3	2.2	.	.	.
....Rectal cancer (154)	2	0.7	.	.	.	1	0.8	.	.	.	1	0.7	.	.	.
..Pancreatic cancer (157)	5	1.9	.	.	.	3	2.3	.	.	.	2	1.5	.	.	.
..Lung and other respiratory cancer (160-165)	26	9.7	17.7	0	17.9	17	13.0	24.8	0	.	9	6.6	.	.	.
....Lung cancer (162.2-.9)	25	9.3	17.0	0	17.1	16	12.2	22.8	0	.	9	6.6	.	.	.
..Female breast cancer (174)	10	.	.	.	.	.	.	.	.	.	10	7.3	.	.	17.5
..Cervical cancer (180)	4	.	.	.	.	.	.	.	.	.	4	2.9	.	.	.
..Ovarian cancer (183)	2	.	.	.	.	.	.	.	.	.	2	1.5	.	.	.
..Prostate cancer (185)	3	.	.	.	.	3	2.3	.	.	.	.	.	.	.	.
..Bladder cancer (188)	4	1.5	.	.	.	.	.	.	.	.	4	2.9	.	.	.
..Brain & other CNS cancer (191-192)	1	0.4	.	.	.	.	.	.	.	.	1	0.7	.	.	.
..Leukemia (204-208)	8	3.0	.	.	.	7	5.3	.	.	.	1	0.7	.	.	.
Diabetes mellitus (250)	21	7.8	15.6	0	18.3	10	7.6	.	.	28.3	11	8.0	.	.	.
..Diabetes-related (250)	92	34.3	63.7	0	67.5	45	34.3	72.1	0	75.8	47	34.3	57.7	0	61.3
Alzheimer's diseases (331.0)	1	0.4	.	.	.	.	.	.	.	.	1	0.7	.	.	.
Cardiovascular disease (390-459)	218	81.2	143.0	0	163.5	103	78.5	164.6	0	206.4	115	83.8	125.3	0	131.9
..Diseases of the heart (390-398,402,404-429)	160	59.6	107.0	0	129.3	73	55.7	119.5	0	173.3	87	63.4	97.0	0	98.6
....Heart disease-related (390-398,402,404-429)	322	120.0	201.1	0	246.7	162	123.5	235.4	0	319.8	160	116.6	172.8	0	195.0
....Coronary heart disease (CHD) (402,410-414,429.2)	102	38.0	72.1	0	92.1	49	37.4	87.0	0	125.4	53	38.6	62.3	0	69.2
....Congestive heart failure (CHF) (428.0)	11	4.1	.	.	.	4	3.1	.	.	.	7	5.1	.	.	.
..Hypertension with or without renal disease (401,403)	1	0.4	.	.	.	1	0.8	.	.	.	.	.	.	.	.
....Hypertension-related (401,403)	45	16.8	29.5	0	35.2	18	13.7	27.0	0	40.8	27	19.7	30.5	0	31.3
..Cerebrovascular disease (430-438)	47	17.5	29.6	0	27.6	24	18.3	36.6	0	24.5	23	16.8	24.0	0	28.8
..Atherosclerosis (440)	1	0.4	.	.	.	.	.	.	.	.	1	0.7	.	.	.
....Atherosclerosis-related (440)	8	3.0	.	.	.	5	3.8	.	.	.	3	2.2	.	.	.
..Aortic aneurysm (441)	4	1.5	.	.	.	2	1.5	.	.	.	2	1.5	.	.	.
Pneumonia & influenza (480-487)	25	9.3	15.9	0	14.6	10	7.6	.	.	.	15	10.9	15.9	0	.
Chronic obstructive pulmonary disease (COPD) (490-496)	23	8.6	12.9	0	14.2	10	7.6	.	.	.	13	9.5	.	.	.
..COPD-related (490-496)	52	19.4	31.4	0	30.5	22	16.8	31.2	0	42.5	30	21.9	31.8	0	23.9
..Asthma (493)	9	3.4	.	.	.	4	3.1	.	.	.	5	3.6	.	.	.

(CONTINUED)

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1998 AAMR is significantly different (prob<0.05) from the 1997 AAMR.  
 0 - The 1998 AAMR is not significantly different (prob>0.05) from the 1997 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1998  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes					Male					Female				
	*****1998*****					*****1998*****					*****1998*****				
	No. of deaths	Crude rate	AAMR	Significance	1997 AAMR	No. of deaths	Crude rate	AAMR	Significance	1997 AAMR	No. of deaths	Crude rate	AAMR	Significance	1997 AAMR
*****Causes of Death*****															
Chronic liver disease and cirrhosis (571)	25	9.3	13.9	0	15.4	16	12.2	19.7	0	20.3	9	6.6	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	11	4.1	.	.	.	5	3.8	.	.	.	6	4.4	.	.	.
..Nephritis-related (580-589)	65	24.2	41.5	0	35.7	34	25.9	51.5	0	43.9	31	22.6	34.3	0	30.8
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	15	5.6	9.2	0	12.5	9	6.9	.	.	.	6	4.4	.	.	.
Unintentional injuries (E800-E949)	84	31.3	30.9	0	30.5	65	49.6	52.8	0	47.5	19	13.8	11.3	0	15.3
..Motor vehicle accidents (E810-E825)	28	10.4	10.6	0	11.7	19	14.5	16.3	0	16.3	9	6.6	.	.	.
..Falls and fall related injuries (E880-E888)	5	1.9	.	.	.	3	2.3	.	.	.	2	1.5	.	.	.
..Drowning (E830,E832,E910)	3	1.1	.	.	.	2	1.5	.	.	.	1	0.7	.	.	.
..Residential fires (E890-E899)	6	2.2	.	.	.	5	3.8	.	.	.	1	0.7	.	.	.
Suicide (E950-E959)	14	5.2	.	.	.	11	8.4	.	.	.	3	2.2	.	.	.
Homicide and legal intervention (E960-E978)	20	7.5	6.9	0	7.8	17	13.0	11.7	0	14.3	3	2.2	.	.	.
..Homicide (E960-E969)	20	7.5	6.9	0	7.8	17	13.0	11.7	0	14.3	3	2.2	.	.	.
All injury (E800-E999)	121	45.1	43.7	0	42.6	95	72.4	74.1	0	69.2	26	18.9	16.2	0	17.8
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	28	10.4	10.6	0	10.7	19	14.5	16.3	0	14.9	9	6.6	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	3	1.1	.	.	.	3	2.3	.	.	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	19	7.1	6.6	0	5.9	18	13.7	12.5	0	11.6	1	0.7	.	.	.
....Suicide (E955.0-.4)	4	1.5	.	.	.	4	3.1	.	.	.	.	.	.	.	.
....Homicide (E965.0-.4)	14	5.2	.	.	.	13	9.9	.	.	.	1	0.7	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	35	13.0	10.6	0	10.9	28	21.4	18.3	0	18.7	7	5.1	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	15	5.6	6.5	0	.	11	8.4	.	.	.	4	2.9	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	37	13.8	11.5	0	11.1	30	22.9	20.1	0	19.0	7	5.1	.	.	.

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1998 AAMR is significantly different (prob<0.05) from the 1997 AAMR.  
 0 - The 1998 AAMR is not significantly different (prob>0.05) from the 1997 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1998  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes					Male					Female				
	*****1998*****					*****1998*****					*****1998*****				
	No. of deaths	Crude rate	AAMR	Signif- icance	1997 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1997 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1997 AAMR
*****Causes of Death*****															
All causes	785	292.5	524.8	0	605.4	450	343.2	653.2	0	803.9	335	244.2	421.4	0	467.1
Infectious diseases and parasitic disease (1-139)	73	27.2	35.5	0	44.9	52	39.7	55.2	0	51.8	21	15.3	19.1	0	37.5
..Septicemia (038)	9	3.4	.	.	15.6	5	3.8	.	.	.	4	2.9	.	.	.
....Septicemia-related (038)	41	15.3	28.4	0	37.7	27	20.6	40.3	0	42.9	14	10.2	.	.	34.1
..HIV infection (042-044)	51	19.0	22.0	0	22.3	38	29.0	35.4	0	33.0	13	9.5	.	.	13.2
All cancer (140-208)	137	51.1	104.6	0	112.1	80	61.0	143.9	0	149.8	57	41.5	77.4	0	91.8
..Oral cavity or pharynx (140.0-149.9)	2	0.7	.	.	.	1	0.8	.	.	.	1	0.7	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	16	6.0	12.7	0	.	12	9.2	.	.	.	4	2.9	.	.	.
....Colon cancer (153)	14	5.2	.	.	.	11	8.4	.	.	.	3	2.2	.	.	.
....Rectal cancer (154)	2	0.7	.	.	.	1	0.8	.	.	.	1	0.7	.	.	.
..Pancreatic cancer (157)	5	1.9	.	.	.	3	2.3	.	.	.	2	1.5	.	.	.
..Lung and other respiratory cancer (160-165)	26	9.7	20.2	0	20.8	17	13.0	28.6	0	.	9	6.6	.	.	.
....Lung cancer (162.2-.9)	25	9.3	19.0	0	20.1	16	12.2	25.4	0	.	9	6.6	.	.	.
..Female breast cancer (174)	10	.	.	.	.	.	.	.	.	.	10	7.3	.	.	19.7
..Cervical cancer (180)	4	.	.	.	.	.	.	.	.	.	4	2.9	.	.	.
..Ovarian cancer (183)	2	.	.	.	.	.	.	.	.	.	2	1.5	.	.	.
..Prostate cancer (185)	3	.	.	.	.	3	2.3	.	.	.	.	.	.	.	.
..Bladder cancer (188)	4	1.5	.	.	.	.	.	.	.	.	4	2.9	.	.	.
..Brain & other CNS cancer (191-192)	1	0.4	.	.	.	.	.	.	.	.	1	0.7	.	.	.
..Leukemia (204-208)	8	3.0	.	.	.	7	5.3	.	.	.	1	0.7	.	.	.
Diabetes mellitus (250)	21	7.8	18.6	0	22.5	10	7.6	.	.	33.9	11	8.0	.	.	.
..Diabetes-related (250)	92	34.3	79.1	0	85.5	45	34.3	91.1	0	97.9	47	34.3	70.6	0	76.8
Alzheimer's diseases (331.0)	1	0.4	.	.	.	.	.	.	.	.	1	0.7	.	.	.
Cardiovascular disease (390-459)	218	81.2	188.4	0	223.7	103	78.5	207.7	0	274.1	115	83.8	171.3	0	187.7
..Diseases of the heart (390-398,402,404-429)	160	59.6	140.1	0	177.4	73	55.7	150.7	0	233.0	87	63.4	130.7	0	140.2
....Heart disease-related (390-398,402,404-429)	322	120.0	260.5	1	329.8	162	123.5	294.4	1	428.0	160	116.6	231.1	0	264.3
....Coronary heart disease (CHD) (402,410-414,429.2)	102	38.0	92.7	0	124.5	49	37.4	112.4	0	167.6	53	38.6	79.9	0	96.2
....Congestive heart failure (CHF) (428.0)	11	4.1	.	.	.	4	3.1	.	.	.	7	5.1	.	.	.
..Hypertension with or without renal disease (401,403)	1	0.4	.	.	.	1	0.8	.	.	.	.	.	.	.	.
....Hypertension-related (401,403)	45	16.8	40.2	0	48.2	18	13.7	36.1	0	56.9	27	19.7	41.9	0	42.5
..Cerebrovascular disease (430-438)	47	17.5	40.0	0	38.4	24	18.3	47.7	0	31.6	23	16.8	33.8	0	41.5
..Atherosclerosis (440)	1	0.4	.	.	.	.	.	.	.	.	1	0.7	.	.	.
....Atherosclerosis-related (440)	8	3.0	.	.	.	5	3.8	.	.	.	3	2.2	.	.	.
..Aortic aneurysm (441)	4	1.5	.	.	.	2	1.5	.	.	.	2	1.5	.	.	.
Pneumonia & influenza (480-487)	25	9.3	23.5	0	22.7	10	7.6	.	.	.	15	10.9	25.0	0	.
Chronic obstructive pulmonary disease (COPD) (490-496)	23	8.6	16.6	0	20.4	10	7.6	.	.	.	13	9.5	.	.	.
..COPD-related (490-496)	52	19.4	41.9	0	43.8	22	16.8	43.3	0	66.1	30	21.9	41.6	0	32.0
..Asthma (493)	9	3.4	.	.	.	4	3.1	.	.	.	5	3.6	.	.	.

(CONTINUED)

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1998 AAMR is significantly different (prob<0.05) from the 1997 AAMR.  
 0 - The 1998 AAMR is not significantly different (prob>0.05) from the 1997 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1998  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes					Male					Female				
	*****1998*****					*****1998*****					*****1998*****				
	No. of deaths	Crude rate	AAMR	Significance	1997 AAMR	No. of deaths	Crude rate	AAMR	Significance	1997 AAMR	No. of deaths	Crude rate	AAMR	Significance	1997 AAMR
*****Causes of Death*****															
Chronic liver disease and cirrhosis (571)	25	9.3	16.2	0	17.3	16	12.2	22.5	0	22.7	9	6.6	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	11	4.1	.	.	.	5	3.8	.	.	.	6	4.4	.	.	.
..Nephritis-related (580-589)	65	24.2	54.2	0	44.9	34	25.9	67.3	0	57.3	31	22.6	45.0	0	37.6
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	15	5.6	11.4	0	16.9	9	6.9	.	.	.	6	4.4	.	.	.
Unintentional injuries (E800-E949)	84	31.3	35.2	0	34.0	65	49.6	58.4	0	54.9	19	13.8	15.0	0	15.6
..Motor vehicle accidents (E810-E825)	28	10.4	11.6	0	12.1	19	14.5	16.9	0	17.7	9	6.6	.	.	.
..Falls and fall related injuries (E880-E888)	5	1.9	.	.	.	3	2.3	.	.	.	2	1.5	.	.	.
..Drowning (E830,E832,E910)	3	1.1	.	.	.	2	1.5	.	.	.	1	0.7	.	.	.
..Residential fires (E890-E899)	6	2.2	.	.	.	5	3.8	.	.	.	1	0.7	.	.	.
Suicide (E950-E959)	14	5.2	.	.	.	11	8.4	.	.	.	3	2.2	.	.	.
Homicide and legal intervention (E960-E978)	20	7.5	6.7	0	7.2	17	13.0	11.3	0	12.9	3	2.2	.	.	.
..Homicide (E960-E969)	20	7.5	6.7	0	7.2	17	13.0	11.3	0	12.9	3	2.2	.	.	.
All injury (E800-E999)	121	45.1	48.1	0	45.9	95	72.4	79.8	0	75.9	26	18.9	19.9	0	18.7
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	28	10.4	11.6	0	11.1	19	14.5	16.9	0	16.1	9	6.6	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	3	1.1	.	.	.	3	2.3	.	.	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	19	7.1	6.1	0	5.5	18	13.7	11.7	0	10.8	1	0.7	.	.	.
....Suicide (E955.0-.4)	4	1.5	.	.	.	4	3.1	.	.	.	.	.	.	.	.
....Homicide (E965.0-.4)	14	5.2	.	.	.	13	9.9	.	.	.	1	0.7	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	35	13.0	12.6	0	13.1	28	21.4	21.5	0	22.4	7	5.1	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	15	5.6	7.5	0	.	11	8.4	.	.	.	4	2.9	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	37	13.8	13.4	0	13.3	30	22.9	23.3	0	22.9	7	5.1	.	.	.

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1998 AAMR is significantly different (prob<0.05) from the 1997 AAMR.  
 0 - The 1998 AAMR is not significantly different (prob>0.05) from the 1997 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1998			Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1998	1997	Signif- icance	1998	1997	Signif- icance
*****Causes of Death*****											
All causes	785	474	596	13,067	18,432	4876.1	4716.4	0	7095.3	7071.0	0
Infectious diseases and parasitic disease (1-139)	73	66	71	1,601	2,284	616.9	687.4	0	873.0	959.8	0
..Septicemia (038)	9	3	8	90	142	.	39.7	.	.	83.8	.
...Septicemia-related (038)	41	25	34	502	794	201.9	123.2	0	337.5	251.4	0
..HIV infection (042-044)	51	51	51	1,220	1,730	477.4	468.7	0	662.4	652.0	0
All cancer (140-208)	137	73	104	1,003	1,900	464.5	560.6	0	931.2	1048.2	0
..Oral cavity or pharynx (140.0-149.9)	2	.	2	0	15	.	.	.	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	16	10	10	85	185	46.0	.	0	100.3	.	0
...Colon cancer (153)	14	8	8	75	155	.	.	.	.	.	.
...Rectal cancer (154)	2	2	2	10	30	.	.	.	.	.	.
..Pancreatic cancer (157)	5	1	2	13	25	.	.	.	.	.	.
..Lung and other respiratory cancer (160-165)	26	15	21	143	323	73.5	43.2	0	173.0	125.4	0
...Lung cancer (162.2-.9)	25	15	21	143	323	73.5	41.4	0	173.0	116.6	0
..Female breast cancer (174)	10	7	9	118	203	.	.	.	.	.	.
..Cervical cancer (180)	4	2	3	20	48	.	.	.	.	.	.
..Ovarian cancer (183)	2	1	2	3	20	.	.	.	.	.	.
..Prostate cancer (185)	3	.	1	0	8	.	.	.	.	.	.
..Bladder cancer (188)	4	.	2	0	5	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	1	1	1	13	23	.	.	.	.	.	.
..Leukemia (204-208)	8	5	7	158	218	.	.	.	.	.	.
Diabetes mellitus (250)	21	6	15	45	153	26.3	72.9	0	91.5	162.8	0
..Diabetes-related (250)	92	36	59	335	818	175.2	257.0	0	449.0	567.7	0
Alzheimer's diseases (331.0)	1	.	.	0	0	.	.	.	.	.	.
Cardiovascular disease (390-459)	218	75	126	1,154	2,156	494.0	719.7	0	1023.1	1331.4	0
..Diseases of the heart (390-398,402,404-429)	160	52	92	821	1,531	340.7	577.1	0	717.5	1062.6	0
...Heart disease-related (390-398,402,404-429)	322	133	205	2,612	4,307	1059.9	1269.1	0	1884.6	2278.3	0
...Coronary heart disease (CHD) (402,410-414,429.2)	102	28	59	255	688	127.4	319.7	1	381.1	668.0	0
...Congestive heart failure (CHF) (428.0)	11	2	2	30	50	.	.	.	.	.	.
...Hypertension with or without renal disease (401,403)	1	1	1	8	18	.	.	.	.	.	.
....Hypertension-related (401,403)	45	16	21	155	348	80.6	86.1	0	187.2	189.3	0
..Cerebrovascular disease (430-438)	47	17	26	233	455	105.3	126.1	0	223.1	230.3	0
..Atherosclerosis (440)	1	.	.	0	0	.	.	.	.	.	.
...Atherosclerosis-related (440)	8	2	3	45	73	.	.	.	.	.	.
..Aortic aneurysm (441)	4	1	2	18	30	.	.	.	.	.	.
Pneumonia & influenza (480-487)	25	3	10	115	182	39.2	79.3	0	73.9	107.5	0
Chronic obstructive pulmonary disease (COPD) (490-496)	23	12	15	347	485	133.3	81.1	0	188.4	124.8	0
..COPD-related (490-496)	52	23	30	475	742	191.8	127.8	0	314.9	226.8	0
..Asthma (493)	9	8	8	282	362	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	25	19	22	308	510	135.7	143.3	0	229.7	264.7	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	11	5	7	73	138	.	.	.	.	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).



CONNECTICUT Hispanic Resident DEATHS, 1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1998			Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1998	1997	Signif- icance	1998	1997	Signif- icance
*****Causes of Death*****											
..Nephritis-related (580-589)	65	26	41	350	693	167.7	210.0	0	348.3	381.0	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	15	8	10	120	215	55.8	23.4	0	105.4	70.1	0
Unintentional injuries (E800-E949)	84	78	79	2,501	3,289	968.0	899.7	0	1228.9	1159.8	0
..Motor vehicle accidents (E810-E825)	28	27	27	828	1,098	332.9	377.5	0	425.9	479.1	0
..Falls and fall related injuries (E880-E888)	5	2	2	65	85	.	.	.	.	.	.
..Drowning (E830,E832,E910)	3	3	3	150	180	.	.	.	.	.	.
..Residential fires (E890-E899)	6	5	6	218	275	.	.	.	.	.	.
Suicide (E950-E959)	14	13	14	448	585	.	.	.	.	.	.
Homicide and legal intervention (E960-E978)	20	20	20	762	962	312.7	297.9	0	376.1	365.1	0
..Homicide (E960-E969)	20	20	20	762	962	312.7	297.9	0	376.1	365.1	0
All injury (E800-E999)	121	114	116	3,823	4,978	1506.6	1359.7	0	1885.5	1729.4	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	28	27	27	828	1,098	332.9	335.5	0	425.9	427.5	0
..All falls (E880-E886,E888,E957,E968.1,E987)	3	2	2	65	85	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	19	19	19	748	938	317.1	273.9	0	377.0	328.1	0
....Suicide (E955.0-.4)	4	4	4	135	175	.	.	.	.	.	.
....Homicide (E965.0-.4)	14	14	14	565	705	.	.	.	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	35	35	35	1,048	1,398	401.2	335.5	0	510.9	447.8	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	15	15	15	278	428	124.0	.	0	187.2	.	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	37	37	37	1,113	1,483	430.8	334.2	0	547.9	447.4	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1998			Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1998	1997	Signif- icance	1998	1997	Signif- icance
*****Causes of Death*****											
All causes	450	308	371	8,460	11,873	6602.8	6133.5	0	9581.7	9271.2	0
Infectious diseases and parasitic disease (1-139)	52	48	50	1,149	1,634	931.5	846.5	0	1310.9	1204.8	0
..Septicemia (038)	5	2	4	72	97	.	.	.	.	.	.
...Septicemia-related (038)	27	19	24	437	644	346.1	133.8	0	535.8	291.5	0
..HIV infection (042-044)	38	38	38	865	1,245	725.9	576.5	0	1022.7	843.1	0
All cancer (140-208)	80	46	61	625	1,168	617.5	459.5	0	1231.0	962.3	0
..Oral cavity or pharynx (140.0-149.9)	1	.	1	0	8	.	.	.	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	12	7	7	48	118	.	.	.	.	.	.
...Colon cancer (153)	11	6	6	45	105	.	.	.	.	.	.
...Rectal cancer (154)	1	1	1	3	13	.	.	.	.	.	.
..Pancreatic cancer (157)	3	.	1	0	3	.	.	.	.	.	.
..Lung and other respiratory cancer (160-165)	17	12	14	125	255	134.2	.	0	284.5	.	0
...Lung cancer (162.2-.9)	16	12	14	125	255	134.2	.	0	284.5	.	0
..Female breast cancer (174)	.	.	.	.	.	.	.	.	.	.	.
..Cervical cancer (180)	.	.	.	.	.	.	.	.	.	.	.
..Ovarian cancer (183)	.	.	.	.	.	.	.	.	.	.	.
..Prostate cancer (185)	3	.	1	0	8	.	.	.	.	.	.
..Bladder cancer (188)	.	.	.	.	.	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	.	.	.	.	.	.	.	.	.	.	.
..Leukemia (204-208)	7	4	6	145	195	.	.	.	.	.	.
Diabetes mellitus (250)	10	3	6	28	75	.	122.3	.	.	273.2	.
..Diabetes-related (250)	45	21	30	233	485	254.8	357.3	0	553.0	708.9	0
Alzheimer's diseases (331.0)	.	.	.	.	.	.	.	.	.	.	.
Cardiovascular disease (390-459)	103	41	70	652	1,219	580.8	863.8	0	1245.6	1694.9	0
..Diseases of the heart (390-398,402,404-429)	73	27	48	477	854	401.4	692.3	0	839.4	1357.2	0
...Heart disease-related (390-398,402,404-429)	162	81	121	1,638	2,653	1380.1	1656.6	0	2441.6	3027.9	0
...Coronary heart disease (CHD) (402,410-414,429.2)	49	11	28	128	330	129.0	434.9	1	396.7	916.2	1
...Congestive heart failure (CHF) (428.0)	4	2	2	30	50	.	.	.	.	.	.
..Hypertension with or without renal disease (401,403)	1	1	1	8	18	.	.	.	.	.	.
...Hypertension-related (401,403)	18	9	10	113	210	118.1	132.6	0	225.4	261.4	0
..Cerebrovascular disease (430-438)	24	10	16	125	265	122.6	136.2	0	291.2	257.5	0
..Atherosclerosis (440)	.	.	.	.	.	.	.	.	.	.	.
...Atherosclerosis-related (440)	5	1	2	38	55	.	.	.	.	.	.
..Aortic aneurysm (441)	2	1	2	18	30	.	.	.	.	.	.
Pneumonia & influenza (480-487)	10	3	7	115	165	.	.	.	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	10	7	7	213	283	.	.	.	.	.	.
..COPD-related (490-496)	22	11	12	253	365	213.0	162.1	0	314.5	278.5	0
..Asthma (493)	4	4	4	165	205	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	16	13	15	193	333	183.3	247.8	0	327.8	428.5	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	5	2	2	20	40	.	.	.	.	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1998			Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1998	1997	Signif- icance	1998	1997	Signif- icance
*****Causes of Death*****											
..Nephritis-related (580-589)	34	17	23	213	413	222.7	220.0	0	449.3	410.4	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	9	5	5	68	118	.	.	.	.	.	.
Unintentional injuries (E800-E949)	65	61	62	1,999	2,616	1591.9	1377.7	0	2025.0	1780.2	0
..Motor vehicle accidents (E810-E825)	19	18	18	605	785	501.0	506.9	0	630.8	646.5	0
..Falls and fall related injuries (E880-E888)	3	2	2	65	85	.	.	.	.	.	.
..Drowning (E830,E832,E910)	2	2	2	112	132	.	.	.	.	.	.
..Residential fires (E890-E899)	5	4	5	160	208	.	.	.	.	.	.
Suicide (E950-E959)	11	10	11	335	443	.	.	.	.	.	.
Homicide and legal intervention (E960-E978)	17	17	17	643	813	541.7	538.2	0	650.0	658.2	0
..Homicide (E960-E969)	17	17	17	643	813	541.7	538.2	0	650.0	658.2	0
All injury (E800-E999)	95	90	92	3,056	3,971	2472.9	2191.7	0	3102.4	2787.4	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	19	18	18	605	785	501.0	451.4	0	630.8	577.3	0
..All falls (E880-E886,E888,E957,E968.1,E987)	3	2	2	65	85	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	18	18	18	705	885	597.8	533.3	0	712.0	639.9	0
....Suicide (E955.0-.4)	4	4	4	135	175	.	.	.	.	.	.
....Homicide (E965.0-.4)	13	13	13	523	653	.	.	.	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	28	28	28	830	1,110	669.5	546.9	0	856.6	738.2	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	11	11	11	203	313	.	.	.	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	30	30	30	895	1,195	728.2	545.1	0	930.5	738.5	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1998			Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1998	1997	Signif- icance	1998	1997	Signif- icance
*****Causes of Death*****											
All causes	335	166	225	4,607	6,560	3243.6	3323.6	0	4792.7	4998.1	0
Infectious diseases and parasitic disease (1-139)	21	18	21	452	650	332.6	546.2	0	478.4	742.0	0
..Septicemia (038)	4	1	4	18	45	.	.	.	.	.	.
...Septicemia-related (038)	14	6	10	65	150	.	118.0	.	.	221.2	.
..HIV infection (042-044)	13	13	13	355	485	.	375.2	.	.	487.1	.
All cancer (140-208)	57	27	43	378	733	327.5	651.9	0	669.5	1139.6	0
..Oral cavity or pharynx (140.0-149.9)	1	.	1	0	8	.	.	.	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	4	3	3	38	68	.	.	.	.	.	.
...Colon cancer (153)	3	2	2	30	50	.	.	.	.	.	.
...Rectal cancer (154)	1	1	1	8	18	.	.	.	.	.	.
..Pancreatic cancer (157)	2	1	1	13	23	.	.	.	.	.	.
..Lung and other respiratory cancer (160-165)	9	3	7	18	68	.	.	.	.	.	.
...Lung cancer (162.2-.9)	9	3	7	18	68	.	.	.	.	.	.
..Female breast cancer (174)	10	7	9	118	203	.	180.6	.	.	318.4	.
..Cervical cancer (180)	4	2	3	20	48	.	.	.	.	.	.
..Ovarian cancer (183)	2	1	2	3	20	.	.	.	.	.	.
..Prostate cancer (185)	.	.	.	.	.	.	.	.	.	.	.
..Bladder cancer (188)	4	.	2	0	5	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	1	1	1	13	23	.	.	.	.	.	.
..Leukemia (204-208)	1	1	1	13	23	.	.	.	.	.	.
Diabetes mellitus (250)	11	3	9	18	78	.	.	.	.	.	.
..Diabetes-related (250)	47	15	29	103	333	104.6	165.4	0	354.9	438.2	0
Alzheimer's diseases (331.0)	1	.	.	0	0	.	.	.	.	.	.
Cardiovascular disease (390-459)	115	34	56	502	937	410.6	596.3	0	828.9	1027.2	0
..Diseases of the heart (390-398,402,404-429)	87	25	44	345	677	280.0	477.9	0	606.9	816.3	0
...Heart disease-related (390-398,402,404-429)	160	52	84	974	1,654	764.5	913.7	0	1390.8	1620.8	0
...Coronary heart disease (CHD) (402,410-414,429.2)	53	17	31	128	358	124.8	214.8	0	369.6	453.3	0
...Congestive heart failure (CHF) (428.0)	7	.	.	0	0	.	.	.	.	.	.
..Hypertension with or without renal disease (401,403)	.	.	.	.	.	.	.	.	.	.	.
...Hypertension-related (401,403)	27	7	11	43	138	46.1	43.8	0	149.7	125.6	0
..Cerebrovascular disease (430-438)	23	7	10	108	190	90.1	118.4	0	166.8	207.9	0
..Atherosclerosis (440)	1	.	.	0	0	.	.	.	.	.	.
...Atherosclerosis-related (440)	3	1	1	8	18	.	.	.	.	.	.
..Aortic aneurysm (441)	2	.	.	0	0	.	.	.	.	.	.
Pneumonia & influenza (480-487)	15	.	3	0	18	0.0	.	0	20.6	.	0
Chronic obstructive pulmonary disease (COPD) (490-496)	13	5	8	135	202	.	.	.	.	.	.
..COPD-related (490-496)	30	12	18	222	377	169.0	94.1	0	308.1	178.3	0
..Asthma (493)	5	4	4	117	157	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	9	6	7	115	178	.	.	.	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	6	3	5	53	98	.	.	.	.	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1998			Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1998	1997	Signif- icance	1998	1997	Signif- icance
*****Causes of Death*****											
..Nephritis-related (580-589)	31	9	18	138	280	120.2	203.1	0	261.0	360.3	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	6	3	5	53	98	.	.	.	.	.	.
Unintentional injuries (E800-E949)	19	17	17	503	673	354.5	424.5	0	455.4	549.0	0
..Motor vehicle accidents (E810-E825)	9	9	9	223	313	.	.	.	.	.	.
..Falls and fall related injuries (E880-E888)	2	.	.	0	0	.	.	.	.	.	.
..Drowning (E830,E832,E910)	1	1	1	38	48	.	.	.	.	.	.
..Residential fires (E890-E899)	1	1	1	58	68	.	.	.	.	.	.
Suicide (E950-E959)	3	3	3	113	143	.	.	.	.	.	.
Homicide and legal intervention (E960-E978)	3	3	3	120	150	.	.	.	.	.	.
..Homicide (E960-E969)	3	3	3	120	150	.	.	.	.	.	.
All injury (E800-E999)	26	24	24	767	1,007	561.0	510.3	0	705.8	661.4	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	9	9	9	223	313	.	.	.	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	.	.	.	.	.	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	1	1	1	43	53	.	.	.	.	.	.
....Suicide (E955.0-.4)	.	.	.	.	.	.	.	.	.	.	.
....Homicide (E965.0-.4)	1	1	1	43	53	.	.	.	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	7	7	7	218	288	.	.	.	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	4	4	4	75	115	.	.	.	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	7	7	7	218	288	.	.	.	.	.	.

\* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1998			Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1998	1997	Signif- icance	1998	1997	Signif- icance
*****Causes of Death*****											
All causes	785	474	596	13,067	18,432	4754.4	4595.0	0	7034.6	7018.0	0
Infectious diseases and parasitic disease (1-139)	73	66	71	1,601	2,284	556.1	629.2	0	793.9	882.8	0
..Septicemia (038)	9	3	8	90	142	.	36.9	.	.	85.8	.
...Septicemia-related (038)	41	25	34	502	794	198.0	119.5	0	342.5	260.9	0
..HIV infection (042-044)	51	51	51	1,220	1,730	423.8	425.0	0	589.2	592.3	0
All cancer (140-208)	137	73	104	1,003	1,900	467.9	533.7	0	982.9	1061.8	0
..Oral cavity or pharynx (140.0-149.9)	2	.	2	0	15	.	.	.	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	16	10	10	85	185	49.2	.	0	108.8	.	0
...Colon cancer (153)	14	8	8	75	155	.	.	.	.	.	.
...Rectal cancer (154)	2	2	2	10	30	.	.	.	.	.	.
..Pancreatic cancer (157)	5	1	2	13	25	.	.	.	.	.	.
..Lung and other respiratory cancer (160-165)	26	15	21	143	323	76.8	45.7	0	189.1	141.2	0
...Lung cancer (162.2-.9)	25	15	21	143	323	76.8	43.4	0	189.1	130.7	0
..Female breast cancer (174)	10	7	9	118	203	.	.	.	.	.	.
..Cervical cancer (180)	4	2	3	20	48	.	.	.	.	.	.
..Ovarian cancer (183)	2	1	2	3	20	.	.	.	.	.	.
..Prostate cancer (185)	3	.	1	0	8	.	.	.	.	.	.
..Bladder cancer (188)	4	.	2	0	5	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	1	1	1	13	23	.	.	.	.	.	.
..Leukemia (204-208)	8	5	7	158	218	.	.	.	.	.	.
Diabetes mellitus (250)	21	6	15	45	153	28.6	69.8	0	105.6	170.2	0
..Diabetes-related (250)	92	36	59	335	818	183.8	258.7	0	497.1	604.5	0
Alzheimer's diseases (331.0)	1	.	.	0	0	.	.	.	.	.	.
Cardiovascular disease (390-459)	218	75	126	1,154	2,156	485.6	720.4	0	1081.1	1384.5	0
..Diseases of the heart (390-398,402,404-429)	160	52	92	821	1,531	337.8	576.9	0	766.6	1105.6	0
...Heart disease-related (390-398,402,404-429)	322	133	205	2,612	4,307	1015.9	1257.2	0	1915.3	2348.8	0
...Coronary heart disease (CHD) (402,410-414,429.2)	102	28	59	255	688	129.4	327.5	1	427.3	712.7	0
...Congestive heart failure (CHF) (428.0)	11	2	2	30	50	.	.	.	.	.	.
..Hypertension with or without renal disease (401,403)	1	1	1	8	18	.	.	.	.	.	.
...Hypertension-related (401,403)	45	16	21	155	348	83.4	87.2	0	202.6	203.3	0
..Cerebrovascular disease (430-438)	47	17	26	233	455	101.2	126.8	0	232.0	236.6	0
..Atherosclerosis (440)	1	.	.	0	0	.	.	.	.	.	.
...Atherosclerosis-related (440)	8	2	3	45	73	.	.	.	.	.	.
..Aortic aneurysm (441)	4	1	2	18	30	.	.	.	.	.	.
Pneumonia & influenza (480-487)	25	3	10	115	182	38.3	83.5	0	78.6	113.1	0
Chronic obstructive pulmonary disease (COPD) (490-496)	23	12	15	347	485	130.9	78.0	0	187.1	122.9	0
..COPD-related (490-496)	52	23	30	475	742	188.5	123.8	0	320.3	230.1	0
..Asthma (493)	9	8	8	282	362	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	25	19	22	308	510	127.2	141.7	0	223.9	269.5	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	11	5	7	73	138	.	.	.	.	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1998			Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1998	1997	Signif- icance	1998	1997	Signif- icance
*****Causes of Death*****											
..Nephritis-related (580-589)	65	26	41	350	693	165.4	208.9	0	364.4	393.8	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	15	8	10	120	215	53.5	24.8	0	107.4	79.6	0
Unintentional injuries (E800-E949)	84	78	79	2,501	3,289	897.4	829.0	0	1125.5	1059.9	0
..Motor vehicle accidents (E810-E825)	28	27	27	828	1,098	311.4	356.5	0	393.6	447.9	0
..Falls and fall related injuries (E880-E888)	5	2	2	65	85	.	.	.	.	.	.
..Drowning (E830,E832,E910)	3	3	3	150	180	.	.	.	.	.	.
..Residential fires (E890-E899)	6	5	6	218	275	.	.	.	.	.	.
Suicide (E950-E959)	14	13	14	448	585	.	.	.	.	.	.
Homicide and legal intervention (E960-E978)	20	20	20	762	962	293.2	284.9	0	346.5	345.6	0
..Homicide (E960-E969)	20	20	20	762	962	293.2	284.9	0	346.5	345.6	0
All injury (E800-E999)	121	114	116	3,823	4,978	1394.1	1256.3	0	1722.0	1583.0	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	28	27	27	828	1,098	311.4	319.0	0	393.6	402.4	0
..All falls (E880-E886,E888,E957,E968.1,E987)	3	2	2	65	85	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	19	19	19	748	938	297.0	254.0	0	346.9	299.3	0
....Suicide (E955.0-.4)	4	4	4	135	175	.	.	.	.	.	.
....Homicide (E965.0-.4)	14	14	14	565	705	.	.	.	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	35	35	35	1,048	1,398	341.2	287.6	0	429.7	382.8	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	15	15	15	278	428	115.9	.	0	175.6	.	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	37	37	37	1,113	1,483	371.4	288.1	0	466.8	384.6	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1998			Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1998	1997	Signif- icance	1998	1997	Signif- icance
*****Causes of Death*****											
All causes	450	308	371	8,460	11,873	6375.2	5915.3	0	9403.7	9140.6	0
Infectious diseases and parasitic disease (1-139)	52	48	50	1,149	1,634	840.8	750.7	0	1188.6	1080.1	0
..Septicemia (038)	5	2	4	72	97	.	.	.	.	.	.
...Septicemia-related (038)	27	19	24	437	644	335.9	133.6	0	532.9	306.8	0
..HIV infection (042-044)	38	38	38	865	1,245	639.9	503.2	0	906.4	750.9	0
All cancer (140-208)	80	46	61	625	1,168	621.1	443.7	0	1294.9	1006.1	0
..Oral cavity or pharynx (140.0-149.9)	1	.	1	0	8	.	.	.	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	12	7	7	48	118	.	.	.	.	.	.
...Colon cancer (153)	11	6	6	45	105	.	.	.	.	.	.
...Rectal cancer (154)	1	1	1	3	13	.	.	.	.	.	.
..Pancreatic cancer (157)	3	.	1	0	3	.	.	.	.	.	.
..Lung and other respiratory cancer (160-165)	17	12	14	125	255	138.0	.	0	303.7	.	0
...Lung cancer (162.2-.9)	16	12	14	125	255	138.0	.	0	303.7	.	0
..Female breast cancer (174)	.	.	.	.	.	.	.	.	.	.	.
..Cervical cancer (180)	.	.	.	.	.	.	.	.	.	.	.
..Ovarian cancer (183)	.	.	.	.	.	.	.	.	.	.	.
..Prostate cancer (185)	3	.	1	0	8	.	.	.	.	.	.
..Bladder cancer (188)	.	.	.	.	.	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	.	.	.	.	.	.	.	.	.	.	.
..Leukemia (204-208)	7	4	6	145	195	.	.	.	.	.	.
Diabetes mellitus (250)	10	3	6	28	75	.	115.2	.	.	285.2	.
..Diabetes-related (250)	45	21	30	233	485	263.7	353.2	0	595.9	735.4	0
Alzheimer's diseases (331.0)	.	.	.	.	.	.	.	.	.	.	.
Cardiovascular disease (390-459)	103	41	70	652	1,219	580.5	875.8	0	1333.4	1789.5	0
..Diseases of the heart (390-398,402,404-429)	73	27	48	477	854	400.9	701.4	0	900.0	1434.8	0
...Heart disease-related (390-398,402,404-429)	162	81	121	1,638	2,653	1329.8	1645.2	0	2482.7	3130.3	0
...Coronary heart disease (CHD) (402,410-414,429.2)	49	11	28	128	330	126.8	446.4	1	442.7	979.3	1
...Congestive heart failure (CHF) (428.0)	4	2	2	30	50	.	.	.	.	.	.
..Hypertension with or without renal disease (401,403)	1	1	1	8	18	.	.	.	.	.	.
...Hypertension-related (401,403)	18	9	10	113	210	119.3	131.1	0	233.9	272.1	0
..Cerebrovascular disease (430-438)	24	10	16	125	265	120.7	138.4	0	310.4	267.2	0
..Atherosclerosis (440)	.	.	.	.	.	.	.	.	.	.	.
...Atherosclerosis-related (440)	5	1	2	38	55	.	.	.	.	.	.
..Aortic aneurysm (441)	2	1	2	18	30	.	.	.	.	.	.
Pneumonia & influenza (480-487)	10	3	7	115	165	.	.	.	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	10	7	7	213	283	.	.	.	.	.	.
..COPD-related (490-496)	22	11	12	253	365	208.4	157.9	0	313.8	281.5	0
..Asthma (493)	4	4	4	165	205	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	16	13	15	193	333	176.0	241.3	0	327.3	426.1	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	5	2	2	20	40	.	.	.	.	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (&lt;15).



CONNECTICUT Hispanic Resident DEATHS, 1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1998			Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1998	1997	Signif- icance	1998	1997	Signif- icance
*****Causes of Death*****											
..Nephritis-related (580-589)	34	17	23	213	413	223.7	222.3	0	470.4	430.1	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	9	5	5	68	118	.	.	.	.	.	.
Unintentional injuries (E800-E949)	65	61	62	1,999	2,616	1494.0	1238.7	0	1880.9	1587.9	0
..Motor vehicle accidents (E810-E825)	19	18	18	605	785	483.0	463.7	0	601.1	586.3	0
..Falls and fall related injuries (E880-E888)	3	2	2	65	85	.	.	.	.	.	.
..Drowning (E830,E832,E910)	2	2	2	112	132	.	.	.	.	.	.
..Residential fires (E890-E899)	5	4	5	160	208	.	.	.	.	.	.
Suicide (E950-E959)	11	10	11	335	443	.	.	.	.	.	.
Homicide and legal intervention (E960-E978)	17	17	17	643	813	499.8	518.6	0	589.2	628.4	0
..Homicide (E960-E969)	17	17	17	643	813	499.8	518.6	0	589.2	628.4	0
All injury (E800-E999)	95	90	92	3,056	3,971	2294.5	2000.2	0	2846.3	2520.9	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	19	18	18	605	785	483.0	411.8	0	601.1	522.7	0
..All falls (E880-E886,E888,E957,E968.1,E987)	3	2	2	65	85	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	18	18	18	705	885	558.4	494.0	0	653.2	583.0	0
....Suicide (E955.0-.4)	4	4	4	135	175	.	.	.	.	.	.
....Homicide (E965.0-.4)	13	13	13	523	653	.	.	.	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	28	28	28	830	1,110	577.5	469.7	0	731.3	633.9	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	11	11	11	203	313	.	.	.	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	30	30	30	895	1,195	637.4	471.7	0	805.2	638.6	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1998			Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1998	1997	Signif- icance	1998	1997	Signif- icance
*****Causes of Death*****											
All causes	335	166	225	4,607	6,560	3220.2	3298.8	0	4848.3	5038.8	0
Infectious diseases and parasitic disease (1-139)	21	18	21	452	650	299.1	524.8	0	438.8	711.5	0
..Septicemia (038)	4	1	4	18	45	.	.	.	.	.	.
...Septicemia-related (038)	14	6	10	65	150	.	111.2	.	.	225.3	.
..HIV infection (042-044)	13	13	13	355	485	.	360.9	.	.	460.6	.
All cancer (140-208)	57	27	43	378	733	331.3	613.8	0	712.4	1127.5	0
..Oral cavity or pharynx (140.0-149.9)	1	.	1	0	8	.	.	.	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	4	3	3	38	68	.	.	.	.	.	.
...Colon cancer (153)	3	2	2	30	50	.	.	.	.	.	.
...Rectal cancer (154)	1	1	1	8	18	.	.	.	.	.	.
..Pancreatic cancer (157)	2	1	1	13	23	.	.	.	.	.	.
..Lung and other respiratory cancer (160-165)	9	3	7	18	68	.	.	.	.	.	.
...Lung cancer (162.2-.9)	9	3	7	18	68	.	.	.	.	.	.
..Female breast cancer (174)	10	7	9	118	203	.	174.4	.	.	318.1	.
..Cervical cancer (180)	4	2	3	20	48	.	.	.	.	.	.
..Ovarian cancer (183)	2	1	2	3	20	.	.	.	.	.	.
..Prostate cancer (185)	.	.	.	.	.	.	.	.	.	.	.
..Bladder cancer (188)	4	.	2	0	5	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	1	1	1	13	23	.	.	.	.	.	.
..Leukemia (204-208)	1	1	1	13	23	.	.	.	.	.	.
Diabetes mellitus (250)	11	3	9	18	78	.	.	.	.	.	.
..Diabetes-related (250)	47	15	29	103	333	113.1	172.8	0	407.4	484.5	0
Alzheimer's diseases (331.0)	1	.	.	0	0	.	.	.	.	.	.
Cardiovascular disease (390-459)	115	34	56	502	937	394.3	587.7	0	862.8	1047.2	0
..Diseases of the heart (390-398,402,404-429)	87	25	44	345	677	274.6	469.7	0	646.7	831.7	0
...Heart disease-related (390-398,402,404-429)	160	52	84	974	1,654	725.8	902.0	0	1415.7	1668.5	0
...Coronary heart disease (CHD) (402,410-414,429.2)	53	17	31	128	358	130.3	219.3	0	416.7	483.7	0
...Congestive heart failure (CHF) (428.0)	7	.	.	0	0	.	.	.	.	.	.
..Hypertension with or without renal disease (401,403)	.	.	.	.	.	.	.	.	.	.	.
...Hypertension-related (401,403)	27	7	11	43	138	50.5	47.3	0	170.9	143.1	0
..Cerebrovascular disease (430-438)	23	7	10	108	190	84.1	117.9	0	167.4	211.3	0
..Atherosclerosis (440)	1	.	.	0	0	.	.	.	.	.	.
...Atherosclerosis-related (440)	3	1	1	8	18	.	.	.	.	.	.
..Aortic aneurysm (441)	2	.	.	0	0	.	.	.	.	.	.
Pneumonia & influenza (480-487)	15	.	3	0	18	0.0	.	0	25.7	.	0
Chronic obstructive pulmonary disease (COPD) (490-496)	13	5	8	135	202	.	.	.	.	.	.
..COPD-related (490-496)	30	12	18	222	377	166.9	90.1	0	318.5	182.0	0
..Asthma (493)	5	4	4	117	157	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	9	6	7	115	178	.	.	.	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	6	3	5	53	98	.	.	.	.	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1998			Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1998	1997	Signif- icance	1998	1997	Signif- icance
*****Causes of Death*****											
..Nephritis-related (580-589)	31	9	18	138	280	115.1	198.6	0	272.9	367.2	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	6	3	5	53	98	.	.	.	.	.	.
Unintentional injuries (E800-E949)	19	17	17	503	673	308.2	421.5	0	390.1	540.8	0
..Motor vehicle accidents (E810-E825)	9	9	9	223	313	.	.	.	.	.	.
..Falls and fall related injuries (E880-E888)	2	.	.	0	0	.	.	.	.	.	.
..Drowning (E830,E832,E910)	1	1	1	38	48	.	.	.	.	.	.
..Residential fires (E890-E899)	1	1	1	58	68	.	.	.	.	.	.
Suicide (E950-E959)	3	3	3	113	143	.	.	.	.	.	.
Homicide and legal intervention (E960-E978)	3	3	3	120	150	.	.	.	.	.	.
..Homicide (E960-E969)	3	3	3	120	150	.	.	.	.	.	.
All injury (E800-E999)	26	24	24	767	1,007	509.1	494.7	0	629.4	636.0	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	9	9	9	223	313	.	.	.	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	.	.	.	.	.	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	1	1	1	43	53	.	.	.	.	.	.
....Suicide (E955.0-.4)	.	.	.	.	.	.	.	.	.	.	.
....Homicide (E965.0-.4)	1	1	1	43	53	.	.	.	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	7	7	7	218	288	.	.	.	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	4	4	4	75	115	.	.	.	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	7	7	7	218	288	.	.	.	.	.	.

\* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1998			Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1998	1997	Signif- icance	1998	1997	Signif- icance
*****Causes of Death*****											
All causes	785	474	596	13,067	18,432	4936.7	4922.0	0	7353.6	7531.2	0
Infectious diseases and parasitic disease (1-139)	73	66	71	1,601	2,284	679.1	758.0	0	957.1	1054.9	0
..Septicemia (038)	9	3	8	90	142	.	49.5	.	.	102.9	.
...Septicemia-related (038)	41	25	34	502	794	226.1	143.1	0	382.7	292.3	0
..HIV infection (042-044)	51	51	51	1,220	1,730	526.9	513.6	0	723.9	710.1	0
All cancer (140-208)	137	73	104	1,003	1,900	536.0	617.4	0	1080.3	1181.9	0
..Oral cavity or pharynx (140.0-149.9)	2	.	2	0	15	.	.	.	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	16	10	10	85	185	55.4	.	0	116.4	.	0
...Colon cancer (153)	14	8	8	75	155	.	.	.	.	.	.
...Rectal cancer (154)	2	2	2	10	30	.	.	.	.	.	.
..Pancreatic cancer (157)	5	1	2	13	25	.	.	.	.	.	.
..Lung and other respiratory cancer (160-165)	26	15	21	143	323	89.3	52.3	0	206.0	152.5	0
...Lung cancer (162.2-.9)	25	15	21	143	323	89.3	50.2	0	206.0	142.7	0
..Female breast cancer (174)	10	7	9	118	203	.	.	.	.	.	.
..Cervical cancer (180)	4	2	3	20	48	.	.	.	.	.	.
..Ovarian cancer (183)	2	1	2	3	20	.	.	.	.	.	.
..Prostate cancer (185)	3	.	1	0	8	.	.	.	.	.	.
..Bladder cancer (188)	4	.	2	0	5	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	1	1	1	13	23	.	.	.	.	.	.
..Leukemia (204-208)	8	5	7	158	218	.	.	.	.	.	.
Diabetes mellitus (250)	21	6	15	45	153	31.1	88.5	0	111.4	196.4	0
..Diabetes-related (250)	92	36	59	335	818	212.3	314.0	0	538.0	680.5	0
Alzheimer's diseases (331.0)	1	.	.	0	0	.	.	.	.	.	.
Cardiovascular disease (390-459)	218	75	126	1,154	2,156	538.7	824.6	0	1162.0	1538.6	0
..Diseases of the heart (390-398,402,404-429)	160	52	92	821	1,531	369.2	650.1	0	816.7	1214.3	0
...Heart disease-related (390-398,402,404-429)	322	133	205	2,612	4,307	1132.3	1425.4	0	2087.5	2599.3	0
...Coronary heart disease (CHD) (402,410-414,429.2)	102	28	59	255	688	144.7	372.9	1	452.1	780.6	0
...Congestive heart failure (CHF) (428.0)	11	2	2	30	50	.	.	.	.	.	.
..Hypertension with or without renal disease (401,403)	1	1	1	8	18	.	.	.	.	.	.
...Hypertension-related (401,403)	45	16	21	155	348	96.1	103.6	0	219.2	231.1	0
..Cerebrovascular disease (430-438)	47	17	26	233	455	117.1	154.0	0	253.7	275.9	0
..Atherosclerosis (440)	1	.	.	0	0	.	.	.	.	.	.
...Atherosclerosis-related (440)	8	2	3	45	73	.	.	.	.	.	.
..Aortic aneurysm (441)	4	1	2	18	30	.	.	.	.	.	.
Pneumonia & influenza (480-487)	25	3	10	115	182	36.6	72.5	0	79.2	100.6	0
Chronic obstructive pulmonary disease (COPD) (490-496)	23	12	15	347	485	136.1	91.0	0	195.8	142.1	0
..COPD-related (490-496)	52	23	30	475	742	207.7	141.8	0	347.3	256.1	0
..Asthma (493)	9	8	8	282	362	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	25	19	22	308	510	154.5	175.6	0	260.8	316.6	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	11	5	7	73	138	.	.	.	.	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1998			Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1998	1997	Signif- icance	1998	1997	Signif- icance
*****Causes of Death*****											
..Nephritis-related (580-589)	65	26	41	350	693	197.4	235.1	0	411.2	432.6	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	15	8	10	120	215	55.2	28.5	0	109.6	85.4	0
Unintentional injuries (E800-E949)	84	78	79	2,501	3,289	938.0	883.1	0	1186.4	1139.0	0
..Motor vehicle accidents (E810-E825)	28	27	27	828	1,098	320.3	351.0	0	408.9	446.4	0
..Falls and fall related injuries (E880-E888)	5	2	2	65	85	.	.	.	.	.	.
..Drowning (E830,E832,E910)	3	3	3	150	180	.	.	.	.	.	.
..Residential fires (E890-E899)	6	5	6	218	275	.	.	.	.	.	.
Suicide (E950-E959)	14	13	14	448	585	.	.	.	.	.	.
Homicide and legal intervention (E960-E978)	20	20	20	762	962	275.6	254.4	0	327.4	310.9	0
..Homicide (E960-E969)	20	20	20	762	962	275.6	254.4	0	327.4	310.9	0
All injury (E800-E999)	121	114	116	3,823	4,978	1420.8	1293.0	0	1769.9	1644.6	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	28	27	27	828	1,098	320.3	312.2	0	408.9	399.1	0
..All falls (E880-E886,E888,E957,E968.1,E987)	3	2	2	65	85	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	19	19	19	748	938	271.8	232.5	0	317.8	274.3	0
....Suicide (E955.0-.4)	4	4	4	135	175	.	.	.	.	.	.
....Homicide (E965.0-.4)	14	14	14	565	705	.	.	.	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	35	35	35	1,048	1,398	403.0	356.0	0	508.3	470.9	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	15	15	15	278	428	143.7	.	0	213.7	.	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	37	37	37	1,113	1,483	430.9	357.8	0	543.3	474.7	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1998			Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1998	1997	Signif- icance	1998	1997	Signif- icance
*****Causes of Death*****											
All causes	450	308	371	8,460	11,873	6720.1	6399.0	0	9954.0	9876.3	0
Infectious diseases and parasitic disease (1-139)	52	48	50	1,149	1,634	1039.7	964.2	0	1452.9	1357.9	0
..Septicemia (038)	5	2	4	72	97	.	.	.	.	.	.
...Septicemia-related (038)	27	19	24	437	644	383.3	162.3	0	600.9	343.6	0
..HIV infection (042-044)	38	38	38	865	1,245	813.4	656.8	0	1132.8	950.5	0
All cancer (140-208)	80	46	61	625	1,168	715.2	499.2	0	1426.9	1093.4	0
..Oral cavity or pharynx (140.0-149.9)	1	.	1	0	8	.	.	.	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	12	7	7	48	118	.	.	.	.	.	.
...Colon cancer (153)	11	6	6	45	105	.	.	.	.	.	.
...Rectal cancer (154)	1	1	1	3	13	.	.	.	.	.	.
..Pancreatic cancer (157)	3	.	1	0	3	.	.	.	.	.	.
..Lung and other respiratory cancer (160-165)	17	12	14	125	255	164.3	.	0	337.7	.	0
...Lung cancer (162.2-.9)	16	12	14	125	255	164.3	.	0	337.7	.	0
..Female breast cancer (174)	.	.	.	.	.	.	.	.	.	.	.
..Cervical cancer (180)	.	.	.	.	.	.	.	.	.	.	.
..Ovarian cancer (183)	.	.	.	.	.	.	.	.	.	.	.
..Prostate cancer (185)	3	.	1	0	8	.	.	.	.	.	.
..Bladder cancer (188)	.	.	.	.	.	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	.	.	.	.	.	.	.	.	.	.	.
..Leukemia (204-208)	7	4	6	145	195	.	.	.	.	.	.
Diabetes mellitus (250)	10	3	6	28	75	.	148.3	.	.	330.3	.
..Diabetes-related (250)	45	21	30	233	485	310.3	437.4	0	663.8	849.4	0
Alzheimer's diseases (331.0)	.	.	.	.	.	.	.	.	.	.	.
Cardiovascular disease (390-459)	103	41	70	652	1,219	654.6	998.3	0	1445.7	1971.8	0
..Diseases of the heart (390-398,402,404-429)	73	27	48	477	854	440.6	790.5	0	964.2	1569.4	0
...Heart disease-related (390-398,402,404-429)	162	81	121	1,638	2,653	1520.0	1881.9	0	2762.3	3477.3	0
...Coronary heart disease (CHD) (402,410-414,429.2)	49	11	28	128	330	145.1	510.6	1	474.5	1074.8	1
...Congestive heart failure (CHF) (428.0)	4	2	2	30	50	.	.	.	.	.	.
..Hypertension with or without renal disease (401,403)	1	1	1	8	18	.	.	.	.	.	.
...Hypertension-related (401,403)	18	9	10	113	210	141.1	160.0	0	262.9	318.5	0
..Cerebrovascular disease (430-438)	24	10	16	125	265	145.7	163.9	0	343.9	303.1	0
..Atherosclerosis (440)	.	.	.	.	.	.	.	.	.	.	.
...Atherosclerosis-related (440)	5	1	2	38	55	.	.	.	.	.	.
..Aortic aneurysm (441)	2	1	2	18	30	.	.	.	.	.	.
Pneumonia & influenza (480-487)	10	3	7	115	165	.	.	.	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	10	7	7	213	283	.	.	.	.	.	.
..COPD-related (490-496)	22	11	12	253	365	215.3	180.5	0	323.6	314.8	0
..Asthma (493)	4	4	4	165	205	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	16	13	15	193	333	218.5	305.1	0	384.3	514.4	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	5	2	2	20	40	.	.	.	.	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1998			Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1998	1997	Signif- icance	1998	1997	Signif- icance
*****Causes of Death*****											
..Nephritis-related (580-589)	34	17	23	213	413	271.3	253.0	0	538.6	476.1	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	9	5	5	68	118	.	.	.	.	.	.
Unintentional injuries (E800-E949)	65	61	62	1,999	2,616	1522.3	1370.3	0	1933.8	1769.3	0
..Motor vehicle accidents (E810-E825)	19	18	18	605	785	455.9	477.5	0	573.7	611.1	0
..Falls and fall related injuries (E880-E888)	3	2	2	65	85	.	.	.	.	.	.
..Drowning (E830,E832,E910)	2	2	2	112	132	.	.	.	.	.	.
..Residential fires (E890-E899)	5	4	5	160	208	.	.	.	.	.	.
Suicide (E950-E959)	11	10	11	335	443	.	.	.	.	.	.
Homicide and legal intervention (E960-E978)	17	17	17	643	813	475.9	451.5	0	563.0	551.2	0
..Homicide (E960-E969)	17	17	17	643	813	475.9	451.5	0	563.0	551.2	0
All injury (E800-E999)	95	90	92	3,056	3,971	2310.4	2085.2	0	2889.4	2651.4	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	19	18	18	605	785	455.9	422.8	0	573.7	543.2	0
..All falls (E880-E886,E888,E957,E968.1,E987)	3	2	2	65	85	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	18	18	18	705	885	515.8	453.9	0	604.6	536.6	0
....Suicide (E955.0-.4)	4	4	4	135	175	.	.	.	.	.	.
....Homicide (E965.0-.4)	13	13	13	523	653	.	.	.	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	28	28	28	830	1,110	674.8	586.0	0	856.5	783.5	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	11	11	11	203	313	.	.	.	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	30	30	30	895	1,195	730.5	590.9	0	926.7	792.7	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1998			Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1998	1997	Signif- icance	1998	1997	Signif- icance
*****Causes of Death*****											
All causes	335	166	225	4,607	6,560	3269.1	3491.9	0	4975.6	5361.4	0
Infectious diseases and parasitic disease (1-139)	21	18	21	452	650	353.9	572.3	0	511.2	782.4	0
..Septicemia (038)	4	1	4	18	45	.	.	.	.	.	.
...Septicemia-related (038)	14	6	10	65	150	.	129.7	.	.	251.0	.
..HIV infection (042-044)	13	13	13	355	485	.	387.0	.	.	499.9	.
All cancer (140-208)	57	27	43	378	733	376.1	724.5	0	779.0	1279.6	0
..Oral cavity or pharynx (140.0-149.9)	1	.	1	0	8	.	.	.	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	4	3	3	38	68	.	.	.	.	.	.
...Colon cancer (153)	3	2	2	30	50	.	.	.	.	.	.
...Rectal cancer (154)	1	1	1	8	18	.	.	.	.	.	.
..Pancreatic cancer (157)	2	1	1	13	23	.	.	.	.	.	.
..Lung and other respiratory cancer (160-165)	9	3	7	18	68	.	.	.	.	.	.
...Lung cancer (162.2-.9)	9	3	7	18	68	.	.	.	.	.	.
..Female breast cancer (174)	10	7	9	118	203	.	218.4	.	.	375.6	.
..Cervical cancer (180)	4	2	3	20	48	.	.	.	.	.	.
..Ovarian cancer (183)	2	1	2	3	20	.	.	.	.	.	.
..Prostate cancer (185)	.	.	.	.	.	.	.	.	.	.	.
..Bladder cancer (188)	4	.	2	0	5	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	1	1	1	13	23	.	.	.	.	.	.
..Leukemia (204-208)	1	1	1	13	23	.	.	.	.	.	.
Diabetes mellitus (250)	11	3	9	18	78	.	.	.	.	.	.
..Diabetes-related (250)	47	15	29	103	333	125.3	201.3	0	424.2	525.3	0
Alzheimer's diseases (331.0)	1	.	.	0	0	.	.	.	.	.	.
Cardiovascular disease (390-459)	115	34	56	502	937	429.3	675.7	0	916.5	1177.0	0
..Diseases of the heart (390-398,402,404-429)	87	25	44	345	677	299.5	529.1	0	685.7	918.3	0
...Heart disease-related (390-398,402,404-429)	160	52	84	974	1,654	778.5	1008.9	0	1495.5	1833.1	0
...Coronary heart disease (CHD) (402,410-414,429.2)	53	17	31	128	358	142.9	248.1	0	435.6	527.4	0
...Congestive heart failure (CHF) (428.0)	7	.	.	0	0	.	.	.	.	.	.
..Hypertension with or without renal disease (401,403)	.	.	.	.	.	.	.	.	.	.	.
...Hypertension-related (401,403)	27	7	11	43	138	54.7	52.2	0	176.0	154.1	0
..Cerebrovascular disease (430-438)	23	7	10	108	190	91.7	146.6	0	178.3	253.6	0
..Atherosclerosis (440)	1	.	.	0	0	.	.	.	.	.	.
...Atherosclerosis-related (440)	3	1	1	8	18	.	.	.	.	.	.
..Aortic aneurysm (441)	2	.	.	0	0	.	.	.	.	.	.
Pneumonia & influenza (480-487)	15	.	3	0	18	0.0	.	0	27.0	.	0
Chronic obstructive pulmonary disease (COPD) (490-496)	13	5	8	135	202	.	.	.	.	.	.
..COPD-related (490-496)	30	12	18	222	377	197.9	104.0	0	361.7	201.6	0
..Asthma (493)	5	4	4	117	157	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	9	6	7	115	178	.	.	.	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	6	3	5	53	98	.	.	.	.	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).



CONNECTICUT Hispanic Resident DEATHS, 1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1998			Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1998	1997	Signif- icance	1998	1997	Signif- icance
*****Causes of Death*****											
..Nephritis-related (580-589)	31	9	18	138	280	133.3	220.6	0	300.7	399.5	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	6	3	5	53	98	.	.	.	.	.	.
Unintentional injuries (E800-E949)	19	17	17	503	673	369.3	405.1	0	469.1	527.2	0
..Motor vehicle accidents (E810-E825)	9	9	9	223	313	.	.	.	.	.	.
..Falls and fall related injuries (E880-E888)	2	.	.	0	0	.	.	.	.	.	.
..Drowning (E830,E832,E910)	1	1	1	38	48	.	.	.	.	.	.
..Residential fires (E890-E899)	1	1	1	58	68	.	.	.	.	.	.
Suicide (E950-E959)	3	3	3	113	143	.	.	.	.	.	.
Homicide and legal intervention (E960-E978)	3	3	3	120	150	.	.	.	.	.	.
..Homicide (E960-E969)	3	3	3	120	150	.	.	.	.	.	.
All injury (E800-E999)	26	24	24	767	1,007	557.8	494.8	0	696.1	643.9	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	9	9	9	223	313	.	.	.	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	.	.	.	.	.	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	1	1	1	43	53	.	.	.	.	.	.
....Suicide (E955.0-.4)	.	.	.	.	.	.	.	.	.	.	.
....Homicide (E965.0-.4)	1	1	1	43	53	.	.	.	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	7	7	7	218	288	.	.	.	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	4	4	4	75	115	.	.	.	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	7	7	7	218	288	.	.	.	.	.	.

\* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).