

Connecticut Resident Age-Adjusted Rates for 62 Cause of Death Classifications by Sex  
All Residents, 1996

Page

Connecticut Resident Age-Adjusted Mortality Rate (AAMR) Tables  
by Cause of Death and Sex, All Residents, 1996

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

2

1970 standard population

4

2000 standard population

6

Connecticut Resident Age-Adjusted Years of Potential Life Lost Rate (YPLL) Tables  
by Cause of Death and Sex, All Residents, 1996

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

8

1970 standard population

14

2000 standard population

20

CONNECTICUT Resident DEATHS, 1996  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes				Male				Female						
	*****1996*****				*****1996*****				*****1996*****						
	No. of deaths	Crude rate	AAMR	Significance	1995 AAMR	No. of deaths	Crude rate	AAMR	Significance	1995 AAMR	No. of deaths	Crude rate	AAMR	Significance	1995 AAMR
*****Causes of Death*****															
All causes	29,541	904.1	435.8	0	444.6	14,190	893.8	547.8	0	566.5	15,351	913.9	344.5	0	345.6
Infectious diseases and parasitic disease (1-139)	976	29.9	20.1	1	25.2	593	37.4	28.3	1	35.3	383	22.8	12.5	0	15.7
..Septicemia (038)	363	11.1	4.6	0	5.5	175	11.0	6.1	0	6.5	188	11.2	3.4	0	4.7
....Septicemia-related (038)	1,359	41.6	19.0	0	20.3	630	39.7	23.2	0	24.3	729	43.4	15.7	0	17.3
..HIV infection (042-044)	391	12.0	10.6	1	16.6	290	18.3	15.9	1	24.6	101	6.0	5.5	1	8.8
All cancer (140-208)	7,135	218.4	121.0	0	120.7	3,591	226.2	141.9	0	142.9	3,544	211.0	106.5	0	105.2
..Oral cavity or pharynx (140.0-149.9)	96	2.9	2.0	0	2.0	62	3.9	3.0	0	3.5	34	2.0	1.1	0	0.8
..Colorectal cancer (153.0-154.3,154.8,159.0)	736	22.5	11.1	0	12.0	367	23.1	14.0	0	14.6	369	22.0	8.8	0	9.8
....Colon cancer (153)	604	18.5	9.0	0	9.2	296	18.6	11.1	0	11.1	308	18.3	7.3	0	7.7
....Rectal cancer (154)	123	3.8	2.0	0	2.5	66	4.2	2.7	0	3.3	57	3.4	1.4	0	1.8
..Pancreatic cancer (157)	422	12.9	6.8	0	6.2	195	12.3	7.9	0	6.7	227	13.5	5.9	0	5.8
..Lung and other respiratory cancer (160-165)	1,940	59.4	35.0	0	34.4	1,093	68.8	45.1	0	45.7	847	50.4	27.2	0	26.0
....Lung cancer (162.2-.9)	1,887	57.8	33.8	0	33.2	1,055	66.5	43.4	0	43.4	832	49.5	26.6	0	25.6
..Malignant melanoma of skin (172)	105	3.2	2.1	0	1.7	72	4.5	3.1	0	2.4	33	2.0	1.3	0	1.1
..Female breast cancer (174)	604	.	.	.	.	.	.	.	.	.	604	36.0	20.9	0	21.4
..Cervical cancer (180)	56	.	.	.	.	.	.	.	.	.	56	3.3	2.2	0	1.5
..Endometrial cancer (182)	51	.	.	.	.	.	.	.	.	.	51	3.0	1.4	0	1.3
..Ovarian cancer (183)	147	.	.	.	.	.	.	.	.	.	147	8.8	4.5	0	5.9
..Prostate cancer (185)	444	.	.	.	.	444	28.0	13.5	0	13.4	.	.	.	.	.
..Bladder cancer (188)	185	5.7	2.5	0	2.5	122	7.7	4.1	0	4.5	63	3.8	1.4	0	1.1
..Brain & other CNS cancer (191-192)	159	4.9	3.4	0	3.0	84	5.3	4.0	0	3.7	75	4.5	2.9	0	2.4
..Leukemia (204-208)	264	8.1	4.5	0	5.0	146	9.2	5.9	0	6.7	118	7.0	3.5	0	3.6
Diabetes mellitus (250)	711	21.8	11.0	0	9.3	325	20.5	12.3	0	9.9	386	23.0	10.1	0	8.9
..Diabetes-related (250)	2,564	78.5	37.0	0	36.4	1,183	74.5	43.7	0	42.2	1,381	82.2	31.8	0	32.2
..Diabetic ketoacidosis (DKA) (250.1)	19	0.6	0.4	0	.	13	0.8	.	.	.	6	0.4	.	.	.
Alzheimer's diseases (331.0)	240	7.3	2.0	0	2.1	69	4.3	1.7	0	2.2	171	10.2	2.2	0	2.0
Cardiovascular disease (390-459)	12,593	385.4	152.6	0	152.8	5,619	353.9	194.8	0	199.7	6,974	415.2	118.6	0	115.6
..Diseases of the heart (390-398,402,404-429)	9,898	302.9	122.6	0	123.3	4,558	287.1	160.4	0	164.4	5,340	317.9	92.2	0	90.8
....Heart disease-related (390-398,402,404-429)	16,453	503.6	211.6	0	214.9	7,610	479.4	269.4	0	280.9	8,843	526.4	166.0	0	163.8
....Coronary heart disease (CHD) (402,410-414,429.2)	7,074	216.5	87.2	0	88.9	3,402	214.3	119.8	0	124.4	3,672	218.6	61.1	0	60.9
....Congestive heart failure (CHF) (428.0)	520	15.9	4.6	0	4.8	165	10.4	4.5	0	5.7	355	21.1	4.6	0	4.1
..Hypertension with or without renal disease (401,403)	131	4.0	1.7	0	1.9	40	2.5	1.5	0	2.3	91	5.4	1.7	0	1.5
....Hypertension-related (401,403)	1,983	60.7	25.2	0	24.2	797	50.2	29.3	0	27.2	1,186	70.6	21.3	0	21.4
..Cerebrovascular disease (430-438)	1,940	59.4	21.2	0	20.7	721	45.4	23.0	0	23.8	1,219	72.6	19.6	0	18.1
..Atherosclerosis (440)	211	6.5	1.8	0	1.5	77	4.9	2.1	0	2.0	134	8.0	1.5	0	1.1
....Atherosclerosis-related (440)	870	26.6	8.6	0	7.7	343	21.6	10.5	0	9.2	527	31.4	6.9	0	6.6
..Aortic aneurysm (441)	232	7.1	3.0	0	2.9	144	9.1	4.9	0	4.5	88	5.2	1.5	0	1.7
Pneumonia & influenza (480-487)	1,147	35.1	11.4	0	11.4	503	31.7	14.7	0	14.6	644	38.3	9.1	0	9.3

(CONTINUED)

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1996 AAMR is significantly different (prob<0.05) from the 1995 AAMR.  
 0 - The 1996 AAMR is not significantly different (prob>0.05) from the 1995 AAMR.

CONNECTICUT Resident DEATHS, 1996  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes					Male					Female				
	*****1996*****					*****1996*****					*****1996*****				
	No. of deaths	Crude rate	AAMR	Signif- icance	1995 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1995 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1995 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	1,202	36.8	15.8	0	15.5	570	35.9	18.5	0	18.4	632	37.6	14.2	0	13.7
..COPD-related (490-496)	2,813	86.1	36.3	0	36.4	1,419	89.4	46.1	0	46.9	1,394	83.0	30.0	0	29.7
..Asthma (493)	49	1.5	1.1	0	1.2	17	1.1	0.8	0	0.8	32	1.9	1.3	0	1.6
Chronic liver disease and cirrhosis (571)	302	9.2	6.6	0	7.1	194	12.2	9.5	0	9.8	108	6.4	4.1	0	4.5
Nephritis, nephrotic syndrome/nephrosis (580-589)	342	10.5	4.5	0	4.5	162	10.2	5.4	0	6.1	180	10.7	3.9	0	3.3
..Nephritis-related (580-589)	1,529	46.8	21.5	0	21.7	795	50.1	27.7	0	27.7	734	43.7	17.2	0	17.6
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	416	12.7	5.6	0	5.4	201	12.7	6.7	0	7.2	215	12.8	5.0	0	4.1
Unintentional injuries (E800-E949)	1,000	30.6	23.6	0	26.0	649	40.9	34.9	0	37.9	351	20.9	12.9	0	14.7
..Motor vehicle accidents (E810-E825)	321	9.8	9.9	0	10.8	218	13.7	13.8	0	15.2	103	6.1	6.1	0	6.5
..Falls and fall related injuries (E880-E888)	218	6.7	2.8	0	2.2	111	7.0	4.1	0	2.8	107	6.4	1.7	0	1.8
..Drowning (E830,E832,E910)	31	0.9	1.1	0	1.2	26	1.6	1.9	0	2.0	5	0.3	.	.	.
..Residential fires (E890-E899)	38	1.2	1.0	0	0.9	24	1.5	1.3	0	1.1	14	0.8	.	.	.
Suicide (E950-E959)	286	8.8	8.4	0	9.2	230	14.5	13.8	0	15.2	56	3.3	3.2	0	3.6
Homicide and legal intervention (E960-E978)	170	5.2	6.0	0	5.4	131	8.3	9.4	0	8.6	39	2.3	2.4	0	2.2
..Homicide (E960-E969)	167	5.1	5.9	0	5.4	128	8.1	9.2	0	8.6	39	2.3	2.4	0	2.2
All injury (E800-E999)	1,493	45.7	39.0	0	41.1	1,033	65.1	59.4	0	62.3	460	27.4	19.3	0	20.7
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	313	9.6	9.7	0	10.7	212	13.4	13.5	0	14.8	101	6.0	6.1	0	6.5
..All falls (E880-E886,E888,E957,E968.1,E987)	168	5.1	2.5	0	2.0	89	5.6	3.6	0	2.6	79	4.7	1.4	0	1.4
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	246	7.5	8.2	0	8.0	217	13.7	14.5	0	14.3	29	1.7	2.0	0	1.8
....Suicide (E955.0-.4)	121	3.7	3.5	0	3.8	111	7.0	6.5	0	7.2	10	0.6	.	.	.
....Homicide (E965.0-.4)	118	3.6	4.5	0	4.0	99	6.2	7.5	0	6.7	19	1.1	1.4	0	1.2
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	254	7.8	7.3	0	8.5	189	11.9	11.1	0	13.2	65	3.9	3.6	0	3.9
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	176	5.4	4.3	0	4.8	122	7.7	6.3	0	7.8	54	3.2	2.4	0	2.0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	207	6.3	5.9	1	7.7	151	9.5	8.8	1	12.0	56	3.3	3.1	0	3.5

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1996 AAMR is significantly different (prob<0.05) from the 1995 AAMR.  
 0 - The 1996 AAMR is not significantly different (prob>0.05) from the 1995 AAMR.

CONNECTICUT Resident DEATHS, 1996  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

*****Causes of Death*****	Both Sexes				Male				Female						
	*****1996*****				*****1996*****				*****1996*****						
	No. of deaths	Crude rate	AAMR	Significance	1995 AAMR	No. of deaths	Crude rate	AAMR	Significance	1995 AAMR	No. of deaths	Crude rate	AAMR	Significance	1995 AAMR
All causes	29,541	904.1	607.3	0	614.3	14,190	893.8	756.3	0	775.8	15,351	913.9	495.3	0	493.7
Infectious diseases and parasitic disease (1-139)	976	29.9	21.6	1	26.1	593	37.4	30.0	1	35.9	383	22.8	14.2	0	17.3
..Septicemia (038)	363	11.1	7.0	0	8.3	175	11.0	9.2	0	9.8	188	11.2	5.4	0	7.2
....Septicemia-related (038)	1,359	41.6	27.2	0	28.7	630	39.7	33.2	0	34.6	729	43.4	23.0	0	24.7
..HIV infection (042-044)	391	12.0	9.2	1	14.2	290	18.3	13.8	1	21.4	101	6.0	4.7	1	7.4
All cancer (140-208)	7,135	218.4	160.6	0	160.4	3,591	226.2	194.9	0	195.8	3,544	211.0	138.5	0	137.1
..Oral cavity or pharynx (140.0-149.9)	96	2.9	2.5	0	2.5	62	3.9	3.7	0	4.3	34	2.0	1.4	0	1.0
..Colorectal cancer (153.0-154.3,154.8,159.0)	736	22.5	15.6	0	16.6	367	23.1	19.8	0	19.9	369	22.0	12.6	0	13.9
....Colon cancer (153)	604	18.5	12.7	0	13.0	296	18.6	15.9	0	15.3	308	18.3	10.5	0	11.1
....Rectal cancer (154)	123	3.8	2.7	0	3.3	66	4.2	3.6	0	4.2	57	3.4	2.0	0	2.5
..Pancreatic cancer (157)	422	12.9	9.3	0	8.4	195	12.3	10.5	0	8.9	227	13.5	8.2	0	7.9
..Lung and other respiratory cancer (160-165)	1,940	59.4	45.7	0	45.1	1,093	68.8	60.5	0	61.8	847	50.4	35.1	0	33.3
....Lung cancer (162.2-.9)	1,887	57.8	44.4	0	43.5	1,055	66.5	58.3	0	58.8	832	49.5	34.4	0	32.7
..Malignant melanoma of skin (172)	105	3.2	2.5	0	2.1	72	4.5	3.9	0	3.0	33	2.0	1.4	0	1.5
..Female breast cancer (174)	604	.	.	.	.	.	.	.	.	.	604	36.0	25.5	0	26.2
..Cervical cancer (180)	56	.	.	.	.	.	.	.	.	.	56	3.3	2.5	0	1.6
..Endometrial cancer (182)	51	.	.	.	.	.	.	.	.	.	51	3.0	1.9	0	1.7
..Ovarian cancer (183)	147	.	.	.	.	.	.	.	.	.	147	8.8	5.8	0	7.6
..Prostate cancer (185)	444	.	.	.	.	444	28.0	22.5	0	22.5	.	.	.	.	.
..Bladder cancer (188)	185	5.7	3.7	0	3.7	122	7.7	6.3	0	6.8	63	3.8	2.1	0	1.6
..Brain & other CNS cancer (191-192)	159	4.9	4.1	0	3.5	84	5.3	4.9	0	4.3	75	4.5	3.4	0	2.8
..Leukemia (204-208)	264	8.1	5.9	0	6.4	146	9.2	7.8	0	8.8	118	7.0	4.6	0	4.7
Diabetes mellitus (250)	711	21.8	15.2	1	12.9	325	20.5	17.4	0	14.0	386	23.0	13.8	0	12.3
..Diabetes-related (250)	2,564	78.5	53.3	0	52.0	1,183	74.5	63.1	0	60.8	1,381	82.2	46.3	0	46.0
..Diabetic ketoacidosis (DKA) (250.1)	19	0.6	0.5	0	.	13	0.8	.	.	.	6	0.4	.	.	.
Alzheimer's diseases (331.0)	240	7.3	3.9	0	4.0	69	4.3	3.4	0	4.2	171	10.2	4.1	0	3.8
Cardiovascular disease (390-459)	12,593	385.4	237.6	0	237.3	5,619	353.9	294.1	0	301.7	6,974	415.2	194.1	0	189.3
..Diseases of the heart (390-398,402,404-429)	9,898	302.9	188.7	0	189.4	4,558	287.1	239.4	0	245.7	5,340	317.9	149.9	0	147.5
....Heart disease-related (390-398,402,404-429)	16,453	503.6	318.8	0	323.4	7,610	479.4	399.0	0	417.3	8,843	526.4	259.7	0	256.2
....Coronary heart disease (CHD) (402,410-414,429.2)	7,074	216.5	134.8	0	136.8	3,402	214.3	178.9	0	185.3	3,672	218.6	101.4	0	100.6
....Congestive heart failure (CHF) (428.0)	520	15.9	8.6	0	8.9	165	10.4	8.3	0	10.1	355	21.1	8.6	0	8.0
..Hypertension with or without renal disease (401,403)	131	4.0	2.6	0	2.9	40	2.5	2.2	0	3.7	91	5.4	2.7	0	2.4
....Hypertension-related (401,403)	1,983	60.7	38.6	0	36.8	797	50.2	42.6	0	39.6	1,186	70.6	34.3	0	33.8
..Cerebrovascular disease (430-438)	1,940	59.4	34.9	0	34.1	721	45.4	37.0	0	38.0	1,219	72.6	32.9	0	30.8
..Atherosclerosis (440)	211	6.5	3.4	0	2.8	77	4.9	3.8	0	3.7	134	8.0	3.0	0	2.3
....Atherosclerosis-related (440)	870	26.6	15.0	0	13.8	343	21.6	17.5	0	16.1	527	31.4	12.9	0	12.2
..Aortic aneurysm (441)	232	7.1	4.6	0	4.4	144	9.1	7.5	0	6.7	88	5.2	2.5	0	2.7
Pneumonia & influenza (480-487)	1,147	35.1	19.6	0	19.4	503	31.7	25.4	0	25.1	644	38.3	16.2	0	16.3

(CONTINUED)

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1996 AAMR is significantly different (prob<0.05) from the 1995 AAMR.  
 0 - The 1996 AAMR is not significantly different (prob>0.05) from the 1995 AAMR.

CONNECTICUT Resident DEATHS, 1996  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes				Male				Female						
	*****1996*****				*****1996*****				*****1996*****						
	No. of deaths	Crude rate	AAMR	Signif- icance	1995 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1995 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1995 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	1,202	36.8	23.9	0	23.6	570	35.9	29.3	0	29.1	632	37.6	21.1	0	20.4
..COPD-related (490-496)	2,813	86.1	55.5	0	55.4	1,419	89.4	73.0	0	73.6	1,394	83.0	45.2	0	44.4
..Asthma (493)	49	1.5	1.2	0	1.4	17	1.1	0.9	0	1.0	32	1.9	1.5	0	1.8
Chronic liver disease and cirrhosis (571)	302	9.2	7.5	0	8.1	194	12.2	10.7	0	10.9	108	6.4	4.8	0	5.5
Nephritis, nephrotic syndrome/nephrosis (580-589)	342	10.5	6.7	0	7.0	162	10.2	8.4	0	9.7	180	10.7	5.8	0	5.3
..Nephritis-related (580-589)	1,529	46.8	30.8	0	31.0	795	50.1	41.1	0	40.9	734	43.7	24.4	0	24.9
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	416	12.7	8.2	0	8.3	201	12.7	10.4	0	11.3	215	12.8	7.1	0	6.4
Unintentional injuries (E800-E949)	1,000	30.6	25.1	0	27.2	649	40.9	36.5	0	38.8	351	20.9	14.8	0	16.7
..Motor vehicle accidents (E810-E825)	321	9.8	9.8	0	10.5	218	13.7	13.6	0	14.6	103	6.1	6.1	0	6.6
..Falls and fall related injuries (E880-E888)	218	6.7	4.1	0	3.6	111	7.0	5.8	0	4.5	107	6.4	2.8	0	3.0
..Drowning (E830,E832,E910)	31	0.9	1.1	0	1.2	26	1.6	1.9	0	2.0	5	0.3	.	.	.
..Residential fires (E890-E899)	38	1.2	1.1	0	1.0	24	1.5	1.4	0	1.3	14	0.8	.	.	.
Suicide (E950-E959)	286	8.8	8.0	0	8.8	230	14.5	13.3	0	14.8	56	3.3	3.0	0	3.3
Homicide and legal intervention (E960-E978)	170	5.2	5.5	0	4.9	131	8.3	8.7	0	7.9	39	2.3	2.4	0	2.0
..Homicide (E960-E969)	167	5.1	5.5	0	4.9	128	8.1	8.5	0	7.9	39	2.3	2.4	0	2.0
All injury (E800-E999)	1,493	45.7	39.5	0	41.4	1,033	65.1	59.6	0	61.9	460	27.4	20.9	0	22.3
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	313	9.6	9.6	0	10.3	212	13.4	13.3	0	14.2	101	6.0	6.1	0	6.6
..All falls (E880-E886,E888,E957,E968.1,E987)	168	5.1	3.3	0	2.9	89	5.6	4.7	0	3.9	79	4.7	2.2	0	2.2
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	246	7.5	7.6	0	7.5	217	13.7	13.5	0	13.6	29	1.7	1.9	0	1.7
....Suicide (E955.0-.4)	121	3.7	3.4	0	3.7	111	7.0	6.4	0	7.2	10	0.6	.	.	.
....Homicide (E965.0-.4)	118	3.6	4.1	0	3.6	99	6.2	6.7	0	6.0	19	1.1	1.3	0	1.1
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	254	7.8	6.5	0	7.4	189	11.9	9.8	0	11.4	65	3.9	3.3	0	3.6
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	176	5.4	4.6	0	5.0	122	7.7	6.7	0	8.2	54	3.2	2.6	0	2.2
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	207	6.3	5.1	1	6.6	151	9.5	7.5	1	10.2	56	3.3	2.7	0	3.2

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1996 AAMR is significantly different (prob<0.05) from the 1995 AAMR.  
 0 - The 1996 AAMR is not significantly different (prob>0.05) from the 1995 AAMR.

CONNECTICUT Resident DEATHS, 1996  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes				Male				Female						
	*****1996*****				*****1996*****				*****1996*****						
	No. of deaths	Crude rate	AAMR	Significance	1995 AAMR	No. of deaths	Crude rate	AAMR	Significance	1995 AAMR	No. of deaths	Crude rate	AAMR	Significance	1995 AAMR
*****Causes of Death*****															
All causes	29,541	904.1	829.1	0	837.1	14,190	893.8	1027.5	0	1052.5	15,351	913.9	690.3	0	687.2
Infectious diseases and parasitic disease (1-139)	976	29.9	28.0	1	34.2	593	37.4	38.8	1	47.0	383	22.8	18.7	1	22.9
..Septicemia (038)	363	11.1	10.1	0	12.0	175	11.0	13.1	0	14.2	188	11.2	8.1	0	10.6
....Septicemia-related (038)	1,359	41.6	37.9	0	39.7	630	39.7	46.2	0	48.2	729	43.4	32.5	0	34.4
..HIV infection (042-044)	391	12.0	11.5	1	17.8	290	18.3	17.3	1	26.8	101	6.0	5.8	1	9.1
All cancer (140-208)	7,135	218.4	202.3	0	201.8	3,591	226.2	252.4	0	251.9	3,544	211.0	172.7	0	171.6
..Oral cavity or pharynx (140.0-149.9)	96	2.9	2.8	0	3.0	62	3.9	4.2	0	5.0	34	2.0	1.7	0	1.4
..Colorectal cancer (153.0-154.3,154.8,159.0)	736	22.5	20.6	0	21.4	367	23.1	26.2	0	25.2	369	22.0	16.9	0	18.4
....Colon cancer (153)	604	18.5	16.9	0	17.0	296	18.6	21.2	0	19.9	308	18.3	14.1	0	14.8
....Rectal cancer (154)	123	3.8	3.5	0	4.0	66	4.2	4.6	0	4.9	57	3.4	2.6	0	3.2
..Pancreatic cancer (157)	422	12.9	11.9	0	10.5	195	12.3	13.4	0	11.1	227	13.5	10.6	0	10.0
..Lung and other respiratory cancer (160-165)	1,940	59.4	55.2	0	54.4	1,093	68.8	74.6	0	76.5	847	50.4	42.0	0	39.8
....Lung cancer (162.2-.9)	1,887	57.8	53.7	0	52.5	1,055	66.5	72.1	0	72.9	832	49.5	41.2	0	39.1
..Malignant melanoma of skin (172)	105	3.2	3.0	0	2.7	72	4.5	4.9	0	3.8	33	2.0	1.8	0	1.9
..Female breast cancer (174)	604	.	.	.	.	.	.	.	.	.	604	36.0	30.9	0	31.9
..Cervical cancer (180)	56	.	.	.	.	.	.	.	.	.	56	3.3	3.0	0	2.0
..Endometrial cancer (182)	51	.	.	.	.	.	.	.	.	.	51	3.0	2.4	0	2.0
..Ovarian cancer (183)	147	.	.	.	.	.	.	.	.	.	147	8.8	7.2	0	9.3
..Prostate cancer (185)	444	.	.	.	.	444	28.0	33.7	0	33.9	.	.	.	.	.
..Bladder cancer (188)	185	5.7	5.1	0	4.9	122	7.7	9.1	0	9.4	63	3.8	2.8	0	2.1
..Brain & other CNS cancer (191-192)	159	4.9	4.7	0	4.0	84	5.3	5.7	0	5.0	75	4.5	4.0	0	3.2
..Leukemia (204-208)	264	8.1	7.5	0	8.0	146	9.2	10.3	0	11.1	118	7.0	5.7	0	6.0
Diabetes mellitus (250)	711	21.8	20.1	1	17.1	325	20.5	23.2	0	18.7	386	23.0	18.1	0	16.1
..Diabetes-related (250)	2,564	78.5	71.6	0	69.0	1,183	74.5	84.7	0	81.1	1,381	82.2	62.8	0	61.2
..Diabetic ketoacidosis (DKA) (250.1)	19	0.6	0.6	0	.	13	0.8	.	.	.	6	0.4	.	.	.
Alzheimer's diseases (331.0)	240	7.3	6.5	0	6.7	69	4.3	5.7	0	7.0	171	10.2	6.9	0	6.5
Cardiovascular disease (390-459)	12,593	385.4	348.9	0	348.4	5,619	353.9	419.9	0	431.8	6,974	415.2	296.6	0	289.6
..Diseases of the heart (390-398,402,404-429)	9,898	302.9	274.7	0	275.6	4,558	287.1	338.9	0	348.9	5,340	317.9	227.8	0	224.1
....Heart disease-related (390-398,402,404-429)	16,453	503.6	457.2	0	464.7	7,610	479.4	563.2	1	591.8	8,843	526.4	383.4	0	379.6
....Coronary heart disease (CHD) (402,410-414,429.2)	7,074	216.5	196.2	0	198.1	3,402	214.3	252.5	0	261.1	3,672	218.6	155.7	0	153.8
....Congestive heart failure (CHF) (428.0)	520	15.9	14.2	0	14.8	165	10.4	13.4	0	16.3	355	21.1	14.4	0	13.7
..Hypertension with or without renal disease (401,403)	131	4.0	3.6	0	4.2	40	2.5	2.9	1	5.6	91	5.4	3.9	0	3.5
....Hypertension-related (401,403)	1,983	60.7	55.1	0	52.3	797	50.2	57.9	0	54.1	1,186	70.6	51.1	0	49.5
..Cerebrovascular disease (430-438)	1,940	59.4	53.4	0	52.3	721	45.4	55.5	0	56.5	1,219	72.6	51.3	0	48.7
..Atherosclerosis (440)	211	6.5	5.8	0	4.9	77	4.9	6.2	0	6.1	134	8.0	5.3	0	4.2
....Atherosclerosis-related (440)	870	26.6	23.8	0	22.3	343	21.6	26.5	0	25.5	527	31.4	21.4	0	20.3
..Aortic aneurysm (441)	232	7.1	6.4	0	6.0	144	9.1	10.5	0	9.1	88	5.2	3.8	0	4.1
Pneumonia & influenza (480-487)	1,147	35.1	31.5	0	31.1	503	31.7	40.7	0	40.7	644	38.3	26.4	0	26.2

(CONTINUED)

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1996 AAMR is significantly different (prob<0.05) from the 1995 AAMR.  
 0 - The 1996 AAMR is not significantly different (prob>0.05) from the 1995 AAMR.

CONNECTICUT Resident DEATHS, 1996  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes					Male					Female				
	*****1996*****					*****1996*****					*****1996*****				
	No. of deaths	Crude rate	AAMR	Signif- icance	1995 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1995 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1995 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	1,202	36.8	33.1	0	32.6	570	35.9	42.4	0	41.4	632	37.6	28.6	0	27.8
..COPD-related (490-496)	2,813	86.1	77.5	0	76.7	1,419	89.4	105.4	0	104.5	1,394	83.0	62.4	0	60.9
..Asthma (493)	49	1.5	1.4	0	1.6	17	1.1	1.1	0	1.1	32	1.9	1.7	0	2.0
Chronic liver disease and cirrhosis (571)	302	9.2	8.9	0	9.7	194	12.2	12.8	0	12.9	108	6.4	5.6	0	6.7
Nephritis, nephrotic syndrome/nephrosis (580-589)	342	10.5	9.5	0	10.3	162	10.2	12.3	0	14.5	180	10.7	8.0	0	8.0
..Nephritis-related (580-589)	1,529	46.8	42.6	0	43.1	795	50.1	58.8	0	58.4	734	43.7	33.4	0	34.2
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	416	12.7	11.5	0	12.1	201	12.7	15.2	0	16.8	215	12.8	9.7	0	9.4
Unintentional injuries (E800-E949)	1,000	30.6	29.6	0	32.1	649	40.9	43.3	0	45.9	351	20.9	17.7	0	20.2
..Motor vehicle accidents (E810-E825)	321	9.8	9.9	0	10.8	218	13.7	14.0	0	15.2	103	6.1	6.1	0	6.8
..Falls and fall related injuries (E880-E888)	218	6.7	6.1	0	5.5	111	7.0	8.3	0	6.9	107	6.4	4.5	0	4.7
..Drowning (E830,E832,E910)	31	0.9	1.0	0	1.2	26	1.6	1.7	0	2.0	5	0.3	.	.	.
..Residential fires (E890-E899)	38	1.2	1.1	0	1.0	24	1.5	1.5	0	1.3	14	0.8	.	.	.
Suicide (E950-E959)	286	8.8	8.7	0	9.7	230	14.5	14.6	0	16.5	56	3.3	3.3	0	3.7
Homicide and legal intervention (E960-E978)	170	5.2	5.4	0	4.7	131	8.3	8.3	0	7.5	39	2.3	2.4	0	1.8
..Homicide (E960-E969)	167	5.1	5.3	0	4.7	128	8.1	8.1	0	7.5	39	2.3	2.4	0	1.8
All injury (E800-E999)	1,493	45.7	44.7	0	47.0	1,033	65.1	67.5	0	70.5	460	27.4	24.2	0	26.0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	313	9.6	9.7	0	10.6	212	13.4	13.7	0	14.7	101	6.0	6.0	0	6.8
..All falls (E880-E886,E888,E957,E968.1,E987)	168	5.1	4.7	0	4.2	89	5.6	6.4	0	5.7	79	4.7	3.4	0	3.3
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	246	7.5	7.6	0	7.6	217	13.7	13.7	0	14.2	29	1.7	1.9	0	1.7
....Suicide (E955.0-.4)	121	3.7	3.6	0	4.2	111	7.0	7.0	0	8.2	10	0.6	.	.	.
....Homicide (E965.0-.4)	118	3.6	3.8	0	3.3	99	6.2	6.3	0	5.5	19	1.1	1.2	0	1.0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	254	7.8	7.6	0	8.8	189	11.9	11.5	0	13.8	65	3.9	3.8	0	4.1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	176	5.4	5.3	0	5.8	122	7.7	7.9	0	9.6	54	3.2	3.0	0	2.5
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	207	6.3	6.1	1	8.0	151	9.5	9.0	1	12.5	56	3.3	3.2	0	3.6

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1996 AAMR is significantly different (prob<0.05) from the 1995 AAMR.  
 0 - The 1996 AAMR is not significantly different (prob>0.05) from the 1995 AAMR.

CONNECTICUT Resident DEATHS, 1996  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1996			Years of life lost, 1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996	1995	Signif- icance	1996	1995	Signif- icance
*****Causes of Death*****											
All causes	29,541	6,582	12,222	120,452	211,762	4152.5	4444.0	0	6499.6	6871.3	1
Infectious diseases and parasitic disease (1-139)	976	558	662	13,245	19,360	408.2	539.3	1	559.3	731.1	1
..Septicemia (038)	363	52	113	752	1,570	24.8	39.0	0	45.6	63.2	0
...Septicemia-related (038)	1,359	261	524	3,862	7,674	125.1	149.2	0	222.3	255.4	0
..HIV infection (042-044)	391	387	390	9,581	13,473	285.0	440.8	1	379.4	587.0	1
All cancer (140-208)	7,135	1,882	3,869	21,515	49,533	679.6	652.2	0	1401.7	1377.2	0
..Oral cavity or pharynx (140.0-149.9)	96	38	74	280	815	8.7	16.9	0	22.9	31.0	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	736	139	345	1,408	3,723	44.0	48.6	0	102.7	115.5	0
...Colon cancer (153)	604	109	276	1,108	2,945	34.7	34.5	0	81.2	84.0	0
...Rectal cancer (154)	123	28	66	285	735	8.8	13.0	0	20.2	29.3	0
..Pancreatic cancer (157)	422	91	222	933	2,425	28.1	24.3	0	65.7	60.8	0
..Lung and other respiratory cancer (160-165)	1,940	532	1,174	4,575	12,915	141.1	133.6	0	357.2	347.0	0
...Lung cancer (162.2-.9)	1,887	511	1,132	4,393	12,410	135.6	127.5	0	343.2	332.1	0
..Malignant melanoma of skin (172)	105	44	71	710	1,288	22.5	13.3	0	37.4	24.7	0
..Female breast cancer (174)	604	235	368	2,808	5,820	.	.	.	.	.	.
..Cervical cancer (180)	56	29	40	488	830	.	.	.	.	.	.
..Endometrial cancer (182)	51	8	25	80	248	.	.	.	.	.	.
..Ovarian cancer (183)	147	42	79	435	1,023	.	.	.	.	.	.
..Prostate cancer (185)	444	31	124	148	885	.	.	.	.	.	.
..Bladder cancer (188)	185	23	75	193	638	5.9	4.8	0	16.9	16.5	0
..Brain & other CNS cancer (191-192)	159	73	119	1,263	2,213	43.1	38.1	0	67.9	60.4	0
..Leukemia (204-208)	264	77	139	1,451	2,481	50.1	55.7	0	76.6	85.4	0
Diabetes mellitus (250)	711	163	325	1,713	4,088	53.2	42.7	0	114.9	94.1	0
..Diabetes-related (250)	2,564	439	1,064	4,178	11,460	130.6	119.9	0	316.4	308.5	0
..Diabetic ketoacidosis (DKA) (250.1)	19	11	16	248	370	7.9	.	0	11.0	.	0
Alzheimer's diseases (331.0)	240	5	23	18	143	0.6	1.6	0	3.6	5.2	0
Cardiovascular disease (390-459)	12,593	1,622	3,800	19,216	45,071	614.0	600.4	0	1269.0	1262.9	0
..Diseases of the heart (390-398,402,404-429)	9,898	1,362	3,133	16,043	37,531	513.5	499.3	0	1059.5	1052.0	0
...Heart disease-related (390-398,402,404-429)	16,453	2,488	5,548	32,757	71,202	1055.6	1071.8	0	2029.9	2065.8	0
....Coronary heart disease (CHD) (402,410-414,429.2)	7,074	941	2,237	9,518	24,658	289.9	292.3	0	673.5	691.4	0
....Congestive heart failure (CHF) (428.0)	520	17	84	148	575	4.5	9.6	0	14.5	20.3	0
..Hypertension with or without renal disease (401,403)	131	19	44	138	435	4.2	6.7	0	11.9	15.0	0
...Hypertension-related (401,403)	1,983	265	645	2,308	6,683	72.1	74.8	0	184.3	185.3	0
..Cerebrovascular disease (430-438)	1,940	185	450	2,301	5,323	72.9	67.2	0	148.8	141.6	0
..Atherosclerosis (440)	211	7	28	108	250	3.1	3.7	0	6.3	6.7	0
...Atherosclerosis-related (440)	870	48	170	385	1,380	12.0	12.0	0	36.5	32.3	0
..Aortic aneurysm (441)	232	22	80	235	715	7.4	8.5	0	19.0	20.5	0
Pneumonia & influenza (480-487)	1,147	97	228	1,506	3,018	51.1	53.8	0	89.2	92.6	0
Chronic obstructive pulmonary disease (COPD) (490-496)	1,202	123	433	1,203	3,818	39.2	41.6	0	103.0	101.0	0
..COPD-related (490-496)	2,813	281	978	2,433	8,315	76.5	81.1	0	220.3	226.1	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).



CONNECTICUT Resident DEATHS, 1996  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1996			Years of life lost, 1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996	1995	Signif- icance	1996	1995	Signif- icance
*****Causes of Death*****											
..Asthma (493)	49	24	37	515	818	17.9	24.8	0	25.8	33.6	0
Chronic liver disease and cirrhosis (571)	302	160	239	2,390	4,368	71.2	77.1	0	121.9	130.1	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	342	49	120	715	1,537	24.3	16.5	0	45.0	34.3	0
..Nephritis-related (580-589)	1,529	276	613	4,164	8,412	132.9	142.0	0	239.1	249.0	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	416	66	154	957	2,027	31.7	23.0	0	58.7	45.2	0
Unintentional injuries (E800-E949)	1,000	606	698	17,318	23,738	652.3	735.8	0	827.8	930.6	0
..Motor vehicle accidents (E810-E825)	321	261	284	8,195	10,902	335.8	367.6	0	415.0	454.4	0
..Falls and fall related injuries (E880-E888)	218	39	72	850	1,372	29.5	18.6	0	42.8	27.0	0
..Drowning (E830,E832,E910)	31	29	31	1,106	1,406	45.5	42.1	0	54.1	52.4	0
..Residential fires (E890-E899)	38	27	32	898	1,180	33.0	30.7	0	40.5	37.2	0
Suicide (E950-E959)	286	239	266	6,418	8,960	237.9	251.2	0	307.8	327.3	0
Homicide and legal intervention (E960-E978)	170	157	167	5,546	7,171	231.6	224.4	0	279.9	268.0	0
..Homicide (E960-E969)	167	154	164	5,448	7,043	227.8	224.4	0	275.3	268.0	0
All injury (E800-E999)	1,493	1,035	1,167	30,248	41,183	1153.9	1228.9	0	1456.3	1547.4	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	313	255	278	8,055	10,702	331.4	361.7	0	409.0	447.1	0
..All falls (E880-E886,E888,E957,E968.1,E987)	168	42	69	892	1,415	30.1	19.8	0	43.5	28.8	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	246	220	235	7,219	9,492	296.6	271.0	0	363.6	335.6	0
....Suicide (E955.0-.4)	121	96	110	2,685	3,710	101.5	99.2	0	129.9	129.9	0
....Homicide (E965.0-.4)	118	117	118	4,302	5,479	185.6	165.8	0	222.1	197.9	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	254	240	250	6,197	8,662	205.3	249.0	0	268.7	321.9	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	176	121	155	1,853	3,243	54.5	63.8	0	90.2	103.9	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	207	202	204	5,387	7,417	174.8	226.8	0	226.2	293.6	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1996  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1996			Years of life lost, 1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996	1995	Signif- icance	1996	1995	Signif- icance
*****Causes of Death*****											
All causes	14,190	4,101	7,216	77,407	132,734	5355.1	5709.6	0	8329.5	8819.8	0
Infectious diseases and parasitic disease (1-139)	593	401	461	9,400	13,715	575.2	739.9	1	792.2	1017.0	1
..Septicemia (038)	175	34	73	410	933	27.4	46.7	0	55.8	76.1	0
...Septicemia-related (038)	630	157	300	2,258	4,485	145.8	173.2	0	265.2	295.9	0
..HIV infection (042-044)	290	286	289	7,026	9,909	418.9	622.9	1	560.1	841.3	1
All cancer (140-208)	3,591	958	2,020	10,844	25,339	707.7	678.0	0	1496.1	1479.1	0
..Oral cavity or pharynx (140.0-149.9)	62	29	52	233	630	15.1	29.7	0	37.5	55.0	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	367	84	201	865	2,253	55.3	60.4	0	130.0	144.7	0
...Colon cancer (153)	296	63	157	623	1,703	40.1	40.9	0	98.3	101.4	0
...Rectal cancer (154)	66	20	42	235	525	14.7	18.5	0	30.2	41.2	0
..Pancreatic cancer (157)	195	52	120	600	1,450	36.7	29.5	0	81.9	70.2	0
..Lung and other respiratory cancer (160-165)	1,093	308	684	2,580	7,370	164.9	143.9	0	428.1	407.9	0
...Lung cancer (162.2-.9)	1,055	294	653	2,460	7,018	157.3	133.7	0	407.7	382.1	0
..Malignant melanoma of skin (172)	72	27	48	433	815	28.4	20.8	0	49.0	37.1	0
..Female breast cancer (174)	.	.	.	.	.	.	.	.	.	.	.
..Cervical cancer (180)	.	.	.	.	.	.	.	.	.	.	.
..Endometrial cancer (182)	.	.	.	.	.	.	.	.	.	.	.
..Ovarian cancer (183)	.	.	.	.	.	.	.	.	.	.	.
..Prostate cancer (185)	444	31	124	148	885	9.8	10.2	0	48.6	49.2	0
..Bladder cancer (188)	122	17	54	173	490	10.8	6.1	0	27.4	24.5	0
..Brain & other CNS cancer (191-192)	84	41	64	708	1,230	49.2	48.8	0	78.0	76.0	0
..Leukemia (204-208)	146	47	85	890	1,510	61.1	68.2	0	94.2	107.1	0
Diabetes mellitus (250)	325	82	163	905	2,098	58.5	40.9	0	123.6	91.6	0
..Diabetes-related (250)	1,183	245	576	2,368	6,420	150.2	129.5	0	369.2	339.0	0
..Diabetic ketoacidosis (DKA) (250.1)	13	9	12	198	295	.	.	.	.	.	.
Alzheimer's diseases (331.0)	69	2	8	5	50	0.3	1.3	0	2.7	5.1	0
Cardiovascular disease (390-459)	5,619	1,079	2,343	12,703	29,293	818.2	824.3	0	1711.6	1738.6	0
..Diseases of the heart (390-398,402,404-429)	4,558	918	1,977	10,856	24,954	699.0	695.4	0	1458.3	1470.2	0
...Heart disease-related (390-398,402,404-429)	7,610	1,583	3,339	21,112	44,962	1366.7	1398.2	0	2643.4	2721.8	0
....Coronary heart disease (CHD) (402,410-414,429.2)	3,402	682	1,489	7,110	17,648	442.8	459.4	0	1011.1	1053.2	0
....Congestive heart failure (CHF) (428.0)	165	7	37	33	233	2.2	11.6	0	12.5	26.2	0
..Hypertension with or without renal disease (401,403)	40	13	19	98	253	6.1	10.0	0	15.0	20.1	0
...Hypertension-related (401,403)	797	173	375	1,508	4,203	97.5	101.9	0	245.7	239.9	0
..Cerebrovascular disease (430-438)	721	106	233	1,254	2,852	82.1	86.8	0	168.5	178.3	0
..Atherosclerosis (440)	77	6	17	105	208	6.2	6.3	0	11.2	10.7	0
...Atherosclerosis-related (440)	343	33	105	293	938	18.7	15.6	0	53.0	41.9	0
..Aortic aneurysm (441)	144	19	62	203	585	13.2	13.1	0	33.2	33.7	0
Pneumonia & influenza (480-487)	503	55	136	971	1,853	66.7	72.0	0	112.8	120.7	0
Chronic obstructive pulmonary disease (COPD) (490-496)	570	57	210	583	1,905	37.7	28.1	0	106.3	88.7	0
..COPD-related (490-496)	1,419	145	528	1,243	4,450	78.9	76.8	0	245.8	244.5	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1996  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1996			Years of life lost, 1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996	1995	Signif- icance	1996	1995	Signif- icance
*****Causes of Death*****											
..Asthma (493)	17	9	13	203	313	14.0	13.5	0	19.9	19.4	0
Chronic liver disease and cirrhosis (571)	194	116	161	1,770	3,148	107.0	113.1	0	180.4	189.8	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	162	28	60	462	872	32.0	19.9	0	53.9	43.5	0
..Nephritis-related (580-589)	795	162	339	2,426	4,834	153.8	159.0	0	280.6	283.0	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	201	35	77	545	1,070	37.0	26.7	0	64.9	55.1	0
Unintentional injuries (E800-E949)	649	458	510	12,883	17,673	952.1	1093.8	0	1215.8	1381.8	0
..Motor vehicle accidents (E810-E825)	218	184	196	5,746	7,636	459.3	529.9	0	569.3	651.3	0
..Falls and fall related injuries (E880-E888)	111	31	51	638	1,033	45.5	22.6	0	67.0	33.3	0
..Drowning (E830,E832,E910)	26	26	26	961	1,221	78.4	67.6	0	93.6	84.4	0
..Residential fires (E890-E899)	24	18	22	502	692	35.6	35.5	0	45.8	43.9	0
Suicide (E950-E959)	230	194	214	5,220	7,265	386.1	404.3	0	500.1	527.4	0
Homicide and legal intervention (E960-E978)	131	122	131	4,450	5,723	371.7	351.2	0	448.1	421.1	0
..Homicide (E960-E969)	128	119	128	4,353	5,595	364.3	351.2	0	439.0	421.1	0
All injury (E800-E999)	1,033	794	877	23,187	31,505	1752.3	1872.0	0	2216.7	2358.7	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	212	178	190	5,606	7,436	450.5	518.1	0	557.3	636.8	0
..All falls (E880-E886,E888,E957,E968.1,E987)	89	32	51	650	1,048	45.2	25.0	0	66.6	37.0	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	217	191	206	6,357	8,339	515.2	474.1	0	631.7	588.9	0
....Suicide (E955.0-.4)	111	86	100	2,435	3,360	182.6	181.9	0	234.2	239.1	0
....Homicide (E965.0-.4)	99	98	99	3,689	4,677	313.8	280.2	0	374.7	334.8	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	189	182	187	4,717	6,570	313.3	378.2	0	409.8	491.7	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	122	88	108	1,375	2,350	82.5	107.1	0	134.4	172.3	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	151	150	150	4,032	5,532	263.2	353.0	0	339.8	457.4	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1996  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1996			Years of life lost, 1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996	1995	Signif- icance	1996	1995	Signif- icance
*****Causes of Death*****											
All causes	15,351	2,481	5,006	43,046	79,028	2951.2	3185.1	0	4713.3	4977.9	0
Infectious diseases and parasitic disease (1-139)	383	157	201	3,846	5,646	244.5	345.0	0	332.2	455.0	0
..Septicemia (038)	188	18	40	342	637	22.6	31.8	0	36.6	51.0	0
...Septicemia-related (038)	729	104	224	1,604	3,189	105.4	125.5	0	182.4	216.7	0
..HIV infection (042-044)	101	101	101	2,555	3,565	153.5	263.7	1	202.6	340.4	1
All cancer (140-208)	3,544	924	1,849	10,671	24,194	650.9	624.8	0	1315.4	1284.7	0
..Oral cavity or pharynx (140.0-149.9)	34	9	22	48	185	2.7	4.3	0	9.4	8.0	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	369	55	144	543	1,470	33.0	37.2	0	77.4	88.6	0
...Colon cancer (153)	308	46	119	485	1,243	29.4	28.6	0	65.6	68.3	0
...Rectal cancer (154)	57	8	24	50	210	3.1	7.6	0	10.8	18.0	0
..Pancreatic cancer (157)	227	39	102	333	975	19.7	19.3	0	50.4	52.0	0
..Lung and other respiratory cancer (160-165)	847	224	490	1,995	5,545	118.6	124.1	0	292.8	293.9	0
...Lung cancer (162.2-.9)	832	217	479	1,933	5,393	115.1	122.0	0	284.8	288.9	0
..Malignant melanoma of skin (172)	33	17	23	278	473	16.5	6.0	0	26.3	12.9	0
..Female breast cancer (174)	604	235	368	2,808	5,820	164.6	165.5	0	316.1	316.4	0
..Cervical cancer (180)	56	29	40	488	830	29.7	22.5	0	46.8	34.0	0
..Endometrial cancer (182)	51	8	25	80	248	4.7	2.4	0	12.4	9.5	0
..Ovarian cancer (183)	147	42	79	435	1,023	25.8	32.2	0	55.0	71.7	0
..Prostate cancer (185)	.	.	.	.	.	.	.	0	.	.	0
..Bladder cancer (188)	63	6	21	20	148	1.2	3.5	0	7.2	9.6	0
..Brain & other CNS cancer (191-192)	75	32	55	555	983	36.7	27.3	0	58.0	45.1	0
..Leukemia (204-208)	118	30	54	561	971	39.4	42.8	0	59.8	64.4	0
Diabetes mellitus (250)	386	81	162	808	1,990	47.7	44.5	0	106.3	96.8	0
..Diabetes-related (250)	1,381	194	488	1,810	5,040	112.0	110.9	0	268.1	281.4	0
..Diabetic ketoacidosis (DKA) (250.1)	6	2	4	50	75	.	.	0	.	.	0
Alzheimer's diseases (331.0)	171	3	15	13	93	0.8	1.9	0	4.4	5.3	0
Cardiovascular disease (390-459)	6,974	543	1,457	6,514	15,779	417.9	385.7	0	857.2	820.6	0
..Diseases of the heart (390-398,402,404-429)	5,340	444	1,156	5,187	12,577	335.2	311.8	0	688.2	663.5	0
...Heart disease-related (390-398,402,404-429)	8,843	905	2,209	11,646	26,241	754.0	756.2	0	1454.0	1452.0	0
....Coronary heart disease (CHD) (402,410-414,429.2)	3,672	259	748	2,408	7,010	143.7	132.7	0	360.2	355.7	0
....Congestive heart failure (CHF) (428.0)	355	10	47	115	343	6.7	7.9	0	16.4	15.0	0
..Hypertension with or without renal disease (401,403)	91	6	25	40	183	2.5	3.4	0	8.9	10.2	0
...Hypertension-related (401,403)	1,186	92	270	800	2,480	48.1	49.0	0	127.6	134.3	0
..Cerebrovascular disease (430-438)	1,219	79	217	1,047	2,472	63.9	47.7	0	130.1	106.7	0
..Atherosclerosis (440)	134	1	11	3	43	0.2	1.2	0	1.7	2.8	0
...Atherosclerosis-related (440)	527	15	65	93	443	5.7	8.4	0	21.5	23.5	0
..Aortic aneurysm (441)	88	3	18	33	130	1.8	4.1	0	6.0	8.6	0
Pneumonia & influenza (480-487)	644	42	92	535	1,165	35.3	36.1	0	66.1	65.7	0
Chronic obstructive pulmonary disease (COPD) (490-496)	632	66	223	620	1,913	40.7	55.3	0	100.7	114.4	0
..COPD-related (490-496)	1,394	136	450	1,190	3,865	74.5	85.9	0	198.8	211.7	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1996  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1996			Years of life lost, 1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996	1995	Signif- icance	1996	1995	Signif- icance
*****Causes of Death*****											
..Asthma (493)	32	15	24	313	505	21.9	36.5	0	31.6	48.1	0
Chronic liver disease and cirrhosis (571)	108	44	78	620	1,220	36.7	42.7	0	66.1	73.6	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	180	21	60	253	665	16.5	13.4	0	36.0	25.9	0
..Nephritis-related (580-589)	734	114	274	1,738	3,578	113.0	125.9	0	200.5	217.9	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	215	31	77	413	958	26.3	19.4	0	52.4	36.2	0
Unintentional injuries (E800-E949)	351	148	188	4,435	6,065	349.9	373.7	0	438.8	476.2	0
..Motor vehicle accidents (E810-E825)	103	77	88	2,449	3,266	210.1	201.3	0	258.4	253.2	0
..Falls and fall related injuries (E880-E888)	107	8	21	212	340	13.4	14.8	0	19.0	21.1	0
..Drowning (E830,E832,E910)	5	3	5	145	185	.	.	.	.	.	.
..Residential fires (E890-E899)	14	9	10	396	488	.	.	.	.	.	.
Suicide (E950-E959)	56	45	52	1,198	1,695	88.4	96.3	0	115.0	126.5	0
Homicide and legal intervention (E960-E978)	39	35	36	1,096	1,448	86.4	93.5	0	106.1	110.4	0
..Homicide (E960-E969)	39	35	36	1,096	1,448	86.4	93.5	0	106.1	110.4	0
All injury (E800-E999)	460	241	290	7,061	9,678	546.4	575.7	0	688.7	727.7	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	101	77	88	2,449	3,266	210.1	201.3	0	258.4	253.2	0
..All falls (E880-E886,E888,E957,E968.1,E987)	79	10	18	242	367	15.2	14.8	0	21.0	21.0	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	29	29	29	863	1,153	72.1	62.9	0	89.4	77.4	0
...Suicide (E955.0-.4)	10	10	10	250	350	.	.	.	.	.	.
...Homicide (E965.0-.4)	19	19	19	613	803	52.8	47.5	0	64.4	56.7	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	65	58	63	1,480	2,093	97.7	121.4	0	128.7	154.8	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	54	33	47	478	893	27.4	22.0	0	48.0	38.6	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	56	52	54	1,355	1,885	86.8	102.1	0	113.2	132.0	0

\* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1996  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1996			Years of life lost, 1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996	1995	Signif- icance	1996	1995	Signif- icance
*****Causes of Death*****											
All causes	29,541	6,582	12,222	120,452	211,762	4087.4	4330.2	0	6578.8	6887.2	0
Infectious diseases and parasitic disease (1-139)	976	558	662	13,245	19,360	367.7	471.5	1	505.2	640.3	1
..Septicemia (038)	363	52	113	752	1,570	25.4	37.9	0	48.5	63.7	0
...Septicemia-related (038)	1,359	261	524	3,862	7,674	121.7	145.8	0	227.1	260.0	0
..HIV infection (042-044)	391	387	390	9,581	13,473	245.5	377.1	1	324.6	499.6	1
All cancer (140-208)	7,135	1,882	3,869	21,515	49,533	682.4	650.1	0	1486.0	1459.9	0
..Oral cavity or pharynx (140.0-149.9)	96	38	74	280	815	9.3	16.8	0	25.6	32.2	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	736	139	345	1,408	3,723	44.2	49.0	0	110.9	125.2	0
...Colon cancer (153)	604	109	276	1,108	2,945	34.6	34.4	0	87.5	90.9	0
...Rectal cancer (154)	123	28	66	285	735	9.1	13.5	0	21.9	31.9	0
..Pancreatic cancer (157)	422	91	222	933	2,425	28.1	25.3	0	70.7	66.9	0
..Lung and other respiratory cancer (160-165)	1,940	532	1,174	4,575	12,915	146.1	138.9	0	392.7	383.4	0
...Lung cancer (162.2-.9)	1,887	511	1,132	4,393	12,410	140.4	132.7	0	377.4	367.1	0
..Malignant melanoma of skin (172)	105	44	71	710	1,288	20.8	12.5	0	36.2	24.7	0
..Female breast cancer (174)	604	235	368	2,808	5,820	.	.	.	.	.	.
..Cervical cancer (180)	56	29	40	488	830	.	.	.	.	.	.
..Endometrial cancer (182)	51	8	25	80	248	.	.	.	.	.	.
..Ovarian cancer (183)	147	42	79	435	1,023	.	.	.	.	.	.
..Prostate cancer (185)	444	31	124	148	885	.	.	.	.	.	.
..Bladder cancer (188)	185	23	75	193	638	6.1	5.1	0	18.9	19.0	0
..Brain & other CNS cancer (191-192)	159	73	119	1,263	2,213	45.9	38.4	0	72.4	61.9	0
..Leukemia (204-208)	264	77	139	1,451	2,481	50.0	55.8	0	77.9	87.5	0
Diabetes mellitus (250)	711	163	325	1,713	4,088	53.5	42.1	0	122.4	99.7	0
..Diabetes-related (250)	2,564	439	1,064	4,178	11,460	132.6	122.2	0	344.6	338.6	0
..Diabetic ketoacidosis (DKA) (250.1)	19	11	16	248	370	7.6	.	0	10.6	.	0
Alzheimer's diseases (331.0)	240	5	23	18	143	0.7	1.8	0	4.4	6.0	0
Cardiovascular disease (390-459)	12,593	1,622	3,800	19,216	45,071	611.5	596.4	0	1345.8	1339.4	0
..Diseases of the heart (390-398,402,404-429)	9,898	1,362	3,133	16,043	37,531	512.0	496.9	0	1123.5	1116.4	0
...Heart disease-related (390-398,402,404-429)	16,453	2,488	5,548	32,757	71,202	1048.5	1053.1	0	2129.4	2153.1	0
....Coronary heart disease (CHD) (402,410-414,429.2)	7,074	941	2,237	9,518	24,658	292.6	294.8	0	726.9	747.4	0
....Congestive heart failure (CHF) (428.0)	520	17	84	148	575	4.7	9.6	0	16.6	22.0	0
..Hypertension with or without renal disease (401,403)	131	19	44	138	435	4.5	6.6	0	13.4	16.0	0
...Hypertension-related (401,403)	1,983	265	645	2,308	6,683	74.6	77.4	0	203.2	203.8	0
..Cerebrovascular disease (430-438)	1,940	185	450	2,301	5,323	72.8	66.6	0	158.1	150.6	0
..Atherosclerosis (440)	211	7	28	108	250	2.9	3.4	0	6.6	6.7	0
...Atherosclerosis-related (440)	870	48	170	385	1,380	12.8	11.8	0	41.6	35.6	0
..Aortic aneurysm (441)	232	22	80	235	715	7.1	8.1	0	20.6	21.9	0
Pneumonia & influenza (480-487)	1,147	97	228	1,506	3,018	51.4	52.0	0	93.5	94.1	0
Chronic obstructive pulmonary disease (COPD) (490-496)	1,202	123	433	1,203	3,818	39.5	42.6	0	114.3	112.2	0
..COPD-related (490-496)	2,813	281	978	2,433	8,315	78.3	82.6	0	247.4	253.6	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1996  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1996			Years of life lost, 1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996	1995	Signif- icance	1996	1995	Signif- icance
*****Causes of Death*****											
..Asthma (493)	49	24	37	515	818	17.1	24.4	0	24.9	33.2	0
Chronic liver disease and cirrhosis (571)	302	160	239	2,390	4,368	67.6	72.8	0	120.0	127.2	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	342	49	120	715	1,537	23.3	15.3	0	46.3	35.0	0
..Nephritis-related (580-589)	1,529	276	613	4,164	8,412	129.1	136.6	0	244.6	252.4	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	416	66	154	957	2,027	30.1	20.8	0	59.8	45.3	0
Unintentional injuries (E800-E949)	1,000	606	698	17,318	23,738	622.4	686.3	0	781.4	859.6	0
..Motor vehicle accidents (E810-E825)	321	261	284	8,195	10,902	324.1	347.5	0	395.4	424.4	0
..Falls and fall related injuries (E880-E888)	218	39	72	850	1,372	27.4	17.9	0	40.8	26.6	0
..Drowning (E830,E832,E910)	31	29	31	1,106	1,406	48.1	41.9	0	56.2	51.5	0
..Residential fires (E890-E899)	38	27	32	898	1,180	34.5	33.0	0	41.5	39.3	0
Suicide (E950-E959)	286	239	266	6,418	8,960	217.6	228.2	0	280.0	296.5	0
Homicide and legal intervention (E960-E978)	170	157	167	5,546	7,171	221.0	211.5	0	262.9	248.3	0
..Homicide (E960-E969)	167	154	164	5,448	7,043	217.6	211.5	0	258.9	248.3	0
All injury (E800-E999)	1,493	1,035	1,167	30,248	41,183	1089.5	1141.7	0	1360.2	1423.4	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	313	255	278	8,055	10,702	320.5	342.2	0	390.5	418.0	0
..All falls (E880-E886,E888,E957,E968.1,E987)	168	42	69	892	1,415	27.6	18.8	0	40.8	28.0	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	246	220	235	7,219	9,492	276.8	249.5	0	334.7	305.7	0
....Suicide (E955.0-.4)	121	96	110	2,685	3,710	92.5	88.9	0	117.7	116.5	0
....Homicide (E965.0-.4)	118	117	118	4,302	5,479	175.2	155.0	0	206.2	182.1	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	254	240	250	6,197	8,662	181.0	216.3	0	235.3	277.3	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	176	121	155	1,853	3,243	50.9	59.3	0	87.1	99.6	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	207	202	204	5,387	7,417	150.9	195.3	0	193.4	250.5	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1996  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1996			Years of life lost, 1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996	1995	Signif- icance	1996	1995	Signif- icance
*****Causes of Death*****											
All causes	14,190	4,101	7,216	77,407	132,734	5222.1	5507.5	0	8360.5	8767.0	0
Infectious diseases and parasitic disease (1-139)	593	401	461	9,400	13,715	515.5	641.3	1	712.3	885.4	1
..Septicemia (038)	175	34	73	410	933	27.8	44.5	0	59.7	75.3	0
....Septicemia-related (038)	630	157	300	2,258	4,485	140.1	167.3	0	269.4	298.6	0
..HIV infection (042-044)	290	286	289	7,026	9,909	362.9	532.5	1	481.8	717.7	1
All cancer (140-208)	3,591	958	2,020	10,844	25,339	717.6	681.3	0	1603.2	1586.5	0
..Oral cavity or pharynx (140.0-149.9)	62	29	52	233	630	16.1	29.5	0	41.6	57.4	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	367	84	201	865	2,253	55.9	61.7	0	140.8	157.6	0
....Colon cancer (153)	296	63	157	623	1,703	40.3	41.3	0	106.9	110.4	0
....Rectal cancer (154)	66	20	42	235	525	15.0	19.4	0	32.1	45.2	0
..Pancreatic cancer (157)	195	52	120	600	1,450	35.9	30.3	0	86.5	76.3	0
..Lung and other respiratory cancer (160-165)	1,093	308	684	2,580	7,370	172.0	151.5	0	474.0	457.5	0
....Lung cancer (162.2-.9)	1,055	294	653	2,460	7,018	163.9	140.8	0	451.3	429.2	0
..Malignant melanoma of skin (172)	72	27	48	433	815	26.2	19.2	0	48.0	36.2	0
..Female breast cancer (174)	.	.	.	.	.	.	.	.	.	.	.
..Cervical cancer (180)	.	.	.	.	.	.	.	.	.	.	.
..Endometrial cancer (182)	.	.	.	.	.	.	.	.	.	.	.
..Ovarian cancer (183)	.	.	.	.	.	.	.	.	.	.	.
..Prostate cancer (185)	444	31	124	148	885	11.0	11.5	0	58.2	58.9	0
..Bladder cancer (188)	122	17	54	173	490	11.0	6.9	0	30.0	28.9	0
..Brain & other CNS cancer (191-192)	84	41	64	708	1,230	53.0	49.4	0	84.1	77.8	0
..Leukemia (204-208)	146	47	85	890	1,510	61.2	69.9	0	95.9	112.4	0
Diabetes mellitus (250)	325	82	163	905	2,098	58.9	40.5	0	131.8	97.5	0
..Diabetes-related (250)	1,183	245	576	2,368	6,420	153.4	133.2	0	403.8	374.3	0
..Diabetic ketoacidosis (DKA) (250.1)	13	9	12	198	295	.	.	.	.	.	.
Alzheimer's diseases (331.0)	69	2	8	5	50	0.4	1.4	0	3.3	6.0	0
Cardiovascular disease (390-459)	5,619	1,079	2,343	12,703	29,293	817.0	820.1	0	1818.1	1844.1	0
..Diseases of the heart (390-398,402,404-429)	4,558	918	1,977	10,856	24,954	697.4	691.3	0	1547.1	1558.0	0
....Heart disease-related (390-398,402,404-429)	7,610	1,583	3,339	21,112	44,962	1353.2	1371.6	0	2767.7	2836.6	0
....Coronary heart disease (CHD) (402,410-414,429.2)	3,402	682	1,489	7,110	17,648	445.6	463.7	0	1086.5	1133.9	0
....Congestive heart failure (CHF) (428.0)	165	7	37	33	233	2.6	11.4	0	15.2	28.3	0
..Hypertension with or without renal disease (401,403)	40	13	19	98	253	6.4	9.7	0	16.4	20.8	0
....Hypertension-related (401,403)	797	173	375	1,508	4,203	101.1	106.4	0	270.4	263.2	0
..Cerebrovascular disease (430-438)	721	106	233	1,254	2,852	82.9	88.3	0	180.4	191.7	0
..Atherosclerosis (440)	77	6	17	105	208	5.8	5.7	0	11.2	10.4	0
....Atherosclerosis-related (440)	343	33	105	293	938	19.7	15.2	0	59.6	46.1	0
..Aortic aneurysm (441)	144	19	62	203	585	12.6	12.6	0	35.9	36.5	0
Pneumonia & influenza (480-487)	503	55	136	971	1,853	66.8	67.2	0	117.8	119.1	0
Chronic obstructive pulmonary disease (COPD) (490-496)	570	57	210	583	1,905	37.1	29.3	0	117.5	102.1	0
..COPD-related (490-496)	1,419	145	528	1,243	4,450	80.1	79.4	0	277.5	279.1	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).



CONNECTICUT Resident DEATHS, 1996  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1996			Years of life lost, 1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996	1995	Signif- icance	1996	1995	Signif- icance
*****Causes of Death*****											
..Asthma (493)	17	9	13	203	313	12.2	13.6	0	17.9	19.9	0
Chronic liver disease and cirrhosis (571)	194	116	161	1,770	3,148	102.3	106.6	0	177.6	184.5	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	162	28	60	462	872	30.7	18.8	0	54.5	45.3	0
..Nephritis-related (580-589)	795	162	339	2,426	4,834	149.1	151.0	0	287.0	285.3	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	201	35	77	545	1,070	35.3	24.6	0	66.0	56.3	0
Unintentional injuries (E800-E949)	649	458	510	12,883	17,673	897.1	1011.4	0	1133.9	1264.2	0
..Motor vehicle accidents (E810-E825)	218	184	196	5,746	7,636	440.5	498.7	0	538.8	604.6	0
..Falls and fall related injuries (E880-E888)	111	31	51	638	1,033	41.9	21.0	0	63.5	31.9	0
..Drowning (E830,E832,E910)	26	26	26	961	1,221	82.4	66.9	0	96.6	82.6	0
..Residential fires (E890-E899)	24	18	22	502	692	34.4	39.1	0	43.7	47.6	0
Suicide (E950-E959)	230	194	214	5,220	7,265	351.7	368.1	0	453.8	479.1	0
Homicide and legal intervention (E960-E978)	131	122	131	4,450	5,723	350.5	330.0	0	415.9	389.0	0
..Homicide (E960-E969)	128	119	128	4,353	5,595	343.9	330.0	0	408.0	389.0	0
All injury (E800-E999)	1,033	794	877	23,187	31,505	1637.7	1729.2	0	2050.6	2156.6	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	212	178	190	5,606	7,436	433.3	488.3	0	528.9	592.0	0
..All falls (E880-E886,E888,E957,E968.1,E987)	89	32	51	650	1,048	40.8	22.9	0	62.1	34.9	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	217	191	206	6,357	8,339	477.0	436.8	0	577.1	537.0	0
....Suicide (E955.0-.4)	111	86	100	2,435	3,360	165.9	164.4	0	211.8	216.1	0
....Homicide (E965.0-.4)	99	98	99	3,689	4,677	293.3	261.3	0	344.2	307.2	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	189	182	187	4,717	6,570	274.3	324.7	0	356.5	419.0	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	122	88	108	1,375	2,350	77.6	99.7	0	129.7	164.5	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	151	150	150	4,032	5,532	227.6	300.7	0	290.7	386.0	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1996  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1996			Years of life lost, 1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996	1995	Signif- icance	1996	1995	Signif- icance
*****Causes of Death*****											
All causes	15,351	2,481	5,006	43,046	79,028	2953.5	3158.8	0	4848.8	5071.7	0
Infectious diseases and parasitic disease (1-139)	383	157	201	3,846	5,646	222.7	307.8	0	303.8	404.8	0
..Septicemia (038)	188	18	40	342	637	23.4	31.8	0	38.6	52.9	0
...Septicemia-related (038)	729	104	224	1,604	3,189	104.5	124.7	0	188.3	223.5	0
..HIV infection (042-044)	101	101	101	2,555	3,565	130.3	226.4	1	170.9	288.7	1
All cancer (140-208)	3,544	924	1,849	10,671	24,194	646.8	617.2	0	1379.4	1345.8	0
..Oral cavity or pharynx (140.0-149.9)	34	9	22	48	185	2.9	4.3	0	10.9	8.3	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	369	55	144	543	1,470	33.1	36.8	0	83.5	95.4	0
...Colon cancer (153)	308	46	119	485	1,243	29.1	28.1	0	69.9	73.4	0
...Rectal cancer (154)	57	8	24	50	210	3.4	7.7	0	12.4	19.4	0
..Pancreatic cancer (157)	227	39	102	333	975	20.6	20.5	0	56.0	58.2	0
..Lung and other respiratory cancer (160-165)	847	224	490	1,995	5,545	121.8	127.2	0	319.4	318.7	0
...Lung cancer (162.2-.9)	832	217	479	1,933	5,393	118.2	125.3	0	310.8	313.6	0
..Malignant melanoma of skin (172)	33	17	23	278	473	15.3	6.1	0	25.0	13.8	0
..Female breast cancer (174)	604	235	368	2,808	5,820	161.5	160.1	0	323.8	322.1	0
..Cervical cancer (180)	56	29	40	488	830	27.5	19.7	0	44.5	30.7	0
..Endometrial cancer (182)	51	8	25	80	248	4.8	2.6	0	13.6	11.2	0
..Ovarian cancer (183)	147	42	79	435	1,023	25.9	32.9	0	58.2	76.8	0
..Prostate cancer (185)	.	.	.	.	.	.	.	0	.	.	0
..Bladder cancer (188)	63	6	21	20	148	1.5	3.5	0	8.7	10.5	0
..Brain & other CNS cancer (191-192)	75	32	55	555	983	38.5	27.3	0	60.9	46.2	0
..Leukemia (204-208)	118	30	54	561	971	38.9	41.2	0	60.6	63.4	0
Diabetes mellitus (250)	386	81	162	808	1,990	47.9	43.7	0	113.3	102.2	0
..Diabetes-related (250)	1,381	194	488	1,810	5,040	112.7	112.0	0	290.8	307.0	0
..Diabetic ketoacidosis (DKA) (250.1)	6	2	4	50	75	.	.	0	.	.	0
Alzheimer's diseases (331.0)	171	3	15	13	93	0.9	2.1	0	5.3	6.0	0
Cardiovascular disease (390-459)	6,974	543	1,457	6,514	15,779	414.5	382.6	0	909.2	873.6	0
..Diseases of the heart (390-398,402,404-429)	5,340	444	1,156	5,187	12,577	334.2	311.6	0	731.8	709.3	0
...Heart disease-related (390-398,402,404-429)	8,843	905	2,209	11,646	26,241	753.3	745.7	0	1534.4	1518.6	0
....Coronary heart disease (CHD) (402,410-414,429.2)	3,672	259	748	2,408	7,010	146.5	133.8	0	395.4	391.2	0
....Congestive heart failure (CHF) (428.0)	355	10	47	115	343	6.7	8.0	0	18.0	16.5	0
..Hypertension with or without renal disease (401,403)	91	6	25	40	183	2.7	3.6	0	10.4	11.5	0
...Hypertension-related (401,403)	1,186	92	270	800	2,480	49.6	49.7	0	141.4	148.5	0
..Cerebrovascular disease (430-438)	1,219	79	217	1,047	2,472	62.9	45.1	0	137.1	111.6	0
..Atherosclerosis (440)	134	1	11	3	43	0.2	1.2	0	2.2	3.1	0
...Atherosclerosis-related (440)	527	15	65	93	443	6.2	8.5	0	25.2	26.2	0
..Aortic aneurysm (441)	88	3	18	33	130	1.8	3.8	0	6.8	8.9	0
Pneumonia & influenza (480-487)	644	42	92	535	1,165	35.6	37.2	0	70.0	70.6	0
Chronic obstructive pulmonary disease (COPD) (490-496)	632	66	223	620	1,913	42.1	56.0	0	112.3	123.8	0
..COPD-related (490-496)	1,394	136	450	1,190	3,865	76.9	86.4	0	222.2	233.1	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1996  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1996			Years of life lost, 1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996	1995	Signif- icance	1996	1995	Signif- icance
*****Causes of Death*****											
..Asthma (493)	32	15	24	313	505	22.0	35.6	0	31.8	46.8	0
Chronic liver disease and cirrhosis (571)	108	44	78	620	1,220	34.2	40.7	0	65.2	73.1	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	180	21	60	253	665	15.9	12.0	0	38.0	25.7	0
..Nephritis-related (580-589)	734	114	274	1,738	3,578	110.1	123.0	0	205.6	222.9	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	215	31	77	413	958	24.7	17.2	0	53.6	35.4	0
Unintentional injuries (E800-E949)	351	148	188	4,435	6,065	344.9	356.4	0	427.8	451.4	0
..Motor vehicle accidents (E810-E825)	103	77	88	2,449	3,266	205.4	192.0	0	249.7	239.7	0
..Falls and fall related injuries (E880-E888)	107	8	21	212	340	12.9	15.0	0	18.5	21.7	0
..Drowning (E830,E832,E910)	5	3	5	145	185	.	.	.	.	.	.
..Residential fires (E890-E899)	14	9	10	396	488	.	.	.	.	.	.
Suicide (E950-E959)	56	45	52	1,198	1,695	82.0	86.5	0	106.0	113.3	0
Homicide and legal intervention (E960-E978)	39	35	36	1,096	1,448	86.4	88.8	0	104.4	103.1	0
..Homicide (E960-E969)	39	35	36	1,096	1,448	86.4	88.8	0	104.4	103.1	0
All injury (E800-E999)	460	241	290	7,061	9,678	531.9	543.5	0	662.8	681.6	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	101	77	88	2,449	3,266	205.4	192.0	0	249.7	239.7	0
..All falls (E880-E886,E888,E957,E968.1,E987)	79	10	18	242	367	14.6	15.0	0	20.2	21.6	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	29	29	29	863	1,153	70.7	57.2	0	86.3	69.7	0
....Suicide (E955.0-.4)	10	10	10	250	350	.	.	.	.	.	.
....Homicide (E965.0-.4)	19	19	19	613	803	52.6	44.8	0	63.1	52.6	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	65	58	63	1,480	2,093	88.0	109.4	0	115.1	138.0	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	54	33	47	478	893	25.2	20.5	0	46.6	37.8	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	56	52	54	1,355	1,885	74.6	91.2	0	96.7	116.9	0

\* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1996  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1996			Years of life lost, 1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996	1995	Signif- icance	1996	1995	Signif- icance
*****Causes of Death*****											
All causes	29,541	6,582	12,222	120,452	211,762	4289.1	4577.9	1	6927.6	7293.1	1
Infectious diseases and parasitic disease (1-139)	976	558	662	13,245	19,360	443.2	585.6	1	604.7	788.7	1
..Septicemia (038)	363	52	113	752	1,570	26.6	42.3	0	50.8	70.2	0
...Septicemia-related (038)	1,359	261	524	3,862	7,674	136.0	165.4	0	248.4	288.6	0
..HIV infection (042-044)	391	387	390	9,581	13,473	315.5	483.2	1	414.8	636.1	1
All cancer (140-208)	7,135	1,882	3,869	21,515	49,533	776.1	743.8	0	1626.1	1597.4	0
..Oral cavity or pharynx (140.0-149.9)	96	38	74	280	815	10.5	18.0	0	27.3	34.1	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	736	139	345	1,408	3,723	51.3	55.8	0	121.8	135.3	0
...Colon cancer (153)	604	109	276	1,108	2,945	40.1	39.6	0	95.9	98.7	0
...Rectal cancer (154)	123	28	66	285	735	10.6	14.9	0	24.4	34.0	0
..Pancreatic cancer (157)	422	91	222	933	2,425	33.5	29.0	0	78.7	72.3	0
..Lung and other respiratory cancer (160-165)	1,940	532	1,174	4,575	12,915	168.2	161.3	0	425.7	416.9	0
...Lung cancer (162.2-.9)	1,887	511	1,132	4,393	12,410	161.5	154.1	0	409.0	399.3	0
..Malignant melanoma of skin (172)	105	44	71	710	1,288	24.9	15.4	0	41.8	28.4	0
..Female breast cancer (174)	604	235	368	2,808	5,820	.	.	.	.	.	.
..Cervical cancer (180)	56	29	40	488	830	.	.	.	.	.	.
..Endometrial cancer (182)	51	8	25	80	248	.	.	.	.	.	.
..Ovarian cancer (183)	147	42	79	435	1,023	.	.	.	.	.	.
..Prostate cancer (185)	444	31	124	148	885	.	.	.	.	.	.
..Bladder cancer (188)	185	23	75	193	638	7.1	5.6	0	20.6	19.8	0
..Brain & other CNS cancer (191-192)	159	73	119	1,263	2,213	46.1	40.8	0	74.1	66.1	0
..Leukemia (204-208)	264	77	139	1,451	2,481	51.7	56.0	0	81.4	89.1	0
Diabetes mellitus (250)	711	163	325	1,713	4,088	61.9	49.3	0	134.5	110.1	0
..Diabetes-related (250)	2,564	439	1,064	4,178	11,460	151.8	141.1	0	374.0	366.5	0
..Diabetic ketoacidosis (DKA) (250.1)	19	11	16	248	370	8.6	.	0	11.9	.	0
Alzheimer's diseases (331.0)	240	5	23	18	143	0.7	1.9	0	4.4	6.3	0
Cardiovascular disease (390-459)	12,593	1,622	3,800	19,216	45,071	692.5	688.3	0	1471.0	1478.7	0
..Diseases of the heart (390-398,402,404-429)	9,898	1,362	3,133	16,043	37,531	579.3	572.5	0	1227.2	1230.4	0
...Heart disease-related (390-398,402,404-429)	16,453	2,488	5,548	32,757	71,202	1170.9	1197.1	0	2318.8	2368.9	0
....Coronary heart disease (CHD) (402,410-414,429.2)	7,074	941	2,237	9,518	24,658	345.1	348.0	0	806.0	827.6	0
....Congestive heart failure (CHF) (428.0)	520	17	84	148	575	5.5	9.9	0	18.3	22.8	0
..Hypertension with or without renal disease (401,403)	131	19	44	138	435	5.1	7.9	0	14.3	18.1	0
...Hypertension-related (401,403)	1,983	265	645	2,308	6,683	84.9	89.1	0	219.5	222.3	0
..Cerebrovascular disease (430-438)	1,940	185	450	2,301	5,323	81.9	76.8	0	172.3	166.6	0
..Atherosclerosis (440)	211	7	28	108	250	3.8	4.0	0	8.0	7.5	0
...Atherosclerosis-related (440)	870	48	170	385	1,380	14.4	13.9	0	44.7	39.0	0
..Aortic aneurysm (441)	232	22	80	235	715	8.3	9.7	0	22.6	24.7	0
Pneumonia & influenza (480-487)	1,147	97	228	1,506	3,018	53.9	57.7	0	98.3	102.8	0
Chronic obstructive pulmonary disease (COPD) (490-496)	1,202	123	433	1,203	3,818	43.5	42.8	0	121.7	114.6	0
..COPD-related (490-496)	2,813	281	978	2,433	8,315	88.4	87.8	0	265.4	265.0	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1996  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1996			Years of life lost, 1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996	1995	Signif- icance	1996	1995	Signif- icance
*****Causes of Death*****											
..Asthma (493)	49	24	37	515	818	18.3	23.0	0	26.8	31.9	0
Chronic liver disease and cirrhosis (571)	302	160	239	2,390	4,368	84.1	91.2	0	142.7	152.4	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	342	49	120	715	1,537	25.4	19.2	0	49.5	40.5	0
..Nephritis-related (580-589)	1,529	276	613	4,164	8,412	146.9	157.2	0	271.7	282.5	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	416	66	154	957	2,027	33.5	26.1	0	64.9	52.6	0
Unintentional injuries (E800-E949)	1,000	606	698	17,318	23,738	621.8	694.1	0	789.6	877.3	0
..Motor vehicle accidents (E810-E825)	321	261	284	8,195	10,902	303.3	329.7	0	373.4	405.7	0
..Falls and fall related injuries (E880-E888)	218	39	72	850	1,372	30.0	18.3	0	44.6	27.6	0
..Drowning (E830,E832,E910)	31	29	31	1,106	1,406	41.4	39.2	0	48.8	48.7	0
..Residential fires (E890-E899)	38	27	32	898	1,180	32.0	28.6	0	39.1	34.5	0
Suicide (E950-E959)	286	239	266	6,418	8,960	227.1	242.0	0	294.2	315.9	0
Homicide and legal intervention (E960-E978)	170	157	167	5,546	7,171	204.8	194.6	0	245.3	229.0	0
..Homicide (E960-E969)	167	154	164	5,448	7,043	201.4	194.6	0	241.1	229.0	0
All injury (E800-E999)	1,493	1,035	1,167	30,248	41,183	1086.1	1147.6	0	1369.8	1442.8	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	313	255	278	8,055	10,702	298.8	324.0	0	367.4	398.9	0
..All falls (E880-E886,E888,E957,E968.1,E987)	168	42	69	892	1,415	31.1	19.7	0	45.7	29.6	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	246	220	235	7,219	9,492	264.1	241.6	0	321.5	297.9	0
....Suicide (E955.0-.4)	121	96	110	2,685	3,710	95.2	95.4	0	121.9	125.4	0
....Homicide (E965.0-.4)	118	117	118	4,302	5,479	160.1	141.0	0	188.9	165.7	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	254	240	250	6,197	8,662	210.8	255.1	0	274.4	327.4	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	176	121	155	1,853	3,243	64.4	75.6	0	105.2	121.5	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	207	202	204	5,387	7,417	180.9	234.8	0	232.1	301.4	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1996  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1996			Years of life lost, 1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996	1995	Signif- icance	1996	1995	Signif- icance
*****Causes of Death*****											
All causes	14,190	4,101	7,216	77,407	132,734	5524.5	5889.4	0	8859.0	9366.7	0
Infectious diseases and parasitic disease (1-139)	593	401	461	9,400	13,715	633.6	820.9	1	867.4	1117.8	1
..Septicemia (038)	175	34	73	410	933	29.7	51.8	0	63.0	85.5	0
...Septicemia-related (038)	630	157	300	2,258	4,485	161.1	191.6	0	299.9	333.9	0
..HIV infection (042-044)	290	286	289	7,026	9,909	469.1	694.7	1	619.1	926.7	1
All cancer (140-208)	3,591	958	2,020	10,844	25,339	799.5	759.4	0	1731.8	1707.1	0
..Oral cavity or pharynx (140.0-149.9)	62	29	52	233	630	18.0	31.1	0	44.5	60.0	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	367	84	201	865	2,253	65.0	69.9	0	154.8	170.4	0
...Colon cancer (153)	296	63	157	623	1,703	46.5	48.1	0	116.4	120.9	0
...Rectal cancer (154)	66	20	42	235	525	17.9	20.5	0	36.6	47.0	0
..Pancreatic cancer (157)	195	52	120	600	1,450	43.4	35.3	0	97.6	83.9	0
..Lung and other respiratory cancer (160-165)	1,093	308	684	2,580	7,370	195.6	173.6	0	510.7	491.8	0
...Lung cancer (162.2-.9)	1,055	294	653	2,460	7,018	186.4	161.4	0	486.3	461.6	0
..Malignant melanoma of skin (172)	72	27	48	433	815	30.7	23.5	0	54.2	41.8	0
..Female breast cancer (174)	.	.	.	.	.	.	.	.	.	.	.
..Cervical cancer (180)	.	.	.	.	.	.	.	.	.	.	.
..Endometrial cancer (182)	.	.	.	.	.	.	.	.	.	.	.
..Ovarian cancer (183)	.	.	.	.	.	.	.	.	.	.	.
..Prostate cancer (185)	444	31	124	148	885	11.4	12.0	0	59.8	61.1	0
..Bladder cancer (188)	122	17	54	173	490	13.0	7.2	0	33.6	29.8	0
..Brain & other CNS cancer (191-192)	84	41	64	708	1,230	51.9	52.7	0	84.1	83.3	0
..Leukemia (204-208)	146	47	85	890	1,510	64.0	67.9	0	101.5	111.5	0
Diabetes mellitus (250)	325	82	163	905	2,098	67.0	48.0	0	143.9	108.9	0
..Diabetes-related (250)	1,183	245	576	2,368	6,420	176.5	153.6	0	439.2	406.1	0
..Diabetic ketoacidosis (DKA) (250.1)	13	9	12	198	295	.	.	.	.	.	.
Alzheimer's diseases (331.0)	69	2	8	5	50	0.4	1.6	0	3.3	6.3	0
Cardiovascular disease (390-459)	5,619	1,079	2,343	12,703	29,293	931.7	949.2	0	1992.9	2039.4	0
..Diseases of the heart (390-398,402,404-429)	4,558	918	1,977	10,856	24,954	797.0	803.4	0	1698.2	1725.5	0
...Heart disease-related (390-398,402,404-429)	7,610	1,583	3,339	21,112	44,962	1528.4	1571.2	0	3034.4	3133.9	0
....Coronary heart disease (CHD) (402,410-414,429.2)	3,402	682	1,489	7,110	17,648	527.0	545.9	0	1207.5	1257.5	0
....Congestive heart failure (CHF) (428.0)	165	7	37	33	233	2.6	12.4	0	15.7	30.1	0
..Hypertension with or without renal disease (401,403)	40	13	19	98	253	7.4	11.8	0	17.7	24.1	0
...Hypertension-related (401,403)	797	173	375	1,508	4,203	114.5	121.8	0	291.3	287.7	0
..Cerebrovascular disease (430-438)	721	106	233	1,254	2,852	91.0	98.0	0	193.4	208.0	0
..Atherosclerosis (440)	77	6	17	105	208	7.6	6.7	0	14.0	11.8	0
...Atherosclerosis-related (440)	343	33	105	293	938	22.4	17.8	0	64.7	50.4	0
..Aortic aneurysm (441)	144	19	62	203	585	14.5	14.8	0	39.0	40.2	0
Pneumonia & influenza (480-487)	503	55	136	971	1,853	69.9	78.5	0	124.4	135.2	0
Chronic obstructive pulmonary disease (COPD) (490-496)	570	57	210	583	1,905	42.8	29.6	0	127.3	105.0	0
..COPD-related (490-496)	1,419	145	528	1,243	4,450	92.3	84.6	0	299.5	291.2	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1996  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1996			Years of life lost, 1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996	1995	Signif- icance	1996	1995	Signif- icance
*****Causes of Death*****											
..Asthma (493)	17	9	13	203	313	14.1	12.8	0	20.3	19.1	0
Chronic liver disease and cirrhosis (571)	194	116	161	1,770	3,148	127.8	134.3	0	212.7	222.5	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	162	28	60	462	872	32.8	23.7	0	57.9	52.2	0
..Nephritis-related (580-589)	795	162	339	2,426	4,834	172.8	179.7	0	322.3	326.6	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	201	35	77	545	1,070	38.4	30.4	0	70.7	64.6	0
Unintentional injuries (E800-E949)	649	458	510	12,883	17,673	917.2	1037.7	0	1171.3	1308.5	0
..Motor vehicle accidents (E810-E825)	218	184	196	5,746	7,636	418.5	475.0	0	516.7	580.3	0
..Falls and fall related injuries (E880-E888)	111	31	51	638	1,033	45.4	23.4	0	68.6	35.5	0
..Drowning (E830,E832,E910)	26	26	26	961	1,221	71.2	61.5	0	84.2	76.8	0
..Residential fires (E890-E899)	24	18	22	502	692	35.3	33.5	0	45.5	41.5	0
Suicide (E950-E959)	230	194	214	5,220	7,265	368.1	389.4	0	477.5	509.5	0
Homicide and legal intervention (E960-E978)	131	122	131	4,450	5,723	325.4	305.4	0	388.1	361.2	0
..Homicide (E960-E969)	128	119	128	4,353	5,595	318.5	305.4	0	379.7	361.2	0
All injury (E800-E999)	1,033	794	877	23,187	31,505	1653.2	1755.0	0	2089.4	2207.0	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	212	178	190	5,606	7,436	409.4	463.8	0	504.6	566.7	0
..All falls (E880-E886,E888,E957,E968.1,E987)	89	32	51	650	1,048	45.7	26.2	0	68.9	39.7	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	217	191	206	6,357	8,339	459.0	424.3	0	558.7	525.2	0
...Suicide (E955.0-.4)	111	86	100	2,435	3,360	171.4	175.2	0	220.1	231.4	0
...Homicide (E965.0-.4)	99	98	99	3,689	4,677	270.1	238.6	0	317.5	280.6	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	189	182	187	4,717	6,570	322.4	392.5	0	419.2	506.1	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	122	88	108	1,375	2,350	98.2	126.6	0	157.4	200.9	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	151	150	150	4,032	5,532	272.8	368.8	0	349.1	473.4	1

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1996  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1996			Years of life lost, 1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996	1995	Signif- icance	1996	1995	Signif- icance
*****Causes of Death*****											
All causes	15,351	2,481	5,006	43,046	79,028	3063.4	3281.9	0	5062.0	5299.1	0
Infectious diseases and parasitic disease (1-139)	383	157	201	3,846	5,646	256.9	357.9	0	349.4	471.1	0
..Septicemia (038)	188	18	40	342	637	23.9	33.2	0	40.1	55.6	0
...Septicemia-related (038)	729	104	224	1,604	3,189	112.2	139.7	0	200.8	245.7	0
..HIV infection (042-044)	101	101	101	2,555	3,565	165.2	277.8	1	215.5	354.7	1
All cancer (140-208)	3,544	924	1,849	10,671	24,194	752.3	726.8	0	1532.1	1501.1	0
..Oral cavity or pharynx (140.0-149.9)	34	9	22	48	185	3.3	5.3	0	11.4	9.7	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	369	55	144	543	1,470	38.2	42.2	0	91.5	103.2	0
...Colon cancer (153)	308	46	119	485	1,243	34.0	31.6	0	77.3	78.7	0
...Rectal cancer (154)	57	8	24	50	210	3.7	9.5	0	12.9	21.8	0
..Pancreatic cancer (157)	227	39	102	333	975	23.8	22.9	0	60.9	61.6	0
..Lung and other respiratory cancer (160-165)	847	224	490	1,995	5,545	142.4	150.1	0	349.3	351.8	0
...Lung cancer (162.2-.9)	832	217	479	1,933	5,393	138.0	147.6	0	339.6	345.9	0
..Malignant melanoma of skin (172)	33	17	23	278	473	19.1	7.4	0	30.2	15.5	0
..Female breast cancer (174)	604	235	368	2,808	5,820	197.0	198.5	0	372.8	374.5	0
..Cervical cancer (180)	56	29	40	488	830	33.7	25.7	0	52.9	38.4	0
..Endometrial cancer (182)	51	8	25	80	248	5.7	2.8	0	15.2	11.5	0
..Ovarian cancer (183)	147	42	79	435	1,023	30.7	38.7	0	65.1	85.3	0
..Prostate cancer (185)	.	.	.	.	.	.	.	0	.	.	0
..Bladder cancer (188)	63	6	21	20	148	1.4	4.1	0	8.7	11.2	0
..Brain & other CNS cancer (191-192)	75	32	55	555	983	40.2	29.0	0	64.4	49.2	0
..Leukemia (204-208)	118	30	54	561	971	39.7	43.9	0	62.2	67.7	0
Diabetes mellitus (250)	386	81	162	808	1,990	56.6	50.6	0	125.6	111.6	0
..Diabetes-related (250)	1,381	194	488	1,810	5,040	128.4	129.4	0	314.6	331.6	0
..Diabetic ketoacidosis (DKA) (250.1)	6	2	4	50	75	.	.	0	.	.	0
Alzheimer's diseases (331.0)	171	3	15	13	93	0.9	2.3	0	5.4	6.4	0
Cardiovascular disease (390-459)	6,974	543	1,457	6,514	15,779	463.3	438.7	0	987.8	960.7	0
..Diseases of the heart (390-398,402,404-429)	5,340	444	1,156	5,187	12,577	370.6	352.2	0	791.1	773.1	0
...Heart disease-related (390-398,402,404-429)	8,843	905	2,209	11,646	26,241	825.5	836.4	0	1651.5	1658.1	0
....Coronary heart disease (CHD) (402,410-414,429.2)	3,672	259	748	2,408	7,010	171.4	159.2	0	435.0	430.9	0
....Congestive heart failure (CHF) (428.0)	355	10	47	115	343	8.3	7.6	0	20.8	16.3	0
..Hypertension with or without renal disease (401,403)	91	6	25	40	183	3.0	4.2	0	11.0	12.5	0
...Hypertension-related (401,403)	1,186	92	270	800	2,480	56.9	58.0	0	153.3	161.4	0
..Cerebrovascular disease (430-438)	1,219	79	217	1,047	2,472	73.0	55.9	0	152.5	127.6	0
...Atherosclerosis (440)	134	1	11	3	43	0.2	1.4	0	2.3	3.5	0
...Atherosclerosis-related (440)	527	15	65	93	443	6.7	10.0	0	26.5	28.8	0
..Aortic aneurysm (441)	88	3	18	33	130	2.3	4.9	0	7.6	10.9	0
Pneumonia & influenza (480-487)	644	42	92	535	1,165	37.6	37.6	0	73.4	72.1	0
Chronic obstructive pulmonary disease (COPD) (490-496)	632	66	223	620	1,913	44.4	56.0	0	117.3	125.8	0
..COPD-related (490-496)	1,394	136	450	1,190	3,865	84.9	91.6	0	236.7	244.1	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).



CONNECTICUT Resident DEATHS, 1996  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1996			Years of life lost, 1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996	1995	Signif- icance	1996	1995	Signif- icance
*****Causes of Death*****											
..Asthma (493)	32	15	24	313	505	22.6	33.5	0	33.1	44.9	0
Chronic liver disease and cirrhosis (571)	108	44	78	620	1,220	42.1	50.0	0	76.0	85.9	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	180	21	60	253	665	17.9	15.0	0	41.0	29.9	0
..Nephritis-related (580-589)	734	114	274	1,738	3,578	122.1	135.8	0	224.7	242.1	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	215	31	77	413	958	28.6	21.9	0	59.1	41.8	0
Unintentional injuries (E800-E949)	351	148	188	4,435	6,065	325.9	348.4	0	409.7	445.8	0
..Motor vehicle accidents (E810-E825)	103	77	88	2,449	3,266	186.6	181.3	0	228.9	228.2	0
..Falls and fall related injuries (E880-E888)	107	8	21	212	340	14.6	13.5	0	21.2	20.2	0
..Drowning (E830,E832,E910)	5	3	5	145	185	.	.	.	.	.	.
..Residential fires (E890-E899)	14	9	10	396	488	.	.	.	.	.	.
Suicide (E950-E959)	56	45	52	1,198	1,695	85.7	93.8	0	111.7	123.2	0
Homicide and legal intervention (E960-E978)	39	35	36	1,096	1,448	80.3	80.5	0	98.3	93.5	0
..Homicide (E960-E969)	39	35	36	1,096	1,448	80.3	80.5	0	98.3	93.5	0
All injury (E800-E999)	460	241	290	7,061	9,678	513.9	534.2	0	648.7	676.1	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	101	77	88	2,449	3,266	186.6	181.3	0	228.9	228.2	0
..All falls (E880-E886,E888,E957,E968.1,E987)	79	10	18	242	367	16.7	13.5	0	23.3	20.1	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	29	29	29	863	1,153	64.9	55.5	0	80.3	67.9	0
....Suicide (E955.0-.4)	10	10	10	250	350	.	.	.	.	.	.
....Homicide (E965.0-.4)	19	19	19	613	803	46.4	40.3	0	56.3	47.5	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	65	58	63	1,480	2,093	100.2	120.0	0	131.5	152.2	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	54	33	47	478	893	32.0	26.5	0	55.4	45.7	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	56	52	54	1,355	1,885	89.9	103.1	0	116.4	132.4	0

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).