

## Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1991

## Causes of Death for the Age-Specific Mortality Tables

	Page		Page
All causes	2	Hypertension with or without renal disease	33
Infectious diseases and parasitic disease	3	Hypertension-related	34
Septicemia	4	Cerebrovascular disease	35
Septicemia-related	5	Atherosclerosis	36
HIV infection	6	Atherosclerosis-related	37
All cancer	7	Aortic aneurysm	38
Oral cavity or pharynx	8	Pneumonia & influenza	39
Colorectal cancer	9	Chronic obstructive pulmonary disease	40
Colon cancer	10	COPD-related	41
Rectal cancer	11	Asthma	42
Pancreatic cancer	12	Chronic liver disease and cirrhosis	43
Lung and other respiratory cancer	13	Nephritis, nephrotic syndrome/nephrosis	44
Lung cancer	14	Nephritis-related	45
Malignant melanoma of skin	15	End stage renal disease	46
Female breast cancer	16	Unintentional injuries	47
Cervical cancer	17	Motor vehicle accidents	48
Endometrial cancer	18	Falls and fall related injuries	49
Ovarian cancer	19	Drowning	50
Prostate cancer	20	Residential fires	51
Bladder cancer	21	Suicide	52
Brain & other CNS cancer	22	Homicide and legal intervention	53
Leukemia	23	Homicide	54
Diabetes mellitus	24	All injury	55
Diabetes-related	25	All motor vehicle accidents	56
Diabetic ketoacidosis	26	All falls	57
Alzheimer's diseases	27	All firearms	58
Cardiovascular disease	28	Suicide	59
Diseases of the heart	29	Homicide	60
Heart disease-related	30	All poisoning	61
Coronary heart disease	31	Alcohol-induced	62
Congestive heart failure	32	Drug-induced	63











## Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----All cancer (140-208)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	14	2.0	0.54	8	2.2	0.79	6	1.8	0.72
5-9	26	4.2	0.81	12	3.7	1.08	14	4.6	1.23
10-14	11	1.9	0.57	7	2.3	0.89	4	1.4	0.70
15-19	15	2.4	0.61	10	3.1	0.97	5	1.6	0.72
20-24	46	6.1	0.90	25	6.5	1.31	21	5.6	1.23
25-29	72	8.5	1.00	38	8.9	1.45	34	8.0	1.37
30-34	132	14.8	1.29	66	14.9	1.84	66	14.8	1.82
35-39	225	28.1	1.88	97	24.6	2.49	128	31.6	2.80
40-44	384	51.8	2.64	159	44.0	3.49	225	59.2	3.95
45-49	635	106.4	4.22	314	107.6	6.07	321	105.2	5.87
50-54	873	185.8	6.29	439	192.2	9.17	434	179.7	8.63
55-59	1,417	324.7	8.63	728	346.2	12.83	689	304.7	11.61
60-64	2,265	507.8	10.67	1,252	594.0	16.79	1,013	430.6	13.53
65-69	3,090	742.4	13.35	1,705	914.7	22.15	1,385	602.6	16.19
70-74	3,485	998.2	16.91	1,918	1299.5	29.67	1,567	777.5	19.64
75-79	3,225	1223.6	21.55	1,652	1612.7	39.68	1,573	976.2	24.61
80-84	2,549	1536.5	30.43	1,278	2292.7	64.13	1,271	1153.8	32.36
85+	2,434	1740.9	35.29	976	2709.2	86.72	1,458	1404.8	36.79
Total deaths	20,898			10,684			10,214		
Connecticut									
. Crude rate		211.9	-		223.6	-		201.0	-
. AAMR (1940 Std. mil.)		127.0	0.96		153.3	1.55		109.2	1.24
. AAMR (1970 Std. mil.)		167.0	1.18		208.7	2.03		140.6	1.46
. AAMR (2000 Std. mil.)		208.6	1.46		267.2	2.69		174.4	1.75
. HP 2000 (1940 Std. mil.)		120.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		134.3	-		165.4	-		112.2	-
. HP 2000 (1940 Std. mil.)		130.0	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower





## Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Colon cancer (153)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	0.1	0.13	1	0.3	0.26	0	0.0	0.00
25-29	2	0.2	0.17	2	0.5	0.33	0	0.0	0.00
30-34	8	0.9	0.32	1	0.2	0.23	7	1.6	0.59
35-39	11	1.4	0.41	6	1.5	0.62	5	1.2	0.55
40-44	31	4.2	0.75	14	3.9	1.04	17	4.5	1.09
45-49	40	6.7	1.06	20	6.9	1.53	20	6.6	1.47
50-54	58	12.3	1.62	29	12.7	2.36	29	12.0	2.23
55-59	103	23.6	2.33	55	26.2	3.53	48	21.2	3.06
60-64	177	39.7	2.98	103	48.9	4.81	74	31.5	3.66
65-69	270	64.9	3.95	148	79.4	6.53	122	53.1	4.81
70-74	377	108.0	5.56	209	141.6	9.80	168	83.4	6.43
75-79	379	143.8	7.39	190	185.5	13.46	189	117.3	8.53
80-84	310	186.9	10.61	133	238.6	20.69	177	160.7	12.08
85+	392	280.4	14.16	133	369.2	32.01	259	249.5	15.51
Total deaths	2,159			1,044			1,115		
Connecticut									
. Crude rate		21.9	-		21.8	-		21.9	-
. AAMR (1940 Std. mil.)		11.5	0.28		14.1	0.45		9.8	0.35
. AAMR (1970 Std. mil.)		16.3	0.36		20.3	0.63		13.8	0.44
. AAMR (2000 Std. mil.)		21.7	0.47		27.2	0.88		18.4	0.56
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		11.7	-		14.2	-		10.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
- . THE U.S. HP 2000 target: No comparison is available











## Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Female breast cancer (174)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.1	0.14	-	-	-	1	0.3	0.29
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	7	0.8	0.31	-	-	-	7	1.6	0.62
30-34	17	1.9	0.46	-	-	-	17	3.8	0.92
35-39	50	6.3	0.88	-	-	-	50	12.4	1.75
40-44	88	11.9	1.27	-	-	-	88	23.2	2.47
45-49	104	17.4	1.71	-	-	-	104	34.1	3.34
50-54	103	21.9	2.16	-	-	-	103	42.7	4.20
55-59	154	35.3	2.84	-	-	-	154	68.1	5.49
60-64	231	51.8	3.41	-	-	-	231	98.2	6.46
65-69	238	57.2	3.71	-	-	-	238	103.5	6.71
70-74	255	73.0	4.57	-	-	-	255	126.5	7.92
75-79	236	89.5	5.83	-	-	-	236	146.5	9.53
80-84	182	109.7	8.13	-	-	-	182	165.2	12.25
85+	219	156.6	10.58	-	-	-	219	211.0	14.26
Total deaths	1,885			-			1,885		
Connecticut									
. Crude rate		-	-		-	-		37.1	-
. AAMR (1940 Std. mil.)		-	-		-	-		22.6	0.59
. AAMR (1970 Std. mil.)		-	-		-	-		27.4	0.66
. AAMR (2000 Std. mil.)		-	-		-	-		33.3	0.78
. HP 2000 (1940 Std. mil.)		-	-		-	-		23.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		23.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		20.6	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									CT rate is higher

## Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Cervical cancer (180)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	1	0.1	0.13	-	-	-	1	0.3	0.27
25-29	3	0.4	0.20	-	-	-	3	0.7	0.41
30-34	4	0.4	0.22	-	-	-	4	0.9	0.45
35-39	10	1.3	0.40	-	-	-	10	2.5	0.78
40-44	15	2.0	0.52	-	-	-	15	3.9	1.02
45-49	13	2.2	0.60	-	-	-	13	4.3	1.18
50-54	16	3.4	0.85	-	-	-	16	6.6	1.66
55-59	7	1.6	0.61	-	-	-	7	3.1	1.17
60-64	11	2.5	0.74	-	-	-	11	4.7	1.41
65-69	16	3.8	0.96	-	-	-	16	7.0	1.74
70-74	10	2.9	0.91	-	-	-	10	5.0	1.57
75-79	19	7.2	1.65	-	-	-	19	11.8	2.71
80-84	11	6.6	2.00	-	-	-	11	10.0	3.01
85+	14	10.0	2.68	-	-	-	14	13.5	3.61
Total deaths	150			-			150		
Connecticut									
. Crude rate		-	-		-	-		3.0	-
. AAMR (1940 Std. mil.)		-	-		-	-		2.1	0.19
. AAMR (1970 Std. mil.)		-	-		-	-		2.3	0.19
. AAMR (2000 Std. mil.)		-	-		-	-		2.8	0.23
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		2.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.3	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									CT rate is higher
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is higher

## Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Endometrial cancer (182)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	1	0.1	0.13	-	-	-	1	0.3	0.26
45-49	1	0.2	0.17	-	-	-	1	0.3	0.33
50-54	1	0.2	0.21	-	-	-	1	0.4	0.41
55-59	9	2.1	0.69	-	-	-	9	4.0	1.33
60-64	15	3.4	0.87	-	-	-	15	6.4	1.65
65-69	27	6.5	1.25	-	-	-	27	11.7	2.26
70-74	25	7.2	1.43	-	-	-	25	12.4	2.48
75-79	18	6.8	1.61	-	-	-	18	11.2	2.63
80-84	16	9.6	2.41	-	-	-	16	14.5	3.63
85+	20	14.3	3.20	-	-	-	20	19.3	4.31
Total deaths	133			-			133		
Connecticut									
. Crude rate		-	-		-	-		2.6	-
. AAMR (1940 Std. mil.)		-	-		-	-		1.3	0.13
. AAMR (1970 Std. mil.)		-	-		-	-		1.8	0.16
. AAMR (2000 Std. mil.)		-	-		-	-		2.2	0.19
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		1.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									No comparison is available

## Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Ovarian cancer (183)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	1	0.2	0.17	-	-	-	1	0.3	0.35
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	1	0.1	0.13	-	-	-	1	0.3	0.27
25-29	3	0.4	0.20	-	-	-	3	0.7	0.41
30-34	4	0.4	0.22	-	-	-	4	0.9	0.45
35-39	2	0.3	0.18	-	-	-	2	0.5	0.35
40-44	13	1.8	0.49	-	-	-	13	3.4	0.95
45-49	23	3.9	0.80	-	-	-	23	7.5	1.57
50-54	32	6.8	1.20	-	-	-	32	13.3	2.34
55-59	42	9.6	1.49	-	-	-	42	18.6	2.87
60-64	62	13.9	1.77	-	-	-	62	26.4	3.35
65-69	88	21.1	2.25	-	-	-	88	38.3	4.08
70-74	80	22.9	2.56	-	-	-	80	39.7	4.44
75-79	75	28.5	3.29	-	-	-	75	46.5	5.37
80-84	51	30.7	4.30	-	-	-	51	46.3	6.48
85+	49	35.0	5.01	-	-	-	49	47.2	6.74
Total deaths	526			-			526		
Connecticut									
. Crude rate		-	-		-	-		10.3	-
. AAMR (1940 Std. mil.)		-	-		-	-		6.2	0.30
. AAMR (1970 Std. mil.)		-	-		-	-		7.7	0.35
. AAMR (2000 Std. mil.)		-	-		-	-		9.2	0.41
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		6.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									No comparison is available

## Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Prostate cancer (185)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	-	-	-
5-9	0	0.0	0.00	0	0.0	0.00	-	-	-
10-14	0	0.0	0.00	0	0.0	0.00	-	-	-
15-19	0	0.0	0.00	0	0.0	0.00	-	-	-
20-24	0	0.0	0.00	0	0.0	0.00	-	-	-
25-29	0	0.0	0.00	0	0.0	0.00	-	-	-
30-34	0	0.0	0.00	0	0.0	0.00	-	-	-
35-39	0	0.0	0.00	0	0.0	0.00	-	-	-
40-44	1	0.1	0.13	1	0.3	0.28	-	-	-
45-49	3	0.5	0.29	3	1.0	0.59	-	-	-
50-54	7	1.5	0.56	7	3.1	1.16	-	-	-
55-59	26	6.0	1.17	26	12.4	2.43	-	-	-
60-64	86	19.3	2.08	86	40.8	4.40	-	-	-
65-69	145	34.8	2.89	145	77.8	6.46	-	-	-
70-74	249	71.3	4.52	249	168.7	10.69	-	-	-
75-79	259	98.3	6.11	259	252.8	15.71	-	-	-
80-84	256	154.3	9.64	256	459.3	28.70	-	-	-
85+	219	156.6	10.58	219	607.9	41.08	-	-	-
Total deaths	1,251			1,251			-		
Connecticut									
. Crude rate		-	-		26.2	-		-	-
. AAMR (1940 Std. mil.)		-	-		15.1	0.44		-	-
. AAMR (1970 Std. mil.)		-	-		24.2	0.69		-	-
. AAMR (2000 Std. mil.)		-	-		34.9	1.03		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		16.0	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available











## Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Diabetic ketoacidosis (DKA) (250.1)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	0.2	0.17	1	0.3	0.34	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	3	0.3	0.19	1	0.2	0.23	2	0.4	0.32
35-39	1	0.1	0.13	1	0.3	0.25	0	0.0	0.00
40-44	1	0.1	0.13	1	0.3	0.28	0	0.0	0.00
45-49	1	0.2	0.17	0	0.0	0.00	1	0.3	0.33
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	1	0.2	0.23	0	0.0	0.00	1	0.4	0.44
60-64	3	0.7	0.39	1	0.5	0.47	2	0.9	0.60
65-69	3	0.7	0.42	1	0.5	0.54	2	0.9	0.62
70-74	2	0.6	0.41	1	0.7	0.68	1	0.5	0.50
75-79	2	0.8	0.54	2	2.0	1.38	0	0.0	0.00
80-84	2	1.2	0.85	2	3.6	2.54	0	0.0	0.00
85+	3	2.1	1.24	2	5.6	3.93	1	1.0	0.96
Total deaths	23			13			10		
Connecticut									
. Crude rate		0.2	-		0.3	-		0.2	-
. AAMR (1940 Std. mil.)		0.2	0.04		-	-		-	-
. AAMR (1970 Std. mil.)		0.2	0.04		-	-		-	-
. AAMR (2000 Std. mil.)		0.2	0.05		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		0.6	-		0.6	-		0.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available









## Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Coronary heart disease (CHD) (402,410-414,429.2)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	5	0.7	0.32	1	0.3	0.28	4	1.2	0.59
5-9	1	0.2	0.16	0	0.0	0.00	1	0.3	0.33
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	0.2	0.16	0	0.0	0.00	1	0.3	0.32
20-24	1	0.1	0.13	1	0.3	0.26	0	0.0	0.00
25-29	14	1.6	0.44	10	2.4	0.74	4	0.9	0.47
30-34	35	3.9	0.67	30	6.8	1.24	5	1.1	0.50
35-39	78	9.8	1.10	60	15.2	1.96	18	4.4	1.05
40-44	189	25.5	1.85	154	42.6	3.43	35	9.2	1.56
45-49	298	49.9	2.89	246	84.3	5.38	52	17.0	2.36
50-54	430	91.5	4.41	322	141.0	7.86	108	44.7	4.30
55-59	753	172.6	6.29	552	262.5	11.17	201	88.9	6.27
60-64	1,377	308.7	8.32	992	470.6	14.94	385	163.7	8.34
65-69	1,975	474.5	10.68	1,291	692.6	19.28	684	297.6	11.38
70-74	2,788	798.5	15.12	1,648	1116.6	27.51	1,140	565.6	16.75
75-79	3,217	1220.5	21.52	1,811	1767.9	41.54	1,406	872.5	23.27
80-84	3,519	2121.2	35.76	1,562	2802.2	70.90	1,957	1776.6	40.16
85+	6,816	4875.1	59.05	1,960	5440.7	122.89	4,856	4678.8	67.14
Total deaths	21,497			10,640			10,857		
Connecticut									
. Crude rate		218.0	-		222.7	-		213.6	-
. AAMR (1940 Std. mil.)		99.0	0.77		139.7	1.43		67.5	0.80
. AAMR (1970 Std. mil.)		152.8	1.07		208.6	2.03		112.4	1.15
. AAMR (2000 Std. mil.)		221.1	1.52		292.6	2.97		172.1	1.66
. HP 2000 (1940 Std. mil.)		84.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		125.6	-		174.7	-		87.0	-
. HP 2000 (1940 Std. mil.)		100.0	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is not significantly different































## Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Unintentional injuries (E800-E949)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	74	10.6	1.23	47	13.1	1.92	27	7.9	1.53
5-9	31	5.0	0.89	21	6.5	1.43	10	3.3	1.04
10-14	42	7.2	1.11	30	10.1	1.84	12	4.2	1.21
15-19	214	33.7	2.31	168	51.5	3.98	46	14.9	2.20
20-24	280	37.1	2.22	219	57.3	3.87	61	16.4	2.10
25-29	220	25.9	1.74	169	39.7	3.06	51	12.0	1.68
30-34	188	21.1	1.54	149	33.7	2.76	39	8.7	1.40
35-39	147	18.4	1.52	118	29.9	2.75	29	7.2	1.33
40-44	133	17.9	1.56	104	28.8	2.82	29	7.6	1.42
45-49	91	15.2	1.60	67	23.0	2.81	24	7.9	1.61
50-54	75	16.0	1.84	55	24.1	3.25	20	8.3	1.85
55-59	104	23.8	2.34	72	34.2	4.04	32	14.2	2.50
60-64	105	23.5	2.30	76	36.1	4.14	29	12.3	2.29
65-69	129	31.0	2.73	77	41.3	4.71	52	22.6	3.14
70-74	167	47.8	3.70	97	65.7	6.67	70	34.7	4.15
75-79	170	64.5	4.95	86	84.0	9.05	84	52.1	5.69
80-84	186	112.1	8.22	83	148.9	16.34	103	93.5	9.21
85+	347	248.2	13.32	127	352.5	31.28	220	212.0	14.29
Total deaths	2,703			1,765			938		
Connecticut									
. Crude rate		27.4	-		36.9	-		18.5	-
. AAMR (1940 Std. mil.)		22.3	0.47		33.3	0.83		11.9	0.47
. AAMR (1970 Std. mil.)		23.9	0.48		35.1	0.86		13.7	0.50
. AAMR (2000 Std. mil.)		27.0	0.52		39.5	0.99		16.3	0.54
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		33.8	-		49.4	-		18.9	-
. HP 2000 (1940 Std. mil.)		29.3	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is lower





## Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Drowning (E830,E832,E910)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	13	1.9	0.52	7	2.0	0.74	6	1.8	0.72
5-9	6	1.0	0.39	6	1.9	0.76	0	0.0	0.00
10-14	5	0.9	0.38	5	1.7	0.75	0	0.0	0.00
15-19	8	1.3	0.45	7	2.1	0.81	1	0.3	0.32
20-24	14	1.9	0.50	14	3.7	0.98	0	0.0	0.00
25-29	9	1.1	0.35	8	1.9	0.66	1	0.2	0.24
30-34	16	1.8	0.45	15	3.4	0.88	1	0.2	0.22
35-39	9	1.1	0.38	9	2.3	0.76	0	0.0	0.00
40-44	10	1.3	0.43	9	2.5	0.83	1	0.3	0.26
45-49	7	1.2	0.44	7	2.4	0.91	0	0.0	0.00
50-54	7	1.5	0.56	6	2.6	1.07	1	0.4	0.41
55-59	6	1.4	0.56	5	2.4	1.06	1	0.4	0.44
60-64	4	0.9	0.45	4	1.9	0.95	0	0.0	0.00
65-69	4	1.0	0.48	4	2.1	1.07	0	0.0	0.00
70-74	8	2.3	0.81	4	2.7	1.36	4	2.0	0.99
75-79	3	1.1	0.66	2	2.0	1.38	1	0.6	0.62
80-84	3	1.8	1.04	1	1.8	1.79	2	1.8	1.28
85+	6	4.3	1.75	3	8.3	4.81	3	2.9	1.67
Total deaths	138			116			22		
Connecticut									
. Crude rate		1.4	-		2.4	-		0.4	-
. AAMR (1940 Std. mil.)		1.3	0.12		2.4	0.23		0.3	0.08
. AAMR (1970 Std. mil.)		1.3	0.12		2.4	0.23		0.4	0.09
. AAMR (2000 Std. mil.)		1.4	0.12		2.4	0.23		0.4	0.09
. HP 2000 (1940 Std. mil.)		1.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.9	-		3.2	-		0.6	-
. HP 2000 (1940 Std. mil.)		1.3	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is not significantly different





## Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Homicide and legal intervention (E960-E978)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	14	2.0	0.54	8	2.2	0.79	6	1.8	0.72
5-9	5	0.8	0.36	3	0.9	0.54	2	0.7	0.46
10-14	10	1.7	0.54	7	2.3	0.89	3	1.0	0.61
15-19	84	13.2	1.44	75	23.0	2.66	9	2.9	0.97
20-24	111	14.7	1.40	92	24.1	2.51	19	5.1	1.17
25-29	93	10.9	1.13	75	17.6	2.04	18	4.2	1.00
30-34	75	8.4	0.97	55	12.4	1.68	20	4.5	1.00
35-39	41	5.1	0.80	27	6.8	1.32	14	3.5	0.92
40-44	27	3.6	0.70	20	5.5	1.24	7	1.8	0.70
45-49	25	4.2	0.84	21	7.2	1.57	4	1.3	0.66
50-54	15	3.2	0.82	11	4.8	1.45	4	1.7	0.83
55-59	8	1.8	0.65	6	2.9	1.16	2	0.9	0.63
60-64	13	2.9	0.81	10	4.7	1.50	3	1.3	0.74
65-69	13	3.1	0.87	11	5.9	1.78	2	0.9	0.62
70-74	14	4.0	1.07	7	4.7	1.79	7	3.5	1.31
75-79	3	1.1	0.66	2	2.0	1.38	1	0.6	0.62
80-84	6	3.6	1.48	3	5.4	3.11	3	2.7	1.57
85+	4	2.9	1.43	1	2.8	2.78	3	2.9	1.67
Total deaths	561			434			127		
Connecticut									
. Crude rate		5.7	-		9.1	-		2.5	-
. AAMR (1940 Std. mil.)		5.9	0.26		9.4	0.46		2.5	0.23
. AAMR (1970 Std. mil.)		5.5	0.24		8.7	0.43		2.3	0.22
. AAMR (2000 Std. mil.)		5.4	0.23		8.4	0.41		2.4	0.21
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		9.4	-		14.6	-		4.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available









## Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

All firearms (E922.0-.3, E922.8-.9, E955.0-.4, E965.0-.4, E970, E985.0-.4)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	0.3	0.20	2	0.6	0.40	0	0.0	0.00
5-9	2	0.3	0.23	2	0.6	0.44	0	0.0	0.00
10-14	16	2.7	0.68	13	4.4	1.21	3	1.0	0.61
15-19	111	17.5	1.66	102	31.3	3.10	9	2.9	0.97
20-24	145	19.2	1.60	134	35.1	3.03	11	3.0	0.89
25-29	121	14.2	1.29	103	24.2	2.39	18	4.2	1.00
30-34	93	10.5	1.08	74	16.7	1.95	19	4.2	0.97
35-39	69	8.6	1.04	55	13.9	1.88	14	3.5	0.92
40-44	58	7.8	1.03	48	13.3	1.92	10	2.6	0.83
45-49	45	7.5	1.12	37	12.7	2.08	8	2.6	0.93
50-54	24	5.1	1.04	19	8.3	1.91	5	2.1	0.93
55-59	20	4.6	1.02	18	8.6	2.02	2	0.9	0.63
60-64	27	6.1	1.16	26	12.3	2.42	1	0.4	0.43
65-69	28	6.7	1.27	25	13.4	2.68	3	1.3	0.75
70-74	24	6.9	1.40	21	14.2	3.10	3	1.5	0.86
75-79	11	4.2	1.26	10	9.8	3.09	1	0.6	0.62
80-84	17	10.2	2.49	15	26.9	6.95	2	1.8	1.28
85+	10	7.2	2.26	9	25.0	8.33	1	1.0	0.96
Total deaths	823			713			110		
Connecticut									
. Crude rate		8.3	-		14.9	-		2.2	-
. AAMR (1940 Std. mil.)		8.4	0.30		14.8	0.57		2.2	0.21
. AAMR (1970 Std. mil.)		7.9	0.29		14.1	0.55		1.9	0.20
. AAMR (2000 Std. mil.)		8.0	0.28		14.3	0.55		2.1	0.20
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		13.6	-		23.7	-		4.1	-
. HP 2000 (1940 Std. mil.)		11.6	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is lower





## Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----All poisoning (E850-E869, E950-E952, E962, E972, E980-E982)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.1	0.14	1	0.3	0.28	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	0.2	0.17	1	0.3	0.34	0	0.0	0.00
15-19	16	2.5	0.63	12	3.7	1.06	4	1.3	0.65
20-24	26	3.4	0.68	20	5.2	1.17	6	1.6	0.66
25-29	38	4.5	0.73	29	6.8	1.27	9	2.1	0.71
30-34	63	7.1	0.89	47	10.6	1.55	16	3.6	0.89
35-39	59	7.4	0.96	47	11.9	1.74	12	3.0	0.86
40-44	42	5.7	0.87	34	9.4	1.61	8	2.1	0.74
45-49	39	6.5	1.05	31	10.6	1.91	8	2.6	0.93
50-54	23	4.9	1.02	11	4.8	1.45	12	5.0	1.43
55-59	21	4.8	1.05	11	5.2	1.58	10	4.4	1.40
60-64	19	4.3	0.98	12	5.7	1.64	7	3.0	1.12
65-69	11	2.6	0.80	7	3.8	1.42	4	1.7	0.87
70-74	14	4.0	1.07	9	6.1	2.03	5	2.5	1.11
75-79	12	4.6	1.31	5	4.9	2.18	7	4.3	1.64
80-84	9	5.4	1.81	4	7.2	3.59	5	4.5	2.03
85+	8	5.7	2.02	5	13.9	6.21	3	2.9	1.67
Total deaths	402			286			116		
Connecticut									
. Crude rate		4.1	-		6.0	-		2.3	-
. AAMR (1940 Std. mil.)		3.7	0.19		5.5	0.33		2.0	0.20
. AAMR (1970 Std. mil.)		3.4	0.18		5.0	0.31		1.9	0.19
. AAMR (2000 Std. mil.)		4.0	0.20		5.9	0.36		2.2	0.21
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.0	-		6.9	-		3.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available



## Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.1	0.14	1	0.3	0.28	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	6	0.9	0.39	4	1.2	0.61	2	0.6	0.46
20-24	10	1.3	0.42	6	1.6	0.64	4	1.1	0.54
25-29	31	3.6	0.65	22	5.2	1.10	9	2.1	0.71
30-34	44	4.9	0.75	34	7.7	1.32	10	2.2	0.71
35-39	51	6.4	0.89	39	9.9	1.58	12	3.0	0.86
40-44	28	3.8	0.71	23	6.4	1.33	5	1.3	0.59
45-49	17	2.8	0.69	12	4.1	1.19	5	1.6	0.73
50-54	8	1.7	0.60	2	0.9	0.62	6	2.5	1.01
55-59	11	2.5	0.76	4	1.9	0.95	7	3.1	1.17
60-64	6	1.3	0.55	3	1.4	0.82	3	1.3	0.74
65-69	5	1.2	0.54	3	1.6	0.93	2	0.9	0.62
70-74	7	2.0	0.76	3	2.0	1.17	4	2.0	0.99
75-79	6	2.3	0.93	3	2.9	1.69	3	1.9	1.07
80-84	3	1.8	1.04	0	0.0	0.00	3	2.7	1.57
85+	6	4.3	1.75	4	11.1	5.55	2	1.9	1.36
Total deaths	240			163			77		
Connecticut									
. Crude rate		2.4	-		3.4	-		1.5	-
. AAMR (1940 Std. mil.)		2.2	0.14		3.0	0.24		1.3	0.16
. AAMR (1970 Std. mil.)		1.9	0.13		2.6	0.21		1.3	0.15
. AAMR (2000 Std. mil.)		2.3	0.15		3.3	0.26		1.5	0.17
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.1	-		5.5	-		2.7	-
. HP 2000 (1940 Std. mil.)		3.0	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is lower