

Connecticut Resident Age-Specific Mortality Rates by Sex, 1995-1996

Causes of Death for the Age-Specific Mortality Tables

	Page		Page
All causes	2	Hypertension with or without renal disease	33
Infectious diseases and parasitic disease	3	Hypertension-related	34
Septicemia	4	Cerebrovascular disease	35
Septicemia-related	5	Atherosclerosis	36
HIV infection	6	Atherosclerosis-related	37
All cancer	7	Aortic aneurysm	38
Oral cavity or pharynx	8	Pneumonia & influenza	39
Colorectal cancer	9	Chronic obstructive pulmonary disease	40
Colon cancer	10	COPD-related	41
Rectal cancer	11	Asthma	42
Pancreatic cancer	12	Chronic liver disease and cirrhosis	43
Lung and other respiratory cancer	13	Nephritis, nephrotic syndrome/nephrosis	44
Lung cancer	14	Nephritis-related	45
Malignant melanoma of skin	15	End stage renal disease	46
Female breast cancer	16	Unintentional injuries	47
Cervical cancer	17	Motor vehicle accidents	48
Endometrial cancer	18	Falls and fall related injuries	49
Ovarian cancer	19	Drowning	50
Prostate cancer	20	Residential fires	51
Bladder cancer	21	Suicide	52
Brain & other CNS cancer	22	Homicide and legal intervention	53
Leukemia	23	Homicide	54
Diabetes mellitus	24	All injury	55
Diabetes-related	25	All motor vehicle accidents	56
Diabetic ketoacidosis	26	All falls	57
Alzheimer's diseases	27	All firearms	58
Cardiovascular disease	28	Suicide	59
Diseases of the heart	29	Homicide	60
Heart disease-related	30	All poisoning	61
Coronary heart disease	31	Alcohol-induced	62
Congestive heart failure	32	Drug-induced	63

Connecticut Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Infectious diseases and parasitic disease (1-139)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	31	7.0	1.25	15	6.6	1.70	16	7.4	1.84
5-9	7	1.5	0.57	5	2.1	0.94	2	0.9	0.62
10-14	8	1.9	0.66	4	1.8	0.92	4	1.9	0.96
15-19	3	0.8	0.44	0	0.0	0.00	3	1.6	0.91
20-24	7	1.8	0.69	6	3.1	1.25	1	0.5	0.53
25-29	74	16.1	1.87	42	18.3	2.82	32	14.0	2.47
30-34	197	35.1	2.50	139	49.7	4.21	58	20.6	2.70
35-39	271	46.4	2.82	201	69.3	4.89	70	23.8	2.85
40-44	247	47.5	3.02	188	74.0	5.39	59	22.2	2.89
45-49	190	41.3	2.99	144	63.9	5.32	46	19.6	2.89
50-54	101	27.3	2.72	76	42.3	4.85	25	13.2	2.63
55-59	76	26.9	3.09	53	38.8	5.34	23	15.8	3.29
60-64	74	29.6	3.44	52	43.6	6.04	22	16.8	3.59
65-69	93	35.9	3.73	52	44.0	6.10	41	29.1	4.55
70-74	111	46.7	4.44	57	55.9	7.40	54	39.8	5.42
75-79	172	87.2	6.65	89	111.6	11.83	83	70.6	7.75
80-84	190	145.8	10.58	92	196.4	20.47	98	117.5	11.87
85+	304	270.5	15.51	96	319.2	32.58	208	252.7	17.52
Total deaths	2,156			1,311			845		
Connecticut									
. Crude rate		33.0	-		41.3	-		25.1	-
. AAMR (1940 Std. mil.)		22.6	0.54		31.8	0.92		14.1	0.59
. AAMR (1970 Std. mil.)		23.8	0.54		32.9	0.93		15.8	0.59
. AAMR (2000 Std. mil.)		31.1	0.67		42.9	1.21		20.8	0.73
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		23.4	-		35.5	-		11.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Female breast cancer (174)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	3	0.7	0.38	-	-	-	3	1.3	0.76
30-34	6	1.1	0.44	-	-	-	6	2.1	0.87
35-39	31	5.3	0.95	-	-	-	31	10.5	1.89
40-44	43	8.3	1.26	-	-	-	43	16.2	2.47
45-49	79	17.2	1.93	-	-	-	79	33.6	3.78
50-54	89	24.1	2.55	-	-	-	89	46.9	4.97
55-59	96	34.0	3.47	-	-	-	96	65.9	6.72
60-64	112	44.8	4.23	-	-	-	112	85.7	8.10
65-69	147	56.8	4.68	-	-	-	147	104.5	8.62
70-74	146	61.5	5.09	-	-	-	146	107.7	8.92
75-79	181	91.7	6.82	-	-	-	181	154.0	11.44
80-84	137	105.2	8.98	-	-	-	137	164.2	14.03
85+	159	141.5	11.22	-	-	-	159	193.1	15.32
Total deaths	1,229			-			1,229		
Connecticut									
. Crude rate		-	-		-	-		36.6	-
. AAMR (1940 Std. mil.)		-	-		-	-		21.2	0.69
. AAMR (1970 Std. mil.)		-	-		-	-		25.8	0.79
. AAMR (2000 Std. mil.)		-	-		-	-		31.4	0.91
. HP 2000 (1940 Std. mil.)		-	-		-	-		23.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		21.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		20.6	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									CT rate is lower
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									CT rate is not significantly different

Connecticut Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cervical cancer (180)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	1	0.3	0.26	-	-	-	1	0.5	0.53
25-29	1	0.2	0.22	-	-	-	1	0.4	0.44
30-34	4	0.7	0.36	-	-	-	4	1.4	0.71
35-39	6	1.0	0.42	-	-	-	6	2.0	0.83
40-44	9	1.7	0.58	-	-	-	9	3.4	1.13
45-49	9	2.0	0.65	-	-	-	9	3.8	1.28
50-54	7	1.9	0.72	-	-	-	7	3.7	1.39
55-59	4	1.4	0.71	-	-	-	4	2.7	1.37
60-64	8	3.2	1.13	-	-	-	8	6.1	2.16
65-69	9	3.5	1.16	-	-	-	9	6.4	2.13
70-74	8	3.4	1.19	-	-	-	8	5.9	2.09
75-79	8	4.1	1.43	-	-	-	8	6.8	2.41
80-84	11	8.4	2.55	-	-	-	11	13.2	3.98
85+	9	8.0	2.67	-	-	-	9	10.9	3.64
Total deaths	94			-			94		
Connecticut									
. Crude rate		-	-		-	-		2.8	-
. AAMR (1940 Std. mil.)		-	-		-	-		1.8	0.21
. AAMR (1970 Std. mil.)		-	-		-	-		2.0	0.22
. AAMR (2000 Std. mil.)		-	-		-	-		2.5	0.26
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		2.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.3	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									CT rate is higher
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is higher

Connecticut Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Endometrial cancer (182)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	1	0.2	0.19	-	-	-	1	0.4	0.38
45-49	1	0.2	0.22	-	-	-	1	0.4	0.43
50-54	3	0.8	0.47	-	-	-	3	1.6	0.91
55-59	3	1.1	0.61	-	-	-	3	2.1	1.19
60-64	7	2.8	1.06	-	-	-	7	5.4	2.02
65-69	17	6.6	1.59	-	-	-	17	12.1	2.93
70-74	18	7.6	1.79	-	-	-	18	13.3	3.13
75-79	16	8.1	2.03	-	-	-	16	13.6	3.40
80-84	17	13.0	3.16	-	-	-	17	20.4	4.94
85+	10	8.9	2.81	-	-	-	10	12.1	3.84
Total deaths	93			-			93		
Connecticut									
. Crude rate		-	-		-	-		2.8	-
. AAMR (1940 Std. mil.)		-	-		-	-		1.3	0.16
. AAMR (1970 Std. mil.)		-	-		-	-		1.8	0.20
. AAMR (2000 Std. mil.)		-	-		-	-		2.2	0.23
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		1.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Ovarian cancer (183)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	2	0.4	0.25	-	-	-	2	0.7	0.50
35-39	1	0.2	0.17	-	-	-	1	0.3	0.34
40-44	5	1.0	0.43	-	-	-	5	1.9	0.84
45-49	14	3.0	0.81	-	-	-	14	6.0	1.59
50-54	23	6.2	1.30	-	-	-	23	12.1	2.53
55-59	21	7.4	1.62	-	-	-	21	14.4	3.14
60-64	29	11.6	2.15	-	-	-	29	22.2	4.12
65-69	42	16.2	2.50	-	-	-	42	29.9	4.61
70-74	49	20.6	2.95	-	-	-	49	36.2	5.17
75-79	55	27.9	3.76	-	-	-	55	46.8	6.31
80-84	37	28.4	4.67	-	-	-	37	44.3	7.29
85+	55	48.9	6.60	-	-	-	55	66.8	9.01
Total deaths	333			-			333		
Connecticut									
. Crude rate		-	-		-	-		9.9	-
. AAMR (1940 Std. mil.)		-	-		-	-		5.2	0.33
. AAMR (1970 Std. mil.)		-	-		-	-		6.7	0.39
. AAMR (2000 Std. mil.)		-	-		-	-		8.2	0.46
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		6.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Prostate cancer (185)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	-	-	-
5-9	0	0.0	0.00	0	0.0	0.00	-	-	-
10-14	0	0.0	0.00	0	0.0	0.00	-	-	-
15-19	0	0.0	0.00	0	0.0	0.00	-	-	-
20-24	0	0.0	0.00	0	0.0	0.00	-	-	-
25-29	0	0.0	0.00	0	0.0	0.00	-	-	-
30-34	0	0.0	0.00	0	0.0	0.00	-	-	-
35-39	0	0.0	0.00	0	0.0	0.00	-	-	-
40-44	0	0.0	0.00	0	0.0	0.00	-	-	-
45-49	1	0.2	0.22	1	0.4	0.44	-	-	-
50-54	6	1.6	0.66	6	3.3	1.36	-	-	-
55-59	14	5.0	1.33	14	10.3	2.74	-	-	-
60-64	41	16.4	2.56	41	34.3	5.36	-	-	-
65-69	76	29.4	3.37	76	64.3	7.38	-	-	-
70-74	120	50.5	4.61	120	117.7	10.74	-	-	-
75-79	199	100.8	7.15	199	249.5	17.69	-	-	-
80-84	196	150.4	10.75	196	418.4	29.88	-	-	-
85+	224	199.3	13.32	224	744.8	49.76	-	-	-
Total deaths	877			877			-		
Connecticut									
. Crude rate		-	-		27.6	-		-	-
. AAMR (1940 Std. mil.)		-	-		13.4	0.49		-	-
. AAMR (1970 Std. mil.)		-	-		22.5	0.76		-	-
. AAMR (2000 Std. mil.)		-	-		33.8	1.17		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		15.5	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Chronic obstructive pulmonary disease (COPD) (490-496)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	0.2	0.23	0	0.0	0.00	1	0.5	0.48
15-19	5	1.3	0.57	1	0.5	0.49	4	2.1	1.05
20-24	4	1.0	0.52	2	1.0	0.72	2	1.1	0.76
25-29	2	0.4	0.31	1	0.4	0.44	1	0.4	0.44
30-34	4	0.7	0.36	1	0.4	0.36	3	1.1	0.61
35-39	5	0.9	0.38	3	1.0	0.60	2	0.7	0.48
40-44	12	2.3	0.67	5	2.0	0.88	7	2.6	1.00
45-49	17	3.7	0.90	9	4.0	1.33	8	3.4	1.20
50-54	22	6.0	1.27	11	6.1	1.85	11	5.8	1.75
55-59	53	18.8	2.58	18	13.2	3.11	35	24.0	4.06
60-64	117	46.8	4.32	58	48.6	6.38	59	45.1	5.88
65-69	223	86.2	5.77	127	107.5	9.54	96	68.2	6.97
70-74	371	156.2	8.11	179	175.5	13.12	192	141.7	10.22
75-79	511	259.0	11.46	249	312.2	19.78	262	222.9	13.77
80-84	499	383.0	17.15	245	522.9	33.41	254	304.4	19.10
85+	524	466.2	20.37	219	728.2	49.20	305	370.5	21.21
Total deaths	2,370			1,128			1,242		
Connecticut									
. Crude rate		36.3	-		35.5	-		37.0	-
. AAMR (1940 Std. mil.)		15.6	0.37		18.5	0.59		14.0	0.49
. AAMR (1970 Std. mil.)		23.7	0.51		29.2	0.88		20.8	0.64
. AAMR (2000 Std. mil.)		32.9	0.68		41.9	1.27		28.2	0.81
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		20.8	-		26.1	-		17.1	-
. HP 2000 (1940 Std. mil.)		25.0	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

Connecticut Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Chronic liver disease and cirrhosis (571)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	2	0.5	0.36	1	0.5	0.49	1	0.5	0.53
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	3	0.7	0.38	2	0.9	0.62	1	0.4	0.44
30-34	11	2.0	0.59	7	2.5	0.95	4	1.4	0.71
35-39	30	5.1	0.94	22	7.6	1.62	8	2.7	0.96
40-44	43	8.3	1.26	31	12.2	2.19	12	4.5	1.31
45-49	76	16.5	1.89	58	25.7	3.38	18	7.7	1.81
50-54	59	16.0	2.08	48	26.7	3.85	11	5.8	1.75
55-59	53	18.8	2.58	37	27.1	4.46	16	11.0	2.74
60-64	48	19.2	2.77	29	24.3	4.51	19	14.5	3.33
65-69	77	29.7	3.39	45	38.1	5.68	32	22.7	4.02
70-74	84	35.4	3.86	45	44.1	6.58	39	28.8	4.61
75-79	74	37.5	4.36	38	47.6	7.73	36	30.6	5.10
80-84	42	32.2	4.97	17	36.3	8.80	25	30.0	5.99
85+	28	24.9	4.71	10	33.2	10.51	18	21.9	5.15
Total deaths	630			390			240		
Connecticut									
. Crude rate		9.6	-		12.3	-		7.1	-
. AAMR (1940 Std. mil.)		6.9	0.29		9.6	0.51		4.3	0.31
. AAMR (1970 Std. mil.)		7.8	0.32		10.8	0.55		5.1	0.35
. AAMR (2000 Std. mil.)		9.3	0.37		12.8	0.65		6.2	0.40
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		7.5	-		10.9	-		4.5	-
. HP 2000 (1940 Std. mil.)		6.0	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is higher

Connecticut Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Unintentional injuries (E800-E949)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	35	7.9	1.33	19	8.3	1.91	16	7.4	1.84
5-9	20	4.3	0.96	13	5.5	1.52	7	3.1	1.17
10-14	26	6.1	1.19	18	8.3	1.95	8	3.8	1.35
15-19	97	24.7	2.51	72	35.6	4.19	25	13.2	2.64
20-24	135	35.3	3.04	96	49.1	5.01	39	20.9	3.34
25-29	128	27.9	2.47	103	44.8	4.42	25	10.9	2.18
30-34	146	26.0	2.15	116	41.5	3.85	30	10.6	1.94
35-39	168	28.8	2.22	133	45.9	3.98	35	11.9	2.01
40-44	152	29.3	2.37	125	49.2	4.40	27	10.2	1.96
45-49	137	29.8	2.54	104	46.1	4.52	33	14.0	2.44
50-54	96	26.0	2.65	74	41.2	4.79	22	11.6	2.47
55-59	62	22.0	2.79	41	30.0	4.69	21	14.4	3.14
60-64	75	30.0	3.46	45	37.7	5.62	30	22.9	4.19
65-69	60	23.2	2.99	35	29.6	5.01	25	17.8	3.55
70-74	133	56.0	4.86	72	70.6	8.32	61	45.0	5.76
75-79	144	73.0	6.08	84	105.3	11.49	60	51.0	6.59
80-84	169	129.7	9.98	75	160.1	18.49	94	112.7	11.62
85+	304	270.5	15.51	113	375.7	35.34	191	232.0	16.79
Total deaths	2,087			1,338			749		
Connecticut									
. Crude rate		31.9	-		42.2	-		22.3	-
. AAMR (1940 Std. mil.)		24.8	0.62		36.4	1.07		13.8	0.64
. AAMR (1970 Std. mil.)		26.2	0.62		37.7	1.07		15.7	0.66
. AAMR (2000 Std. mil.)		30.9	0.68		44.6	1.24		19.0	0.71
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		30.5	-		44.1	-		17.6	-
. HP 2000 (1940 Std. mil.)		29.3	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is lower

Connecticut Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Motor vehicle accidents (E810-E825)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	11	2.5	0.74	7	3.1	1.16	4	1.8	0.92
5-9	9	1.9	0.65	6	2.5	1.03	3	1.3	0.77
10-14	12	2.8	0.81	10	4.6	1.45	2	1.0	0.68
15-19	70	17.9	2.13	47	23.2	3.39	23	12.1	2.53
20-24	94	24.6	2.53	65	33.2	4.12	29	15.5	2.88
25-29	71	15.5	1.84	55	23.9	3.23	16	7.0	1.75
30-34	47	8.4	1.22	37	13.2	2.17	10	3.5	1.12
35-39	50	8.6	1.21	35	12.1	2.04	15	5.1	1.32
40-44	44	8.5	1.28	32	12.6	2.23	12	4.5	1.31
45-49	46	10.0	1.47	34	15.1	2.59	12	5.1	1.47
50-54	37	10.0	1.65	29	16.1	3.00	8	4.2	1.49
55-59	22	7.8	1.66	13	9.5	2.64	9	6.2	2.06
60-64	36	14.4	2.40	17	14.2	3.45	19	14.5	3.33
65-69	16	6.2	1.55	8	6.8	2.39	8	5.7	2.01
70-74	30	12.6	2.31	16	15.7	3.92	14	10.3	2.76
75-79	28	14.2	2.68	17	21.3	5.17	11	9.4	2.82
80-84	26	20.0	3.91	15	32.0	8.27	11	13.2	3.98
85+	24	21.4	4.36	10	33.2	10.51	14	17.0	4.54
Total deaths	673			453			220		
Connecticut									
. Crude rate		10.3	-		14.3	-		6.5	-
. AAMR (1940 Std. mil.)		10.4	0.43		14.5	0.72		6.3	0.47
. AAMR (1970 Std. mil.)		10.1	0.41		14.1	0.69		6.4	0.46
. AAMR (2000 Std. mil.)		10.4	0.40		14.6	0.69		6.5	0.44
. HP 2000 (1940 Std. mil.)		10.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		16.3	-		22.7	-		10.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									
. The U.S. AAMR (1940 Std. mil.):									
. THE U.S. HP 2000 target:									

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

All firearms (E922.0-.3, E922.8-.9, E955.0-.4, E965.0-.4, E970, E985.0-.4)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	4	0.9	0.45	3	1.3	0.76	1	0.5	0.46
5-9	1	0.2	0.22	0	0.0	0.00	1	0.4	0.44
10-14	5	1.2	0.52	4	1.8	0.92	1	0.5	0.48
15-19	55	14.0	1.89	48	23.7	3.42	7	3.7	1.39
20-24	81	21.2	2.35	75	38.4	4.43	6	3.2	1.31
25-29	73	15.9	1.86	62	27.0	3.43	11	4.8	1.45
30-34	53	9.4	1.30	48	17.2	2.48	5	1.8	0.79
35-39	40	6.9	1.08	37	12.8	2.10	3	1.0	0.59
40-44	36	6.9	1.15	34	13.4	2.29	2	0.8	0.53
45-49	26	5.6	1.11	21	9.3	2.03	5	2.1	0.95
50-54	28	7.6	1.43	21	11.7	2.55	7	3.7	1.39
55-59	13	4.6	1.28	12	8.8	2.54	1	0.7	0.69
60-64	15	6.0	1.55	13	10.9	3.02	2	1.5	1.08
65-69	21	8.1	1.77	18	15.2	3.59	3	2.1	1.23
70-74	18	7.6	1.79	15	14.7	3.80	3	2.2	1.28
75-79	12	6.1	1.76	12	15.0	4.34	0	0.0	0.00
80-84	9	6.9	2.30	9	19.2	6.40	0	0.0	0.00
85+	7	6.2	2.35	7	23.3	8.80	0	0.0	0.00
Total deaths	497			439			58		
Connecticut									
. Crude rate		7.6	-		13.8	-		1.7	-
. AAMR (1940 Std. mil.)		8.1	0.38		14.4	0.72		1.9	0.27
. AAMR (1970 Std. mil.)		7.6	0.36		13.5	0.67		1.8	0.25
. AAMR (2000 Std. mil.)		7.6	0.35		13.9	0.67		1.8	0.24
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		13.7	-		24.1	-		3.9	-
. HP 2000 (1940 Std. mil.)		11.6	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is lower

