

Connecticut Resident Age-Specific Mortality Rates by Sex, 1997

Causes of Death for the Age-Specific Mortality Tables

	Page		Page
All causes	2	Hypertension with or without renal disease	33
Infectious diseases and parasitic disease	3	Hypertension-related	34
Septicemia	4	Cerebrovascular disease	35
Septicemia-related	5	Atherosclerosis	36
HIV infection	6	Atherosclerosis-related	37
All cancer	7	Aortic aneurysm	38
Oral cavity or pharynx	8	Pneumonia & influenza	39
Colorectal cancer	9	Chronic obstructive pulmonary disease	40
Colon cancer	10	COPD-related	41
Rectal cancer	11	Asthma	42
Pancreatic cancer	12	Chronic liver disease and cirrhosis	43
Lung and other respiratory cancer	13	Nephritis, nephrotic syndrome/nephrosis	44
Lung cancer	14	Nephritis-related	45
Malignant melanoma of skin	15	End stage renal disease	46
Female breast cancer	16	Unintentional injuries	47
Cervical cancer	17	Motor vehicle accidents	48
Endometrial cancer	18	Falls and fall related injuries	49
Ovarian cancer	19	Drowning	50
Prostate cancer	20	Residential fires	51
Bladder cancer	21	Suicide	52
Brain & other CNS cancer	22	Homicide and legal intervention	53
Leukemia	23	Homicide	54
Diabetes mellitus	24	All injury	55
Diabetes-related	25	All motor vehicle accidents	56
Diabetic ketoacidosis	26	All falls	57
Alzheimer's diseases	27	All firearms	58
Cardiovascular disease	28	Suicide	59
Diseases of the heart	29	Homicide	60
Heart disease-related	30	All poisoning	61
Coronary heart disease	31	Alcohol-induced	62
Congestive heart failure	32	Drug-induced	63

Connecticut Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All causes-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	361	166.6	8.77	218	196.1	13.28	143	135.5	11.33
5-9	26	11.2	2.19	17	14.2	3.45	9	7.9	2.64
10-14	46	21.0	3.10	29	26.0	4.83	17	15.9	3.85
15-19	102	50.9	5.04	67	64.7	7.91	35	36.1	6.10
20-24	147	81.0	6.68	106	113.9	11.07	41	46.4	7.24
25-29	182	83.1	6.16	127	115.7	10.27	55	50.3	6.79
30-34	283	105.0	6.24	193	143.7	10.34	90	66.5	7.01
35-39	413	140.7	6.92	269	184.3	11.24	144	97.6	8.13
40-44	585	216.7	8.96	378	285.7	14.70	207	150.4	10.45
45-49	670	292.8	11.31	408	364.3	18.03	262	224.3	13.86
50-54	895	447.3	14.95	520	533.7	23.41	375	365.3	18.87
55-59	1,113	756.0	22.66	656	920.9	35.95	457	601.4	28.13
60-64	1,463	1201.8	31.42	881	1512.6	50.96	582	916.7	38.00
65-69	2,273	1804.4	37.85	1,323	2285.5	62.84	950	1395.3	45.27
70-74	3,121	2693.1	48.21	1,705	3415.5	82.72	1,416	2146.4	57.04
75-79	4,253	4210.7	64.57	2,210	5388.0	114.61	2,043	3405.7	75.35
80-84	4,793	7076.9	102.22	2,224	8937.8	189.52	2,569	5996.2	118.30
85+	8,680	14709.6	157.89	2,715	16974.1	325.76	5,965	13867.6	179.55
Total deaths	29,406			14,046			15,360		
Connecticut									
. Crude rate		899.3	-		883.6	-		914.2	-
. AAMR (1940 Std. mil.)		422.4	2.99		529.4	4.94		335.2	3.58
. AAMR (1970 Std. mil.)		593.1	3.69		737.2	6.34		484.3	4.40
. AAMR (2000 Std. mil.)		812.7	4.75		1002.7	8.60		678.7	5.59
. HP 2000 (1940 Std. mil.)		328.4	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		478.8	-		602.5	-		375.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									CT rate is higher
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----HIV infection (042-044)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	1	0.4	0.43	0	0.0	0.00	1	0.9	0.88
10-14	2	0.9	0.65	0	0.0	0.00	2	1.9	1.32
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	3	1.7	0.95	0	0.0	0.00	3	3.4	1.96
25-29	15	6.8	1.77	10	9.1	2.88	5	4.6	2.05
30-34	33	12.2	2.13	21	15.6	3.41	12	8.9	2.56
35-39	44	15.0	2.26	32	21.9	3.88	12	8.1	2.35
40-44	38	14.1	2.28	33	24.9	4.34	5	3.6	1.62
45-49	31	13.5	2.43	22	19.6	4.19	9	7.7	2.57
50-54	11	5.5	1.66	9	9.2	3.08	2	1.9	1.38
55-59	9	6.1	2.04	7	9.8	3.71	2	2.6	1.86
60-64	4	3.3	1.64	4	6.9	3.43	0	0.0	0.00
65-69	6	4.8	1.94	6	10.4	4.23	0	0.0	0.00
70-74	1	0.9	0.86	0	0.0	0.00	1	1.5	1.52
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	198			144			54		
Connecticut									
. Crude rate		6.1	-		9.1	-		3.2	-
. AAMR (1940 Std. mil.)		5.5	0.40		8.0	0.67		3.2	0.45
. AAMR (1970 Std. mil.)		4.8	0.35		7.0	0.59		2.7	0.39
. AAMR (2000 Std. mil.)		5.8	0.41		8.6	0.72		3.2	0.43
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.7	-		9.1	-		2.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Female breast cancer (174)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	3	1.1	0.64	-	-	-	3	2.2	1.28
35-39	9	3.1	1.02	-	-	-	9	6.1	2.03
40-44	32	11.9	2.10	-	-	-	32	23.2	4.11
45-49	37	16.2	2.66	-	-	-	37	31.7	5.21
50-54	55	27.5	3.71	-	-	-	55	53.6	7.22
55-59	40	27.2	4.30	-	-	-	40	52.6	8.32
60-64	43	35.3	5.39	-	-	-	43	67.7	10.33
65-69	59	46.8	6.10	-	-	-	59	86.7	11.28
70-74	79	68.2	7.67	-	-	-	79	119.8	13.47
75-79	69	68.3	8.22	-	-	-	69	115.0	13.85
80-84	67	98.9	12.09	-	-	-	67	156.4	19.11
85+	98	166.1	16.78	-	-	-	98	227.8	23.01
Total deaths	591			-			591		
Connecticut									
. Crude rate		-	-		-	-		35.2	-
. AAMR (1940 Std. mil.)		-	-		-	-		19.6	0.93
. AAMR (1970 Std. mil.)		-	-		-	-		23.9	1.05
. AAMR (2000 Std. mil.)		-	-		-	-		29.6	1.24
. HP 2000 (1940 Std. mil.)		-	-		-	-		23.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		19.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		20.6	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									CT rate is lower
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									CT rate is not significantly different

Connecticut Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cervical cancer (180)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	1	0.5	0.46	-	-	-	1	0.9	0.92
30-34	3	1.1	0.64	-	-	-	3	2.2	1.28
35-39	4	1.4	0.68	-	-	-	4	2.7	1.36
40-44	1	0.4	0.37	-	-	-	1	0.7	0.73
45-49	6	2.6	1.07	-	-	-	6	5.1	2.10
50-54	3	1.5	0.87	-	-	-	3	2.9	1.69
55-59	4	2.7	1.36	-	-	-	4	5.3	2.63
60-64	1	0.8	0.82	-	-	-	1	1.6	1.58
65-69	3	2.4	1.37	-	-	-	3	4.4	2.54
70-74	1	0.9	0.86	-	-	-	1	1.5	1.52
75-79	3	3.0	1.71	-	-	-	3	5.0	2.89
80-84	0	0.0	0.00	-	-	-	0	0.0	0.00
85+	4	6.8	3.39	-	-	-	4	9.3	4.65
Total deaths	34			-			34		
Connecticut									
. Crude rate		-	-		-	-		2.0	-
. AAMR (1940 Std. mil.)		-	-		-	-		1.5	0.28
. AAMR (1970 Std. mil.)		-	-		-	-		1.5	0.27
. AAMR (2000 Std. mil.)		-	-		-	-		1.8	0.32
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		2.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.3	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is not significantly different

Connecticut Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Endometrial cancer (182)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	0	0.0	0.00	-	-	-	0	0.0	0.00
45-49	1	0.4	0.44	-	-	-	1	0.9	0.86
50-54	0	0.0	0.00	-	-	-	0	0.0	0.00
55-59	1	0.7	0.68	-	-	-	1	1.3	1.32
60-64	2	1.6	1.16	-	-	-	2	3.2	2.23
65-69	5	4.0	1.78	-	-	-	5	7.3	3.28
70-74	7	6.0	2.28	-	-	-	7	10.6	4.01
75-79	10	9.9	3.13	-	-	-	10	16.7	5.27
80-84	4	5.9	2.95	-	-	-	4	9.3	4.67
85+	10	16.9	5.36	-	-	-	10	23.2	7.35
Total deaths	40			-			40		
Connecticut									
. Crude rate		-	-		-	-		2.4	-
. AAMR (1940 Std. mil.)		-	-		-	-		1.0	0.18
. AAMR (1970 Std. mil.)		-	-		-	-		1.4	0.24
. AAMR (2000 Std. mil.)		-	-		-	-		1.8	0.29
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		1.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Ovarian cancer (183)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	1	0.5	0.46	-	-	-	1	0.9	0.92
30-34	2	0.7	0.52	-	-	-	2	1.5	1.05
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	3	1.1	0.64	-	-	-	3	2.2	1.26
45-49	5	2.2	0.98	-	-	-	5	4.3	1.91
50-54	17	8.5	2.06	-	-	-	17	16.6	4.02
55-59	11	7.5	2.25	-	-	-	11	14.5	4.36
60-64	16	13.1	3.29	-	-	-	16	25.2	6.30
65-69	21	16.7	3.64	-	-	-	21	30.8	6.73
70-74	28	24.2	4.57	-	-	-	28	42.4	8.02
75-79	24	23.8	4.85	-	-	-	24	40.0	8.17
80-84	23	34.0	7.08	-	-	-	23	53.7	11.19
85+	27	45.8	8.81	-	-	-	27	62.8	12.08
Total deaths	178			-			178		
Connecticut									
. Crude rate		-	-		-	-		10.6	-
. AAMR (1940 Std. mil.)		-	-		-	-		5.7	0.50
. AAMR (1970 Std. mil.)		-	-		-	-		7.2	0.58
. AAMR (2000 Std. mil.)		-	-		-	-		8.8	0.67
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		5.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Diabetes mellitus (250)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	0.5	0.46	0	0.0	0.00	1	0.9	0.92
30-34	4	1.5	0.74	3	2.2	1.29	1	0.7	0.74
35-39	11	3.7	1.13	7	4.8	1.81	4	2.7	1.36
40-44	7	2.6	0.98	6	4.5	1.85	1	0.7	0.73
45-49	19	8.3	1.91	11	9.8	2.96	8	6.8	2.42
50-54	27	13.5	2.60	14	14.4	3.84	13	12.7	3.51
55-59	26	17.7	3.46	13	18.2	5.06	13	17.1	4.74
60-64	49	40.3	5.75	34	58.4	10.01	15	23.6	6.10
65-69	68	54.0	6.55	42	72.6	11.20	26	38.2	7.49
70-74	81	69.9	7.77	39	78.1	12.51	42	63.7	9.82
75-79	91	90.1	9.44	45	109.7	16.35	46	76.7	11.31
80-84	96	141.7	14.47	42	168.8	26.04	54	126.0	17.15
85+	141	238.9	20.12	49	306.3	43.76	92	213.9	22.30
Total deaths	621			305			316		
Connecticut									
. Crude rate		19.0	-		19.2	-		18.8	-
. AAMR (1940 Std. mil.)		9.5	0.44		11.8	0.73		7.7	0.54
. AAMR (1970 Std. mil.)		13.1	0.55		16.2	0.94		10.7	0.66
. AAMR (2000 Std. mil.)		17.2	0.69		21.4	1.24		14.4	0.82
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		13.6	-		14.8	-		12.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Atherosclerosis (440)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	0.3	0.34	0	0.0	0.00	1	0.7	0.68
40-44	1	0.4	0.37	1	0.8	0.76	0	0.0	0.00
45-49	3	1.3	0.76	3	2.7	1.55	0	0.0	0.00
50-54	2	1.0	0.71	0	0.0	0.00	2	1.9	1.38
55-59	1	0.7	0.68	1	1.4	1.40	0	0.0	0.00
60-64	3	2.5	1.42	1	1.7	1.72	2	3.2	2.23
65-69	7	5.6	2.10	4	6.9	3.46	3	4.4	2.54
70-74	11	9.5	2.86	6	12.0	4.91	5	7.6	3.39
75-79	13	12.9	3.57	3	7.3	4.22	10	16.7	5.27
80-84	24	35.4	7.23	12	48.2	13.92	12	28.0	8.09
85+	91	154.2	16.17	24	150.0	30.63	67	155.8	19.03
Total deaths	157			55			102		
Connecticut									
. Crude rate		4.8	-		3.5	-		6.1	-
. AAMR (1940 Std. mil.)		1.4	0.14		1.6	0.23		1.3	0.18
. AAMR (1970 Std. mil.)		2.5	0.21		2.7	0.37		2.4	0.26
. AAMR (2000 Std. mil.)		4.2	0.34		4.4	0.60		4.1	0.41
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.1	-		2.4	-		1.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Atherosclerosis-related (440)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.5	0.46	1	0.9	0.90	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	2	0.7	0.48	1	0.7	0.69	1	0.7	0.68
40-44	2	0.7	0.52	2	1.5	1.07	0	0.0	0.00
45-49	8	3.5	1.24	7	6.2	2.36	1	0.9	0.86
50-54	11	5.5	1.66	4	4.1	2.05	7	6.8	2.58
55-59	9	6.1	2.04	5	7.0	3.14	4	5.3	2.63
60-64	21	17.3	3.76	10	17.2	5.43	11	17.3	5.22
65-69	37	29.4	4.83	28	48.4	9.14	9	13.2	4.41
70-74	43	37.1	5.66	24	48.1	9.81	19	28.8	6.61
75-79	101	100.0	9.95	44	107.3	16.17	57	95.0	12.59
80-84	143	211.1	17.66	65	261.2	32.40	78	182.1	20.61
85+	404	684.6	34.06	122	762.7	69.06	282	655.6	39.04
Total deaths	782			313			469		
Connecticut									
. Crude rate		23.9	-		19.7	-		27.9	-
. AAMR (1940 Std. mil.)		7.4	0.33		9.0	0.56		6.2	0.39
. AAMR (1970 Std. mil.)		13.0	0.49		15.5	0.88		11.4	0.58
. AAMR (2000 Std. mil.)		21.0	0.75		24.5	1.41		18.8	0.88
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Asthma (493)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	2	0.9	0.65	2	1.8	1.29	0	0.0	0.00
30-34	2	0.7	0.52	2	1.5	1.05	0	0.0	0.00
35-39	3	1.0	0.59	1	0.7	0.69	2	1.4	0.96
40-44	3	1.1	0.64	0	0.0	0.00	3	2.2	1.26
45-49	3	1.3	0.76	0	0.0	0.00	3	2.6	1.48
50-54	9	4.5	1.50	4	4.1	2.05	5	4.9	2.18
55-59	5	3.4	1.52	2	2.8	1.99	3	3.9	2.28
60-64	5	4.1	1.84	1	1.7	1.72	4	6.3	3.15
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	4	3.5	1.73	2	4.0	2.83	2	3.0	2.14
75-79	7	6.9	2.62	0	0.0	0.00	7	11.7	4.41
80-84	9	13.3	4.43	3	12.1	6.96	6	14.0	5.72
85+	11	18.6	5.62	0	0.0	0.00	11	25.6	7.71
Total deaths	63			17			46		
Connecticut									
. Crude rate		1.9	-		1.1	-		2.7	-
. AAMR (1940 Std. mil.)		1.2	0.17		0.9	0.22		1.4	0.25
. AAMR (1970 Std. mil.)		1.4	0.19		0.9	0.23		1.7	0.28
. AAMR (2000 Std. mil.)		1.8	0.23		1.1	0.26		2.3	0.34
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.6	-		1.1	-		1.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Chronic liver disease and cirrhosis (571)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	2	0.9	0.65	1	0.9	0.91	1	0.9	0.92
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	10	3.4	1.08	6	4.1	1.68	4	2.7	1.36
40-44	23	8.5	1.78	18	13.6	3.21	5	3.6	1.62
45-49	30	13.1	2.39	22	19.6	4.19	8	6.8	2.42
50-54	32	16.0	2.83	26	26.7	5.23	6	5.8	2.39
55-59	24	16.3	3.33	16	22.5	5.62	8	10.5	3.72
60-64	36	29.6	4.93	24	41.2	8.41	12	18.9	5.46
65-69	38	30.2	4.89	25	43.2	8.64	13	19.1	5.30
70-74	31	26.7	4.80	16	32.1	8.01	15	22.7	5.87
75-79	35	34.7	5.86	13	31.7	8.79	22	36.7	7.82
80-84	23	34.0	7.08	10	40.2	12.71	13	30.3	8.42
85+	12	20.3	5.87	5	31.3	13.98	7	16.3	6.15
Total deaths	296			182			114		
Connecticut									
. Crude rate		9.1	-		11.4	-		6.8	-
. AAMR (1940 Std. mil.)		6.4	0.40		9.0	0.69		4.1	0.43
. AAMR (1970 Std. mil.)		7.4	0.44		10.2	0.77		4.9	0.48
. AAMR (2000 Std. mil.)		8.7	0.50		11.8	0.88		5.8	0.55
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		7.3	-		10.5	-		4.5	-
. HP 2000 (1940 Std. mil.)		6.0	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is not significantly different

Connecticut Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Nephritis-related (580-589)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	5	2.3	1.03	3	2.7	1.56	2	1.9	1.34
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	0.5	0.50	1	1.0	0.97	0	0.0	0.00
20-24	1	0.6	0.55	0	0.0	0.00	1	1.1	1.13
25-29	4	1.8	0.91	2	1.8	1.29	2	1.8	1.29
30-34	13	4.8	1.34	5	3.7	1.66	8	5.9	2.09
35-39	14	4.8	1.27	9	6.2	2.06	5	3.4	1.52
40-44	25	9.3	1.85	17	12.8	3.12	8	5.8	2.05
45-49	35	15.3	2.59	20	17.9	3.99	15	12.8	3.32
50-54	42	21.0	3.24	26	26.7	5.23	16	15.6	3.90
55-59	58	39.4	5.17	38	53.3	8.65	20	26.3	5.89
60-64	77	63.3	7.21	39	67.0	10.72	38	59.9	9.71
65-69	96	76.2	7.78	58	100.2	13.16	38	55.8	9.05
70-74	179	154.5	11.54	92	184.3	19.21	87	131.9	14.14
75-79	267	264.3	16.18	156	380.3	30.45	111	185.0	17.56
80-84	315	465.1	26.21	189	759.6	55.25	126	294.1	26.20
85+	444	752.4	35.71	207	1294.2	89.95	237	551.0	35.79
Total deaths	1,576			862			714		
Connecticut									
. Crude rate		48.2	-		54.2	-		42.5	-
. AAMR (1940 Std. mil.)		21.0	0.63		28.3	1.06		16.0	0.77
. AAMR (1970 Std. mil.)		30.7	0.82		43.4	1.50		23.0	0.95
. AAMR (2000 Std. mil.)		43.2	1.09		63.5	2.20		31.9	1.21
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Unintentional injuries (E800-E949)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	21	9.7	2.11	15	13.5	3.48	6	5.7	2.32
5-9	6	2.6	1.05	6	5.0	2.05	0	0.0	0.00
10-14	17	7.8	1.89	8	7.2	2.54	9	8.4	2.80
15-19	55	27.4	3.70	31	30.0	5.38	24	24.8	5.05
20-24	58	32.0	4.20	43	46.2	7.05	15	17.0	4.38
25-29	60	27.4	3.54	46	41.9	6.18	14	12.8	3.43
30-34	77	28.6	3.25	61	45.4	5.81	16	11.8	2.96
35-39	93	31.7	3.29	74	50.7	5.89	19	12.9	2.95
40-44	79	29.3	3.29	59	44.6	5.81	20	14.5	3.25
45-49	64	28.0	3.50	49	43.7	6.25	15	12.8	3.32
50-54	39	19.5	3.12	26	26.7	5.23	13	12.7	3.51
55-59	25	17.0	3.40	12	16.8	4.86	13	17.1	4.74
60-64	34	27.9	4.79	22	37.8	8.05	12	18.9	5.46
65-69	50	39.7	5.61	36	62.2	10.37	14	20.6	5.50
70-74	55	47.5	6.40	31	62.1	11.15	24	36.4	7.43
75-79	77	76.2	8.69	41	100.0	15.61	36	60.0	10.00
80-84	102	150.6	14.91	51	205.0	28.70	51	119.0	16.67
85+	136	230.5	19.76	61	381.4	48.83	75	174.4	20.13
Total deaths	1,048			672			376		
Connecticut									
. Crude rate		32.1	-		42.3	-		22.4	-
. AAMR (1940 Std. mil.)		24.9	0.88		35.4	1.48		15.0	0.97
. AAMR (1970 Std. mil.)		26.1	0.87		37.0	1.48		16.7	0.98
. AAMR (2000 Std. mil.)		30.6	0.95		44.2	1.73		19.4	1.03
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		30.1	-		42.8	-		17.8	-
. HP 2000 (1940 Std. mil.)		29.3	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is lower

Connecticut Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Falls and fall related injuries (E880-E888)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	1	0.4	0.43	1	0.8	0.84	0	0.0	0.00
10-14	1	0.5	0.46	1	0.9	0.90	0	0.0	0.00
15-19	1	0.5	0.50	1	1.0	0.97	0	0.0	0.00
20-24	4	2.2	1.10	4	4.3	2.15	0	0.0	0.00
25-29	1	0.5	0.46	1	0.9	0.91	0	0.0	0.00
30-34	2	0.7	0.52	2	1.5	1.05	0	0.0	0.00
35-39	1	0.3	0.34	1	0.7	0.69	0	0.0	0.00
40-44	2	0.7	0.52	2	1.5	1.07	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	3	1.5	0.87	2	2.1	1.45	1	1.0	0.97
55-59	3	2.0	1.18	3	4.2	2.43	0	0.0	0.00
60-64	4	3.3	1.64	4	6.9	3.43	0	0.0	0.00
65-69	14	11.1	2.97	9	15.5	5.18	5	7.3	3.28
70-74	15	12.9	3.34	9	18.0	6.01	6	9.1	3.71
75-79	29	28.7	5.33	20	48.8	10.90	9	15.0	5.00
80-84	40	59.1	9.34	23	92.4	19.27	17	39.7	9.62
85+	68	115.2	13.97	31	193.8	34.81	37	86.0	14.14
Total deaths	189			114			75		
Connecticut									
. Crude rate		5.8	-		7.2	-		4.5	-
. AAMR (1940 Std. mil.)		2.3	0.22		3.9	0.43		1.1	0.16
. AAMR (1970 Std. mil.)		3.6	0.28		5.9	0.57		1.9	0.24
. AAMR (2000 Std. mil.)		5.1	0.38		8.5	0.81		3.0	0.36
. HP 2000 (1940 Std. mil.)		2.3	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.6	-		3.6	-		1.7	-
. HP 2000 (1940 Std. mil.)		2.3	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is not significantly different
- . The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
- . THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Drowning (E830,E832,E910)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	4	1.8	0.92	3	2.7	1.56	1	0.9	0.95
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	0.5	0.46	1	0.9	0.90	0	0.0	0.00
15-19	3	1.5	0.86	2	1.9	1.37	1	1.0	1.03
20-24	2	1.1	0.78	2	2.1	1.52	0	0.0	0.00
25-29	3	1.4	0.79	2	1.8	1.29	1	0.9	0.92
30-34	3	1.1	0.64	3	2.2	1.29	0	0.0	0.00
35-39	4	1.4	0.68	4	2.7	1.37	0	0.0	0.00
40-44	1	0.4	0.37	1	0.8	0.76	0	0.0	0.00
45-49	1	0.4	0.44	1	0.9	0.89	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	1	0.7	0.68	1	1.4	1.40	0	0.0	0.00
60-64	1	0.8	0.82	0	0.0	0.00	1	1.6	1.58
65-69	1	0.8	0.79	1	1.7	1.73	0	0.0	0.00
70-74	1	0.9	0.86	1	2.0	2.00	0	0.0	0.00
75-79	2	2.0	1.40	2	4.9	3.45	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	1	1.7	1.69	1	6.3	6.25	0	0.0	0.00
Total deaths	29			25			4		
Connecticut									
. Crude rate		0.9	-		1.6	-		0.2	-
. AAMR (1940 Std. mil.)		0.9	0.18		1.5	0.32		-	-
. AAMR (1970 Std. mil.)		0.9	0.17		1.5	0.31		-	-
. AAMR (2000 Std. mil.)		0.9	0.16		1.6	0.32		-	-
. HP 2000 (1940 Std. mil.)		1.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.6	-		2.5	-		0.4	-
. HP 2000 (1940 Std. mil.)		1.3	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is lower

Connecticut Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Homicide and legal intervention (E960-E978)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	7	3.2	1.22	4	3.6	1.80	3	2.8	1.64
5-9	3	1.3	0.74	1	0.8	0.84	2	1.8	1.24
10-14	4	1.8	0.91	4	3.6	1.79	0	0.0	0.00
15-19	18	9.0	2.12	16	15.5	3.86	2	2.1	1.46
20-24	29	16.0	2.97	29	31.2	5.79	0	0.0	0.00
25-29	17	7.8	1.88	16	14.6	3.64	1	0.9	0.92
30-34	13	4.8	1.34	9	6.7	2.23	4	3.0	1.48
35-39	13	4.4	1.23	7	4.8	1.81	6	4.1	1.66
40-44	8	3.0	1.05	4	3.0	1.51	4	2.9	1.45
45-49	4	1.7	0.87	2	1.8	1.26	2	1.7	1.21
50-54	5	2.5	1.12	4	4.1	2.05	1	1.0	0.97
55-59	3	2.0	1.18	1	1.4	1.40	2	2.6	1.86
60-64	2	1.6	1.16	1	1.7	1.72	1	1.6	1.58
65-69	4	3.2	1.59	3	5.2	2.99	1	1.5	1.47
70-74	1	0.9	0.86	1	2.0	2.00	0	0.0	0.00
75-79	1	1.0	0.99	1	2.4	2.44	0	0.0	0.00
80-84	1	1.5	1.48	0	0.0	0.00	1	2.3	2.33
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	133			103			30		
Connecticut									
. Crude rate		4.1	-		6.5	-		1.8	-
. AAMR (1940 Std. mil.)		4.8	0.44		7.8	0.79		1.8	0.33
. AAMR (1970 Std. mil.)		4.5	0.41		7.2	0.74		1.7	0.32
. AAMR (2000 Std. mil.)		4.2	0.37		6.6	0.66		1.8	0.33
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		8.1	-		12.5	-		3.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	1	0.4	0.43	0	0.0	0.00	1	0.9	0.88
10-14	2	0.9	0.65	2	1.8	1.27	0	0.0	0.00
15-19	18	9.0	2.12	18	17.4	4.10	0	0.0	0.00
20-24	28	15.4	2.92	28	30.1	5.69	0	0.0	0.00
25-29	24	11.0	2.24	24	21.9	4.46	0	0.0	0.00
30-34	22	8.2	1.74	21	15.6	3.41	1	0.7	0.74
35-39	25	8.5	1.70	18	12.3	2.91	7	4.7	1.79
40-44	16	5.9	1.48	12	9.1	2.62	4	2.9	1.45
45-49	8	3.5	1.24	6	5.4	2.19	2	1.7	1.21
50-54	11	5.5	1.66	10	10.3	3.25	1	1.0	0.97
55-59	5	3.4	1.52	4	5.6	2.81	1	1.3	1.32
60-64	8	6.6	2.32	8	13.7	4.86	0	0.0	0.00
65-69	6	4.8	1.94	5	8.6	3.86	1	1.5	1.47
70-74	7	6.0	2.28	7	14.0	5.30	0	0.0	0.00
75-79	1	1.0	0.99	1	2.4	2.44	0	0.0	0.00
80-84	6	8.9	3.62	6	24.1	9.84	0	0.0	0.00
85+	4	6.8	3.39	4	25.0	12.50	0	0.0	0.00
Total deaths	192			174			18		
Connecticut									
. Crude rate		5.9	-		10.9	-		1.1	-
. AAMR (1940 Std. mil.)		6.1	0.47		11.4	0.91		0.9	0.22
. AAMR (1970 Std. mil.)		5.7	0.43		10.7	0.85		0.8	0.20
. AAMR (2000 Std. mil.)		5.9	0.43		11.1	0.85		1.0	0.24
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		12.2	-		21.1	-		3.3	-
. HP 2000 (1940 Std. mil.)		11.6	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is lower

Connecticut Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Firearm homicide (E965.0-.4)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	1	0.4	0.43	0	0.0	0.00	1	0.9	0.88
10-14	2	0.9	0.65	2	1.8	1.27	0	0.0	0.00
15-19	14	7.0	1.87	14	13.5	3.62	0	0.0	0.00
20-24	25	13.8	2.76	25	26.9	5.37	0	0.0	0.00
25-29	15	6.8	1.77	15	13.7	3.53	0	0.0	0.00
30-34	6	2.2	0.91	5	3.7	1.66	1	0.7	0.74
35-39	10	3.4	1.08	6	4.1	1.68	4	2.7	1.36
40-44	3	1.1	0.64	2	1.5	1.07	1	0.7	0.73
45-49	1	0.4	0.44	1	0.9	0.89	0	0.0	0.00
50-54	3	1.5	0.87	3	3.1	1.78	0	0.0	0.00
55-59	1	0.7	0.68	0	0.0	0.00	1	1.3	1.32
60-64	1	0.8	0.82	1	1.7	1.72	0	0.0	0.00
65-69	2	1.6	1.12	1	1.7	1.73	1	1.5	1.47
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	84			75			9		
Connecticut									
. Crude rate		2.6	-		4.7	-		0.5	-
. AAMR (1940 Std. mil.)		3.3	0.37		6.0	0.70		-	-
. AAMR (1970 Std. mil.)		3.0	0.34		5.4	0.65		-	-
. AAMR (2000 Std. mil.)		2.7	0.30		4.9	0.57		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.5	-		9.3	-		1.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All poisoning (E850-E869, E950-E952, E962, E972, E980-E982)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	2	1.0	0.71	1	1.0	0.97	1	1.0	1.03
20-24	14	7.7	2.06	12	12.9	3.72	2	2.3	1.60
25-29	21	9.6	2.09	15	13.7	3.53	6	5.5	2.24
30-34	45	16.7	2.49	36	26.8	4.47	9	6.7	2.22
35-39	68	23.2	2.81	58	39.7	5.22	10	6.8	2.14
40-44	58	21.5	2.82	39	29.5	4.72	19	13.8	3.17
45-49	40	17.5	2.76	31	27.7	4.97	9	7.7	2.57
50-54	15	7.5	1.94	10	10.3	3.25	5	4.9	2.18
55-59	11	7.5	2.25	4	5.6	2.81	7	9.2	3.48
60-64	2	1.6	1.16	1	1.7	1.72	1	1.6	1.58
65-69	5	4.0	1.78	3	5.2	2.99	2	2.9	2.08
70-74	6	5.2	2.11	3	6.0	3.47	3	4.5	2.63
75-79	7	6.9	2.62	6	14.6	5.97	1	1.7	1.67
80-84	4	5.9	2.95	0	0.0	0.00	4	9.3	4.67
85+	5	8.5	3.79	4	25.0	12.50	1	2.3	2.32
Total deaths	303			223			80		
Connecticut									
. Crude rate		9.3	-		14.0	-		4.8	-
. AAMR (1940 Std. mil.)		8.2	0.49		12.4	0.86		4.2	0.49
. AAMR (1970 Std. mil.)		7.2	0.43		10.8	0.75		3.8	0.44
. AAMR (2000 Std. mil.)		8.9	0.51		13.5	0.91		4.6	0.52
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.2	-		8.7	-		3.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is higher
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	2	1.0	0.71	1	1.0	0.97	1	1.0	1.03
20-24	13	7.2	1.99	11	11.8	3.56	2	2.3	1.60
25-29	21	9.6	2.09	15	13.7	3.53	6	5.5	2.24
30-34	43	15.9	2.43	33	24.6	4.28	10	7.4	2.34
35-39	66	22.5	2.77	57	39.1	5.17	9	6.1	2.03
40-44	55	20.4	2.75	37	28.0	4.60	18	13.1	3.08
45-49	32	14.0	2.47	23	20.5	4.28	9	7.7	2.57
50-54	9	4.5	1.50	7	7.2	2.72	2	1.9	1.38
55-59	9	6.1	2.04	3	4.2	2.43	6	7.9	3.22
60-64	2	1.6	1.16	1	1.7	1.72	1	1.6	1.58
65-69	2	1.6	1.12	0	0.0	0.00	2	2.9	2.08
70-74	5	4.3	1.93	3	6.0	3.47	2	3.0	2.14
75-79	4	4.0	1.98	2	4.9	3.45	2	3.3	2.36
80-84	3	4.4	2.56	0	0.0	0.00	3	7.0	4.04
85+	3	5.1	2.94	2	12.5	8.84	1	2.3	2.32
Total deaths	269			195			74		
Connecticut									
. Crude rate		8.2	-		12.3	-		4.4	-
. AAMR (1940 Std. mil.)		7.4	0.47		11.0	0.81		3.9	0.47
. AAMR (1970 Std. mil.)		6.4	0.41		9.4	0.69		3.5	0.43
. AAMR (2000 Std. mil.)		7.9	0.48		11.6	0.84		4.2	0.50
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.6	-		7.8	-		3.3	-
. HP 2000 (1940 Std. mil.)		3.0	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is higher
. THE U.S. HP 2000 target:									CT rate is higher