

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994-1998

Causes of Death for the Age-Specific Mortality Tables

	Page		Page
All causes	2	Hypertension with or without renal disease	33
Infectious diseases and parasitic disease	3	Hypertension-related	34
Septicemia	4	Cerebrovascular disease	35
Septicemia-related	5	Atherosclerosis	36
HIV infection	6	Atherosclerosis-related	37
All cancer	7	Aortic aneurysm	38
Oral cavity or pharynx	8	Pneumonia & influenza	39
Colorectal cancer	9	Chronic obstructive pulmonary disease	40
Colon cancer	10	COPD-related	41
Rectal cancer	11	Asthma	42
Pancreatic cancer	12	Chronic liver disease and cirrhosis	43
Lung and other respiratory cancer	13	Nephritis, nephrotic syndrome/nephrosis	44
Lung cancer	14	Nephritis-related	45
Malignant melanoma of skin	15	End stage renal disease	46
Female breast cancer	16	Unintentional injuries	47
Cervical cancer	17	Motor vehicle accidents	48
Endometrial cancer	18	Falls and fall related injuries	49
Ovarian cancer	19	Drowning	50
Prostate cancer	20	Residential fires	51
Bladder cancer	21	Suicide	52
Brain & other CNS cancer	22	Homicide and legal intervention	53
Leukemia	23	Homicide	54
Diabetes mellitus	24	All injury	55
Diabetes-related	25	All motor vehicle accidents	56
Diabetic ketoacidosis	26	All falls	57
Alzheimer's diseases	27	All firearms	58
Cardiovascular disease	28	Suicide	59
Diseases of the heart	29	Homicide	60
Heart disease-related	30	All poisoning	61
Coronary heart disease	31	Alcohol-induced	62
Congestive heart failure	32	Drug-induced	63

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Infectious diseases and parasitic disease (1-139)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	21	16.2	3.53	10	15.1	4.77	11	17.3	5.21
5-9	6	4.2	1.73	4	5.6	2.80	2	2.9	2.02
10-14	8	6.1	2.16	2	3.0	2.11	6	9.4	3.82
15-19	2	1.7	1.17	1	1.6	1.62	1	1.7	1.70
20-24	10	9.1	2.88	5	9.1	4.08	5	9.1	4.08
25-29	55	43.2	5.82	28	46.0	8.70	27	40.6	7.81
30-34	122	87.1	7.89	81	123.9	13.77	41	54.9	8.57
35-39	217	168.3	11.43	148	244.7	20.11	69	100.8	12.14
40-44	210	199.2	13.75	153	317.5	25.67	57	99.6	13.19
45-49	136	157.8	13.53	102	264.7	26.21	34	71.4	12.24
50-54	63	91.7	11.55	45	147.9	22.04	18	47.0	11.08
55-59	56	101.2	13.52	36	151.7	25.28	20	63.3	14.15
60-64	41	97.0	15.14	26	143.8	28.21	15	62.0	16.00
65-69	33	89.4	15.56	16	99.1	24.76	17	81.8	19.85
70-74	28	106.9	20.20	16	153.2	38.29	12	76.2	22.00
75-79	25	136.0	27.19	14	201.5	53.86	11	96.1	28.99
80-84	19	183.5	42.10	8	234.0	82.73	11	158.6	47.83
85+	34	375.2	64.35	6	229.9	93.85	28	434.0	82.01
Total deaths	1,086			701			385		
Connecticut									
. Crude rate		73.0	-		99.2	-		49.3	-
. AAMR (1940 Std. mil.)		70.3	2.17		102.2	3.92		44.2	2.31
. AAMR (1970 Std. mil.)		68.9	2.20		98.2	3.98		45.0	2.38
. AAMR (2000 Std. mil.)		86.5	2.79		122.7	5.04		56.6	3.02
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		23.2	-		35.6	-		11.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----HIV infection (042-044)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	11	8.5	2.55	6	9.1	3.69	5	7.9	3.51
5-9	2	1.4	1.00	1	1.4	1.40	1	1.4	1.43
10-14	6	4.6	1.87	1	1.5	1.49	5	7.8	3.49
15-19	1	0.8	0.83	1	1.6	1.62	0	0.0	0.00
20-24	9	8.2	2.74	5	9.1	4.08	4	7.3	3.65
25-29	50	39.3	5.55	25	41.1	8.22	25	37.6	7.51
30-34	110	78.5	7.49	73	111.7	13.07	37	49.5	8.14
35-39	194	150.5	10.80	133	219.9	19.07	61	89.1	11.41
40-44	185	175.5	12.90	135	280.2	24.11	50	87.4	12.36
45-49	114	132.3	12.39	87	225.8	24.21	27	56.7	10.91
50-54	47	68.4	9.98	35	115.0	19.44	12	31.4	9.05
55-59	32	57.8	10.22	25	105.3	21.07	7	22.2	8.37
60-64	13	30.7	8.53	10	55.3	17.49	3	12.4	7.15
65-69	9	24.4	8.12	8	49.5	17.51	1	4.8	4.81
70-74	7	26.7	10.10	5	47.9	21.40	2	12.7	8.98
75-79	1	5.4	5.44	1	14.4	14.39	0	0.0	0.00
80-84	1	9.7	9.66	1	29.2	29.25	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	792			552			240		
Connecticut									
. Crude rate		53.2	-		78.1	-		30.7	-
. AAMR (1940 Std. mil.)		51.1	1.83		78.6	3.39		28.5	1.85
. AAMR (1970 Std. mil.)		45.2	1.67		70.3	3.15		24.7	1.65
. AAMR (2000 Std. mil.)		56.1	2.04		87.7	3.86		30.2	1.98
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		15.3	-		26.4	-		4.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is higher
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All cancer (140-208)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	5	3.8	1.72	2	3.0	2.13	3	4.7	2.72
5-9	3	2.1	1.22	3	4.2	2.42	0	0.0	0.00
10-14	4	3.1	1.53	1	1.5	1.49	3	4.7	2.70
15-19	5	4.1	1.85	4	6.5	3.23	1	1.7	1.70
20-24	10	9.1	2.88	7	12.8	4.83	3	5.5	3.16
25-29	12	9.4	2.72	6	9.9	4.03	6	9.0	3.68
30-34	19	13.6	3.11	7	10.7	4.05	12	16.1	4.64
35-39	39	30.3	4.84	13	21.5	5.96	26	38.0	7.45
40-44	79	74.9	8.43	34	70.6	12.10	45	78.6	11.72
45-49	107	124.2	12.00	52	135.0	18.71	55	115.4	15.56
50-54	187	272.2	19.90	102	335.2	33.19	85	222.1	24.09
55-59	258	466.3	29.03	146	615.1	50.91	112	354.5	33.49
60-64	284	671.6	39.85	170	940.4	72.13	114	470.8	44.10
65-69	284	769.1	45.64	193	1194.8	86.01	91	438.1	45.93
70-74	280	1069.1	63.89	153	1464.5	118.40	127	806.7	71.58
75-79	268	1457.5	89.03	142	2044.0	171.53	126	1101.3	98.11
80-84	178	1719.3	128.87	81	2369.1	263.23	97	1398.9	142.04
85+	153	1688.4	136.50	67	2567.0	313.62	86	1332.9	143.73
Total deaths	2,175			1,183			992		
Connecticut									
. Crude rate		146.1	-		167.4	-		126.9	-
. AAMR (1940 Std. mil.)		153.0	3.35		205.7	6.03		116.5	3.82
. AAMR (1970 Std. mil.)		197.5	4.30		270.1	8.04		149.2	4.80
. AAMR (2000 Std. mil.)		242.9	5.44		332.6	10.57		186.1	6.06
. HP 2000 (1940 Std. mil.)		120.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		131.6	-		159.6	-		111.1	-
. HP 2000 (1940 Std. mil.)		130.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Oral cavity or pharynx (140.0-149.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	3	2.5	1.43	3	4.8	2.80	0	0.0	0.00
20-24	1	0.9	0.91	1	1.8	1.82	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	0.8	0.78	1	1.7	1.65	0	0.0	0.00
40-44	1	0.9	0.95	1	2.1	2.08	0	0.0	0.00
45-49	2	2.3	1.64	2	5.2	3.67	0	0.0	0.00
50-54	6	8.7	3.57	4	13.1	6.57	2	5.2	3.69
55-59	11	19.9	5.99	9	37.9	12.64	2	6.3	4.48
60-64	5	11.8	5.29	5	27.7	12.37	0	0.0	0.00
65-69	6	16.2	6.63	4	24.8	12.38	2	9.6	6.81
70-74	4	15.3	7.64	2	19.1	13.54	2	12.7	8.98
75-79	3	16.3	9.42	3	43.2	24.93	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	4	44.1	22.07	3	114.9	66.36	1	15.5	15.50
Total deaths	47			38			9		
Connecticut									
. Crude rate		3.2	-		5.4	-		1.2	-
. AAMR (1940 Std. mil.)		3.4	0.51		6.5	1.07		-	-
. AAMR (1970 Std. mil.)		4.1	0.60		7.9	1.31		-	-
. AAMR (2000 Std. mil.)		4.7	0.71		9.3	1.68		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.2	-		3.4	-		1.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Colorectal cancer (153.0-154.3,154.8,159.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	2	1.6	1.11	1	1.6	1.64	1	1.5	1.50
30-34	3	2.1	1.24	2	3.1	2.16	1	1.3	1.34
35-39	1	0.8	0.78	1	1.7	1.65	0	0.0	0.00
40-44	7	6.6	2.51	4	8.3	4.15	3	5.2	3.03
45-49	11	12.8	3.85	3	7.8	4.50	8	16.8	5.94
50-54	17	24.7	6.00	9	29.6	9.86	8	20.9	7.39
55-59	22	39.8	8.48	14	59.0	15.76	8	25.3	8.95
60-64	30	70.9	12.95	17	94.0	22.81	13	53.7	14.89
65-69	29	78.5	14.58	19	117.6	26.99	10	48.1	15.22
70-74	25	95.5	19.09	13	124.4	34.51	12	76.2	22.00
75-79	20	108.8	24.32	8	115.2	40.71	12	104.9	30.28
80-84	17	164.2	39.83	6	175.5	71.64	11	158.6	47.83
85+	23	253.8	52.92	7	268.2	101.37	16	248.0	62.00
Total deaths	207			104			103		
Connecticut									
. Crude rate		13.9	-		14.7	-		13.2	-
. AAMR (1940 Std. mil.)		14.3	1.02		18.1	1.79		11.5	1.19
. AAMR (1970 Std. mil.)		18.8	1.32		23.3	2.35		15.5	1.54
. AAMR (2000 Std. mil.)		23.5	1.71		28.4	3.06		20.0	2.02
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		12.9	-		15.7	-		10.7	-
. HP 2000 (1940 Std. mil.)		13.2	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Colon cancer (153)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	0.8	0.79	0	0.0	0.00	1	1.5	1.50
30-34	2	1.4	1.01	1	1.5	1.53	1	1.3	1.34
35-39	1	0.8	0.78	1	1.7	1.65	0	0.0	0.00
40-44	7	6.6	2.51	4	8.3	4.15	3	5.2	3.03
45-49	9	10.4	3.48	2	5.2	3.67	7	14.7	5.55
50-54	12	17.5	5.04	5	16.4	7.35	7	18.3	6.91
55-59	20	36.1	8.08	12	50.6	14.59	8	25.3	8.95
60-64	27	63.8	12.29	14	77.4	20.70	13	53.7	14.89
65-69	24	65.0	13.27	14	86.7	23.16	10	48.1	15.22
70-74	24	91.6	18.70	12	114.9	33.16	12	76.2	22.00
75-79	18	97.9	23.07	7	100.8	38.08	11	96.1	28.99
80-84	15	144.9	37.41	6	175.5	71.64	9	129.8	43.27
85+	21	231.7	50.57	7	268.2	101.37	14	217.0	57.99
Total deaths	181			85			96		
Connecticut									
. Crude rate		12.2	-		12.0	-		12.3	-
. AAMR (1940 Std. mil.)		12.5	0.95		14.7	1.61		10.9	1.16
. AAMR (1970 Std. mil.)		16.5	1.24		19.6	2.17		14.5	1.49
. AAMR (2000 Std. mil.)		20.8	1.61		24.4	2.91		18.5	1.93
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		10.8	-		12.9	-		9.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Rectal cancer (154)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	0.8	0.79	1	1.6	1.64	0	0.0	0.00
30-34	1	0.7	0.71	1	1.5	1.53	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	2	2.3	1.64	1	2.6	2.60	1	2.1	2.10
50-54	5	7.3	3.25	4	13.1	6.57	1	2.6	2.61
55-59	2	3.6	2.56	2	8.4	5.96	0	0.0	0.00
60-64	3	7.1	4.10	3	16.6	9.58	0	0.0	0.00
65-69	5	13.5	6.06	5	31.0	13.84	0	0.0	0.00
70-74	1	3.8	3.82	1	9.6	9.57	0	0.0	0.00
75-79	1	5.4	5.44	1	14.4	14.39	0	0.0	0.00
80-84	2	19.3	13.66	0	0.0	0.00	2	28.8	20.40
85+	2	22.1	15.61	0	0.0	0.00	2	31.0	21.92
Total deaths	25			19			6		
Connecticut									
. Crude rate		1.7	-		2.7	-		0.8	-
. AAMR (1940 Std. mil.)		1.8	0.36		3.4	0.77		-	-
. AAMR (1970 Std. mil.)		2.2	0.44		3.8	0.89		-	-
. AAMR (2000 Std. mil.)		2.6	0.55		4.0	0.96		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.0	-		2.6	-		1.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Pancreatic cancer (157)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	0.7	0.71	1	1.5	1.53	0	0.0	0.00
35-39	3	2.3	1.34	1	1.7	1.65	2	2.9	2.07
40-44	2	1.9	1.34	1	2.1	2.08	1	1.7	1.75
45-49	7	8.1	3.07	3	7.8	4.50	4	8.4	4.20
50-54	9	13.1	4.37	6	19.7	8.05	3	7.8	4.53
55-59	12	21.7	6.26	6	25.3	10.32	6	19.0	7.75
60-64	24	56.8	11.58	15	83.0	21.42	9	37.2	12.39
65-69	19	51.5	11.81	16	99.1	24.76	3	14.4	8.34
70-74	23	87.8	18.31	9	86.1	28.72	14	88.9	23.77
75-79	17	92.5	22.42	5	72.0	32.19	12	104.9	30.28
80-84	16	154.5	38.64	4	117.0	58.50	12	173.1	49.96
85+	13	143.5	39.79	2	76.6	54.18	11	170.5	51.40
Total deaths	146			69			77		
Connecticut									
. Crude rate		9.8	-		9.8	-		9.9	-
. AAMR (1940 Std. mil.)		10.1	0.86		12.3	1.49		8.3	0.99
. AAMR (1970 Std. mil.)		13.6	1.14		15.6	1.91		11.8	1.36
. AAMR (2000 Std. mil.)		17.1	1.47		18.0	2.34		15.7	1.83
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.3	-		7.4	-		5.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Lung and other respiratory cancer (160-165)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	0.8	0.79	1	1.6	1.64	0	0.0	0.00
30-34	4	2.9	1.43	2	3.1	2.16	2	2.7	1.89
35-39	3	2.3	1.34	1	1.7	1.65	2	2.9	2.07
40-44	21	19.9	4.35	14	29.1	7.77	7	12.2	4.62
45-49	21	24.4	5.32	14	36.3	9.71	7	14.7	5.55
50-54	59	85.9	11.18	37	121.6	19.99	22	57.5	12.25
55-59	77	139.2	15.86	51	214.9	30.09	26	82.3	16.14
60-64	91	215.2	22.56	62	343.0	43.56	29	119.8	22.24
65-69	73	197.7	23.14	55	340.5	45.91	18	86.7	20.43
70-74	84	320.7	34.99	52	497.8	69.03	32	203.3	35.93
75-79	76	413.3	47.41	47	676.6	98.69	29	253.5	47.07
80-84	38	367.0	59.54	25	731.2	146.24	13	187.5	52.00
85+	20	220.7	49.35	8	306.5	108.37	12	186.0	53.69
Total deaths	568			369			199		
Connecticut									
. Crude rate		38.2	-		52.2	-		25.5	-
. AAMR (1940 Std. mil.)		41.4	1.76		65.7	3.44		24.3	1.77
. AAMR (1970 Std. mil.)		52.6	2.23		84.3	4.48		30.9	2.21
. AAMR (2000 Std. mil.)		62.4	2.71		100.3	5.61		37.2	2.69
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		40.1	-		56.4	-		27.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Lung cancer (162.2-.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	0.8	0.79	1	1.6	1.64	0	0.0	0.00
30-34	4	2.9	1.43	2	3.1	2.16	2	2.7	1.89
35-39	3	2.3	1.34	1	1.7	1.65	2	2.9	2.07
40-44	20	19.0	4.24	14	29.1	7.77	6	10.5	4.28
45-49	16	18.6	4.64	11	28.5	8.61	5	10.5	4.69
50-54	56	81.5	10.89	34	111.7	19.16	22	57.5	12.25
55-59	68	122.9	14.90	44	185.4	27.95	24	76.0	15.50
60-64	84	198.6	21.67	56	309.8	41.40	28	115.6	21.85
65-69	67	181.5	22.17	50	309.5	43.78	17	81.8	19.85
70-74	78	297.8	33.72	47	449.9	65.62	31	196.9	35.36
75-79	71	386.1	45.82	44	633.4	95.48	27	236.0	45.42
80-84	36	347.7	57.95	24	702.0	143.29	12	173.1	49.96
85+	20	220.7	49.35	8	306.5	108.37	12	186.0	53.69
Total deaths	524			336			188		
Connecticut									
. Crude rate		35.2	-		47.5	-		24.1	-
. AAMR (1940 Std. mil.)		38.1	1.69		59.7	3.27		22.9	1.72
. AAMR (1970 Std. mil.)		48.5	2.14		76.9	4.29		29.2	2.15
. AAMR (2000 Std. mil.)		57.8	2.62		92.2	5.41		35.2	2.62
. HP 2000 (1940 Std. mil.)		42.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		38.6	-		54.1	-		26.6	-
. HP 2000 (1940 Std. mil.)		42.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
- . THE U.S. HP 2000 target: CT rate is lower

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Female breast cancer (174)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	1	0.8	0.79	-	-	-	1	1.5	1.50
30-34	2	1.4	1.01	-	-	-	2	2.7	1.89
35-39	12	9.3	2.69	-	-	-	12	17.5	5.06
40-44	16	15.2	3.79	-	-	-	16	28.0	6.99
45-49	20	23.2	5.19	-	-	-	20	42.0	9.39
50-54	29	42.2	7.84	-	-	-	29	75.8	14.07
55-59	32	57.8	10.22	-	-	-	32	101.3	17.90
60-64	21	49.7	10.84	-	-	-	21	86.7	18.93
65-69	16	43.3	10.83	-	-	-	16	77.0	19.26
70-74	22	84.0	17.91	-	-	-	22	139.7	29.79
75-79	16	87.0	21.75	-	-	-	16	139.8	34.96
80-84	20	193.2	43.20	-	-	-	20	288.4	64.50
85+	12	132.4	38.23	-	-	-	12	186.0	53.69
Total deaths	219			-			219		
Connecticut									
. Crude rate		-	-		-	-		28.0	-
. AAMR (1940 Std. mil.)		-	-		-	-		26.7	1.85
. AAMR (1970 Std. mil.)		-	-		-	-		31.8	2.19
. AAMR (2000 Std. mil.)		-	-		-	-		38.9	2.70
. HP 2000 (1940 Std. mil.)		-	-		-	-		23.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		21.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		20.6	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.):									CT rate is higher
. THE U.S. HP 2000 target:									CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cervical cancer (180)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	4	2.9	1.43	-	-	-	4	5.4	2.68
35-39	1	0.8	0.78	-	-	-	1	1.5	1.46
40-44	4	3.8	1.90	-	-	-	4	7.0	3.49
45-49	6	7.0	2.84	-	-	-	6	12.6	5.14
50-54	2	2.9	2.06	-	-	-	2	5.2	3.69
55-59	4	7.2	3.61	-	-	-	4	12.7	6.33
60-64	1	2.4	2.36	-	-	-	1	4.1	4.13
65-69	5	13.5	6.06	-	-	-	5	24.1	10.77
70-74	0	0.0	0.00	-	-	-	0	0.0	0.00
75-79	3	16.3	9.42	-	-	-	3	26.2	15.14
80-84	3	29.0	16.73	-	-	-	3	43.3	24.98
85+	0	0.0	0.00	-	-	-	0	0.0	0.00
Total deaths	33			-			33		
Connecticut									
. Crude rate		-	-		-	-		4.2	-
. AAMR (1940 Std. mil.)		-	-		-	-		4.0	0.71
. AAMR (1970 Std. mil.)		-	-		-	-		4.4	0.79
. AAMR (2000 Std. mil.)		-	-		-	-		5.4	0.97
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		2.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.3	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									CT rate is higher
. The U.S. AAMR (1940 Std. mil.):									CT rate is higher
. THE U.S. HP 2000 target:									CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Endometrial cancer (182)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	1	0.9	0.95	-	-	-	1	1.7	1.75
45-49	0	0.0	0.00	-	-	-	0	0.0	0.00
50-54	0	0.0	0.00	-	-	-	0	0.0	0.00
55-59	1	1.8	1.81	-	-	-	1	3.2	3.16
60-64	2	4.7	3.34	-	-	-	2	8.3	5.84
65-69	4	10.8	5.42	-	-	-	4	19.3	9.63
70-74	3	11.5	6.61	-	-	-	3	19.1	11.00
75-79	2	10.9	7.69	-	-	-	2	17.5	12.36
80-84	1	9.7	9.66	-	-	-	1	14.4	14.42
85+	1	11.0	11.04	-	-	-	1	15.5	15.50
Total deaths	15			-			15		
Connecticut									
. Crude rate		-	-		-	-		1.9	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		1.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Ovarian cancer (183)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	0	0.0	0.00	-	-	-	0	0.0	0.00
45-49	0	0.0	0.00	-	-	-	0	0.0	0.00
50-54	0	0.0	0.00	-	-	-	0	0.0	0.00
55-59	4	7.2	3.61	-	-	-	4	12.7	6.33
60-64	6	14.2	5.79	-	-	-	6	24.8	10.12
65-69	3	8.1	4.69	-	-	-	3	14.4	8.34
70-74	8	30.5	10.80	-	-	-	8	50.8	17.97
75-79	2	10.9	7.69	-	-	-	2	17.5	12.36
80-84	2	19.3	13.66	-	-	-	2	28.8	20.40
85+	1	11.0	11.04	-	-	-	1	15.5	15.50
Total deaths	26			-			26		
Connecticut									
. Crude rate		-	-		-	-		3.3	-
. AAMR (1940 Std. mil.)		-	-		-	-		3.3	0.65
. AAMR (1970 Std. mil.)		-	-		-	-		4.3	0.85
. AAMR (2000 Std. mil.)		-	-		-	-		4.9	0.98
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		6.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Bladder cancer (188)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	1	1.2	1.16	1	2.6	2.60	0	0.0	0.00
50-54	1	1.5	1.46	0	0.0	0.00	1	2.6	2.61
55-59	2	3.6	2.56	2	8.4	5.96	0	0.0	0.00
60-64	1	2.4	2.36	0	0.0	0.00	1	4.1	4.13
65-69	4	10.8	5.42	4	24.8	12.38	0	0.0	0.00
70-74	6	22.9	9.35	4	38.3	19.14	2	12.7	8.98
75-79	5	27.2	12.16	2	28.8	20.36	3	26.2	15.14
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	6	66.2	27.03	2	76.6	54.18	4	62.0	31.00
Total deaths	26			15			11		
Connecticut									
. Crude rate		1.7	-		2.1	-		1.4	-
. AAMR (1940 Std. mil.)		1.6	0.34		-	-		-	-
. AAMR (1970 Std. mil.)		2.4	0.48		-	-		-	-
. AAMR (2000 Std. mil.)		3.3	0.67		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.2	-		3.7	-		1.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Brain & other CNS cancer (191-192)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	3	2.7	1.58	2	3.6	2.58	1	1.8	1.82
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	0.8	0.78	1	1.7	1.65	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	1	1.5	1.46	1	3.3	3.29	0	0.0	0.00
55-59	2	3.6	2.56	1	4.2	4.21	1	3.2	3.16
60-64	3	7.1	4.10	3	16.6	9.58	0	0.0	0.00
65-69	4	10.8	5.42	2	12.4	8.76	2	9.6	6.81
70-74	3	11.5	6.61	1	9.6	9.57	2	12.7	8.98
75-79	5	27.2	12.16	2	28.8	20.36	3	26.2	15.14
80-84	2	19.3	13.66	0	0.0	0.00	2	28.8	20.40
85+	2	22.1	15.61	1	38.3	38.31	1	15.5	15.50
Total deaths	26			14			12		
Connecticut									
. Crude rate		1.7	-		2.0	-		1.5	-
. AAMR (1940 Std. mil.)		1.8	0.36		-	-		-	-
. AAMR (1970 Std. mil.)		2.4	0.48		-	-		-	-
. AAMR (2000 Std. mil.)		2.9	0.61		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		3.5	-		4.5	-		2.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Leukemia (204-208)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	1.5	1.09	0	0.0	0.00	2	3.1	2.22
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	2	1.5	1.08	0	0.0	0.00	2	3.1	2.20
15-19	1	0.8	0.83	0	0.0	0.00	1	1.7	1.70
20-24	1	0.9	0.91	0	0.0	0.00	1	1.8	1.82
25-29	3	2.4	1.36	2	3.3	2.33	1	1.5	1.50
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	4	3.1	1.55	1	1.7	1.65	3	4.4	2.53
40-44	1	0.9	0.95	1	2.1	2.08	0	0.0	0.00
45-49	4	4.6	2.32	2	5.2	3.67	2	4.2	2.97
50-54	6	8.7	3.57	5	16.4	7.35	1	2.6	2.61
55-59	3	5.4	3.13	2	8.4	5.96	1	3.2	3.16
60-64	4	9.5	4.73	3	16.6	9.58	1	4.1	4.13
65-69	9	24.4	8.12	6	37.1	15.16	3	14.4	8.34
70-74	7	26.7	10.10	5	47.9	21.40	2	12.7	8.98
75-79	8	43.5	15.38	0	0.0	0.00	8	69.9	24.72
80-84	2	19.3	13.66	2	58.5	41.36	0	0.0	0.00
85+	6	66.2	27.03	3	114.9	66.36	3	46.5	26.85
Total deaths	63			32			31		
Connecticut									
. Crude rate		4.2	-		4.5	-		4.0	-
. AAMR (1940 Std. mil.)		4.3	0.55		5.4	0.97		3.6	0.66
. AAMR (1970 Std. mil.)		5.3	0.69		6.8	1.25		4.5	0.82
. AAMR (2000 Std. mil.)		6.6	0.88		8.6	1.71		5.4	1.02
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.9	-		6.2	-		3.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Diabetes-related (250)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	0.8	0.76	1	1.5	1.49	0	0.0	0.00
15-19	1	0.8	0.83	0	0.0	0.00	1	1.7	1.70
20-24	1	0.9	0.91	0	0.0	0.00	1	1.8	1.82
25-29	4	3.1	1.57	1	1.6	1.64	3	4.5	2.60
30-34	16	11.4	2.86	12	18.4	5.30	4	5.4	2.68
35-39	12	9.3	2.69	9	14.9	4.96	3	4.4	2.53
40-44	24	22.8	4.65	13	27.0	7.48	11	19.2	5.80
45-49	32	37.1	6.56	19	49.3	11.31	13	27.3	7.57
50-54	76	110.6	12.69	36	118.3	19.72	40	104.5	16.52
55-59	104	188.0	18.43	47	198.0	28.88	57	180.4	23.89
60-64	135	319.2	27.48	61	337.4	43.21	74	305.6	35.53
65-69	163	441.4	34.58	76	470.5	53.97	87	418.9	44.91
70-74	167	637.6	49.34	71	679.6	80.66	96	609.8	62.23
75-79	136	739.6	63.42	55	791.7	106.75	81	708.0	78.66
80-84	108	1043.2	100.38	38	1111.4	180.30	70	1009.5	120.66
85+	141	1555.9	131.03	30	1149.4	209.86	111	1720.4	163.29
Total deaths	1,121			469			652		
Connecticut									
. Crude rate		75.3	-		66.4	-		83.4	-
. AAMR (1940 Std. mil.)		75.8	2.33		80.6	3.76		71.9	2.97
. AAMR (1970 Std. mil.)		103.5	3.13		107.5	5.11		99.7	3.95
. AAMR (2000 Std. mil.)		133.0	4.14		135.3	6.85		129.5	5.18
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		34.0	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cardiovascular disease (390-459)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	16	12.3	3.08	9	13.6	4.53	7	11.0	4.16
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	6	4.6	1.87	5	7.5	3.34	1	1.6	1.56
15-19	7	5.8	2.19	4	6.5	3.23	3	5.1	2.94
20-24	11	10.0	3.02	7	12.8	4.83	4	7.3	3.65
25-29	20	15.7	3.51	14	23.0	6.15	6	9.0	3.68
30-34	37	26.4	4.34	22	33.7	7.18	15	20.1	5.18
35-39	70	54.3	6.49	40	66.1	10.46	30	43.8	8.00
40-44	119	112.9	10.35	71	147.3	17.49	48	83.9	12.11
45-49	144	167.1	13.92	83	215.4	23.64	61	128.0	16.39
50-54	234	340.6	22.26	147	483.1	39.84	87	227.3	24.37
55-59	263	475.3	29.31	151	636.2	51.77	112	354.5	33.49
60-64	330	780.3	42.96	184	1017.9	75.04	146	603.0	49.91
65-69	372	1007.5	52.24	202	1250.5	87.99	170	818.4	62.77
70-74	429	1638.0	79.08	212	2029.3	139.37	217	1378.3	93.57
75-79	393	2137.3	107.81	176	2533.5	190.97	217	1896.7	128.76
80-84	387	3738.0	190.02	150	4387.2	358.22	237	3417.9	222.02
85+	583	6433.5	266.45	135	5172.4	445.17	448	6943.6	328.05
Total deaths	3,421			1,612			1,809		
Connecticut									
. Crude rate		229.9	-		228.1	-		231.4	-
. AAMR (1940 Std. mil.)		221.2	3.92		272.2	6.86		182.6	4.60
. AAMR (1970 Std. mil.)		308.7	5.36		365.9	9.42		265.2	6.33
. AAMR (2000 Std. mil.)		416.2	7.46		474.4	13.08		369.9	8.89
. HP 2000 (1940 Std. mil.)		84.4	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		177.7	-		231.3	-		134.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is higher
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Coronary heart disease (CHD) (402,410-414,429.2)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.8	0.77	0	0.0	0.00	1	1.6	1.57
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	2	1.8	1.29	2	3.6	2.58	0	0.0	0.00
25-29	5	3.9	1.76	2	3.3	2.33	3	4.5	2.60
30-34	12	8.6	2.47	8	12.2	4.33	4	5.4	2.68
35-39	21	16.3	3.55	14	23.1	6.19	7	10.2	3.87
40-44	48	45.5	6.57	24	49.8	10.17	24	41.9	8.56
45-49	74	85.9	9.98	45	116.8	17.41	29	60.9	11.30
50-54	126	183.4	16.34	79	259.6	29.21	47	122.8	17.91
55-59	141	254.8	21.46	83	349.7	38.38	58	183.6	24.10
60-64	190	449.3	32.59	115	636.2	59.32	75	309.8	35.77
65-69	208	563.3	39.06	114	705.8	66.10	94	452.6	46.68
70-74	253	966.0	60.73	124	1186.9	106.59	129	819.4	72.14
75-79	224	1218.2	81.39	103	1482.7	146.09	121	1057.6	96.15
80-84	200	1931.8	136.60	89	2603.1	275.93	111	1600.8	151.94
85+	313	3454.0	195.23	78	2988.5	338.38	235	3642.3	237.60
Total deaths	1,818			880			938		
Connecticut									
. Crude rate		122.2	-		124.5	-		120.0	-
. AAMR (1940 Std. mil.)		118.3	2.88		150.5	5.13		94.9	3.32
. AAMR (1970 Std. mil.)		166.9	3.96		206.2	7.14		138.8	4.60
. AAMR (2000 Std. mil.)		224.5	5.49		268.3	9.94		193.2	6.43
. HP 2000 (1940 Std. mil.)		84.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		110.2	-		151.7	-		76.6	-
. HP 2000 (1940 Std. mil.)		100.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Congestive heart failure (CHF) (428.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.8	0.77	0	0.0	0.00	1	1.6	1.57
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	0.9	0.91	1	1.8	1.82	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	2	1.4	1.01	0	0.0	0.00	2	2.7	1.89
35-39	1	0.8	0.78	1	1.7	1.65	0	0.0	0.00
40-44	2	1.9	1.34	1	2.1	2.08	1	1.7	1.75
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	3	4.4	2.52	2	6.6	4.65	1	2.6	2.61
55-59	6	10.8	4.43	2	8.4	5.96	4	12.7	6.33
60-64	7	16.6	6.26	4	22.1	11.06	3	12.4	7.15
65-69	6	16.2	6.63	3	18.6	10.72	3	14.4	8.34
70-74	7	26.7	10.10	2	19.1	13.54	5	31.8	14.20
75-79	14	76.1	20.35	8	115.2	40.71	6	52.4	21.41
80-84	15	144.9	37.41	3	87.7	50.66	12	173.1	49.96
85+	29	320.0	59.43	6	229.9	93.85	23	356.5	74.33
Total deaths	94			33			61		
Connecticut									
. Crude rate		6.3	-		4.7	-		7.8	-
. AAMR (1940 Std. mil.)		5.3	0.58		5.3	0.94		5.2	0.73
. AAMR (1970 Std. mil.)		8.6	0.90		8.1	1.44		8.6	1.12
. AAMR (2000 Std. mil.)		12.9	1.38		11.6	2.21		13.2	1.73
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.0	-		6.7	-		5.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Hypertension with or without renal disease (401,403)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	0.8	0.79	1	1.6	1.64	0	0.0	0.00
30-34	1	0.7	0.71	1	1.5	1.53	0	0.0	0.00
35-39	2	1.6	1.10	0	0.0	0.00	2	2.9	2.07
40-44	3	2.8	1.64	2	4.2	2.93	1	1.7	1.75
45-49	1	1.2	1.16	1	2.6	2.60	0	0.0	0.00
50-54	6	8.7	3.57	4	13.1	6.57	2	5.2	3.69
55-59	7	12.7	4.78	5	21.1	9.42	2	6.3	4.48
60-64	10	23.6	7.48	5	27.7	12.37	5	20.7	9.24
65-69	9	24.4	8.12	2	12.4	8.76	7	33.7	12.74
70-74	6	22.9	9.35	3	28.7	16.58	3	19.1	11.00
75-79	6	32.6	13.32	0	0.0	0.00	6	52.4	21.41
80-84	5	48.3	21.60	2	58.5	41.36	3	43.3	24.98
85+	13	143.5	39.79	1	38.3	38.31	12	186.0	53.69
Total deaths	70			27			43		
Connecticut									
. Crude rate		4.7	-		3.8	-		5.5	-
. AAMR (1940 Std. mil.)		4.6	0.57		4.7	0.92		4.3	0.71
. AAMR (1970 Std. mil.)		6.2	0.75		5.7	1.13		6.3	0.97
. AAMR (2000 Std. mil.)		8.2	1.02		6.6	1.41		8.6	1.35
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.2	-		2.5	-		2.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cerebrovascular disease (430-438)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	1.5	1.09	1	1.5	1.51	1	1.6	1.57
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	2	1.5	1.08	2	3.0	2.11	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	2	1.6	1.11	2	3.3	2.33	0	0.0	0.00
30-34	6	4.3	1.75	2	3.1	2.16	4	5.4	2.68
35-39	16	12.4	3.10	6	9.9	4.05	10	14.6	4.62
40-44	18	17.1	4.02	15	31.1	8.04	3	5.2	3.03
45-49	22	25.5	5.44	13	33.7	9.36	9	18.9	6.30
50-54	30	43.7	7.97	20	65.7	14.70	10	26.1	8.26
55-59	29	52.4	9.73	17	71.6	17.37	12	38.0	10.96
60-64	51	120.6	16.89	26	143.8	28.21	25	103.3	20.65
65-69	47	127.3	18.57	27	167.2	32.17	20	96.3	21.53
70-74	62	236.7	30.06	28	268.0	50.65	34	216.0	37.04
75-79	55	299.1	40.33	20	287.9	64.38	35	305.9	51.71
80-84	73	705.1	82.53	17	497.2	120.59	56	807.6	107.92
85+	87	960.1	102.93	20	766.3	171.35	67	1038.4	126.87
Total deaths	502			216			286		
Connecticut									
. Crude rate		33.7	-		30.6	-		36.6	-
. AAMR (1940 Std. mil.)		31.9	1.48		36.2	2.49		28.1	1.77
. AAMR (1970 Std. mil.)		45.3	2.06		48.1	3.39		42.0	2.53
. AAMR (2000 Std. mil.)		62.2	2.91		62.5	4.73		59.9	3.62
. HP 2000 (1940 Std. mil.)		16.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		26.5	-		29.0	-		24.5	-
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Atherosclerosis (440)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	0.9	0.95	1	2.1	2.08	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	1	1.8	1.81	1	4.2	4.21	0	0.0	0.00
60-64	4	9.5	4.73	0	0.0	0.00	4	16.5	8.26
65-69	4	10.8	5.42	2	12.4	8.76	2	9.6	6.81
70-74	7	26.7	10.10	3	28.7	16.58	4	25.4	12.70
75-79	2	10.9	7.69	1	14.4	14.39	1	8.7	8.74
80-84	10	96.6	30.54	5	146.2	65.40	5	72.1	32.25
85+	13	143.5	39.79	5	191.6	85.67	8	124.0	43.84
Total deaths	42			18			24		
Connecticut									
. Crude rate		2.8	-		2.5	-		3.1	-
. AAMR (1940 Std. mil.)		2.4	0.39		2.8	0.67		2.2	0.50
. AAMR (1970 Std. mil.)		4.0	0.62		4.9	1.17		3.6	0.75
. AAMR (2000 Std. mil.)		6.0	0.95		7.7	1.93		5.2	1.08
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.3	-		2.6	-		1.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Aortic aneurysm (441)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	0.8	0.79	1	1.6	1.64	0	0.0	0.00
30-34	1	0.7	0.71	1	1.5	1.53	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	2	1.9	1.34	0	0.0	0.00	2	3.5	2.47
45-49	1	1.2	1.16	1	2.6	2.60	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	2	3.6	2.56	2	8.4	5.96	0	0.0	0.00
60-64	2	4.7	3.34	2	11.1	7.82	0	0.0	0.00
65-69	2	5.4	3.83	2	12.4	8.76	0	0.0	0.00
70-74	4	15.3	7.64	2	19.1	13.54	2	12.7	8.98
75-79	5	27.2	12.16	2	28.8	20.36	3	26.2	15.14
80-84	5	48.3	21.60	2	58.5	41.36	3	43.3	24.98
85+	6	66.2	27.03	2	76.6	54.18	4	62.0	31.00
Total deaths	31			17			14		
Connecticut									
. Crude rate		2.1	-		2.4	-		1.8	-
. AAMR (1940 Std. mil.)		1.9	0.35		2.8	0.69		-	-
. AAMR (1970 Std. mil.)		2.8	0.51		3.9	0.99		-	-
. AAMR (2000 Std. mil.)		4.0	0.75		5.3	1.44		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		3.3	-		5.3	-		2.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Pneumonia & influenza (480-487)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	5	3.8	1.72	4	6.0	3.02	1	1.6	1.57
5-9	2	1.4	1.00	2	2.8	1.98	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	0.9	0.91	1	1.8	1.82	0	0.0	0.00
25-29	1	0.8	0.79	0	0.0	0.00	1	1.5	1.50
30-34	11	7.9	2.37	7	10.7	4.05	4	5.4	2.68
35-39	16	12.4	3.10	12	19.8	5.73	4	5.8	2.92
40-44	16	15.2	3.79	13	27.0	7.48	3	5.2	3.03
45-49	13	15.1	4.18	10	26.0	8.21	3	6.3	3.64
50-54	13	18.9	5.25	10	32.9	10.39	3	7.8	4.53
55-59	16	28.9	7.23	11	46.3	13.97	5	15.8	7.08
60-64	20	47.3	10.58	11	60.9	18.35	9	37.2	12.39
65-69	15	40.6	10.49	8	49.5	17.51	7	33.7	12.74
70-74	30	114.5	20.91	15	143.6	37.07	15	95.3	24.60
75-79	28	152.3	28.78	13	187.1	51.90	15	131.1	33.85
80-84	36	347.7	57.95	15	438.7	113.28	21	302.9	66.09
85+	62	684.2	86.89	19	728.0	167.01	43	666.5	101.63
Total deaths	285			151			134		
Connecticut									
. Crude rate		19.1	-		21.4	-		17.1	-
. AAMR (1940 Std. mil.)		17.1	1.06		23.6	1.96		12.3	1.15
. AAMR (1970 Std. mil.)		24.3	1.48		31.8	2.75		18.9	1.66
. AAMR (2000 Std. mil.)		34.7	2.18		44.3	4.12		28.1	2.49
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		13.1	-		16.7	-		10.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Chronic obstructive pulmonary disease (COPD) (490-496)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.8	0.77	0	0.0	0.00	1	1.6	1.57
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	2	1.5	1.08	1	1.5	1.49	1	1.6	1.56
15-19	2	1.7	1.17	1	1.6	1.62	1	1.7	1.70
20-24	3	2.7	1.58	2	3.6	2.58	1	1.8	1.82
25-29	2	1.6	1.11	2	3.3	2.33	0	0.0	0.00
30-34	1	0.7	0.71	1	1.5	1.53	0	0.0	0.00
35-39	3	2.3	1.34	1	1.7	1.65	2	2.9	2.07
40-44	5	4.7	2.12	1	2.1	2.08	4	7.0	3.49
45-49	11	12.8	3.85	7	18.2	6.87	4	8.4	4.20
50-54	8	11.6	4.12	3	9.9	5.69	5	13.1	5.84
55-59	9	16.3	5.42	4	16.9	8.43	5	15.8	7.08
60-64	19	44.9	10.31	13	71.9	19.95	6	24.8	10.12
65-69	19	51.5	11.81	10	61.9	19.58	9	43.3	14.44
70-74	22	84.0	17.91	12	114.9	33.16	10	63.5	20.09
75-79	19	103.3	23.71	13	187.1	51.90	6	52.4	21.41
80-84	21	202.8	44.26	9	263.2	87.74	12	173.1	49.96
85+	20	220.7	49.35	10	383.1	121.16	10	155.0	49.01
Total deaths	167			90			77		
Connecticut									
. Crude rate		11.2	-		12.7	-		9.9	-
. AAMR (1940 Std. mil.)		11.1	0.89		15.0	1.61		8.6	1.03
. AAMR (1970 Std. mil.)		15.1	1.19		21.2	2.30		11.5	1.33
. AAMR (2000 Std. mil.)		19.6	1.60		28.1	3.28		14.8	1.74
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		21.1	-		26.9	-		17.0	-
. HP 2000 (1940 Std. mil.)		25.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Asthma (493)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.8	0.77	0	0.0	0.00	1	1.6	1.57
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	2	1.5	1.08	1	1.5	1.49	1	1.6	1.56
15-19	2	1.7	1.17	1	1.6	1.62	1	1.7	1.70
20-24	2	1.8	1.29	2	3.6	2.58	0	0.0	0.00
25-29	2	1.6	1.11	2	3.3	2.33	0	0.0	0.00
30-34	1	0.7	0.71	1	1.5	1.53	0	0.0	0.00
35-39	3	2.3	1.34	1	1.7	1.65	2	2.9	2.07
40-44	3	2.8	1.64	0	0.0	0.00	3	5.2	3.03
45-49	5	5.8	2.59	3	7.8	4.50	2	4.2	2.97
50-54	4	5.8	2.91	1	3.3	3.29	3	7.8	4.53
55-59	1	1.8	1.81	0	0.0	0.00	1	3.2	3.16
60-64	2	4.7	3.34	1	5.5	5.53	1	4.1	4.13
65-69	2	5.4	3.83	1	6.2	6.19	1	4.8	4.81
70-74	6	22.9	9.35	3	28.7	16.58	3	19.1	11.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	3	29.0	16.73	2	58.5	41.36	1	14.4	14.42
85+	2	22.1	15.61	1	38.3	38.31	1	15.5	15.50
Total deaths	41			20			21		
Connecticut									
. Crude rate		2.8	-		2.8	-		2.7	-
. AAMR (1940 Std. mil.)		2.8	0.45		3.2	0.72		2.6	0.58
. AAMR (1970 Std. mil.)		3.2	0.52		3.8	0.91		2.9	0.64
. AAMR (2000 Std. mil.)		3.8	0.64		4.7	1.23		3.4	0.76
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.5	-		1.3	-		1.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Chronic liver disease and cirrhosis (571)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	0.8	0.83	0	0.0	0.00	1	1.7	1.70
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	0.8	0.79	0	0.0	0.00	1	1.5	1.50
30-34	1	0.7	0.71	0	0.0	0.00	1	1.3	1.34
35-39	10	7.8	2.45	5	8.3	3.70	5	7.3	3.27
40-44	10	9.5	3.00	6	12.5	5.08	4	7.0	3.49
45-49	15	17.4	4.49	12	31.1	8.99	3	6.3	3.64
50-54	11	16.0	4.83	7	23.0	8.69	4	10.5	5.23
55-59	10	18.1	5.71	4	16.9	8.43	6	19.0	7.75
60-64	15	35.5	9.16	10	55.3	17.49	5	20.7	9.24
65-69	8	21.7	7.66	4	24.8	12.38	4	19.3	9.63
70-74	9	34.4	11.45	6	57.4	23.45	3	19.1	11.00
75-79	5	27.2	12.16	2	28.8	20.36	3	26.2	15.14
80-84	1	9.7	9.66	1	29.2	29.25	0	0.0	0.00
85+	3	33.1	19.11	3	114.9	66.36	0	0.0	0.00
Total deaths	100			60			40		
Connecticut									
. Crude rate		6.7	-		8.5	-		5.1	-
. AAMR (1940 Std. mil.)		7.2	0.73		10.0	1.31		5.2	0.82
. AAMR (1970 Std. mil.)		8.0	0.82		11.6	1.56		5.6	0.91
. AAMR (2000 Std. mil.)		9.3	0.97		14.1	1.99		6.3	1.01
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		7.8	-		11.3	-		4.8	-
. HP 2000 (1940 Std. mil.)		6.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Nephritis, nephrotic syndrome/nephrosis (580-589)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	1.5	1.09	2	3.0	2.13	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	0.9	0.91	0	0.0	0.00	1	1.8	1.82
25-29	1	0.8	0.79	0	0.0	0.00	1	1.5	1.50
30-34	3	2.1	1.24	3	4.6	2.65	0	0.0	0.00
35-39	8	6.2	2.19	5	8.3	3.70	3	4.4	2.53
40-44	6	5.7	2.32	4	8.3	4.15	2	3.5	2.47
45-49	7	8.1	3.07	3	7.8	4.50	4	8.4	4.20
50-54	10	14.6	4.60	8	26.3	9.29	2	5.2	3.69
55-59	11	19.9	5.99	7	29.5	11.15	4	12.7	6.33
60-64	20	47.3	10.58	9	49.8	16.60	11	45.4	13.70
65-69	24	65.0	13.27	9	55.7	18.57	15	72.2	18.65
70-74	26	99.3	19.47	14	134.0	35.82	12	76.2	22.00
75-79	21	114.2	24.92	7	100.8	38.08	14	122.4	32.70
80-84	17	164.2	39.83	3	87.7	50.66	14	201.9	53.96
85+	21	231.7	50.57	7	268.2	101.37	14	217.0	57.99
Total deaths	178			81			97		
Connecticut									
. Crude rate		12.0	-		11.5	-		12.4	-
. AAMR (1940 Std. mil.)		11.9	0.92		13.4	1.51		10.6	1.13
. AAMR (1970 Std. mil.)		15.9	1.22		17.3	2.00		14.7	1.52
. AAMR (2000 Std. mil.)		20.6	1.62		22.1	2.73		19.3	2.01
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.3	-		5.2	-		3.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Unintentional injuries (E800-E949)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	17	13.1	3.17	9	13.6	4.53	8	12.6	4.44
5-9	8	5.7	2.00	3	4.2	2.42	5	7.1	3.19
10-14	14	10.7	2.85	11	16.4	4.96	3	4.7	2.70
15-19	23	19.0	3.97	19	30.7	7.04	4	6.8	3.40
20-24	40	36.5	5.77	31	56.6	10.16	9	16.4	5.47
25-29	38	29.8	4.84	32	52.6	9.30	6	9.0	3.68
30-34	39	27.8	4.46	28	42.8	8.10	11	14.7	4.44
35-39	62	48.1	6.11	43	71.1	10.84	19	27.8	6.37
40-44	59	56.0	7.29	46	95.5	14.08	13	22.7	6.30
45-49	58	67.3	8.84	48	124.6	17.98	10	21.0	6.64
50-54	32	46.6	8.23	27	88.7	17.08	5	13.1	5.84
55-59	22	39.8	8.48	17	71.6	17.37	5	15.8	7.08
60-64	15	35.5	9.16	9	49.8	16.60	6	24.8	10.12
65-69	19	51.5	11.81	11	68.1	20.53	8	38.5	13.62
70-74	22	84.0	17.91	14	134.0	35.82	8	50.8	17.97
75-79	12	65.3	18.84	4	57.6	28.79	8	69.9	24.72
80-84	5	48.3	21.60	3	87.7	50.66	2	28.8	20.40
85+	16	176.6	44.14	7	268.2	101.37	9	139.5	46.50
Total deaths	501			362			139		
Connecticut									
. Crude rate		33.7	-		51.2	-		17.8	-
. AAMR (1940 Std. mil.)		33.8	1.53		54.2	2.89		16.6	1.44
. AAMR (1970 Std. mil.)		34.1	1.58		54.0	3.01		17.6	1.55
. AAMR (2000 Std. mil.)		39.1	1.86		62.2	3.66		20.6	1.83
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		30.2	-		43.9	-		17.1	-
. HP 2000 (1940 Std. mil.)		29.3	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Motor vehicle accidents (E810-E825)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	5	3.8	1.72	4	6.0	3.02	1	1.6	1.57
5-9	4	2.8	1.41	1	1.4	1.40	3	4.3	2.47
10-14	3	2.3	1.32	2	3.0	2.11	1	1.6	1.56
15-19	13	10.8	2.99	11	17.8	5.36	2	3.4	2.40
20-24	29	26.4	4.91	24	43.8	8.94	5	9.1	4.08
25-29	20	15.7	3.51	18	29.6	6.98	2	3.0	2.12
30-34	18	12.9	3.03	14	21.4	5.73	4	5.4	2.68
35-39	18	14.0	3.29	10	16.5	5.23	8	11.7	4.13
40-44	14	13.3	3.55	10	20.8	6.56	4	7.0	3.49
45-49	11	12.8	3.85	9	23.4	7.79	2	4.2	2.97
50-54	6	8.7	3.57	6	19.7	8.05	0	0.0	0.00
55-59	7	12.7	4.78	4	16.9	8.43	3	9.5	5.48
60-64	3	7.1	4.10	2	11.1	7.82	1	4.1	4.13
65-69	5	13.5	6.06	3	18.6	10.72	2	9.6	6.81
70-74	4	15.3	7.64	2	19.1	13.54	2	12.7	8.98
75-79	3	16.3	9.42	2	28.8	20.36	1	8.7	8.74
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	3	33.1	19.11	2	76.6	54.18	1	15.5	15.50
Total deaths	166			124			42		
Connecticut									
. Crude rate		11.2	-		17.5	-		5.4	-
. AAMR (1940 Std. mil.)		11.4	0.89		18.3	1.66		5.2	0.82
. AAMR (1970 Std. mil.)		10.9	0.88		17.5	1.65		5.2	0.83
. AAMR (2000 Std. mil.)		11.6	0.95		18.8	1.89		5.6	0.89
. HP 2000 (1940 Std. mil.)		10.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		16.1	-		22.5	-		9.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Falls and fall related injuries (E880-E888)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	3	2.4	1.36	1	1.6	1.64	2	3.0	2.12
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	3	2.8	1.64	3	6.2	3.59	0	0.0	0.00
45-49	1	1.2	1.16	1	2.6	2.60	0	0.0	0.00
50-54	3	4.4	2.52	3	9.9	5.69	0	0.0	0.00
55-59	1	1.8	1.81	1	4.2	4.21	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	2	5.4	3.83	1	6.2	6.19	1	4.8	4.81
70-74	7	26.7	10.10	6	57.4	23.45	1	6.4	6.35
75-79	3	16.3	9.42	0	0.0	0.00	3	26.2	15.14
80-84	1	9.7	9.66	0	0.0	0.00	1	14.4	14.42
85+	4	44.1	22.07	3	114.9	66.36	1	15.5	15.50
Total deaths	28			19			9		
Connecticut									
. Crude rate		1.9	-		2.7	-		1.2	-
. AAMR (1940 Std. mil.)		1.8	0.35		3.1	0.71		-	-
. AAMR (1970 Std. mil.)		2.4	0.46		4.0	0.95		-	-
. AAMR (2000 Std. mil.)		3.2	0.63		5.4	1.40		-	-
. HP 2000 (1940 Std. mil.)		2.3	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.3	-		3.7	-		1.6	-
. HP 2000 (1940 Std. mil.)		2.3	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Drowning (E830,E832,E910)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.8	0.77	0	0.0	0.00	1	1.6	1.57
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	5	3.8	1.71	5	7.5	3.34	0	0.0	0.00
15-19	3	2.5	1.43	2	3.2	2.28	1	1.7	1.70
20-24	2	1.8	1.29	1	1.8	1.82	1	1.8	1.82
25-29	2	1.6	1.11	1	1.6	1.64	1	1.5	1.50
30-34	2	1.4	1.01	1	1.5	1.53	1	1.3	1.34
35-39	1	0.8	0.78	1	1.7	1.65	0	0.0	0.00
40-44	1	0.9	0.95	1	2.1	2.08	0	0.0	0.00
45-49	1	1.2	1.16	1	2.6	2.60	0	0.0	0.00
50-54	2	2.9	2.06	2	6.6	4.65	0	0.0	0.00
55-59	2	3.6	2.56	2	8.4	5.96	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	1	9.7	9.66	1	29.2	29.25	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	23			18			5		
Connecticut									
. Crude rate		1.5	-		2.5	-		0.6	-
. AAMR (1940 Std. mil.)		1.6	0.34		2.7	0.65		-	-
. AAMR (1970 Std. mil.)		1.6	0.35		2.9	0.71		-	-
. AAMR (2000 Std. mil.)		1.6	0.35		2.9	0.80		-	-
. HP 2000 (1940 Std. mil.)		1.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.4	-		2.5	-		0.4	-
. HP 2000 (1940 Std. mil.)		1.3	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Residential fires (E890-E899)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	2.3	1.33	0	0.0	0.00	3	4.7	2.72
5-9	2	1.4	1.00	0	0.0	0.00	2	2.9	2.02
10-14	2	1.5	1.08	2	3.0	2.11	0	0.0	0.00
15-19	1	0.8	0.83	0	0.0	0.00	1	1.7	1.70
20-24	1	0.9	0.91	1	1.8	1.82	0	0.0	0.00
25-29	1	0.8	0.79	1	1.6	1.64	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	2	1.6	1.10	0	0.0	0.00	2	2.9	2.07
40-44	4	3.8	1.90	3	6.2	3.59	1	1.7	1.75
45-49	3	3.5	2.01	3	7.8	4.50	0	0.0	0.00
50-54	1	1.5	1.46	0	0.0	0.00	1	2.6	2.61
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	1	2.4	2.36	0	0.0	0.00	1	4.1	4.13
65-69	4	10.8	5.42	3	18.6	10.72	1	4.8	4.81
70-74	2	7.6	5.40	1	9.6	9.57	1	6.4	6.35
75-79	2	10.9	7.69	0	0.0	0.00	2	17.5	12.36
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	29			14			15		
Connecticut									
. Crude rate		1.9	-		2.0	-		1.9	-
. AAMR (1940 Std. mil.)		2.0	0.37		-	-		-	-
. AAMR (1970 Std. mil.)		2.2	0.41		-	-		-	-
. AAMR (2000 Std. mil.)		2.3	0.45		-	-		-	-
. HP 2000 (1940 Std. mil.)		0.5	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.2	-		1.7	-		1.0	-
. HP 2000 (1940 Std. mil.)		1.2	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Suicide (E950-E959)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	2	1.5	1.08	2	3.0	2.11	0	0.0	0.00
15-19	18	14.9	3.51	16	25.9	6.46	2	3.4	2.40
20-24	16	14.6	3.65	15	27.4	7.07	1	1.8	1.82
25-29	17	13.3	3.24	13	21.4	5.93	4	6.0	3.00
30-34	10	7.1	2.26	9	13.8	4.59	1	1.3	1.34
35-39	9	7.0	2.33	8	13.2	4.68	1	1.5	1.46
40-44	11	10.4	3.15	9	18.7	6.23	2	3.5	2.47
45-49	4	4.6	2.32	2	5.2	3.67	2	4.2	2.97
50-54	2	2.9	2.06	0	0.0	0.00	2	5.2	3.69
55-59	3	5.4	3.13	2	8.4	5.96	1	3.2	3.16
60-64	2	4.7	3.34	1	5.5	5.53	1	4.1	4.13
65-69	3	8.1	4.69	2	12.4	8.76	1	4.8	4.81
70-74	1	3.8	3.82	1	9.6	9.57	0	0.0	0.00
75-79	2	10.9	7.69	2	28.8	20.36	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	1	11.0	11.04	0	0.0	0.00	1	15.5	15.50
Total deaths	101			82			19		
Connecticut									
. Crude rate		6.8	-		11.6	-		2.4	-
. AAMR (1940 Std. mil.)		7.0	0.71		11.9	1.33		2.4	0.57
. AAMR (1970 Std. mil.)		6.6	0.68		11.1	1.29		2.4	0.56
. AAMR (2000 Std. mil.)		6.8	0.71		11.4	1.34		2.6	0.62
. HP 2000 (1940 Std. mil.)		6.7	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		11.3	-		18.7	-		4.1	-
. HP 2000 (1940 Std. mil.)		10.5	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: CT rate is lower

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Homicide and legal intervention (E960-E978)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	16	12.3	3.08	8	12.1	4.27	8	12.6	4.44
5-9	4	2.8	1.41	2	2.8	1.98	2	2.9	2.02
10-14	3	2.3	1.32	2	3.0	2.11	1	1.6	1.56
15-19	72	59.6	7.03	66	106.6	13.13	6	10.2	4.16
20-24	91	83.0	8.70	79	144.2	16.22	12	21.9	6.32
25-29	76	59.7	6.84	64	105.2	13.15	12	18.0	5.20
30-34	41	29.3	4.57	33	50.5	8.79	8	10.7	3.79
35-39	31	24.0	4.32	20	33.1	7.39	11	16.1	4.85
40-44	18	17.1	4.02	13	27.0	7.48	5	8.7	3.91
45-49	6	7.0	2.84	5	13.0	5.80	1	2.1	2.10
50-54	7	10.2	3.85	6	19.7	8.05	1	2.6	2.61
55-59	3	5.4	3.13	2	8.4	5.96	1	3.2	3.16
60-64	4	9.5	4.73	2	11.1	7.82	2	8.3	5.84
65-69	5	13.5	6.06	5	31.0	13.84	0	0.0	0.00
70-74	5	19.1	8.54	3	28.7	16.58	2	12.7	8.98
75-79	1	5.4	5.44	1	14.4	14.39	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	383			311			72		
Connecticut									
. Crude rate		25.7	-		44.0	-		9.2	-
. AAMR (1940 Std. mil.)		26.9	1.39		45.4	2.59		9.3	1.11
. AAMR (1970 Std. mil.)		24.5	1.29		41.3	2.41		8.5	1.04
. AAMR (2000 Std. mil.)		23.3	1.22		39.2	2.30		8.5	1.02
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		10.3	-		16.4	-		4.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Homicide (E960-E969)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	16	12.3	3.08	8	12.1	4.27	8	12.6	4.44
5-9	4	2.8	1.41	2	2.8	1.98	2	2.9	2.02
10-14	3	2.3	1.32	2	3.0	2.11	1	1.6	1.56
15-19	72	59.6	7.03	66	106.6	13.13	6	10.2	4.16
20-24	88	80.2	8.55	76	138.7	15.91	12	21.9	6.32
25-29	75	58.9	6.80	63	103.6	13.05	12	18.0	5.20
30-34	41	29.3	4.57	33	50.5	8.79	8	10.7	3.79
35-39	31	24.0	4.32	20	33.1	7.39	11	16.1	4.85
40-44	18	17.1	4.02	13	27.0	7.48	5	8.7	3.91
45-49	6	7.0	2.84	5	13.0	5.80	1	2.1	2.10
50-54	7	10.2	3.85	6	19.7	8.05	1	2.6	2.61
55-59	3	5.4	3.13	2	8.4	5.96	1	3.2	3.16
60-64	4	9.5	4.73	2	11.1	7.82	2	8.3	5.84
65-69	5	13.5	6.06	5	31.0	13.84	0	0.0	0.00
70-74	5	19.1	8.54	3	28.7	16.58	2	12.7	8.98
75-79	1	5.4	5.44	1	14.4	14.39	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	379			307			72		
Connecticut									
. Crude rate		25.5	-		43.4	-		9.2	-
. AAMR (1940 Std. mil.)		26.6	1.38		44.8	2.58		9.3	1.11
. AAMR (1970 Std. mil.)		24.2	1.28		40.7	2.39		8.5	1.04
. AAMR (2000 Std. mil.)		23.1	1.21		38.7	2.29		8.5	1.02
. HP 2000 (1940 Std. mil.)		5.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		10.1	-		15.9	-		4.0	-
. HP 2000 (1940 Std. mil.)		7.2	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All injury (E800-E999)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	34	26.2	4.49	18	27.2	6.40	16	25.1	6.28
5-9	12	8.5	2.45	5	7.0	3.13	7	10.0	3.78
10-14	19	14.5	3.33	15	22.4	5.79	4	6.2	3.12
15-19	114	94.4	8.84	102	164.8	16.32	12	20.4	5.88
20-24	148	135.0	11.09	126	229.9	20.48	22	40.1	8.55
25-29	132	103.6	9.02	110	180.9	17.25	22	33.0	7.05
30-34	91	65.0	6.81	70	107.1	12.80	21	28.1	6.13
35-39	106	82.2	7.99	75	124.0	14.32	31	45.3	8.14
40-44	89	84.4	8.95	69	143.2	17.24	20	34.9	7.81
45-49	68	78.9	9.57	55	142.7	19.25	13	27.3	7.57
50-54	41	59.7	9.32	33	108.4	18.88	8	20.9	7.39
55-59	28	50.6	9.56	21	88.5	19.31	7	22.2	8.37
60-64	21	49.7	10.84	12	66.4	19.16	9	37.2	12.39
65-69	27	73.1	14.07	18	111.4	26.27	9	43.3	14.44
70-74	28	106.9	20.20	18	172.3	40.61	10	63.5	20.09
75-79	15	81.6	21.06	7	100.8	38.08	8	69.9	24.72
80-84	5	48.3	21.60	3	87.7	50.66	2	28.8	20.40
85+	17	187.6	45.50	7	268.2	101.37	10	155.0	49.01
Total deaths	995			764			231		
Connecticut									
. Crude rate		66.9	-		108.1	-		29.6	-
. AAMR (1940 Std. mil.)		68.4	2.19		112.7	4.12		28.5	1.91
. AAMR (1970 Std. mil.)		65.7	2.16		107.4	4.08		28.6	1.95
. AAMR (2000 Std. mil.)		69.8	2.34		113.9	4.54		31.8	2.18
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		53.0	-		80.9	-		25.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is higher
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All motor vehicle accidents (E810-E819,E958.5,E988.5)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	5	3.8	1.72	4	6.0	3.02	1	1.6	1.57
5-9	4	2.8	1.41	1	1.4	1.40	3	4.3	2.47
10-14	3	2.3	1.32	2	3.0	2.11	1	1.6	1.56
15-19	13	10.8	2.99	11	17.8	5.36	2	3.4	2.40
20-24	29	26.4	4.91	24	43.8	8.94	5	9.1	4.08
25-29	20	15.7	3.51	18	29.6	6.98	2	3.0	2.12
30-34	17	12.1	2.94	13	19.9	5.52	4	5.4	2.68
35-39	18	14.0	3.29	10	16.5	5.23	8	11.7	4.13
40-44	14	13.3	3.55	10	20.8	6.56	4	7.0	3.49
45-49	11	12.8	3.85	9	23.4	7.79	2	4.2	2.97
50-54	6	8.7	3.57	6	19.7	8.05	0	0.0	0.00
55-59	7	12.7	4.78	4	16.9	8.43	3	9.5	5.48
60-64	3	7.1	4.10	2	11.1	7.82	1	4.1	4.13
65-69	5	13.5	6.06	3	18.6	10.72	2	9.6	6.81
70-74	4	15.3	7.64	2	19.1	13.54	2	12.7	8.98
75-79	3	16.3	9.42	2	28.8	20.36	1	8.7	8.74
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	3	33.1	19.11	2	76.6	54.18	1	15.5	15.50
Total deaths	165			123			42		
Connecticut									
. Crude rate		11.1	-		17.4	-		5.4	-
. AAMR (1940 Std. mil.)		11.3	0.89		18.2	1.65		5.2	0.82
. AAMR (1970 Std. mil.)		10.8	0.87		17.4	1.65		5.2	0.83
. AAMR (2000 Std. mil.)		11.5	0.95		18.7	1.89		5.6	0.89
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		15.8	-		22.0	-		9.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	4	3.1	1.54	2	3.0	2.13	2	3.1	2.22
5-9	2	1.4	1.00	0	0.0	0.00	2	2.9	2.02
10-14	2	1.5	1.08	2	3.0	2.11	0	0.0	0.00
15-19	82	67.9	7.50	75	121.2	13.99	7	11.9	4.49
20-24	95	86.6	8.89	85	155.1	16.82	10	18.2	5.76
25-29	71	55.7	6.61	66	108.5	13.36	5	7.5	3.36
30-34	30	21.4	3.91	25	38.3	7.65	5	6.7	2.99
35-39	22	17.1	3.64	17	28.1	6.82	5	7.3	3.27
40-44	13	12.3	3.42	13	27.0	7.48	0	0.0	0.00
45-49	5	5.8	2.59	5	13.0	5.80	0	0.0	0.00
50-54	3	4.4	2.52	3	9.9	5.69	0	0.0	0.00
55-59	2	3.6	2.56	2	8.4	5.96	0	0.0	0.00
60-64	3	7.1	4.10	1	5.5	5.53	2	8.3	5.84
65-69	2	5.4	3.83	2	12.4	8.76	0	0.0	0.00
70-74	2	7.6	5.40	2	19.1	13.54	0	0.0	0.00
75-79	1	5.4	5.44	1	14.4	14.39	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	339			301			38		
Connecticut									
. Crude rate		22.8	-		42.6	-		4.9	-
. AAMR (1940 Std. mil.)		24.3	1.33		44.3	2.57		5.2	0.85
. AAMR (1970 Std. mil.)		22.0	1.23		40.1	2.37		4.8	0.80
. AAMR (2000 Std. mil.)		20.3	1.12		37.3	2.21		4.4	0.71
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		14.9	-		26.1	-		4.2	-
. HP 2000 (1940 Std. mil.)		11.6	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is higher
. THE U.S. HP 2000 target:									CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Firearm suicide (E955.0-.4)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	11	9.1	2.75	10	16.2	5.11	1	1.7	1.70
20-24	10	9.1	2.88	10	18.2	5.77	0	0.0	0.00
25-29	6	4.7	1.92	6	9.9	4.03	0	0.0	0.00
30-34	2	1.4	1.01	2	3.1	2.16	0	0.0	0.00
35-39	4	3.1	1.55	4	6.6	3.31	0	0.0	0.00
40-44	3	2.8	1.64	3	6.2	3.59	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	1	1.8	1.81	1	4.2	4.21	0	0.0	0.00
60-64	1	2.4	2.36	0	0.0	0.00	1	4.1	4.13
65-69	1	2.7	2.71	1	6.2	6.19	0	0.0	0.00
70-74	1	3.8	3.82	1	9.6	9.57	0	0.0	0.00
75-79	1	5.4	5.44	1	14.4	14.39	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	41			39			2		
Connecticut									
. Crude rate		2.8	-		5.5	-		0.3	-
. AAMR (1940 Std. mil.)		3.0	0.47		5.8	0.93		-	-
. AAMR (1970 Std. mil.)		2.8	0.45		5.5	0.92		-	-
. AAMR (2000 Std. mil.)		2.7	0.44		5.4	0.93		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.8	-		11.9	-		1.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	0.7	0.71	1	1.5	1.53	0	0.0	0.00
35-39	9	7.0	2.33	6	9.9	4.05	3	4.4	2.53
40-44	17	16.1	3.91	14	29.1	7.77	3	5.2	3.03
45-49	15	17.4	4.49	9	23.4	7.79	6	12.6	5.14
50-54	12	17.5	5.04	10	32.9	10.39	2	5.2	3.69
55-59	7	12.7	4.78	5	21.1	9.42	2	6.3	4.48
60-64	7	16.6	6.26	5	27.7	12.37	2	8.3	5.84
65-69	4	10.8	5.42	4	24.8	12.38	0	0.0	0.00
70-74	5	19.1	8.54	4	38.3	19.14	1	6.4	6.35
75-79	2	10.9	7.69	1	14.4	14.39	1	8.7	8.74
80-84	2	19.3	13.66	1	29.2	29.25	1	14.4	14.42
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	81			60			21		
Connecticut									
. Crude rate		5.4	-		8.5	-		2.7	-
. AAMR (1940 Std. mil.)		5.8	0.65		9.8	1.28		2.6	0.58
. AAMR (1970 Std. mil.)		6.0	0.69		10.2	1.39		2.7	0.61
. AAMR (2000 Std. mil.)		7.2	0.82		12.1	1.64		3.3	0.75
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.9	-		10.9	-		3.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	2	1.7	1.17	2	3.2	2.28	0	0.0	0.00
20-24	7	6.4	2.41	4	7.3	3.65	3	5.5	3.16
25-29	7	5.5	2.08	6	9.9	4.03	1	1.5	1.50
30-34	18	12.9	3.03	12	18.4	5.30	6	8.0	3.28
35-39	42	32.6	5.03	35	57.9	9.78	7	10.2	3.87
40-44	38	36.0	5.85	28	58.1	10.98	10	17.5	5.53
45-49	32	37.1	6.56	24	62.3	12.71	8	16.8	5.94
50-54	11	16.0	4.83	9	29.6	9.86	2	5.2	3.69
55-59	5	9.0	4.04	4	16.9	8.43	1	3.2	3.16
60-64	1	2.4	2.36	1	5.5	5.53	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	163			125			38		
Connecticut									
. Crude rate		11.0	-		17.7	-		4.9	-
. AAMR (1940 Std. mil.)		10.6	0.84		17.8	1.61		4.6	0.76
. AAMR (1970 Std. mil.)		9.3	0.75		15.6	1.45		4.0	0.67
. AAMR (2000 Std. mil.)		11.6	0.92		19.5	1.78		5.0	0.82
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.0	-		7.0	-		3.0	-
. HP 2000 (1940 Std. mil.)		3.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: CT rate is higher