

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1994

Causes of Death for the Age-Specific Mortality Tables

	Page		Page
All causes	2	Hypertension with or without renal disease	33
Infectious diseases and parasitic disease	3	Hypertension-related	34
Septicemia	4	Cerebrovascular disease	35
Septicemia-related	5	Atherosclerosis	36
HIV infection	6	Atherosclerosis-related	37
All cancer	7	Aortic aneurysm	38
Oral cavity or pharynx	8	Pneumonia & influenza	39
Colorectal cancer	9	Chronic obstructive pulmonary disease	40
Colon cancer	10	COPD-related	41
Rectal cancer	11	Asthma	42
Pancreatic cancer	12	Chronic liver disease and cirrhosis	43
Lung and other respiratory cancer	13	Nephritis, nephrotic syndrome/nephrosis	44
Lung cancer	14	Nephritis-related	45
Malignant melanoma of skin	15	End stage renal disease	46
Female breast cancer	16	Unintentional injuries	47
Cervical cancer	17	Motor vehicle accidents	48
Endometrial cancer	18	Falls and fall related injuries	49
Ovarian cancer	19	Drowning	50
Prostate cancer	20	Residential fires	51
Bladder cancer	21	Suicide	52
Brain & other CNS cancer	22	Homicide and legal intervention	53
Leukemia	23	Homicide	54
Diabetes mellitus	24	All injury	55
Diabetes-related	25	All motor vehicle accidents	56
Diabetic ketoacidosis	26	All falls	57
Alzheimer's diseases	27	All firearms	58
Cardiovascular disease	28	Suicide	59
Diseases of the heart	29	Homicide	60
Heart disease-related	30	All poisoning	61
Coronary heart disease	31	Alcohol-induced	62
Congestive heart failure	32	Drug-induced	63

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Infectious diseases and parasitic disease (1-139)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	4	2.0	1.02	3	3.0	1.71	1	1.0	1.05
5-9	4	2.1	1.03	1	1.0	1.00	3	3.2	1.83
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	0.6	0.61	1	1.2	1.18	0	0.0	0.00
20-24	3	1.7	0.98	1	1.1	1.11	2	2.3	1.64
25-29	32	15.5	2.74	18	17.4	4.09	14	13.7	3.65
30-34	72	28.4	3.35	56	44.1	5.90	16	12.7	3.17
35-39	87	34.0	3.65	62	48.6	6.18	25	19.5	3.90
40-44	66	29.3	3.61	50	45.1	6.38	16	14.0	3.49
45-49	55	27.3	3.68	49	49.3	7.04	6	5.9	2.40
50-54	40	24.7	3.90	34	42.9	7.35	6	7.3	2.96
55-59	26	20.4	4.01	21	33.9	7.39	5	7.7	3.43
60-64	27	22.4	4.32	19	33.0	7.56	8	12.8	4.51
65-69	35	28.3	4.79	22	39.3	8.38	13	19.2	5.33
70-74	36	31.5	5.25	20	40.6	9.09	16	24.6	6.16
75-79	77	83.4	9.50	43	116.2	17.72	34	61.4	10.53
80-84	90	149.4	15.75	37	174.8	28.74	53	135.6	18.63
85+	133	259.1	22.47	39	289.4	46.34	94	248.4	25.62
Total deaths	788			476			312		
Connecticut									
. Crude rate		27.1	-		33.7	-		20.9	-
. AAMR (1940 Std. mil.)		17.2	0.69		25.2	1.21		9.8	0.71
. AAMR (1970 Std. mil.)		18.7	0.70		26.6	1.24		11.6	0.73
. AAMR (2000 Std. mil.)		24.9	0.89		34.9	1.63		16.1	0.93
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		23.2	-		35.6	-		11.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----HIV infection (042-044)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.5	0.51	1	1.0	0.99	0	0.0	0.00
5-9	1	0.5	0.52	1	1.0	1.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	0.6	0.61	1	1.2	1.18	0	0.0	0.00
20-24	1	0.6	0.57	0	0.0	0.00	1	1.2	1.16
25-29	30	14.6	2.66	16	15.4	3.86	14	13.7	3.65
30-34	68	26.9	3.26	53	41.8	5.74	15	11.9	3.07
35-39	80	31.3	3.50	58	45.5	5.98	22	17.1	3.65
40-44	52	23.1	3.20	42	37.9	5.85	10	8.7	2.76
45-49	44	21.8	3.29	39	39.2	6.28	5	4.9	2.19
50-54	26	16.0	3.15	25	31.5	6.30	1	1.2	1.21
55-59	14	11.0	2.94	12	19.4	5.59	2	3.1	2.17
60-64	10	8.3	2.63	10	17.3	5.49	0	0.0	0.00
65-69	2	1.6	1.14	2	3.6	2.53	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	1	1.1	1.08	0	0.0	0.00	1	1.8	1.81
80-84	1	1.7	1.66	1	4.7	4.73	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	332			261			71		
Connecticut									
. Crude rate		11.4	-		18.5	-		4.8	-
. AAMR (1940 Std. mil.)		10.4	0.58		16.5	1.03		4.5	0.55
. AAMR (1970 Std. mil.)		8.9	0.50		14.3	0.91		3.7	0.44
. AAMR (2000 Std. mil.)		11.0	0.61		17.6	1.10		4.5	0.54
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		15.3	-		26.4	-		4.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All cancer (140-208)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	4	2.0	1.02	2	2.0	1.40	2	2.1	1.48
5-9	5	2.6	1.15	3	3.0	1.74	2	2.1	1.50
10-14	6	3.4	1.37	5	5.5	2.46	1	1.1	1.15
15-19	5	3.0	1.36	1	1.2	1.18	4	5.0	2.52
20-24	15	8.5	2.19	8	8.9	3.13	7	8.1	3.06
25-29	12	5.8	1.68	9	8.7	2.89	3	2.9	1.69
30-34	35	13.8	2.34	20	15.8	3.53	15	11.9	3.07
35-39	66	25.8	3.18	32	25.1	4.44	34	26.5	4.54
40-44	102	45.3	4.48	43	38.8	5.92	59	51.5	6.71
45-49	210	104.2	7.19	105	105.6	10.31	105	102.7	10.03
50-54	293	180.8	10.57	133	167.6	14.54	160	193.5	15.30
55-59	346	272.0	14.62	189	305.0	22.18	157	240.6	19.20
60-64	574	477.2	19.92	329	570.8	31.47	245	391.1	24.98
65-69	919	743.6	24.53	500	893.6	39.96	419	619.5	30.26
70-74	1,161	1016.6	29.84	630	1280.1	51.00	531	817.1	35.46
75-79	1,126	1219.0	36.33	583	1575.5	65.25	543	980.7	42.09
80-84	875	1452.3	49.10	433	2046.0	98.33	442	1130.9	53.79
85+	888	1730.2	58.06	375	2782.5	143.69	513	1355.5	59.85
Total deaths	6,642			3,400			3,242		
Connecticut									
. Crude rate		228.8	-		241.0	-		217.3	-
. AAMR (1940 Std. mil.)		122.3	1.70		146.4	2.69		105.3	2.19
. AAMR (1970 Std. mil.)		161.7	2.07		200.1	3.47		136.6	2.58
. AAMR (2000 Std. mil.)		202.5	2.50		256.9	4.50		169.9	3.04
. HP 2000 (1940 Std. mil.)		120.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		131.6	-		159.6	-		111.1	-
. HP 2000 (1940 Std. mil.)		130.0	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: CT rate is lower

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Oral cavity or pharynx (140.0-149.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	0.4	0.44	1	0.9	0.90	0	0.0	0.00
45-49	5	2.5	1.11	4	4.0	2.01	1	1.0	0.98
50-54	7	4.3	1.63	6	7.6	3.09	1	1.2	1.21
55-59	9	7.1	2.36	6	9.7	3.95	3	4.6	2.65
60-64	10	8.3	2.63	7	12.1	4.59	3	4.8	2.76
65-69	13	10.5	2.92	6	10.7	4.38	7	10.3	3.91
70-74	17	14.9	3.61	8	16.3	5.75	9	13.8	4.62
75-79	20	21.7	4.84	12	32.4	9.36	8	14.4	5.11
80-84	8	13.3	4.69	3	14.2	8.18	5	12.8	5.72
85+	9	17.5	5.85	0	0.0	0.00	9	23.8	7.93
Total deaths	99			53			46		
Connecticut									
. Crude rate		3.4	-		3.8	-		3.1	-
. AAMR (1940 Std. mil.)		2.0	0.22		2.7	0.39		1.4	0.24
. AAMR (1970 Std. mil.)		2.6	0.27		3.3	0.46		1.9	0.30
. AAMR (2000 Std. mil.)		3.1	0.31		3.8	0.52		2.3	0.35
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.2	-		3.4	-		1.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Colorectal cancer (153.0-154.3,154.8,159.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	2	0.8	0.56	2	1.6	1.11	0	0.0	0.00
35-39	2	0.8	0.55	0	0.0	0.00	2	1.6	1.10
40-44	8	3.6	1.26	3	2.7	1.56	5	4.4	1.95
45-49	14	6.9	1.86	11	11.1	3.34	3	2.9	1.69
50-54	26	16.0	3.15	15	18.9	4.88	11	13.3	4.01
55-59	27	21.2	4.08	20	32.3	7.22	7	10.7	4.05
60-64	57	47.4	6.28	37	64.2	10.55	20	31.9	7.14
65-69	97	78.5	7.97	56	100.1	13.37	41	60.6	9.47
70-74	129	113.0	9.95	78	158.5	17.95	51	78.5	10.99
75-79	129	139.7	12.30	58	156.7	20.58	71	128.2	15.22
80-84	122	202.5	18.33	57	269.3	35.67	65	166.3	20.63
85+	180	350.7	26.14	65	482.3	59.82	115	303.9	28.34
Total deaths	793			402			391		
Connecticut									
. Crude rate		27.3	-		28.5	-		26.2	-
. AAMR (1940 Std. mil.)		12.5	0.51		16.5	0.88		9.5	0.59
. AAMR (1970 Std. mil.)		17.9	0.66		23.5	1.18		13.9	0.76
. AAMR (2000 Std. mil.)		23.9	0.85		31.4	1.60		19.0	0.98
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		12.9	-		15.7	-		10.7	-
. HP 2000 (1940 Std. mil.)		13.2	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Colon cancer (153)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	2	0.8	0.56	2	1.6	1.11	0	0.0	0.00
35-39	2	0.8	0.55	0	0.0	0.00	2	1.6	1.10
40-44	6	2.7	1.09	1	0.9	0.90	5	4.4	1.95
45-49	11	5.5	1.65	8	8.0	2.85	3	2.9	1.69
50-54	18	11.1	2.62	10	12.6	3.99	8	9.7	3.42
55-59	21	16.5	3.60	15	24.2	6.25	6	9.2	3.75
60-64	51	42.4	5.94	33	57.2	9.97	18	28.7	6.77
65-69	74	59.9	6.96	41	73.3	11.44	33	48.8	8.49
70-74	95	83.2	8.53	58	117.9	15.47	37	56.9	9.36
75-79	101	109.3	10.88	47	127.0	18.53	54	97.5	13.27
80-84	107	177.6	17.17	48	226.8	32.74	59	151.0	19.65
85+	147	286.4	23.62	53	393.3	54.02	94	248.4	25.62
Total deaths	635			316			319		
Connecticut									
. Crude rate		21.9	-		22.4	-		21.4	-
. AAMR (1940 Std. mil.)		9.9	0.46		12.8	0.77		7.8	0.54
. AAMR (1970 Std. mil.)		14.3	0.59		18.5	1.05		11.3	0.69
. AAMR (2000 Std. mil.)		19.1	0.76		24.8	1.43		15.5	0.88
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		10.8	-		12.9	-		9.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Pancreatic cancer (157)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	3	1.2	0.68	3	2.4	1.36	0	0.0	0.00
40-44	2	0.9	0.63	1	0.9	0.90	1	0.9	0.87
45-49	10	5.0	1.57	8	8.0	2.85	2	2.0	1.38
50-54	15	9.3	2.39	10	12.6	3.99	5	6.0	2.70
55-59	21	16.5	3.60	16	25.8	6.45	5	7.7	3.43
60-64	22	18.3	3.90	13	22.6	6.25	9	14.4	4.79
65-69	50	40.5	5.72	28	50.0	9.46	22	32.5	6.93
70-74	76	66.6	7.63	40	81.3	12.85	36	55.4	9.23
75-79	60	65.0	8.39	28	75.7	14.30	32	57.8	10.22
80-84	51	84.7	11.85	20	94.5	21.13	31	79.3	14.25
85+	47	91.6	13.36	14	103.9	27.76	33	87.2	15.18
Total deaths	357			181			176		
Connecticut									
. Crude rate		12.3	-		12.8	-		11.8	-
. AAMR (1940 Std. mil.)		6.3	0.38		8.1	0.64		4.8	0.42
. AAMR (1970 Std. mil.)		8.5	0.47		10.7	0.81		6.7	0.54
. AAMR (2000 Std. mil.)		10.8	0.57		13.4	1.01		8.7	0.67
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.3	-		7.4	-		5.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Lung and other respiratory cancer (160-165)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	3	1.2	0.68	1	0.8	0.79	2	1.6	1.12
35-39	10	3.9	1.24	5	3.9	1.75	5	3.9	1.74
40-44	24	10.7	2.17	8	7.2	2.55	16	14.0	3.49
45-49	50	24.8	3.51	24	24.1	4.93	26	25.4	4.99
50-54	81	50.0	5.56	40	50.4	7.97	41	49.6	7.75
55-59	111	87.2	8.28	69	111.3	13.40	42	64.4	9.93
60-64	200	166.3	11.76	128	222.1	19.63	72	114.9	13.54
65-69	305	246.8	14.13	176	314.6	23.71	129	190.7	16.79
70-74	347	303.9	16.31	199	404.4	28.66	148	227.7	18.72
75-79	310	335.6	19.06	193	521.6	37.54	117	211.3	19.54
80-84	214	355.2	24.28	119	562.3	51.55	95	243.1	24.94
85+	137	266.9	22.81	80	593.6	66.37	57	150.6	19.95
Total deaths	1,792			1,042			750		
Connecticut									
. Crude rate		61.7	-		73.9	-		50.3	-
. AAMR (1940 Std. mil.)		34.9	0.91		45.9	1.51		26.8	1.11
. AAMR (1970 Std. mil.)		45.4	1.11		62.0	1.94		33.9	1.31
. AAMR (2000 Std. mil.)		54.5	1.30		76.8	2.42		40.2	1.50
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		40.1	-		56.4	-		27.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Lung cancer (162.2-.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	3	1.2	0.68	1	0.8	0.79	2	1.6	1.12
35-39	9	3.5	1.17	4	3.1	1.57	5	3.9	1.74
40-44	24	10.7	2.17	8	7.2	2.55	16	14.0	3.49
45-49	48	23.8	3.44	23	23.1	4.83	25	24.5	4.89
50-54	79	48.8	5.49	38	47.9	7.77	41	49.6	7.75
55-59	107	84.1	8.13	65	104.9	13.01	42	64.4	9.93
60-64	199	165.4	11.73	127	220.3	19.55	72	114.9	13.54
65-69	293	237.1	13.85	169	302.1	23.23	124	183.3	16.46
70-74	337	295.1	16.08	190	386.1	28.01	147	226.2	18.66
75-79	301	325.9	18.78	189	510.8	37.15	112	202.3	19.11
80-84	205	340.3	23.76	112	529.2	50.01	93	237.9	24.67
85+	134	261.1	22.55	77	571.3	65.11	57	150.6	19.95
Total deaths	1,739			1,003			736		
Connecticut									
. Crude rate		59.9	-		71.1	-		49.3	-
. AAMR (1940 Std. mil.)		33.9	0.90		44.2	1.48		26.4	1.10
. AAMR (1970 Std. mil.)		44.1	1.09		59.7	1.91		33.3	1.30
. AAMR (2000 Std. mil.)		52.9	1.28		73.9	2.38		39.5	1.48
. HP 2000 (1940 Std. mil.)		42.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		38.6	-		54.1	-		26.6	-
. HP 2000 (1940 Std. mil.)		42.0	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Malignant melanoma of skin (172)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	0.5	0.49	1	1.0	0.96	0	0.0	0.00
30-34	1	0.4	0.40	0	0.0	0.00	1	0.8	0.79
35-39	5	2.0	0.87	2	1.6	1.11	3	2.3	1.35
40-44	3	1.3	0.77	2	1.8	1.28	1	0.9	0.87
45-49	4	2.0	0.99	2	2.0	1.42	2	2.0	1.38
50-54	7	4.3	1.63	4	5.0	2.52	3	3.6	2.10
55-59	9	7.1	2.36	6	9.7	3.95	3	4.6	2.65
60-64	12	10.0	2.88	10	17.3	5.49	2	3.2	2.26
65-69	9	7.3	2.43	6	10.7	4.38	3	4.4	2.56
70-74	10	8.8	2.77	6	12.2	4.98	4	6.2	3.08
75-79	11	11.9	3.59	7	18.9	7.15	4	7.2	3.61
80-84	11	18.3	5.50	5	23.6	10.57	6	15.4	6.27
85+	5	9.7	4.36	2	14.8	10.49	3	7.9	4.58
Total deaths	88			53			35		
Connecticut									
. Crude rate		3.0	-		3.8	-		2.3	-
. AAMR (1940 Std. mil.)		2.0	0.23		2.7	0.39		1.4	0.27
. AAMR (1970 Std. mil.)		2.4	0.26		3.3	0.46		1.6	0.29
. AAMR (2000 Std. mil.)		2.8	0.30		3.9	0.54		2.0	0.34
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.7	-		2.5	-		1.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Female breast cancer (174)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	4	1.6	0.79	-	-	-	4	3.2	1.58
35-39	13	5.1	1.41	-	-	-	13	10.1	2.81
40-44	14	6.2	1.66	-	-	-	14	12.2	3.27
45-49	25	12.4	2.48	-	-	-	25	24.5	4.89
50-54	42	25.9	4.00	-	-	-	42	50.8	7.84
55-59	39	30.7	4.91	-	-	-	39	59.8	9.57
60-64	50	41.6	5.88	-	-	-	50	79.8	11.29
65-69	79	63.9	7.19	-	-	-	79	116.8	13.14
70-74	83	72.7	7.98	-	-	-	83	127.7	14.02
75-79	77	83.4	9.50	-	-	-	77	139.1	15.85
80-84	47	78.0	11.38	-	-	-	47	120.3	17.54
85+	71	138.3	16.42	-	-	-	71	187.6	22.26
Total deaths	544			-			544		
Connecticut									
. Crude rate		-	-		-	-		36.5	-
. AAMR (1940 Std. mil.)		-	-		-	-		20.3	1.00
. AAMR (1970 Std. mil.)		-	-		-	-		24.8	1.13
. AAMR (2000 Std. mil.)		-	-		-	-		29.9	1.31
. HP 2000 (1940 Std. mil.)		-	-		-	-		23.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		21.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		20.6	-
Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									CT rate is lower
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									CT rate is not significantly different

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cervical cancer (180)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	1	0.4	0.40	-	-	-	1	0.8	0.79
35-39	3	1.2	0.68	-	-	-	3	2.3	1.35
40-44	3	1.3	0.77	-	-	-	3	2.6	1.51
45-49	7	3.5	1.31	-	-	-	7	6.8	2.59
50-54	4	2.5	1.23	-	-	-	4	4.8	2.42
55-59	5	3.9	1.76	-	-	-	5	7.7	3.43
60-64	3	2.5	1.44	-	-	-	3	4.8	2.76
65-69	3	2.4	1.40	-	-	-	3	4.4	2.56
70-74	2	1.8	1.24	-	-	-	2	3.1	2.18
75-79	3	3.2	1.88	-	-	-	3	5.4	3.13
80-84	2	3.3	2.35	-	-	-	2	5.1	3.62
85+	1	1.9	1.95	-	-	-	1	2.6	2.64
Total deaths	37			-			37		
Connecticut									
. Crude rate		-	-		-	-		2.5	-
. AAMR (1940 Std. mil.)		-	-		-	-		1.9	0.33
. AAMR (1970 Std. mil.)		-	-		-	-		2.0	0.34
. AAMR (2000 Std. mil.)		-	-		-	-		2.3	0.39
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		2.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.3	-
Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									CT rate is higher
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is not significantly different

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Endometrial cancer (182)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	0	0.0	0.00	-	-	-	0	0.0	0.00
45-49	0	0.0	0.00	-	-	-	0	0.0	0.00
50-54	2	1.2	0.87	-	-	-	2	2.4	1.71
55-59	0	0.0	0.00	-	-	-	0	0.0	0.00
60-64	3	2.5	1.44	-	-	-	3	4.8	2.76
65-69	6	4.9	1.98	-	-	-	6	8.9	3.62
70-74	10	8.8	2.77	-	-	-	10	15.4	4.87
75-79	12	13.0	3.75	-	-	-	12	21.7	6.26
80-84	6	10.0	4.07	-	-	-	6	15.4	6.27
85+	4	7.8	3.90	-	-	-	4	10.6	5.28
Total deaths	43			-			43		
Connecticut									
. Crude rate		-	-		-	-		2.9	-
. AAMR (1940 Std. mil.)		-	-		-	-		1.2	0.21
. AAMR (1970 Std. mil.)		-	-		-	-		1.7	0.27
. AAMR (2000 Std. mil.)		-	-		-	-		2.2	0.33
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		1.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Ovarian cancer (183)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	1	0.6	0.57	-	-	-	1	1.2	1.16
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	1	0.4	0.39	-	-	-	1	0.8	0.78
40-44	2	0.9	0.63	-	-	-	2	1.7	1.24
45-49	11	5.5	1.65	-	-	-	11	10.8	3.25
50-54	15	9.3	2.39	-	-	-	15	18.1	4.68
55-59	7	5.5	2.08	-	-	-	7	10.7	4.05
60-64	18	15.0	3.53	-	-	-	18	28.7	6.77
65-69	12	9.7	2.80	-	-	-	12	17.7	5.12
70-74	31	27.1	4.88	-	-	-	31	47.7	8.57
75-79	23	24.9	5.19	-	-	-	23	41.5	8.66
80-84	26	43.2	8.46	-	-	-	26	66.5	13.05
85+	23	44.8	9.34	-	-	-	23	60.8	12.67
Total deaths	170			-			170		
Connecticut									
. Crude rate		-	-		-	-		11.4	-
. AAMR (1940 Std. mil.)		-	-		-	-		5.9	0.54
. AAMR (1970 Std. mil.)		-	-		-	-		7.5	0.62
. AAMR (2000 Std. mil.)		-	-		-	-		9.2	0.72
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		6.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Bladder cancer (188)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	0.6	0.57	0	0.0	0.00	1	1.2	1.16
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	2	1.0	0.70	0	0.0	0.00	2	2.0	1.38
50-54	5	3.1	1.38	4	5.0	2.52	1	1.2	1.21
55-59	4	3.1	1.57	3	4.8	2.79	1	1.5	1.53
60-64	6	5.0	2.04	2	3.5	2.45	4	6.4	3.19
65-69	22	17.8	3.80	16	28.6	7.15	6	8.9	3.62
70-74	28	24.5	4.63	17	34.5	8.38	11	16.9	5.10
75-79	26	28.1	5.52	15	40.5	10.47	11	19.9	5.99
80-84	26	43.2	8.46	19	89.8	20.60	7	17.9	6.77
85+	30	58.5	10.67	21	155.8	34.00	9	23.8	7.93
Total deaths	150			97			53		
Connecticut									
. Crude rate		5.2	-		6.9	-		3.6	-
. AAMR (1940 Std. mil.)		2.3	0.22		3.5	0.39		1.6	0.26
. AAMR (1970 Std. mil.)		3.4	0.29		5.5	0.56		2.1	0.32
. AAMR (2000 Std. mil.)		4.5	0.37		7.9	0.82		2.7	0.37
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.2	-		3.7	-		1.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Brain & other CNS cancer (191-192)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	1	0.5	0.52	0	0.0	0.00	1	1.1	1.06
10-14	1	0.6	0.56	1	1.1	1.10	0	0.0	0.00
15-19	1	0.6	0.61	0	0.0	0.00	1	1.3	1.26
20-24	2	1.1	0.80	2	2.2	1.57	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	4	1.6	0.79	2	1.6	1.11	2	1.6	1.12
35-39	3	1.2	0.68	3	2.4	1.36	0	0.0	0.00
40-44	9	4.0	1.33	5	4.5	2.02	4	3.5	1.75
45-49	7	3.5	1.31	6	6.0	2.46	1	1.0	0.98
50-54	15	9.3	2.39	7	8.8	3.33	8	9.7	3.42
55-59	12	9.4	2.72	5	8.1	3.61	7	10.7	4.05
60-64	12	10.0	2.88	8	13.9	4.91	4	6.4	3.19
65-69	22	17.8	3.80	11	19.7	5.93	11	16.3	4.90
70-74	18	15.8	3.72	8	16.3	5.75	10	15.4	4.87
75-79	22	23.8	5.08	11	29.7	8.96	11	19.9	5.99
80-84	17	28.2	6.84	7	33.1	12.50	10	25.6	8.09
85+	6	11.7	4.77	3	22.3	12.85	3	7.9	4.58
Total deaths	152			79			73		
Connecticut									
. Crude rate		5.2	-		5.6	-		4.9	-
. AAMR (1940 Std. mil.)		3.5	0.31		4.1	0.49		3.0	0.40
. AAMR (1970 Std. mil.)		4.1	0.35		4.8	0.55		3.6	0.45
. AAMR (2000 Std. mil.)		4.8	0.40		5.7	0.65		4.2	0.50
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		3.5	-		4.5	-		2.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Leukemia (204-208)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	1.5	0.88	1	1.0	0.99	2	2.1	1.48
5-9	2	1.0	0.73	1	1.0	1.00	1	1.1	1.06
10-14	3	1.7	0.97	2	2.2	1.55	1	1.1	1.15
15-19	1	0.6	0.61	1	1.2	1.18	0	0.0	0.00
20-24	5	2.8	1.27	2	2.2	1.57	3	3.5	2.01
25-29	5	2.4	1.08	4	3.9	1.93	1	1.0	0.98
30-34	1	0.4	0.40	1	0.8	0.79	0	0.0	0.00
35-39	6	2.3	0.96	4	3.1	1.57	2	1.6	1.10
40-44	6	2.7	1.09	3	2.7	1.56	3	2.6	1.51
45-49	1	0.5	0.50	0	0.0	0.00	1	1.0	0.98
50-54	3	1.9	1.07	2	2.5	1.78	1	1.2	1.21
55-59	9	7.1	2.36	4	6.5	3.23	5	7.7	3.43
60-64	26	21.6	4.24	13	22.6	6.25	13	20.8	5.76
65-69	32	25.9	4.58	23	41.1	8.57	9	13.3	4.44
70-74	48	42.0	6.07	24	48.8	9.95	24	36.9	7.54
75-79	34	36.8	6.31	18	48.6	11.47	16	28.9	7.22
80-84	32	53.1	9.39	10	47.3	14.94	22	56.3	12.00
85+	41	79.9	12.48	16	118.7	29.68	25	66.1	13.21
Total deaths	258			129			129		
Connecticut									
. Crude rate		8.9	-		9.1	-		8.6	-
. AAMR (1940 Std. mil.)		5.0	0.36		6.0	0.57		4.2	0.46
. AAMR (1970 Std. mil.)		6.5	0.43		7.8	0.70		5.5	0.54
. AAMR (2000 Std. mil.)		7.9	0.49		9.6	0.87		6.7	0.60
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.9	-		6.2	-		3.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Diabetes-related (250)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	0.6	0.56	1	1.1	1.10	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	0.6	0.57	1	1.1	1.11	0	0.0	0.00
25-29	2	1.0	0.69	2	1.9	1.36	0	0.0	0.00
30-34	12	4.7	1.37	4	3.2	1.58	8	6.3	2.24
35-39	7	2.7	1.03	4	3.1	1.57	3	2.3	1.35
40-44	20	8.9	1.98	15	13.5	3.49	5	4.4	1.95
45-49	37	18.4	3.02	21	21.1	4.61	16	15.7	3.91
50-54	57	35.2	4.66	33	41.6	7.24	24	29.0	5.93
55-59	86	67.6	7.29	50	80.7	11.41	36	55.2	9.19
60-64	114	94.8	8.88	68	118.0	14.31	46	73.4	10.83
65-69	279	225.8	13.52	148	264.5	21.74	131	193.7	16.92
70-74	369	323.1	16.82	174	353.6	26.80	195	300.1	21.49
75-79	404	437.4	21.76	200	540.5	38.22	204	368.5	25.80
80-84	385	639.0	32.57	178	841.1	63.04	207	529.6	36.81
85+	482	939.2	42.78	136	1009.1	86.53	346	914.2	49.15
Total deaths	2,256			1,035			1,221		
Connecticut									
. Crude rate		77.7	-		73.4	-		81.8	-
. AAMR (1940 Std. mil.)		35.0	0.85		41.6	1.39		29.9	1.05
. AAMR (1970 Std. mil.)		50.3	1.10		59.7	1.87		43.5	1.35
. AAMR (2000 Std. mil.)		67.7	1.43		80.0	2.54		59.2	1.72
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		34.0	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Diabetic ketoacidosis (DKA) (250.1)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	0.6	0.56	1	1.1	1.10	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	0.5	0.49	1	1.0	0.96	0	0.0	0.00
30-34	3	1.2	0.68	2	1.6	1.11	1	0.8	0.79
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	0.8	0.81	0	0.0	0.00	1	1.5	1.48
70-74	1	0.9	0.88	0	0.0	0.00	1	1.5	1.54
75-79	1	1.1	1.08	0	0.0	0.00	1	1.8	1.81
80-84	1	1.7	1.66	0	0.0	0.00	1	2.6	2.56
85+	2	3.9	2.76	0	0.0	0.00	2	5.3	3.74
Total deaths	11			4			7		
Connecticut									
. Crude rate		0.4	-		0.3	-		0.5	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		0.6	-		0.5	-		0.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Alzheimer's diseases (331.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	1	0.5	0.50	0	0.0	0.00	1	1.0	0.98
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	5	3.9	1.76	3	4.8	2.79	2	3.1	2.17
60-64	5	4.2	1.86	2	3.5	2.45	3	4.8	2.76
65-69	14	11.3	3.03	6	10.7	4.38	8	11.8	4.18
70-74	14	12.3	3.28	6	12.2	4.98	8	12.3	4.35
75-79	34	36.8	6.31	12	32.4	9.36	22	39.7	8.47
80-84	54	89.6	12.20	21	99.2	21.65	33	84.4	14.70
85+	122	237.7	21.52	22	163.2	34.80	100	264.2	26.42
Total deaths	249			72			177		
Connecticut									
. Crude rate		8.6	-		5.1	-		11.9	-
. AAMR (1940 Std. mil.)		2.5	0.19		2.3	0.29		2.6	0.26
. AAMR (1970 Std. mil.)		4.6	0.30		4.0	0.48		4.8	0.39
. AAMR (2000 Std. mil.)		7.4	0.47		6.3	0.76		7.9	0.60
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.5	-		2.6	-		2.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cardiovascular disease (390-459)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	11	5.6	1.69	9	8.9	2.97	2	2.1	1.48
5-9	1	0.5	0.52	1	1.0	1.00	0	0.0	0.00
10-14	2	1.1	0.79	1	1.1	1.10	1	1.1	1.15
15-19	3	1.8	1.05	3	3.5	2.04	0	0.0	0.00
20-24	5	2.8	1.27	2	2.2	1.57	3	3.5	2.01
25-29	17	8.2	2.00	9	8.7	2.89	8	7.8	2.76
30-34	31	12.2	2.20	19	15.0	3.44	12	9.5	2.74
35-39	55	21.5	2.90	33	25.9	4.51	22	17.1	3.65
40-44	83	36.8	4.04	57	51.4	6.81	26	22.7	4.45
45-49	156	77.4	6.20	115	115.7	10.79	41	40.1	6.27
50-54	236	145.7	9.48	180	226.9	16.91	56	67.7	9.05
55-59	294	231.1	13.48	209	337.3	23.33	85	130.3	14.13
60-64	499	414.8	18.57	327	567.3	31.37	172	274.5	20.93
65-69	869	703.1	23.85	560	1000.9	42.29	309	456.9	25.99
70-74	1,264	1106.8	31.13	737	1497.5	55.16	527	811.0	35.33
75-79	1,717	1858.8	44.86	895	2418.7	80.85	822	1484.7	51.78
80-84	2,025	3361.1	74.69	858	4054.2	138.41	1,167	2985.8	87.40
85+	4,239	8259.5	126.86	1,193	8852.1	256.29	3,046	8048.4	145.83
Total deaths	11,507			5,208			6,299		
Connecticut									
. Crude rate		396.4	-		369.2	-		422.1	-
. AAMR (1940 Std. mil.)		150.3	1.69		197.6	2.98		112.3	1.87
. AAMR (1970 Std. mil.)		235.2	2.30		298.8	4.18		186.9	2.58
. AAMR (2000 Std. mil.)		346.5	3.24		426.8	6.08		288.6	3.68
. HP 2000 (1940 Std. mil.)		84.4	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		177.7	-		231.3	-		134.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is higher
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Congestive heart failure (CHF) (428.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	0.4	0.44	1	0.9	0.90	0	0.0	0.00
45-49	3	1.5	0.86	2	2.0	1.42	1	1.0	0.98
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	3	2.4	1.36	0	0.0	0.00	3	4.6	2.65
60-64	8	6.7	2.35	6	10.4	4.25	2	3.2	2.26
65-69	18	14.6	3.43	9	16.1	5.36	9	13.3	4.44
70-74	38	33.3	5.40	18	36.6	8.62	20	30.8	6.88
75-79	63	68.2	8.59	31	83.8	15.05	32	57.8	10.22
80-84	98	162.7	16.43	49	231.5	33.08	49	125.4	17.91
85+	270	526.1	32.02	73	541.7	63.40	197	520.5	37.09
Total deaths	502			189			313		
Connecticut									
. Crude rate		17.3	-		13.4	-		21.0	-
. AAMR (1940 Std. mil.)		4.7	0.25		5.6	0.43		4.2	0.31
. AAMR (1970 Std. mil.)		8.9	0.41		10.4	0.76		8.1	0.49
. AAMR (2000 Std. mil.)		15.0	0.67		17.1	1.28		13.7	0.78
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.0	-		6.7	-		5.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Hypertension with or without renal disease (401,403)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	0.4	0.40	1	0.8	0.79	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	1	0.5	0.50	1	1.0	1.01	0	0.0	0.00
50-54	3	1.9	1.07	2	2.5	1.78	1	1.2	1.21
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	9	7.5	2.49	6	10.4	4.25	3	4.8	2.76
65-69	10	8.1	2.56	7	12.5	4.73	3	4.4	2.56
70-74	24	21.0	4.29	11	22.4	6.74	13	20.0	5.55
75-79	19	20.6	4.72	6	16.2	6.62	13	23.5	6.51
80-84	24	39.8	8.13	10	47.3	14.94	14	35.8	9.57
85+	52	101.3	14.05	9	66.8	22.26	43	113.6	17.33
Total deaths	143			53			90		
Connecticut									
. Crude rate		4.9	-		3.8	-		6.0	-
. AAMR (1940 Std. mil.)		1.8	0.18		2.1	0.31		1.5	0.21
. AAMR (1970 Std. mil.)		2.9	0.25		3.0	0.42		2.6	0.30
. AAMR (2000 Std. mil.)		4.3	0.36		4.1	0.59		4.1	0.43
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.2	-		2.5	-		2.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cerebrovascular disease (430-438)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	1.0	0.72	2	2.0	1.40	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	5	2.0	0.88	3	2.4	1.37	2	1.6	1.12
35-39	10	3.9	1.24	5	3.9	1.75	5	3.9	1.74
40-44	10	4.4	1.40	6	5.4	2.21	4	3.5	1.75
45-49	23	11.4	2.38	12	12.1	3.49	11	10.8	3.25
50-54	21	13.0	2.83	14	17.6	4.72	7	8.5	3.20
55-59	35	27.5	4.65	19	30.7	7.03	16	24.5	6.13
60-64	46	38.2	5.64	25	43.4	8.67	21	33.5	7.31
65-69	96	77.7	7.93	50	89.4	12.64	46	68.0	10.03
70-74	140	122.6	10.36	65	132.1	16.38	75	115.4	13.33
75-79	284	307.5	18.24	137	370.2	31.63	147	265.5	21.90
80-84	347	576.0	30.92	131	619.0	54.08	216	552.6	37.60
85+	677	1319.1	50.70	162	1202.0	94.44	515	1360.8	59.96
Total deaths	1,696			631			1,065		
Connecticut									
. Crude rate		58.4	-		44.7	-		71.4	-
. AAMR (1940 Std. mil.)		20.0	0.59		22.0	0.95		18.3	0.74
. AAMR (1970 Std. mil.)		33.1	0.84		35.4	1.42		31.0	1.04
. AAMR (2000 Std. mil.)		50.9	1.24		53.2	2.17		48.6	1.51
. HP 2000 (1940 Std. mil.)		16.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		26.5	-		29.0	-		24.5	-
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Atherosclerosis (440)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	0.4	0.40	1	0.8	0.79	0	0.0	0.00
35-39	1	0.4	0.39	0	0.0	0.00	1	0.8	0.78
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	1	0.5	0.50	1	1.0	1.01	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	8	6.5	2.29	5	8.9	4.00	3	4.4	2.56
70-74	10	8.8	2.77	4	8.1	4.06	6	9.2	3.77
75-79	20	21.7	4.84	10	27.0	8.55	10	18.1	5.71
80-84	33	54.8	9.53	13	61.4	17.04	20	51.2	11.44
85+	116	226.0	20.99	22	163.2	34.80	94	248.4	25.62
Total deaths	190			56			134		
Connecticut									
. Crude rate		6.5	-		4.0	-		9.0	-
. AAMR (1940 Std. mil.)		1.6	0.14		1.7	0.24		1.6	0.17
. AAMR (1970 Std. mil.)		3.2	0.24		3.0	0.41		3.2	0.29
. AAMR (2000 Std. mil.)		5.7	0.41		5.1	0.69		5.8	0.50
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.3	-		2.6	-		1.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Atherosclerosis-related (440)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	0.4	0.40	1	0.8	0.79	0	0.0	0.00
35-39	2	0.8	0.55	1	0.8	0.78	1	0.8	0.78
40-44	2	0.9	0.63	1	0.9	0.90	1	0.9	0.87
45-49	5	2.5	1.11	2	2.0	1.42	3	2.9	1.69
50-54	2	1.2	0.87	0	0.0	0.00	2	2.4	1.71
55-59	9	7.1	2.36	6	9.7	3.95	3	4.6	2.65
60-64	17	14.1	3.43	10	17.3	5.49	7	11.2	4.22
65-69	41	33.2	5.18	29	51.8	9.62	12	17.7	5.12
70-74	66	57.8	7.11	40	81.3	12.85	26	40.0	7.85
75-79	107	115.8	11.20	60	162.1	20.93	47	84.9	12.38
80-84	170	282.2	21.64	71	335.5	39.82	99	253.3	25.46
85+	429	835.9	40.36	112	831.0	78.53	317	837.6	47.04
Total deaths	851			333			518		
Connecticut									
. Crude rate		29.3	-		23.6	-		34.7	-
. AAMR (1940 Std. mil.)		8.6	0.35		10.5	0.62		7.1	0.41
. AAMR (1970 Std. mil.)		15.5	0.55		18.4	1.02		13.5	0.64
. AAMR (2000 Std. mil.)		25.4	0.87		29.1	1.64		22.8	1.01
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Aortic aneurysm (441)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	0.6	0.57	1	1.1	1.11	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	0.4	0.39	1	0.8	0.78	0	0.0	0.00
40-44	1	0.4	0.44	0	0.0	0.00	1	0.9	0.87
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	2	1.2	0.87	2	2.5	1.78	0	0.0	0.00
55-59	4	3.1	1.57	3	4.8	2.79	1	1.5	1.53
60-64	6	5.0	2.04	3	5.2	3.00	3	4.8	2.76
65-69	31	25.1	4.51	21	37.5	8.19	10	14.8	4.68
70-74	32	28.0	4.95	22	44.7	9.53	10	15.4	4.87
75-79	29	31.4	5.83	17	45.9	11.14	12	21.7	6.26
80-84	34	56.4	9.68	17	80.3	19.48	17	43.5	10.55
85+	35	68.2	11.53	16	118.7	29.68	19	50.2	11.52
Total deaths	176			103			73		
Connecticut									
. Crude rate		6.1	-		7.3	-		4.9	-
. AAMR (1940 Std. mil.)		2.6	0.23		4.0	0.42		1.7	0.23
. AAMR (1970 Std. mil.)		3.9	0.30		5.9	0.58		2.5	0.32
. AAMR (2000 Std. mil.)		5.2	0.39		8.0	0.80		3.5	0.41
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		3.3	-		5.3	-		2.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Pneumonia & influenza (480-487)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	1.5	0.88	2	2.0	1.40	1	1.0	1.05
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	2	1.2	0.86	1	1.2	1.18	1	1.3	1.26
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	4	1.6	0.79	2	1.6	1.11	2	1.6	1.12
35-39	9	3.5	1.17	6	4.7	1.92	3	2.3	1.35
40-44	6	2.7	1.09	4	3.6	1.80	2	1.7	1.24
45-49	17	8.4	2.05	8	8.0	2.85	9	8.8	2.94
50-54	8	4.9	1.75	7	8.8	3.33	1	1.2	1.21
55-59	16	12.6	3.14	10	16.1	5.10	6	9.2	3.75
60-64	14	11.6	3.11	9	15.6	5.20	5	8.0	3.57
65-69	39	31.6	5.05	31	55.4	9.95	8	11.8	4.18
70-74	75	65.7	7.58	42	85.3	13.17	33	50.8	8.84
75-79	143	154.8	12.95	63	170.3	21.45	80	144.5	16.15
80-84	235	390.1	25.44	126	595.4	53.04	109	278.9	26.71
85+	535	1042.4	45.07	176	1305.9	98.44	359	948.6	50.06
Total deaths	1,106			487			619		
Connecticut									
. Crude rate		38.1	-		34.5	-		41.5	-
. AAMR (1940 Std. mil.)		11.7	0.43		15.5	0.77		9.2	0.50
. AAMR (1970 Std. mil.)		20.5	0.64		27.1	1.23		16.6	0.73
. AAMR (2000 Std. mil.)		33.3	1.00		43.6	2.03		27.7	1.12
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		13.1	-		16.7	-		10.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Chronic obstructive pulmonary disease (COPD) (490-496)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.5	0.51	0	0.0	0.00	1	1.0	1.05
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	0.6	0.61	1	1.2	1.18	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	2	0.8	0.56	1	0.8	0.79	1	0.8	0.79
35-39	8	3.1	1.11	2	1.6	1.11	6	4.7	1.91
40-44	4	1.8	0.89	3	2.7	1.56	1	0.9	0.87
45-49	8	4.0	1.40	3	3.0	1.74	5	4.9	2.19
50-54	11	6.8	2.05	4	5.0	2.52	7	8.5	3.20
55-59	22	17.3	3.69	10	16.1	5.10	12	18.4	5.31
60-64	62	51.5	6.55	31	53.8	9.66	31	49.5	8.89
65-69	127	102.8	9.12	61	109.0	13.96	66	97.6	12.01
70-74	169	148.0	11.38	81	164.6	18.29	88	135.4	14.44
75-79	249	269.6	17.08	123	332.4	29.97	126	227.6	20.27
80-84	207	343.6	23.88	99	467.8	47.02	108	276.3	26.59
85+	268	522.2	31.90	118	875.6	80.60	150	396.3	32.36
Total deaths	1,139			537			602		
Connecticut									
. Crude rate		39.2	-		38.1	-		40.3	-
. AAMR (1940 Std. mil.)		16.1	0.55		18.9	0.88		14.7	0.72
. AAMR (1970 Std. mil.)		24.4	0.75		30.1	1.31		21.5	0.95
. AAMR (2000 Std. mil.)		33.8	1.00		43.8	1.94		29.1	1.20
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		21.1	-		26.9	-		17.0	-
. HP 2000 (1940 Std. mil.)		25.0	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Asthma (493)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	0.6	0.61	1	1.2	1.18	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	2	0.8	0.56	1	0.8	0.79	1	0.8	0.79
35-39	6	2.3	0.96	1	0.8	0.78	5	3.9	1.74
40-44	3	1.3	0.77	2	1.8	1.28	1	0.9	0.87
45-49	2	1.0	0.70	0	0.0	0.00	2	2.0	1.38
50-54	2	1.2	0.87	1	1.3	1.26	1	1.2	1.21
55-59	1	0.8	0.79	0	0.0	0.00	1	1.5	1.53
60-64	4	3.3	1.66	0	0.0	0.00	4	6.4	3.19
65-69	1	0.8	0.81	1	1.8	1.79	0	0.0	0.00
70-74	6	5.3	2.14	2	4.1	2.87	4	6.2	3.08
75-79	1	1.1	1.08	0	0.0	0.00	1	1.8	1.81
80-84	3	5.0	2.87	2	9.5	6.68	1	2.6	2.56
85+	5	9.7	4.36	1	7.4	7.42	4	10.6	5.28
Total deaths	37			12			25		
Connecticut									
. Crude rate		1.3	-		0.9	-		1.7	-
. AAMR (1940 Std. mil.)		0.9	0.16		-	-		1.1	0.24
. AAMR (1970 Std. mil.)		0.9	0.16		-	-		1.1	0.24
. AAMR (2000 Std. mil.)		1.2	0.20		-	-		1.4	0.29
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.5	-		1.3	-		1.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Chronic liver disease and cirrhosis (571)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	0.5	0.49	0	0.0	0.00	1	1.0	0.98
30-34	3	1.2	0.68	1	0.8	0.79	2	1.6	1.12
35-39	10	3.9	1.24	5	3.9	1.75	5	3.9	1.74
40-44	26	11.5	2.26	16	14.4	3.61	10	8.7	2.76
45-49	25	12.4	2.48	21	21.1	4.61	4	3.9	1.96
50-54	34	21.0	3.60	29	36.6	6.79	5	6.0	2.70
55-59	22	17.3	3.69	15	24.2	6.25	7	10.7	4.05
60-64	25	20.8	4.16	18	31.2	7.36	7	11.2	4.22
65-69	40	32.4	5.12	28	50.0	9.46	12	17.7	5.12
70-74	47	41.2	6.00	25	50.8	10.16	22	33.9	7.22
75-79	27	29.2	5.63	12	32.4	9.36	15	27.1	7.00
80-84	14	23.2	6.21	8	37.8	13.36	6	15.4	6.27
85+	8	15.6	5.51	2	14.8	10.49	6	15.9	6.47
Total deaths	282			180			102		
Connecticut									
. Crude rate		9.7	-		12.8	-		6.8	-
. AAMR (1940 Std. mil.)		6.9	0.43		9.9	0.76		4.1	0.45
. AAMR (1970 Std. mil.)		7.8	0.47		11.1	0.84		4.8	0.49
. AAMR (2000 Std. mil.)		9.1	0.55		12.9	0.97		5.8	0.58
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		7.8	-		11.3	-		4.8	-
. HP 2000 (1940 Std. mil.)		6.0	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: CT rate is higher

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----End stage renal disease (ESRD) (581-588,591,593.8,593.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.5	0.51	1	1.0	0.99	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	2	0.8	0.56	2	1.6	1.11	0	0.0	0.00
35-39	4	1.6	0.78	1	0.8	0.78	3	2.3	1.35
40-44	1	0.4	0.44	0	0.0	0.00	1	0.9	0.87
45-49	3	1.5	0.86	1	1.0	1.01	2	2.0	1.38
50-54	8	4.9	1.75	5	6.3	2.82	3	3.6	2.10
55-59	8	6.3	2.22	5	8.1	3.61	3	4.6	2.65
60-64	14	11.6	3.11	9	15.6	5.20	5	8.0	3.57
65-69	20	16.2	3.62	13	23.2	6.44	7	10.3	3.91
70-74	37	32.4	5.33	18	36.6	8.62	19	29.2	6.71
75-79	56	60.6	8.10	31	83.8	15.05	25	45.2	9.03
80-84	56	92.9	12.42	29	137.0	25.45	27	69.1	13.29
85+	118	229.9	21.17	58	430.4	56.51	60	158.5	20.47
Total deaths	328			173			155		
Connecticut									
. Crude rate		11.3	-		12.3	-		10.4	-
. AAMR (1940 Std. mil.)		4.3	0.28		5.9	0.49		3.3	0.34
. AAMR (1970 Std. mil.)		6.7	0.39		9.8	0.75		5.0	0.44
. AAMR (2000 Std. mil.)		9.9	0.55		15.0	1.18		7.4	0.60
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.2	-		6.4	-		4.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Unintentional injuries (E800-E949)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	14	7.1	1.90	9	8.9	2.97	5	5.2	2.34
5-9	7	3.6	1.36	6	6.0	2.46	1	1.1	1.06
10-14	18	10.1	2.38	12	13.2	3.81	6	6.9	2.81
15-19	49	29.8	4.26	31	36.5	6.56	18	22.7	5.34
20-24	53	30.0	4.12	40	44.3	7.01	13	15.1	4.17
25-29	69	33.5	4.03	60	57.9	7.47	9	8.8	2.93
30-34	66	26.1	3.21	55	43.4	5.85	11	8.7	2.63
35-39	71	27.8	3.29	55	43.2	5.82	16	12.5	3.12
40-44	65	28.8	3.58	56	50.5	6.75	9	7.9	2.62
45-49	43	21.3	3.25	32	32.2	5.69	11	10.8	3.25
50-54	21	13.0	2.83	14	17.6	4.72	7	8.5	3.20
55-59	29	22.8	4.23	22	35.5	7.57	7	10.7	4.05
60-64	24	20.0	4.07	15	26.0	6.72	9	14.4	4.79
65-69	36	29.1	4.85	21	37.5	8.19	15	22.2	5.73
70-74	55	48.2	6.49	30	61.0	11.13	25	38.5	7.69
75-79	66	71.5	8.80	30	81.1	14.80	36	65.0	10.84
80-84	74	122.8	14.28	38	179.6	29.13	36	92.1	15.35
85+	132	257.2	22.39	51	378.4	52.99	81	214.0	23.78
Total deaths	892			577			315		
Connecticut									
. Crude rate		30.7	-		40.9	-		21.1	-
. AAMR (1940 Std. mil.)		23.8	0.92		35.3	1.58		12.8	0.94
. AAMR (1970 Std. mil.)		25.0	0.91		36.3	1.58		14.7	0.97
. AAMR (2000 Std. mil.)		29.1	0.98		42.7	1.81		17.5	1.02
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		30.2	-		43.9	-		17.1	-
. HP 2000 (1940 Std. mil.)		29.3	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: CT rate is lower

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Motor vehicle accidents (E810-E825)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	4	2.0	1.02	2	2.0	1.40	2	2.1	1.48
5-9	3	1.5	0.89	3	3.0	1.74	0	0.0	0.00
10-14	12	6.7	1.94	8	8.8	3.11	4	4.6	2.29
15-19	34	20.7	3.55	21	24.7	5.40	13	16.4	4.54
20-24	43	24.3	3.71	33	36.6	6.37	10	11.6	3.66
25-29	32	15.5	2.74	27	26.0	5.01	5	4.9	2.18
30-34	22	8.7	1.85	17	13.4	3.25	5	4.0	1.77
35-39	18	7.0	1.66	14	11.0	2.94	4	3.1	1.56
40-44	13	5.8	1.60	10	9.0	2.85	3	2.6	1.51
45-49	14	6.9	1.86	10	10.1	3.18	4	3.9	1.96
50-54	11	6.8	2.05	7	8.8	3.33	4	4.8	2.42
55-59	13	10.2	2.83	10	16.1	5.10	3	4.6	2.65
60-64	10	8.3	2.63	5	8.7	3.88	5	8.0	3.57
65-69	12	9.7	2.80	8	14.3	5.06	4	5.9	2.96
70-74	18	15.8	3.72	10	20.3	6.43	8	12.3	4.35
75-79	13	14.1	3.90	3	8.1	4.68	10	18.1	5.71
80-84	13	21.6	5.98	9	42.5	14.18	4	10.2	5.12
85+	11	21.4	6.46	7	51.9	19.63	4	10.6	5.28
Total deaths	296			204			92		
Connecticut									
. Crude rate		10.2	-		14.5	-		6.2	-
. AAMR (1940 Std. mil.)		10.3	0.65		14.8	1.09		6.0	0.71
. AAMR (1970 Std. mil.)		10.2	0.64		14.5	1.07		6.1	0.70
. AAMR (2000 Std. mil.)		10.2	0.60		14.8	1.05		6.0	0.65
. HP 2000 (1940 Std. mil.)		10.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		16.1	-		22.5	-		9.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Falls and fall related injuries (E880-E888)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	0.6	0.61	1	1.2	1.18	0	0.0	0.00
20-24	2	1.1	0.80	2	2.2	1.57	0	0.0	0.00
25-29	2	1.0	0.69	2	1.9	1.36	0	0.0	0.00
30-34	1	0.4	0.40	1	0.8	0.79	0	0.0	0.00
35-39	5	2.0	0.87	4	3.1	1.57	1	0.8	0.78
40-44	2	0.9	0.63	2	1.8	1.28	0	0.0	0.00
45-49	6	3.0	1.22	4	4.0	2.01	2	2.0	1.38
50-54	5	3.1	1.38	3	3.8	2.18	2	2.4	1.71
55-59	5	3.9	1.76	4	6.5	3.23	1	1.5	1.53
60-64	5	4.2	1.86	4	6.9	3.47	1	1.6	1.60
65-69	4	3.2	1.62	3	5.4	3.10	1	1.5	1.48
70-74	15	13.1	3.39	7	14.2	5.38	8	12.3	4.35
75-79	17	18.4	4.46	5	13.5	6.04	12	21.7	6.26
80-84	30	49.8	9.09	16	75.6	18.90	14	35.8	9.57
85+	78	152.0	17.21	23	170.7	35.59	55	145.3	19.60
Total deaths	178			81			97		
Connecticut									
. Crude rate		6.1	-		5.7	-		6.5	-
. AAMR (1940 Std. mil.)		2.4	0.23		3.4	0.43		1.6	0.22
. AAMR (1970 Std. mil.)		3.6	0.29		4.7	0.54		2.7	0.30
. AAMR (2000 Std. mil.)		5.5	0.41		6.9	0.79		4.4	0.45
. HP 2000 (1940 Std. mil.)		2.3	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.3	-		3.7	-		1.6	-
. HP 2000 (1940 Std. mil.)		2.3	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Drowning (E830,E832,E910)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	1.0	0.72	2	2.0	1.40	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	0.6	0.56	0	0.0	0.00	1	1.1	1.15
15-19	4	2.4	1.22	2	2.4	1.67	2	2.5	1.78
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	3	1.5	0.84	3	2.9	1.67	0	0.0	0.00
30-34	6	2.4	0.97	6	4.7	1.93	0	0.0	0.00
35-39	3	1.2	0.68	3	2.4	1.36	0	0.0	0.00
40-44	2	0.9	0.63	1	0.9	0.90	1	0.9	0.87
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	1	0.6	0.62	1	1.3	1.26	0	0.0	0.00
55-59	2	1.6	1.11	2	3.2	2.28	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	0.8	0.81	1	1.8	1.79	0	0.0	0.00
70-74	1	0.9	0.88	0	0.0	0.00	1	1.5	1.54
75-79	2	2.2	1.53	2	5.4	3.82	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	2	3.9	2.76	2	14.8	10.49	0	0.0	0.00
Total deaths	30			25			5		
Connecticut									
. Crude rate		1.0	-		1.8	-		0.3	-
. AAMR (1940 Std. mil.)		1.0	0.20		1.6	0.34		-	-
. AAMR (1970 Std. mil.)		1.0	0.19		1.5	0.32		-	-
. AAMR (2000 Std. mil.)		1.0	0.19		1.8	0.36		-	-
. HP 2000 (1940 Std. mil.)		1.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.4	-		2.5	-		0.4	-
. HP 2000 (1940 Std. mil.)		1.3	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Residential fires (E890-E899)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	4	2.0	1.02	2	2.0	1.40	2	2.1	1.48
5-9	1	0.5	0.52	1	1.0	1.00	0	0.0	0.00
10-14	2	1.1	0.79	2	2.2	1.55	0	0.0	0.00
15-19	3	1.8	1.05	1	1.2	1.18	2	2.5	1.78
20-24	2	1.1	0.80	1	1.1	1.11	1	1.2	1.16
25-29	2	1.0	0.69	1	1.0	0.96	1	1.0	0.98
30-34	1	0.4	0.40	1	0.8	0.79	0	0.0	0.00
35-39	2	0.8	0.55	1	0.8	0.78	1	0.8	0.78
40-44	2	0.9	0.63	2	1.8	1.28	0	0.0	0.00
45-49	3	1.5	0.86	2	2.0	1.42	1	1.0	0.98
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	3	2.4	1.36	2	3.2	2.28	1	1.5	1.53
60-64	2	1.7	1.18	1	1.7	1.73	1	1.6	1.60
65-69	1	0.8	0.81	0	0.0	0.00	1	1.5	1.48
70-74	1	0.9	0.88	1	2.0	2.03	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	2	3.3	2.35	0	0.0	0.00	2	5.1	3.62
85+	4	7.8	3.90	2	14.8	10.49	2	5.3	3.74
Total deaths	35			20			15		
Connecticut									
. Crude rate		1.2	-		1.4	-		1.0	-
. AAMR (1940 Std. mil.)		1.1	0.21		1.4	0.33		0.9	0.28
. AAMR (1970 Std. mil.)		1.2	0.22		1.5	0.34		1.0	0.28
. AAMR (2000 Std. mil.)		1.2	0.21		1.5	0.35		1.0	0.26
. HP 2000 (1940 Std. mil.)		0.5	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.2	-		1.7	-		1.0	-
. HP 2000 (1940 Std. mil.)		1.2	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
- . THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Suicide (E950-E959)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	3	1.7	0.97	3	3.3	1.90	0	0.0	0.00
15-19	14	8.5	2.28	12	14.1	4.08	2	2.5	1.78
20-24	22	12.5	2.66	19	21.1	4.83	3	3.5	2.01
25-29	29	14.1	2.61	25	24.1	4.82	4	3.9	1.95
30-34	34	13.4	2.30	28	22.1	4.17	6	4.8	1.94
35-39	27	10.6	2.03	21	16.5	3.60	6	4.7	1.91
40-44	25	11.1	2.22	20	18.0	4.04	5	4.4	1.95
45-49	27	13.4	2.58	15	15.1	3.90	12	11.7	3.39
50-54	14	8.6	2.31	10	12.6	3.99	4	4.8	2.42
55-59	18	14.1	3.33	14	22.6	6.04	4	6.1	3.06
60-64	22	18.3	3.90	15	26.0	6.72	7	11.2	4.22
65-69	15	12.1	3.13	9	16.1	5.36	6	8.9	3.62
70-74	9	7.9	2.63	7	14.2	5.38	2	3.1	2.18
75-79	12	13.0	3.75	9	24.3	8.11	3	5.4	3.13
80-84	14	23.2	6.21	10	47.3	14.94	4	10.2	5.12
85+	11	21.4	6.46	11	81.6	24.61	0	0.0	0.00
Total deaths	296			228			68		
Connecticut									
. Crude rate		10.2	-		16.2	-		4.6	-
. AAMR (1940 Std. mil.)		9.2	0.57		14.7	1.03		4.0	0.51
. AAMR (1970 Std. mil.)		8.9	0.55		14.5	1.00		3.9	0.50
. AAMR (2000 Std. mil.)		9.9	0.58		16.3	1.10		4.3	0.53
. HP 2000 (1940 Std. mil.)		6.7	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		11.3	-		18.7	-		4.1	-
. HP 2000 (1940 Std. mil.)		10.5	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Homicide and legal intervention (E960-E978)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	1.5	0.88	0	0.0	0.00	3	3.1	1.81
5-9	1	0.5	0.52	0	0.0	0.00	1	1.1	1.06
10-14	1	0.6	0.56	1	1.1	1.10	0	0.0	0.00
15-19	21	12.8	2.79	15	17.7	4.56	6	7.6	3.09
20-24	21	11.9	2.59	19	21.1	4.83	2	2.3	1.64
25-29	16	7.8	1.94	12	11.6	3.34	4	3.9	1.95
30-34	15	5.9	1.53	9	7.1	2.36	6	4.8	1.94
35-39	5	2.0	0.87	4	3.1	1.57	1	0.8	0.78
40-44	8	3.6	1.26	6	5.4	2.21	2	1.7	1.24
45-49	6	3.0	1.22	5	5.0	2.25	1	1.0	0.98
50-54	5	3.1	1.38	4	5.0	2.52	1	1.2	1.21
55-59	3	2.4	1.36	3	4.8	2.79	0	0.0	0.00
60-64	1	0.8	0.83	1	1.7	1.73	0	0.0	0.00
65-69	3	2.4	1.40	2	3.6	2.53	1	1.5	1.48
70-74	2	1.8	1.24	0	0.0	0.00	2	3.1	2.18
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	1	1.7	1.66	0	0.0	0.00	1	2.6	2.56
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	112			81			31		
Connecticut									
. Crude rate		3.9	-		5.7	-		2.1	-
. AAMR (1940 Std. mil.)		4.6	0.45		6.7	0.76		2.4	0.45
. AAMR (1970 Std. mil.)		4.2	0.42		6.1	0.71		2.2	0.43
. AAMR (2000 Std. mil.)		4.0	0.38		5.8	0.65		2.1	0.39
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		10.3	-		16.4	-		4.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Homicide (E960-E969)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	1.5	0.88	0	0.0	0.00	3	3.1	1.81
5-9	1	0.5	0.52	0	0.0	0.00	1	1.1	1.06
10-14	1	0.6	0.56	1	1.1	1.10	0	0.0	0.00
15-19	21	12.8	2.79	15	17.7	4.56	6	7.6	3.09
20-24	21	11.9	2.59	19	21.1	4.83	2	2.3	1.64
25-29	16	7.8	1.94	12	11.6	3.34	4	3.9	1.95
30-34	15	5.9	1.53	9	7.1	2.36	6	4.8	1.94
35-39	5	2.0	0.87	4	3.1	1.57	1	0.8	0.78
40-44	8	3.6	1.26	6	5.4	2.21	2	1.7	1.24
45-49	6	3.0	1.22	5	5.0	2.25	1	1.0	0.98
50-54	5	3.1	1.38	4	5.0	2.52	1	1.2	1.21
55-59	3	2.4	1.36	3	4.8	2.79	0	0.0	0.00
60-64	1	0.8	0.83	1	1.7	1.73	0	0.0	0.00
65-69	3	2.4	1.40	2	3.6	2.53	1	1.5	1.48
70-74	2	1.8	1.24	0	0.0	0.00	2	3.1	2.18
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	1	1.7	1.66	0	0.0	0.00	1	2.6	2.56
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	112			81			31		
Connecticut									
. Crude rate		3.9	-		5.7	-		2.1	-
. AAMR (1940 Std. mil.)		4.6	0.45		6.7	0.76		2.4	0.45
. AAMR (1970 Std. mil.)		4.2	0.42		6.1	0.71		2.2	0.43
. AAMR (2000 Std. mil.)		4.0	0.38		5.8	0.65		2.1	0.39
. HP 2000 (1940 Std. mil.)		5.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		10.1	-		15.9	-		4.0	-
. HP 2000 (1940 Std. mil.)		7.2	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: CT rate is lower

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All injury (E800-E999)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	17	8.6	2.10	9	8.9	2.97	8	8.4	2.96
5-9	8	4.1	1.46	6	6.0	2.46	2	2.1	1.50
10-14	22	12.3	2.63	16	17.6	4.40	6	6.9	2.81
15-19	84	51.1	5.58	58	68.4	8.97	26	32.8	6.42
20-24	96	54.4	5.55	78	86.4	9.79	18	20.8	4.91
25-29	116	56.3	5.22	99	95.5	9.60	17	16.6	4.02
30-34	116	45.8	4.26	92	72.5	7.56	24	19.0	3.88
35-39	109	42.6	4.08	85	66.7	7.23	24	18.7	3.82
40-44	100	44.4	4.44	84	75.8	8.27	16	14.0	3.49
45-49	77	38.2	4.35	53	53.3	7.32	24	23.5	4.79
50-54	41	25.3	3.95	29	36.6	6.79	12	14.5	4.19
55-59	51	40.1	5.61	39	62.9	10.08	12	18.4	5.31
60-64	47	39.1	5.70	31	53.8	9.66	16	25.5	6.38
65-69	54	43.7	5.95	32	57.2	10.11	22	32.5	6.93
70-74	66	57.8	7.11	37	75.2	12.36	29	44.6	8.29
75-79	79	85.5	9.62	40	108.1	17.09	39	70.4	11.28
80-84	89	147.7	15.66	48	226.8	32.74	41	104.9	16.38
85+	143	278.6	23.30	62	460.0	58.43	81	214.0	23.78
Total deaths	1,315			898			417		
Connecticut									
. Crude rate		45.3	-		63.7	-		27.9	-
. AAMR (1940 Std. mil.)		38.0	1.18		57.4	2.05		19.3	1.17
. AAMR (1970 Std. mil.)		38.5	1.15		57.6	2.01		21.0	1.18
. AAMR (2000 Std. mil.)		43.5	1.21		65.6	2.23		24.2	1.22
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		53.0	-		80.9	-		25.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All motor vehicle accidents (E810-E819,E958.5,E988.5)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	1.5	0.88	2	2.0	1.40	1	1.0	1.05
5-9	2	1.0	0.73	2	2.0	1.42	0	0.0	0.00
10-14	12	6.7	1.94	8	8.8	3.11	4	4.6	2.29
15-19	33	20.1	3.50	20	23.6	5.27	13	16.4	4.54
20-24	42	23.8	3.67	32	35.5	6.27	10	11.6	3.66
25-29	31	15.0	2.70	26	25.1	4.92	5	4.9	2.18
30-34	20	7.9	1.77	15	11.8	3.05	5	4.0	1.77
35-39	18	7.0	1.66	14	11.0	2.94	4	3.1	1.56
40-44	13	5.8	1.60	10	9.0	2.85	3	2.6	1.51
45-49	14	6.9	1.86	10	10.1	3.18	4	3.9	1.96
50-54	11	6.8	2.05	7	8.8	3.33	4	4.8	2.42
55-59	13	10.2	2.83	10	16.1	5.10	3	4.6	2.65
60-64	9	7.5	2.49	5	8.7	3.88	4	6.4	3.19
65-69	12	9.7	2.80	8	14.3	5.06	4	5.9	2.96
70-74	17	14.9	3.61	9	18.3	6.10	8	12.3	4.35
75-79	13	14.1	3.90	3	8.1	4.68	10	18.1	5.71
80-84	12	19.9	5.75	8	37.8	13.36	4	10.2	5.12
85+	11	21.4	6.46	7	51.9	19.63	4	10.6	5.28
Total deaths	286			196			90		
Connecticut									
. Crude rate		9.9	-		13.9	-		6.0	-
. AAMR (1940 Std. mil.)		10.0	0.64		14.2	1.07		5.8	0.70
. AAMR (1970 Std. mil.)		9.9	0.62		14.0	1.04		6.0	0.70
. AAMR (2000 Std. mil.)		9.9	0.59		14.2	1.03		5.9	0.64
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		15.8	-		22.0	-		9.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All falls (E880-E886,E888,E957,E968.1,E987)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	0.6	0.61	1	1.2	1.18	0	0.0	0.00
20-24	2	1.1	0.80	2	2.2	1.57	0	0.0	0.00
25-29	3	1.5	0.84	3	2.9	1.67	0	0.0	0.00
30-34	2	0.8	0.56	2	1.6	1.11	0	0.0	0.00
35-39	7	2.7	1.03	5	3.9	1.75	2	1.6	1.10
40-44	2	0.9	0.63	2	1.8	1.28	0	0.0	0.00
45-49	8	4.0	1.40	4	4.0	2.01	4	3.9	1.96
50-54	5	3.1	1.38	3	3.8	2.18	2	2.4	1.71
55-59	5	3.9	1.76	4	6.5	3.23	1	1.5	1.53
60-64	6	5.0	2.04	5	8.7	3.88	1	1.6	1.60
65-69	5	4.0	1.81	4	7.1	3.57	1	1.5	1.48
70-74	12	10.5	3.03	6	12.2	4.98	6	9.2	3.77
75-79	14	15.2	4.05	5	13.5	6.04	9	16.3	5.42
80-84	22	36.5	7.79	13	61.4	17.04	9	23.0	7.68
85+	43	83.8	12.78	16	118.7	29.68	27	71.3	13.73
Total deaths	137			75			62		
Connecticut									
. Crude rate		4.7	-		5.3	-		4.2	-
. AAMR (1940 Std. mil.)		2.3	0.24		3.4	0.44		1.4	0.23
. AAMR (1970 Std. mil.)		3.0	0.28		4.4	0.52		2.0	0.28
. AAMR (2000 Std. mil.)		4.3	0.37		6.1	0.72		3.0	0.39
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.5	-		3.4	-		1.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	1	0.5	0.52	0	0.0	0.00	1	1.1	1.06
10-14	3	1.7	0.97	3	3.3	1.90	0	0.0	0.00
15-19	24	14.6	2.98	21	24.7	5.40	3	3.8	2.18
20-24	32	18.1	3.20	29	32.1	5.97	3	3.5	2.01
25-29	26	12.6	2.47	22	21.2	4.52	4	3.9	1.95
30-34	22	8.7	1.85	18	14.2	3.34	4	3.2	1.58
35-39	8	3.1	1.11	7	5.5	2.08	1	0.8	0.78
40-44	21	9.3	2.03	19	17.1	3.93	2	1.7	1.24
45-49	17	8.4	2.05	13	13.1	3.63	4	3.9	1.96
50-54	6	3.7	1.51	5	6.3	2.82	1	1.2	1.21
55-59	13	10.2	2.83	12	19.4	5.59	1	1.5	1.53
60-64	4	3.3	1.66	4	6.9	3.47	0	0.0	0.00
65-69	7	5.7	2.14	6	10.7	4.38	1	1.5	1.48
70-74	5	4.4	1.96	4	8.1	4.06	1	1.5	1.54
75-79	6	6.5	2.65	6	16.2	6.62	0	0.0	0.00
80-84	4	6.6	3.32	3	14.2	8.18	1	2.6	2.56
85+	6	11.7	4.77	6	44.5	18.18	0	0.0	0.00
Total deaths	205			178			27		
Connecticut									
. Crude rate		7.1	-		12.6	-		1.8	-
. AAMR (1940 Std. mil.)		7.4	0.55		13.0	1.03		2.0	0.40
. AAMR (1970 Std. mil.)		7.0	0.52		12.5	0.98		1.8	0.37
. AAMR (2000 Std. mil.)		7.1	0.50		12.9	0.98		1.8	0.36
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		14.9	-		26.1	-		4.2	-
. HP 2000 (1940 Std. mil.)		11.6	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: CT rate is lower

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Firearm suicide (E955.0-.4)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	2	1.1	0.79	2	2.2	1.55	0	0.0	0.00
15-19	7	4.3	1.61	7	8.2	3.12	0	0.0	0.00
20-24	14	7.9	2.12	12	13.3	3.84	2	2.3	1.64
25-29	15	7.3	1.88	13	12.5	3.48	2	2.0	1.38
30-34	14	5.5	1.48	12	9.5	2.73	2	1.6	1.12
35-39	3	1.2	0.68	3	2.4	1.36	0	0.0	0.00
40-44	16	7.1	1.78	14	12.6	3.38	2	1.7	1.24
45-49	13	6.4	1.79	9	9.1	3.02	4	3.9	1.96
50-54	3	1.9	1.07	3	3.8	2.18	0	0.0	0.00
55-59	11	8.6	2.61	10	16.1	5.10	1	1.5	1.53
60-64	4	3.3	1.66	4	6.9	3.47	0	0.0	0.00
65-69	6	4.9	1.98	6	10.7	4.38	0	0.0	0.00
70-74	4	3.5	1.75	4	8.1	4.06	0	0.0	0.00
75-79	6	6.5	2.65	6	16.2	6.62	0	0.0	0.00
80-84	4	6.6	3.32	3	14.2	8.18	1	2.6	2.56
85+	6	11.7	4.77	6	44.5	18.18	0	0.0	0.00
Total deaths	128			114			14		
Connecticut									
. Crude rate		4.4	-		8.1	-		0.9	-
. AAMR (1940 Std. mil.)		4.2	0.40		7.5	0.75		-	-
. AAMR (1970 Std. mil.)		4.0	0.38		7.5	0.73		-	-
. AAMR (2000 Std. mil.)		4.3	0.39		8.3	0.79		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.8	-		11.9	-		1.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Firearm homicide (E965.0-.4)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	1	0.5	0.52	0	0.0	0.00	1	1.1	1.06
10-14	1	0.6	0.56	1	1.1	1.10	0	0.0	0.00
15-19	15	9.1	2.36	12	14.1	4.08	3	3.8	2.18
20-24	18	10.2	2.40	17	18.8	4.57	1	1.2	1.16
25-29	9	4.4	1.46	7	6.8	2.55	2	2.0	1.38
30-34	7	2.8	1.05	6	4.7	1.93	1	0.8	0.79
35-39	4	1.6	0.78	3	2.4	1.36	1	0.8	0.78
40-44	5	2.2	0.99	5	4.5	2.02	0	0.0	0.00
45-49	4	2.0	0.99	4	4.0	2.01	0	0.0	0.00
50-54	3	1.9	1.07	2	2.5	1.78	1	1.2	1.21
55-59	2	1.6	1.11	2	3.2	2.28	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	0.8	0.81	0	0.0	0.00	1	1.5	1.48
70-74	1	0.9	0.88	0	0.0	0.00	1	1.5	1.54
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	71			59			12		
Connecticut									
. Crude rate		2.4	-		4.2	-		0.8	-
. AAMR (1940 Std. mil.)		3.0	0.37		5.0	0.67		-	-
. AAMR (1970 Std. mil.)		2.8	0.35		4.6	0.63		-	-
. AAMR (2000 Std. mil.)		2.6	0.31		4.3	0.56		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		7.5	-		12.4	-		2.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
 U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
 for
 Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	2	1.1	0.80	2	2.2	1.57	0	0.0	0.00
25-29	2	1.0	0.69	2	1.9	1.36	0	0.0	0.00
30-34	3	1.2	0.68	3	2.4	1.37	0	0.0	0.00
35-39	12	4.7	1.35	9	7.1	2.35	3	2.3	1.35
40-44	27	12.0	2.31	19	17.1	3.93	8	7.0	2.47
45-49	20	9.9	2.22	15	15.1	3.90	5	4.9	2.19
50-54	19	11.7	2.69	16	20.2	5.04	3	3.6	2.10
55-59	14	11.0	2.94	12	19.4	5.59	2	3.1	2.17
60-64	17	14.1	3.43	13	22.6	6.25	4	6.4	3.19
65-69	22	17.8	3.80	16	28.6	7.15	6	8.9	3.62
70-74	9	7.9	2.63	5	10.2	4.54	4	6.2	3.08
75-79	9	9.7	3.25	6	16.2	6.62	3	5.4	3.13
80-84	2	3.3	2.35	2	9.5	6.68	0	0.0	0.00
85+	2	3.9	2.76	2	14.8	10.49	0	0.0	0.00
Total deaths	160			122			38		
Connecticut									
. Crude rate		5.5	-		8.6	-		2.5	-
. AAMR (1940 Std. mil.)		4.5	0.37		7.2	0.67		1.9	0.33
. AAMR (1970 Std. mil.)		4.6	0.37		7.5	0.69		2.0	0.33
. AAMR (2000 Std. mil.)		5.4	0.43		8.7	0.80		2.4	0.39
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.9	-		10.9	-		3.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
 . The CT HP 2000 target: No comparison is available
 . The U.S. AAMR (1940 Std. mil.): CT rate is lower
 . THE U.S. HP 2000 target: No comparison is available

Connecticut White Resident Age-Specific Mortality Rates by Sex, 1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	0.6	0.61	1	1.2	1.18	0	0.0	0.00
20-24	4	2.3	1.13	2	2.2	1.57	2	2.3	1.64
25-29	28	13.6	2.57	23	22.2	4.63	5	4.9	2.18
30-34	32	12.6	2.23	24	18.9	3.86	8	6.3	2.24
35-39	49	19.2	2.74	35	27.5	4.64	14	10.9	2.91
40-44	40	17.8	2.81	34	30.7	5.26	6	5.2	2.14
45-49	14	6.9	1.86	10	10.1	3.18	4	3.9	1.96
50-54	5	3.1	1.38	4	5.0	2.52	1	1.2	1.21
55-59	4	3.1	1.57	2	3.2	2.28	2	3.1	2.17
60-64	1	0.8	0.83	1	1.7	1.73	0	0.0	0.00
65-69	1	0.8	0.81	0	0.0	0.00	1	1.5	1.48
70-74	3	2.6	1.52	2	4.1	2.87	1	1.5	1.54
75-79	1	1.1	1.08	1	2.7	2.70	0	0.0	0.00
80-84	4	6.6	3.32	1	4.7	4.73	3	7.7	4.43
85+	1	1.9	1.95	0	0.0	0.00	1	2.6	2.64
Total deaths	188			140			48		
Connecticut									
. Crude rate		6.5	-		9.9	-		3.2	-
. AAMR (1940 Std. mil.)		5.9	0.44		8.9	0.77		2.8	0.43
. AAMR (1970 Std. mil.)		4.9	0.37		7.5	0.64		2.4	0.36
. AAMR (2000 Std. mil.)		6.1	0.45		9.3	0.79		3.0	0.44
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.0	-		7.0	-		3.0	-
. HP 2000 (1940 Std. mil.)		3.0	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: CT rate is higher