

## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995-1996

## Causes of Death for the Age-Specific Mortality Tables

	Page		Page
All causes	2	Hypertension with or without renal disease	33
Infectious diseases and parasitic disease	3	Hypertension-related	34
Septicemia	4	Cerebrovascular disease	35
Septicemia-related	5	Atherosclerosis	36
HIV infection	6	Atherosclerosis-related	37
All cancer	7	Aortic aneurysm	38
Oral cavity or pharynx	8	Pneumonia & influenza	39
Colorectal cancer	9	Chronic obstructive pulmonary disease	40
Colon cancer	10	COPD-related	41
Rectal cancer	11	Asthma	42
Pancreatic cancer	12	Chronic liver disease and cirrhosis	43
Lung and other respiratory cancer	13	Nephritis, nephrotic syndrome/nephrosis	44
Lung cancer	14	Nephritis-related	45
Malignant melanoma of skin	15	End stage renal disease	46
Female breast cancer	16	Unintentional injuries	47
Cervical cancer	17	Motor vehicle accidents	48
Endometrial cancer	18	Falls and fall related injuries	49
Ovarian cancer	19	Drowning	50
Prostate cancer	20	Residential fires	51
Bladder cancer	21	Suicide	52
Brain & other CNS cancer	22	Homicide and legal intervention	53
Leukemia	23	Homicide	54
Diabetes mellitus	24	All injury	55
Diabetes-related	25	All motor vehicle accidents	56
Diabetic ketoacidosis	26	All falls	57
Alzheimer's diseases	27	All firearms	58
Cardiovascular disease	28	Suicide	59
Diseases of the heart	29	Homicide	60
Heart disease-related	30	All poisoning	61
Coronary heart disease	31	Alcohol-induced	62
Congestive heart failure	32	Drug-induced	63



## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Infectious diseases and parasitic disease (1-139)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	12	3.2	0.92	5	2.6	1.15	7	3.8	1.44
5-9	2	0.5	0.36	1	0.5	0.49	1	0.5	0.52
10-14	6	1.7	0.67	3	1.6	0.93	3	1.7	0.97
15-19	2	0.6	0.42	0	0.0	0.00	2	1.2	0.88
20-24	3	0.9	0.53	3	1.8	1.04	0	0.0	0.00
25-29	45	11.5	1.71	30	15.2	2.77	15	7.7	1.99
30-34	126	25.8	2.30	94	38.3	3.95	32	13.1	2.32
35-39	156	30.1	2.41	122	47.2	4.27	34	13.1	2.25
40-44	126	27.1	2.41	101	44.0	4.38	25	10.6	2.12
45-49	121	29.1	2.64	92	44.8	4.67	29	13.8	2.56
50-54	62	18.5	2.34	50	30.4	4.30	12	7.0	2.02
55-59	46	18.0	2.66	31	24.9	4.47	15	11.5	2.96
60-64	45	19.6	2.92	33	29.9	5.20	12	10.1	2.90
65-69	69	28.6	3.44	37	33.4	5.50	32	24.4	4.32
70-74	87	38.6	4.14	46	47.4	6.99	41	32.0	5.00
75-79	152	80.4	6.52	79	103.3	11.62	73	64.9	7.60
80-84	177	141.0	10.60	88	194.4	20.72	89	110.9	11.75
85+	284	262.1	15.55	90	311.6	32.85	194	244.1	17.52
Total deaths	1,521			905			616		
Connecticut									
. Crude rate		26.3	-		32.1	-		20.7	-
. AAMR (1940 Std. mil.)		15.9	0.47		22.9	0.81		9.5	0.49
. AAMR (1970 Std. mil.)		17.6	0.47		24.6	0.83		11.4	0.52
. AAMR (2000 Std. mil.)		23.5	0.61		32.8	1.11		15.6	0.65
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		23.4	-		35.5	-		11.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Septicemia (038)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	4	1.1	0.53	2	1.0	0.73	2	1.1	0.77
5-9	1	0.3	0.25	0	0.0	0.00	1	0.5	0.52
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	2	0.5	0.36	2	1.0	0.71	0	0.0	0.00
30-34	2	0.4	0.29	0	0.0	0.00	2	0.8	0.58
35-39	6	1.2	0.47	6	2.3	0.95	0	0.0	0.00
40-44	7	1.5	0.57	4	1.7	0.87	3	1.3	0.73
45-49	9	2.2	0.72	5	2.4	1.09	4	1.9	0.95
50-54	13	3.9	1.07	10	6.1	1.92	3	1.8	1.01
55-59	12	4.7	1.36	7	5.6	2.13	5	3.8	1.71
60-64	26	11.3	2.22	17	15.4	3.73	9	7.5	2.51
65-69	43	17.8	2.71	22	19.9	4.24	21	16.0	3.50
70-74	67	29.7	3.63	35	36.0	6.09	32	25.0	4.41
75-79	115	60.9	5.68	59	77.1	10.04	56	49.8	6.65
80-84	156	124.3	9.95	77	170.1	19.38	79	98.4	11.07
85+	250	230.7	14.59	79	273.5	30.77	171	215.2	16.45
Total deaths	713			325			388		
Connecticut									
. Crude rate		12.3	-		11.5	-		13.1	-
. AAMR (1940 Std. mil.)		4.5	0.21		5.7	0.35		3.6	0.25
. AAMR (1970 Std. mil.)		7.0	0.28		8.8	0.50		5.8	0.33
. AAMR (2000 Std. mil.)		10.4	0.39		13.1	0.74		8.8	0.45
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.0	-		4.5	-		3.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is higher  
. THE U.S. HP 2000 target: No comparison is available



## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----HIV infection (042-044)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.3	0.26	0	0.0	0.00	1	0.5	0.54
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	5	1.4	0.62	3	1.6	0.93	2	1.1	0.79
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	3	0.9	0.53	3	1.8	1.04	0	0.0	0.00
25-29	37	9.4	1.55	24	12.1	2.48	13	6.7	1.86
30-34	114	23.3	2.18	85	34.7	3.76	29	11.9	2.21
35-39	137	26.5	2.26	105	40.6	3.96	32	12.3	2.18
40-44	107	23.0	2.22	87	37.9	4.07	20	8.5	1.89
45-49	92	22.1	2.31	77	37.5	4.28	15	7.1	1.84
50-54	40	11.9	1.88	34	20.7	3.54	6	3.5	1.43
55-59	21	8.2	1.80	14	11.2	3.01	7	5.4	2.02
60-64	6	2.6	1.07	6	5.4	2.22	0	0.0	0.00
65-69	4	1.7	0.83	4	3.6	1.81	0	0.0	0.00
70-74	1	0.4	0.44	1	1.0	1.03	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	1	0.8	0.80	1	2.2	2.21	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	569			444			125		
Connecticut									
. Crude rate		9.8	-		15.8	-		4.2	-
. AAMR (1940 Std. mil.)		8.9	0.38		13.8	0.66		4.0	0.36
. AAMR (1970 Std. mil.)		7.5	0.32		11.8	0.57		3.3	0.31
. AAMR (2000 Std. mil.)		9.4	0.40		14.8	0.71		4.1	0.37
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		15.6	-		26.2	-		5.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----All cancer (140-208)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	7	1.9	0.70	5	2.6	1.15	2	1.1	0.77
5-9	13	3.3	0.91	12	5.9	1.71	1	0.5	0.52
10-14	9	2.5	0.83	4	2.2	1.08	5	2.8	1.26
15-19	10	3.0	0.95	8	4.6	1.64	2	1.2	0.88
20-24	15	4.6	1.19	11	6.6	1.99	4	2.5	1.27
25-29	36	9.2	1.53	21	10.6	2.32	15	7.7	1.99
30-34	62	12.7	1.61	37	15.1	2.48	25	10.3	2.05
35-39	127	24.5	2.18	52	20.1	2.79	75	28.9	3.34
40-44	214	46.0	3.14	94	41.0	4.23	120	50.8	4.64
45-49	356	85.6	4.54	156	76.0	6.09	200	94.9	6.71
50-54	590	175.6	7.23	276	167.7	10.09	314	183.2	10.34
55-59	751	294.2	10.74	393	315.7	15.93	358	273.7	14.47
60-64	1,097	477.5	14.42	569	515.4	21.61	528	442.5	19.26
65-69	1,666	689.5	16.89	904	816.8	27.17	762	581.9	21.08
70-74	2,141	950.4	20.54	1,148	1182.4	34.90	993	774.8	24.59
75-79	2,318	1226.7	25.48	1,182	1545.3	44.95	1,136	1010.1	29.97
80-84	1,923	1531.9	34.93	952	2103.1	68.16	971	1209.7	38.82
85+	1,976	1823.5	41.02	825	2856.4	99.45	1,151	1448.2	42.69
Total deaths	13,311			6,649			6,662		
Connecticut									
. Crude rate		230.1	-		236.2	-		224.4	-
. AAMR (1940 Std. mil.)		119.6	1.19		139.1	1.85		106.3	1.56
. AAMR (1970 Std. mil.)		159.3	1.45		191.9	2.39		138.5	1.84
. AAMR (2000 Std. mil.)		200.8	1.75		248.7	3.10		172.9	2.16
. HP 2000 (1940 Std. mil.)		120.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		129.9	-		156.8	-		110.5	-
. HP 2000 (1940 Std. mil.)		130.0	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: CT rate is not significantly different  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: CT rate is lower

## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Oral cavity or pharynx (140.0-149.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	0.3	0.26	1	0.5	0.51	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	0.2	0.19	1	0.4	0.39	0	0.0	0.00
40-44	3	0.6	0.37	1	0.4	0.44	2	0.8	0.60
45-49	7	1.7	0.64	5	2.4	1.09	2	0.9	0.67
50-54	10	3.0	0.94	10	6.1	1.92	0	0.0	0.00
55-59	16	6.3	1.57	14	11.2	3.01	2	1.5	1.08
60-64	24	10.4	2.13	17	15.4	3.73	7	5.9	2.22
65-69	26	10.8	2.11	20	18.1	4.04	6	4.6	1.87
70-74	39	17.3	2.77	27	27.8	5.35	12	9.4	2.70
75-79	22	11.6	2.48	11	14.4	4.34	11	9.8	2.95
80-84	15	11.9	3.09	4	8.8	4.42	11	13.7	4.13
85+	17	15.7	3.80	8	27.7	9.79	9	11.3	3.77
Total deaths	181			119			62		
Connecticut									
. Crude rate		3.1	-		4.2	-		2.1	-
. AAMR (1940 Std. mil.)		1.9	0.16		3.0	0.29		0.9	0.14
. AAMR (1970 Std. mil.)		2.4	0.18		3.7	0.34		1.3	0.17
. AAMR (2000 Std. mil.)		2.8	0.21		4.3	0.40		1.6	0.20
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.2	-		3.2	-		1.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: No comparison is available



## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Colorectal cancer (153.0-154.3,154.8,159.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	0.3	0.30	1	0.6	0.58	0	0.0	0.00
20-24	1	0.3	0.31	1	0.6	0.60	0	0.0	0.00
25-29	1	0.3	0.26	0	0.0	0.00	1	0.5	0.51
30-34	4	0.8	0.41	3	1.2	0.71	1	0.4	0.41
35-39	4	0.8	0.39	2	0.8	0.55	2	0.8	0.55
40-44	18	3.9	0.91	11	4.8	1.45	7	3.0	1.12
45-49	22	5.3	1.13	16	7.8	1.95	6	2.8	1.16
50-54	44	13.1	1.97	33	20.0	3.49	11	6.4	1.94
55-59	67	26.2	3.21	38	30.5	4.95	29	22.2	4.12
60-64	95	41.4	4.24	56	50.7	6.78	39	32.7	5.23
65-69	171	70.8	5.41	102	92.2	9.13	69	52.7	6.34
70-74	232	103.0	6.76	126	129.8	11.56	106	82.7	8.03
75-79	245	129.7	8.28	118	154.3	14.20	127	112.9	10.02
80-84	218	173.7	11.76	89	196.6	20.84	129	160.7	14.15
85+	291	268.5	15.74	93	322.0	33.39	198	249.1	17.70
Total deaths	1,414			689			725		
Connecticut									
. Crude rate		24.4	-		24.5	-		24.4	-
. AAMR (1940 Std. mil.)		11.4	0.35		14.3	0.59		9.1	0.42
. AAMR (1970 Std. mil.)		16.0	0.45		19.9	0.77		13.1	0.53
. AAMR (2000 Std. mil.)		21.0	0.56		25.8	1.00		17.5	0.66
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		12.8	-		15.4	-		10.6	-
. HP 2000 (1940 Std. mil.)		13.2	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: CT rate is lower





## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Pancreatic cancer (157)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	3	0.6	0.35	3	1.2	0.71	0	0.0	0.00
35-39	3	0.6	0.33	3	1.2	0.67	0	0.0	0.00
40-44	6	1.3	0.53	5	2.2	0.97	1	0.4	0.42
45-49	22	5.3	1.13	14	6.8	1.82	8	3.8	1.34
50-54	25	7.4	1.49	14	8.5	2.27	11	6.4	1.94
55-59	40	15.7	2.48	21	16.9	3.68	19	14.5	3.33
60-64	64	27.9	3.48	26	23.5	4.62	38	31.8	5.17
65-69	83	34.3	3.77	49	44.3	6.32	34	26.0	4.45
70-74	136	60.4	5.18	65	66.9	8.30	71	55.4	6.57
75-79	143	75.7	6.33	55	71.9	9.70	88	78.2	8.34
80-84	90	71.7	7.56	36	79.5	13.25	54	67.3	9.16
85+	117	108.0	9.98	35	121.2	20.48	82	103.2	11.39
Total deaths	732			326			406		
Connecticut									
. Crude rate		12.7	-		11.6	-		13.7	-
. AAMR (1940 Std. mil.)		6.4	0.27		7.0	0.42		5.8	0.35
. AAMR (1970 Std. mil.)		8.7	0.34		9.4	0.53		8.0	0.44
. AAMR (2000 Std. mil.)		11.0	0.41		12.0	0.67		10.2	0.52
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.2	-		7.2	-		5.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Lung and other respiratory cancer (160-165)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	0.3	0.26	1	0.5	0.51	0	0.0	0.00
30-34	2	0.4	0.29	2	0.8	0.58	0	0.0	0.00
35-39	17	3.3	0.80	5	1.9	0.87	12	4.6	1.34
40-44	47	10.1	1.47	22	9.6	2.04	25	10.6	2.12
45-49	77	18.5	2.11	38	18.5	3.00	39	18.5	2.96
50-54	163	48.5	3.80	83	50.4	5.53	80	46.7	5.22
55-59	247	96.8	6.16	143	114.9	9.61	104	79.5	7.80
60-64	371	161.5	8.38	214	193.8	13.25	157	131.6	10.50
65-69	581	240.4	9.98	340	307.2	16.66	241	184.0	11.85
70-74	681	302.3	11.58	414	426.4	20.96	267	208.3	12.75
75-79	632	334.5	13.30	358	468.0	24.74	274	243.6	14.72
80-84	512	407.9	18.02	289	638.4	37.55	223	277.8	18.60
85+	300	276.9	15.98	151	522.8	42.54	149	187.5	15.36
Total deaths	3,631			2,060			1,571		
Connecticut									
. Crude rate		62.8	-		73.2	-		52.9	-
. AAMR (1940 Std. mil.)		34.7	0.64		44.6	1.05		27.3	0.79
. AAMR (1970 Std. mil.)		45.5	0.79		60.4	1.35		35.0	0.95
. AAMR (2000 Std. mil.)		54.9	0.92		74.8	1.67		41.8	1.08
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		39.6	-		55.2	-		27.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Lung cancer (162.2-.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	0.3	0.26	1	0.5	0.51	0	0.0	0.00
30-34	2	0.4	0.29	2	0.8	0.58	0	0.0	0.00
35-39	15	2.9	0.75	4	1.5	0.77	11	4.2	1.28
40-44	45	9.7	1.44	21	9.2	2.00	24	10.2	2.07
45-49	75	18.0	2.08	37	18.0	2.96	38	18.0	2.93
50-54	157	46.7	3.73	78	47.4	5.37	79	46.1	5.19
55-59	239	93.6	6.06	135	108.5	9.33	104	79.5	7.80
60-64	359	156.3	8.25	205	185.7	12.97	154	129.1	10.40
65-69	557	230.5	9.77	322	290.9	16.21	235	179.5	11.71
70-74	667	296.1	11.47	402	414.0	20.65	265	206.8	12.70
75-79	617	326.5	13.15	348	455.0	24.39	269	239.2	14.58
80-84	502	399.9	17.85	281	620.8	37.03	221	275.3	18.52
85+	290	267.6	15.72	145	502.0	41.69	145	182.4	15.15
Total deaths	3,526			1,981			1,545		
Connecticut									
. Crude rate		61.0	-		70.4	-		52.0	-
. AAMR (1940 Std. mil.)		33.6	0.63		42.7	1.03		26.9	0.79
. AAMR (1970 Std. mil.)		44.1	0.77		58.0	1.32		34.5	0.94
. AAMR (2000 Std. mil.)		53.3	0.90		72.0	1.64		41.1	1.07
. HP 2000 (1940 Std. mil.)		42.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		38.3	-		52.8	-		26.9	-
. HP 2000 (1940 Std. mil.)		42.0	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Malignant melanoma of skin (172)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	0.3	0.31	1	0.6	0.60	0	0.0	0.00
25-29	2	0.5	0.36	1	0.5	0.51	1	0.5	0.51
30-34	5	1.0	0.46	5	2.0	0.91	0	0.0	0.00
35-39	7	1.4	0.51	5	1.9	0.87	2	0.8	0.55
40-44	8	1.7	0.61	3	1.3	0.76	5	2.1	0.95
45-49	9	2.2	0.72	5	2.4	1.09	4	1.9	0.95
50-54	11	3.3	0.99	7	4.3	1.61	4	2.3	1.17
55-59	20	7.8	1.75	15	12.1	3.11	5	3.8	1.71
60-64	15	6.5	1.69	8	7.2	2.56	7	5.9	2.22
65-69	22	9.1	1.94	18	16.3	3.83	4	3.1	1.53
70-74	21	9.3	2.03	12	12.4	3.57	9	7.0	2.34
75-79	32	16.9	2.99	20	26.1	5.85	12	10.7	3.08
80-84	24	19.1	3.90	12	26.5	7.65	12	15.0	4.32
85+	18	16.6	3.92	12	41.5	11.99	6	7.5	3.08
Total deaths	195			124			71		
Connecticut									
. Crude rate		3.4	-		4.4	-		2.4	-
. AAMR (1940 Std. mil.)		2.1	0.16		2.9	0.28		1.3	0.18
. AAMR (1970 Std. mil.)		2.5	0.19		3.6	0.33		1.6	0.20
. AAMR (2000 Std. mil.)		3.0	0.22		4.6	0.42		2.0	0.24
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.8	-		2.6	-		1.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Female breast cancer (174)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	2	0.5	0.36	-	-	-	2	1.0	0.73
30-34	4	0.8	0.41	-	-	-	4	1.6	0.82
35-39	25	4.8	0.97	-	-	-	25	9.6	1.93
40-44	38	8.2	1.32	-	-	-	38	16.1	2.61
45-49	70	16.8	2.01	-	-	-	70	33.2	3.97
50-54	81	24.1	2.68	-	-	-	81	47.3	5.25
55-59	85	33.3	3.61	-	-	-	85	65.0	7.05
60-64	101	44.0	4.37	-	-	-	101	84.6	8.42
65-69	140	57.9	4.90	-	-	-	140	106.9	9.04
70-74	140	62.1	5.25	-	-	-	140	109.2	9.23
75-79	176	93.1	7.02	-	-	-	176	156.5	11.80
80-84	132	105.2	9.15	-	-	-	132	164.5	14.31
85+	155	143.0	11.49	-	-	-	155	195.0	15.66
Total deaths	1,149			-			1,149		
Connecticut									
. Crude rate		-	-		-	-		38.7	-
. AAMR (1940 Std. mil.)		-	-		-	-		21.1	0.72
. AAMR (1970 Std. mil.)		-	-		-	-		25.8	0.82
. AAMR (2000 Std. mil.)		-	-		-	-		31.4	0.95
. HP 2000 (1940 Std. mil.)		-	-		-	-		23.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		21.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		20.6	-
Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									CT rate is lower
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									CT rate is not significantly different



## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Cervical cancer (180)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	1	0.3	0.31	-	-	-	1	0.6	0.63
25-29	1	0.3	0.26	-	-	-	1	0.5	0.51
30-34	3	0.6	0.35	-	-	-	3	1.2	0.71
35-39	5	1.0	0.43	-	-	-	5	1.9	0.86
40-44	7	1.5	0.57	-	-	-	7	3.0	1.12
45-49	6	1.4	0.59	-	-	-	6	2.8	1.16
50-54	5	1.5	0.67	-	-	-	5	2.9	1.30
55-59	4	1.6	0.78	-	-	-	4	3.1	1.53
60-64	7	3.0	1.15	-	-	-	7	5.9	2.22
65-69	5	2.1	0.93	-	-	-	5	3.8	1.71
70-74	8	3.6	1.26	-	-	-	8	6.2	2.21
75-79	6	3.2	1.30	-	-	-	6	5.3	2.18
80-84	10	8.0	2.52	-	-	-	10	12.5	3.94
85+	8	7.4	2.61	-	-	-	8	10.1	3.56
Total deaths	76			-			76		
Connecticut									
. Crude rate		-	-		-	-		2.6	-
. AAMR (1940 Std. mil.)		-	-		-	-		1.6	0.21
. AAMR (1970 Std. mil.)		-	-		-	-		1.8	0.22
. AAMR (2000 Std. mil.)		-	-		-	-		2.2	0.26
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		2.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.3	-
Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									CT rate is higher
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is not significantly different

## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Endometrial cancer (182)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	1	0.2	0.21	-	-	-	1	0.4	0.42
45-49	1	0.2	0.24	-	-	-	1	0.5	0.47
50-54	3	0.9	0.52	-	-	-	3	1.8	1.01
55-59	3	1.2	0.68	-	-	-	3	2.3	1.32
60-64	6	2.6	1.07	-	-	-	6	5.0	2.05
65-69	14	5.8	1.55	-	-	-	14	10.7	2.86
70-74	17	7.5	1.83	-	-	-	17	13.3	3.22
75-79	16	8.5	2.12	-	-	-	16	14.2	3.56
80-84	17	13.5	3.28	-	-	-	17	21.2	5.14
85+	10	9.2	2.92	-	-	-	10	12.6	3.98
Total deaths	88			-			88		
Connecticut									
. Crude rate		-	-		-	-		3.0	-
. AAMR (1940 Std. mil.)		-	-		-	-		1.3	0.16
. AAMR (1970 Std. mil.)		-	-		-	-		1.8	0.21
. AAMR (2000 Std. mil.)		-	-		-	-		2.2	0.24
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		1.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									No comparison is available

## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Ovarian cancer (183)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	2	0.4	0.29	-	-	-	2	0.8	0.58
35-39	1	0.2	0.19	-	-	-	1	0.4	0.39
40-44	5	1.1	0.48	-	-	-	5	2.1	0.95
45-49	14	3.4	0.90	-	-	-	14	6.6	1.78
50-54	23	6.8	1.43	-	-	-	23	13.4	2.80
55-59	20	7.8	1.75	-	-	-	20	15.3	3.42
60-64	27	11.8	2.26	-	-	-	27	22.6	4.35
65-69	41	17.0	2.65	-	-	-	41	31.3	4.89
70-74	48	21.3	3.08	-	-	-	48	37.5	5.41
75-79	54	28.6	3.89	-	-	-	54	48.0	6.53
80-84	36	28.7	4.78	-	-	-	36	44.9	7.48
85+	54	49.8	6.78	-	-	-	54	67.9	9.25
Total deaths	325			-			325		
Connecticut									
. Crude rate		-	-		-	-		10.9	-
. AAMR (1940 Std. mil.)		-	-		-	-		5.5	0.36
. AAMR (1970 Std. mil.)		-	-		-	-		7.0	0.42
. AAMR (2000 Std. mil.)		-	-		-	-		8.6	0.49
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		6.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									No comparison is available





## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Brain & other CNS cancer (191-192)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	0.5	0.37	2	1.0	0.73	0	0.0	0.00
5-9	6	1.5	0.62	5	2.5	1.10	1	0.5	0.52
10-14	1	0.3	0.28	0	0.0	0.00	1	0.6	0.56
15-19	1	0.3	0.30	0	0.0	0.00	1	0.6	0.62
20-24	2	0.6	0.44	2	1.2	0.85	0	0.0	0.00
25-29	1	0.3	0.26	1	0.5	0.51	0	0.0	0.00
30-34	3	0.6	0.35	0	0.0	0.00	3	1.2	0.71
35-39	5	1.0	0.43	4	1.5	0.77	1	0.4	0.39
40-44	9	1.9	0.64	5	2.2	0.97	4	1.7	0.85
45-49	26	6.3	1.23	15	7.3	1.89	11	5.2	1.57
50-54	30	8.9	1.63	15	9.1	2.35	15	8.8	2.26
55-59	22	8.6	1.84	14	11.2	3.01	8	6.1	2.16
60-64	22	9.6	2.04	13	11.8	3.27	9	7.5	2.51
65-69	38	15.7	2.55	18	16.3	3.83	20	15.3	3.42
70-74	47	20.9	3.04	23	23.7	4.94	24	18.7	3.82
75-79	22	11.6	2.48	12	15.7	4.53	10	8.9	2.81
80-84	22	17.5	3.74	11	24.3	7.33	11	13.7	4.13
85+	17	15.7	3.80	8	27.7	9.79	9	11.3	3.77
Total deaths	276			148			128		
Connecticut									
. Crude rate		4.8	-		5.3	-		4.3	-
. AAMR (1940 Std. mil.)		3.3	0.22		3.9	0.34		2.8	0.27
. AAMR (1970 Std. mil.)		3.8	0.24		4.6	0.39		3.2	0.30
. AAMR (2000 Std. mil.)		4.4	0.27		5.4	0.44		3.7	0.33
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		3.4	-		4.2	-		2.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Leukemia (204-208)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	0.8	0.46	2	1.0	0.73	1	0.5	0.54
5-9	4	1.0	0.51	4	2.0	0.99	0	0.0	0.00
10-14	2	0.6	0.39	2	1.1	0.76	0	0.0	0.00
15-19	2	0.6	0.42	1	0.6	0.58	1	0.6	0.62
20-24	6	1.8	0.75	4	2.4	1.20	2	1.3	0.90
25-29	5	1.3	0.57	3	1.5	0.88	2	1.0	0.73
30-34	6	1.2	0.50	4	1.6	0.82	2	0.8	0.58
35-39	8	1.5	0.55	3	1.2	0.67	5	1.9	0.86
40-44	17	3.7	0.89	12	5.2	1.51	5	2.1	0.95
45-49	13	3.1	0.87	7	3.4	1.29	6	2.8	1.16
50-54	18	5.4	1.26	13	7.9	2.19	5	2.9	1.30
55-59	17	6.7	1.62	8	6.4	2.27	9	6.9	2.29
60-64	36	15.7	2.61	20	18.1	4.05	16	13.4	3.35
65-69	50	20.7	2.93	34	30.7	5.27	16	12.2	3.05
70-74	77	34.2	3.90	48	49.4	7.14	29	22.6	4.20
75-79	91	48.2	5.05	45	58.8	8.77	46	40.9	6.03
80-84	79	62.9	7.08	37	81.7	13.44	42	52.3	8.07
85+	74	68.3	7.94	36	124.6	20.77	38	47.8	7.76
Total deaths	508			283			225		
Connecticut									
. Crude rate		8.8	-		10.1	-		7.6	-
. AAMR (1940 Std. mil.)		4.7	0.24		6.2	0.41		3.5	0.29
. AAMR (1970 Std. mil.)		6.1	0.29		8.3	0.50		4.5	0.33
. AAMR (2000 Std. mil.)		7.7	0.34		10.6	0.64		5.8	0.39
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.8	-		6.4	-		3.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: No comparison is available





## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Diabetes-related (250)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	0.3	0.26	0	0.0	0.00	1	0.5	0.51
30-34	11	2.3	0.68	2	0.8	0.58	9	3.7	1.23
35-39	15	2.9	0.75	11	4.3	1.28	4	1.5	0.77
40-44	40	8.6	1.36	21	9.2	2.00	19	8.0	1.84
45-49	66	15.9	1.95	38	18.5	3.00	28	13.3	2.51
50-54	96	28.6	2.92	60	36.4	4.71	36	21.0	3.50
55-59	168	65.8	5.08	99	79.5	7.99	69	52.8	6.35
60-64	297	129.3	7.50	156	141.3	11.31	141	118.2	9.95
65-69	476	197.0	9.03	264	238.5	14.68	212	161.9	11.12
70-74	646	286.8	11.28	349	359.5	19.24	297	231.7	13.45
75-79	843	446.1	15.37	423	553.0	26.89	420	373.4	18.22
80-84	853	679.5	23.27	366	808.5	42.26	487	606.7	27.49
85+	1,022	943.1	29.50	327	1132.2	62.61	695	874.5	33.17
Total deaths	4,534			2,116			2,418		
Connecticut									
. Crude rate		78.4	-		75.2	-		81.4	-
. AAMR (1940 Std. mil.)		34.1	0.59		40.8	0.96		29.0	0.74
. AAMR (1970 Std. mil.)		49.6	0.77		59.6	1.31		42.5	0.95
. AAMR (2000 Std. mil.)		66.9	1.00		80.6	1.78		57.9	1.20
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		34.0	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): No comparison is available  
. THE U.S. HP 2000 target: CT rate is not significantly different

## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Diabetic ketoacidosis (DKA) (250.1)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	0.3	0.26	0	0.0	0.00	1	0.5	0.51
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	3	0.6	0.33	2	0.8	0.55	1	0.4	0.39
40-44	2	0.4	0.30	1	0.4	0.44	1	0.4	0.42
45-49	1	0.2	0.24	1	0.5	0.49	0	0.0	0.00
50-54	3	0.9	0.52	3	1.8	1.05	0	0.0	0.00
55-59	1	0.4	0.39	1	0.8	0.80	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	0.4	0.41	1	0.9	0.90	0	0.0	0.00
70-74	5	2.2	0.99	3	3.1	1.78	2	1.6	1.10
75-79	2	1.1	0.75	1	1.3	1.31	1	0.9	0.89
80-84	1	0.8	0.80	0	0.0	0.00	1	1.2	1.25
85+	2	1.8	1.31	0	0.0	0.00	2	2.5	1.78
Total deaths	22			13			9		
Connecticut									
. Crude rate		0.4	-		0.5	-		0.3	-
. AAMR (1940 Std. mil.)		0.3	0.06		-	-		-	-
. AAMR (1970 Std. mil.)		0.3	0.06		-	-		-	-
. AAMR (2000 Std. mil.)		0.3	0.07		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		0.6	-		0.7	-		0.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Alzheimer's diseases (331.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	2	0.6	0.42	1	0.6	0.61	1	0.6	0.58
55-59	3	1.2	0.68	0	0.0	0.00	3	2.3	1.32
60-64	8	3.5	1.23	5	4.5	2.03	3	2.5	1.45
65-69	9	3.7	1.24	4	3.6	1.81	5	3.8	1.71
70-74	25	11.1	2.22	11	11.3	3.42	14	10.9	2.92
75-79	71	37.6	4.46	28	36.6	6.92	43	38.2	5.83
80-84	103	82.0	8.08	37	81.7	13.44	66	82.2	10.12
85+	247	227.9	14.50	65	225.0	27.91	182	229.0	16.97
Total deaths	468			151			317		
Connecticut									
. Crude rate		8.1	-		5.4	-		10.7	-
. AAMR (1940 Std. mil.)		2.1	0.11		2.0	0.18		2.1	0.15
. AAMR (1970 Std. mil.)		4.0	0.19		3.9	0.32		4.0	0.24
. AAMR (2000 Std. mil.)		6.7	0.31		6.6	0.55		6.8	0.38
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.7	-		2.7	-		2.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Cardiovascular disease (390-459)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	24	6.3	1.30	14	7.2	1.93	10	5.4	1.72
5-9	3	0.8	0.44	1	0.5	0.49	2	1.0	0.74
10-14	3	0.8	0.48	2	1.1	0.76	1	0.6	0.56
15-19	6	1.8	0.74	4	2.3	1.16	2	1.2	0.88
20-24	12	3.7	1.07	7	4.2	1.58	5	3.2	1.42
25-29	23	5.9	1.22	13	6.6	1.82	10	5.1	1.63
30-34	52	10.6	1.48	38	15.5	2.51	14	5.8	1.54
35-39	104	20.1	1.97	65	25.1	3.12	39	15.0	2.41
40-44	186	39.9	2.93	133	58.0	5.03	53	22.4	3.08
45-49	331	79.6	4.37	241	117.4	7.56	90	42.7	4.50
50-54	436	129.8	6.21	302	183.5	10.56	134	78.2	6.75
55-59	584	228.8	9.47	427	343.0	16.60	157	120.0	9.58
60-64	909	395.7	13.12	605	548.0	22.28	304	254.8	14.61
65-69	1,617	669.2	16.64	996	899.9	28.52	621	474.2	19.03
70-74	2,493	1106.7	22.17	1,438	1481.1	39.06	1,055	823.1	25.34
75-79	3,487	1845.4	31.25	1,832	2395.1	55.96	1,655	1471.6	36.17
80-84	4,301	3426.2	52.24	1,922	4245.9	96.85	2,379	2963.9	60.77
85+	8,955	8264.0	87.33	2,556	8849.5	175.04	6,399	8051.3	100.65
Total deaths	23,526			10,596			12,930		
Connecticut									
. Crude rate		406.7	-		376.3	-		435.4	-
. AAMR (1940 Std. mil.)		148.0	1.18		192.7	2.06		112.1	1.32
. AAMR (1970 Std. mil.)		232.9	1.61		293.9	2.89		186.6	1.82
. AAMR (2000 Std. mil.)		344.5	2.25		422.8	4.19		288.1	2.57
. HP 2000 (1940 Std. mil.)		84.4	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		175.9	-		227.5	-		133.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: CT rate is higher  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Diseases of the heart (390-398,402,404-429)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	17	4.5	1.09	9	4.6	1.54	8	4.4	1.54
5-9	2	0.5	0.36	0	0.0	0.00	2	1.0	0.74
10-14	2	0.6	0.39	1	0.5	0.54	1	0.6	0.56
15-19	6	1.8	0.74	4	2.3	1.16	2	1.2	0.88
20-24	10	3.1	0.97	6	3.6	1.47	4	2.5	1.27
25-29	19	4.8	1.11	11	5.6	1.68	8	4.1	1.46
30-34	43	8.8	1.34	32	13.0	2.31	11	4.5	1.36
35-39	84	16.2	1.77	55	21.3	2.87	29	11.2	2.08
40-44	156	33.5	2.68	116	50.6	4.70	40	16.9	2.68
45-49	275	66.1	3.99	209	101.8	7.04	66	31.3	3.86
50-54	371	110.4	5.73	265	161.0	9.89	106	61.8	6.01
55-59	503	197.1	8.79	365	293.2	15.35	138	105.5	8.98
60-64	777	338.2	12.13	520	471.0	20.65	257	215.4	13.43
65-69	1,330	550.4	15.09	844	762.6	26.25	486	371.1	16.83
70-74	1,991	883.9	19.81	1,166	1200.9	35.17	825	643.7	22.41
75-79	2,754	1457.5	27.77	1,488	1945.4	50.43	1,266	1125.7	31.64
80-84	3,312	2638.3	45.84	1,501	3315.9	85.59	1,811	2256.2	53.02
85+	6,878	6347.3	76.53	2,008	6952.2	155.15	4,870	6127.5	87.80
Total deaths	18,530			8,600			9,930		
Connecticut									
. Crude rate		320.3	-		305.4	-		334.4	-
. AAMR (1940 Std. mil.)		119.3	1.07		158.8	1.89		87.5	1.18
. AAMR (1970 Std. mil.)		185.5	1.45		239.5	2.62		144.7	1.62
. AAMR (2000 Std. mil.)		271.9	2.00		341.6	3.76		222.0	2.26
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		138.3	-		185.0	-		100.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: No comparison is available



## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Coronary heart disease (CHD) (402,410-414,429.2)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.3	0.26	1	0.5	0.51	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	0.3	0.28	1	0.5	0.54	0	0.0	0.00
15-19	2	0.6	0.42	2	1.2	0.82	0	0.0	0.00
20-24	1	0.3	0.31	1	0.6	0.60	0	0.0	0.00
25-29	4	1.0	0.51	3	1.5	0.88	1	0.5	0.51
30-34	19	3.9	0.89	16	6.5	1.63	3	1.2	0.71
35-39	47	9.1	1.32	34	13.2	2.26	13	5.0	1.39
40-44	111	23.8	2.26	87	37.9	4.07	24	10.2	2.07
45-49	206	49.5	3.45	168	81.9	6.32	38	18.0	2.93
50-54	279	83.0	4.97	217	131.8	8.95	62	36.2	4.59
55-59	379	148.5	7.63	289	232.2	13.66	90	68.8	7.25
60-64	574	249.9	10.43	410	371.4	18.34	164	137.4	10.73
65-69	1,007	416.8	13.13	663	599.0	23.27	344	262.7	14.16
70-74	1,476	655.2	17.06	903	930.0	30.95	573	447.1	18.68
75-79	2,053	1086.5	23.98	1,134	1482.6	44.03	919	817.1	26.95
80-84	2,345	1868.0	38.58	1,105	2441.1	73.43	1,240	1544.8	43.87
85+	4,857	4482.2	64.31	1,459	5051.4	132.25	3,398	4275.4	73.34
Total deaths	13,362			6,493			6,869		
Connecticut									
. Crude rate		231.0	-		230.6	-		231.3	-
. AAMR (1940 Std. mil.)		86.6	0.91		121.0	1.65		58.8	0.94
. AAMR (1970 Std. mil.)		134.4	1.23		181.4	2.28		98.8	1.32
. AAMR (2000 Std. mil.)		196.1	1.70		256.7	3.25		152.7	1.87
. HP 2000 (1940 Std. mil.)		84.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		108.0	-		148.2	-		75.2	-
. HP 2000 (1940 Std. mil.)		100.0	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Congestive heart failure (CHF) (428.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	2	0.5	0.34	0	0.0	0.00	2	0.9	0.67
50-54	5	1.5	0.67	2	1.2	0.86	3	1.8	1.01
55-59	5	2.0	0.88	5	4.0	1.80	0	0.0	0.00
60-64	15	6.5	1.69	10	9.1	2.86	5	4.2	1.87
65-69	34	14.1	2.41	18	16.3	3.83	16	12.2	3.05
70-74	83	36.8	4.04	39	40.2	6.43	44	34.3	5.18
75-79	126	66.7	5.94	62	81.1	10.29	64	56.9	7.11
80-84	198	157.7	11.21	74	163.5	19.00	124	154.5	13.87
85+	547	504.8	21.58	138	477.8	40.67	409	514.6	25.45
Total deaths	1,015			348			667		
Connecticut									
. Crude rate		17.5	-		12.4	-		22.5	-
. AAMR (1940 Std. mil.)		4.6	0.17		5.0	0.29		4.3	0.21
. AAMR (1970 Std. mil.)		8.7	0.29		9.2	0.50		8.3	0.35
. AAMR (2000 Std. mil.)		14.6	0.46		15.0	0.82		14.1	0.55
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.1	-		6.7	-		5.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: No comparison is available



## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Hypertension with or without renal disease (401,403)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	3	0.6	0.37	2	0.9	0.62	1	0.4	0.42
45-49	3	0.7	0.42	3	1.5	0.84	0	0.0	0.00
50-54	5	1.5	0.67	4	2.4	1.21	1	0.6	0.58
55-59	5	2.0	0.88	3	2.4	1.39	2	1.5	1.08
60-64	9	3.9	1.31	6	5.4	2.22	3	2.5	1.45
65-69	15	6.2	1.60	6	5.4	2.21	9	6.9	2.29
70-74	35	15.5	2.63	15	15.4	3.99	20	15.6	3.49
75-79	31	16.4	2.95	15	19.6	5.06	16	14.2	3.56
80-84	41	32.7	5.10	11	24.3	7.33	30	37.4	6.82
85+	101	93.2	9.27	32	110.8	19.59	69	86.8	10.45
Total deaths	248			97			151		
Connecticut									
. Crude rate		4.3	-		3.4	-		5.1	-
. AAMR (1940 Std. mil.)		1.5	0.12		1.7	0.19		1.3	0.14
. AAMR (1970 Std. mil.)		2.4	0.16		2.7	0.28		2.2	0.20
. AAMR (2000 Std. mil.)		3.6	0.23		4.0	0.42		3.4	0.28
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.2	-		2.5	-		2.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: No comparison is available



## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Cerebrovascular disease (430-438)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	6	1.6	0.65	5	2.6	1.15	1	0.5	0.54
5-9	1	0.3	0.25	1	0.5	0.49	0	0.0	0.00
10-14	1	0.3	0.28	1	0.5	0.54	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	0.3	0.31	1	0.6	0.60	0	0.0	0.00
25-29	2	0.5	0.36	1	0.5	0.51	1	0.5	0.51
30-34	9	1.8	0.61	6	2.4	1.00	3	1.2	0.71
35-39	9	1.7	0.58	5	1.9	0.87	4	1.5	0.77
40-44	20	4.3	0.96	9	3.9	1.31	11	4.7	1.40
45-49	40	9.6	1.52	22	10.7	2.29	18	8.5	2.01
50-54	40	11.9	1.88	19	11.5	2.65	21	12.3	2.67
55-59	54	21.2	2.88	39	31.3	5.02	15	11.5	2.96
60-64	96	41.8	4.26	59	53.4	6.96	37	31.0	5.10
65-69	198	81.9	5.82	94	84.9	8.76	104	79.4	7.79
70-74	326	144.7	8.02	174	179.2	13.59	152	118.6	9.62
75-79	518	274.1	12.04	232	303.3	19.91	286	254.3	15.04
80-84	734	584.7	21.58	302	667.2	38.39	432	538.2	25.89
85+	1,539	1420.3	36.20	382	1322.6	67.67	1,157	1455.7	42.80
Total deaths	3,594			1,352			2,242		
Connecticut									
. Crude rate		62.1	-		48.0	-		75.5	-
. AAMR (1940 Std. mil.)		20.2	0.41		22.6	0.68		18.1	0.51
. AAMR (1970 Std. mil.)		33.7	0.59		36.7	1.01		31.1	0.72
. AAMR (2000 Std. mil.)		52.2	0.87		55.3	1.53		49.3	1.06
. HP 2000 (1940 Std. mil.)		16.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		26.6	-		28.8	-		24.7	-
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: CT rate is higher  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: CT rate is not significantly different

## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Atherosclerosis (440)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	0.2	0.19	1	0.4	0.39	0	0.0	0.00
40-44	2	0.4	0.30	2	0.9	0.62	0	0.0	0.00
45-49	2	0.5	0.34	1	0.5	0.49	1	0.5	0.47
50-54	3	0.9	0.52	3	1.8	1.05	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	3	1.3	0.75	2	1.8	1.28	1	0.8	0.84
65-69	5	2.1	0.93	4	3.6	1.81	1	0.8	0.76
70-74	23	10.2	2.13	13	13.4	3.71	10	7.8	2.47
75-79	47	24.9	3.63	25	32.7	6.54	22	19.6	4.17
80-84	64	51.0	6.37	33	72.9	12.69	31	38.6	6.94
85+	218	201.2	13.63	59	204.3	26.59	159	200.1	15.87
Total deaths	368			143			225		
Connecticut									
. Crude rate		6.4	-		5.1	-		7.6	-
. AAMR (1940 Std. mil.)		1.6	0.10		2.0	0.18		1.2	0.10
. AAMR (1970 Std. mil.)		3.1	0.16		3.7	0.31		2.6	0.18
. AAMR (2000 Std. mil.)		5.3	0.28		6.2	0.53		4.7	0.31
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.3	-		2.6	-		2.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: No comparison is available



## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Aortic aneurysm (441)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	0.3	0.26	1	0.5	0.51	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	4	0.8	0.39	3	1.2	0.67	1	0.4	0.39
40-44	2	0.4	0.30	2	0.9	0.62	0	0.0	0.00
45-49	2	0.5	0.34	1	0.5	0.49	1	0.5	0.47
50-54	7	2.1	0.79	5	3.0	1.36	2	1.2	0.83
55-59	10	3.9	1.24	9	7.2	2.41	1	0.8	0.76
60-64	11	4.8	1.44	10	9.1	2.86	1	0.8	0.84
65-69	48	19.9	2.87	38	34.3	5.57	10	7.6	2.41
70-74	76	33.7	3.87	50	51.5	7.28	26	20.3	3.98
75-79	87	46.0	4.94	49	64.1	9.15	38	33.8	5.48
80-84	82	65.3	7.21	43	95.0	14.49	39	48.6	7.78
85+	103	95.1	9.37	48	166.2	23.99	55	69.2	9.33
Total deaths	433			259			174		
Connecticut									
. Crude rate		7.5	-		9.2	-		5.9	-
. AAMR (1940 Std. mil.)		3.0	0.17		4.8	0.32		1.7	0.15
. AAMR (1970 Std. mil.)		4.5	0.23		7.2	0.45		2.7	0.22
. AAMR (2000 Std. mil.)		6.3	0.30		9.9	0.63		4.0	0.30
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		3.3	-		5.4	-		2.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: No comparison is available



## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Chronic obstructive pulmonary disease (COPD) (490-496)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	4	1.2	0.60	1	0.6	0.58	3	1.9	1.08
20-24	4	1.2	0.62	2	1.2	0.85	2	1.3	0.90
25-29	2	0.5	0.36	1	0.5	0.51	1	0.5	0.51
30-34	4	0.8	0.41	1	0.4	0.41	3	1.2	0.71
35-39	4	0.8	0.39	2	0.8	0.55	2	0.8	0.55
40-44	9	1.9	0.64	4	1.7	0.87	5	2.1	0.95
45-49	13	3.1	0.87	5	2.4	1.09	8	3.8	1.34
50-54	18	5.4	1.26	10	6.1	1.92	8	4.7	1.65
55-59	48	18.8	2.71	16	12.9	3.21	32	24.5	4.33
60-64	107	46.6	4.50	50	45.3	6.40	57	47.8	6.33
65-69	218	90.2	6.11	125	112.9	10.10	93	71.0	7.36
70-74	365	162.0	8.48	173	178.2	13.55	192	149.8	10.81
75-79	502	265.7	11.86	242	316.4	20.34	260	231.2	14.34
80-84	487	387.9	17.58	240	530.2	34.22	247	307.7	19.58
85+	517	477.1	20.98	217	751.3	51.00	300	377.5	21.79
Total deaths	2,302			1,089			1,213		
Connecticut									
. Crude rate		39.8	-		38.7	-		40.9	-
. AAMR (1940 Std. mil.)		15.9	0.39		18.6	0.61		14.4	0.51
. AAMR (1970 Std. mil.)		24.2	0.53		29.6	0.90		21.3	0.67
. AAMR (2000 Std. mil.)		33.5	0.70		42.5	1.31		29.0	0.84
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		20.8	-		26.1	-		17.1	-
. HP 2000 (1940 Std. mil.)		25.0	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower





## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Asthma (493)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	4	1.2	0.60	1	0.6	0.58	3	1.9	1.08
20-24	4	1.2	0.62	2	1.2	0.85	2	1.3	0.90
25-29	2	0.5	0.36	1	0.5	0.51	1	0.5	0.51
30-34	2	0.4	0.29	0	0.0	0.00	2	0.8	0.58
35-39	4	0.8	0.39	2	0.8	0.55	2	0.8	0.55
40-44	3	0.6	0.37	1	0.4	0.44	2	0.8	0.60
45-49	5	1.2	0.54	0	0.0	0.00	5	2.4	1.06
50-54	4	1.2	0.60	2	1.2	0.86	2	1.2	0.83
55-59	7	2.7	1.04	3	2.4	1.39	4	3.1	1.53
60-64	5	2.2	0.97	2	1.8	1.28	3	2.5	1.45
65-69	5	2.1	0.93	1	0.9	0.90	4	3.1	1.53
70-74	16	7.1	1.78	4	4.1	2.06	12	9.4	2.70
75-79	8	4.2	1.50	1	1.3	1.31	7	6.2	2.35
80-84	6	4.8	1.95	3	6.6	3.83	3	3.7	2.16
85+	10	9.2	2.92	2	6.9	4.90	8	10.1	3.56
Total deaths	85			25			60		
Connecticut									
. Crude rate		1.5	-		0.9	-		2.0	-
. AAMR (1940 Std. mil.)		1.0	0.13		0.7	0.16		1.3	0.21
. AAMR (1970 Std. mil.)		1.2	0.14		0.8	0.17		1.5	0.22
. AAMR (2000 Std. mil.)		1.4	0.15		0.9	0.19		1.7	0.23
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.6	-		1.2	-		1.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: No comparison is available



## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Nephritis, nephrotic syndrome/nephrosis (580-589)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.3	0.26	1	0.5	0.51	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	0.3	0.30	1	0.6	0.58	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	3	0.8	0.44	2	1.0	0.71	1	0.5	0.51
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	8	1.5	0.55	3	1.2	0.67	5	1.9	0.86
40-44	5	1.1	0.48	4	1.7	0.87	1	0.4	0.42
45-49	7	1.7	0.64	5	2.4	1.09	2	0.9	0.67
50-54	5	1.5	0.67	3	1.8	1.05	2	1.2	0.83
55-59	10	3.9	1.24	4	3.2	1.61	6	4.6	1.87
60-64	18	7.8	1.85	12	10.9	3.14	6	5.0	2.05
65-69	51	21.1	2.96	26	23.5	4.61	25	19.1	3.82
70-74	69	30.6	3.69	40	41.2	6.51	29	22.6	4.20
75-79	105	55.6	5.42	57	74.5	9.87	48	42.7	6.16
80-84	137	109.1	9.32	69	152.4	18.35	68	84.7	10.27
85+	217	200.3	13.59	88	304.7	32.48	129	162.3	14.29
Total deaths	637			315			322		
Connecticut									
. Crude rate		11.0	-		11.2	-		10.8	-
. AAMR (1940 Std. mil.)		4.0	0.19		5.2	0.33		3.1	0.23
. AAMR (1970 Std. mil.)		6.3	0.26		8.5	0.48		5.0	0.30
. AAMR (2000 Std. mil.)		9.3	0.37		12.8	0.74		7.3	0.41
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.5	-		5.3	-		3.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: No comparison is available



## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----End stage renal disease (ESRD) (581-588,591,593.8,593.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.3	0.26	1	0.5	0.51	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	0.3	0.30	1	0.6	0.58	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	4	1.0	0.51	3	1.5	0.88	1	0.5	0.51
30-34	1	0.2	0.20	1	0.4	0.41	0	0.0	0.00
35-39	10	1.9	0.61	3	1.2	0.67	7	2.7	1.02
40-44	6	1.3	0.53	4	1.7	0.87	2	0.8	0.60
45-49	9	2.2	0.72	7	3.4	1.29	2	0.9	0.67
50-54	6	1.8	0.73	3	1.8	1.05	3	1.8	1.01
55-59	14	5.5	1.47	5	4.0	1.80	9	6.9	2.29
60-64	24	10.4	2.13	15	13.6	3.51	9	7.5	2.51
65-69	62	25.7	3.26	31	28.0	5.03	31	23.7	4.25
70-74	86	38.2	4.12	50	51.5	7.28	36	28.1	4.68
75-79	121	64.0	5.82	68	88.9	10.78	53	47.1	6.47
80-84	158	125.9	10.01	78	172.3	19.51	80	99.7	11.14
85+	247	227.9	14.50	102	353.1	34.97	145	182.4	15.15
Total deaths	750			372			378		
Connecticut									
. Crude rate		13.0	-		13.2	-		12.7	-
. AAMR (1940 Std. mil.)		4.8	0.21		6.2	0.36		3.9	0.26
. AAMR (1970 Std. mil.)		7.5	0.29		10.0	0.53		6.0	0.34
. AAMR (2000 Std. mil.)		10.9	0.40		15.1	0.80		8.7	0.46
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.3	-		6.7	-		4.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Unintentional injuries (E800-E949)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	28	7.4	1.40	16	8.2	2.06	12	6.5	1.89
5-9	17	4.3	1.04	12	5.9	1.71	5	2.6	1.16
10-14	16	4.4	1.10	10	5.4	1.71	6	3.4	1.38
15-19	87	26.1	2.80	63	36.6	4.61	24	14.9	3.05
20-24	117	36.0	3.33	86	51.5	5.56	31	19.6	3.53
25-29	105	26.8	2.61	81	40.9	4.55	24	12.4	2.52
30-34	129	26.4	2.32	103	42.0	4.14	26	10.7	2.09
35-39	141	27.2	2.29	113	43.7	4.11	28	10.8	2.04
40-44	132	28.3	2.47	109	47.5	4.55	23	9.7	2.03
45-49	104	25.0	2.45	77	37.5	4.28	27	12.8	2.47
50-54	79	23.5	2.65	59	35.8	4.67	20	11.7	2.61
55-59	48	18.8	2.71	29	23.3	4.33	19	14.5	3.33
60-64	69	30.0	3.62	42	38.0	5.87	27	22.6	4.35
65-69	53	21.9	3.01	30	27.1	4.95	23	17.6	3.66
70-74	122	54.2	4.90	65	66.9	8.30	57	44.5	5.89
75-79	140	74.1	6.26	83	108.5	11.91	57	50.7	6.71
80-84	165	131.4	10.23	73	161.3	18.87	92	114.6	11.95
85+	301	277.8	16.01	111	384.3	36.48	190	239.1	17.34
Total deaths	1,853			1,162			691		
Connecticut									
. Crude rate		32.0	-		41.3	-		23.3	-
. AAMR (1940 Std. mil.)		24.0	0.65		34.7	1.11		13.7	0.68
. AAMR (1970 Std. mil.)		25.4	0.64		36.1	1.11		15.6	0.70
. AAMR (2000 Std. mil.)		30.0	0.70		42.9	1.28		18.9	0.75
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		30.5	-		44.1	-		17.6	-
. HP 2000 (1940 Std. mil.)		29.3	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: CT rate is lower

## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Motor vehicle accidents (E810-E825)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	8	2.1	0.75	4	2.1	1.03	4	2.2	1.09
5-9	8	2.0	0.72	6	3.0	1.21	2	1.0	0.74
10-14	10	2.8	0.87	8	4.3	1.53	2	1.1	0.79
15-19	63	18.9	2.39	41	23.8	3.72	22	13.7	2.92
20-24	80	24.6	2.75	57	34.1	4.52	23	14.6	3.04
25-29	58	14.8	1.94	43	21.7	3.31	15	7.7	1.99
30-34	40	8.2	1.29	31	12.6	2.27	9	3.7	1.23
35-39	44	8.5	1.28	30	11.6	2.12	14	5.4	1.44
40-44	34	7.3	1.25	25	10.9	2.18	9	3.8	1.27
45-49	41	9.9	1.54	29	14.1	2.62	12	5.7	1.64
50-54	35	10.4	1.76	27	16.4	3.16	8	4.7	1.65
55-59	18	7.1	1.66	10	8.0	2.54	8	6.1	2.16
60-64	34	14.8	2.54	17	15.4	3.73	17	14.2	3.46
65-69	14	5.8	1.55	7	6.3	2.39	7	5.3	2.02
70-74	28	12.4	2.35	15	15.4	3.99	13	10.1	2.81
75-79	28	14.8	2.80	17	22.2	5.39	11	9.8	2.95
80-84	26	20.7	4.06	15	33.1	8.56	11	13.7	4.13
85+	24	22.1	4.52	10	34.6	10.95	14	17.6	4.71
Total deaths	593			392			201		
Connecticut									
. Crude rate		10.3	-		13.9	-		6.8	-
. AAMR (1940 Std. mil.)		10.3	0.46		14.1	0.76		6.5	0.52
. AAMR (1970 Std. mil.)		10.1	0.44		13.8	0.73		6.5	0.51
. AAMR (2000 Std. mil.)		10.3	0.43		14.3	0.73		6.6	0.48
. HP 2000 (1940 Std. mil.)		10.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		16.3	-		22.7	-		10.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: CT rate is not significantly different  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: No comparison is available



## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Falls and fall related injuries (E880-E888)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.3	0.26	0	0.0	0.00	1	0.5	0.54
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	0.3	0.28	0	0.0	0.00	1	0.6	0.56
15-19	1	0.3	0.30	1	0.6	0.58	0	0.0	0.00
20-24	6	1.8	0.75	5	3.0	1.34	1	0.6	0.63
25-29	2	0.5	0.36	1	0.5	0.51	1	0.5	0.51
30-34	5	1.0	0.46	4	1.6	0.82	1	0.4	0.41
35-39	4	0.8	0.39	3	1.2	0.67	1	0.4	0.39
40-44	10	2.1	0.68	7	3.1	1.15	3	1.3	0.73
45-49	8	1.9	0.68	7	3.4	1.29	1	0.5	0.47
50-54	6	1.8	0.73	3	1.8	1.05	3	1.8	1.01
55-59	6	2.4	0.96	5	4.0	1.80	1	0.8	0.76
60-64	8	3.5	1.23	6	5.4	2.22	2	1.7	1.19
65-69	15	6.2	1.60	10	9.0	2.86	5	3.8	1.71
70-74	42	18.6	2.88	24	24.7	5.05	18	14.0	3.31
75-79	49	25.9	3.70	32	41.8	7.40	17	15.1	3.67
80-84	72	57.4	6.76	26	57.4	11.26	46	57.3	8.45
85+	167	154.1	11.93	56	193.9	25.91	111	139.7	13.26
Total deaths	403			190			213		
Connecticut									
. Crude rate		7.0	-		6.7	-		7.2	-
. AAMR (1940 Std. mil.)		2.6	0.17		3.6	0.29		1.8	0.18
. AAMR (1970 Std. mil.)		4.0	0.21		5.2	0.39		3.0	0.23
. AAMR (2000 Std. mil.)		5.9	0.30		7.8	0.58		4.7	0.33
. HP 2000 (1940 Std. mil.)		2.3	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.6	-		3.5	-		1.6	-
. HP 2000 (1940 Std. mil.)		2.3	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: CT rate is not significantly different  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: CT rate is not significantly different

## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Drowning (E830,E832,E910)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	6	1.6	0.65	4	2.1	1.03	2	1.1	0.77
5-9	2	0.5	0.36	2	1.0	0.70	0	0.0	0.00
10-14	1	0.3	0.28	0	0.0	0.00	1	0.6	0.56
15-19	8	2.4	0.85	8	4.6	1.64	0	0.0	0.00
20-24	3	0.9	0.53	3	1.8	1.04	0	0.0	0.00
25-29	4	1.0	0.51	4	2.0	1.01	0	0.0	0.00
30-34	5	1.0	0.46	5	2.0	0.91	0	0.0	0.00
35-39	7	1.4	0.51	4	1.5	0.77	3	1.2	0.67
40-44	3	0.6	0.37	2	0.9	0.62	1	0.4	0.42
45-49	3	0.7	0.42	2	1.0	0.69	1	0.5	0.47
50-54	2	0.6	0.42	2	1.2	0.86	0	0.0	0.00
55-59	6	2.4	0.96	5	4.0	1.80	1	0.8	0.76
60-64	2	0.9	0.62	2	1.8	1.28	0	0.0	0.00
65-69	5	2.1	0.93	3	2.7	1.56	2	1.5	1.08
70-74	1	0.4	0.44	0	0.0	0.00	1	0.8	0.78
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	58			46			12		
Connecticut									
. Crude rate		1.0	-		1.6	-		0.4	-
. AAMR (1940 Std. mil.)		1.1	0.15		1.8	0.27		-	-
. AAMR (1970 Std. mil.)		1.1	0.15		1.7	0.27		-	-
. AAMR (2000 Std. mil.)		1.0	0.14		1.6	0.24		-	-
. HP 2000 (1940 Std. mil.)		1.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.6	-		2.8	-		0.6	-
. HP 2000 (1940 Std. mil.)		1.3	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: CT rate is not significantly different  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: CT rate is not significantly different

## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Residential fires (E890-E899)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	7	1.9	0.70	4	2.1	1.03	3	1.6	0.94
5-9	4	1.0	0.51	2	1.0	0.70	2	1.0	0.74
10-14	1	0.3	0.28	1	0.5	0.54	0	0.0	0.00
15-19	2	0.6	0.42	0	0.0	0.00	2	1.2	0.88
20-24	1	0.3	0.31	1	0.6	0.60	0	0.0	0.00
25-29	2	0.5	0.36	1	0.5	0.51	1	0.5	0.51
30-34	2	0.4	0.29	2	0.8	0.58	0	0.0	0.00
35-39	3	0.6	0.33	2	0.8	0.55	1	0.4	0.39
40-44	2	0.4	0.30	2	0.9	0.62	0	0.0	0.00
45-49	4	1.0	0.48	4	1.9	0.97	0	0.0	0.00
50-54	4	1.2	0.60	3	1.8	1.05	1	0.6	0.58
55-59	5	2.0	0.88	3	2.4	1.39	2	1.5	1.08
60-64	2	0.9	0.62	1	0.9	0.91	1	0.8	0.84
65-69	1	0.4	0.41	1	0.9	0.90	0	0.0	0.00
70-74	8	3.6	1.26	5	5.1	2.30	3	2.3	1.35
75-79	3	1.6	0.92	2	2.6	1.85	1	0.9	0.89
80-84	4	3.2	1.59	2	4.4	3.12	2	2.5	1.76
85+	5	4.6	2.06	1	3.5	3.46	4	5.0	2.52
Total deaths	60			37			23		
Connecticut									
. Crude rate		1.0	-		1.3	-		0.8	-
. AAMR (1940 Std. mil.)		0.9	0.12		1.1	0.19		0.6	0.15
. AAMR (1970 Std. mil.)		0.9	0.13		1.2	0.21		0.7	0.17
. AAMR (2000 Std. mil.)		1.0	0.13		1.3	0.22		0.7	0.15
. HP 2000 (1940 Std. mil.)		0.5	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.0	-		1.5	-		0.9	-
. HP 2000 (1940 Std. mil.)		1.2	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: CT rate is higher  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: CT rate is lower

## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Suicide (E950-E959)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	12	3.3	0.95	9	4.9	1.62	3	1.7	0.97
15-19	19	5.7	1.31	15	8.7	2.25	4	2.5	1.24
20-24	46	14.2	2.09	39	23.4	3.74	7	4.4	1.68
25-29	46	11.7	1.73	39	19.7	3.16	7	3.6	1.36
30-34	62	12.7	1.61	46	18.8	2.77	16	6.6	1.64
35-39	67	12.9	1.58	53	20.5	2.82	14	5.4	1.44
40-44	59	12.7	1.65	50	21.8	3.08	9	3.8	1.27
45-49	44	10.6	1.59	35	17.1	2.88	9	4.3	1.42
50-54	41	12.2	1.91	28	17.0	3.21	13	7.6	2.10
55-59	36	14.1	2.35	27	21.7	4.17	9	6.9	2.29
60-64	29	12.6	2.34	28	25.4	4.79	1	0.8	0.84
65-69	34	14.1	2.41	26	23.5	4.61	8	6.1	2.16
70-74	29	12.9	2.39	25	25.7	5.15	4	3.1	1.56
75-79	15	7.9	2.05	11	14.4	4.34	4	3.6	1.78
80-84	16	12.7	3.19	14	30.9	8.27	2	2.5	1.76
85+	12	11.1	3.20	10	34.6	10.95	2	2.5	1.78
Total deaths	567			455			112		
Connecticut									
. Crude rate		9.8	-		16.2	-		3.8	-
. AAMR (1940 Std. mil.)		9.1	0.41		14.9	0.73		3.6	0.36
. AAMR (1970 Std. mil.)		8.7	0.39		14.4	0.71		3.3	0.34
. AAMR (2000 Std. mil.)		9.5	0.40		16.0	0.76		3.7	0.35
. HP 2000 (1940 Std. mil.)		6.7	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		11.3	-		18.7	-		4.1	-
. HP 2000 (1940 Std. mil.)		10.5	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Homicide and legal intervention (E960-E978)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	9	2.4	0.79	4	2.1	1.03	5	2.7	1.22
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	2	0.6	0.39	1	0.5	0.54	1	0.6	0.56
15-19	19	5.7	1.31	17	9.9	2.40	2	1.2	0.88
20-24	25	7.7	1.54	21	12.6	2.75	4	2.5	1.27
25-29	29	7.4	1.37	20	10.1	2.26	9	4.6	1.54
30-34	15	3.1	0.79	12	4.9	1.41	3	1.2	0.71
35-39	14	2.7	0.72	13	5.0	1.39	1	0.4	0.39
40-44	15	3.2	0.83	12	5.2	1.51	3	1.3	0.73
45-49	4	1.0	0.48	0	0.0	0.00	4	1.9	0.95
50-54	13	3.9	1.07	6	3.6	1.49	7	4.1	1.54
55-59	5	2.0	0.88	5	4.0	1.80	0	0.0	0.00
60-64	1	0.4	0.44	0	0.0	0.00	1	0.8	0.84
65-69	5	2.1	0.93	4	3.6	1.81	1	0.8	0.76
70-74	4	1.8	0.89	2	2.1	1.46	2	1.6	1.10
75-79	2	1.1	0.75	0	0.0	0.00	2	1.8	1.26
80-84	2	1.6	1.13	1	2.2	2.21	1	1.2	1.25
85+	2	1.8	1.31	1	3.5	3.46	1	1.3	1.26
Total deaths	166			119			47		
Connecticut									
. Crude rate		2.9	-		4.2	-		1.6	-
. AAMR (1940 Std. mil.)		3.2	0.26		4.7	0.45		1.7	0.26
. AAMR (1970 Std. mil.)		3.0	0.24		4.3	0.42		1.6	0.24
. AAMR (2000 Std. mil.)		2.9	0.23		4.3	0.39		1.6	0.24
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		9.5	-		14.6	-		4.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available

## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Homicide (E960-E969)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	9	2.4	0.79	4	2.1	1.03	5	2.7	1.22
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	2	0.6	0.39	1	0.5	0.54	1	0.6	0.56
15-19	19	5.7	1.31	17	9.9	2.40	2	1.2	0.88
20-24	25	7.7	1.54	21	12.6	2.75	4	2.5	1.27
25-29	29	7.4	1.37	20	10.1	2.26	9	4.6	1.54
30-34	14	2.9	0.77	11	4.5	1.35	3	1.2	0.71
35-39	14	2.7	0.72	13	5.0	1.39	1	0.4	0.39
40-44	14	3.0	0.80	11	4.8	1.45	3	1.3	0.73
45-49	4	1.0	0.48	0	0.0	0.00	4	1.9	0.95
50-54	13	3.9	1.07	6	3.6	1.49	7	4.1	1.54
55-59	5	2.0	0.88	5	4.0	1.80	0	0.0	0.00
60-64	1	0.4	0.44	0	0.0	0.00	1	0.8	0.84
65-69	5	2.1	0.93	4	3.6	1.81	1	0.8	0.76
70-74	4	1.8	0.89	2	2.1	1.46	2	1.6	1.10
75-79	2	1.1	0.75	0	0.0	0.00	2	1.8	1.26
80-84	2	1.6	1.13	1	2.2	2.21	1	1.2	1.25
85+	2	1.8	1.31	1	3.5	3.46	1	1.3	1.26
Total deaths	164			117			47		
Connecticut									
. Crude rate		2.8	-		4.2	-		1.6	-
. AAMR (1940 Std. mil.)		3.2	0.26		4.7	0.45		1.7	0.26
. AAMR (1970 Std. mil.)		2.9	0.24		4.3	0.42		1.6	0.24
. AAMR (2000 Std. mil.)		2.9	0.23		4.2	0.39		1.6	0.24
. HP 2000 (1940 Std. mil.)		5.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		9.3	-		14.5	-		4.0	-
. HP 2000 (1940 Std. mil.)		7.2	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----All injury (E800-E999)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	39	10.3	1.65	21	10.8	2.36	18	9.8	2.31
5-9	17	4.3	1.04	12	5.9	1.71	5	2.6	1.16
10-14	30	8.3	1.51	20	10.8	2.41	10	5.6	1.78
15-19	126	37.9	3.37	96	55.8	5.69	30	18.7	3.41
20-24	189	58.2	4.23	146	87.5	7.24	43	27.2	4.15
25-29	183	46.7	3.45	142	71.8	6.02	41	21.1	3.30
30-34	216	44.2	3.01	168	68.5	5.28	48	19.7	2.85
35-39	233	45.0	2.95	185	71.6	5.26	48	18.5	2.67
40-44	212	45.5	3.13	176	76.7	5.78	36	15.2	2.54
45-49	159	38.2	3.03	117	57.0	5.27	42	19.9	3.08
50-54	133	39.6	3.43	93	56.5	5.86	40	23.3	3.69
55-59	91	35.6	3.74	61	49.0	6.27	30	22.9	4.19
60-64	99	43.1	4.33	70	63.4	7.58	29	24.3	4.51
65-69	95	39.3	4.03	61	55.1	7.06	34	26.0	4.45
70-74	156	69.3	5.54	93	95.8	9.93	63	49.2	6.19
75-79	157	83.1	6.63	94	122.9	12.68	63	56.0	7.06
80-84	184	146.6	10.81	89	196.6	20.84	95	118.4	12.14
85+	315	290.7	16.38	122	422.4	38.24	193	242.8	17.48
Total deaths	2,634			1,766			868		
Connecticut									
. Crude rate		45.5	-		62.7	-		29.2	-
. AAMR (1940 Std. mil.)		37.1	0.82		55.2	1.42		19.5	0.83
. AAMR (1970 Std. mil.)		37.7	0.80		55.6	1.39		21.0	0.82
. AAMR (2000 Std. mil.)		43.3	0.85		64.2	1.55		24.7	0.87
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		52.1	-		79.2	-		26.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: No comparison is available





## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----All falls (E880-E886,E888,E957,E968.1,E987)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.3	0.26	0	0.0	0.00	1	0.5	0.54
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	0.3	0.28	0	0.0	0.00	1	0.6	0.56
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	6	1.8	0.75	5	3.0	1.34	1	0.6	0.63
25-29	3	0.8	0.44	2	1.0	0.71	1	0.5	0.51
30-34	5	1.0	0.46	4	1.6	0.82	1	0.4	0.41
35-39	6	1.2	0.47	5	1.9	0.87	1	0.4	0.39
40-44	10	2.1	0.68	7	3.1	1.15	3	1.3	0.73
45-49	8	1.9	0.68	7	3.4	1.29	1	0.5	0.47
50-54	8	2.4	0.84	4	2.4	1.21	4	2.3	1.17
55-59	6	2.4	0.96	5	4.0	1.80	1	0.8	0.76
60-64	8	3.5	1.23	6	5.4	2.22	2	1.7	1.19
65-69	14	5.8	1.55	10	9.0	2.86	4	3.1	1.53
70-74	37	16.4	2.70	23	23.7	4.94	14	10.9	2.92
75-79	40	21.2	3.35	25	32.7	6.54	15	13.3	3.44
80-84	47	37.4	5.46	18	39.8	9.37	29	36.1	6.71
85+	108	99.7	9.59	35	121.2	20.48	73	91.8	10.75
Total deaths	308			156			152		
Connecticut									
. Crude rate		5.3	-		5.5	-		5.1	-
. AAMR (1940 Std. mil.)		2.3	0.16		3.2	0.29		1.5	0.18
. AAMR (1970 Std. mil.)		3.2	0.20		4.4	0.36		2.3	0.21
. AAMR (2000 Std. mil.)		4.6	0.26		6.1	0.50		3.5	0.29
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.5	-		3.6	-		1.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.3	0.26	1	0.5	0.51	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	5	1.4	0.62	4	2.2	1.08	1	0.6	0.56
15-19	21	6.3	1.38	18	10.5	2.47	3	1.9	1.08
20-24	46	14.2	2.09	44	26.4	3.97	2	1.3	0.90
25-29	40	10.2	1.61	31	15.7	2.81	9	4.6	1.54
30-34	44	9.0	1.36	39	15.9	2.55	5	2.1	0.92
35-39	34	6.6	1.13	31	12.0	2.15	3	1.2	0.67
40-44	29	6.2	1.16	27	11.8	2.27	2	0.8	0.60
45-49	25	6.0	1.20	20	9.7	2.18	5	2.4	1.06
50-54	25	7.4	1.49	18	10.9	2.58	7	4.1	1.54
55-59	13	5.1	1.41	12	9.6	2.78	1	0.8	0.76
60-64	12	5.2	1.51	12	10.9	3.14	0	0.0	0.00
65-69	20	8.3	1.85	17	15.4	3.73	3	2.3	1.32
70-74	18	8.0	1.88	15	15.4	3.99	3	2.3	1.35
75-79	11	5.8	1.76	11	14.4	4.34	0	0.0	0.00
80-84	9	7.2	2.39	9	19.9	6.63	0	0.0	0.00
85+	7	6.5	2.44	7	24.2	9.16	0	0.0	0.00
Total deaths	360			316			44		
Connecticut									
. Crude rate		6.2	-		11.2	-		1.5	-
. AAMR (1940 Std. mil.)		6.2	0.35		10.9	0.65		1.5	0.24
. AAMR (1970 Std. mil.)		5.8	0.32		10.4	0.61		1.4	0.22
. AAMR (2000 Std. mil.)		6.1	0.33		11.2	0.64		1.5	0.23
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		13.7	-		24.1	-		3.9	-
. HP 2000 (1940 Std. mil.)		11.6	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: CT rate is lower

## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Firearm suicide (E955.0-.4)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	3	0.8	0.48	3	1.6	0.93	0	0.0	0.00
15-19	6	1.8	0.74	5	2.9	1.30	1	0.6	0.62
20-24	24	7.4	1.51	23	13.8	2.87	1	0.6	0.63
25-29	15	3.8	0.99	12	6.1	1.75	3	1.5	0.89
30-34	30	6.1	1.12	27	11.0	2.12	3	1.2	0.71
35-39	25	4.8	0.97	22	8.5	1.81	3	1.2	0.67
40-44	20	4.3	0.96	18	7.8	1.85	2	0.8	0.60
45-49	21	5.0	1.10	20	9.7	2.18	1	0.5	0.47
50-54	17	5.1	1.23	14	8.5	2.27	3	1.8	1.01
55-59	10	3.9	1.24	9	7.2	2.41	1	0.8	0.76
60-64	11	4.8	1.44	11	10.0	3.00	0	0.0	0.00
65-69	18	7.4	1.76	17	15.4	3.73	1	0.8	0.76
70-74	17	7.5	1.83	15	15.4	3.99	2	1.6	1.10
75-79	10	5.3	1.67	10	13.1	4.13	0	0.0	0.00
80-84	9	7.2	2.39	9	19.9	6.63	0	0.0	0.00
85+	7	6.5	2.44	7	24.2	9.16	0	0.0	0.00
Total deaths	243			222			21		
Connecticut									
. Crude rate		4.2	-		7.9	-		0.7	-
. AAMR (1940 Std. mil.)		3.8	0.26		7.0	0.50		0.7	0.16
. AAMR (1970 Std. mil.)		3.6	0.25		6.9	0.48		0.6	0.14
. AAMR (2000 Std. mil.)		4.0	0.26		7.8	0.53		0.7	0.15
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.5	-		11.5	-		1.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Firearm homicide (E965.0-.4)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.3	0.26	1	0.5	0.51	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	2	0.6	0.39	1	0.5	0.54	1	0.6	0.56
15-19	15	4.5	1.16	13	7.6	2.10	2	1.2	0.88
20-24	21	6.5	1.41	20	12.0	2.68	1	0.6	0.63
25-29	23	5.9	1.22	17	8.6	2.08	6	3.1	1.26
30-34	13	2.7	0.74	11	4.5	1.35	2	0.8	0.58
35-39	9	1.7	0.58	9	3.5	1.16	0	0.0	0.00
40-44	5	1.1	0.48	5	2.2	0.97	0	0.0	0.00
45-49	4	1.0	0.48	0	0.0	0.00	4	1.9	0.95
50-54	8	2.4	0.84	4	2.4	1.21	4	2.3	1.17
55-59	3	1.2	0.68	3	2.4	1.39	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	0.4	0.41	0	0.0	0.00	1	0.8	0.76
70-74	1	0.4	0.44	0	0.0	0.00	1	0.8	0.78
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	106			84			22		
Connecticut									
. Crude rate		1.8	-		3.0	-		0.7	-
. AAMR (1940 Std. mil.)		2.2	0.22		3.6	0.40		0.8	0.18
. AAMR (1970 Std. mil.)		2.0	0.20		3.2	0.36		0.8	0.17
. AAMR (2000 Std. mil.)		1.9	0.19		3.0	0.33		0.8	0.16
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.6	-		11.0	-		2.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: No comparison is available



## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	5	1.3	0.57	5	2.5	1.13	0	0.0	0.00
30-34	9	1.8	0.61	5	2.0	0.91	4	1.6	0.82
35-39	24	4.6	0.95	19	7.4	1.69	5	1.9	0.86
40-44	31	6.7	1.20	26	11.3	2.22	5	2.1	0.95
45-49	57	13.7	1.82	47	22.9	3.34	10	4.7	1.50
50-54	41	12.2	1.91	34	20.7	3.54	7	4.1	1.54
55-59	25	9.8	1.96	18	14.5	3.41	7	5.4	2.02
60-64	38	16.5	2.68	25	22.6	4.53	13	10.9	3.02
65-69	36	14.9	2.48	19	17.2	3.94	17	13.0	3.15
70-74	32	14.2	2.51	23	23.7	4.94	9	7.0	2.34
75-79	23	12.2	2.54	14	18.3	4.89	9	8.0	2.67
80-84	7	5.6	2.11	6	13.3	5.41	1	1.2	1.25
85+	6	5.5	2.26	4	13.8	6.92	2	2.5	1.78
Total deaths	334			245			89		
Connecticut									
. Crude rate		5.8	-		8.7	-		3.0	-
. AAMR (1940 Std. mil.)		4.5	0.26		7.0	0.46		2.2	0.24
. AAMR (1970 Std. mil.)		4.7	0.26		7.3	0.48		2.4	0.26
. AAMR (2000 Std. mil.)		5.5	0.30		8.6	0.55		2.7	0.29
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.8	-		10.8	-		3.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	0.5	0.37	1	0.5	0.51	1	0.5	0.54
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	0.3	0.28	0	0.0	0.00	1	0.6	0.56
15-19	6	1.8	0.74	5	2.9	1.30	1	0.6	0.62
20-24	24	7.4	1.51	17	10.2	2.47	7	4.4	1.68
25-29	35	8.9	1.51	30	15.2	2.77	5	2.6	1.15
30-34	76	15.6	1.78	55	22.4	3.02	21	8.6	1.88
35-39	91	17.6	1.84	70	27.1	3.24	21	8.1	1.77
40-44	78	16.8	1.90	65	28.3	3.51	13	5.5	1.53
45-49	45	10.8	1.61	32	15.6	2.76	13	6.2	1.71
50-54	13	3.9	1.07	9	5.5	1.82	4	2.3	1.17
55-59	10	3.9	1.24	4	3.2	1.61	6	4.6	1.87
60-64	6	2.6	1.07	4	3.6	1.81	2	1.7	1.19
65-69	4	1.7	0.83	2	1.8	1.28	2	1.5	1.08
70-74	3	1.3	0.77	1	1.0	1.03	2	1.6	1.10
75-79	3	1.6	0.92	1	1.3	1.31	2	1.8	1.26
80-84	1	0.8	0.80	1	2.2	2.21	0	0.0	0.00
85+	4	3.7	1.85	1	3.5	3.46	3	3.8	2.18
Total deaths	402			298			104		
Connecticut									
. Crude rate		6.9	-		10.6	-		3.5	-
. AAMR (1940 Std. mil.)		6.5	0.34		9.7	0.58		3.3	0.34
. AAMR (1970 Std. mil.)		5.6	0.29		8.3	0.50		2.9	0.30
. AAMR (2000 Std. mil.)		6.7	0.33		10.0	0.58		3.4	0.34
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.0	-		7.3	-		2.9	-
. HP 2000 (1940 Std. mil.)		3.0	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is higher  
. THE U.S. HP 2000 target: CT rate is higher