	Southwest Community Health Center, Inc.				
	Aggregate Quality Score				
PCMH+ Quality Measure	Maintain Quality	Improve Quality	Absolute Quality	Total Quality Score	Total Possible Points
Adolescent well-care visits	0.00	0.00	0.75	0.75	3.00
Avoidance of antibiotic treatment in adults with acute bronchitis	1.00	1.00	0.00	2.00	3.00
Developmental screening in the first three years of life	1.00	1.00	1.00	3.00	3.00
Diabetes HbA1c Screening	1.00	1.00	0.75	2.75	3.00
Emergency Department (ED) Usage	1.00	0.00	0.25	1.25	3.00
Medication management for people with asthma	1.00	0.50	1.00	2.50	3.00
PCMH CAHPS	0.00	0.00	0.00	0.00	3.00
Prenatal Care	0.500	0.500	0.500	1.500	1.500
Postpartum Care	0.000	0.000	0.500	0.500	1.500
Well-child visits in the first 15 months of life	1.00	1.00	1.00	3.00	3.00
Total Points	_	_		17.250	27.000
Aggregate Quality Score (Total Quality Score/Total Possible Points)			63.89%		

Notes:

- 1. Maintain Quality points are awarded if a PE's 2017 rate is greater than or equal to its 2016 rate.
- 2. Improve Quality points are awarded for a PE's 2017 over 2016 improvement trend on a sliding scale compared to the comparison group improvement trend.
- 3. Absolute Quality points are awarded for a PE's ability to reach absolute quality targets, which are derived from the comparison group's 2015 rates.
- 4. DNQ (Does Not Qualify) values occur when a denominator count is less than 30.
- 5. Both Prenatal and Postpartum Care are scored separately and are weighted equally at 1.500 total possible points.
- 6. Aggregate Quality Scores are not final, as 2017 PCMH CAHPS scores are still being processed. Points for PCMH CAHPS are not included in this summary.





Improve Quality Benchmarks			
Improvement above the CG Trend	Points	Values	
Between 100% and 132%	0.25	-0.16%	
Between 133% and 166%	0.50	-0.12%	
Between 167% and 199%	0.75	-0.10%	
200% or greater	1.00	-0.08%	

Absolute Quality Benchmarks			
Percentiles	Points	Values	
50th Percentile	0.25	65.9%	
60th Percentile	0.50	67.6%	
70th Percentile	0.75	68.5%	
80th Percentile	1.00	75.0%	

Southwest Community Health Center, Inc.			
2016 Rate 2017 Rate Improvement			
72.9%	70.7%		

Aggregate Quality Components	Points Awarded	Possible Points
Maintain Quality	•	1.00
Improve Quality	-	1.00
Absolute Quality	0.75	1.00
Total Points	0.75	3.00

Doto Co	lculation	Canaia	larationa
Rate Ca	iculation	Consid	ierations

Not Applicable

Quality Measure Description

The percentage of enrolled members 12–21 years of age who had at least one comprehensive well-care visit with a primary care practitioner (PCP) or an obstetrics and gynecology practitioner during the measurement year.


Notes

- 1. The 2016 rates are from the quality measure data sets provided on August 18, 2017.
- 2. The 2017 rates are from the quality measure data sets provided on September 6, 2018.
- 3. DNQ (Does Not Qualify) values occur when a denominator count is less than 30.
- 4. The Improve Quality Benchmarks are derived from the comparison group entities' percent improvement from 2016 to 2017.
- 5. The Absolute Quality Benchmarks were derived from the comparison group 2015 rates.



Page 2 of 14 10/30/2018

2017 Quality Measures Year 1 PCMH+ Shared Savings Calculation



Improve Quality Benchmarks			
Improvement above the CG Trend	Points	Values	
Between 100% and 132%	0.25	5.4%	
Between 133% and 166%	0.50	7.1%	
Between 167% and 199%	0.75	8.9%	
200% or greater	1.00	10.7%	

Absolute Quality Benchmarks			
Percentiles Points Values		Values	
50th Percentile	0.25	27.9%	
60th Percentile	0.50	28.2%	
70th Percentile	0.75	33.3%	
80th Percentile	1.00	36.7%	

Southwest Community Health Center, Inc.			
2016 Rate 2017 Rate Improvement			
19.1%	25.6%	33.6%	

Aggregate Quality Components	Points Awarded	Possible Points
Maintain Quality	1.00	1.00
Improve Quality	1.00	1.00
Absolute Quality	•	1.00
Total Points	2.00	3.00

Rate Calculation Considerations

The rate is calculated as 1 - (adults with bronchitis that received an antibiotic / adults with bronchitis). A higher rate indicates appropriate treatment.

Quality Measure Description

The percentage of adults 18–64 years of age with a diagnosis of acute bronchitis who were not dispensed an antibiotic prescription. A higher rate indicates appropriate care (i.e. the proportion for whom antibiotics were not prescribed).


Notes

- 1. The 2016 rates are from the quality measure data sets provided on August 18, 2017.
- 2. The 2017 rates are from the quality measure data sets provided on September 6, 2018.
- 3. DNQ (Does Not Qualify) values occur when a denominator count is less than 30.
- 4. The Improve Quality Benchmarks are derived from the comparison group entities' percent improvement from 2016 to 2017.
- 5. The Absolute Quality Benchmarks were derived from the comparison group 2015 rates.



Page 3 of 14 10/30/2018

Improvement



Improve Quality Benchmarks			
Improvement above the CG Trend	Points	Values	
Between 100% and 132%	0.25	29.1%	
Between 133% and 166%	0.50	38.8%	
Between 167% and 199%	0.75	48.5%	
200% or greater	1.00	58.2%	

Absolute Quality Benchmarks			
Percentiles	Points	Values	
50th Percentile	0.25	20.3%	
60th Percentile	0.50	36.2%	
70th Percentile	0.75	41.0%	
80th Percentile	1.00	46.5%	

2.6%	51.2%	Over 100%
Aggregate Quality Components	Points Awarded	Possible Points
Maintain Quality	1.00	1.00
manua Ovality	1.00	4.00

Southwest Community Health Center, Inc.

2017 Rate

	Rate Calculation Considerations	
Not Applicable		

Components	Points Awarded	Possible Points
Maintain Quality	1.00	1.00
Improve Quality	1.00	1.00
Absolute Quality	1.00	1.00
Total Points	3.00	3.00

Quality Measure Description


The percentage of children screened for risk of developmental, behavioral, and social delays using a standardized screening tool in the first three years of life. This is a measure of screening in the first three years of life that includes three, age-specific indicators assessing whether children are screened by 12 months of age, by 24 months of age, and by 36 months of age.

- 1. The 2016 rates are from the quality measure data sets provided on August 18, 2017.
- 2. The 2017 rates are from the quality measure data sets provided on September 6, 2018.
- 3. DNQ (Does Not Qualify) values occur when a denominator count is less than 30.
- 4. The Improve Quality Benchmarks are derived from the comparison group entities' percent improvement from 2016 to 2017.
- 5. The Absolute Quality Benchmarks were derived from the comparison group 2015 rates.



Page 4 of 14 10/30/2018

2016 Rate



Improve Quality Benchmarks			
Improvement above the CG Trend	Points	Values	
Between 100% and 132%	0.25	-0.13%	
Between 133% and 166%	0.50	-0.10%	
Between 167% and 199%	0.75	-0.08%	
200% or greater	1.00	-0.07%	

Absolute Quality Benchmarks		
Percentiles	Points	Values
50th Percentile	0.25	89.3%
60th Percentile	0.50	90.5%
70th Percentile	0.75	91.3%
80th Percentile	1.00	92.7%

Quality Measure Description

2016 Rate	2017 Rate	Improvement
90.1%	92.5%	2.6%
Aggregate Quality	Points Awarded	Possible Points

Southwest Community Health Center, Inc.

Aggregate Quality Components	Points Awarded	Possible Points
Maintain Quality	1.00	1.00
Improve Quality	1.00	1.00
Absolute Quality	0.75	1.00
Total Points	2.75	3.00

Adults age 18–75 with a diagnosis of Type I or Type II diabetes who received at least one HbA1c screening during the measurement year.

Rate Calculation Considerations


Notes

Not Applicable

- 1. The 2016 rates are from the quality measure data sets provided on August 18, 2017.
- 2. The 2017 rates are from the quality measure data sets provided on September 6, 2018.
- 3. DNQ (Does Not Qualify) values occur when a denominator count is less than 30.
- 4. The Improve Quality Benchmarks are derived from the comparison group entities' percent improvement from 2016 to 2017.
- 5. The Absolute Quality Benchmarks were derived from the comparison group 2015 rates.



Page 5 of 14 10/30/2018



Improve Quality Benchmarks			
Improvement above the CG Trend	Points	Values	
Between 100% and 132%	0.25	-6.6%	
Between 133% and 166%	0.50	-8.8%	
Between 167% and 199%	0.75	-10.9%	
200% or greater	1.00	-13.1%	

Absolute Quality Benchmarks		
Percentiles	Points	Values
50th Percentile	0.25	83.11
60th Percentile	0.50	64.45
70th Percentile	0.75	55.95
80th Percentile	1.00	53.29

Southwest Community Health Center, Inc.			
2016 Rate	2017 Rate Improvemer		
85.31	80.74	-5.4%	
·			

Aggregate Quality Components	Points Awarded	Possible Points
Maintain Quality	1.00	1.00
Improve Quality	-	1.00
Absolute Quality	0.25	1.00
Total Points	1.25	3.00

The rate is calculated as (numerator / denominator) * 1,000 member months. A lower score indicates more appropriate care.

Quality Measure Description

Emergency department usage (all ages, but 0–19 can be broken out for pediatric practices). Excludes mental health and chemical dependency services.

Notes

- 1. The 2016 rates are from the quality measure data sets provided on August 18, 2017.
- 2. The 2017 rates are from the quality measure data sets provided on September 6, 2018.
- 3. DNQ (Does Not Qualify) values occur when a denominator count is less than 30.
- 4. The Improve Quality Benchmarks are derived from the comparison group entities' percent improvement from 2016 to 2017.
- 5. The Absolute Quality Benchmarks were derived from the comparison group 2015 rates.



Page 6 of 14 10/30/2018

Medication management for people with asthma Southwest Community Health Center, Inc.



Improve Quality Benchmarks				
Improvement above the CG Trend	Points	Values		
Between 100% and 132%	0.25	11.6%		
Between 133% and 166%	0.50	15.4%		
Between 167% and 199%	0.75	19.3%		
200% or greater	1.00	23.2%		

Absolute Quality Benchmarks			
Percentiles	Points	Values	
50th Percentile	0.25	40.0%	
60th Percentile	0.50	43.7%	
70th Percentile	0.75	45.0%	
80th Percentile	1.00	46.7%	

Southwest Community Health Center, Inc.		
2016 Rate	2017 Rate	Improvement
42.9%	49.8%	16.3%

Aggregate Quality Components	Points Awarded	Possible Points
Maintain Quality	1.00	1.00
Improve Quality	0.50	1.00
Absolute Quality	1.00	1.00
Total Points	2.50	3.00

Ra	te	Cal	cul	lation	· Cons	ic	lerat	ions

Not Applicable

Quality Measure Description

Medication Management for people with asthma age 5–64 (age 5–18 breakout can be used for pediatric practices). Percent of patients with persistent asthma who were prescribed and remained on asthma "controller medication" for at least 75% of their treatment period.

Notes

- 1. The 2016 rates are from the quality measure data sets provided on August 18, 2017.
- 2. The 2017 rates are from the quality measure data sets provided on September 6, 2018.
- 3. DNQ (Does Not Qualify) values occur when a denominator count is less than 30.
- 4. The Improve Quality Benchmarks are derived from the comparison group entities' percent improvement from 2016 to 2017.
- 5. The Absolute Quality Benchmarks were derived from the comparison group 2015 rates.




Page 7 of 14 10/30/2018

Improvement

1.500

2017 Quality Measures Year 1 PCMH+ Shared Savings Calculation



Improve Quality Benchmarks			
Improvement above the CG Trend	Points	Values	
Between 100% and 132%	0.125	0.47%	
Between 133% and 166%	0.250	0.63%	
Between 167% and 199%	0.375	0.79%	
200% or greater	0.500	0.95%	

Absolute Quality Benchmarks			
Percentiles	Points	Values	
50th Percentile	0.125	71.4%	
60th Percentile	0.250	73.2%	
70th Percentile	0.375	76.1%	
80th Percentile	0.500	80.7%	

60.4%	00.7%	7.9%
Aggregate Quality Components	Points Awarded	Possible Points
Maintain Quality	0.500	0.500
Improve Quality	0.500	0.500
Absolute Quality	0.500	0.500

1.500

Southwest Community Health Center, Inc.

2017 Rate

	Rate Calculation Considerations	
Not Applicable		

Quality Measure Description

The percentage of deliveries of live births between November 6 of the year prior to the measurement year and November 5 of the measurement year. For these women, the measure assesses the following facets of prenatal and postpartum care:

• Rate 1: Timeliness of Prenatal Care. The percentage of deliveries that received a prenatal care visit as a patient of the organization in the first trimester or within 42 days of enrollment in the organization.

Notes


- 1. The 2016 rates are from the quality measure data sets provided on August 18, 2017.
- 2. The 2017 rates are from the quality measure data sets provided on September 6, 2018.
- 3. DNQ (Does Not Qualify) values occur when a denominator count is less than 30.
- 4. The Improve Quality Benchmarks are derived from the comparison group entities' percent improvement from 2016 to 2017.
- 5. The Absolute Quality Benchmarks were derived from the comparison group 2015 rates.



Page 8 of 14 10/30/2018

2016 Rate

Total Points



Improve Quality Benchmarks			
Improvement above the CG Trend	Points	Values	
Between 100% and 132%	0.125	-10.4%	
Between 133% and 166%	0.250	-7.8%	
Between 167% and 199%	0.375	-6.2%	
200% or greater	0.500	-5.2%	

Absolute Quality Benchmarks			
Percentiles	Points	Values	
50th Percentile	0.125	44.6%	
60th Percentile	0.250	46.5%	
70th Percentile	0.375	50.7%	
80th Percentile	0.500	52.3%	

Southwest Community Health Center, Inc.		
2016 Rate	2017 Rate Improvemen	
80.4%	70.3%	-12.5%

Aggregate Quality Components	Points Awarded	Possible Points
Maintain Quality	-	0.500
Improve Quality	-	0.500
Absolute Quality	0.500	0.500
Total Points	0.500	1.500

	~ ^	`ala	غماسه	ian (`anai	iderat	iono
Kat	eс	alc	ulat	ion (JUNS	uerat	ions

Not Applicable

Quality Measure Description

The percentage of deliveries of live births between November 6 of the year prior to the measurement year and November 5 of the measurement year. For these women, the measure assesses the following facets of prenatal and postpartum care:

• Rate 2: Postpartum Care. The percentage of deliveries that had a postpartum visit on or between 21 and 56 days after delivery.

Notes


- 1. The 2016 rates are from the quality measure data sets provided on August 18, 2017.
- 2. The 2017 rates are from the quality measure data sets provided on September 6, 2018.
- 3. DNQ (Does Not Qualify) values occur when a denominator count is less than 30.
- 4. The Improve Quality Benchmarks are derived from the comparison group entities' percent improvement from 2016 to 2017.
- 5. The Absolute Quality Benchmarks were derived from the comparison group 2015 rates.



Page 9 of 14 10/30/2018

Year 1 PCMH+ Shared Savings Calculation

Well-child visits in the first 15 months of life **Southwest Community Health Center, Inc.**



Improve Quality Benchmarks						
Improvement above the CG Trend	Points	Values				
Between 100% and 132%	0.25	2.1%				
Between 133% and 166%	0.50	2.7%				
Between 167% and 199%	0.75	3.4%				
200% or greater	1.00	4.1%				

Absolute Quality Benchmarks					
Percentiles	Points	Values			
50th Percentile	0.25	81.7%			
60th Percentile	0.50	83.0%			
70th Percentile	0.75	84.0%			
80th Percentile	1.00	86.9%			

		,
2016 Rate	2017 Rate	Improvement
88.1%	92.9%	5.4%
Aggregate Quality	Dointo Awardad	Descible Deinte

Southwest Community Health Center, Inc.

Aggregate Quality Components	Points Awarded	Possible Points
Maintain Quality	1.00	1.00
Improve Quality	1.00	1.00
Absolute Quality	1.00	1.00
Total Points	3.00	3.00

Rate Calculation	Considerations

Not Applicable

Quality Measure Description


Percentage of patients who turned 15 months old during the measurement year and who had the following number of well-child visits with a PCP during their first 15 months of life:

Six or more well-child visits.

- 1. The 2016 rates are from the quality measure data sets provided on August 18, 2017.
- 2. The 2017 rates are from the quality measure data sets provided on September 6, 2018.
- 3. DNQ (Does Not Qualify) values occur when a denominator count is less than 30.
- 4. The Improve Quality Benchmarks are derived from the comparison group entities' percent improvement from 2016 to 2017.
- 5. The Absolute Quality Benchmarks were derived from the comparison group 2015 rates.



Page 10 of 14 10/30/2018



Not Applicable

Quality Measure Description


The percentage of children ages 1–17, who were screened for developmental or behavioral problems using a validated survey instrument, approved by the AAP.

Notes

- 1. The 2017 rates are from the quality measure data sets provided on September 6, 2018.
- 2. DNQ (Does Not Qualify) values occur when a denominator count is less than 30.
- 3. A challenge point is awarded if a Participating Entity's 2017 rate is equal to or greater than the median of all Participating Entities 2017 rate of the given measure.



Page 11 of 14 10/30/2018



Not Applicable

Quality Measure Description

Percentage of children and adolescents 1–17 years of age who had two or more antipsychotic prescriptions and had metabolic testing.


Notes

- 1. The 2017 rates are from the quality measure data sets provided on September 6, 2018.
- 2. DNQ (Does Not Qualify) values occur when a denominator count is less than 30.
- 3. A challenge point is awarded if a Participating Entity's 2017 rate is equal to or greater than the median of all Participating Entities 2017 rate of the given measure.



Page 12 of 14 10/30/2018

0



Rate Calculation Considerations

Challenge Point Awarded

A lower score indicates more appropriate care.

Quality Measure Description


For Medicaid members age 0 to 64, total readmissions within 30 days after discharge from hospital. This measure is based on AHRQ and CMS approved specifications developed by Medicaid Medical Directors Network (MMDN) for Medicaid patients only. The measure aggregates the results for Physical Health only, Physical Health and Behavioral Health combined, by age, gender, race/ethnicity and by Major Diagnosis Category. It assesses the overall readmission rate by 4 populations: Pediatric OB, Pediatric Non-OB, Adult OB, Adult Non-OB with the age break out of Age Under 1, Age 1-12, Age 13-20, Age 21-44 and Age 45-64. Dual Eligible members are excluded.

Notes

- 1. The 2017 rates are from the quality measure data sets provided on September 6, 2018.
- 2. DNQ (Does Not Qualify) values occur when a denominator count is less than 30.
- 3. A challenge point is awarded if a Participating Entity's 2017 rate is equal to or greater than the median of all Participating Entities 2017 rate of the given measure.



Page 13 of 14 10/30/2018



Participating Entities 2017 Rate								
51.8%	47.4%	47.0%	41.6%	40.0%	39.5%	38.2%	35.9%	35.2%

All Participating Entity 2017 Median	Southwest Community Health Center, Inc. 2017 Rate				
40.0%	35.2%				
Challenge Point Awarded	0				

Not Applicable

Quality Measure Description

Percentage of adults age 21–75 with an inpatient "medical" or psych admission with a claim for post-admission follow-up with a physician, Physician Assistant, or advanced practice registered nurse within seven days of the inpatient discharge. Medical admissions are defined as all admissions that are not maternity or surgery related.

Notes

- 1. The 2017 rates are from the quality measure data sets provided on September 6, 2018.
- 2. DNQ (Does Not Qualify) values occur when a denominator count is less than 30.
- 3. A challenge point is awarded if a Participating Entity's 2017 rate is equal to or greater than the median of all Participating Entities 2017 rate of the given measure.



Page 14 of 14 10/30/2018