Revision: 2

Effective Date: 01/04/2016

Approved by Director: Dr. Guy Vallaro

Status: Published Page 1 of 14

# A. Purpose:

As the field of video and image enhancement expands, the user must be able to understand the terminology that is routinely applied to the field. The following contains technical terminology that may appear in the examiner's worksheets and reports.

# **B.** Responsibility:

Forensic Science Examiners assigned to the Unit or performing casework in the Unit.

### C. Terminology:

### **Administrative Review**

A procedure used to check casework for consistency with agency/laboratory policy and for editorial practice.

### **Algorithm**

A step-by-step procedure for solving a problem or accomplishing some end. [Webster's Dictionary]

# **Archive Copy**

A copy of data placed on media suitable for long-term storage, from which subsequent working copies can be produced. The archive copy may be stored in a high capacity media device or on CD/DVD and filed in a secure, locking filing cabinet or password protected.

# **Archive Image**

Any image placed on media that is suitable for long-term storage.

# Archiving

The process of storing data in a manner suitable for long term availability and retrieval.

#### **Artifact**

- (a, i, v) A visual/aural aberration in an image, video, or audio recording resulting from a technical or operational limitation. Examples include speckles in a scanned picture or "blocking" in images compressed using the JPEG standard.
- (c) Information or data created as a result of the use of an electronic device that shows past activity.

# **Aspect Ratio**

(i, v) The width to height ratio of an image.

Revision: 2

Effective Date: 01/04/2016

Approved by Director: Dr. Guy Vallaro Status: Published

Page 2 of 14

#### **Audio Enhancement**

Processing of recordings for the purpose of increased intelligibility, attenuation of noise, improvement of understanding the recorded material and/or improvement of quality or ease of hearing.

# **Authentication**

The process of substantiating that the data is an accurate representation of what it purports to be.

### **Capture**

The process of recording data, such as an image, video sequence, or audio stream.

### Capture card/frame grabber

A piece of computer hardware that accepts an analog or digital signal and outputs the signal as digital data.

### **Capture Device**

A device used in the recording of data.

### CD/DVD (compact disc/digital versatile disc)

Optical disc formats designed to function as digital storage media.

#### **Chain of Custody**

The chronological documentation of the movement, location and possession of evidence.

#### Codec

A device or computer program capable of encoding or decoding a digital data stream or signal; commonly referred to as compressor/decompressor

### **Cognitive Image Analysis**

(i, v) The process used to extract visual information from an image.

#### Colorimetry

The quantification of the color of an object.

#### Color Range

The range of colors that can be detected by a sensor.

Revision: 2

Effective Date: 01/04/2016

Approved by Director: Dr. Guy Vallaro

Status: Published Page **3** of **14** 

# Compression

The process of reducing the size of a data file. (See also, "Lossy Compression" and "Lossless Compression".)

# **Compression ratio**

The size of a data file before compression divided by the file size after compression.

### Copy

An accurate reproduction of information.

#### Data

Information in analog or digital form that can be transmitted or processed.

#### **Data Analysis**

The assessment of the information contained within the media.

#### **Data Extraction**

A process that identifies and recovers information that may not be immediately apparent.

# **Deblurring**

(i, v) A type of image restoration used to reverse image degradation, such as motion blur or out-offocus blur. It is accomplished by applying algorithms based on knowledge or an estimate of the cause of the original degradation.

### Deinterlacing

(v) Separating an interlaced frame into two discrete fields.

## **Demonstrative Comparison**

(v) A method of presenting the similarities and/or differences among images and/or objects without rendering an opinion regarding identification or exclusion.

# Digital CCTV Retrieval

(v) The process of retrieving video/images from digital CCTV systems.

#### **Digital Evidence**

Information of probative value that is stored or transmitted in binary form.

Revision: 2

Effective Date: 01/04/2016

Approved by Director: Dr. Guy Vallaro

Status: Published Page 4 of 14

### **Digital Image**

(i) An image that is represented by discrete numerical values organized in a two-dimensional array. [Taken from the "*Encyclopedia of Photography*" 3<sup>rd</sup> Edition] When viewed on a monitor or paper, it appears like a photograph. (c) See definition for "Image".

# **Directory Listing**

(c) A list of files contained within an object. It may also contain other information such as the size and dates of the files.

# **Duplicate**

An accurate and complete reproduction of all data objects independent of the physical media.

# **Dynamic Range**

- (i) The difference between the brightest highlight and darkest value that a sensor (e.g. film or CCD) can detect and record in a single image.
- (a, v) The ratio of the strongest (undistorted) signal to that of the weakest (discernible) signal in a unit or system as expressed in decibels (dB). A way of stating the maximum signal to noise ratio.

# **Erased File Recovery**

(c) The process for recovering deleted files.

#### <u>Field</u>

(v) An element of a video signal containing alternate horizontal lines. For interlaced video, the scanning pattern is divided into two sets of spaced lines (odd and even) that are displayed sequentially. Each set of lines is called a field, and the interlaced set of the two sets of lines is a frame.

#### File Format

The structure by which data is organized in a file.

#### File Slack

(c) The data between the logical end of a file and the end of the last storage unit for that file. *Ex:* For the FAT (file allocation table) file system, the data between the logical end of the file and the end of the cluster.

#### Forensic Audio

Revision: 2

Effective Date: 01/04/2016

Approved by Director: Dr. Guy Vallaro

Status: Published Page 5 of 14

A subdiscipline of Digital & Multimedia Evidence, which involves the scientific examination, analysis, comparison, and/or evaluation of audio.

#### **Format**

(v) One or several combined elements that may be used to describe the video recording method. These include tape width (e.g. 8mm, ½ inch, ¾ inch, 1 inch), signal form (e.g. composite, Y/C, component), media (e.g. VHS tape, DVD, CD), data storage type (e.g. analog/digital, AVI/MPEG), and signal standard (e.g. NTSC, PAL, SECAM).

### **Format Conversion**

(a, i, v) To transfer audio and/or video information from one media type to another and/or from one recording method to another.

#### Frame

(v) Lines of spatial information of a video signal. For interlaced video, a frame consists of two fields, one of odd lines and one of even lines, displayed in sequence. For progressive scan (noninterlaced) video, the frame is written through successive lines that start at the top left of the picture and finish at the bottom right.

There are three major frame types found in video evidence: I, P and B frames.

- I frames are the lease compressible and are usually the coding frame for subsequent frames following.
- P frames use data from the previous frame to decompress and are more compressible than I-frames.
- B- frames uses both the previous and forward frames for data reference to get the highest amount of data compression.

The I frame is an "Intra-coded picture' frame, while the P and B frames only hold part of the original image information. The P frame (aka Delta frames) is a "Predicted picture" that holds from the previous frames. Finally, the B frame is a "bi-directive picture" that save more memory space by using the differences between the current frame and the preceding and following frame.

When the need to establish a frame count or time count in a video sequence, it is best to start with the Iframe if this frame is able to be located to determine the coding sequence.

# Free Space

Data storage areas available for use by the computer. The area may already contain previously stored information. Also referred to as Unallocated Space.

Revision: 2

Effective Date: 01/04/2016

Approved by Director: Dr. Guy Vallaro

Status

Page

Status: Published Page 6 of 14

### Gaussian Blur

(i, v) A function typically used to reduce image noise and detail using a specific mathematical function known as the "Gaussian Kernel" or "bell-curve". The visual effect of this technique is a smoothing of image features as if viewing the image through a translucent filter.

#### **Hash or Hash Value**

Numerical values, generated by hashing functions, used to substantiate the integrity of digital evidence and/or for inclusion /exclusion comparisons against known value sets.

# **Hashing Function**

An established mathematical calculation that generates a numerical value based on input data. This numerical value is referred to as the hash or hash value.

### <u>Image</u>

- (c) A bit stream duplicate of the original data.
- (i, v) An imitation or representation of a person or thing, drawn, painted, photographed, etc.

# **Image Analysis**

A sub-discipline of Digital & Multimedia Evidence, which involves the application of image science and domain expertise to examine and interpret the content of an image and/or the image itself in legal matters.

# **Image Averaging**

(i, v) The process of averaging similar images, such as sequential video frames, to reduce noise in stationary scenes.

# Image Comparison (Photographic Comparison)

(i) The process of comparing images of questioned objects or persons to known objects or persons or images thereof, and making an assessment of the correspondence between features in these images for rendering an opinion regarding identification or elimination.

#### **Image Content Analysis**

(i) The drawing of conclusions about an image. Targets for content analysis include, but are not limited to: the subjects/objects within an image; the conditions under which, or the process by which, the image was captured or created; the physical aspects of the scene (e.g., lighting or composition); and/or the provenance of the image.

Revision: 2

Effective Date: 01/04/2016

Approved by Director: Dr. Guy Vallaro

Status: Published Page 7 of 14

# **Image Data Recovery**

(i) The process of retrieving viewable image(s) from a data set.

### **Image Enhancement**

(i, v) Any process intended to improve the visual appearance of an image or specific features within an image.

# **Image Output**

(i) The means by which an image is presented for examination or observation.

# **Image Processing**

(i) Any activity that transforms an input image into an output image.

### **Image Processing Log**

(i) A record of the steps used in the processing of an image.

### **Image Restoration**

(i, v) Image restoration is any process applied to an image that has been degraded by a known cause (e.g., defocus or motion blur) to partially or totally remove the effects of that degradation.

#### **Imaging Technology**

(i, v) Any system or method used to capture, store, process, analyze, transmit, or produce an image. Such systems include film, electronic sensors, cameras, video devices, scanners, printers, computers, etc.

#### **Image Transmission**

(i, v) The act of moving images from one location to another.

#### **Integrity verification**

The process of confirming that the data presented is complete and unaltered since time of acquisition.

#### **Intermediate Storage**

Any media or device on which data is temporarily stored for transfer to permanent or archival storage.

# **Interlaced Scan**

I	MMIE SOP-23 Glossary of Terminology	Document ID: 1246
I		Revision: 2

Effective Date: 01/04/2016

Status: Published Page 8 of 14

(v) A technique of combining two television fields in order to produce a full frame. The two fields are composed of only odd and only even lines, which are displayed one after the other but with the physical position of all the lines interleaving each other, hence interlace. (*CCTV*, Vlado Damjanovski, Butterworth-Heinemann. 2000)

# **Internet Protocol (IP) Address**

Approved by Director: Dr. Guy Vallaro

A unique string of numbers separated by periods that identifies each computer or electronic device to communicate over a network.

### **Interpolation**

(i, v) A method of image processing whereby one pixel, block, or frame is displayed or stored based on the differences between the previous and subsequent pixel, block, or frame of information. [Taken from the *Encyclopedia of Photography* 3<sup>rd</sup> Edition] This is often done to increase the apparent clarity of an image.

### Log File

A record of actions, events, and related data.

#### **Lossy Compression**

Compression in which data is lost and cannot be retrieved in its original form.

#### **Lossless Compression**

Compression in which no data is lost and all data can be retrieved in its original form.

#### Media

Objects on which data can be stored.

# **Media Characterization**

The process of inspecting, identifying, and noting the properties of the media.

#### Metadata

Data, frequently embedded within a file, that describes a file or directory, which can include the locations where the content is stored, dates and times, application specific information, and permissions.

#### Multiplexer/Demultiplexer

MMIE SOP-23 Glossary of Terminology	Document ID: 1246
	Revision: 2

Effective Date: 01/04/2016

Approved by Director: Dr. Guy Vallaro

Status: Published
Page 9 of 14

(v) A device used to combine multiple video signals into a single signal or separate a combined signal. These devices are frequently used in security and law enforcement applications for recording and/or displaying multiple camera images simultaneously or in succession.

### Multimedia Evidence

Analog or digital media, including, but not limited to, film, tape, magnetic and optical media, and/or the information contained therein.

#### **Native File Format**

The original form of a file. A file created with one application can often be read by others, but a file's native format remains the format it was given by the application that created it. In most cases the specific attributes of a file (for example, fonts in a document) can only be changed when it is opened with the program that created it. [Newton's Telecom Dictionary]

#### Noise

(i, v) Variations or disturbances in brightness or color information in an image that do not arise from the scene. Sources of noise include film grain, electronic variations in the input device sensor and circuitry, and stray electromagnetic fields in the signal pathway. It frequently refers to visible artifacts in an image.

#### NTSC

National Television Standards Committee.

#### **Original Image**

(i) An accurate and complete replica of the primary image, irrespective of media. For film and analog video, the primary image is the original image.

#### **PAL**

Phase Alternation Line. [European Broadcast Union]

#### **Partition**

User defined section of electronic media.

#### **Password Recovery**

The process of locating and identifying a series of characters used to restrict access to data.

#### **Photogrammetry**

MMIE SOP-23 Glossary of Terminology	Document ID: 1246
-------------------------------------	-------------------

Revision: 2

Effective Date: 01/04/2016

Approved by Director: Dr. Guy Vallaro

Status: Published Page 10 of 14

The art, science, and technology of obtaining reliable information about physical objects and the environment through the processes of recording, measuring, and interpreting photographic images and patterns of electromagnetic radiant energy and other phenomena [The Manual of Photogrammetry, 4<sup>th</sup> Edition, 1980, ASPRS].

In forensic applications, Photogrammetry, sometimes called "mensuration," most commonly is used to extract dimensional information from images, such as the

height of subjects depicted in surveillance images and accident scene reconstruction. Other forensic photogrammetric applications include visibility and spectral analyses. When applied to video, this is sometimes referred to as "videogrammetry".

### **Photogrammetric Analysis**

The process of obtaining dimensional information regarding objects and people depicted in an image.

### **Photometry**

The measurement of light values of objects in an image.

# Physical Copy

(c) An accurate reproduction of information contained on the physical device.

# **Playback Optimization**

(a, v) The process of determining the most suitable equipment and settings for analyzing the output signal.

#### Playback

Recorded material viewed and heard as recorded, facilitated by camcorder, cassette recorder, or other device.

### **Primary Image**

(i, v) Refers to the first instance in which an image is recorded onto any media that is a separate, identifiable object. Examples include a digital image recorded on a flash card or a digital image downloaded from the Internet.

#### **Processed Image**

(i, v) Any image that has undergone enhancement, restoration or other operation.

#### **Production Switcher**

Revision: 2

Effective Date: 01/04/2016

Approved by Director: Dr. Guy Vallaro

Status: Published Page 11 of 14

(a, v) A device and/or software used to mix video and/or audio signals from two or more sources (e.g. cameras, videocassette recorder/players, character generators) for dissolves, wipes, and other transition effects.

### **Proficiency Test**

A test to evaluate analysts, technical support personnel, and the quality performance of an agency.

# **Progressive Scan**

(v) Display scan pattern where each line of the frame is scanned out sequentially.

# **Proprietary File Format**

Any file format that is unique to a specific manufacturer or product.

### **Quality Assurance**

Planned and systematic actions necessary to provide sufficient confidence that an agency's/laboratory's product or service will satisfy given requirements for quality.

# **Quantitative Image Analysis**

(i, v) The process used to extract measurable data from an image.

#### Reconstruction

The process of repairing damaged media in order to allow the retrieval of data.

#### **Reference Materials**

Refers to items such as published literature, hardware and software documentation, hash sets, header sets, etc.

### **Reliability**

The extent to which information can be depended upon.

### Reproducibility

The extent to which a process yields the same results on repeated trials.

#### Residue

- (c) Data that is contained in unallocated space or file slack.
- (a) The residue of a filtered signal is the algebraic difference between the filter output and its signal input. [Diamond Cut Users Manual]

Revision: 2

Effective Date: 01/04/2016

Approved by Director: Dr. Guy Vallaro

Status: Published
Page 12 of 14

# Resolution

(i, v) The act, process, or capability of distinguishing between two separate but adjacent parts or stimuli, such as elements of detail in an image, or similar colors. [Taken from the *Encyclopedia of Photography*, 3<sup>rd</sup> Edition]

#### Restoration

- (i, v) Restoration is any process applied to an image that has been degraded by a known cause (e.g., defocus or motion blur) to partially or totally remove the effects of that degradation.
- (c) The process of restoring data from an image.

### **Routing Switcher**

(a, v) A device and/or software used to direct the path of one or more signals into one or more devices.

# **Sharpening**

(i, v) A process used to emphasize edge detail in an image by enhancing the high frequency components.

#### **Standard Conversion**

(v) The transformation of one television system signal to another. For example, NTSC to PAL.

#### **Source Code**

The list of instructions written in a programming language used to construct a computer program.

#### **Storage Media**

Any object on which data is preserved.

#### Technical/Peer Review

An evaluation conducted by a second qualified individual of reports, notes, data, conclusions, and other documents.

#### **Time-base Corrector (TBC)**

(v) An electronic device used to correct timing inconsistencies and stabilize the playback of the video signal for optimum quality. It also synchronizes video sources allowing image mixing.

Revision: 2

Effective Date: 01/04/2016

Approved by Director: Dr. Guy Vallaro

Status: Published Page 13 of 14

# **Time Lapse Video Recording**

(v) Process by which images are recorded at less than the standard rate of frames per second (NTSC -29.97; PAL -25.00) thus extending the period of time that can be covered by the storage medium.

### **Timeline Sequence Reconstruction**

The process of relating images, audio, or other data to one another in a chronologically ordered succession.

### **Traditional Enhancement Techniques**

(i) Techniques that have direct counterparts in traditional darkrooms. They include brightness & contrast adjustment, color balancing, cropping, and dodging & burning.

### **Unallocated Space**

(c) Data storage areas available for use by the computer. The area may already contain previously stored information. Also referred to as *Free Space*.

### **Validation**

The process of performing a set of experiments, which establishes the efficacy and reliability of a tool, technique or procedure or modification thereof.

#### **Validation Testing**

An evaluation to determine if a tool, technique or procedure functions correctly and as intended.

### Vectorscope

(v) An electronic device that measures a video signal's chrominance (color) performance.

#### Verification

- 1. The process of confirming the accuracy of an item to its original.
- 2. Confirmation that a tool, technique or procedure performs as expected.

#### Video

The electronic representation of a sequence of images, depicting either stationary or moving scenes. It may include audio.

### **Video Analysis**

# MMIE SOP-23 Glossary of Terminology Document ID: 1246 Revision: 2

Effective Date: 01/04/2016

Approved by Director: Dr. Guy Vallaro

Status: Published
Page 14 of 14

A subdiscipline of Digital & Multimedia Evidence, which involves the scientific examination, comparison, and/or evaluation of video in legal matters.

# **Video Distribution Amplifier**

(v) A device used to divide single video signals, while boosting their strength for delivery to multiple video devices.

#### **Video Enhancement**

Any process intended to improve the visual appearance of video sequences or specific features within video sequences.

#### **Video Stabilization**

(v) The process of positioning individual frames so that a selected object or person will remain in the same location as the video is played.

#### **Waveform Monitor**

(v) An electronic device that provides a graphic display of a video signal.

# Work Copy

A copy or duplicate of a recording or data that can be used for subsequent processing and/or analysis.

### Write Block/Write Protect

Hardware and/or software methods of preventing modification of media content.