A B B C
TRANSTULIT

## Request for Inclusion or Revision to an Administrative Directive Connecticut Department of Correction

Administrative Directive Number: 2.17	Title: Employee Conduct		
I recommend the following inclusion or revision to the above referenced Administrative Directive (provide detailed explanation):			
In light of a recent field review conducted for Administrative Directive 6.7, Searches Conducted in Correctional Facilities, the need to identify and prohibit the use and/or possession of any form of smart watch was identified and deemed a priority.			
As this relates to Administrative Directive 2.17, Employee Conduct, the following will be added as an exception to the directive:			
<ul> <li>A smart watch shall be defined in <u>Section - 3</u> as;</li> <li>K. Smart Watch. Any device worn or retained that has a mobile operating system with cellular communication abilities, either standalone or paired with a smart phone, Bluetooth, photographic/video recording or playing abilities.</li> </ul>			
<ul> <li>These devices shall also be identified under <u>Section - 6, B</u>,</li> <li>34. Conveying or possessing the following in a correctional facility unless authorized in writing by the Unit Administrator or higher authority:</li> </ul>			
d. Any smart watch with capabilities as defined above in Section 3.			
See attached documents     ORIGINATOR			
Name:	Title:	Date:	
Signature: Facility/Unit:			
UNIT/DISTRICT/DIVISION RECOMMENDATIONS			
Approved Denied		1	
Unit Administrator's sign	nature:	Date:	
District Administrator's s (only needed if originating from f		Date:	
Division Administrator's	signature: June Juneg	Date: 5711/18	
Reviewed by:         Office of Standards and Policy Staff signature:         Standards		Date: 5/10/18	
	IMISSIONER'S DECISION		
	DENIED Effective date of request:	1	
The language/provisions of this inclusion subsequently added to the Administration		Date: 6/13/ 8	
This inclusion/revision shall be added to the Administrative Directive prior to:		Date:	
This inclusion/revision shall be added immediately to the Administrative Directive.			
Commissioner's signature:		Date: 6/13/18	