FAQs for DOC Phase 1B Vaccinations

2-3-2021

Note, this FAQ is specific to the DOC process for vaccinations; please refer to the for Moderna for specific questions related to the vaccine and to the CDC website for more general information about COVID-19 vaccinations

- 1. Who is administering the phase 1B vaccinations for DOC staff?
 - Our phase 1B vaccination clinics are being coordinated through Griffin Hospital
- 2. How do I schedule my first dose?
 - Please work through your facility liaison to schedule your appointment.
- 3. When will I be scheduled for my second dose?
 - The Moderna vaccine that we have the opportunity to receive must be administered in two separate doses administered between 28 and 42 days apart. The clinics for the second dose are scheduled for the same weeks in March as dose 1 clinics are scheduled in February. It is expected that you will present for your second dose at the date and time in March that corresponds with the date and time of your first dose in February. So, if you got your first dose at 11:20 AM on February 3, your second dose is planned for 11:20 AM on March 3.
- 4. Can I be vaccinated if I have already tested positive?
 - Vaccination should be deferred until you have recovered from the acute illness (if you had symptoms) and the below criteria have been met for you to discontinue isolation.
 - This recommendation applies whether you tested positive before receiving any vaccine doses or if you test positive after the first dose but before receipt of the second dose.
 - If you were symptomatic, you may be vaccinated if:
 - At least 24 hours have passed since last fever without the use of fever-reducing medications, and
 - There has been improvement in symptoms
 - If you did not develop symptoms, you may be vaccinated 10 days after the date of your first positive test
 - If you are severely ill due to COVID-19, an isolation of up to 20 days after symptom onset may be warranted. You should consult with your physician.
- 5. What if I have a reaction to the vaccine, can I use COVID-19 leave?
 - While no additional leave will be provided for this purpose, if you have COVID-19 leave that has not yet been utilized and you have a reaction to the vaccine that causes you to miss time from work, you may use COVID-19 leave for this purpose. If COVID-19 leave is not available, then you may use your personal sick time for this purpose.
- 6. Will I still need to test weekly once I have received my vaccination?
 - Our mandatory weekly testing program will continue into the foreseeable future.
 Everyone must continue to test weekly regardless of their vaccination status.
- 7. What if I decide not to get vaccinated with this first group, will I have another opportunity?

- With serious constraints to both the vaccine supply as well as the medical resources
 necessary to provide vaccinations across the state, it is not likely that there will be any
 other opportunities for agency staff to be vaccinated at DOC. If you do not test during
 the clinics scheduled between now and February 22 you will need to find a public clinic
 or work with your health care provider if you are interested in vaccinating.
- 8. I am a health services worker that did not receive a vaccination in Phase 1A, can I participate in this phase?
 - You can receive a vaccination with the Phase 1B group; please reach out to the vaccination liaison for your facility to schedule the appointment.
- 9. Once I have received my vaccinations, am I still required to wear a mask at all times?
 - Due to the highly contagious nature of COVID-19 all employees will continue to be required to wear a face covering the covers both the mouth and the nose at all times while at work until further notice.
- 10. If I am not scheduled to work on the day of the vaccination, will I be paid for my time to come in to be vaccinated?
 - While we are hopeful that most staff will take advantage of the opportunity to be vaccinated, any time spent obtaining the vaccination that is not part of the scheduled workday will not be compensated as state paid time.
- 11. Can I vaccinate in a facility other than the one to which I am assigned?
 - The assumption that was made from a planning perspective with Griffin Hospital is that all employees will get vaccinated at their assigned facility. That said, if there is a compelling need for you to test at another facility, please make sure that you coordinate with your chain of command and that you schedule an appointment with the liaison at the other facility.
- 12. Will I test positive because I was vaccinated?
 - You will not test positive for COVID-19 as a result of being vaccinated. In the event that
 you do test positive after being vaccinated, please make sure that you follow all of the
 post positive protocols.

<u>Attachments</u>

Phase 1B schedule

Griffin/Moderna FAQs

Liaison/contact list

	Monday, Feb	ruary 1st	
Location	Time	Schedule guidelines	Minimum # of
			participants
Hartford	7 hours:	Schedule 3	42 participants
	10am – 5pm	appointments every	
		10 minutes	
Corrigan (Uncasville)	7.5 hours:	Schedule 3	45 participants
	9:30am – 5pm	appointments every	
		10 minutes	
York (Niantic)	7.5 hours:	Schedule 3	45 participants
	9:30am – 5pm	appointments every	
		10 minutes	
	Tuesday, Feb		<u> </u>
Location	Time	Schedule guidelines	Minimum # of
			participants
Bridgeport	8 hours:	Schedule 3	48 participants
	9am-5pm	appointments every	
		10 minutes	
New Haven	7.5 hours:	Schedule 3	45 participants
	9:30am – 5pm	appointments every	
		10 minutes	
Newtown	7.5 hours:	Schedule 3	45 participants
	9:30am – 5pm	appointments every	
		10 minutes	
	Wednesday, Fe		T
Location	Time	Schedule guidelines	Minimum # of
			participants
Brooklyn*	6 hours:	Schedule 3	36 participants
	7am – 1pm	appointments every	
		10 minutes	
Hartford	7 hours:	Schedule 3	42 participants
	7am – 2pm	appointments every	
		10 minutes	
Carl Robinson*	8 hours:	Schedule 4	48 participants
	9am – 5pm	appointments every	
		10 minutes	
	Thursday, Feb		Nation 11 C
Location	Time	Schedule guidelines	Minimum # of
			participants
Cheshire	8 hours:	Schedule 4	48 participants
	9am – 5pm	appointments every	
Mar. D. 111/0 0 00 1.11	71	10 minutes	42
MacDougall (S. Suffield)	7 hours:	Schedule 4	42 participants
	10am – 5pm	appointments every	
		10 minutes	
	Friday, Febr	uary 5 ^{***}	

Location	Time	Schedule guidelines	Minimum # of participants
MacDougall (S. Suffield)	4 hours (+ 2 hr 2 nd dose): 9am - 11 = 2 nd dose 11am - 3pm = 1 st dose	Schedule 4 appointments every 10 minutes	36 participants
Osborn (Somers)	4 hours (+4 hr 2 nd dose): 9am -1pm = 1 st dose 1pm – 5pm = 2 nd dose	Schedule 4 appointments every 10 minutes	48 participants
Hartford	4 hours (+3 hr 2 nd dose): 9am -12pm = 2 nd dose 12pm - 4pm = 1 st dose	Schedule 3 appointments every 10 minutes	42 participants
Cheshire	4 hours (+3 hr 2^{nd} dose): 10am – 2pm = 1^{st} dose 2pm – 5pm = 2^{nd} dose	Schedule 4 appointments every 10 minutes	42 participants
	Monday, Februa	ary 8 th	
Location	Time	Schedule guidelines	Minimum # of participants
Hartford	7 hours: 7am – 2pm	Schedule 1 appointment every 10 minutes	42 participants
Corrigan (Uncasville)	6 hours (+2 hour 2 nd dose): 9am – 11am = 2 nd dose 11am – 5pm = 1 st dose	Schedule 1 appointment every 10 minutes	36 participants
York (Niantic)	4.5 hours (+3.5 hour 2 nd dose): 8:30am – 1pm = 1 st dose 1pm – 4:30pm = 2 nd dose	Schedule 2 appointments every 10 minutes	48 appointments
	Tuesday, Februa	ry 9th	
Location	Time	Schedule guidelines	Minimum # of participants
Bridgeport	8 hours: 7am – 3pm	Schedule 1 appointment every 10 minutes	48 participants
New Haven	7.5 hours: 7am – 2:30pm	Schedule 1 appointments every 10 minutes	45 participants
Newtown	8 hours: 7am – 3pm	Schedule 1 appointment every 10 minutes	48 participants
	Wednesday, Febru		
Location	Time	Schedule guidelines	Minimum # of participants
Cheshire	8 hours: 7am – 3pm	Schedule 2 appointments every 10 minutes	48 participants

Carl Robinson*	8 hours:	Schedule 2	48 participants
	7am – 3pm	appointments every	
		10 minutes	
Thursday, February 11 th			
Location	Time	Schedule guidelines	Minimum # of
			participants
Cheshire	8 hours:	Schedule 2	48 participants
	9am – 5pm	appointments every	
		10 minutes	
MacDougall (S. Suffield)	7 hours:	Schedule 2	42 participants
	7am – 2pm	appointments every	
		10 minutes	
	Friday, Febr	uary 12 th	
Location	Time	Schedule guidelines	Minimum # of
			participants
Carl Robinson*	8 hours:	Schedule 2	48 participants
	9am – 5pm	appointments every	
		10 minutes	
Cheshire	8 hours:	Schedule 2	48 participants
	7am – 3pm	appointments every	
		10 minutes	
Osborn (Somers)	8 hours:	Schedule 2	48 participants
	7am – 2pm	appointments every	
		10 minutes	
	Monday, Feb	T	T .
Location	Time	Schedule guidelines	Minimum # of
			participants
Corrigan (Uncasville)	7.5 hours	Schedule 1	45 participants
	7am – 2:30pm	appointment every	
		10 minutes	
York (Niantic)	7.5 hours	Schedule 1	45 participants
	7am – 2:30pm	appointment every	
Oals a ma (Cama a ma)	0 h	10 minutes	40
Osborn (Somers)	8 hours:	Schedule 1	48 participants
	9am – 5pm	appointment every 10 minutes	
	\A/odnoodov, Fr		
Location	Wednesday, Fo	•	Minimum # of
Location	Time	Schedule guidelines	participants
Central Office	8 hours	Schedule 2	48 participants
central office	9am- 5pm	appointments every	To participants
	σαιτι- σριτι	10 minutes	
Friday, February 19 th			
Location	Time	Schedule guidelines	Minimum # of
Location	Title	Julicadic Buldelilles	participants
			participants

MacDougall (S. Suffield)	4 hours	Schedule 2	36 participants
((+ 2 hr 2 nd dose):	appointments every	
	9am – 11 = 2 nd dose	10 minutes	
	11am – 3pm = 1 st dose		
Osborn (Somers)	4 hours (+4 hr 2 nd dose):	Schedule 2	48 participants
	9am -1pm = 1 st dose	appointments every	
	$1pm - 5pm = 2^{nd} dose$	10 minutes	
Hartford	4 hours (+3 hr 2 nd dose):	Schedule 1	42 participants
	9am -12pm = 2 nd dose	appointment every	
	12pm – 4pm = 1 st dose	10 minutes	
Cheshire	4 hours (+3 hr 2 nd dose):	Schedule 2	42 participants
	10am – 2pm = 1 st dose	appointments every	
	$2pm - 5pm = 2^{nd} dose$	10 minutes	
Monday, February 22nd			
Location	Time	Schedule guidelines	Minimum # of
			participants
Corrigan (Uncasville)	6 hours (+2 hour 2 nd	Schedule 1	48 appointments
	dose):	appointment every	
	9am – 11am = 2 nd dose	10 minutes	
	11am – 5pm = 1 st dose		
York (Niantic)	4.5 hours (+3.5 hour 2 nd	Schedule 2	48 appointments
	dose):	appointments every	
	8:30am – 1pm = 1 st dose	10 minutes	
	1pm – 4:30pm = 2 nd dose		
Central Office	8 hours	Schedule 2	48 participants
	9am- 5pm	appointments every	
		10 minutes	

FACT SHEET FOR RECIPIENTS AND CAREGIVERS

EMERGENCY USE AUTHORIZATION (EUA) OF

THE MODERNA COVID-19 VACCINE TO PREVENT CORONAVIRUS DISEASE 2019 (COVID-19) IN INDIVIDUALS 18 YEARS OF AGE AND OLDER

You are being offered the Moderna COVID-19 Vaccine to prevent Coronavirus Disease 2019 (COVID-19) caused by SARS-CoV-2. This Fact Sheet contains information to help you understand the risks and benefits of the Moderna COVID-19 Vaccine, which you may receive because there is currently a pandemic of COVID-19.

The Moderna COVID-19 Vaccine is a vaccine and may prevent you from getting COVID-19. There is no U.S. Food and Drug Administration (FDA) approved vaccine to prevent COVID-19.

Read this Fact Sheet for information about the Moderna COVID-19 Vaccine. Talk to the vaccination provider if you have questions. It is your choice to receive the Moderna COVID-19 Vaccine.

The Moderna COVID-19 Vaccine is administered as a 2-dose series, 1 month apart, into the muscle. The Moderna COVID-19 Vaccine may not protect everyone.

This Fact Sheet may have been updated. For the most recent Fact Sheet, please visit www.modernatx.com/covid19vaccine-eua.

WHAT YOU NEED TO KNOW BEFORE YOU GET THIS VACCINE WHAT IS COVID-19?

COVID-19 is caused by a coronavirus called SARS-CoV-2. This type of coronavirus has not been seen before. You can get COVID-19 through contact with another person who has the virus. It is predominantly a respiratory illness that can affect other organs. People with COVID-19 have had a wide range of symptoms reported, ranging from mild symptoms to severe illness. Symptoms may appear 2 to 14 days after exposure to the virus. Symptoms may include: fever or chills; cough; shortness of breath; fatigue; muscle or body aches; headache; new loss of taste or smell; sore throat; congestion or runny nose; nausea or vomiting; diarrhea.

WHAT IS THE MODERNA COVID-19 VACCINE?

The Moderna COVID-19 Vaccine is an unapproved vaccine that may prevent COVID-19. There is no FDA-approved vaccine to prevent COVID-19.

The FDA has authorized the emergency use of the Moderna COVID-19 Vaccine to prevent COVID-19 in individuals 18 years of age and older under an Emergency Use Authorization (EUA). For more information on EUA, see the "What is an Emergency Use Authorization (EUA)?" section at the end of this Fact Sheet.

WHAT SHOULD YOU MENTION TO YOUR VACCINATION PROVIDER BEFORE YOU GET THE MODERNA COVID-19 VACCINE?

Tell your vaccination provider about all of your medical conditions, including if you:

- have any allergies
- have a fever
- have a bleeding disorder or are on a blood thinner
- are immunocompromised or are on a medicine that affects your immune system
- are pregnant or plan to become pregnant
- are breastfeeding
- have received another COVID-19 vaccine

WHO SHOULD GET THE MODERNA COVID-19 VACCINE?

FDA has authorized the emergency use of the Moderna COVID-19 Vaccine in individuals 18 years of age and older.

WHO SHOULD NOT GET THE MODERNA COVID-19 VACCINE?

You should not get the Moderna COVID-19 Vaccine if you:

- had a severe allergic reaction after a previous dose of this vaccine
- had a severe allergic reaction to any ingredient of this vaccine

WHAT ARE THE INGREDIENTS IN THE MODERNA COVID-19 VACCINE?

The Moderna COVID-19 Vaccine contains the following ingredients: messenger ribonucleic acid (mRNA), lipids (SM-102, polyethylene glycol [PEG] 2000 dimyristoyl glycerol [DMG], cholesterol, and 1,2-distearoyl-sn-glycero-3-phosphocholine [DSPC]), tromethamine, tromethamine hydrochloride, acetic acid, sodium acetate, and sucrose.

HOW IS THE MODERNA COVID-19 VACCINE GIVEN?

The Moderna COVID-19 Vaccine will be given to you as an injection into the muscle. The Moderna COVID-19 Vaccine vaccination series is 2 doses given 1 month apart. If you receive one dose of the Moderna COVID-19 Vaccine, you should receive a second dose of the same vaccine 1 month later to complete the vaccination series.

HAS THE MODERNA COVID-19 VACCINE BEEN USED BEFORE?

The Moderna COVID-19 Vaccine is an unapproved vaccine. In clinical trials, approximately 15,400 individuals 18 years of age and older have received at least 1 dose of the Moderna COVID-19 Vaccine.

WHAT ARE THE BENEFITS OF THE MODERNA COVID-19 VACCINE?

In an ongoing clinical trial, the Moderna COVID-19 Vaccine has been shown to prevent COVID-19 following 2 doses given 1 month apart. The duration of protection against COVID-19 is currently unknown.

WHAT ARE THE RISKS OF THE MODERNA COVID-19 VACCINE?

Side effects that have been reported with the Moderna COVID-19 Vaccine include:

- Injection site reactions: pain, tenderness and swelling of the lymph nodes in the same arm of the injection, swelling (hardness), and redness
- General side effects: fatigue, headache, muscle pain, joint pain, chills, nausea and vomiting, and fever

There is a remote chance that the Moderna COVID-19 Vaccine could cause a severe allergic reaction. A severe allergic reaction would usually occur within a few minutes to one hour after getting a dose of the Moderna COVID-19 Vaccine. For this reason, your vaccination provider may

ask you to stay at the place where you received your vaccine for monitoring after vaccination. Signs of a severe allergic reaction can include:

- Difficulty breathing
- Swelling of your face and throat
- A fast heartbeat
- A bad rash all over your body
- Dizziness and weakness

These may not be all the possible side effects of the Moderna COVID-19 Vaccine. Serious and unexpected side effects may occur. The Moderna COVID-19 Vaccine is still being studied in clinical trials.

WHAT SHOULD I DO ABOUT SIDE EFFECTS?

If you experience a severe allergic reaction, call 9-1-1, or go to the nearest hospital. Call the vaccination provider or your healthcare provider if you have any side effects that bother you or do not go away.

Report vaccine side effects to **FDA/CDC Vaccine Adverse Event Reporting System (VAERS)**. The VAERS toll-free number is 1-800-822-7967 or report online to https://vaers.hhs.gov/reportevent.html. Please include "Moderna COVID-19 Vaccine EUA" in the first line of box #18 of the report form.

In addition, you can report side effects to ModernaTX, Inc. at 1-866-MODERNA (1-866-663-3762). You may also be given an option to enroll in **v-safe**. **V-safe** is a new voluntary smartphone-based tool that uses text messaging and web surveys to check in with people who have been vaccinated to identify potential side effects after COVID-19 vaccination. **V-safe** asks questions that help CDC monitor the safety of COVID-19 vaccines. **V-safe** also provides second-dose reminders if needed and live telephone follow-up by CDC if participants report a significant health impact following COVID-19 vaccination. For more information on how to sign up, visit: www.cdc.gov/vsafe.

WHAT IF I DECIDE NOT TO GET THE MODERNA COVID-19 VACCINE?

It is your choice to receive or not receive the Moderna COVID-19 Vaccine. Should you decide not to receive it, it will not change your standard medical care.

ARE OTHER CHOICES AVAILABLE FOR PREVENTING COVID-19 BESIDES MODERNA COVID-19 VACCINE?

Currently, there is no FDA-approved alternative vaccine available for prevention of COVID-19. Other vaccines to prevent COVID-19 may be available under Emergency Use Authorization.

CAN I RECEIVE THE MODERNA COVID-19 VACCINE WITH OTHER VACCINES?

There is no information on the use of the Moderna COVID-19 Vaccine with other vaccines.

WHAT IF I AM PREGNANT OR BREASTFEEDING?

If you are pregnant or breastfeeding, discuss your options with your healthcare provider.

WILL THE MODERNA COVID-19 VACCINE GIVE ME COVID-19?

No. The Moderna COVID-19 Vaccine does not contain SARS-CoV-2 and cannot give you COVID-19.

KEEP YOUR VACCINATION CARD

When you receive your first dose, you will get a vaccination card to show you when to return for your second dose of the Moderna COVID-19 Vaccine. Remember to bring your card when you return.

ADDITIONAL INFORMATION

If you have questions, visit the website or call the telephone number provided below.

To access the most recent Fact Sheets, please scan the QR code provided below. **Moderna**

Telephone number

COVID-19 Vaccine website

www.modernatx.com/covid19vaccine-eua

1-866-MODERNA (1-866-663-3762)

FACILITY	LIAISON NAME	PHONE NUMBER
Hartford CC	Kristine Randolph	959-200-3005
Corrigan-Radgowski CC	CPT Bellemare	860-848-5021
		860-218-4807
York CI	LT Saporita	860-451-3201
Bridgeport CC	Pam Neuendorf	475-225-8044
New Haven CC	CPT Cole	203-974-4117
Garner CI	Tracey Osteyee	203-270-2809
Brooklyn Cl	CPT Foley	860-779-4570
Willard-Cybulski CI	CPT Ortyl	860-763-6124
Carl Robinson Cl	LT Tyburski	860-253-8326
Cheshire CI	LT Calo	203-651-6155
Manson Youth Institution	CPT Anderson	860-806-2560
MacDougall-Walker Cl	CPT Fleming	860-627-2166
Osborn CI	LT Bush	860-814-4618
	CPT Colon	860-814-4719