
SASCO BEACH ENGINEERED BEACH DESIGN SASCO POINT FAIRFIELD, CT

3/22/2017



VICINITY MAP


LIST OF DRAWINGS

DRAWING NO. DRAWING NAME

TITLE SHEET, DRAWING
PROJECT NOTES
SITE PLAN
GRADING PLAN
SECTIONS







IG LIST & VICINITY MAP

_						
REACE COASTAL ENGINEERING						
-	Access Road 203-377-0663		•	CT 06615 astal.com		
OWN	ERSHIP AND CO	DNDI	TIONS (OF USE:		
profess of RAC not to b purpose by conf RACE docume Engined shall gi to bar c	gs and Specificat ional service, are ar CE Coastal Enginee be used, in whole or es or by any other p tract without the spe Coastal Engineering ent is contingent upo ering, LLC for servic ve RACE Coastal En- document use by any DRAWING IS CO	nd shal ring, L in part arties f cific w g, LLC n payn es ren gineer and al	I remain t LC. Doc , for other than those ritten auth C. The nent to RA dered. No ing, LLC t I parties.	he property uments are projects or authorized porization of use of this ACE Coastal on-payment he authority		
REVISIO	NS:	_	_			
NO.		JN	BY	DATE		
NOT VAL	.ID WITHOUT ENGINE	ER'S S	EAL:			
ISSUED FOR CONSTRUCTION PREPARED FOR: CONSERVATION DEPT TOWN OF FAIRFIELD 725 OLD POST RD FAIRFIELD, CT 06824						
SASCO BEACH ENGINEERED BEACH DESIGN SASCO POINT FAIRFIELD, CT						
DRAWING: TITLE SHEET, DRAWING LIST & VICINITY MAP						
Designed Drawn By	JAP	Date: Scale		/22/2017		
JAP As Noted Checked By: Project Number:						
CAD File:	ADS		ing No.:	201644		
SASCO.D	MG	1				

1 of 05

PROJECT NOTES

DESCRIPTION OF WORK:

THE WORK COVERED UNDER THESE CONTRACT DOCUMENTS, INCLUDING THE DRAWINGS, GENERAL NOTES, AND SPECIFICATIONS AND ALL AMENDMENTS, CONSISTS OF PROVIDING ALL LABOR, SUPERVISION, EQUIPMENT, APPLIANCES AND MATERIALS AND IN PERFORMING ALL OPERATIONS IN CONNECTION WITH AT LEAST, BUT NOT NECESSARILY LIMITED TO, THE FOLLOWING ITEMS:

REGRADE BEACH TO ENGINEERED SLOPES AND SPECIFICATIONS.

THE CONTRACTOR SHALL PROVIDE ALL ITEMS AND ACCESSORIES REQUIRED TO COMPLETE ALL ASPECTS OF THE WORK NEEDED FOR A COMPLETE AND PROPER INSTALLATION. ALL WORK SHALL BE PERFORMED IN STRICT ACCORDANCE WITH THE PROJECT CONTRACT DOCUMENTS.

GENERAL NOTES:

- ELEVATIONS ARE REFERENCED TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88).
- 2. TOPOGRAPHY TAKEN IN PART FROM DRAWING TITLED "TOPOGRAPHIC SURVEY," DATED JULYII, 2016 AND REVISED JULY 18, 2016 PREPARED BY GESICK & ASSOCIATES, P.C.
- 3. SUPPLEMENTAL SITE INFORMATION OBTAINED BY RACE COASTAL ENGINEERING, LLC ON MAY 25, 2016.
- 4. HYDROGRAPHIC SURVEY DATA OBTAINED BY RACE COASTAL ENGINEERING, LLC ON JUNE 16, 2016 AND ONLY REPRESENTS THE SITE CONDITIONS AT THAT TIME.
- 5. WORK SHALL COMPLY WITH FEDERAL, STATE, AND LOCAL LAWS AND STATUTES AND THE REQUIREMENTS AND CONDITIONS OF ALL REGULATORY PERMITS ISSUED FOR THE WORK.
- 6. IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO MEET LINES AND GRADES DEPICTED WITHIN THESE CONTRACT DRAWINGS.
- THESE DRAWINGS SHALL BE USED IN CONJUNCTION WITH THE PROJECT REGULATORY PERMITS AND ALL CONDITIONS OF THOSE PERMITS. THE CONTRACTOR IS ADVISED THAT THE REGULATORY PERMITS FOR THIS PROJECT MAY CONTAIN ADDITIONAL REQUIREMENTS THAT, AFTER ANY ADDENDUM, SUPERSEDE THE DRAWING NOTES. THE CONTRACTOR IS FURTHER ADVISED THAT IN THE CASE OF ANY DISCREPANCIES WITHIN THE CONTRACT DOCUMENTS FOUND BEFORE CONSTRUCTION, THE FINAL DECISION AS TO WHAT INFORMATION TAKES PRECEDENCE WILL BE MADE BY THE ENGINEER OF RECORD ON THE BASIS OF THAT INTENT.
- 8. EXISTING CONDITIONS AND DIMENSIONS SHALL BE VERIFIED BY THE CONTRACTOR PRIOR TO CONSTRUCTION AND FABRICATION OR ORDERING OF ANY CONSTRUCTION MATERIALS.
- SECTIONS AND DETAILS APPLY TO SAME AND SIMILAR a CONDITIONS UNLESS SPECIFICALLY NOTED OTHERWISE HEREIN.
- IO. DAMAGE TO ANY PROPERTY, PRIVATE OR OF PUBLIC TRUST, OCCURRING DURING THE CONSTRUCTION BY THE CONTRACTOR, SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR AND SHALL BE REPAIRED TO THE SATISFACTION OF THE OWNER AT THE EXPENSE OF THE CONTRACTOR.
- THE CONTRACTOR SHALL SAFEGUARD AND PROTECT ALL EXCAVATIONS.
- 12. THE CONTRACTOR SHALL USE ADEQUATE NUMBERS OF SKILLED WORKMEN WHO ARE THOROUGHLY TRAINED AND EXPERIENCED IN THE NECESSARY CRAFTS AND WHO ARE COMPLETELY FAMILIAR WITH THE SPECIFIED REQUIREMENTS AND METHODS NEEDED FOR PROPER PERFORMANCE OF THE WORK.
- 13. THE CONTRACTOR SHALL USE EQUIPMENT ADEQUATE IN SIZE, CAPACITY, AND NUMBERS, AND MAINTAINED TO THE REQUIREMENTS OF ALL FEDERAL, STATE, AND LOCAL LAWS AND REGULATIONS TO ACCOMPLISH THE WORK.
- 14. THE CONTRACTOR SHALL PROTECT WETLANDS AND COASTAL RESOURCES FROM INTRUSION BY TURBID WATERS, CONSTRUCTION DEBRIS, CONSTRUCTION EQUIPMENT, OR PERSONNEL DURING WORK ACTIVITIES.
- 15. THE CONTRACTOR SHALL INCLUDE IN HIS CONTRACT SUM THE COST FOR ALL NECESSARY PERMITS, LICENSES, CERTIFICATES OF INSPECTION, AND ALL LEGAL FEES IN CONNECTION WITH THE WORK OF THIS CONTRACT. THE OWNER IS TO OBTAIN NECESSARY REGULATORY PERMITS REQUIRED FOR THE WORK IN REGULATED AREAS. THE CONTRACTOR SHALL REQUEST COPIES OF THOSE REGULATORY PERMITS AND MAKE PROVISION IN THIS WORK AND IN THE COST OF THE WORK FOR APPLICABLE CONDITIONS OF THOSE PERMITS. FAILURE TO CONSIDER ANY CONDITION OF THE REGULATORY PERMITS AS A PART OF THE BID SHALL NOT RELIEVE THE CONTRACTOR FROM HIS RESPONSIBILITY TO APPLY THOSE CONDITIONS TO HIS WORK AT NO ADDITIONAL COST TO THE OWNER.

- 16. IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR LOCATE AND PROTECT FROM DAMAGE UTILITIES, UTILIT STRUCTURES, FUEL LINES & TANKS OR ANY UNKNOWN UTILITIES OR STRUCTURES PRIOR TO ANY WORK.
- 17. IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR KEEP A CLEAN & TIDY WORK SITE. THE SITE SHALL BE NEAT & CLEAN AT THE END OF EACH WORK DAY
- 18. IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR RESTORE LANDSCAPING, INCLUDING BUT NOT LIMITED T LAWN, TREES, PLANTINGS, ETC. DAMAGED BY THE CONTRACTOR DURING THE COURSE OF THE PROJECT.
- 19. IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR REPAIR ANY DAMAGED PROPERTY CAUSED BY THE CONTRACTOR, INCLUDING BUT NOT LIMITED TO PAVEMEN CURBING, FENCING, ETC. DAMAGED ITEMS SHALL BE REPAIRED IN KIND.

BEACH NOURISHMENT:

- I. MATERIAL SHALL BE DRY BEACH SAND FURNISHED BY CONTRACTOR.
- 2. MATERIAL SHALL BE PROCESSED OR UNPROCESSED BANK RUN SAND OR BEACH SAND FREE OF ROOTS, ORGANIC MATTER, FROZEN LUMPS, TRASH OR OTHER DEBRIS.
- 3. SAND SHALL MATCH THE COLOR AT THE SITE.
- 4. ALL IMPORTED SAND SHALL MEET THE FOLLOWING GRADATION (ASTM D 422):

SPECIFICATIONS FOR DRY BEACH SAND NOURISHMENT					
U.S. STANDARD (SIEVE SIZE)	PERCENT PASSING BY (WEIGHT)				
MA MAS	100				
<u> </u> " 4	100-95				
#4	95-90				
# 0	90-80				
#40	80-30				
#100	30-0				
#200	0				


- 5. IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO LOCATE A SAND SOURCE.
- 6. IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO PERFORM MATERIAL TESTING TO ENSURE THAT MATERIAL SOURCE MATCHES THE COLOR, GRAIN SIZE, AND DISTRIBUTION OF THE SAND ON THE COASTAL BEACH.
- 7. THE SOIL PARTICLES SHALL BE ANGULAR TO SUB-ROUNDED AND CLASSIFIED SW.
- 8. THE MINIMUM SPECIFIC GRAVITY OF SOIL PARTIALS SHALL BE 2.65.
- 9. THE CONTRACTOR SHALL SUBMIT LABORATORY CERTIFICATION FOR EACH 1,000 C.Y. DELIVERED OR FOR EACH CHANGE OF MATERIAL SOURCE THAT CERTIFIES THE SOIL PROPOSED FOR BEACH FILL SATISFIES THE MINIM STATED HEREIN INCLUDING GRADATION CURVES AND COMPUTATION SHEETS.
- IO. SAND SHALL BE FREE OF CONTAMINANTS: PCB'S, DIOXINS, HYDROCARBONS, OR OTHER TOXIC CHEMICALS & CONTRACTOR SHALL PROVIDE CERTIFICATION.
- II. CONTRACTOR SHALL PROVIDE SAMPLE AND TEST RESULTS TO THE ENGINEER FOR APPROVAL. ANY VARIATION IN THE SPECIFIED GRADATION MAY REQUIRE PLACEMENT OF ADDITIONAL FILL VOLUME BASED ON ENGINEERING ANALYSIS.

	<u>SE</u>	LECTIVE DEMOLITION
R TO IY R TO	١.	DEMOLISHED MATERIAL, DEEMED UNACCEPTABLE FOR REUSE, SHALL BECOME THE PROPERTY OF THE CONTRACTOR AND SHALL BE COMPLETELY REMOVED FROM THE JOBSITE AND DISPOSED OF IN A SAFE AND LEGAL MANNER.
LEFT R TO	2.	THE CONTRACTOR SHALL VISIT THE SITE PRIOR TO SUBMITTING THE BID TO BECOME FAMILIAR WITH EXISTING CONDITIONS FOUND ONSITE.
0	ER	OSION & SEDIMENTATION CONTROLS
r t <i>o</i>	١.	LAND DISTURBANCE WILL BE KEPT TO A MINIMUM.
ent,	2.	PRIOR TO MOBILIZATION, EROSION AND SEDIMENTATION CONTROL MEASURES SHALL BE INSTALLED.
	3.	WHENEVER POSSIBLE, EROSION AND SEDIMENTATION CONTROL MEASURES SHALL BE INSTALLED PRIOR TO CONSTRUCTION.
THE	4.	ALL EROSION AND SEDIMENT CONTROL MEASURES SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE STANDARDS


AND SPECIFICATIONS OF THE "2002 CONNECTICUT GUIDELINES FOR SOIL EROSION AND SEDIMENT CONTROL", MAY 2002.

- 5. ALL EROSION AND SEDIMENT CONTROL MEASURES SHALL BE MAINTAINED IN EFFECTIVE CONDITION THROUGHOUT THE CONSTRUCTION PERIOD.
- 6. ADDITIONAL CONTROL MEASURES SHALL BE INSTALLED DURING THE CONSTRUCTION PERIOD AS NECESSARY AND REQUIRED.
- 7. THE GENERAL CONTRACTOR SHALL UTILIZE APPROVED METHODS/MATERIALS FOR PREVENTING THE BLOWING AND MOVEMENT OF DUST FROM EXPOSED SOIL SURFACES ONTO ADJACENT PROPERTIES AND SITE AREAS.
- 8. THE GENERAL CONTRACTOR SHALL MAINTAIN A SUPPLY OF SILT FENCE (100' MIN.) ON SITE FOR EMERGENCY PURPOSES.
- 9. ALL DISTURBED LAWN AREAS OUT OF THE MAJOR CONSTRUCTION AREA THAT ARE TO BE LEFT EXPOSED FOR MORE THAN 30 DAYS SHALL BE PROTECTED WITH A TEMPORARY VEGETATIVE COVER, SEED THESE AREAS WITH PERENNIAL RYE GRASS AT THE RATE OF 40 LBS, PER ACRE (I LB PER 1,000 SQ. FT.).
- IO. THE GENERAL CONTRACTOR IS ASSIGNED THE RESPONSIBILITY FOR IMPLEMENTING THIS EROSION AND SEDIMENT CONTROL PLAN. THE RESPONSIBILITY INCLUDES SUPERVISING THE INSTALLATION AND MAINTENANCE OF CONTROL MEASURES, INFORMING ALL PARTIES ENGAGED ON THE CONSTRUCTION SITE OF THE REQUIREMENTS AND OBJECTIVES OF THE PLAN, NOTIFYING THE CONSERVATION STAFF PERSON OF ANY TRANSFER OF THIS RESPONSIBILITY AND CONVEYING A COPY OF THE CONTROL PLAN IF THE TITLE TO THE LAND IS TRANSFERRED.
- EXCAVATION AND BACKFILLING
- I. THE CONTRACTOR SHALL EXCAVATE, BACKFILL, AND GRADE THE SITE TO THE ELEVATIONS AND LIMITS SHOWN AND NEEDED TO MEET THE REQUIREMENTS OF THE CONSTRUCTION.
- 2. GRADE THE AREAS ADJACENT TO BUILDINGS TO ACHIEVE DRAINAGE AWAY FROM THE STRUCTURES AND PREVENT PONDING.


	2						
CO/	ASTAL EN	١G	INEE	RING			
	Access Road 203-377-0663			CT 06615 astal.com			
OWN	ERSHIP AND CO)NDI⁻	TIONS (DF USE:			
profess of RAC not to b purpose by cont RACE docume Enginee shall give	gs and Specificati ional service, are an CE Coastal Engineer be used, in whole or es or by any other paract without the spec Coastal Engineering ent is contingent upor ering, LLC for service ve RACE Coastal En locument use by any	d shal ing, L in part arties t cific wi g, LLC n paym es ren gineer	I remain t LC. Doc , for other than those ritten auth C. The nent to RA dered. No ing, LLC t	he property uments are projects or authorized orization of use of this .CE Coastal on-payment			
	DRAWING IS CO	OPYF	RIGHTEI	C			
REVISIOI NO.	^{NS:} DESCRIPTIC 	DN	BY	DATE			
NOT VAL	I ID WITHOUT ENGINE	ER'S S	EAL:				
ISSL	JED FOR C	ON	STRU	CTION			
PREPAR	ED FOR:						
CONSERVATION DEPT TOWN OF FAIRFIELD 725 OLD POST RD FAIRFIELD, CT 06824							
PROJEC ⁻	Γ:						
SASCO BEACH ENGINEERED BEACH DESIGN SASCO POINT FAIRFIELD, CT							
DRAWIN	3:						
PROJECT NOTES							
Designed	^{By:} JAP	Date:	3	/22/2017			
Drawn By	" JAP	Scale		As Noted			
Checked	By: ADS	Projec	ct Number:	201644			
CAD File: sasco.c		Drawi	ng No.:	2 .05			
				2 of 05			



- BENCH MARK MAG NAIL		ASTAL EN		
FOUND IN UTILITY POLE FRONTIER #6692 ELEV = +10.60'		Access Road S		
- MONUMENT WITH BRASS DISK & PUNCH #41 N=606650.84		203-377-0663 W		
E=854821.84 ELEV =+8.47'	Drawing	gs and Specification ional service, are and s	s, as insti shall remain	ruments of the property
LEASE LINE - GUARD SHACK CONC. WALK OVERHEAD WIRE (TYP) GUYWIRE -	not to k purpose by cont RACE docume Enginee shall gi to bar c	CE Coastal Engineering be used, in whole or in es or by any other parti tract without the specifi Coastal Engineering, ent is contingent upon p ering, LLC for services ve RACE Coastal Engir locument use by any an	part, for othe es than thos c written auti LLC. The ayment to R/ rendered. N reering, LLC d all parties.	r projects or e authorized horization of use of this ACE Coastal lon-payment the authority
	REVISIO	DRAWING IS COF	YRIGHTE	D
9 UTILITY POLE (TYP) –	NO.	DESCRIPTION	I BY	DATE
$\begin{array}{c} 33' \\ 5.2' \\ = \\ D) \\ = \\ P.P \\ \end{array}$				
DF 12" 	NOT VAL	ID WITHOUT ENGINEER	'S SEAL:	
-2 -2 -2 -2 -2 -2 -2 -2 -2 -2				
	ISSL	JED FOR CO	NSTRL	JCTION
	PREPAR	ED FOR:		
		CONSERVAT TOWN OF F 725 OLD P FAIRFIELD,	AIRFIEL OST RD	.D)
	PROJEC	T:		
	EN	SASCO E GINEERED BE SASCO F FAIRFIEL	EACH D POINT	ESIGN
	DRAWIN	^{G:} SITE P	LAN	
-4	Designed		ate:	
	Drawn By	JAP ^{/:} S JAP	3 cale:	8/22/2017 As Noted
	Checked	By: P ADS	roject Number	
	CAD File: SASCOL		rawing No.:	3 of 05



							E
				COA	ASTAL ENC	GINEE	RING
					ccess Road Str 03-377-0663 ww		
		Ň		OWNE	RSHIP AND CONE	ITIONS (OF USE:
	/ MONUME BRASS I	Y POLE 2 G POINT #2 NT WITH DISK &		profession of RACI not to be purpose by contr RACE (docume Enginee shall giv	s and Specifications, onal service, are and sh E Coastal Engineering, e used, in whole or in pa s or by any other partie act without the specific Coastal Engineering, L nt is contingent upon pa ring, LLC for services re e RACE Coastal Engine ocument use by any and	all remain LLC. Doc art, for othe s than those written auth LC. The yment to RA endered. N ering, LLC t	the property cuments are r projects or e authorized norization of use of this ACE Coastal lon-payment
	PUNCH # N=6066 E=8548	50.84 21.84 	Ţ	THIS	DRAWING IS COPY	'RIGHTE	D
		LEASE LINE -		REVISION	s: DESCRIPTION	BY	DATE
	CONC.	GUARD SHACK -	_	NO.			
	<i>C.C.</i>	ERHEAD					
		10 50 0	W THE DECEMBER OF THE DECEMBER				
			₽ JTILITY POLE		D WITHOUT ENGINEER'S	SEAL ·	
		COCK WALL	(TYP) →				
		- PROPERTY					
EL. +7.33'		LINE (TYP)					
I2" C.P.P. EL. +2.8'	- 2 CAREA		Du-				
ERT OF 12" 1.P. EL. +3.1'		- STORM MANHOLE TOP OF FRAME =	= EL. +8.41'				
<u> </u>		INV IN 15" R.C.P. (INV IN 15" R.C.P. (INV OUT 18" R.C.P	2) = EL. +4.I'	PREPARE	ED FOR CON	ISTRU	JCTION
	-2	SUMP = EL. +2.6					
		0P OF FRAME = EL. √ IN 18" R.C.P. (1) = √ OUT 15" R.C.P. = E	EL. +2.7'		CONSERVATI		
,-3		IMP = EL. +2.7'			TOWN OF FA 725 OLD PC		
					FAIRFIELD, C	CT 0682	24
		<u> </u>					
				PROJECT	:		
				FN(SASCO BE		FSIGN
					SASCO P	OINT	
					FAIRFIELI	J, CT	
	Notes						
	EXISTING CON	SED CONTOURS INT TOURS BEFORE STA		DRAWING	:		
	2. PROJECT WOR PROPERTY LIN						
	BUT NOT LIMIT PILES AND BO	TRUCTURES, INCLUD ED TO SIGNS, GRIL DAT STORAGE SHAL	LS, _L				
	BLEND AROUN 4. REMOVABLE S	OSED GRADING SH D FIXED STRUCTUR STRUCTURES, INCLUE	ES. DING		GRADING	PLAN	
	AND LIFEGUAR TEMPORARILY	ED TO PICNIC TABL RD STANDS SHALL ' REMOVED AND					
	CONTRACTOR WITH TOWN.	TER GRADING. SHALL COORDINAT					
	5. GRADING SHA TEMPLATE TO	LL REMAIN ABOVE BE ADJUSTED BET STA. 3+31 AS REQ'D	WEEN				
	REMAIN ABOV		-	Designed I	By: Dat		/22/2017
	5 <		,1	Drawn By:	JAP		As Noted
				Checked E	By: ADS Pro	ject Number:	201644
				CAD File:	Dra	wing No.:	
				SASCO.DV	NG	Ū	



				611 A Tel: 2 OWN Drawin profess of RAC not to B purpose by com RACE docume shall gi to bar o THIS REVISIO	203-377-0663 WW ERSHIP AND CONE gs and Specifications, ional service, are and sh CE Coastal Engineering, be used, in whole or in parties tract without the specific Coastal Engineering, L ent is contingent upon part ering, LLC for services re ve RACE Coastal Engine document use by any and DRAWING IS COPY NS:	atford, (W.raceco DITIONS as instru- all remain LLC. Doo art, for othe s than thos written autil LC. The yment to R/ endered. N ering, LLC all parties. YRIGHTE	CT 06615 Dastal.com OF USE: ruments of the property cuments are er projects or e authorized horization of use of this ACE Coastal Jon-payment the authority
					DESCRIPTION	BY	DATE
				NOT VAL	LID WITHOUT ENGINEER'S	SEAL:	1
				ISSU	JED FOR CON	ISTRU	JCTION
94'-6"	I7' MIN DISTANCE VARIES SEE PLAN		DISTANCE TO MLW VARIES		CONSERVATI TOWN OF FA 725 OLD PC FAIRFIELD, C	IRFIEL	.D)
				PROJEC	T:		
<u>CJL EL. +5.2'</u> <u>MHW EL. +3.4'</u>				EN	SASCO BE GINEERED BE SASCO P FAIRFIELI	ACH D OINT	ESIGN
	EL.		<u>EL3'</u> <u>MLW EL3.6'</u> 	DRAWIN	G:		
					SECTIO	NS	
2. PROFILE EA 4+87) TO B	AST OF JETTY (S E GRADED TO N	ECTION 2, S 1EET TEMPLA		Designed	l By: Dat	e:	
PRODUCES 3. PERMANENT SIGNS, GRIL	LS, PILES AND I	NCLUDING BU BOAT STORA	T NOT LIMITED TO	Drawn By	JAP /: Sca JAP		8/22/2017 As Noted
FIXED STRU 4. REMOVABL TO PICNIC	E STRUCTURES, I TABLES AND LIF	INCLUDING BU	JT NOT LIMITED ANDS SHALL BE	Checked		ject Number	
	ILY REMOVED A CONTRACTOR SH		ED AFTER PINATE WITH TOWN.	CAD File SASCO.E		wing No.:	5 of 05