How to Geospatially Reference a PDF into MicroStation

(This method creates a geospatially placed background image in your CAD file, you cannot select the line work)

Separate your PDF into individual sheets if it is in a batch PDF

Adobe :

- 1. Go to Tools>Pages> Extract
- 2. Specify which page(s) you want to extract
- 3. Select the option "Extract Pages as Separate Files"

Bluebeam:

- 1. Go to Document > Pages > Extract Pages
- 2. Specify which page(s) you want to extract
- 3. Check off the option "Extract Pages as Separate Files"

Find Coordinate Data on the Plan Sheet

In order to correctly place the PDF we need Geographic data to anchor it to. In the following example control points on the plan sheet are used.

1. Identify at least 3 coordinated points on the sheet, ideally spread out.



Figure 1: Three Control Points with Coordinates Have Been Identified

2. In an Excel spreadsheet type in the Point Name, Northing, Easting, Elevation and Style for each point. (Set elevation to zero for each point, raster will not warp properly otherwise)



Figure 2: Close up of Control Points and Coordinates on the Plan Sheet



Figure 3: Excel Sheet with Point Data Entered

3. Go to File > Save As and change the "Save as type:" to text (tab delimited) (*.txt)

File name:	cogo spreadsheet.xlsx
Save as type:	Excel Workbook (*.xlsx)
Authors	Excel Workbook (*.xlsx)
Authors	Excel Macro-Enabled Workbook (*.xlsm)
	Excel Binary Workbook (*.xlsb)
	Excel 97-2003 Workbook (*.xls)
	XML Data (*.xml)
	Single File Web Page (*.mht;*.mhtml)
2 Folders	Web Page (*.htm;*.html)
	Excel Template (*.xltx)
	Excel Macro-Enabled Template (*.xltm)
1	Excel 97-2003 Template (*.xlt)
F	Text (Tab delimited) (*.txt)
	Unicode Text (*.txt) 43
	XML Spreadsheet 2003 (*.xml)
	Microsoft Excel 5.0/95 Workbook (*.xls)
1	CSV (Comma delimited) (*.csv)
>	Formatted Text (Space delimited) (*.prn)
	Text (Macintosh) (*.bd)
í i	Text (MS-DOS) (*.txt)
	CSV (Macintosh) (*.csv)
1	CSV (MS-DOS) (*.csv)
2	Dir (Uata interchange Format) (".dif)
	SYLK (Symbolic Link) (sik)
	Excel Add-In (".xiam)
	EXCEL97-2005 Add-In (".XI8)
	YDF (".pat)
	APS Document (".xps)
	ChenDocumers Spreadsheet (1.005)

Figure 4: Selection of .txt file type

4. Open the text file you just created and make sure it appears in the same format as the example below.

File Edit Format View Help CP-3 198367.09 496204.2 0.00 RANDNF CP-4 198273.92 496723.59 0.00 RANDNF CP-5 199045.44 496802.06 0.00 RANDNF	
LP-3 198367.09 496204.2 0.00 RANDNF CP-4 198273.92 496723.59 0.00 RANDNF CP-5 199045.44 496802.06 0.00 RANDNF	
CP-5 199045.44 496802.06 0.00 RANDNF	
	1
	-

Figure 5: .txt file format

Importing the Cogo Points

5. Open MicroStation and InRoads. In Inroads go to File > Text Import Wizard



Figure 6: Text Import Wizard Command

6. In the Text Import Wizard dialog box select *Cogo Points* from the *Data Type* dropdown menu and browse to your .txt file in the *File Name* field.





7. Follow the 4 import steps illustrated below. On the last step match the Column Data Formats as shown, change the header by clicking the column and selecting the corresponding format from the dropdown list.

Text Import Wizard - Ste	ep 1 of 4		
Define Import Range			Help
Lines within Range			
Start Import at Line:	þ	-	
End Import at Line:	EOF	×	
C Lines within Relative R	ange		
Start Import at Start of F	File + 0	A	
End Import at End of Fi	le - 0	A.V.	
):\Users\Scharpfsf\Desktop	\control points.bt		
CP-3 198367.09	496204.2	0.00	RANDNF
CP-4 198273.92	496723.59	0.00	RANDNF
Tart Import Winned Sta	e Save	As	< Back Next > Hinish Cancel
Text Import Wizard - Ste Apply Filter to	e Save	As	Virginal Data Type Fixed Width - Fields are aligned in columns
Text Import Wizard - Ste Apply Filter to All Lines Lines that Start With:	e Save	As	Viginal Data Type Original Data Type Help Fixed Width - Fields are aligned in columns O Delimited - Characters separate each field
Text Import Wizard - Ste Apply Filter to	e Save	As	Virginal Data Type Fixed Width - Fields are aligned in columns Image: Defined Filters:
Text Import Wizard - Ste Apply Filter to a All Lines Lines that Start With: Lines that Include: Segments of Text	e Save	As	Virginal Data Type Original Data Type Fixed Width - Fields are aligned in columns Image: Delimited - Characters separate each field Defined Filters: Name Description
Oper Sav Text Import Wizard - Ste Apply Filter to All Lines Lines that Start With: Lines that Include: Segments of Text Start: Start:	e Save	As	Cancel Virginal Data Type Haish Cancel Original Data Type Help Fixed Width - Fields are aligned in columns Help Defined Filters: Name Description Add Delete
Apply Filter to All Lines Lines that Start With: Lines that Include: Segments of Text Start: End:	e Save	As	Virginal Data Type Fixed Width - Fields are aligned in columns Image: Delimited - Characters separate each field Defined Filters: Name Description Add Delete Indate
Text Import Wizard - Ste Apply Filter to All Lines Lines that Start With: Lines that Include: Segments of Text Start: End: Exclude Filtered Lines Free	e Save	As Import Import	Virginal Data Type Original Data Type Fixed Width - Fields are aligned in columns Delimited - Characters separate each field Defined Filters: Name Description Add Delete Update
Text Import Wizard - Ste Apply Filter to All Lines Lines that Start With: Lines that Include: Segments of Text Start End: End: Ctude Filtered Lines Fre D:\Users\Scharpfsf\Desktop	e Save	As Import Import	Cancel Virginal Data Type Help Fixed Width - Fields are aligned in columns Help Defined Filters: Add Name Description Add Delete Update
Text Import Wizard - Ste Apply Filter to All Lines Lines that Start With: Lines that Include: Segments of Text Start: End: Exclude Filtered Lines Fr D:\Users\Scharpfsf\Desktop' CP-3 198367.09	e Save p 2 of 4 linclude Start in linclude End in om Import \control points.txt 496204.2	As Import Import	Virginal Data Type Fixed Width - Fields are aligned in columns © Delimited - Characters separate each field Defined Filters: Name Description Add Delete Update
Cybert Sav Text Import Wizard - Ste Apply Filter to All Lines Lines that Start With: Lines that Include: Segments of Text Start: End: Exclude Filtered Lines Filtered CP-3 198367.09 CP-4 198273.92 CP-5 199055 44	e Save p 2 of 4 linclude Start in linclude End in om Import vcontrol points.bt 496204.2 496723.59 496802.06	As	Add Cancel Original Data Type Help Fixed Width - Fields are aligned in columns Help Delimited - Characters separate each field Defined Filters: Name Description Add Delete Update
Text Import Wizard - Ste Apply Filter to Apply Filter to All Lines Lines that Start With: Lines that Include: Segments of Text Start: End: End: Exclude Filtered Lines Filtered Schapfsf\Desktop CP-3 198367.09 CP-4 198273.92 CP-5 199045.44	e Save p 2 of 4 lnclude Start in lnclude End in om Import vcontrol points.txt 496204.2 496723.59 496802.06	As Import Import 0.00 0.00 0.00	< Back

Open... Save Save As... < Back Next > Finish Cancel

Text Import Wizard	- Step 3 of 4			
Delimiters	icolon ma Start of Line C Start of Field C Delimiters	Column: 1		Help
D:\Users\Scharpfsf\De	sktop\control points.bt			
CP-3 CP-4 CP-5	198367.09 198273.92 199045.44	496204.2 496723.59 496802.06	0.00 0.00 0.00	RANDNF RANDNF RANDNF
Open	Save Save A	s < Back	Next > Fi	nish Cancel
💘 Text Import Wizard	- Step 4 of 4			
Text Import Wizard	I - Step 4 of 4	•		Help
Text Import Wizard Column Data Format:	I - Step 4 of 4 Style sktop\control points.bt			Help
Text Import Wizard Column Data Format: D:\Users\Scharpfsf\De Point Name CP-3 CP-4 CP-5	sktop\control points.bt Northing 198367.09 198273.92 199045.44	Easting 496204.2 496723.59 496802.06	Elevation 0.00 0.00 0.00	Style RANDNF RANDNF RANDNF

Figure 8: Text Import Wizard Steps

8. A message box should appear telling you the points imported correctly



Figure 9: Import Successful Message Box

9. Display the points if they do not appear immediately. You may need to zoom in to see the points.



Figure 10: 3 Cogo points with a blow-up of one point to show detail

10. In MicroStation go to Raster Manager > File > Attach > Raster...

🔢 Raster Manager	4 of 4 listed
<u>Fi</u> le <u>E</u> dit <u>Vi</u> ew [<u>Display</u> <u>S</u> ettings <u>U</u> tilities
<u>N</u> ew ▶	🚘 – 🔜 💶 🔛 📉 🔛 📲 🗃 🎌 🔨 ঝ 🐻 🕕
Attach	Raster
- <u>D</u> etach	
Detach All	From Image Server
R <u>el</u> oad	ECWP Image Server
Sa <u>v</u> e As	☐ Bing Maps ✓
Import >	
Batch Convert	
	12345678 🖳 🔚 Transparency: 📕

Figure 11: Raster Manager

11. Select your PDF file and in the lower right corner of the dialog box check place interactively and click Open

Network	File name: Files of type:	es from 03-Highway_CT_FPL_0142-0146 1.pdf Common Raster Formats Open as read-only	Origin Open Cancel V Place Interactively V Open Settings Dialog	
(temperature		4 -		

Figure 12: Raster Selection Dialog

12. Drag the PDF in from left to right near your cogo points, the size is not important at this point as long as it is viewable



Figure 13: Dragging in the PDF raster



Figure 14: PDF raster next to Cogo points

13. In the Raster manager select the Warp button and highlight your raster in the file list

🔢 Raster Manager :	: 5 of 5 listed	x
<u>File E</u> dit <u>Vi</u> ew [<u>D</u> isplay <u>S</u> ettings <u>U</u> tilities	
🗄 • 🚛 📉	▾◚▾ੋੋ 🔁 🗄 🔛 😹 🕏 🐨 🥂 🖳 🐼 🕖	
Hierarchy	P G File Name Description Warp Model	
-10 AE_3D		
	🕼 🎍 035775.sid 🗸 🔀 AE_3D	
	Pages from CT CON FPL 0124-016	
7	Q	
•		
	1 2 3 4 5 6 7 8 🔄 🖾 Tint: Transparency:	

Figure 15: Warp button and file list

14. The Warp Raster command will open, select *Similtude (Move, Scale, Rotate) – 2 pts or +* from the Method Dropdown

Figure 16: Warp Raster Command Box

- 15. The lower left hand of the screen will prompt you to follow steps to warp the rater. It will first ask you to identify the raster, you can select it in the raster Manager or click the border of the raster itself in the drawing pane. Once selected the PDF border should highlight and the command in the lower left of the screen should change.
- 16. The next prompt will ask you to identify the Image Point. This is the Point on the PDF you want to anchor to a new point, in this example my image point is CP-3 on the PDF image.

Figure 17: Zoomed in on First Image Point

17. The next prompt will ask you to identify the Monument Point. This is the cogo point you imported in earlier steps. You want to match the image points to the corresponding monument points, after you click the monument point a dashed arrow will appear connecting the image point with the monument point. Repeat this step for all of your cogo points.

Figure 18: Zoomed in on Monument Point

Figure 19: All three Image Points Connected with Monument Points

18. Once all of your points are connected, click the right mouse button to accept the warp. The image should now move and scale to the specified points.

Figure 20: Image Point is Aligned with Monument Point (zoomed in for detail)

Using your newly imported raster image

The following steps are optional if you would like to make the background image transparent to make it easier to draw on or layer multiple sheets on one another.

1. Open the Raster Manager and highlight the raster you want to make transparent. Then click the square button next to the word Transparency.

Figure 21: Location of the Transparency color button in the Raster Manager

2. The Select Transparent Color Dialog box should appear. In the center pick bar set the color all the way to the top, or set the red, green and blue scroll bars all the way to the right (255) as shown in the figure below, then click OK.

Select Transparent Color	X
	RGB: 255, 255, 255
Color Model: RGB (0-255) Red: 255 Green: 255 Blue: 255	QK Cancel

Figure 22: Setting the transparency color to white (255)

3. Go back to the Raster Manager and with the Raster still highlighted click the Transparent button (shown below). The raster should now change to a black background with white line work.

🔢 Raster Manager :	5 of 5 listed		
<u>File E</u> dit <u>Vi</u> ew [<u>D</u> isplay <u>S</u> ettings <u>U</u> tilities		
🗄 • 🚛 🔯	- 📬 - 😰 🖲 👪	x # # # * *	🏂 🛃 🔯 🕕
Hierarchy	🕼 🤤 File Name	Description	S Model
-10 AE_3D	Q		
	🕼 🚱 035775.sid		✓ 🚾 AE_3D
	🕼 🌀 3FH6.pdf		🖌 🔀 AE_3D
	🕼 🧕 3FH7.pdf		✓ 🚾 AE_3D
	🕼 🤬 3FH6.pdf		✓ Mathematic AE_3D
	Pages from CT_CON_FPL	0124-016	✓ M AE_3D
	Q		
<u>∢</u>	12345678	Int: Transparen	cy: 🔲

Figure 23: Clicking the Transparency Icon

Figure 24: Sample Raster that has had background set to transparent

4. The next step is to make the line work a bit more clear. Go to the Raster manager and click the Invert button, the line work should now appear more clearly.

Figure 25: Inverting the colors of the raster

Figure 26: raster with clearer line work after invert command

5. You can tint the raster to make it easier to see against other line work or to differentiate it from other rasters if you layer them on one another. Click on the button next to the work Tint

in the raster Manager. The Tint color dialog should appear, choose a color you want to change the line work to and select ok. The raster should now appear as the color selected.

🔡 Raster Manager :	5 of 5 listed		12	1		x
<u>File Edit View [</u>	<u>D</u> isplay <u>S</u> ettings <u>U</u> tilities					
🗄 🛨 🖽 🔛	• 📬 • 🛃 💺 🚹	🖌 📐 🐯 📑 📰 🥍 .	1 🍞 🛃	i		
Hierarchy	🕼 🚱 File Name	Description	0	Model		
AE_3D	Image: Constraint of the system Image: Constraint of the system Image: Constraint of the system Image: Constraint of the system Image: Constraint of the system Image: Constraint of the system Image: Constraint of the system Image: Constraint of the system Image: Constraint of the system Image: Constraint of the system Image: Constraint of the system Image: Constraint of the system Image: Constraint of the system Image: Constraint of the system Image: Constraint of the system Image: Constraint of the system Image: Constraint of the system Image: Constraint of the system Image: Constraint of the system Image: Constraint of the system Image: Constraint of the system Image: Constraint of the system Image: Constraint of the system Image: Constraint of the system Image: Constraint of the system Image: Constraint of the system Image: Constraint of the system Image: Constraint of the system Image: Constraint of the system Image: Constraint of the system Image: Constraint of the system Image: Constraint of the system Image: Constraint of the system Image: Constraint of the system Image: Constraint of the system Image: Constraint of the system	N_FPL_0124-016	Y J Y Y	M AE_30 M AE_30))))	
< >	12345678	💽 🌆 🛃 🛛 İnt: 🔲 Transı	barency: 🛄			
						-
		RGB: 255, 221, 84				
Color Model: <u>R</u> ed: 255 <u>G</u> reen: 221 <u>B</u> lue: 84	RGB (0-255)	QK Cancel				

Figure 27: Selecting a tint color

6. Following the previous steps you can layer another raster image on another using the same warping method and transparency method.

Figure 29: Two geospatially located rasters layered on one another using transparency and tint

