


Town of Greenwich Train Stations:

- Greenwich
- Cos Cob
- Cos Cob Bridge
- Riverside
- Old Greenwich



MATCH LINE SEE SHEET FCI-101

NOTES:


1. SEE DWG G-002 FOR GENERAL NOTES.
2. SEE DWG G-003 FOR ABBREVIATIONS AND LEGEND.
3. CCTV CABINET LOCATIONS ARE APPROXIMATE AND WILL BE VERIFIED IN FUTURE SUBMISSION.
4. PARKING LOT CAMERAS ARE APPROXIMATE AND FOR CDOT/MNR CONSIDERATION ONLY.
5. SEE FCI-102 FOR CAMERA SCHEDULE.
6. POLES TO BE MOUNTED BEHIND PLATFORMS WHERE POSSIBLE.

FIBER DROP NOTES:

1. FOR COMMUNICATIONS STATION FIBER DROP, CONTRACTOR SHALL FURNISH AND INSTALL A NEW POLE MOUNTED STAINLESS STEEL FIBER OPTIC TERMINATION ENCLOSURE ON NORTH SIDE AND SOUTH SIDE OF THE STATION. CONTRACTOR SHALL FURNISH AND INSTALL (1) 24-STRAND SMFO CABLE FROM COMMUNICATIONS FIBER DROP ON NORTH SIDE OF CAT. 283 TO THE NORTH SIDE POLE MOUNTED ENCLOSURE AND TERMINATE. LEAVE SLACK ON CAT. STRUCTURE FOR SPLICING BY MNR. CONTRACTOR SHALL FURNISH AND INSTALL (1) 24-STRAND SMFO CABLE BETWEEN NORTH SIDE POLE MOUNTED ENCLOSURE AND SOUTH SIDE POLE MOUNTED ENCLOSURE AND TERMINATE.
2. FOR SECURITY FIBER DROP, CONTRACTOR SHALL FURNISH AND INSTALL (1) 24-STRAND SMFO FROM NORTH SIDE OF CAT. 283 TO WB CCTV CABINET. LEAVE SLACK ON CAT. STRUCTURE FOR SPLICING BY MNR. CONTRACTOR SHALL FURNISH AND INSTALL (1) 24-STRAND SMFO FROM SOUTH SIDE OF CAT. 283 TO EB CCTV CABINET. LEAVE SLACK ON CAT. STRUCTURE FOR SPLICING BY MNR. CONTRACTOR SHALL FURNISH AND INSTALL (1) 24-STRAND SMFO CABLE BETWEEN EB AND WB CCTV CABINETS.
3. FIBER DROP LOCATIONS AND DETAILS TO BE SHOWN IN FUTURE SUBMISSION.

REV.	DATE	REVISION DESCRIPTION

DESIGNER/DRAFTER: JY/MS
 CHECKED BY: CH





SIGNATURE/
BLOCK:



PROJECT NUMBER: 0300-0215
 PROJECT DESCRIPTION: NETWORK INFRASTRUCTURE UPGRADE FOR SECURITY - PHASE 4
 TOWN(S): GREENWICH
 DRAWING TITLE: GREENWICH STATION PLAN 1 OF 2

DRAWING NO.
FCI-100
SHEET NO.




MATCH LINE SEE SHEET FCI-100


NOTES:

1. SEE DWG G-002 FOR GENERAL NOTES.
2. SEE DWG G-003 FOR ABBREVIATIONS AND LEGEND.
3. CCTV CABINET LOCATIONS ARE APPROXIMATE AND WILL BE VERIFIED IN FUTURE SUBMISSION.
4. PARKING LOT CAMERAS ARE APPROXIMATE AND FOR CDOT/MNR CONSIDERATION ONLY.
5. SEE FCI-102 FOR CAMERA SCHEDULE.
6. POLES TO BE MOUNTED BEHIND PLATFORMS WHERE POSSIBLE.

REV.	DATE	REVISION DESCRIPTION





SIGNATURE/
BLOCK:



STATE OF CONNECTICUT
DEPARTMENT
OF
TRANSPORTATION

PROJECT NUMBER: 0300-0215
PROJECT DESCRIPTION: NETWORK INFRASTRUCTURE UPGRADE FOR SECURITY - PHASE 4
TOWN(S): GREENWICH
DRAWING TITLE: GREENWICH STATION PLAN 2 OF 2

DRAWING NO.
FCI-101
SHEET NO.




MATCHLINE - SEE SHEET FCI-111


- NOTES:**
- SEE DWG G-002 FOR GENERAL NOTES.
 - SEE DWG G-003 FOR ABBREVIATIONS AND LEGEND.
 - CCTV CABINET LOCATIONS ARE APPROXIMATE AND WILL BE VERIFIED IN FUTURE SUBMISSION.
 - PARKING LOT CAMERAS ARE APPROXIMATE AND FOR CDOT/MNR CONSIDERATION ONLY.
 - SEE FCI-112 FOR CAMERA SCHEDULE.
 - POLES TO BE MOUNTED BEHIND PLATFORMS WHERE POSSIBLE.

- FIBER DROP NOTES:**
- FOR COMMUNICATIONS STATION FIBER DROP, CONTRACTOR SHALL FURNISH AND INSTALL A NEW POLE MOUNTED STAINLESS STEEL FIBER OPTIC TERMINATION ENCLOSURE ON NORTH SIDE AND SOUTH SIDE OF THE STATION. CONTRACTOR SHALL FURNISH AND INSTALL (1) 24-STRAND SMFO CABLE FROM COMMUNICATIONS FIBER DROP ON NORTH SIDE OF CAT. 304 TO THE NORTH SIDE POLE MOUNTED ENCLOSURE AND TERMINATE. LEAVE SLACK ON CAT. STRUCTURE FOR SPLICING BY MNR. CONTRACTOR SHALL FURNISH AND INSTALL (1) 24-STRAND SMFO CABLE BETWEEN NORTH SIDE POLE MOUNTED ENCLOSURE AND SOUTH SIDE POLE MOUNTED ENCLOSURE AND TERMINATE.
 - FOR SECURITY FIBER DROP, CONTRACTOR SHALL FURNISH AND INSTALL (1) 24-STRAND SMFO FROM NORTH SIDE OF CAT. 304 TO WB CCTV CABINET, LEAVE SLACK ON CAT. STRUCTURE FOR SPLICING BY MNR. CONTRACTOR SHALL FURNISH AND INSTALL (1) 24-STRAND SMFO FROM SOUTH SIDE OF CAT. 306 TO EB CCTV CABINET, LEAVE SLACK ON CAT. STRUCTURE FOR SPLICING BY MNR. CONTRACTOR SHALL FURNISH AND INSTALL (1) 24-STRAND SMFO CABLE BETWEEN EB AND WB CCTV CABINETS.
 - FIBER DROP LOCATIONS AND DETAILS TO BE SHOWN IN FUTURE SUBMISSION.

PLAN
SCALE: 1" = 20'



MATCHLINE - SEE SHEET FCI-110




PLAN
SCALE: 1" = 20'


- NOTES:
1. SEE DWG G-002 FOR GENERAL NOTES.
 2. SEE DWG G-003 FOR ABBREVIATIONS AND LEGEND.
 3. CCTV CABINET LOCATIONS ARE APPROXIMATE AND WILL BE VERIFIED IN FUTURE SUBMISSION.
 4. PARKING LOT CAMERAS ARE APPROXIMATE AND FOR CDOT/MNR CONSIDERATION ONLY.
 5. SEE FCI-112 FOR CAMERA SCHEDULE.
 6. POLES TO BE MOUNTED BEHIND PLATFORMS WHERE POSSIBLE.

REV.	DATE	REVISION DESCRIPTION

DESIGNER/DRAFTER: JY/MS
CHECKED BY: CH




SIGNATURE/
BLOCK:




PROJECT NUMBER: 0300-0215
PROJECT DESCRIPTION: NETWORK INFRASTRUCTURE UPGRADE FOR SECURITY - PHASE 4
TOWN(S): COS COB
DRAWING TITLE: COS COB STATION PLAN 2 OF 2

DRAWING NO.
FCI-111
SHEET NO.



MATCH LINE SHEET FCI-121




NOTES:


1. SEE DWG G-002 FOR GENERAL NOTES.
2. SEE DWG G-003 FOR ABBREVIATIONS AND LEGEND.
3. DO NOT ATTACH ANY ITEMS TO THE MOVEABLE SECTION OF THE BRIDGE.
4. ALL CONDUITS SHALL BE PVC COATED RGS UNLESS OTHERWISE NOTED. ALL FITTINGS SHALL BE GASKETED AND WATERTIGHT.
5. CCTV CABINET LOCATIONS ARE APPROXIMATE AND WILL BE VERIFIED IN FUTURE SUBMISSION.
6. SEE FCI -123 FOR CAMERA SCHEDULE.

REV.	DATE	REVISION DESCRIPTION

DESIGNER/DRAFTER: JY/NM CHECKED BY: CH





SIGNATURE/ BLOCK:



PROJECT NUMBER: 0300-0215
 PROJECT DESCRIPTION: NETWORK INFRASTRUCTURE UPGRADE PHASE 4 METRO-NORTH RAILROAD NEW HAVEN LINE MILE POST 26.20 TO MILE POST 33.15
 TOWN(S): COS COB
 DRAWING TITLE: COS COB BRIDGE PLAN 1 OF 3

DRAWING NO. FCI-120
 SHEET NO.




NOTES:


1. SEE DWG G-002 FOR GENERAL NOTES.
2. SEE DWG G-003 FOR ABBREVIATIONS AND LEGEND.
3. DO NOT ATTACH ANY ITEMS TO THE MOVEABLE SECTION OF THE BRIDGE.
4. ALL CONDUITS SHALL BE PVC COATED RGS UNLESS OTHERWISE NOTED. ALL FITTINGS SHALL BE GASKETED AND WATERTIGHT.
5. CCTV CABINET LOCATIONS ARE APPROXIMATE AND WILL BE VERIFIED IN FUTERE SUBMISSION.
6. SEE FCI -123 FOR CAMERA SCHEDULE.

REV.	DATE	REVISION DESCRIPTION

DESIGNER/DRAFTER: JY/NM CHECKED BY: CH



SIGNATURE/
BLOCK:




STATE OF CONNECTICUT
DEPARTMENT
OF
TRANSPORTATION




PROJECT NUMBER: 0300-0215
PROJECT DESCRIPTION: NETWORK INFRASTRUCTURE UPGRADE PHASE 4 METRO-NORTH RAILROAD NEW HAVEN LINE MILE POST 26.20 TO MILE POST 33.15
TOWN(S): COS COB
DRAWING TITLE: COS COB BRIDGE PLAN 2 OF 3

DRAWING NO.
FCI-121
SHEET NO.



MATCH LINE SHEET FCI-121




NOTES:


1. SEE DWG G-002 FOR GENERAL NOTES.
2. SEE DWG G-003 FOR ABBREVIATIONS AND LEGEND.
3. DO NOT ATTACH ANY ITEMS TO THE MOVEABLE SECTION OF THE BRIDGE.
4. ALL CONDUITS SHALL BE PVC COATED RGS UNLESS OTHERWISE NOTED. ALL FITTINGS SHALL BE GASKETED AND WATERTIGHT.
5. CCTV CABINET LOCATIONS ARE APPROXIMATE AND WILL BE VERIFIED IN FUTERE SUBMISSION.
6. SEE FCI-123 FOR CAMERA SCHEDULE.

REV.	DATE	REVISION DESCRIPTION

DESIGNER/DRAFTER: M.N. JY/NM CHECKED BY: CH




SIGNATURE/BLOCK:



PROJECT NUMBER: 0300-0215
 PROJECT DESCRIPTION: NETWORK INFRASTRUCTURE UPGRADE PHASE 4 METRO-NORTH RAILROAD NEW HAVEN LINE MILE POST 26.20 TO MILE POST 33.15
 TOWN(S): COS COB
 DRAWING TITLE: COS COB BRIDGE PLAN 3 OF 3

DRAWING NO. FCI-122
 SHEET NO.



MATCHLINE - SEE SHEET FCI-131


- NOTES:**
- SEE DWG G-002 FOR GENERAL NOTES.
 - SEE DWG G-003 FOR ABBREVIATIONS AND LEGEND.
 - CCTV CABINET LOCATIONS ARE APPROXIMATE AND WILL BE VERIFIED IN FUTURE SUBMISSION.
 - PARKING LOT CAMERAS ARE APPROXIMATE AND FOR CDOT/MNR CONSIDERATION ONLY.
 - SEE FCI-132 FOR CAMERA SCHEDULE.
 - POLES TO BE MOUNTED BEHIND PLATFORMS WHERE POSSIBLE.

FIBER DROP NOTES:


- FOR COMMUNICATIONS STATION FIBER DROP, CONTRACTOR SHALL FURNISH AND INSTALL A NEW POLE MOUNTED STAINLESS STEEL FIBER OPTIC TERMINATION ENCLOSURE ON NORTH SIDE AND SOUTH SIDE OF THE STATION. CONTRACTOR SHALL FURNISH AND INSTALL (1) 24-STRAND SMFO CABLE FROM COMMUNICATIONS FIBER DROP ON NORTH SIDE OF CAT. 319 TO THE NORTH SIDE POLE MOUNTED ENCLOSURE AND TERMINATE. LEAVE SLACK ON CAT. STRUCTURE FOR SPLICING BY MNR. CONTRACTOR SHALL FURNISH AND INSTALL (1) 24-STRAND SMFO CABLE BETWEEN NORTH SIDE POLE MOUNTED ENCLOSURE AND SOUTH SIDE POLE MOUNTED ENCLOSURE AND TERMINATE.
- FOR SECURITY FIBER DROP, CONTRACTOR SHALL FURNISH AND INSTALL (1) 24-STRAND SMFO FROM NORTH SIDE OF CAT. 319 TO WB CCTV CABINET, LEAVE SLACK ON CAT. STRUCTURE FOR SPLICING BY MNR. CONTRACTOR SHALL FURNISH AND INSTALL (1) 24-STRAND SMFO FROM SOUTH SIDE OF CAT. 320 TO EB CCTV CABINET, LEAVE SLACK ON CAT. STRUCTURE FOR SPLICING BY MNR. CONTRACTOR SHALL FURNISH AND INSTALL (1) 24-STRAND SMFO CABLE BETWEEN EB AND WB CCTV CABINETS.
- FIBER DROP LOCATIONS AND DETAILS TO BE SHOWN IN FUTURE SUBMISSION.

REV.	DATE	REVISION DESCRIPTION

DESIGNER/DRAFTER: JY/MS
 CHECKED BY: CH




SIGNATURE/
BLOCK:




PROJECT NUMBER: 0300-0215
 PROJECT DESCRIPTION: NETWORK INFRASTRUCTURE UPGRADE FOR SECURITY - PHASE 4
 TOWN(S): RIVERSIDE
 DRAWING TITLE: RIVERSIDE STATION PLAN 1 OF 2

DRAWING NO.
FCI-130
SHEET NO.


MATCHLINE - SEE SHEET FCI-130



- NOTES:
1. SEE DWG G-002 FOR GENERAL NOTES.
 2. SEE DWG G-003 FOR ABBREVIATIONS AND LEGEND.
 3. CCTV CABINET LOCATIONS ARE APPROXIMATE AND WILL BE VERIFIED IN FUTURE SUBMISSION.
 4. PARKING LOT CAMERAS ARE APPROXIMATE AND FOR CDOT/MNR CONSIDERATION ONLY.
 5. SEE FCI-132 FOR CAMERA SCHEDULE.
 6. POLES TO BE MOUNTED BEHIND PLATFORMS WHERE POSSIBLE.



- NOTES:
1. SEE DWG G-002 FOR GENERAL NOTES.
 2. SEE DWG G-003 FOR ABBREVIATIONS AND LEGEND.
 3. CCTV CABINET LOCATIONS ARE APPROXIMATE AND WILL BE VERIFIED IN FUTURE SUBMISSION.
 4. PARKING LOT CAMERAS ARE APPROXIMATE AND FOR CDOT/MNR CONSIDERATION ONLY.
 5. SEE FCI-142 FOR CAMERA SCHEDULE.
 6. POLES TO BE MOUNTED BEHIND PLATFORMS WHERE POSSIBLE.




MATCH LINE - SEE SHEET FCI-141

FIBER DROP NOTES:

1. FOR COMMUNICATIONS STATION FIBER DROP, CONTRACTOR SHALL FURNISH AND INSTALL A NEW POLE MOUNTED STAINLESS STEEL FIBER OPTIC TERMINATION ENCLOSURE ON NORTH SIDE AND SOUTH SIDE OF THE STATION. CONTRACTOR SHALL FURNISH AND INSTALL (1) 24-STRAND SMFO CABLE FROM COMMUNICATIONS FIBER DROP ON NORTH SIDE OF CAT. 341 TO THE NORTH SIDE POLE MOUNTED ENCLOSURE AND TERMINATE. LEAVE SLACK ON CAT. STRUCTURE FOR SPLICING BY MNR. CONTRACTOR SHALL FURNISH AND INSTALL (1) 24-STRAND SMFO CABLE BETWEEN NORTH SIDE POLE MOUNTED ENCLOSURE AND SOUTH SIDE POLE MOUNTED ENCLOSURE AND TERMINATE.
2. FOR SECURITY FIBER DROP, CONTRACTOR SHALL FURNISH AND INSTALL (1) 24-STRAND SMFO FROM NORTH SIDE OF CAT. 341 TO WB CCTV CABINET. LEAVE SLACK ON CAT. STRUCTURE FOR SPLICING BY MNR. CONTRACTOR SHALL FURNISH AND INSTALL (1) 24-STRAND SMFO FROM SOUTH SIDE OF CAT. 341 TO EB CCTV CABINET. LEAVE SLACK ON CAT. STRUCTURE FOR SPLICING BY MNR. CONTRACTOR SHALL FURNISH AND INSTALL (1) 24-STRAND SMFO CABLE BETWEEN EB AND WB CCTV CABINETS.
3. FIBER DROP LOCATIONS AND DETAILS TO BE SHOWN IN FUTURE SUBMISSION.

NOTES:

1. SEE DWG G-002 FOR GENERAL NOTES.
2. SEE DWG G-003 FOR ABBREVIATIONS AND LEGEND.
3. CCTV CABINET LOCATIONS ARE APPROXIMATE AND WILL BE VERIFIED IN FUTURE SUBMISSION.
4. PARKING LOT CAMERAS ARE APPROXIMATE AND FOR CDOT/MNR CONSIDERATION ONLY.
5. SEE FCI-142 FOR CAMERA SCHEDULE.
6. POLES TO BE MOUNTED BEHIND PLATFORMS WHERE POSSIBLE.



MATCH LINE - SEE SHEET FCI-140

