

Connecticut Behavioral Risk Factor Survey

Prevalence Estimates for Risk Factors and Health Indicators

Selected Summary Tables 2020



September, 2022

State of Connecticut Department of Public Health



Acknowledgments

Manisha Juthani, MD
Commissioner
Connecticut Department of Public Health

Celeste Jorge, MPH
CT BRFSS Coordinator
Health Statistics and Surveillance Section
Connecticut Department of Public Health

This report was prepared by:
Xi Zheng, MPH, MS
BRFSS Epidemiologist
Health Statistics and Surveillance Section
Connecticut Department of Public Health

The CT BRFSS team acknowledges with gratitude the time contributed by nearly 9,000 citizen volunteers within the State of Connecticut who responded anonymously to the survey during the 2020 calendar year. The results presented in this report would not be possible without their participation.

For questions or comments about this report, please contact:

Xi Zheng, MPH, MS
Epidemiologist
Health Statistics and Surveillance Section
Connecticut Department of Public Health
Hartford, Connecticut, 06106
Xi.Zheng@ct.gov (860-509-7670)

Find more BRFSS factsheets, reports and publications at the Connecticut Department of Public Health BRFSS website: <http://www.ct.gov/dph/BRFSS>.

Introduction

The Connecticut Behavioral Risk Factor Surveillance System (CT BRFSS) is an ongoing statewide voluntary phone survey of Connecticut citizen volunteers aged 18 and over. It is funded by the Centers for Disease Control and Prevention (CDC) in all 50 states, and has been implemented in Connecticut since 1989.

For the 2020 CT BRFSS, the landline sample was a disproportionate stratified random digit dial (RDD) sample, stratified by geography and listed status. Within each contacted household, one adult was selected at random to be interviewed. The cell phone sample was an un-stratified RDD sample drawn from dedicated cellular telephone banks with equal probability. An adult contacted by cell phone was eligible to complete the survey if he or she lived in a private residence or college housing either without a landline present, or with a landline but with at least 90 percent of all calls received by cell phone. Each month, survey data from Connecticut are sent to CDC for editing and checking. At the end of each year, data are compiled and weighted to be representative of all adults in the state, and returned to states for analysis and use in planning and monitoring health programs. Summary data for all states are available on the CDC BRFSS website (<http://www.cdc.gov/BRFSS>).

In 2020, the total sample size of completed interviews for the core survey was 8,982 (land line=2,855; cell phone=6,127). Due to variability in response rates to individual questions and differences in specific sub-populations of interest for particular questions, not all estimates are based on a total sample size of 8,982. Prevalence estimates and 95% confidence intervals were computed using SAS PROC SURVEYFREQ, which can properly compute variances for complex sampling plans. Any responses of “Not Known/Not sure” or “Refused” were classified as missing.

In an effort to provide the most reliable information possible, coefficients of variation (CV) were used to assess the validity of each estimate. Prevalence estimates with a CV of between 15% and 20%, inclusive, are marked with a single asterisk (*). Prevalence estimates with a CV between 20.1% and 30%, inclusive, are rounded to the nearest five percent, and are marked with two asterisks (**) to indicate that caution should be exercised when interpreting these estimates. Prevalence estimates with a CV greater than 30% are suppressed due to poor validity. Only comparisons between estimates with non-overlapping 95% confidence intervals should be considered significantly different.

Due to the BRFSS methodology changes that took place in 2011, the estimates provided within the following tables should only be compared to CT BRFSS estimates from 2011-2020 and not to CT BRFSS estimates from years prior to 2011.

If you have any questions regarding any of the estimates within the following tables, please contact Xi Zheng at xi.zheng@ct.gov. To access to the 2020 CT BRFSS questionnaire, please visit the CT BRFSS web page at: www.ct.gov/dph/brfss.

Table of Contents

Health Indicator Summary.....	1
Adult Health.....	3
Health Status.....	3
Risk Behaviors.....	11
Clinical Preventive Practice.....	16
Chronic Diseases.....	27
Other Topics.....	32
Child Health.....	34

Adult Health Indicators	%	95% CL	
Health Status			
Fair or poor health	11.3	10.3	12.4
Poor physical health	8.4	7.4	9.3
Poor mental health	12.6	11.4	13.7
Disability	22.2	20.9	23.6
Overweight	35.2	33.6	36.8
Obese	29.2	27.6	30.7
Insurance coverage (all ages)	91.5	90.5	92.5
Private insurance (18-64 years old)	61.6	59.7	63.5
Medicare (18-64 years old)	6.0	5.0	6.9
Medicaid (18-64 years old)	11.8	10.5	13.0
No insurance (18-64 years old)	10.9	9.6	12.2
No dental insurance	24.9	23.4	26.3
At least one doctor	83.5	82.3	84.8
Did not see doctor because of cost	7.6	6.7	8.5
Did not use prescription because of cost	5.3	4.6	6.1
Food insecurity	7.5	6.5	8.5
Housing insecurity	13.3	11.9	14.6
Risk Behaviors			
No leisure time physical activities	20.6	19.3	21.9
Current smoker	11.8	10.8	12.9
Ever use E-cigarette	21.0	19.5	22.4
Binge drinking	14.3	13.1	15.5
Heavy drinking	6.1	5.3	6.8
Excessive alcohol drinking	16.2	14.9	17.4
Rarely or never wear a seatbelt	4.1	3.4	4.7
HIV related risk behaviors	6.5	5.5	7.6
Drinking and driving	2.1	1.5	2.6
Have fallen in the past 12 months (45+)	19.9	18.4	21.5
▪ Injured among adults who fell in the past 12 months (45+)	36.0	31.7	40.3
▪ Received fall prevention guidance from doctor among adults who fell in the past 12 months (45+)	26.0	22.3	29.6
Insufficient sleep (less than 7 hours)	32.1	30.5	33.6
Clinical Preventive Practice			
Routine Check-up in past year	78.4	77.1	79.8
Had flu shot in past year (all ages)	54.0	52.3	55.7
Had flu shot in past year (65+)	74.0	71.3	76.8
Ever had pneumonia shot (all ages)	32.6	31.0	34.2
Ever had pneumonia shot (65+)	71.5	68.6	74.4
Ever had an HPV vaccination (18-49)	36.9	33.8	39.9
Ever tested for HIV	37.1	35.4	38.7
Dental visit in past year	73.2	71.7	74.7
Ever had permanent teeth extracted	38.4	36.8	39.9
Had blood sugar test in past 3 years	51.1	49.3	52.9
Ever had HPV test (women)	46.0	43.3	48.7
Had a mammogram in the past two years (women 50-74 years old)	81.5	78.5	84.5
Had blood stool test within the past 3 years (50-75 years old)	15.4	14.0	16.9
Had a colonoscopy within the past 10 years (50-75 years old)	72.0	69.7	74.4

Clinical Preventive Practice (Cont.)			
Adult Health Indicators	%	95% CL	
Had a sigmoidoscopy within the past 5 years (50-75 years old)	3.3	2.4	4.1
Had fully met the USPSTF recommendations for colorectal cancer screening (50-75 years old)	77.3	75.1	79.6
Had Pap test within past 3 years (women 21-65 years old)	82.5	79.9	85.0
Had PSA test in past 2 years (Men 40+)	31.7	29.2	34.2
Ever talked about advantages of PSA test (Men 40+)	42.7	40.0	45.4
Ever talked about disadvantages of PSA test (Men 40+)	19.2	17.0	21.3
Ever received recommendation to get PSA test (Men 40+)	41.2	38.5	43.9
Chronic Diseases			
Current asthma	10.6	9.6	11.6
Former asthma	4.2	3.6	4.9
COPD	5.3	4.6	5.9
Arthritis	22.4	21.2	23.6
Cardiovascular diseases	6.9	6.2	7.6
Diabetes	9.5	8.6	10.3
Pre-diabetes	11.5	10.5	12.6
Kidney disease	2.0	1.6	2.4
Depression	17.7	16.5	19.0
Periodontal disease	12.1	11.1	13.2
▪ Treatment for periodontal disease among adults diagnosed with periodontal disease	18.7	17.5	19.9
Other Topics			
Suicide Prevention			
Suicidal ideation	12.6	11.4	13.8
▪ Suicide Attempt (among adults who ever thought of suicide)	25.3	21.4	29.2
Sexual Violence			
Had ever been forced to have sexual intercourse, since 18 years old	8.7	7.6	9.7
▪ Experienced sexual violence in the past 12 months (among who ever had forced to have sexual intercourse)	10.0**	-	-
Special Population			
Prevalence of LGBT population	8.0	7.0	9.0
Reaction to Race			
Felt experiences were better than other races when seeking health care.	24.3	22.8	25.9
Child Health Indicators	%	95% CL	
Overweight (5-17 years old)	14.7	11.3	18.0
Obese (5-17 years old)	18.4	14.0	22.8
Ever breastfed	82.4	79.1	85.7
• Exclusively breastfed for at least 6 months, among child ever breastfed	32.9	28.4	37.4
• Exclusively breastfed for at least 3 months, among child ever breastfed	61.7	57.2	66.2
Excessive screen time (2+ hours daily, 2-17 years old)	66.6	61.9	71.2
Drank soda or sugary drinks at least once daily (2-17 years old)	30.8	26.3	35.4
Ate fast food at least twice weekly (2-17 years old)	37.6	33.1	42.1
Visited dentist in past year	82.2	78.8	85.5
Ever received dental sealants on permanent teeth (5-17 years old)	50.2	45.4	55.1
Had dental decay in the past 12 months	13.9	10.6	17.2
Current asthma	11.8	9.1	14.4
Former asthma	5.7	3.6	7.8

‘*’ estimates have a CV between 15% and 20%;

‘**’ estimates have a CV between 20.1% and 30%;

‘-’ estimates were suppressed because of limited validity (CV>30%).

Fair or Poor Health

Indicator Description: Among all adults, the proportion who reported that their health, in general, was either fair or poor.

Demographics		%	95% CI	
Total		11.3	10.3	12.4
Age	18-34 years old	5.9	4.4	7.4
	35-54 years old	12.3	10.1	14.5
	55 and over	14.7	13.1	16.3
Sex	Male	10.2	8.8	11.6
	Female	12.4	10.9	13.9
Race/ Ethnicity	Non-Hispanic White	9.3	8.2	10.4
	Non-Hispanic Black	16.1	12.0	20.3
	Hispanic	18.7	15.2	22.2
	Non-Hispanic Other	7.1*	4.5	9.6
Income	Less than \$35,000	24.4	21.2	27.5
	\$35,000-\$74,999	10.4	8.3	12.6
	\$75,000 and more	4.7	3.7	5.6
Insurance	Insured	10.9	9.8	11.9
	Not Insured	16.6	12.2	21.0
Disability	Disabled	32.8	29.5	36.1
	Non-disabled	5.4	4.5	6.3
Education	High School Graduate or Less	18.0	15.8	20.2
	More than High School	7.3	6.3	8.3

Poor Physical Health

Indicator Description: Among all adults, the proportion who reported 14 or more days of poor physical health, which includes physical illness and injury, during the past 30 days.

Demographics		%	95% CI	
Total		8.4	7.4	9.3
Age	18-34 years old	6.6*	4.3	8.9
	35-54 years old	7.8	6.1	9.5
	55 and over	10.4	9.1	11.6
Sex	Male	7.1	5.7	8.4
	Female	9.6	8.2	10.9
Race/ Ethnicity	Non-Hispanic White	7.9	6.9	8.9
	Non-Hispanic Black	12.2*	8.0	16.4
	Hispanic	9.7*	6.7	12.7
	Non-Hispanic Other	-	-	-
Income	Less than \$35,000	16.3	13.4	19.1
	\$35,000-\$74,999	7.5	5.9	9.1
	\$75,000 and more	4.4	3.3	5.4
Insurance	Insured	8.3	7.4	9.3
	Not Insured	10.0**	-	-
Disability	Disabled	23.9	20.9	26.9
	Non-disabled	4.2	3.3	5.1
Education	High School Graduate or Less	11.5	9.6	13.5
	More than High School	6.5	5.5	7.5

Poor Mental Health

Indicator Description: Among all adults, the proportion who reported 14 or more days of poor mental health, during the past 30 days.

Demographics		%	95% CI	
Total		12.6	11.4	13.7
Age	18-34 years old	18.4	15.4	21.4
	35-54 years old	13.5	11.5	15.6
	55 and over	8.2	7.0	9.4
Sex	Male	10.9	9.3	12.6
	Female	14.1	12.5	15.7
Race/ Ethnicity	Non-Hispanic White	12.5	11.1	13.9
	Non-Hispanic Black	11.5*	7.9	15.0
	Hispanic	14.9	11.3	18.5
	Non-Hispanic Other	9.1*	5.7	12.4
Income	Less than \$35,000	17.1	14.3	19.9
	\$35,000-\$74,999	14.7	11.9	17.4
	\$75,000 and more	9.8	8.2	11.3
Insurance	Insured	12.5	11.3	13.7
	Not Insured	13.3*	8.3	18.3
Disability	Disabled	26.4	23.1	29.6
	Non-disabled	9.0	7.8	10.2
Education	High School Graduate or Less	14.7	12.6	16.8
	More than High School	11.3	10.0	12.7

Disability

Indicator Description: Among all adults, the proportion who reported being blind, or deaf, or serious difficulty in walking or climbing stairs, difficulty in dressing or bathing, or limited in any activities because of physical, mental, or emotional problems, or reported that they required use of special equipment (such as a cane, a wheelchair, a special bed, or a special telephone) due to a health problem.

Demographics		%	95% CI	
Total		22.2	20.9	23.6
Age	18-34 years old	14.7	12.0	17.3
	35-54 years old	18.9	16.4	21.4
	55 and over	30.3	28.2	32.4
Sex	Male	20.5	18.6	22.4
	Female	23.8	21.9	25.8
Race/ Ethnicity	Non-Hispanic White	21.3	19.7	23.0
	Non-Hispanic Black	27.2	21.7	32.6
	Hispanic	26.9	23.2	30.7
	Non-Hispanic Other	13.6*	9.4	17.9
Income	Less than \$35,000	37.3	33.9	40.7
	\$35,000-\$74,999	24.2	21.2	27.2
	\$75,000 and more	10.5	9.1	12.0
Insurance	Insured	22.1	20.7	23.5
	Not Insured	21.8	17.0	26.5
Education	High School Graduate or Less	30.8	28.2	33.4
	More than High School	17.1	15.6	18.6

Overweight

Indicator Description: Among all adults, the proportion of respondents whose BMI was greater than or equal to 25.0, but less than 30.0.

Demographics		%	95% CI	
Total		35.2	33.6	36.8
Age	18-34 years old	29.0	25.4	32.7
	35-54 years old	36.2	33.3	39.2
	55 and over	38.6	36.4	40.7
Sex	Male	41.8	39.4	44.2
	Female	28.4	26.3	30.5
Race/ Ethnicity	Non-Hispanic White	35.6	33.7	37.5
	Non-Hispanic Black	29.8	24.4	35.2
	Hispanic	35.9	31.3	40.6
	Non-Hispanic Other	36.4	28.9	43.9
Income	Less than \$35,000	34.0	30.5	37.5
	\$35,000-\$74,999	35.4	32.0	38.8
	\$75,000 and more	36.2	33.7	38.6
Insurance	Insured	35.3	33.6	36.9
	Not Insured	35.3	28.8	41.8
Disability	Disabled	30.0	26.8	33.3
	Non-disabled	36.5	34.6	38.4
Education	High School Graduate or Less	34.2	31.3	37.0
	More than High School	35.8	33.9	37.8

Obese

Indicator Description: Among all adults, the proportion of respondents whose BMI was greater than or equal to 30.0.

Demographics		%	95% CI	
Total		29.2	27.6	30.7
Age	18-34 years old	23.7	20.5	27.0
	35-54 years old	34.6	31.6	37.5
	55 and over	29.3	27.2	31.4
Sex	Male	28.4	26.2	30.6
	Female	30.0	27.8	32.2
Race/ Ethnicity	Non-Hispanic White	27.2	25.5	29.0
	Non-Hispanic Black	40.6	34.3	46.8
	Hispanic	36.8	32.3	41.4
	Non-Hispanic Other	18.3*	12.2	24.4
Income	Less than \$35,000	36.1	32.5	39.8
	\$35,000-\$74,999	32.5	29.2	35.8
	\$75,000 and more	26.3	24.1	28.6
Insurance	Insured	29.1	27.5	30.7
	Not Insured	31.8	25.4	38.3
Disability	Disabled	39.3	35.7	42.8
	Non-disabled	26.3	24.6	28.0
Education	High School Graduate or Less	36.3	33.3	39.2
	More than High School	25.0	23.3	26.7

Insurance Coverage

Indicator Description: Among all adults, the proportion who reported having health care coverage, including health insurance, prepaid plans such as HMOs, or government plans, such as Medicare or Indian Health Services.

Demographics		%	95% CI	
Total		91.5	90.5	92.5
Age	18-34 years old	85.5	82.9	88.2
	35-54 years old	88.3	86.3	90.4
	55 and over	97.4	96.8	98.1
Sex	Male	90.2	88.6	91.8
	Female	92.7	91.4	93.9
Race/ Ethnicity	Non-Hispanic White	96.9	96.2	97.5
	Non-Hispanic Black	87.0*	82.5	91.4
	Hispanic	71.5	67.3	75.6
	Non-Hispanic Other	90.0**	-	-
Income	Less than \$35,000	83.8	81.3	86.3
	\$35,000-\$74,999	91.4	89.0	93.7
	\$75,000 and more	97.9*	97.1	98.7
Disability	Disabled	91.7	89.8	93.5
	Non-disabled	91.5	90.3	92.7
Education	High School Graduate or Less	84.8	82.7	86.9
	More than High School	95.5	94.5	96.5

Private Insurance

Indicator Description: Among adults aged 18-64 years old, the proportion who reported currently having private insurance.

Demographics		%	95% CI	
Total		61.6	59.7	63.5
Age	18-34 years old	54.6	50.8	58.3
	35-54 years old	62.3	59.5	65.1
	55 and over	71.1	68.0	74.1
Sex	Male	61.6	58.9	64.4
	Female	61.6	58.9	64.3
Race/ Ethnicity	Non-Hispanic White	73.5	71.4	75.6
	Non-Hispanic Black	42.9	36.5	49.3
	Hispanic	35.2	30.7	39.7
	Non-Hispanic Other	58.1	50.2	65.9
Income	Less than \$35,000	20.7	16.6	24.7
	\$35,000-\$74,999	61.7	57.5	65.9
	\$75,000 and more	88.1	86.2	90.1
Disability	Disabled	38.9	34.2	43.6
	Non-disabled	67.1	64.9	69.3
Education	High School Graduate or Less	41.7	38.2	45.1
	More than High School	73.7	71.6	75.8

Medicare

Indicator Description: Among adults aged 18-64 years old, the proportion who reported currently having Medicare.

Demographics		%	95% CI	
Total		6.0	5.0	6.9
Age	18-34 years old	5.1*	3.3	7.0
	35-54 years old	5.1	3.9	6.3
	55 and over	8.7	6.8	10.7
Sex	Male	5.3	4.1	6.5
	Female	6.7	5.2	8.1
Race/ Ethnicity	Non-Hispanic White	4.7	3.8	5.7
	Non-Hispanic Black	13.1*	8.1	18.1
	Hispanic	6.1*	4.0	8.2
	Non-Hispanic Other	5.0**	-	-
Income	Less than \$35,000	15.9	13.0	18.9
	\$35,000-\$74,999	5.4*	3.5	7.3
	\$75,000 and more	<0.1**	-	-
Disability	Disabled	15.6	12.6	18.7
	Non-disabled	3.7	2.8	4.7
Education	High School Graduate or Less	9.7	7.6	11.8
	More than High School	3.7	2.9	4.6

Medicaid

Indicator Description: Among adults aged 18-64 years old, the proportion who reported currently having Medicaid.

Demographics		%	95% CI	
Total		11.8	10.5	13.0
Age	18-34 years old	12.6	10.4	14.8
	35-54 years old	13.3	11.3	15.3
	55 and over	7.9	5.9	9.9
Sex	Male	9.8	8.1	11.4
	Female	13.8	11.9	15.6
Race/ Ethnicity	Non-Hispanic White	8.4	7.1	9.7
	Non-Hispanic Black	20.1	14.9	25.3
	Hispanic	16.8	13.5	20.2
	Non-Hispanic Other	13.8*	8.5	19.0
Income	Less than \$35,000	30.6	26.6	34.6
	\$35,000-\$74,999	11.9	9.3	14.5
	\$75,000 and more	<0.1**	-	-
Disability	Disabled	20.8	17.0	24.6
	Non-disabled	9.6	8.3	10.8
Education	High School Graduate or Less	17.1	14.6	19.6
	More than High School	8.7	7.4	10.0

No Insurance

Indicator Description: Among adults aged 18-64 years old, the proportion who reported currently having no health insurance.

Demographics		%	95% CI	
Total		10.9	9.6	12.2
Age	18-34 years old	14.5	11.8	17.1
	35-54 years old	11.7	9.6	13.7
	55 and over	4.4*	3.0	5.7
Sex	Male	12.3	10.2	14.3
	Female	9.6	8.0	11.2
Race/ Ethnicity	Non-Hispanic White	4.2	3.3	5.1
	Non-Hispanic Black	14.8*	9.6	20.0
	Hispanic	30.5	26.0	34.9
	Non-Hispanic Other	10.0**	-	-
Income	Less than \$35,000	21.1	17.8	24.3
	\$35,000-\$74,999	11.6	8.4	14.8
	\$75,000 and more	2.6*	1.6	3.6
Disability	Disabled	12.6	9.7	15.5
	Non-disabled	10.5	8.9	12.0
Education	High School Graduate or Less	19.8	17.1	22.5
	More than High School	5.6	4.3	6.9

At Least One Regular Doctor

Indicator Description: Among all adults, the proportion who reported that they have at least one person they thought of as their personal doctor or health care provider.

Demographics		%	95% CI	
Total		83.5	82.3	84.8
Age	18-34 years old	68.8	65.4	72.2
	35-54 years old	81.9	79.6	84.1
	55 and over	94.2	93.0	95.4
Sex	Male	78.8	76.8	80.8
	Female	87.9	86.4	89.4
Race/ Ethnicity	Non-Hispanic White	88.2	86.8	89.5
	Non-Hispanic Black	81.7	77.0	86.4
	Hispanic	65.2	61.1	69.4
	Non-Hispanic Other	82.0	77.1	87.0
Income	Less than \$35,000	77.2	74.2	80.2
	\$35,000-\$74,999	85.1	82.6	87.7
	\$75,000 and more	87.9	86.2	89.7
Insurance	Insured	87.4	86.3	88.6
	Not Insured	42.5	36.2	48.8
Disability	Disabled	87.3	84.9	89.7
	Non-disabled	82.7	81.2	84.2
Education	High School Graduate or Less	77.2	74.7	79.7
	More than High School	87.4	86.1	88.7

Skip Doctor Visit Due to Cost

Indicator Description: Among all adults, the proportion who that in the past 12 months, they could not see a doctor when needed due to the cost.

Demographics		%	95% CI	
Total		7.6	6.7	8.5
Age	18-34 years old	11.8	9.6	14.0
	35-54 years old	8.3	6.5	10.1
	55 and over	4.3	3.5	5.1
Sex	Male	7.2	5.9	8.5
	Female	8.0	6.7	9.2
Race/ Ethnicity	Non-Hispanic White	5.8	4.8	6.8
	Non-Hispanic Black	8.4*	5.4	11.5
	Hispanic	14.5	11.6	17.5
	Non-Hispanic Other	5.0**	-	-
Income	Less than \$35,000	10.8	8.6	13.0
	\$35,000-\$74,999	12.0	9.5	14.5
	\$75,000 and more	3.2	2.4	3.9
Insurance	Insured	5.9	5.1	6.7
	Not Insured	25.2	20.0	30.3
Disability	Disabled	13.4	10.8	16.0
	Non-disabled	5.8	4.9	6.6
Education	High School Graduate or Less	9.0	7.3	10.7
	More than High School	6.7	5.7	7.7

Skip Prescription Due to Cost

Indicator Description: Among all adults, the proportion who that in the past 12 months, they could not take medication as prescribed because of cost.

Demographics		%	95% CI	
Total		5.3	4.6	6.1
Age	18-34 years old	5.1	3.7	6.5
	35-54 years old	6.2*	4.3	8.0
	55 and over	4.9	3.9	5.8
Sex	Male	4.5	3.4	5.5
	Female	6.2	5.0	7.3
Race/ Ethnicity	Non-Hispanic White	4.6	3.7	5.6
	Non-Hispanic Black	5.0**	-	-
	Hispanic	7.7	5.6	9.9
	Non-Hispanic Other	5.0**	-	-
Income	Less than \$35,000	8.4	6.6	10.3
	\$35,000-\$74,999	6.5*	4.6	8.4
	\$75,000 and more	2.5	1.8	3.2
Insurance	Insured	4.8	4.0	5.5
	Not Insured	11.7*	7.9	15.5
Disability	Disabled	12.6	9.9	15.4
	Non-disabled	3.2	2.6	3.8
Education	High School Graduate or Less	6.5	5.0	8.0
	More than High School	4.6	3.8	5.5

Food Insecurity

Indicator Description: Among all adults, the proportion who “always” or “usually” felt worried or stressed about having enough money to buy nutritious meals.

Demographics		%	95% CI	
Total		7.5	6.5	8.5
Age	18-34 years old	9.6	7.3	12.0
	35-54 years old	10.8	8.6	13.1
	55 and over	3.8	2.9	4.8
Sex	Male	6.9	5.3	8.4
	Female	8.0	6.7	9.3
Race/ Ethnicity	Non-Hispanic White	5.3	4.3	6.3
	Non-Hispanic Black	10.9*	6.8	15.0
	Hispanic	15.4	11.9	19.0
	Non-Hispanic Other	5.0**	-	-
Income	Less than \$35,000	16.1	13.3	18.9
	\$35,000-\$74,999	7.8	5.7	9.9
	\$75,000 and more	<0.1**	-	-
Insurance	Insured	6.9	5.8	7.9
	Not Insured	14.6*	10.0	19.3
Disability	Disabled	16.4	13.6	19.3
	Non-disabled	5.0	4.0	6.0
Education	High School Graduate or Less	11.2	9.2	13.3
	More than High School	5.4	4.3	6.4

Housing Insecurity

Indicator Description: Among all adults, the proportion who “always” or “usually” felt worried or stressed about having enough money to pay for housing.

Demographics		%	95% CI	
Total		13.3	11.9	14.6
Age	18-34 years old	14.9	11.8	18.0
	35-54 years old	18.1	15.3	20.9
	55 and over	9.3	7.8	10.9
Sex	Male	11.8	9.9	13.7
	Female	14.6	12.7	16.4
Race/ Ethnicity	Non-Hispanic White	10.1	8.7	11.5
	Non-Hispanic Black	18.2*	12.5	23.9
	Hispanic	23.0	18.7	27.3
	Non-Hispanic Other	10.0**	-	-
Income	Less than \$35,000	25.3	22.0	28.6
	\$35,000-\$74,999	16.0	13.0	19.0
	\$75,000 and more	4.9	3.7	6.2
Insurance	Insured	12.4	11.1	13.8
	Not Insured	21.8	16.1	27.5
Disability	Disabled	25.7	22.2	29.3
	Non-disabled	9.8	8.5	11.2
Education	High School Graduate or Less	18.0	15.4	20.7
	More than High School	10.6	9.1	12.0

No Leisure Time Physical Activities

Indicator Description: Among all adults, the proportion who reported not participating in any leisure time physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise during the past month.

Demographics		%	95% CI	
Total		20.6	19.3	21.9
Age	18-34 years old	15.6	12.9	18.2
	35-54 years old	21.0	18.5	23.6
	55 and over	24.1	22.2	26.1
Sex	Male	18.6	16.7	20.5
	Female	22.4	20.6	24.3
Race/ Ethnicity	Non-Hispanic White	16.5	15.1	17.9
	Non-Hispanic Black	32.1	26.5	37.6
	Hispanic	31.3	27.3	35.3
	Non-Hispanic Other	20.8*	14.4	27.2
Income	Less than \$35,000	35.9	32.4	39.4
	\$35,000-\$74,999	21.4	18.4	24.4
	\$75,000 and more	10.5	8.9	12.1
Insurance	Insured	20.0	18.6	21.4
	Not Insured	28.8	23.6	33.9
Disability	Disabled	36.1	32.8	39.5
	Non-disabled	15.9	14.5	17.4
Education	High School Graduate or Less	30.9	28.3	33.6
	More than High School	14.4	13.0	15.8

Current Smoker

Indicator Description: Among all adults, the proportion who reported that they had ever smoked at least 100 cigarettes in their life and that they smoke cigarettes now, either every day or on some days.

Demographics		%	95% CI	
Total		11.8	10.8	12.9
Age	18-34 years old	11.6	9.4	13.8
	35-54 years old	15.8	13.5	18.1
	55 and over	9.6	8.2	11.0
Sex	Male	13.3	11.7	15.0
	Female	10.5	9.1	11.9
Race/ Ethnicity	Non-Hispanic White	11.3	10.1	12.6
	Non-Hispanic Black	15.2	11.1	19.2
	Hispanic	14.4	11.2	17.6
	Non-Hispanic Other	10.0**	-	-
Income	Less than \$35,000	21.9	18.8	25.0
	\$35,000-\$74,999	13.4	11.1	15.8
	\$75,000 and more	7.0	5.6	8.5
Insurance	Insured	11.6	10.5	12.8
	Not Insured	15.2	11.1	19.4
Disability	Disabled	19.5	16.7	22.2
	Non-disabled	9.7	8.6	10.9
Education	High School Graduate or Less	18.9	16.6	21.2
	More than High School	7.7	6.7	8.7

Ever Use E-cigarette

Indicator Description: Among all adults, the proportion who reported that they ever used e-cigarettes or other electronic vaping products, either every day or on some days.

Demographics		%	95% CI	
Total		21.0	19.5	22.4
Age	18-34 years old	41.8	37.9	45.8
	35-54 years old	20.6	18.2	23.1
	55 and over	8.3	7.0	9.5
Sex	Male	23.8	21.7	26.0
	Female	18.3	16.4	20.3
Race/ Ethnicity	Non-Hispanic White	20.5	18.8	22.2
	Non-Hispanic Black	19.9	15.3	24.5
	Hispanic	25.0	21.0	29.1
	Non-Hispanic Other	19.4*	13.6	25.1
Income	Less than \$35,000	24.0	20.8	27.1
	\$35,000-\$74,999	21.9	19.0	24.9
	\$75,000 and more	19.1	17.0	21.3
Insurance	Insured	20.5	19.0	21.9
	Not Insured	21.9	16.5	27.4
Disability	Disabled	24.7	21.4	27.9
	Non-disabled	19.8	18.2	21.4
Education	High School Graduate or Less	23.7	21.1	26.2
	More than High School	19.4	17.7	21.2

Binge Drinking

Indicator Description: Among all adults, the proportion who reported consuming five or more drinks per occasion (for men) or four or more (for women) at least once in the previous month.

Demographics		%	95% CI	
Total		14.3	13.1	15.5
Age	18-34 years old	22.9	19.6	26.2
	35-54 years old	16.1	14.0	18.3
	55 and over	7.6	6.5	8.7
Sex	Male	17.0	15.2	18.9
	Female	11.7	10.1	13.3
Race/ Ethnicity	Non-Hispanic White	15.4	13.9	16.9
	Non-Hispanic Black	11.2*	7.1	15.3
	Hispanic	13.0	9.9	16.1
	Non-Hispanic Other	10.0**	-	-
Income	Less than \$35,000	11.2	8.8	13.5
	\$35,000-\$74,999	14.4	11.9	16.9
	\$75,000 and more	19.1	16.9	21.3
Insurance	Insured	14.1	12.9	15.4
	Not Insured	16.2	11.9	20.5
Disability	Disabled	11.9	9.4	14.3
	Non-disabled	14.9	13.5	16.3
Education	High School Graduate or Less	12.8	10.8	14.8
	More than High School	15.1	13.6	16.7

Heavy Drinking

Indicator Description: Among all adults, the proportion who reported consuming an average of more than two alcoholic drinks per day for men, or more than one per day for women in the previous month.

Demographics		%	95% CI	
Total		6.1	5.3	6.8
Age	18-34 years old	6.6	4.8	8.4
	35-54 years old	5.7	4.4	7.0
	55 and over	5.9	4.9	6.8
Sex	Male	4.9	3.9	5.9
	Female	7.1	6.0	8.2
Race/ Ethnicity	Non-Hispanic White	7.3	6.3	8.2
	Non-Hispanic Black	5.0**	-	-
	Hispanic	5.0**	-	-
	Non-Hispanic Other	-	-	-
Income	Less than \$35,000	4.9*	3.4	6.4
	\$35,000-\$74,999	6.1	4.5	7.6
	\$75,000 and more	7.9	6.5	9.3
Insurance	Insured	6.0	5.3	6.8
	Not Insured	5.0**	-	-
Disability	Disabled	6.0	4.4	7.5
	Non-disabled	6.0	5.2	6.8
Education	High School Graduate or Less	5.5	4.3	6.8
	More than High School	6.4	5.5	7.3

Excessive Drinking

Indicator Description: Among all adults, the proportion of adults who drank alcohol excessively (either heavy or binge drinkers).

Demographics		%	95% CI	
Total		16.2	14.9	17.4
Age	18-34 years old	23.7	20.4	27.0
	35-54 years old	17.4	15.2	19.6
	55 and over	10.6	9.4	11.9
Sex	Male	18.0	16.2	19.9
	Female	14.5	12.8	16.1
Race/ Ethnicity	Non-Hispanic White	17.8	16.3	19.4
	Non-Hispanic Black	12.5*	8.3	16.7
	Hispanic	13.3	10.2	16.4
	Non-Hispanic Other	12.7*	7.8	17.5
Income	Less than \$35,000	12.4	10.0	14.8
	\$35,000-\$74,999	16.5	13.9	19.1
	\$75,000 and more	21.6	19.3	23.8
Insurance	Insured	16.1	14.8	17.4
	Not Insured	17.2	12.8	21.6
Disability	Disabled	13.6	11.1	16.0
	Non-disabled	16.8	15.4	18.3
Education	High School Graduate or Less	14.0	11.9	16.0
	More than High School	17.5	15.9	19.0

Insufficient Sleep

Indicator Description: Among all adults, the proportion who reported getting on average less than seven hours of sleep per night.

Demographics		%	95% CI	
Total		32.1	30.5	33.6
Age	18-34 years old	31.5	27.9	35.1
	35-54 years old	36.2	33.4	39.0
	55 and over	29.3	27.3	31.3
Sex	Male	31.9	29.7	34.2
	Female	32.2	30.0	34.4
Race/ Ethnicity	Non-Hispanic White	29.2	27.5	31.0
	Non-Hispanic Black	46.0	40.0	52.0
	Hispanic	35.7	31.3	40.2
	Non-Hispanic Other	29.9	23.7	36.2
Income	Less than \$35,000	40.0	36.4	43.7
	\$35,000-\$74,999	32.1	28.8	35.3
	\$75,000 and more	29.2	26.9	31.5
Insurance	Insured	31.7	30.1	33.3
	Not Insured	34.8	28.5	41.2
Disability	Disabled	41.9	38.4	45.4
	Non-disabled	29.4	27.6	31.2
Education	High School Graduate or Less	35.3	32.5	38.0
	More than High School	30.2	28.4	32.1

Drinking and Driving

Indicator Description: Among all adults, the proportion who reported having driven at least once when perhaps had too much to drink.

Demographics		%	95% CI	
Total		2.1	1.5	2.6
Age	18-34 years old	<0.1**	-	-
	35-54 years old	5.0**	-	-
	55 and over	1.8*	1.1	2.5
Sex	Male	2.6*	1.7	3.5
	Female	1.5*	0.9	2.1
Race/ Ethnicity	Non-Hispanic White	2.4*	1.7	3.1
	Non-Hispanic Black	-	-	-
	Hispanic	-	-	-
	Non-Hispanic Other	-	-	-
Income	Less than \$35,000	-	-	-
	\$35,000-\$74,999	-	-	-
	\$75,000 and more	2.3*	1.6	3.1
Insurance	Insured	2.0	1.4	2.5
	Not Insured	-	-	-
Disability	Disabled	-	-	-
	Non-disabled	1.8	1.4	2.3
Education	High School Graduate or Less	<0.1**	-	-
	More than High School	2.0	1.4	2.6

HIV Risk Behaviors

Indicator Description: Among all adults, the proportion who reported having risk behaviors for HIV infection (including have injected any drug other than those prescribed for you in the past year; Have been treated for a sexually transmitted disease or STD in the past year; have given or received money or drugs in exchange for sex in the past year; had anal sex without a condom in the past year; had four or more sex partners in the past year.)

Demographics		%	95% CI	
Total		6.5	5.5	7.6
Age	18-34 years old	15.9	12.7	19.2
	35-54 years old	5.4	4.0	6.9
	55 and over	1.1*	0.7	1.5
Sex	Male	7.5	5.9	9.1
	Female	5.6	4.2	7.0
Race/ Ethnicity	Non-Hispanic White	5.5	4.3	6.6
	Non-Hispanic Black	-	-	-
	Hispanic	8.8*	6.0	11.5
	Non-Hispanic Other	10.0**	-	-
Income	Less than \$35,000	6.4	4.6	8.1
	\$35,000-\$74,999	7.1*	4.8	9.4
	\$75,000 and more	6.7	4.9	8.5
Insurance	Insured	6.3	5.2	7.4
	Not Insured	10.0**	-	-
Disability	Disabled	7.9	5.8	9.9
	Non-disabled	6.1	4.9	7.3
Education	High School Graduate or Less	6.4	4.7	8.1
	More than High School	6.6	5.2	7.9

Fall

Indicator Description: Among adults aged 45+ years old, the proportion who reported had a fall sometime in the past 12 months.

Demographics		%	95% CI	
Total		19.9	18.4	21.5
Sex	Male	18.3	16.1	20.4
	Female	21.4	19.3	23.5
Race/ Ethnicity	Non-Hispanic White	20.6	18.9	22.4
	Non-Hispanic Black	17.0*	10.8	23.3
	Hispanic	20.4	14.9	25.9
	Non-Hispanic Other	15.0**	-	-
Income	Less than \$35,000	25.4	21.4	29.3
	\$35,000-\$74,999	21.8	18.6	25.1
	\$75,000 and more	17.7	15.5	19.8
Insurance	Insured	20.1	18.5	21.7
	Not Insured	15.0**	-	-
Disability	Disabled	35.3	31.5	39.1
	Non-disabled	14.2	12.8	15.7
Education	High School Graduate or Less	21.8	18.7	24.9
	More than High School	18.9	17.3	20.5

Routine Checkup in the past year

Indicator Description: Among all adults, the proportion who reported that they had a routine checkup in the past year.

Demographics		%	95% CI	
Total		78.4	77.1	79.8
Age	18-34 years old	69.5	66.1	72.8
	35-54 years old	74.8	72.3	77.3
	55 and over	86.8	85.2	88.3
Sex	Male	74.3	72.1	76.4
	Female	82.3	80.6	84.0
Race/ Ethnicity	Non-Hispanic White	79.5	77.9	81.1
	Non-Hispanic Black	82.8	78.4	87.2
	Hispanic	72.5	68.5	76.4
	Non-Hispanic Other	77.2	71.5	82.9
Income	Less than \$35,000	79.3	76.1	82.4
	\$35,000-\$74,999	77.5	74.4	80.6
	\$75,000 and more	78.1	76.0	80.3
Insurance	Insured	80.7	79.3	82.0
	Not Insured	54.2	48.0	60.4
Disability	Disabled	83.5	80.8	86.2
	Non-disabled	77.0	75.4	78.7
Education	High School Graduate or Less	77.8	75.3	80.2
	More than High School	78.9	77.3	80.5

Flu Shot in the past year

Indicator Description: Among all adults, the proportion who reported that they had a flu shot in the past year.

Demographics		%	95% CI	
Total		54.0	52.3	55.7
Age	18-34 years old	41.6	37.7	45.6
	35-54 years old	46.3	43.2	49.3
	55 and over	68.0	65.9	70.2
Sex	Male	49.4	47.0	51.9
	Female	58.2	55.9	60.6
Race/ Ethnicity	Non-Hispanic White	59.4	57.5	61.4
	Non-Hispanic Black	44.0	37.9	50.1
	Hispanic	42.5	37.9	47.1
	Non-Hispanic Other	45.4	37.8	53.1
Income	Less than \$35,000	49.5	45.8	53.2
	\$35,000-\$74,999	51.8	48.2	55.3
	\$75,000 and more	58.8	56.2	61.5
Insurance	Insured	56.8	55.0	58.5
	Not Insured	27.6	21.3	34.0
Disability	Disabled	56.6	53.0	60.1
	Non-disabled	53.3	51.4	55.3
Education	High School Graduate or Less	46.5	43.5	49.4
	More than High School	58.5	56.5	60.5

Flu Shot in the past year (65+)

Indicator Description: Among adults 65 and older, the proportion who reported that they had a flu shot in the past year.

Demographics		%	95% CI	
Total		74.0	71.3	76.8
Sex	Male	75.2	71.1	79.2
	Female	73.1	69.4	76.8
Race/ Ethnicity	Non-Hispanic White	76.9	74.3	79.6
	Non-Hispanic Black	56.9*	41.4	72.5
	Hispanic	66.9*	54.0	79.9
	Non-Hispanic Other	60.0**	-	-
Income	Less than \$35,000	69.3	63.4	75.2
	\$35,000-\$74,999	73.8	68.8	78.8
	\$75,000 and more	77.8	72.9	82.6
Insurance	Insured	74.2	71.4	77.0
	Not Insured	60.0**	-	-
Disability	Disabled	72.1	67.1	77.2
	Non-disabled	75.2	72.0	78.5
Education	High School Graduate or Less	67.8	62.5	73.1
	More than High School	78.2	75.5	81.0

Ever Had Pneumonia Shot

Indicator Description: Among all adults, the proportion who reported that they ever had a pneumococcal vaccine.

Demographics		%	95% CI	
Total		32.6	31.0	34.2
Age	18-34 years old	21.7	17.6	25.7
	35-54 years old	14.0	11.7	16.3
	55 and over	50.7	48.4	53.0
Sex	Male	29.5	27.2	31.7
	Female	35.3	33.1	37.6
Race/ Ethnicity	Non-Hispanic White	38.4	36.4	40.3
	Non-Hispanic Black	23.2	18.2	28.3
	Hispanic	16.3	12.6	19.9
	Non-Hispanic Other	25.7	18.2	33.3
Income	Less than \$35,000	35.5	31.9	39.1
	\$35,000-\$74,999	35.5	32.2	38.8
	\$75,000 and more	27.3	24.9	29.6
Insurance	Insured	34.3	32.7	36.0
	Not Insured	11.7*	8.1	15.4
Disability	Disabled	46.4	42.8	50.0
	Non-disabled	28.5	26.8	30.3
Education	High School Graduate or Less	31.6	28.8	34.4
	More than High School	33.3	31.4	35.3

Ever Had Pneumonia Shot (65+)

Indicator Description: Among adults 65 years old and over, the proportion who reported that they ever had a pneumococcal vaccine.

Demographics		%	95% CI	
Total		71.5	68.6	74.4
Sex	Male	67.2	62.5	71.8
	Female	74.9	71.2	78.5
Race/ Ethnicity	Non-Hispanic White	74.1	71.2	77.0
	Non-Hispanic Black	57.1*	41.5	72.6
	Hispanic	54.3*	39.2	69.4
	Non-Hispanic Other	60.0**	-	-
Income	Less than \$35,000	69.3	62.9	75.7
	\$35,000-\$74,999	76.4	71.5	81.3
	\$75,000 and more	73.0	67.9	78.0
Insurance	Insured	71.7	68.7	74.6
	Not Insured	65.0**	-	-
Disability	Disabled	71.3	65.9	76.6
	Non-disabled	71.8	68.3	75.2
Education	High School Graduate or Less	67.6	62.0	73.1
	More than High School	74.4	71.4	77.4

Ever had an HPV Vaccination (18-49)

Indicator Description: Among adults 18-49 years old, the proportion who reported that they ever had an HPV vaccination.

Demographics		%	95% CI	
Total		36.9	33.8	39.9
Sex	Male	28.3	24.1	32.6
	Female	44.8	40.7	49.0
Race/ Ethnicity	Non-Hispanic White	39.2	35.3	43.2
	Non-Hispanic Black	36.0	26.3	45.7
	Hispanic	30.0	24.0	36.0
	Non-Hispanic Other	48.4	35.8	61.0
Income	Less than \$35,000	36.0	29.9	42.1
	\$35,000-\$74,999	33.9	27.9	39.9
	\$75,000 and more	35.2	30.5	39.9
Insurance	Insured	38.4	35.2	41.7
	Not Insured	26.4*	17.8	34.9
Disability	Disabled	32.8	26.2	39.4
	Non-disabled	37.4	34.0	40.8
Education	High School Graduate or Less	31.7	26.5	36.8
	More than High School	40.1	36.3	43.9

Ever Tested for HIV

Indicator Description: Among all adults, the proportion who reported that they ever had been tested for HIV, apart from tests that were part of a blood donation.

Demographics		%	95% CI	
Total		37.1	35.4	38.7
Age	18-34 years old	40.3	36.4	44.3
	35-54 years old	53.5	50.4	56.6
	55 and over	23.2	21.3	25.1
Sex	Male	35.2	32.8	37.7
	Female	38.8	36.4	41.1
Race/ Ethnicity	Non-Hispanic White	32.8	30.9	34.7
	Non-Hispanic Black	55.6	49.2	62.1
	Hispanic	47.7	42.9	52.5
	Non-Hispanic Other	25.8	19.9	31.7
Income	Less than \$35,000	45.5	41.7	49.4
	\$35,000-\$74,999	35.3	31.8	38.7
	\$75,000 and more	37.5	34.9	40.1
Insurance	Insured	37.1	35.3	38.8
	Not Insured	39.9	33.6	46.2
Disability	Disabled	39.0	35.5	42.6
	Non-disabled	36.6	34.7	38.5
Education	High School Graduate or Less	37.2	34.2	40.2
	More than High School	37.1	35.1	39.1

Dentist Visit in the past year

Indicator Description: Among all adults, the proportion who reported that they had visited a dentist or dental clinic for any reason in the previous year.

Demographics		%	95% CI	
Total		73.2	71.7	74.7
Age	18-34 years old	69.1	65.6	72.5
	35-54 years old	71.8	69.1	74.5
	55 and over	76.8	74.8	78.8
Sex	Male	69.6	67.4	71.8
	Female	76.5	74.5	78.5
Race/ Ethnicity	Non-Hispanic White	76.8	75.1	78.4
	Non-Hispanic Black	67.6	61.7	73.4
	Hispanic	62.8	58.6	67.0
	Non-Hispanic Other	68.5	61.7	75.4
Income	Less than \$35,000	57.6	54.1	61.2
	\$35,000-\$74,999	72.1	68.9	75.3
	\$75,000 and more	83.3	81.4	85.3
Insurance	Insured	75.2	73.7	76.7
	Not Insured	51.6	45.4	57.9
Disability	Disabled	64.0	60.5	67.5
	Non-disabled	75.7	74.0	77.3
Education	High School Graduate or Less	63.0	60.2	65.8
	More than High School	79.2	77.6	80.9

Had Any Permanent Teeth Extracted

Indicator Description: Among all adults, the proportion who reported that they were missing any teeth due to tooth decay or gum disease. This excludes teeth lost for other reasons, such as injury or orthodontics.

Demographics		%	95% CI	
Total		38.4	36.8	39.9
Age	18-34 years old	16.9	14.2	19.6
	35-54 years old	35.4	32.5	38.3
	55 and over	55.7	53.5	57.8
Sex	Male	37.7	35.4	39.9
	Female	39.0	36.8	41.2
Race/ Ethnicity	Non-Hispanic White	37.2	35.4	39.0
	Non-Hispanic Black	48.7	42.7	54.7
	Hispanic	39.6	35.3	43.9
	Non-Hispanic Other	34.3	27.3	41.3
Income	Less than \$35,000	54.6	50.9	58.3
	\$35,000-\$74,999	44.2	40.8	47.7
	\$75,000 and more	26.5	24.4	28.7
Insurance	Insured	37.8	36.2	39.4
	Not Insured	46.3	40.0	52.6
Disability	Disabled	58.2	54.7	61.6
	Non-disabled	33.1	31.3	34.8
Education	High School Graduate or Less	50.8	47.9	53.7
	More than High School	31.0	29.3	32.8

Ever Had HPV Test

Indicator Description: the proportion women who reported that they ever had an HPV test.

Demographics		%	95% CI	
Total		46.0	43.3	48.7
Age	18-34 years old	47.4	41.2	53.7
	35-54 years old	65.7	61.3	70.1
	55 and over	30.8	27.6	34.1
Race/ Ethnicity	Non-Hispanic White	44.6	41.4	47.8
	Non-Hispanic Black	47.2	37.4	57.1
	Hispanic	54.3	47.3	61.3
	Non-Hispanic Other	41.8*	29.2	54.4
Income	Less than \$35,000	44.7	39.2	50.1
	\$35,000-\$74,999	45.0	39.7	50.3
	\$75,000 and more	56.2	51.7	60.7
Insurance	Insured	47.1	44.3	49.9
	Not Insured	39.9	30.0	49.7
Disability	Disabled	44.4	38.6	50.1
	Non-disabled	46.4	43.3	49.5
Education	High School Graduate or Less	39.3	34.4	44.2
	More than High School	49.8	46.5	53.0

Breast Cancer Screening (Women 50-74)

Indicator Description: Among women aged 50-74 years old, the proportion women reported had a mammogram in the past two years.

Demographics		%	95% CI	
Total		81.5	78.5	84.5
Race/ Ethnicity	Non-Hispanic White	81.7	78.4	85.1
	Non-Hispanic Black	-	-	-
	Hispanic	85.0**	-	-
	Non-Hispanic Other	-	-	-
Income	Less than \$35,000	72.6	64.8	80.5
	\$35,000-\$74,999	81.7*	76.0	87.4
	\$75,000 and more	87.1	83.4	90.8
Insurance	Insured	82.4	79.3	85.4
	Not Insured	65.0**	-	-
Disability	Disabled	73.1	66.0	80.3
	Non-disabled	84.4	81.2	87.6
Education	High School Graduate or Less	76.6	69.9	83.4
	More than High School	84.0	81.0	86.9

Cervical Cancer Screening (women 21-65)

Indicator Description: Among women aged 21-65 years old, the proportion women who had a pap test in last three years.

Demographics		%	95% CI	
Total		82.5	79.9	85.0
Race/ Ethnicity	Non-Hispanic White	82.1	79.0	85.3
	Non-Hispanic Black	85.0**	-	-
	Hispanic	82.0*	75.6	88.5
	Non-Hispanic Other	80.0**	-	-
Income	Less than \$35,000	80.5	75.5	85.5
	\$35,000-\$74,999	80.6	75.0	86.2
	\$75,000 and more	90.1	87.5	92.7
Insurance	Insured	83.1	80.4	85.8
	Not Insured	76.6*	68.4	84.7
Disability	Disabled	71.5	64.0	79.0
	Non-disabled	84.9	82.4	87.5
Education	High School Graduate or Less	78.1	72.7	83.5
	More than High School	84.7	81.9	87.4

Had PSA test in past 2 years (Men 40+)

Indicator Description: Among men aged 40 years and older, the proportion who reported had PSA test within past 2 years.

Demographics		%	95% CI	
Total		31.7	29.2	34.2
Race/ Ethnicity	Non-Hispanic White	35.1	32.1	38.1
	Non-Hispanic Black	25.0**	-	-
	Hispanic	20.0*	12.4	27.7
	Non-Hispanic Other	20.0**	-	-
Income	Less than \$35,000	24.1	18.2	29.9
	\$35,000-\$74,999	34.9	28.7	41.0
	\$75,000 and more	33.7	30.1	37.3
Insurance	Insured	33.4	30.8	36.1
	Not Insured	-	-	-
Disability	Disabled	28.3	23.2	33.3
	Non-disabled	32.8	29.9	35.7
Education	High School Graduate or Less	24.0	19.8	28.1
	More than High School	36.6	33.5	39.6

Ever Talked about Advantages of PSA Test (Men 40+)

Indicator Description: Among men aged 40 years and older, the proportion who reported ever receiving a recommendation from a doctor, nurse, or other health professional regarding advantages to get a PSA test.

Demographics		%	95% CI	
Total		42.7	40.0	45.4
Race/ Ethnicity	Non-Hispanic White	45.6	42.5	48.8
	Non-Hispanic Black	40.2	29.5	50.9
	Hispanic	25.1*	17.3	32.9
	Non-Hispanic Other	33.6*	22.0	45.1
Income	Less than \$35,000	34.8	28.3	41.3
	\$35,000-\$74,999	38.2	32.4	44.1
	\$75,000 and more	48.2	44.2	52.1
Insurance	Insured	44.8	42.0	47.6
	Not Insured	10.0**	-	-
Disability	Disabled	36.5	31.2	41.8
	Non-disabled	44.6	41.5	47.8
Education	High School Graduate or Less	32.1	27.5	36.8
	More than High School	49.1	45.9	52.3

Ever Talked about Disadvantages of PSA Test (Men 40+)

Indicator Description: Among men aged 40 years and older, the proportion who reported ever receiving a recommendation from a doctor, nurse, or other health professional regarding disadvantages to get a PSA test.

Demographics		%	95% CI	
Total		19.2	17	21.3
Race/ Ethnicity	Non-Hispanic White	19.9	17.4	22.4
	Non-Hispanic Black	25.0**	-	-
	Hispanic	15.0**	-	-
	Non-Hispanic Other	15.0**	-	-
Income	Less than \$35,000	17.5*	12.0	23.0
	\$35,000-\$74,999	14.4*	10.1	18.6
	\$75,000 and more	22.7	19.4	25.9
Insurance	Insured	20.1	17.9	22.4
	Not Insured	-	-	-
Disability	Disabled	15.0	11.2	18.8
	Non-disabled	20.4	17.8	23.0
Education	High School Graduate or Less	16.2	12.3	20.1
	More than High School	20.9	18.4	23.5

Ever received recommendation to get PSA test (Men 40+)

Indicator Description: Among adults aged 40 years and older, the proportion who reported ever receiving a recommendation from a doctor, nurse, or other health professional to get a PSA test.

Demographics		%	95% CI	
Total		41.2	38.5	43.9
Race/ Ethnicity	Non-Hispanic White	45.3	42.2	48.5
	Non-Hispanic Black	38.6	27.8	49.4
	Hispanic	18.1*	11.2	24.9
	Non-Hispanic Other	30.0**	-	-
Income	Less than \$35,000	34.5	27.9	41.2
	\$35,000-\$74,999	43.1	36.8	49.3
	\$75,000 and more	45.5	41.7	49.4
Insurance	Insured	42.7	39.9	45.4
	Not Insured	-	-	-
Disability	Disabled	36.8	31.3	42.3
	Non-disabled	42.5	39.4	45.6
Education	High School Graduate or Less	34.3	29.4	39.2
	More than High School	45.4	42.3	48.6

Had Blood Stool Test within the past 3 years (50-75)

Indicator Description: Among adults aged 50-75 years old, the proportion who reported had a blood stool test within the past 3 years.

Demographics		%	95% CI	
Total		15.4	14.0	16.9
Sex	Male	14.5	12.4	16.5
	Female	16.2	14.2	18.3
Race/ Ethnicity	Non-Hispanic White	15.4	13.8	17.0
	Non-Hispanic Black	16.2*	10.7	21.6
	Hispanic	16.4*	10.9	21.8
	Non-Hispanic Other	15.0**	-	-
Income	Less than \$35,000	22.6	18.3	27.0
	\$35,000-\$74,999	17.4	14.2	20.5
	\$75,000 and more	12.0	10.0	13.9
Insurance	Insured	15.8	14.2	17.3
	Not Insured	10.0**	-	-
Disability	Disabled	18.0	15.0	20.9
	Non-disabled	14.5	12.8	16.1
Education	High School Graduate or Less	16.4	13.5	19.3
	More than High School	14.9	13.3	16.5

Ever Had Sigmoidoscopy Within Past 5 Years (50-75)

Indicator Description: Among adults aged 50-75 years old, the proportion who reported that they had sigmoidoscopy within the past 5 years.

Demographics		%	95% CI	
Total		3.3	2.4	4.1
Sex	Male	4.0*	2.5	5.4
	Female	5.0**	-	-
Race/ Ethnicity	Non-Hispanic White	2.6*	1.7	3.5
	Non-Hispanic Black	-	-	-
	Hispanic	-	-	-
	Non-Hispanic Other	-	-	-
Income	Less than \$35,000	5.0**	-	-
	\$35,000-\$74,999	5.0**	-	-
	\$75,000 and more	<0.1**	-	-
Insurance	Insured	3.4	2.4	4.3
	Not Insured	-	-	-
Disability	Disabled	5.0**	-	-
	Non-disabled	2.7*	1.8	3.6
Education	High School Graduate or Less	5.0**	-	-
	More than High School	3.0*	1.9	4.1

Ever Had Colonoscopy Within Past 10 Years (50-75)

Indicator Description: Among adults 50-75 years old, the proportion who reported that they had colonoscopy within the past ten years.

Demographics		%	95% CI	
Total		72.0	69.7	74.4
Sex	Male	70.6	67.3	73.9
	Female	73.3	70.0	76.5
Race/ Ethnicity	Non-Hispanic White	74.8	72.3	77.2
	Non-Hispanic Black	64.8	54.1	75.5
	Hispanic	67.3	59.5	75.0
	Non-Hispanic Other	51.8	39.2	64.5
Income	Less than \$35,000	63.1	57.3	68.8
	\$35,000-\$74,999	72.9	68.4	77.5
	\$75,000 and more	76.6	73.5	79.7
Insurance	Insured	73.3	71.0	75.6
	Not Insured	45.5	32.5	58.5
Disability	Disabled	69.2	64.2	74.3
	Non-disabled	73.1	70.4	75.7
Education	High School Graduate or Less	64.5	59.8	69.2
	More than High School	76.2	73.9	78.6

Have Fully Met The USPSTF Recommendations (50-75)

Indicator Description: Among adults aged 50-75 years old, the proportion who have fully met the USPSTF recommendations for colorectal cancer screening.

Demographics		%	95% CI	
Total		77.3	75.1	79.6
Sex	Male	75.7	72.5	78.9
	Female	78.7	75.6	81.9
Race/ Ethnicity	Non-Hispanic White	79.9	77.5	82.2
	Non-Hispanic Black	67.8	57.1	78.5
	Hispanic	72.8	65.5	80.1
	Non-Hispanic Other	64.1	51.4	76.8
Income	Less than \$35,000	70.8	65.1	76.4
	\$35,000-\$74,999	78.0	73.7	82.3
	\$75,000 and more	81.0	78.1	83.8
Insurance	Insured	78.8	76.5	81.0
	Not Insured	46.2	33.2	59.3
Disability	Disabled	75.0	70.0	80.0
	Non-disabled	78.1	75.6	80.6
Education	High School Graduate or Less	70.7	66.0	75.4
	More than High School	81.0	78.8	83.2

Had Blood Sugar Test in past three years

Indicator Description: Among all adults, the proportion who had a test for high blood sugar in past three years.

Demographics		%	95% CI	
Total		51.1	49.3	52.9
Age	18-34 years old	31.8	28.2	35.4
	35-54 years old	53.7	50.6	56.9
	55 and over	63.7	61.4	66.1
Sex	Male	49.8	47.2	52.4
	Female	52.3	49.9	54.8
Race/ Ethnicity	Non-Hispanic White	52.7	50.6	54.8
	Non-Hispanic Black	51.8	45.2	58.3
	Hispanic	48.8	44.0	53.6
	Non-Hispanic Other	40.5	33.0	48.1
Income	Less than \$35,000	54.3	50.2	58.4
	\$35,000-\$74,999	48.8	45.0	52.5
	\$75,000 and more	53.2	50.4	56.0
Insurance	Insured	52.7	50.9	54.6
	Not Insured	39.3	33.2	45.5
Disability	Disabled	55.4	51.3	59.5
	Non-disabled	49.8	47.7	51.9
Education	High School Graduate or Less	48.9	45.7	52.1
	More than High School	52.4	50.2	54.6

Current Asthma

Indicator Description: Among all adults, the proportion who reported that they were ever told by a doctor, nurse, or other health care professional that they had asthma, and still had it.

Demographics		%	95% CI	
Total		10.6	9.6	11.6
Age	18-34 years old	10.4	8.1	12.6
	35-54 years old	12.0	10.1	13.9
	55 and over	10.0	8.7	11.4
Sex	Male	8.1	6.7	9.6
	Female	12.9	11.5	14.3
Race/ Ethnicity	Non-Hispanic White	10.2	9.1	11.3
	Non-Hispanic Black	11.0*	7.4	14.6
	Hispanic	13.6	10.1	17.0
	Non-Hispanic Other	5.0**	-	-
Income	Less than \$35,000	11.1	9.1	13.1
	\$35,000-\$74,999	11.8	9.5	14.2
	\$75,000 and more	9.9	8.3	11.4
Insurance	Insured	10.8	9.8	11.8
	Not Insured	10.0**	-	-
Disability	Disabled	18.2	15.5	21.0
	Non-disabled	8.7	7.6	9.8
Education	High School Graduate or Less	11.9	10.1	13.7
	More than High School	9.9	8.7	11.1

Chronic Obstructive Pulmonary Diseases

Indicator Description: Among all adults, the proportion who reported ever being told by a doctor that they had chronic obstructive pulmonary disease (COPD), emphysema or chronic bronchitis.

Demographics		%	95% CI	
Total		5.3	4.6	5.9
Age	18-34 years old	<0.1**	-	-
	35-54 years old	3.2*	2.0	4.5
	55 and over	9.6	8.3	10.8
Sex	Male	4.6	3.7	5.5
	Female	5.9	4.9	6.9
Race/ Ethnicity	Non-Hispanic White	6.7	5.7	7.6
	Non-Hispanic Black	5.0**	-	-
	Hispanic	5.0**	-	-
	Non-Hispanic Other	5.0**	-	-
Income	Less than \$35,000	8.5	6.8	10.2
	\$35,000-\$74,999	6.1	4.6	7.6
	\$75,000 and more	2.4	1.8	3.0
Insurance	Insured	5.6	4.9	6.3
	Not Insured	5.0**	-	-
Disability	Disabled	15.6	13.0	18.1
	Non-disabled	2.4	2.0	2.9
Education	High School Graduate or Less	7.3	5.9	8.7
	More than High School	4.1	3.4	4.7

Arthritis

Indicator Description: Among all adults, the proportion who reported ever being told by a doctor that they had some form of arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia.

Demographics		%	95% CI	
Total		22.4	21.2	23.6
Age	18-34 years old	3.3*	2.3	4.3
	35-54 years old	14.9	12.8	17.0
	55 and over	40.6	38.5	42.7
Sex	Male	18.1	16.5	19.7
	Female	26.4	24.6	28.2
Race/ Ethnicity	Non-Hispanic White	25.6	24.1	27.1
	Non-Hispanic Black	19.7	15.3	24.0
	Hispanic	14.2	11.4	17.0
	Non-Hispanic Other	13.8*	9.5	18.0
Income	Less than \$35,000	25.9	23.0	28.8
	\$35,000-\$74,999	26.1	23.3	28.9
	\$75,000 and more	18.3	16.6	20.0
Insurance	Insured	23.9	22.6	25.2
	Not Insured	7.2*	4.5	9.9
Disability	Disabled	43.0	39.6	46.4
	Non-disabled	16.9	15.6	18.1
Education	High School Graduate or Less	24.4	22.1	26.6
	More than High School	21.3	19.9	22.7

Cardiovascular Diseases

Indicator Description: Among all adults, the proportion who reported being diagnosed with a heart attack, coronary heart disease, or stroke.

Demographics		%	95% CI	
Total		6.9	6.2	7.6
Age	18-34 years old	-	-	-
	35-54 years old	3.3	2.4	4.1
	55 and over	13.8	12.4	15.2
Sex	Male	7.4	6.4	8.4
	Female	6.4	5.4	7.4
Race/ Ethnicity	Non-Hispanic White	7.2	6.4	8.0
	Non-Hispanic Black	8.6*	5.6	11.7
	Hispanic	4.9*	3.4	6.4
	Non-Hispanic Other	5.0**	-	-
Income	Less than \$35,000	11.3	9.4	13.3
	\$35,000-\$74,999	7.5	5.9	9.2
	\$75,000 and more	4.3	3.5	5.1
Insurance	Insured	7.2	6.4	7.9
	Not Insured	5.0**	-	-
Disability	Disabled	16.3	13.9	18.6
	Non-disabled	4.2	3.7	4.8
Education	High School Graduate or Less	8.9	7.5	10.2
	More than High School	5.7	5.0	6.4

Diabetes

Indicator Description: Among all adults, the proportion who reported that they were ever told by a doctor that they had diabetes.

Demographics		%	95% CI	
Total		9.5	8.6	10.3
Age	18-34 years old	5.0**	-	-
	35-54 years old	6.2	4.9	7.5
	55 and over	16.6	14.9	18.3
Sex	Male	10.4	9.1	11.7
	Female	8.6	7.4	9.7
Race/ Ethnicity	Non-Hispanic White	9.0	7.9	10.0
	Non-Hispanic Black	13.7*	9.7	17.8
	Hispanic	8.3	6.3	10.3
	Non-Hispanic Other	12.0*	7.5	16.4
Income	Less than \$35,000	14.7	12.3	17.1
	\$35,000-\$74,999	11.2	9.0	13.3
	\$75,000 and more	6.8	5.6	8.0
Insurance	Insured	10.0	9.1	11.0
	Not Insured	5.0**	-	-
Disability	Disabled	18.9	16.2	21.6
	Non-disabled	6.9	6.0	7.8
Education	High School Graduate or Less	13.0	11.1	14.8
	More than High School	7.4	6.5	8.3

Pre-diabetes

Indicator Description: Among all adults, the proportion who reported that they had been diagnosed with pre-diabetes.

Demographics		%	95% CI	
Total		11.5	10.5	12.6
Age	18-34 years old	6.3	4.5	8.2
	35-54 years old	11.1	9.1	13.0
	55 and over	16.2	14.5	17.9
Sex	Male	11.7	10.2	13.2
	Female	11.3	9.9	12.8
Race/ Ethnicity	Non-Hispanic White	10.6	9.4	11.8
	Non-Hispanic Black	17.1	12.8	21.5
	Hispanic	12.7	9.6	15.8
	Non-Hispanic Other	10.1*	6.1	14.0
Income	Less than \$35,000	12.5	10.2	14.9
	\$35,000-\$74,999	13.4	10.9	15.8
	\$75,000 and more	10.2	8.7	11.8
Insurance	Insured	11.8	10.7	12.9
	Not Insured	10.0**	-	-
Disability	Disabled	16.4	13.4	19.4
	Non-disabled	10.4	9.2	11.5
Education	High School Graduate or Less	12.0	10.0	13.9
	More than High School	11.3	10.0	12.5

Kidney Diseases

Indicator Description: Among all adults, the proportion who reported ever being told by a doctor that they had kidney disease.

Demographics		%	95% CI	
Total		2.0	1.6	2.4
Age	18-34 years old	-	-	-
	35-54 years old	<0.1**	-	-
	55 and over	3.2	2.6	3.8
Sex	Male	1.6	1.2	2.1
	Female	2.4	1.8	3.0
Race/ Ethnicity	Non-Hispanic White	2.1	1.6	2.6
	Non-Hispanic Black	-	-	-
	Hispanic	<0.1**	-	-
	Non-Hispanic Other	-	-	-
Income	Less than \$35,000	3.4*	2.3	4.5
	\$35,000-\$74,999	2.5*	1.6	3.4
	\$75,000 and more	1.1*	0.8	1.5
Insurance	Insured	2.1	1.7	2.5
	Not Insured	-	-	-
Disability	Disabled	5.1	3.9	6.3
	Non-disabled	1.2*	0.8	1.6
Education	High School Graduate or Less	2.5*	1.8	3.3
	More than High School	1.7	1.3	2.1

Depression

Indicator Description: Among all adults, the proportion who reported ever being told by a doctor that they had a depressive disorder including depression, major/minor depression, or dysthymia.

Demographics		%	95% CI	
Total		17.7	16.5	19.0
Age	18-34 years old	22.5	19.3	25.7
	35-54 years old	17.9	15.6	20.1
	55 and over	14.9	13.4	16.5
Sex	Male	12.2	10.7	13.7
	Female	22.8	20.9	24.8
Race/ Ethnicity	Non-Hispanic White	19.0	17.4	20.6
	Non-Hispanic Black	12.0	8.8	15.3
	Hispanic	18.9	15.5	22.4
	Non-Hispanic Other	10.0**	-	-
Income	Less than \$35,000	26.0	22.9	29.1
	\$35,000-\$74,999	18.4	15.7	21.1
	\$75,000 and more	13.6	11.8	15.4
Insurance	Insured	18.5	17.1	19.8
	Not Insured	11.2	7.9	14.4
Disability	Disabled	35.9	32.5	39.3
	Non-disabled	12.9	11.5	14.2
Education	High School Graduate or Less	17.1	15.0	19.2
	More than High School	18.2	16.6	19.7

Periodontal Disease

Indicator Description: Among all adults, the proportion who reported they have gum disease.

Demographics		%	95% CI	
Total		12.1	11.1	13.2
Age	18-34 years old	4.4*	2.7	6.1
	35-54 years old	10.9	8.9	12.9
	55 and over	18.1	16.3	19.8
Sex	Male	11.1	9.6	12.5
	Female	13.1	11.5	14.6
Race/ Ethnicity	Non-Hispanic White	13.4	12.1	14.7
	Non-Hispanic Black	13.5*	9.1	17.8
	Hispanic	7.7	5.6	9.9
	Non-Hispanic Other	10.0**	-	-
Income	Less than \$35,000	12.1	9.8	14.3
	\$35,000-\$74,999	14.0	11.5	16.5
	\$75,000 and more	11.2	9.7	12.8
Insurance	Insured	12.9	11.8	14.1
	Not Insured	5.0**	-	-
Disability	Disabled	18.9	15.9	21.9
	Non-disabled	10.4	9.3	11.4
Education	High School Graduate or Less	12.2	10.2	14.1
	More than High School	12.1	10.9	13.3

Ever Had Treatment for Periodontal Disease

Indicator Description: Among all adults, the proportion who reported that they ever had treatment for gum disease such as scaling and root planing, or deep cleaning.

Demographics		%	95% CI	
Total		18.7	17.5	19.9
Age	18-34 years old	8.6	6.5	10.7
	35-54 years old	18.9	16.7	21.2
	55 and over	24.9	23.0	26.7
Sex	Male	19.5	17.7	21.4
	Female	18.0	16.4	19.5
Race/ Ethnicity	Non-Hispanic White	18.8	17.4	20.2
	Non-Hispanic Black	22.5	17.9	27.0
	Hispanic	16.5	13.4	19.6
	Non-Hispanic Other	18.6	13.2	24.0
Income	Less than \$35,000	18.5	15.8	21.1
	\$35,000-\$74,999	21.5	18.6	24.3
	\$75,000 and more	18.8	16.9	20.6
Insurance	Insured	19.2	17.9	20.4
	Not Insured	13.5	9.7	17.3
Disability	Disabled	21.4	18.5	24.2
	Non-disabled	17.7	16.3	19.0
Education	High School Graduate or Less	17.5	15.4	19.5
	More than High School	19.5	18.1	21.0

Suicide Ideation

Indicator Description: Among all adults, the proportion who reported they had ever thought of suicide.

Demographics		%	95% CI	
Total		12.6	11.4	13.8
Age	18-34 years old	21.7	18.2	25.2
	35-54 years old	11.7	9.7	13.7
	55 and over	7.7	6.5	8.9
Sex	Male	12.0	10.3	13.7
	Female	13.1	11.4	14.9
Race/ Ethnicity	Non-Hispanic White	13.4	11.8	14.9
	Non-Hispanic Black	8.2*	5.2	11.1
	Hispanic	12.3	9.2	15.3
	Non-Hispanic Other	10.0**	-	-
Income	Less than \$35,000	15.7	12.9	18.4
	\$35,000-\$74,999	13.6	10.8	16.5
	\$75,000 and more	11.4	9.5	13.3
Insurance	Insured	12.6	11.4	13.9
	Not Insured	12.0*	7.6	16.4
Disability	Disabled	21.1	17.9	24.2
	Non-disabled	10.1	8.8	11.4
Education	High School Graduate or Less	11.7	9.7	13.8
	More than High School	13.0	11.5	14.5

Suicide Attempt

Indicator Description: Among adults who thought of suicide, the proportion who ever attempted suicide.

Demographics		%	95% CI	
Total		25.3	21.4	29.2
Age	18-34 years old	24.9*	17.0	32.9
	35-54 years old	26.7	19.2	34.2
	55 and over	25.0	19.1	31.0
Sex	Male	21.1	15.2	27.1
	Female	28.7	22.1	35.3
Race/ Ethnicity	Non-Hispanic White	23.2	18.7	27.7
	Non-Hispanic Black	-	-	-
	Hispanic	35.1*	23.2	46.9
	Non-Hispanic Other	40.0**	-	-
Income	Less than \$35,000	41.0	31.4	50.6
	\$35,000-\$74,999	25.0**	-	-
	\$75,000 and more	20.0**	-	-
Insurance	Insured	24.2	20.3	28.2
	Not Insured	35.0**	-	-
Disability	Disabled	35.7	28.0	43.3
	Non-disabled	19.6*	13.7	25.4
Education	High School Graduate or Less	35.7	26.8	44.5
	More than High School	20.2	15.3	25.1

Sexual Violence

Indicator Description: Among all adults, the proportion who reported ever been forced to have sexual intercourse since age 18 years old.

Demographics		%	95% CI	
Total		8.7	7.6	9.7
Age	18-34 years old	13.2	10.3	16.1
	35-54 years old	8.7	6.7	10.7
	55 and over	5.7	4.7	6.6
Sex	Male	2.1*	1.3	2.9
	Female	14.6	12.8	16.4
Race/ Ethnicity	Non-Hispanic White	9.7	8.4	11.1
	Non-Hispanic Black	5.0**	-	-
	Hispanic	6.2*	4.1	8.4
	Non-Hispanic Other	-	-	-
Income	Less than \$35,000	10.5	8.1	12.9
	\$35,000-\$74,999	9.3	7.2	11.5
	\$75,000 and more	8.5	6.8	10.2
Insurance	Insured	9.0	7.9	10.2
	Not Insured	5.0**	-	-
Disability	Disabled	14.5	11.6	17.4
	Non-disabled	7.0	5.9	8.1
Education	High School Graduate or Less	6.6	4.9	8.3
	More than High School	9.8	8.5	11.2

Reaction to race (Better than other race)

Indicator Description: Among all adults, the proportion who reported felt their experiences were better than other races when seeking health care.

Demographics		%	95% CI	
Total		24.3	22.8	25.9
Age	18-34 years old	22.1	18.6	25.5
	35-54 years old	22.3	19.5	25.0
	55 and over	28.1	26.0	30.2
Sex	Male	21.4	19.3	23.5
	Female	26.9	24.7	29.2
Race/ Ethnicity	Non-Hispanic White	27.7	25.8	29.6
	Non-Hispanic Black	18.9	13.5	24.4
	Hispanic	18.6	15.2	21.9
	Non-Hispanic Other	18.7*	12.5	25.0
Income	Less than \$35,000	19.2	16.1	22.2
	\$35,000-\$74,999	18.7	16.0	21.5
	\$75,000 and more	33.0	30.3	35.7
Insurance	Insured	25.0	23.4	26.7
	Not Insured	18.7	13.8	23.7
Disability	Disabled	26.4	22.9	29.8
	Non-disabled	24.2	22.4	26.0
Education	High School Graduate or Less	18.0	15.5	20.5
	More than High School	28.5	26.5	30.5

Overweight (5-17 years old)

Indicator Description: Among children aged 5-17 years old, the proportion of children whose BMI was between the 85th and 95th percentile for children of the same age and sex.

Demographics		%	95% CI	
Total		14.7	11.3	18.0
Age	5-11 years old	16.5*	10.7	22.2
	12-17 years old	13.1*	9.2	17.0
Sex	Male	12.7*	8.6	16.9
	Female	16.8*	11.4	22.3
Race/ Ethnicity	Non-Hispanic White	15.8	11.2	20.4
	Non-Hispanic Black	-	-	-
	Hispanic	15.0**	-	-
	Non-Hispanic Other	-	-	-
Household Income	Less than \$35,000	20.0**	-	-
	\$35,000-\$74,999	20.0**	-	-
	\$75,000 and more	12.1*	8.0	16.1
Caregiver's Insurance	Insured	14.8	11.4	18.3
	Not Insured	-	-	-
Caregiver's Education	High School Graduate or Less	15.0**	-	-
	More than High School	14.6	10.8	18.5

Obese (5-17 years old)

Indicator Description: Among children aged 5-17 years old, the proportion of children whose BMI was above the 95th percentile for children of the same age and sex.

Demographics		%	95% CI	
Total		18.4	14.0	22.8
Age	5-11 years old	27.9	19.8	36.0
	12-17 years old	10.0**	-	-
Sex	Male	20.9*	14.3	27.4
	Female	15.6*	10.2	21.0
Race/ Ethnicity	Non-Hispanic White	12.5	9.0	16.0
	Non-Hispanic Black	-	-	-
	Hispanic	30.0**	-	-
	Non-Hispanic Other	-	-	-
Household Income	Less than \$35,000	20.0**	-	-
	\$35,000-\$74,999	25.0**	-	-
	\$75,000 and more	15.5*	10.1	20.9
Caregiver's Insurance	Insured	18.2	13.8	22.7
	Not Insured	-	-	-
Caregiver's Education	High School Graduate or Less	20.0**	-	-
	More than High School	17.3	12.4	22.1

'*' estimates have a CV between 15% and 20%;

'**' estimates have a CV between 20.1% and 30%;

'-' estimates were suppressed because of limited validity (CV>30%).

Ever Breastfed

Indicator Description: Among all children, the proportion of children ever breastfed or given pumped breast milk, even for a short period of time.

Demographics		%	95% CI	
Total		82.4	79.1	85.7
Age	0-4 years old	85.0**	-	-
	5-11 years old	85.5*	81.0	90.1
	12-17 years old	78.0	71.5	84.4
Sex	Male	85.1	81.2	89.1
	Female	79.1	73.7	84.5
Race/ Ethnicity	Non-Hispanic White	84.5	80.7	88.4
	Non-Hispanic Black	70.0**	-	-
	Hispanic	81.8*	75.2	88.3
	Non-Hispanic Other	-	-	-
Household Income	Less than \$35,000	74.2*	65.2	83.2
	\$35,000-\$74,999	81.1*	74.7	87.6
	\$75,000 and more	89.2*	85.9	92.6
Caregiver's Insurance	Insured	83.2	79.7	86.6
	Not Insured	75.0**	-	-
Caregiver's Education	High School Graduate or Less	69.9	62.2	77.7
	More than High School	87.7	84.8	90.6

Excessive Screen Time

Indicator Description: Among children aged 2-17 years old, the proportion of children who had screen time more than 2 hours daily.

Demographics		%	95% CI	
Total		66.6	61.9	71.2
Age	2-4 years old	47.1	35.1	59.1
	5-11 years old	66.5	59.9	73.2
	12-17 years old	76.0	69.2	82.8
Sex	Male	64.1	57.5	70.8
	Female	69.0	62.7	75.4
Race/ Ethnicity	Non-Hispanic White	63.3	57.3	69.2
	Non-Hispanic Black	65.0**	-	-
	Hispanic	71.7*	63.4	80.1
	Non-Hispanic Other	75.0**	-	-
Household Income	Less than \$35,000	66.2*	55.3	77.1
	\$35,000-\$74,999	80.0**	-	-
	\$75,000 and more	63.8	57.9	69.7
Caregiver's Insurance	Insured	66.4	61.5	71.3
	Not Insured	70.0**	-	-
Caregiver's Education	High School Graduate or Less	66.3	56.5	76.0
	More than High School	66.6	61.6	71.5

'**' estimates have a CV between 15% and 20%;

'***' estimates have a CV between 20.1% and 30%;

'-' estimates were suppressed because of limited validity (CV>30%).

Soda Consumption

Indicator Description: Among children 2-17 years old, the proportion of children who drank soda or sugary drinks at least once daily.

Demographics		%	95% CI	
Total		30.8	26.3	35.4
Age	2-4 years old	30.0**	-	-
	5-11 years old	25.2	19.3	31.0
	12-17 years old	37.4	30.3	44.6
Sex	Male	31.5	25.7	37.3
	Female	30.1	23.6	36.6
Race/ Ethnicity	Non-Hispanic White	24.6	19.3	29.8
	Non-Hispanic Black	50.5*	34.6	66.4
	Hispanic	34.3	24.5	44.0
	Non-Hispanic Other	30.0**	-	-
Household Income	Less than \$35,000	45.3	33.7	56.8
	\$35,000-\$74,999	43.6	33.3	53.8
	\$75,000 and more	22.9	17.8	27.9
Caregiver's Insurance	Insured	29.7	25.0	34.5
	Not Insured	46.1*	30.7	61.6
Caregiver's Education	High School Graduate or Less	42.6	32.5	52.8
	More than High School	26.1	21.6	30.6

Fast Food Consumption

Indicator Description: Among children 2-17 years old, the proportion of children who ate fast food at least twice weekly.

Demographics		%	95% CI	
Total		37.6	33.1	42.1
Age	2-4 years old	32.4*	20.5	44.4
	5-11 years old	36.8	29.6	43.9
	12-17 years old	40.9	34.3	47.5
Sex	Male	37.0	30.4	43.5
	Female	38.2	31.6	44.8
Race/ Ethnicity	Non-Hispanic White	35.4	29.6	41.2
	Non-Hispanic Black	43.0*	26.7	59.4
	Hispanic	40.8	30.9	50.8
	Non-Hispanic Other	40.0**	-	-
Household Income	Less than \$35,000	44.0	33.6	54.4
	\$35,000-\$74,999	43.6	33.7	53.5
	\$75,000 and more	35.7	29.6	41.8
Caregiver's Insurance	Insured	38.1	33.4	42.8
	Not Insured	30.0**	-	-
Caregiver's Education	High School Graduate or Less	37.8	28.4	47.1
	More than High School	37.7	32.5	43.0

'*' estimates have a CV between 15% and 20%;

'**' estimates have a CV between 20.1% and 30%;

'-' estimates were suppressed because of limited validity (CV>30%).

Dentist Visit in the past year

Indicator Description: Among all children, the proportion of children who visited a dentist in the past year.

Demographics		%	95% CI	
Total		82.2	78.8	85.5
Age	0-4 years old	60.2	51.2	69.2
	5-11 years old	90.0**	-	-
	12-17 years old	90.0**	-	-
Sex	Male	82.3	77.5	87.2
	Female	82.1	77.3	86.9
Race/ Ethnicity	Non-Hispanic White	86.0	81.9	90.1
	Non-Hispanic Black	80.0**	-	-
	Hispanic	78.3*	70.9	85.7
	Non-Hispanic Other	80.0**	-	-
Household Income	Less than \$35,000	76.8*	69.1	84.6
	\$35,000-\$74,999	75.0*	65.7	84.3
	\$75,000 and more	89.3*	85.7	92.8
Caregiver's Insurance	Insured	83.0	79.5	86.5
	Not Insured	75.0**	-	-
Caregiver's Education	High School Graduate or Less	74.9*	67.1	82.6
	More than High School	85.3	81.9	88.7

Dental Sealants

Indicator Description: Among children aged 5-17 years old, the proportion of children who ever received dental sealant on their permanent teeth.

Demographics		%	95% CI	
Total		50.2	45.4	55.1
Age	5-11 years old	41.6	34.3	49.0
	12-17 years old	58.6	51.8	65.5
Sex	Male	49.8	43.2	56.5
	Female	50.6	43.4	57.9
Race/ Ethnicity	Non-Hispanic White	52.5	46.3	58.6
	Non-Hispanic Black	45.0**	-	-
	Hispanic	46.2	34.8	57.7
	Non-Hispanic Other	49.9*	34.8	65.0
Household Income	Less than \$35,000	50.0	38.0	61.9
	\$35,000-\$74,999	43.8	32.4	55.2
	\$75,000 and more	53.2	47.2	59.2
Caregiver's Insurance	Insured	51.5	46.4	56.5
	Not Insured	30.0**	-	-
Caregiver's Education	High School Graduate or Less	41.5	29.9	53.2
	More than High School	53.8	48.5	59.1

Dental Decay in the past year

Indicator Description: Among all children, the proportion of children told they had dental decay in the past 12 months.

Demographics		%	95% CI	
Total		13.9	10.6	17.2
Age	0-4 years old	-	-	-
	5-11 years old	21.7*	15.2	28.2
	12-17 years old	10.0**	-	-
Sex	Male	12.9*	8.7	17.2
	Female	15.0*	9.9	20.0
Race/ Ethnicity	Non-Hispanic White	10.9*	7.5	14.2
	Non-Hispanic Black	-	-	-
	Hispanic	25.0**	-	-
	Non-Hispanic Other	-	-	-
Household Income	Less than \$35,000	20.0**	-	-
	\$35,000-\$74,999	15.0**	-	-
	\$75,000 and more	10.7*	6.7	14.7
Caregiver's Insurance	Insured	13.5	10.0	17.0
	Not Insured	20.0**	-	-
Caregiver's Education	High School Graduate or Less	15.9*	9.8	22.0
	More than High School	12.8*	8.9	16.6

Current Asthma

Indicator Description: Among all children, the proportion of children ever diagnosed with asthma and still have it.

Demographics		%	95% CI	
Total		11.8	9.1	14.4
Age	0-4 years old	10.0**	-	-
	5-11 years old	9.6*	6.5	12.7
	12-17 years old	11.8*	7.5	16.0
Sex	Male	12.7*	8.9	16.4
	Female	10.5*	6.8	14.1
Race/ Ethnicity	Non-Hispanic White	11.0*	7.6	14.4
	Non-Hispanic Black	10.0**	-	-
	Hispanic	15.0**	-	-
	Non-Hispanic Other	-	-	-
Household Income	Less than \$35,000	15.0**	-	-
	\$35,000-\$74,999	15.0**	-	-
	\$75,000 and more	9.9*	6.5	13.3
Caregiver's Insurance	Insured	12.3	9.4	15.1
	Not Insured	-	-	-
Caregiver's Education	High School Graduate or Less	11.1*	6.9	15.3
	More than High School	12.1	8.8	15.4

'*' estimates have a CV between 15% and 20%;

'**' estimates have a CV between 20.1% and 30%;

'-' estimates were suppressed because of limited validity (CV>30%).