

Connecticut Suicidal Ideation and Self Harm Emergency Department Visit Report

Reporting Period Ending: May 31, 2025

Created Date: June 7, 2025

Local health departments and districts with zero cases are not included on this report

Contents

Connecticut	4
Connecticut RBHAO Regions	13
RBHAO 1: South West - The Hub	17
RBHAO 2: South Central - APW	19
RBHAO 3: Eastern - SERAC	21
RBHAO 4: North Central - Amplify	23
RBHAO 5: North West - Western CT	25
Aspetuck Health District	27
Bethel Health Department	31
Bridgeport Health and Social Services	35
Bristol-Burlington Health District	39
Brookfield Health Department	43
Central Connecticut Health District	47
Chatham Health District	51
Chesprocott Health District	55
Connecticut River Area Health District	59
Cromwell Health Department	63
Danbury Health and Human Services	67
Darien Health Department	71
East Hartford Health and Social Services	75
East Shore District Health Department	79
Eastern Highlands Health District	83
Essex Health Department (CT)	87
Fairfield Health Department	91
Farmington Valley Health District	95
Glastonbury Health Department	99
Greenwich Health Department	103
Guilford Health Department	107
Hartford Health & Human Services	111
Housatonic Valley Health District	115
Ledge Light Health District	119
Madison Health Department	123
Manchester Health Department	127
Meriden Department of Health and Human Services	131
Middletown Health Department	135
Milford Health Department	139
Monroe Health Department	143
Naugatuck Valley Health District	147
New Britain Health Department	151
New Canaan Health Department	155
New Fairfield Health Department	159
New Haven Health Department	163
Newtown Health District	167
North Central District Health Department	171
Northeast District Department of Health	175

Norwalk Health Department.....	179
Orange Health Department.....	183
Quinnipiac Valley Health District	187
Redding Health Department	191
Ridgefield Health Department.....	195
Sherman Health Department	199
Somers Health Department	203
South Central Health District	207
South Windsor Health Department	211
Stamford Health Department	215
Stratford Health Department.....	219
Torrington Area Health District.....	223
Trumbull Health Department.....	227
Uncas Health District.....	231
Wallingford Health Department.....	235
Waterbury Health Department	239
West Hartford-Bloomfield Health District.....	243
West Haven Health Department	247
Westbrook Health Department.....	251
Wilton Health Department.....	255
Windsor Health Department	259


Connecticut

ED Visits for "Suicidal Ideation and Self Harm" Syndrome in Connecticut, by State/CEPR, May 2025

STATE/CEPR	CURRENT MONTH RATE PER 100,000 POPULATION	CURRENT MONTH TOTAL VISITS	YEARLY CUMULATIVE RATE PER 100,000 POPULATION	YEARLY CUMULATIVE TOTAL VISITS
Connecticut	99.15	3576	465.35	16784
CEPR: Western Connecticut	46.01	285	227.61	1410
CEPR: Capitol	90.04	879	432.32	752
CEPR: Lower Connecticut River Valley	96.01	167	435.70	1420
CEPR: Northwest Hills	96.16	108	449.80	4391
CEPR: Greater Bridgeport	101.25	330	462.73	2090
CEPR: Naugatuck Valley	102.73	464	472.80	531
CEPR: Southeastern Connecticut	110.40	312	511.31	1445
CEPR: Northeastern Connecticut	117.20	110	571.07	536
CEPR: South Central Connecticut	161.37	921	737.48	4209


Data Source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates were calculated based on 2018 population statistics. These data are preliminary and subject to change as data quality and completeness may vary over time. Of the 38 ED facilities participating in EpiCenter, 0 facilities transmitted data for less than 99% of the days in the specified one-month time frame. Caution should be used when interpreting these results.

Suicidal Ideation and Self Harm in Connecticut




Total counts of SI/SH visits in Connecticut, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Suicidal Ideation and Self Harm in CEPR: Capitol




Total counts of SI/SH visits in CEPR: Capitol, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Suicidal Ideation and Self Harm in CEPR: Greater Bridgeport




Total counts of SI/SH visits in CEPR: Greater Bridgeport, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Suicidal Ideation and Self Harm in CEPR: Lower Connecticut River Valley




Total counts of SI/SH visits in CEPR: Lower Connecticut River Valley, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Suicidal Ideation and Self Harm in CEPR: Naugatuck Valley




Total counts of SI/SH visits in CEPR: Naugatuck Valley, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Suicidal Ideation and Self Harm in CEPR: Northeastern Connecticut




Total counts of SI/SH visits in CEPR: Northeastern Connecticut, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Suicidal Ideation and Self Harm in CEPR: Northwest Hills




Total counts of SI/SH visits in CEPR: Northwest Hills, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Suicidal Ideation and Self Harm in CEPR: South Central Connecticut




Total counts of SI/SH visits in CEPR: South Central Connecticut, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Suicidal Ideation and Self Harm in CEPR: Southeastern Connecticut



Total counts of SI/SH visits in CEPR: Southeastern Connecticut, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Suicidal Ideation and Self Harm in CEPR: Western Connecticut



Total counts of SI/SH visits in CEPR: Western Connecticut, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Quarterly Rates by State/CEPR


Change in quarterly rates for Suicidal Ideation and Self Harm, by State/CEPR, October 2023 to March 2025

STATE/CEPR	PERCENT CHANGE				
	Q4 2023 - Q1 2024	Q1 2024 - Q2 2024	Q2 2024 - Q3 2024	Q3 2024 - Q4 2024	Q4 2024 - Q1 2025
Connecticut	-0.73	1.82	-0.49	-2.01	1.98
CEPR: Capitol	-0.87	4.44	-3.55	2.78	-4.44
CEPR: Greater Bridgeport	-0.79	2.94	-0.75	4.04	2.34
CEPR: Lower Connecticut River Valley	13.99	-5.30	-9.01	13.31	8.38
CEPR: Naugatuck Valley	-2.41	-1.73	-2.55	-6.89	4.19
CEPR: Northeastern Connecticut	4.84	-6.20	10.74	-4.11	0.16
CEPR: Northwest Hills	-2.89	7.37	-6.46	11.16	-1.46
CEPR: South Central Connecticut	-2.49	4.56	6.66 **	-9.81 **	7.88 **
CEPR: Southeastern Connecticut	-4.55	5.33	-4.38	-4.56	0.99
CEPR: Western Connecticut	3.75	-8.28	2.18	-0.29	3.96

- Per 10,000 emergency department visits.
- Using the indicator counts and denominators, a rate of ED visits for each quarter was created using the count of Suicidal Ideation and Self Harm ED visits divided by the total number of ED visits for each quarter. Percentage change in rates subtracted the prior quarter from the current quarter then divided by the prior quarter multiplied by 100%.
- Data current as of May 31, 2025.
- ** Statistically significant ($p < 0.05$).

Demographic Breakdown Graphs in Connecticut


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Connecticut per 10,000 Visits by CEPR, June 1, 2024 - May 31, 2025



CEPR	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Capitol	236.4 (10458)	30.5 (1348)	2.6 (114)	5.7 (252)
Greater Bridgeport	212.3 (3149)	30.3 (450)	2.1 (31)	6.3 (94)
Lower Connecticut River Valley	211.9 (1604)	32.6 (247)	2.8 (21)	9.4 (71)
Naugatuck Valley	228.5 (4879)	29.7 (634)	2.2 (48)	5.7 (121)
Northeastern Connecticut	230.2 (1177)	31.1 (159)	2.2 (11)	8.0 (41)
Northwest Hills	218.5 (1239)	32.5 (184)	3.2 (18)	9.0 (51)
South Central Connecticut	343.8 (9366)	74.2 (2020)	7.5 (204)	9.1 (249)
Southeastern Connecticut	197.1 (3322)	30.3 (510)	1.4 (23)	10.6 (178)
Western Connecticut	158.1 (3197)	29.8 (602)	2.1 (42)	8.3 (167)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Connecticut per 10,000 Visits by Sex, June 1, 2024 - May 31, 2025



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	203.9 (17900)	38.2 (3349)	2.3 (200)	8.5 (748)
Male	271.9 (20457)	37.2 (2802)	4.1 (312)	6.3 (476)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Connecticut per 10,000 Visits by Age, June 1, 2024 - May 31, 2025



AGE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
0-9	17.9 (273)	2.1 (32)	a	a
10-17	506.3 (4955)	86.0 (842)	5.3 (52)	21.2 (207)
18-24	392.4 (4849)	72.6 (897)	4.8 (59)	18.7 (231)
25-34	363.1 (7583)	55.1 (1150)	5.7 (120)	9.9 (207)
35-44	317.7 (6684)	48.1 (1012)	5.0 (105)	9.3 (196)
45-54	290.2 (5193)	44.9 (804)	3.9 (69)	7.9 (141)
55-64	234.7 (5044)	36.6 (787)	3.6 (78)	6.3 (135)
65-74	118.5 (2228)	19.3 (362)	.8 (15)	3.2 (60)
75-84	65.4 (1024)	10.0 (157)	a	1.5 (23)
85+	44.3 (425)	7.0 (67)	a	aa

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Connecticut per 10,000 Visits by Race, June 1, 2024 - May 31, 2025



RACE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
American Indian or Alaska Native (AI/AN)	262.4 (121)	49.9 (23)	a	a
Asian (A)	198.8 (468)	44.6 (105)	a	9.3 (22)
Black or African American (B)	271.2 (7514)	41.8 (1158)	3.9 (107)	6.5 (180)
Native Hawaiian or Other Pacific Islander (NH/PI)	280.9 (67)	37.7 (9)	.0 (0)	aa
White (W)	247.0 (22497)	40.6 (3702)	3.2 (295)	8.8 (800)
Other	195.5 (5775)	28.9 (853)	2.7 (80)	5.4 (159)
Unknown / Not Provided (n/a)	166.0 (1940)	26.0 (304)	1.8 (21)	5.3 (62)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.

Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Connecticut per 10,000 Visits by Ethnicity, June 1, 2024 - May 31, 2025



ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	202.4 (7519)	32.9 (1221)	3.2 (120)	5.8 (215)
Not Hispanic or Latino	249.3 (28941)	39.6 (4593)	3.2 (372)	8.2 (955)
Unknown / Not Provided (n/a)	195.5 (1922)	34.6 (340)	2.0 (20)	5.5 (54)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Connecticut RBHAO Regions

ED Visits for "Suicidal Ideation and Self Harm" Syndrome in Connecticut, by State/RBHAO Region, May 2025

STATE/RBHAO REGION	CURRENT MONTH RATE PER 100,000 POPULATION	CURRENT MONTH TOTAL VISITS	YEARLY CUMULATIVE RATE PER 100,000 POPULATION	YEARLY CUMULATIVE TOTAL VISITS
Connecticut	99.15	3576	465.35	16784
RBHAO 1: South West - The Hub	69.13	493	314.24	2241
RBHAO 5: North West - Western CT	79.03	493	382.97	2389
RBHAO 4: North Central - Amplify	96.34	972	463.08	4672
RBHAO 3: Eastern - SERAC	103.27	452	498.76	2183
RBHAO 2: South Central - APW	141.30	1178	642.69	5358


Data Source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates were calculated based on 2018 population statistics. These data are preliminary and subject to change as data quality and completeness may vary over time. Of the 38 ED facilities participating in EpiCenter, 0 facilities transmitted data for less than 99% of the days in the specified one-month time frame. Caution should be used when interpreting these results.

Suicidal Ideation and Self Harm in RBHAO 1: South West - The Hub




Total counts of SI/SH visits in RBHAO 1: South West - The Hub, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Suicidal Ideation and Self Harm in RBHAO 2: South Central - APW




Total counts of SI/SH visits in RBHAO 2: South Central - APW, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Suicidal Ideation and Self Harm in RBHAO 3: Eastern - SERAC




Total counts of SI/SH visits in RBHAO 3: Eastern - SERAC, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Suicidal Ideation and Self Harm in RBHAO 4: North Central - Amplify



Total counts of SI/SH visits in RBHAO 4: North Central - Amplify, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Suicidal Ideation and Self Harm in RBHAO 5: North West - Western CT



Total counts of SI/SH visits in RBHAO 5: North West - Western CT, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Quarterly Rates by State/RBHAO Region


Change in quarterly rates for Suicidal Ideation and Self Harm, by State/RBHAO Region, October 2023 to March 2025

STATE/RBHAO REGION	PERCENT CHANGE				
	Q4 2023 - Q1 2024	Q1 2024 - Q2 2024	Q2 2024 - Q3 2024	Q3 2024 - Q4 2024	Q4 2024 - Q1 2025
Connecticut	-0.73	1.82	-0.49	-2.01	1.98
RBHAO 1: South West - The Hub	-1.00	-2.14	0.60	5.57	1.08
RBHAO 2: South Central - APW	-0.47	1.57	3.35	-6.10 **	6.61 **
RBHAO 3: Eastern - SERAC	-0.94	1.01	-2.86	-2.53	1.99
RBHAO 4: North Central - Amplify	-1.68	5.57 **	-3.09	1.04	-3.87
RBHAO 5: North West - Western CT	2.11	-1.42	-1.71	-5.28	6.32

- Per 10,000 emergency department visits.
- Using the indicator counts and denominators, a rate of ED visits for each quarter was created using the count of Suicidal Ideation and Self Harm ED visits divided by the total number of ED visits for each quarter. Percentage change in rates subtracted the prior quarter from the current quarter then divided by the prior quarter multiplied by 100%.
- Data current as of May 31, 2025.
- ** Statistically significant (p < 0.05).

Demographic Breakdown Graphs in Connecticut RBHAO Regions

Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Connecticut RBHAO Regions per 10,000 Visits by RBHAO, June 1, 2024 - May 31, 2025




RBHAO	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
RBHAO 1: South West - The Hub	182.6 (5000)	28.2 (773)	2.0 (55)	6.5 (178)
RBHAO 2: South Central - APW	307.5 (11909)	61.7 (2391)	6.0 (232)	9.0 (347)
RBHAO 3: Eastern - SERAC	206.7 (4923)	30.4 (724)	1.5 (36)	9.7 (231)
RBHAO 4: North Central - Amplify	235.9 (11128)	30.6 (1442)	2.6 (122)	5.5 (261)
RBHAO 5: North West - Western CT	209.4 (5551)	31.6 (838)	2.6 (69)	7.9 (209)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.

RBHAO 1: South West - The Hub

Demographic Breakdown Graphs in RBHAO 1: South West - The Hub


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in RBHAO 1: South West - The Hub per 10,000 Visits by Sex, June 1, 2024 - May 31, 2025



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	158.7 (2317)	30.8 (449)	1.6 (23)	7.6 (111)
Male	209.8 (2682)	25.3 (324)	2.5 (32)	5.2 (67)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in RBHAO 1: South West - The Hub per 10,000 Visits by Age, June 1, 2024 - May 31, 2025



AGE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
0-9	14.6 (46)	3.2 (10)	aa	a
10-17	495.4 (905)	93.1 (170)	6.0 (11)	24.1 (44)
18-24	298.0 (635)	56.8 (121)	3.8 (8)	14.1 (30)
25-34	262.3 (886)	37.9 (128)	a	10.1 (34)
35-44	224.7 (793)	34.9 (123)	3.7 (13)	4.8 (17)
45-54	235.2 (732)	27.3 (85)	3.2 (10)	6.4 (20)
55-64	169.6 (566)	21.6 (72)	2.1 (7)	5.1 (17)
65-74	88.2 (250)	11.3 (32)	.0 (0)	2.5 (7)
75-84	50.3 (118)	8.1 (19)	.0 (0)	a
85+	28.5 (48)	5.3 (9)	.0 (0)	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in RBHAO 1: South West - The Hub per 10,000 Visits by Race, June 1, 2024 - May 31, 2025



RACE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
American Indian or Alaska Native (AI/AN)	aa	a	aa	aa
Asian (A)	202.0 (72)	28.1 (10)	a	a
Black or African American (B)	226.1 (1219)	33.0 (178)	2.4 (13)	5.9 (32)
Native Hawaiian or Other Pacific Islander (NH/PI)	a	aa	.0 (0)	.0 (0)
White (W)	193.7 (1891)	33.5 (327)	2.6 (25)	9.1 (89)
Other	157.7 (914)	21.9 (127)	1.2 (7)	6.0 (35)
Unknown / Not Provided (n/a)	148.1 (887)	21.5 (129)	1.5 (9)	3.2 (19)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.

Rates of SI/SH ED Visits in Demographic Breakdown Graphs in RBHAO 1: South West - The Hub per 10,000 Visits by Ethnicity, June 1, 2024 - May 31, 2025




ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	155.5 (1345)	24.4 (211)	aa	5.2 (45)
Not Hispanic or Latino	197.0 (3441)	30.2 (527)	2.4 (42)	7.0 (122)
Unknown / Not Provided (n/a)	169.4 (214)	27.7 (35)	a	8.7 (11)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.

RBHAO 2: South Central - APW

Demographic Breakdown Graphs in RBHAO 2: South Central - APW


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in RBHAO 2: South Central - APW per 10,000 Visits by Sex, June 1, 2024 - May 31, 2025



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	257.4 (5332)	60.5 (1254)	4.8 (99)	10.1 (209)
Male	364.7 (6565)	63.0 (1135)	7.4 (133)	7.7 (138)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in RBHAO 2: South Central - APW per 10,000 Visits by Age, June 1, 2024 - May 31, 2025



AGE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
0-9	20.1 (66)	a	.0 (0)	.0 (0)
10-17	449.1 (964)	77.8 (167)	4.7 (10)	23.8 (51)
18-24	446.5 (1241)	96.1 (267)	10.8 (30)	22.3 (62)
25-34	504.1 (2424)	95.5 (459)	12.1 (58)	12.1 (58)
35-44	429.9 (2046)	89.5 (426)	10.5 (50)	13.4 (64)
45-54	441.8 (1886)	84.8 (362)	8.0 (34)	7.5 (32)
55-64	325.5 (1752)	76.7 (413)	7.2 (39)	9.3 (50)
65-74	174.6 (824)	37.1 (175)	a	4.7 (22)
75-84	117.0 (472)	19.3 (78)	a	a
85+	80.9 (202)	aa	a	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in RBHAO 2: South Central - APW per 10,000 Visits by Race, June 1, 2024 - May 31, 2025



RACE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
American Indian or Alaska Native (AI/AN)	351.4 (50)	aa	a	a
Asian (A)	240.9 (162)	65.4 (44)	.0 (0)	a
Black or African American (B)	352.1 (2815)	69.7 (557)	7.4 (59)	8.0 (64)
Native Hawaiian or Other Pacific Islander (NH/PI)	320.8 (23)	a	.0 (0)	.0 (0)
White (W)	309.7 (7181)	63.0 (1460)	5.9 (137)	9.9 (229)
Other	250.4 (1566)	46.1 (288)	5.1 (32)	7.2 (45)
Unknown / Not Provided (n/a)	277.8 (112)	52.1 (21)	a	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.

Rates of SI/SH ED Visits in Demographic Breakdown Graphs in RBHAO 2: South Central - APW per 10,000 Visits by Ethnicity, June 1, 2024 - May 31, 2025




ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	289.6 (2311)	65.3 (521)	aa	7.9 (63)
Not Hispanic or Latino	314.6 (9254)	61.8 (1819)	5.7 (167)	9.2 (270)
Unknown / Not Provided (n/a)	258.8 (344)	38.4 (51)	a	10.5 (14)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.

RBHAO 3: Eastern - SERAC

Demographic Breakdown Graphs in RBHAO 3: Eastern - SERAC


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in RBHAO 3: Eastern - SERAC per 10,000 Visits by Sex, June 1, 2024 - May 31, 2025



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	191.0 (2473)	31.4 (407)	.8 (10)	11.0 (143)
Male	225.2 (2446)	29.2 (317)	2.4 (26)	8.1 (88)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in RBHAO 3: Eastern - SERAC per 10,000 Visits by Age, June 1, 2024 - May 31, 2025



AGE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
0-9	18.1 (39)	a	.0 (0)	.0 (0)
10-17	504.4 (799)	81.4 (129)	5.1 (8)	25.9 (41)
18-24	396.5 (754)	68.9 (131)	a	23.1 (44)
25-34	318.2 (958)	42.2 (127)	a	14.9 (45)
35-44	268.2 (832)	38.0 (118)	2.6 (8)	12.9 (40)
45-54	236.4 (589)	36.9 (92)	a	10.4 (26)
55-64	167.8 (530)	22.2 (70)	a	7.3 (23)
65-74	88.5 (257)	13.1 (38)	a	2.8 (8)
75-84	45.4 (105)	3.9 (9)	.0 (0)	a
85+	45.0 (53)	a	.0 (0)	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in RBHAO 3: Eastern - SERAC per 10,000 Visits by Race, June 1, 2024 - May 31, 2025



RACE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
American Indian or Alaska Native (AI/AN)	aa	a	.0 (0)	.0 (0)
Asian (A)	183.9 (56)	29.6 (9)	.0 (0)	a
Black or African American (B)	212.6 (410)	29.6 (57)	a	10.4 (20)
Native Hawaiian or Other Pacific Islander (NH/PI)	a	a	.0 (0)	.0 (0)
White (W)	218.7 (3841)	32.5 (571)	1.5 (26)	10.3 (181)
Other	143.7 (510)	20.9 (74)	a	6.2 (22)
Unknown / Not Provided (n/a)	315.3 (83)	41.8 (11)	a	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.

Rates of SI/SH ED Visits in Demographic Breakdown Graphs in RBHAO 3: Eastern - SERAC per 10,000 Visits by Ethnicity, June 1, 2024 - May 31, 2025




ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	146.1 (558)	20.2 (77)	aa	aa
Not Hispanic or Latino	217.7 (4218)	32.3 (626)	1.3 (26)	10.5 (203)
Unknown / Not Provided (n/a)	235.4 (147)	33.6 (21)	a	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.

RBHAO 4: North Central - Amplify

Demographic Breakdown Graphs in RBHAO 4: North Central - Amplify


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in RBHAO 4: North Central - Amplify per 10,000 Visits by Sex, June 1, 2024 - May 31, 2025



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	201.9 (5183)	30.8 (790)	1.6 (40)	6.2 (160)
Male	276.5 (5938)	30.3 (651)	3.8 (82)	4.7 (101)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in RBHAO 4: North Central - Amplify per 10,000 Visits by Age, June 1, 2024 - May 31, 2025



AGE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
0-9	18.2 (76)	2.2 (9)	.0 (0)	aa
10-17	504.0 (1349)	68.0 (182)	3.0 (8)	8.2 (22)
18-24	424.0 (1536)	70.7 (256)	3.6 (13)	16.3 (59)
25-34	342.8 (2220)	43.7 (283)	5.7 (37)	6.9 (45)
35-44	321.9 (2063)	37.0 (237)	3.6 (23)	6.7 (43)
45-54	257.8 (1332)	33.1 (171)	3.1 (16)	6.8 (35)
55-64	256.9 (1593)	25.5 (158)	2.9 (18)	4.0 (25)
65-74	118.6 (630)	15.1 (80)	a	2.8 (15)
75-84	49.0 (212)	8.1 (35)	a	2.3 (10)
85+	28.7 (76)	6.0 (16)	.0 (0)	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in RBHAO 4: North Central - Amplify per 10,000 Visits by Race,
June 1, 2024 - May 31, 2025



RACE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
American Indian or Alaska Native (AI/AN)	347.0 (28)	a	a	.0 (0)
Asian (A)	185.2 (150)	48.2 (39)	a	12.3 (10)
Black or African American (B)	249.1 (2328)	30.6 (286)	2.5 (23)	5.2 (49)
Native Hawaiian or Other Pacific Islander (NH/PI)	643.3 (33)	a	.0 (0)	.0 (0)
White (W)	250.1 (5900)	33.1 (781)	2.7 (63)	6.4 (151)
Other	205.2 (2238)	24.6 (268)	2.6 (28)	3.9 (43)
Unknown / Not Provided (n/a)	189.2 (451)	26.4 (63)	a	3.4 (8)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.

Rates of SI/SH ED Visits in Demographic Breakdown Graphs in RBHAO 4: North Central - Amplify per 10,000 Visits by
Ethnicity, June 1, 2024 - May 31, 2025




ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	214.5 (2302)	24.0 (258)	2.4 (26)	4.5 (48)
Not Hispanic or Latino	252.5 (7849)	32.0 (996)	2.6 (82)	6.4 (200)
Unknown / Not Provided (n/a)	182.5 (977)	35.1 (188)	2.6 (14)	2.4 (13)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.

RBHAO 5: North West - Western CT

Demographic Breakdown Graphs in RBHAO 5: North West - Western CT


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in RBHAO 5: North West - Western CT per 10,000 Visits by Sex, June 1, 2024 - May 31, 2025



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	187.7 (2652)	32.2 (455)	2.1 (30)	9.0 (127)
Male	234.3 (2898)	31.0 (383)	3.2 (39)	6.6 (82)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in RBHAO 5: North West - Western CT per 10,000 Visits by Age, June 1, 2024 - May 31, 2025



AGE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
0-9	19.0 (47)	a	a	.0 (0)
10-17	606.5 (962)	124.2 (197)	10.1 (16)	30.9 (49)
18-24	357.0 (698)	63.4 (124)	a	18.4 (36)
25-34	341.7 (1117)	47.7 (156)	4.3 (14)	8.0 (26)
35-44	294.3 (973)	33.6 (111)	3.3 (11)	9.7 (32)
45-54	229.8 (669)	33.0 (96)	a	9.6 (28)
55-64	177.8 (622)	21.4 (75)	2.9 (10)	6.0 (21)
65-74	88.1 (274)	11.9 (37)	a	2.6 (8)
75-84	44.0 (119)	5.9 (16)	.0 (0)	a
85+	28.8 (47)	aa	a	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in RBHAO 5: North West - Western CT per 10,000 Visits by Race,
June 1, 2024 - May 31, 2025



RACE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
American Indian or Alaska Native (AI/AN)	374.3 (14)	a	a	aa
Asian (A)	135.1 (29)	a	.0 (0)	a
Black or African American (B)	243.5 (744)	26.2 (80)	2.9 (9)	4.9 (15)
Native Hawaiian or Other Pacific Islander (NH/PI)	.0 (0)	.0 (0)	.0 (0)	.0 (0)
White (W)	217.9 (3806)	33.0 (576)	2.6 (46)	8.7 (152)
Other	179.6 (548)	31.8 (97)	2.3 (7)	4.6 (14)
Unknown / Not Provided (n/a)	153.8 (410)	30.0 (80)	a	9.8 (26)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.

Rates of SI/SH ED Visits in Demographic Breakdown Graphs in RBHAO 5: North West - Western CT per 10,000 Visits by
Ethnicity, June 1, 2024 - May 31, 2025



ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	167.7 (1004)	25.7 (154)	aa	5.5 (33)
Not Hispanic or Latino	223.8 (4299)	33.1 (636)	2.9 (56)	8.4 (162)
Unknown / Not Provided (n/a)	189.6 (248)	36.7 (48)	a	10.7 (14)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Aspetuck Health District

ED Visits for "Suicidal Ideation and Self Harm" Syndrome in Aspetuck Health District, by Region of Patient Residence, May 2025

REGION OF PATIENT RESIDENCE	CURRENT MONTH RATE PER 100,000 POPULATION	CURRENT MONTH TOTAL VISITS	YEARLY CUMULATIVE RATE PER 100,000 POPULATION	YEARLY CUMULATIVE TOTAL VISITS
Aspetuck Health District	28.77	13	141.65	64
Westport	33.04	9	135.41	14
Easton	a	a	135.82	37
Weston	a	a	171.01	13

Data Source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates were calculated based on 2018 population statistics. These data are preliminary and subject to change as data quality and completeness may vary over time. Of the 38 ED facilities participating in EpiCenter, 0 facilities transmitted data for less than 99% of the days in the specified one-month time frame. Caution should be used when interpreting these results.


Suicidal Ideation and Self Harm in Aspetuck Health District



Total counts of SI/SH visits in Aspetuck Health District, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Demographic Breakdown Graphs in Aspetuck Health District


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Aspetuck Health District per 10,000 Visits by Town, June 1, 2024 - May 31, 2025



TOWN	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Easton	210.7 (31)	47.6 (7)	.0 (0)	a
Weston	168.3 (30)	44.9 (8)	.0 (0)	a
Westport	157.0 (81)	27.1 (14)	.0 (0)	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Aspetuck Health District per 10,000 Visits by Sex, June 1, 2024 - May 31, 2025



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	180.8 (78)	41.7 (18)	.0 (0)	aa
Male	156.1 (64)	26.8 (11)	.0 (0)	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Aspetuck Health District per 10,000 Visits by Age, June 1, 2024 - May 31, 2025



AGE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
0-9	a	.0 (0)	.0 (0)	.0 (0)
10-17	728.5 (55)	172.2 (13)	.0 (0)	a
18-24	490.6 (26)	a	.0 (0)	a
25-34	278.4 (13)	a	.0 (0)	a
35-44	216.5 (15)	a	.0 (0)	.0 (0)
45-54	a	.0 (0)	.0 (0)	.0 (0)
55-64	177.9 (20)	a	.0 (0)	.0 (0)
65-74	a	.0 (0)	.0 (0)	.0 (0)
75-84	a	a	.0 (0)	a
85+	a	a	.0 (0)	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Aspetuck Health District per 10,000 Visits by Race, June 1, 2024 - May 31, 2025



RACE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
American Indian or Alaska Native (AI/AN)	a	b (0)	b (0)	aa
Asian (A)	a	a	.0 (0)	a
Black or African American (B)	a	a	.0 (0)	.0 (0)
Native Hawaiian or Other Pacific Islander (NH/PI)	b (0)	b (0)	b (0)	b (0)
White (W)	146.8 (100)	27.9 (19)	.0 (0)	14.7 (10)
Other	255.8 (10)	a	.0 (0)	.0 (0)
Unknown / Not Provided (n/a)	280.6 (22)	a	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.

Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Aspetuck Health District per 10,000 Visits by Ethnicity, June 1, 2024 - May 31, 2025



ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	238.7 (10)	a	.0 (0)	.0 (0)
Not Hispanic or Latino	160.6 (120)	32.1 (24)	.0 (0)	14.7 (11)
Unknown / Not Provided (n/a)	228.6 (12)	a	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Bethel Health Department

ED Visits for "Suicidal Ideation and Self Harm" Syndrome in Bethel Health Department, by Region of Patient Residence, May 2025

REGION OF PATIENT RESIDENCE	CURRENT MONTH RATE PER 100,000 POPULATION	CURRENT MONTH TOTAL VISITS	YEARLY CUMULATIVE RATE PER 100,000 POPULATION	YEARLY CUMULATIVE TOTAL VISITS
Bethel	39.43	8	256.32	52

Data Source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates were calculated based on 2018 population statistics. These data are preliminary and subject to change as data quality and completeness may vary over time. Of the 38 ED facilities participating in EpiCenter, 0 facilities transmitted data for less than 99% of the days in the specified one-month time frame. Caution should be used when interpreting these results.


Suicidal Ideation and Self Harm in Bethel Health Department



Total counts of SI/SH visits in Bethel Health Department, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Demographic Breakdown Graphs in Bethel Health Department


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Bethel Health Department per 10,000 Visits by Town, June 1, 2024 - May 31, 2025



TOWN	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Bethel	209.8 (132)	41.3 (26)	.0 (0)	12.7 (8)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Bethel Health Department per 10,000 Visits by Sex, June 1, 2024 - May 31, 2025



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	192.7 (67)	48.9 (17)	.0 (0)	a
Male	231.0 (65)	32.0 (9)	.0 (0)	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Bethel Health Department per 10,000 Visits by Age, June 1, 2024 - May 31, 2025



AGE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
0-9	.0 (0)	.0 (0)	.0 (0)	.0 (0)
10-17	744.2 (32)	209.3 (9)	.0 (0)	a
18-24	229.4 (10)	a	.0 (0)	.0 (0)
25-34	377.0 (23)	a	.0 (0)	a
35-44	357.6 (27)	92.7 (7)	.0 (0)	a
45-54	246.4 (17)	a	.0 (0)	a
55-64	112.1 (9)	.0 (0)	.0 (0)	.0 (0)
65-74	110.7 (9)	a	.0 (0)	a
75-84	a	a	.0 (0)	a
85+	a	.0 (0)	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Bethel Health Department per 10,000 Visits by Race, June 1, 2024 - May 31, 2025



RACE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
American Indian or Alaska Native (AI/AN)	b (0)	b (0)	b (0)	b (0)
Asian (A)	a	.0 (0)	.0 (0)	.0 (0)
Black or African American (B)	a	a	.0 (0)	.0 (0)
Native Hawaiian or Other Pacific Islander (NH/PI)	b (0)	b (0)	b (0)	b (0)
White (W)	237.8 (103)	48.5 (21)	.0 (0)	a
Other	.0 (0)	.0 (0)	.0 (0)	.0 (0)
Unknown / Not Provided (n/a)	167.3 (22)	a	.0 (0)	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.

Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Bethel Health Department per 10,000 Visits by Ethnicity, June 1, 2024 - May 31, 2025



ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	163.6 (15)	a	.0 (0)	a
Not Hispanic or Latino	225.9 (109)	45.6 (22)	.0 (0)	a
Unknown / Not Provided (n/a)	145.5 (8)	aa	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Bridgeport Health and Social Services

ED Visits for "Suicidal Ideation and Self Harm" Syndrome in Bridgeport Health and Social Services, by Region of Patient Residence, May 2025

REGION OF PATIENT RESIDENCE	CURRENT MONTH RATE PER 100,000 POPULATION	CURRENT MONTH TOTAL VISITS	YEARLY CUMULATIVE RATE PER 100,000 POPULATION	YEARLY CUMULATIVE TOTAL VISITS
Bridgeport	148.12	220	634.22	942

Data Source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates were calculated based on 2018 population statistics. These data are preliminary and subject to change as data quality and completeness may vary over time. Of the 38 ED facilities participating in EpiCenter, 0 facilities transmitted data for less than 99% of the days in the specified one-month time frame. Caution should be used when interpreting these results.


Suicidal Ideation and Self Harm in Bridgeport Health and Social Services



Total counts of SI/SH visits in Bridgeport Health and Social Services, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Demographic Breakdown Graphs in Bridgeport Health and Social Services


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Bridgeport Health and Social Services per 10,000 Visits by Town, June 1, 2024 - May 31, 2025



TOWN	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Bridgeport	218.7 (2158)	28.7 (283)	2.3 (23)	5.6 (55)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Bridgeport Health and Social Services per 10,000 Visits by Sex, June 1, 2024 - May 31, 2025



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	166.8 (880)	27.5 (145)	1.5 (8)	5.1 (27)
Male	278.6 (1278)	30.1 (138)	3.3 (15)	6.1 (28)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Bridgeport Health and Social Services per 10,000 Visits by Age, June 1, 2024 - May 31, 2025



AGE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
0-9	14.2 (17)	a	.0 (0)	a
10-17	422.5 (249)	49.2 (29)	a	a
18-24	205.8 (181)	36.4 (32)	a	13.6 (12)
25-34	275.3 (421)	36.6 (56)	a	8.5 (13)
35-44	274.7 (417)	38.2 (58)	a	a
45-54	327.1 (419)	33.6 (43)	a	6.2 (8)
55-64	238.8 (299)	31.9 (40)	a	5.6 (7)
65-74	116.5 (101)	16.1 (14)	.0 (0)	a
75-84	63.9 (31)	a	.0 (0)	a
85+	54.8 (13)	.0 (0)	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Bridgeport Health and Social Services per 10,000 Visits by Race, June 1, 2024 - May 31, 2025



RACE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
American Indian or Alaska Native (AI/AN)	aa	a	.0 (0)	aa
Asian (A)	315.3 (25)	a	.0 (0)	.0 (0)
Black or African American (B)	229.7 (834)	31.1 (113)	2.5 (9)	5.8 (21)
Native Hawaiian or Other Pacific Islander (NH/PI)	a	.0 (0)	.0 (0)	.0 (0)
White (W)	291.0 (578)	37.8 (75)	3.5 (7)	7.6 (15)
Other	168.9 (665)	21.8 (86)	a	4.6 (18)
Unknown / Not Provided (n/a)	232.7 (41)	a	a	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.

Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Bridgeport Health and Social Services per 10,000 Visits by Ethnicity, June 1, 2024 - May 31, 2025



ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	169.5 (783)	aa	1.7 (8)	aa
Not Hispanic or Latino	263.3 (1347)	32.3 (165)	2.9 (15)	5.7 (29)
Unknown / Not Provided (n/a)	213.4 (28)	a	.0 (0)	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Bristol-Burlington Health District

ED Visits for "Suicidal Ideation and Self Harm" Syndrome in Bristol-Burlington Health District, by Region of Patient Residence, May 2025

REGION OF PATIENT RESIDENCE	CURRENT MONTH RATE PER 100,000 POPULATION	CURRENT MONTH TOTAL VISITS	YEARLY CUMULATIVE RATE PER 100,000 POPULATION	YEARLY CUMULATIVE TOTAL VISITS
Bristol-Burlington Health District	136.64	96	518.11	364
Burlington	73.60	7	168.23	16
Bristol	146.51	89	572.89	348

Data Source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates were calculated based on 2018 population statistics. These data are preliminary and subject to change as data quality and completeness may vary over time. Of the 38 ED facilities participating in EpiCenter, 0 facilities transmitted data for less than 99% of the days in the specified one-month time frame. Caution should be used when interpreting these results.


Suicidal Ideation and Self Harm in Bristol-Burlington Health District



Total counts of SI/SH visits in Bristol-Burlington Health District, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Demographic Breakdown Graphs in Bristol-Burlington Health District


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Bristol-Burlington Health District per 10,000 Visits by Town, June 1, 2024 - May 31, 2025



TOWN	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Bristol	233.9 (807)	aa	aa	5.2 (18)
Burlington	178.6 (47)	a	a	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Bristol-Burlington Health District per 10,000 Visits by Sex, June 1, 2024 - May 31, 2025



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	205.3 (431)	32.4 (68)	.0 (0)	4.3 (9)
Male	262.2 (423)	32.2 (52)	5.0 (8)	5.6 (9)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Bristol-Burlington Health District per 10,000 Visits by Age, June 1, 2024 - May 31, 2025



AGE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
0-9	a	a	.0 (0)	.0 (0)
10-17	611.5 (136)	103.4 (23)	a	a
18-24	432.1 (120)	97.2 (27)	.0 (0)	a
25-34	349.0 (194)	46.8 (26)	a	a
35-44	289.9 (142)	34.7 (17)	a	a
45-54	253.9 (111)	36.6 (16)	a	a
55-64	165.2 (79)	a	a	.0 (0)
65-74	91.5 (37)	a	.0 (0)	.0 (0)
75-84	66.4 (24)	a	.0 (0)	a
85+	a	.0 (0)	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Bristol-Burlington Health District per 10,000 Visits by Race, June 1, 2024 - May 31, 2025



RACE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
American Indian or Alaska Native (AI/AN)	a	a	.0 (0)	.0 (0)
Asian (A)	a	a	.0 (0)	.0 (0)
Black or African American (B)	300.6 (111)	43.3 (16)	a	a
Native Hawaiian or Other Pacific Islander (NH/PI)	b (0)	b (0)	b (0)	b (0)
White (W)	224.8 (553)	30.9 (76)	a	4.9 (12)
Other	201.2 (116)	27.8 (16)	a	.0 (0)
Unknown / Not Provided (n/a)	245.7 (66)	29.8 (8)	.0 (0)	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.

Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Bristol-Burlington Health District per 10,000 Visits by Ethnicity, June 1, 2024 - May 31, 2025



ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	213.0 (146)	aa	a	a
Not Hispanic or Latino	235.8 (677)	32.4 (93)	a	5.2 (15)
Unknown / Not Provided (n/a)	197.3 (31)	a	.0 (0)	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Brookfield Health Department

ED Visits for "Suicidal Ideation and Self Harm" Syndrome in Brookfield Health Department, by Region of Patient Residence, May 2025

REGION OF PATIENT RESIDENCE	CURRENT MONTH RATE PER 100,000 POPULATION	CURRENT MONTH TOTAL VISITS	YEARLY CUMULATIVE RATE PER 100,000 POPULATION	YEARLY CUMULATIVE TOTAL VISITS
Brookfield	a	a	158.62	28

Data Source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates were calculated based on 2018 population statistics. These data are preliminary and subject to change as data quality and completeness may vary over time. Of the 38 ED facilities participating in EpiCenter, 0 facilities transmitted data for less than 99% of the days in the specified one-month time frame. Caution should be used when interpreting these results.


Suicidal Ideation and Self Harm in Brookfield Health Department



Total counts of SI/SH visits in Brookfield Health Department, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Demographic Breakdown Graphs in Brookfield Health Department


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Brookfield Health Department per 10,000 Visits by Town, June 1, 2024 - May 31, 2025



TOWN	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Brookfield	127.3 (70)	20.0 (11)	.0 (0)	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Brookfield Health Department per 10,000 Visits by Sex, June 1, 2024 - May 31, 2025



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	125.4 (37)	aa	.0 (0)	a
Male	129.6 (33)	a	.0 (0)	aa

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Brookfield Health Department per 10,000 Visits by Age, June 1, 2024 - May 31, 2025



AGE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
0-9	.0 (0)	.0 (0)	.0 (0)	.0 (0)
10-17	371.4 (13)	a	.0 (0)	a
18-24	274.4 (9)	a	.0 (0)	a
25-34	228.7 (11)	a	.0 (0)	.0 (0)
35-44	213.5 (13)	.0 (0)	.0 (0)	.0 (0)
45-54	a	a	.0 (0)	.0 (0)
55-64	104.0 (8)	.0 (0)	.0 (0)	.0 (0)
65-74	a	a	.0 (0)	.0 (0)
75-84	a	.0 (0)	.0 (0)	.0 (0)
85+	.0 (0)	.0 (0)	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Brookfield Health Department per 10,000 Visits by Race, June 1, 2024 - May 31, 2025



RACE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
American Indian or Alaska Native (AI/AN)	b (0)	aa	b (0)	b (0)
Asian (A)	.0 (0)	.0 (0)	.0 (0)	.0 (0)
Black or African American (B)	a	.0 (0)	.0 (0)	.0 (0)
Native Hawaiian or Other Pacific Islander (NH/PI)	b (0)	b (0)	b (0)	b (0)
White (W)	119.0 (52)	20.6 (9)	.0 (0)	a
Other	a	.0 (0)	.0 (0)	.0 (0)
Unknown / Not Provided (n/a)	108.4 (8)	a	.0 (0)	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.

Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Brookfield Health Department per 10,000 Visits by Ethnicity, June 1, 2024 - May 31, 2025



ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	aa	a	.0 (0)	a
Not Hispanic or Latino	132.8 (61)	19.6 (9)	.0 (0)	a
Unknown / Not Provided (n/a)	a	aa	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Central Connecticut Health District

ED Visits for "Suicidal Ideation and Self Harm" Syndrome in Central Connecticut Health District, by Region of Patient Residence, May 2025

REGION OF PATIENT RESIDENCE	CURRENT MONTH RATE PER 100,000 POPULATION	CURRENT MONTH TOTAL VISITS	YEARLY CUMULATIVE RATE PER 100,000 POPULATION	YEARLY CUMULATIVE TOTAL VISITS
Central Connecticut Health District	60.95	60	353.50	348
Rocky Hill	43.52	9	293.43	59
Berlin	44.76	9	299.78	62
Wethersfield	58.91	16	327.66	89
Newington	85.27	26	452.56	138

Data Source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates were calculated based on 2018 population statistics. These data are preliminary and subject to change as data quality and completeness may vary over time. Of the 38 ED facilities participating in EpiCenter, 0 facilities transmitted data for less than 99% of the days in the specified one-month time frame. Caution should be used when interpreting these results.


Suicidal Ideation and Self Harm in Central Connecticut Health District



Total counts of SI/SH visits in Central Connecticut Health District, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Demographic Breakdown Graphs in Central Connecticut Health District


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Central Connecticut Health District per 10,000 Visits by Town, June 1, 2024 - May 31, 2025



TOWN	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Berlin	175.0 (121)	18.8 (13)	.0 (0)	a
Newington	420.7 (535)	38.5 (49)	a	11.8 (15)
Rocky Hill	223.4 (139)	35.4 (22)	a	a
Wethersfield	233.5 (232)	58.4 (58)	9.1 (9)	11.1 (11)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Central Connecticut Health District per 10,000 Visits by Sex, June 1, 2024 - May 31, 2025



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	236.2 (431)	34.5 (63)	a	8.8 (16)
Male	340.0 (596)	45.1 (79)	aa	7.4 (13)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Central Connecticut Health District per 10,000 Visits by Age, June 1, 2024 - May 31, 2025



AGE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
0-9	a	a	.0 (0)	.0 (0)
10-17	457.7 (72)	69.9 (11)	a	a
18-24	670.7 (143)	140.7 (30)	a	46.9 (10)
25-34	475.6 (204)	69.9 (30)	a	16.3 (7)
35-44	454.2 (203)	62.7 (28)	a	a
45-54	304.0 (114)	34.7 (13)	a	a
55-64	396.3 (185)	40.7 (19)	a	a
65-74	134.7 (65)	16.6 (8)	.0 (0)	.0 (0)
75-84	66.4 (31)	a	.0 (0)	.0 (0)
85+	a	.0 (0)	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Central Connecticut Health District per 10,000 Visits by Race, June 1, 2024 - May 31, 2025



RACE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
American Indian or Alaska Native (AI/AN)	a	.0 (0)	.0 (0)	.0 (0)
Asian (A)	215.7 (19)	a	a	.0 (0)
Black or African American (B)	619.3 (212)	90.6 (31)	a	a
Native Hawaiian or Other Pacific Islander (NH/PI)	a	.0 (0)	.0 (0)	.0 (0)
White (W)	255.4 (639)	35.6 (89)	a	7.6 (19)
Other	254.1 (139)	31.1 (17)	a	a
Unknown / Not Provided (n/a)	157.1 (14)	a	.0 (0)	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.

Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Central Connecticut Health District per 10,000 Visits by Ethnicity, June 1, 2024 - May 31, 2025



ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	316.6 (127)	22.4 (9)	a	a
Not Hispanic or Latino	284.9 (844)	40.5 (120)	3.7 (11)	8.8 (26)
Unknown / Not Provided (n/a)	260.1 (56)	60.4 (13)	a	aa

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Chatham Health District

ED Visits for "Suicidal Ideation and Self Harm" Syndrome in Chatham Health District, by Region of Patient Residence, May 2025

REGION OF PATIENT RESIDENCE	CURRENT MONTH RATE PER 100,000 POPULATION	CURRENT MONTH TOTAL VISITS	YEARLY CUMULATIVE RATE PER 100,000 POPULATION	YEARLY CUMULATIVE TOTAL VISITS
Chatham Health District	65.89	41	292.50	182
East Hampton	53.70	7	129.98	8
Colchester	99.31	16	153.48	14
Portland	105.72	10	239.84	20
East Haddam	a	a	291.50	38
Hebron	a	a	297.93	48
Marlborough	a	a	570.88	54

Data Source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates were calculated based on 2018 population statistics. These data are preliminary and subject to change as data quality and completeness may vary over time. Of the 38 ED facilities participating in EpiCenter, 0 facilities transmitted data for less than 99% of the days in the specified one-month time frame. Caution should be used when interpreting these results.


Suicidal Ideation and Self Harm in Chatham Health District



Total counts of SI/SH visits in Chatham Health District, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Demographic Breakdown Graphs in Chatham Health District


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Chatham Health District per 10,000 Visits by Town, June 1, 2024 - May 31, 2025



TOWN	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Colchester	167.3 (120)	25.1 (18)	.0 (0)	a
East Haddam	157.0 (52)	a	a	a
East Hampton	157.9 (99)	27.1 (17)	a	a
Hebron	108.4 (40)	a	.0 (0)	a
Marlborough	143.7 (36)	a	.0 (0)	a
Portland	277.8 (111)	45.1 (18)	a	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Chatham Health District per 10,000 Visits by Sex, June 1, 2024 - May 31, 2025



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	177.6 (254)	30.8 (44)	a	aa
Male	159.9 (202)	18.2 (23)	a	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Chatham Health District per 10,000 Visits by Age, June 1, 2024
- May 31, 2025



AGE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
0-9	a	.0 (0)	.0 (0)	.0 (0)
10-17	427.2 (73)	52.7 (9)	a	a
18-24	341.3 (57)	71.9 (12)	a	a
25-34	386.5 (97)	63.7 (16)	a	a
35-44	255.7 (78)	23.0 (7)	.0 (0)	a
45-54	166.7 (45)	a	.0 (0)	a
55-64	146.3 (57)	25.7 (10)	.0 (0)	a
65-74	62.8 (25)	a	.0 (0)	a
75-84	53.0 (20)	a	.0 (0)	.0 (0)
85+	a	.0 (0)	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Chatham Health District per 10,000 Visits by Race, June 1, 2024 - May 31, 2025



RACE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
American Indian or Alaska Native (AI/AN)	a	.0 (0)	.0 (0)	.0 (0)
Asian (A)	a	.0 (0)	.0 (0)	.0 (0)
Black or African American (B)	310.2 (21)	a	a	a
Native Hawaiian or Other Pacific Islander (NH/PI)	b (0)	b (0)	b (0)	aa
White (W)	159.8 (389)	23.8 (58)	a	5.8 (14)
Other	320.4 (38)	a	.0 (0)	.0 (0)
Unknown / Not Provided (n/a)	132.6 (7)	.0 (0)	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.

Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Chatham Health District per 10,000 Visits by Ethnicity, June 1, 2024 - May 31, 2025



ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	369.2 (24)	a	aa	.0 (0)
Not Hispanic or Latino	166.0 (405)	25.0 (61)	a	6.6 (16)
Unknown / Not Provided (n/a)	153.0 (29)	a	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Chesprocott Health District

ED Visits for "Suicidal Ideation and Self Harm" Syndrome in Chesprocott Health District, by Region of Patient Residence, May 2025

REGION OF PATIENT RESIDENCE	CURRENT MONTH RATE PER 100,000 POPULATION	CURRENT MONTH TOTAL VISITS	YEARLY CUMULATIVE RATE PER 100,000 POPULATION	YEARLY CUMULATIVE TOTAL VISITS
Chesprocott Health District	64.56	35	280.38	152
Cheshire	52.18	15	264.37	76
Prospect	74.78	7	267.07	25
Wolcott	80.73	13	316.69	51

Data Source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates were calculated based on 2018 population statistics. These data are preliminary and subject to change as data quality and completeness may vary over time. Of the 38 ED facilities participating in EpiCenter, 0 facilities transmitted data for less than 99% of the days in the specified one-month time frame. Caution should be used when interpreting these results.


Suicidal Ideation and Self Harm in Chesprocott Health District



Total counts of SI/SH visits in Chesprocott Health District, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Demographic Breakdown Graphs in Chesprocott Health District


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Chesprocott Health District per 10,000 Visits by Town, June 1, 2024 - May 31, 2025



TOWN	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Cheshire	249.4 (180)	38.8 (28)	a	a
Prospect	139.5 (39)	35.8 (10)	a	a
Wolcott	178.3 (102)	38.5 (22)	a	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Chesprocott Health District per 10,000 Visits by Sex, June 1, 2024 - May 31, 2025



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	195.8 (164)	34.6 (29)	a	a
Male	213.5 (157)	42.2 (31)	a	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Chesprocott Health District per 10,000 Visits by Age, June 1, 2024 - May 31, 2025



AGE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
0-9	a	.0 (0)	.0 (0)	.0 (0)
10-17	590.3 (51)	150.5 (13)	.0 (0)	a
18-24	556.7 (55)	101.2 (10)	a	a
25-34	349.8 (51)	61.7 (9)	a	.0 (0)
35-44	278.3 (47)	47.4 (8)	a	a
45-54	172.2 (26)	a	a	a
55-64	226.6 (47)	a	.0 (0)	.0 (0)
65-74	102.5 (22)	a	.0 (0)	a
75-84	53.3 (12)	a	.0 (0)	a
85+	a	a	a	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Chesprocott Health District per 10,000 Visits by Race, June 1, 2024 - May 31, 2025



RACE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
American Indian or Alaska Native (AI/AN)	a	a	.0 (0)	.0 (0)
Asian (A)	a	a	.0 (0)	.0 (0)
Black or African American (B)	353.8 (23)	123.1 (8)	a	.0 (0)
Native Hawaiian or Other Pacific Islander (NH/PI)	b (0)	b (0)	b (0)	aa
White (W)	201.0 (269)	32.1 (43)	a	6.7 (9)
Other	177.1 (17)	a	.0 (0)	.0 (0)
Unknown / Not Provided (n/a)	235.6 (9)	a	.0 (0)	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.

Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Chesprocott Health District per 10,000 Visits by Ethnicity,
June 1, 2024 - May 31, 2025



ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	148.1 (15)	a	aa	aa
Not Hispanic or Latino	203.3 (293)	34.7 (50)	a	6.2 (9)
Unknown / Not Provided (n/a)	427.6 (13)	a	.0 (0)	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Connecticut River Area Health District

ED Visits for "Suicidal Ideation and Self Harm" Syndrome in Connecticut River Area Health District, by Region of Patient Residence, May 2025

REGION OF PATIENT RESIDENCE	CURRENT MONTH RATE PER 100,000 POPULATION	CURRENT MONTH TOTAL VISITS	YEARLY CUMULATIVE RATE PER 100,000 POPULATION	YEARLY CUMULATIVE TOTAL VISITS
Connecticut River Area Health District	96.65	46	458.05	218
Old Saybrook	95.18	10	264.06	10
Clinton	135.65	18	342.66	36
Chester	a	a	348.73	29
Deep River	a	a	428.06	31
Durham	a	a	625.52	83
Haddam	a	a	648.33	29

Data Source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates were calculated based on 2018 population statistics. These data are preliminary and subject to change as data quality and completeness may vary over time. Of the 38 ED facilities participating in EpiCenter, 0 facilities transmitted data for less than 99% of the days in the specified one-month time frame. Caution should be used when interpreting these results.


Suicidal Ideation and Self Harm in Connecticut River Area Health District



Total counts of SI/SH visits in Connecticut River Area Health District, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Demographic Breakdown Graphs in Connecticut River Area Health District


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Connecticut River Area Health District per 10,000 Visits by Town, June 1, 2024 - May 31, 2025



TOWN	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Chester	139.2 (22)	a	.0 (0)	a
Clinton	235.4 (148)	30.2 (19)	.0 (0)	a
Deep River	274.0 (51)	43.0 (8)	.0 (0)	a
Durham	227.0 (49)	aa	.0 (0)	a
Haddam	181.8 (52)	31.5 (9)	a	a
Old Saybrook	170.5 (80)	40.5 (19)	a	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Connecticut River Area Health District per 10,000 Visits by Sex, June 1, 2024 - May 31, 2025



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	191.4 (194)	37.5 (38)	aa	12.8 (13)
Male	222.6 (207)	28.0 (26)	a	10.8 (10)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Connecticut River Area Health District per 10,000 Visits by Age, June 1, 2024 - May 31, 2025



AGE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
0-9	a	.0 (0)	.0 (0)	.0 (0)
10-17	434.3 (43)	a	.0 (0)	a
18-24	384.3 (43)	134.0 (15)	a	62.6 (7)
25-34	518.1 (86)	84.3 (14)	.0 (0)	a
35-44	257.3 (47)	a	.0 (0)	a
45-54	202.7 (35)	40.5 (7)	a	a
55-64	232.9 (62)	37.6 (10)	.0 (0)	a
65-74	149.0 (48)	21.7 (7)	.0 (0)	a
75-84	82.0 (27)	a	.0 (0)	.0 (0)
85+	aa	.0 (0)	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Connecticut River Area Health District per 10,000 Visits by Race, June 1, 2024 - May 31, 2025



RACE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
American Indian or Alaska Native (AI/AN)	a	.0 (0)	.0 (0)	.0 (0)
Asian (A)	a	a	.0 (0)	.0 (0)
Black or African American (B)	a	.0 (0)	.0 (0)	.0 (0)
Native Hawaiian or Other Pacific Islander (NH/PI)	b (0)	b (0)	aa	b (0)
White (W)	204.0 (355)	32.8 (57)	a	10.9 (19)
Other	191.4 (24)	a	.0 (0)	a
Unknown / Not Provided (n/a)	315.2 (11)	a	.0 (0)	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.

Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Connecticut River Area Health District per 10,000 Visits by Ethnicity, June 1, 2024 - May 31, 2025



ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	297.3 (22)	a	aa	aa
Not Hispanic or Latino	204.9 (349)	32.3 (55)	a	11.2 (19)
Unknown / Not Provided (n/a)	185.4 (31)	aa	.0 (0)	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Cromwell Health Department

ED Visits for "Suicidal Ideation and Self Harm" Syndrome in Cromwell Health Department, by Region of Patient Residence, May 2025

REGION OF PATIENT RESIDENCE	CURRENT MONTH RATE PER 100,000 POPULATION	CURRENT MONTH TOTAL VISITS	YEARLY CUMULATIVE RATE PER 100,000 POPULATION	YEARLY CUMULATIVE TOTAL VISITS
Cromwell	84.20	12	273.65	39

Data Source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates were calculated based on 2018 population statistics. These data are preliminary and subject to change as data quality and completeness may vary over time. Of the 38 ED facilities participating in EpiCenter, 0 facilities transmitted data for less than 99% of the days in the specified one-month time frame. Caution should be used when interpreting these results.


Suicidal Ideation and Self Harm in Cromwell Health Department



Total counts of SI/SH visits in Cromwell Health Department, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Demographic Breakdown Graphs in Cromwell Health Department


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Cromwell Health Department per 10,000 Visits by Town, June 1, 2024 - May 31, 2025



TOWN	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Cromwell	174.7 (86)	32.5 (16)	a	16.2 (8)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Cromwell Health Department per 10,000 Visits by Sex, June 1, 2024 - May 31, 2025



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	131.8 (36)	aa	aa	a
Male	228.2 (50)	a	a	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Cromwell Health Department per 10,000 Visits by Age, June 1, 2024 - May 31, 2025



AGE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
0-9	.0 (0)	.0 (0)	.0 (0)	.0 (0)
10-17	629.9 (16)	a	a	a
18-24	353.7 (11)	a	.0 (0)	a
25-34	228.5 (13)	a	.0 (0)	.0 (0)
35-44	542.1 (29)	a	.0 (0)	a
45-54	a	a	.0 (0)	a
55-64	a	a	a	a
65-74	a	a	.0 (0)	.0 (0)
75-84	a	a	.0 (0)	.0 (0)
85+	a	.0 (0)	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Cromwell Health Department per 10,000 Visits by Race, June 1, 2024 - May 31, 2025



RACE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
American Indian or Alaska Native (AI/AN)	b (0)	aa	aa	b (0)
Asian (A)	a	.0 (0)	.0 (0)	.0 (0)
Black or African American (B)	256.4 (8)	a	.0 (0)	a
Native Hawaiian or Other Pacific Islander (NH/PI)	b (0)	b (0)	b (0)	b (0)
White (W)	173.6 (69)	32.7 (13)	a	a
Other	a	.0 (0)	.0 (0)	.0 (0)
Unknown / Not Provided (n/a)	a	.0 (0)	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.

Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Cromwell Health Department per 10,000 Visits by Ethnicity, June 1, 2024 - May 31, 2025



ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	a	.0 (0)	aa	.0 (0)
Not Hispanic or Latino	177.6 (77)	36.9 (16)	a	18.5 (8)
Unknown / Not Provided (n/a)	a	.0 (0)	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Danbury Health and Human Services

ED Visits for "Suicidal Ideation and Self Harm" Syndrome in Danbury Health and Human Services, by Region of Patient Residence, May 2025

REGION OF PATIENT RESIDENCE	CURRENT MONTH RATE PER 100,000 POPULATION	CURRENT MONTH TOTAL VISITS	YEARLY CUMULATIVE RATE PER 100,000 POPULATION	YEARLY CUMULATIVE TOTAL VISITS
Danbury	62.81	54	293.12	252

Data Source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates were calculated based on 2018 population statistics. These data are preliminary and subject to change as data quality and completeness may vary over time. Of the 38 ED facilities participating in EpiCenter, 0 facilities transmitted data for less than 99% of the days in the specified one-month time frame. Caution should be used when interpreting these results.


Suicidal Ideation and Self Harm in Danbury Health and Human Services



Total counts of SI/SH visits in Danbury Health and Human Services, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Demographic Breakdown Graphs in Danbury Health and Human Services


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Danbury Health and Human Services per 10,000 Visits by Town, June 1, 2024 - May 31, 2025



TOWN	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Danbury	181.1 (622)	36.7 (126)	2.6 (9)	10.5 (36)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Danbury Health and Human Services per 10,000 Visits by Sex, June 1, 2024 - May 31, 2025



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	195.1 (363)	41.9 (78)	a	11.3 (21)
Male	164.5 (259)	30.5 (48)	a	9.5 (15)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Danbury Health and Human Services per 10,000 Visits by Age, June 1, 2024 - May 31, 2025



AGE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
0-9	a	a	.0 (0)	.0 (0)
10-17	511.4 (117)	135.5 (31)	a	43.7 (10)
18-24	346.5 (102)	64.5 (19)	a	a
25-34	291.4 (134)	54.4 (25)	a	17.4 (8)
35-44	183.8 (81)	22.7 (10)	a	a
45-54	187.5 (74)	32.9 (13)	.0 (0)	a
55-64	144.9 (58)	25.0 (10)	a	a
65-74	71.5 (24)	a	.0 (0)	.0 (0)
75-84	71.8 (19)	a	.0 (0)	.0 (0)
85+	a	.0 (0)	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Danbury Health and Human Services per 10,000 Visits by Race, June 1, 2024 - May 31, 2025



RACE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
American Indian or Alaska Native (AI/AN)	a	.0 (0)	.0 (0)	.0 (0)
Asian (A)	182.8 (7)	a	.0 (0)	a
Black or African American (B)	212.8 (64)	36.6 (11)	a	a
Native Hawaiian or Other Pacific Islander (NH/PI)	aa	aa	b (0)	b (0)
White (W)	246.4 (339)	49.4 (68)	a	10.9 (15)
Other	132.4 (31)	47.0 (11)	.0 (0)	a
Unknown / Not Provided (n/a)	121.3 (180)	23.6 (35)	a	10.1 (15)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.

Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Danbury Health and Human Services per 10,000 Visits by Ethnicity, June 1, 2024 - May 31, 2025



ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	117.5 (129)	22.8 (25)	a	aa
Not Hispanic or Latino	229.1 (410)	48.1 (86)	a	10.1 (18)
Unknown / Not Provided (n/a)	151.7 (83)	27.4 (15)	a	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Darien Health Department

ED Visits for "Suicidal Ideation and Self Harm" Syndrome in Darien Health Department, by Region of Patient Residence, May 2025

REGION OF PATIENT RESIDENCE	CURRENT MONTH RATE PER 100,000 POPULATION	CURRENT MONTH TOTAL VISITS	YEARLY CUMULATIVE RATE PER 100,000 POPULATION	YEARLY CUMULATIVE TOTAL VISITS
Darien	a	a	134.98	29

Data Source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates were calculated based on 2018 population statistics. These data are preliminary and subject to change as data quality and completeness may vary over time. Of the 38 ED facilities participating in EpiCenter, 0 facilities transmitted data for less than 99% of the days in the specified one-month time frame. Caution should be used when interpreting these results.


Suicidal Ideation and Self Harm in Darien Health Department



Total counts of SI/SH visits in Darien Health Department, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Demographic Breakdown Graphs in Darien Health Department


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Darien Health Department per 10,000 Visits by Town, June 1, 2024 - May 31, 2025



TOWN	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Darien	152.3 (63)	24.2 (10)	a	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Darien Health Department per 10,000 Visits by Sex, June 1, 2024 - May 31, 2025



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	117.9 (26)	aa	a	a
Male	191.5 (37)	a	a	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Darien Health Department per 10,000 Visits by Age, June 1, 2024 - May 31, 2025



AGE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
0-9	.0 (0)	a	aa	.0 (0)
10-17	666.7 (28)	a	a	a
18-24	367.6 (10)	a	.0 (0)	a
25-34	304.3 (7)	.0 (0)	.0 (0)	.0 (0)
35-44	a	.0 (0)	.0 (0)	.0 (0)
45-54	a	a	.0 (0)	a
55-64	.0 (0)	.0 (0)	.0 (0)	.0 (0)
65-74	a	a	.0 (0)	.0 (0)
75-84	a	.0 (0)	.0 (0)	.0 (0)
85+	a	.0 (0)	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Darien Health Department per 10,000 Visits by Race, June 1, 2024 - May 31, 2025



RACE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
American Indian or Alaska Native (AI/AN)	aa	b (0)	aa	b (0)
Asian (A)	.0 (0)	.0 (0)	.0 (0)	.0 (0)
Black or African American (B)	.0 (0)	.0 (0)	.0 (0)	.0 (0)
Native Hawaiian or Other Pacific Islander (NH/PI)	b (0)	b (0)	b (0)	b (0)
White (W)	179.4 (28)	a	a	a
Other	a	.0 (0)	.0 (0)	.0 (0)
Unknown / Not Provided (n/a)	136.2 (32)	a	.0 (0)	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.

Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Darien Health Department per 10,000 Visits by Ethnicity, June 1, 2024 - May 31, 2025



ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	a	a	aa	a
Not Hispanic or Latino	150.9 (55)	21.9 (8)	a	a
Unknown / Not Provided (n/a)	a	a	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


East Hartford Health and Social Services

ED Visits for "Suicidal Ideation and Self Harm" Syndrome in East Hartford Health and Social Services, by Region of Patient Residence, May 2025

REGION OF PATIENT RESIDENCE	CURRENT MONTH RATE PER 100,000 POPULATION	CURRENT MONTH TOTAL VISITS	YEARLY CUMULATIVE RATE PER 100,000 POPULATION	YEARLY CUMULATIVE TOTAL VISITS
East Hartford	111.83	57	555.22	283

Data Source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates were calculated based on 2018 population statistics. These data are preliminary and subject to change as data quality and completeness may vary over time. Of the 38 ED facilities participating in EpiCenter, 0 facilities transmitted data for less than 99% of the days in the specified one-month time frame. Caution should be used when interpreting these results.


Suicidal Ideation and Self Harm in East Hartford Health and Social Services



Total counts of SI/SH visits in East Hartford Health and Social Services, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Demographic Breakdown Graphs in East Hartford Health and Social Services


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in East Hartford Health and Social Services per 10,000 Visits by Town, June 1, 2024 - May 31, 2025



TOWN	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
East Hartford	211.0 (608)	26.4 (76)	2.4 (7)	5.9 (17)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in East Hartford Health and Social Services per 10,000 Visits by Sex, June 1, 2024 - May 31, 2025



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	171.2 (272)	31.5 (50)	a	6.3 (10)
Male	259.1 (335)	20.1 (26)	a	5.4 (7)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in East Hartford Health and Social Services per 10,000 Visits by Age, June 1, 2024 - May 31, 2025



AGE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
0-9	a	.0 (0)	.0 (0)	.0 (0)
10-17	427.7 (73)	58.6 (10)	.0 (0)	a
18-24	427.9 (106)	80.7 (20)	a	a
25-34	293.1 (132)	20.0 (9)	a	a
35-44	282.4 (110)	23.1 (9)	.0 (0)	a
45-54	191.5 (62)	21.6 (7)	a	a
55-64	192.7 (75)	23.1 (9)	.0 (0)	.0 (0)
65-74	123.3 (39)	31.6 (10)	a	a
75-84	38.4 (7)	a	.0 (0)	.0 (0)
85+	a	a	.0 (0)	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in East Hartford Health and Social Services per 10,000 Visits by Race, June 1, 2024 - May 31, 2025



RACE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
American Indian or Alaska Native (AI/AN)	a	.0 (0)	.0 (0)	.0 (0)
Asian (A)	a	a	a	.0 (0)
Black or African American (B)	222.6 (204)	32.7 (30)	a	10.9 (10)
Native Hawaiian or Other Pacific Islander (NH/PI)	.0 (0)	.0 (0)	.0 (0)	.0 (0)
White (W)	286.8 (233)	36.9 (30)	a	a
Other	153.3 (125)	15.9 (13)	a	a
Unknown / Not Provided (n/a)	134.4 (39)	a	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.

Rates of SI/SH ED Visits in Demographic Breakdown Graphs in East Hartford Health and Social Services per 10,000 Visits by Ethnicity, June 1, 2024 - May 31, 2025



ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	165.6 (141)	11.7 (10)	.0 (0)	a
Not Hispanic or Latino	262.1 (389)	35.0 (52)	a	9.4 (14)
Unknown / Not Provided (n/a)	142.7 (78)	25.6 (14)	a	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


East Shore District Health Department

ED Visits for "Suicidal Ideation and Self Harm" Syndrome in East Shore District Health Department, by Region of Patient Residence, May 2025

REGION OF PATIENT RESIDENCE	CURRENT MONTH RATE PER 100,000 POPULATION	CURRENT MONTH TOTAL VISITS	YEARLY CUMULATIVE RATE PER 100,000 POPULATION	YEARLY CUMULATIVE TOTAL VISITS
East Shore District Health Department	199.32	218	857.61	938
Branford	177.92	50	624.50	86
North Branford	188.80	26	818.45	230
East Haven	210.37	142	921.47	622

Data Source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates were calculated based on 2018 population statistics. These data are preliminary and subject to change as data quality and completeness may vary over time. Of the 38 ED facilities participating in EpiCenter, 0 facilities transmitted data for less than 99% of the days in the specified one-month time frame. Caution should be used when interpreting these results.


Suicidal Ideation and Self Harm in East Shore District Health Department



Total counts of SI/SH visits in East Shore District Health Department, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Demographic Breakdown Graphs in East Shore District Health Department


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in East Shore District Health Department per 10,000 Visits by Town, June 1, 2024 - May 31, 2025



TOWN	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Branford	365.6 (419)	71.5 (82)	aa	aa
East Haven	322.5 (1358)	84.1 (354)	8.6 (36)	10.5 (44)
North Branford	300.9 (155)	83.5 (43)	a	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in East Shore District Health Department per 10,000 Visits by Sex, June 1, 2024 - May 31, 2025



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	300.4 (968)	84.1 (271)	7.8 (25)	13.3 (43)
Male	363.9 (964)	78.5 (208)	8.3 (22)	8.3 (22)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in East Shore District Health Department per 10,000 Visits by Age, June 1, 2024 - May 31, 2025



AGE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
0-9	17.5 (10)	a	.0 (0)	.0 (0)
10-17	394.9 (139)	93.8 (33)	a	34.1 (12)
18-24	422.2 (194)	91.4 (42)	a	15.2 (7)
25-34	473.6 (334)	136.1 (96)	11.3 (8)	24.1 (17)
35-44	447.5 (307)	113.7 (78)	13.1 (9)	17.5 (12)
45-54	418.5 (273)	113.4 (74)	10.7 (7)	a
55-64	376.9 (295)	103.5 (81)	20.4 (16)	10.2 (8)
65-74	293.1 (213)	68.8 (50)	a	a
75-84	219.0 (126)	33.0 (19)	.0 (0)	a
85+	93.9 (33)	a	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in East Shore District Health Department per 10,000 Visits by Race, June 1, 2024 - May 31, 2025



RACE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
American Indian or Alaska Native (AI/AN)	310.1 (8)	a	.0 (0)	.0 (0)
Asian (A)	360.0 (31)	116.1 (10)	.0 (0)	.0 (0)
Black or African American (B)	315.6 (305)	83.8 (81)	12.4 (12)	11.4 (11)
Native Hawaiian or Other Pacific Islander (NH/PI)	a	a	.0 (0)	.0 (0)
White (W)	354.8 (1249)	86.9 (306)	8.0 (28)	12.2 (43)
Other	266.0 (327)	61.8 (76)	a	8.9 (11)
Unknown / Not Provided (n/a)	a	a	a	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.

Rates of SI/SH ED Visits in Demographic Breakdown Graphs in East Shore District Health Department per 10,000 Visits by Ethnicity, June 1, 2024 - May 31, 2025



ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	272.6 (520)	67.6 (129)	aa	aa
Not Hispanic or Latino	355.7 (1380)	88.4 (343)	9.0 (35)	11.6 (45)
Unknown / Not Provided (n/a)	377.4 (32)	82.5 (7)	a	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Eastern Highlands Health District

ED Visits for "Suicidal Ideation and Self Harm" Syndrome in Eastern Highlands Health District, by Region of Patient Residence, May 2025

REGION OF PATIENT RESIDENCE	CURRENT MONTH RATE PER 100,000 POPULATION	CURRENT MONTH TOTAL VISITS	YEARLY CUMULATIVE RATE PER 100,000 POPULATION	YEARLY CUMULATIVE TOTAL VISITS
Eastern Highlands Health District	35.75	28	279.59	219
Andover	0.00	0	213.58	56
Scotland	0.00	0	247.99	12
Mansfield	30.51	8	274.99	40
Ashford	a	a	287.21	35
Bolton	a	a	303.66	16
Chaplin	a	a	321.91	14
Columbia	a	a	366.13	8
Coventry	a	a	554.96	31
Tolland	a	a	a	a
Willington	a	a	a	a

Data Source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates were calculated based on 2018 population statistics. These data are preliminary and subject to change as data quality and completeness may vary over time. Of the 38 ED facilities participating in EpiCenter, 0 facilities transmitted data for less than 99% of the days in the specified one-month time frame. Caution should be used when interpreting these results.


Suicidal Ideation and Self Harm in Eastern Highlands Health District



Total counts of SI/SH visits in Eastern Highlands Health District, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Demographic Breakdown Graphs in Eastern Highlands Health District


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Eastern Highlands Health District per 10,000 Visits by Town, June 1, 2024 - May 31, 2025



TOWN	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Andover	aa	a	.0 (0)	.0 (0)
Ashford	200.6 (35)	a	.0 (0)	.0 (0)
Bolton	211.2 (31)	a	.0 (0)	a
Chaplin	150.0 (18)	.0 (0)	.0 (0)	.0 (0)
Columbia	160.3 (38)	a	.0 (0)	a
Coventry	188.6 (80)	28.3 (12)	.0 (0)	a
Mansfield	248.6 (113)	33.0 (15)	.0 (0)	a
Scotland	a	.0 (0)	.0 (0)	.0 (0)
Tolland	203.0 (83)	26.9 (11)	.0 (0)	a
Willington	331.6 (64)	57.0 (11)	.0 (0)	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Eastern Highlands Health District per 10,000 Visits by Sex, June 1, 2024 - May 31, 2025



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	197.8 (239)	27.3 (33)	.0 (0)	aa
Male	223.4 (245)	25.5 (28)	.0 (0)	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


**Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Eastern Highlands Health District per 10,000 Visits by Age,
June 1, 2024 - May 31, 2025**



AGE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
0-9	a	.0 (0)	.0 (0)	.0 (0)
10-17	738.8 (101)	73.2 (10)	.0 (0)	a
18-24	487.8 (88)	77.6 (14)	.0 (0)	a
25-34	348.9 (77)	a	.0 (0)	a
35-44	235.3 (64)	29.4 (8)	.0 (0)	.0 (0)
45-54	216.1 (50)	a	.0 (0)	.0 (0)
55-64	169.2 (51)	23.2 (7)	.0 (0)	a
65-74	96.6 (33)	a	.0 (0)	a
75-84	38.9 (12)	a	.0 (0)	a
85+	a	a	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


**Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Eastern Highlands Health District per 10,000 Visits by Race,
June 1, 2024 - May 31, 2025**



RACE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
American Indian or Alaska Native (AI/AN)	.0 (0)	.0 (0)	.0 (0)	.0 (0)
Asian (A)	252.5 (10)	.0 (0)	.0 (0)	.0 (0)
Black or African American (B)	335.2 (18)	a	.0 (0)	.0 (0)
Native Hawaiian or Other Pacific Islander (NH/PI)	b (0)	b (0)	b (0)	aa
White (W)	213.1 (429)	26.8 (54)	.0 (0)	6.0 (12)
Other	110.1 (14)	a	.0 (0)	a
Unknown / Not Provided (n/a)	195.2 (13)	a	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.

Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Eastern Highlands Health District per 10,000 Visits by Ethnicity, June 1, 2024 - May 31, 2025



ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	88.8 (11)	a	.0 (0)	aa
Not Hispanic or Latino	211.7 (392)	23.8 (44)	.0 (0)	5.9 (11)
Unknown / Not Provided (n/a)	245.6 (81)	aa	.0 (0)	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Essex Health Department (CT)

ED Visits for "Suicidal Ideation and Self Harm" Syndrome in Essex Health Department (CT), by Region of Patient Residence, May 2025

REGION OF PATIENT RESIDENCE	CURRENT MONTH RATE PER 100,000 POPULATION	CURRENT MONTH TOTAL VISITS	YEARLY CUMULATIVE RATE PER 100,000 POPULATION	YEARLY CUMULATIVE TOTAL VISITS
Essex	a	a	460.97	31

Data Source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates were calculated based on 2018 population statistics. These data are preliminary and subject to change as data quality and completeness may vary over time. Of the 38 ED facilities participating in EpiCenter, 0 facilities transmitted data for less than 99% of the days in the specified one-month time frame. Caution should be used when interpreting these results.


Suicidal Ideation and Self Harm in Essex Health Department (CT)



Total counts of SI/SH visits in Essex Health Department (CT), through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Demographic Breakdown Graphs in Essex Health Department (CT)


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Essex Health Department (CT) per 10,000 Visits by Town, June 1, 2024 - May 31, 2025



TOWN	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Essex	194.0 (52)	a	a	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Essex Health Department (CT) per 10,000 Visits by Sex, June 1, 2024 - May 31, 2025



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	149.9 (21)	a	aa	a
Male	242.2 (31)	a	a	aa

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Essex Health Department (CT) per 10,000 Visits by Age, June 1, 2024 - May 31, 2025



AGE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
0-9	.0 (0)	.0 (0)	aa	aa
10-17	800.0 (8)	a	.0 (0)	a
18-24	a	a	.0 (0)	.0 (0)
25-34	a	.0 (0)	.0 (0)	.0 (0)
35-44	a	.0 (0)	.0 (0)	.0 (0)
45-54	a	a	a	.0 (0)
55-64	a	.0 (0)	.0 (0)	.0 (0)
65-74	202.8 (10)	.0 (0)	.0 (0)	.0 (0)
75-84	218.6 (12)	.0 (0)	.0 (0)	.0 (0)
85+	.0 (0)	.0 (0)	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Essex Health Department (CT) per 10,000 Visits by Race, June 1, 2024 - May 31, 2025



RACE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
American Indian or Alaska Native (AI/AN)	b (0)	b (0)	aa	aa
Asian (A)	.0 (0)	.0 (0)	.0 (0)	.0 (0)
Black or African American (B)	a	.0 (0)	.0 (0)	.0 (0)
Native Hawaiian or Other Pacific Islander (NH/PI)	b (0)	b (0)	b (0)	b (0)
White (W)	181.5 (45)	a	a	.0 (0)
Other	a	a	.0 (0)	a
Unknown / Not Provided (n/a)	a	a	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.

Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Essex Health Department (CT) per 10,000 Visits by Ethnicity,
June 1, 2024 - May 31, 2025



ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	a	.0 (0)	aa	aa
Not Hispanic or Latino	188.2 (46)	a	a	.0 (0)
Unknown / Not Provided (n/a)	a	a	.0 (0)	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Fairfield Health Department

ED Visits for "Suicidal Ideation and Self Harm" Syndrome in Fairfield Health Department, by Region of Patient Residence, May 2025

REGION OF PATIENT RESIDENCE	CURRENT MONTH RATE PER 100,000 POPULATION	CURRENT MONTH TOTAL VISITS	YEARLY CUMULATIVE RATE PER 100,000 POPULATION	YEARLY CUMULATIVE TOTAL VISITS
Fairfield	69.73	43	233.51	144

Data Source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates were calculated based on 2018 population statistics. These data are preliminary and subject to change as data quality and completeness may vary over time. Of the 38 ED facilities participating in EpiCenter, 0 facilities transmitted data for less than 99% of the days in the specified one-month time frame. Caution should be used when interpreting these results.


Suicidal Ideation and Self Harm in Fairfield Health Department



Total counts of SI/SH visits in Fairfield Health Department, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Demographic Breakdown Graphs in Fairfield Health Department


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Fairfield Health Department per 10,000 Visits by Town, June 1, 2024 - May 31, 2025



TOWN	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Fairfield	231.9 (295)	38.5 (49)	a	10.2 (13)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Fairfield Health Department per 10,000 Visits by Sex, June 1, 2024 - May 31, 2025



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	212.7 (145)	35.2 (24)	a	aa
Male	254.1 (150)	42.4 (25)	a	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Fairfield Health Department per 10,000 Visits by Age, June 1, 2024 - May 31, 2025



AGE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
0-9	a	a	.0 (0)	.0 (0)
10-17	862.5 (74)	81.6 (7)	.0 (0)	a
18-24	636.1 (50)	139.9 (11)	a	a
25-34	387.2 (34)	113.9 (10)	.0 (0)	a
35-44	266.8 (35)	a	a	.0 (0)
45-54	212.9 (26)	a	.0 (0)	.0 (0)
55-64	151.4 (25)	a	.0 (0)	a
65-74	144.7 (24)	a	.0 (0)	.0 (0)
75-84	80.2 (14)	a	.0 (0)	a
85+	a	a	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Fairfield Health Department per 10,000 Visits by Race, June 1, 2024 - May 31, 2025



RACE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
American Indian or Alaska Native (AI/AN)	b (0)	b (0)	aa	aa
Asian (A)	a	a	.0 (0)	.0 (0)
Black or African American (B)	284.8 (17)	a	.0 (0)	.0 (0)
Native Hawaiian or Other Pacific Islander (NH/PI)	a	b (0)	b (0)	b (0)
White (W)	238.5 (237)	39.2 (39)	a	11.1 (11)
Other	190.8 (27)	a	.0 (0)	a
Unknown / Not Provided (n/a)	154.9 (7)	.0 (0)	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.

**Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Fairfield Health Department per 10,000 Visits by Ethnicity,
June 1, 2024 - May 31, 2025**



ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	aa	a	aa	a
Not Hispanic or Latino	225.4 (249)	37.1 (41)	a	9.1 (10)
Unknown / Not Provided (n/a)	a	a	.0 (0)	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Farmington Valley Health District

ED Visits for "Suicidal Ideation and Self Harm" Syndrome in Farmington Valley Health District, by Region of Patient Residence, May 2025

REGION OF PATIENT RESIDENCE	CURRENT MONTH RATE PER 100,000 POPULATION	CURRENT MONTH TOTAL VISITS	YEARLY CUMULATIVE RATE PER 100,000 POPULATION	YEARLY CUMULATIVE TOTAL VISITS
Farmington Valley Health District	107.76	118	527.82	578
Colebrook	0.00	0	157.08	8
Hartland	0.00	0	183.92	45
Avon	36.59	7	190.46	21
Simsbury	49.05	12	219.53	42
New Hartford	104.71	7	223.55	9
Farmington	316.25	82	237.79	24
Barkhamsted	a	a	344.05	23
Canton	a	a	aa	aa
East Granby	a	a	1534.96	398
Granby	a	a	a	a

Data Source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates were calculated based on 2018 population statistics. These data are preliminary and subject to change as data quality and completeness may vary over time. Of the 38 ED facilities participating in EpiCenter, 0 facilities transmitted data for less than 99% of the days in the specified one-month time frame. Caution should be used when interpreting these results.


Suicidal Ideation and Self Harm in Farmington Valley Health District



Total counts of SI/SH visits in Farmington Valley Health District, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Demographic Breakdown Graphs in Farmington Valley Health District


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Farmington Valley Health District per 10,000 Visits by Town, June 1, 2024 - May 31, 2025



TOWN	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Avon	196.1 (94)	16.7 (8)	a	a
Barkhamsted	134.6 (23)	a	a	.0 (0)
Canton	227.3 (61)	37.3 (10)	a	a
Colebrook	aa	.0 (0)	.0 (0)	.0 (0)
East Granby	264.6 (30)	a	.0 (0)	a
Farmington	528.4 (683)	52.6 (68)	a	12.4 (16)
Granby	237.5 (56)	29.7 (7)	.0 (0)	a
Hartland	a	a	a	.0 (0)
New Hartford	222.9 (55)	36.5 (9)	.0 (0)	a
Simsbury	183.4 (106)	19.0 (11)	a	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Farmington Valley Health District per 10,000 Visits by Sex, June 1, 2024 - May 31, 2025



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	255.5 (465)	33.5 (61)	a	8.8 (16)
Male	390.7 (657)	35.7 (60)	aa	8.3 (14)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Farmington Valley Health District per 10,000 Visits by Age, June 1, 2024 - May 31, 2025



AGE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
0-9	44.0 (8)	.0 (0)	.0 (0)	.0 (0)
10-17	682.6 (120)	91.0 (16)	.0 (0)	a
18-24	672.5 (131)	112.9 (22)	a	41.1 (8)
25-34	591.0 (216)	68.4 (25)	a	19.2 (7)
35-44	506.4 (220)	34.5 (15)	.0 (0)	a
45-54	513.7 (184)	44.7 (16)	a	a
55-64	320.7 (156)	30.8 (15)	a	a
65-74	106.1 (49)	a	a	a
75-84	40.5 (19)	a	.0 (0)	a
85+	30.8 (11)	a	.0 (0)	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Farmington Valley Health District per 10,000 Visits by Race, June 1, 2024 - May 31, 2025



RACE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
American Indian or Alaska Native (AI/AN)	a	.0 (0)	aa	.0 (0)
Asian (A)	181.2 (21)	a	.0 (0)	a
Black or African American (B)	701.1 (186)	67.8 (18)	.0 (0)	a
Native Hawaiian or Other Pacific Islander (NH/PI)	aa	a	.0 (0)	.0 (0)
White (W)	258.8 (721)	27.6 (77)	3.2 (9)	7.2 (20)
Other	610.8 (164)	67.0 (18)	a	a
Unknown / Not Provided (n/a)	314.0 (19)	a	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.

Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Farmington Valley Health District per 10,000 Visits by Ethnicity, June 1, 2024 - May 31, 2025



ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	797.9 (154)	aa	a	a
Not Hispanic or Latino	296.3 (940)	30.9 (98)	2.8 (9)	7.9 (25)
Unknown / Not Provided (n/a)	213.2 (30)	a	aa	aa

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Glastonbury Health Department

ED Visits for "Suicidal Ideation and Self Harm" Syndrome in Glastonbury Health Department, by Region of Patient Residence, May 2025

REGION OF PATIENT RESIDENCE	CURRENT MONTH RATE PER 100,000 POPULATION	CURRENT MONTH TOTAL VISITS	YEARLY CUMULATIVE RATE PER 100,000 POPULATION	YEARLY CUMULATIVE TOTAL VISITS
Glastonbury	57.04	20	256.70	90

Data Source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates were calculated based on 2018 population statistics. These data are preliminary and subject to change as data quality and completeness may vary over time. Of the 38 ED facilities participating in EpiCenter, 0 facilities transmitted data for less than 99% of the days in the specified one-month time frame. Caution should be used when interpreting these results.


Suicidal Ideation and Self Harm in Glastonbury Health Department



Total counts of SI/SH visits in Glastonbury Health Department, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Demographic Breakdown Graphs in Glastonbury Health Department


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Glastonbury Health Department per 10,000 Visits by Town, June 1, 2024 - May 31, 2025



TOWN	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Glastonbury	227.6 (216)	25.3 (24)	a	7.4 (7)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Glastonbury Health Department per 10,000 Visits by Sex, June 1, 2024 - May 31, 2025



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	222.9 (111)	28.1 (14)	aa	a
Male	232.9 (105)	22.2 (10)	a	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Glastonbury Health Department per 10,000 Visits by Age, June 1, 2024 - May 31, 2025



AGE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
0-9	a	.0 (0)	aa	.0 (0)
10-17	556.5 (34)	a	.0 (0)	a
18-24	398.5 (21)	a	.0 (0)	a
25-34	637.1 (56)	102.4 (9)	a	a
35-44	341.2 (32)	a	.0 (0)	a
45-54	193.6 (17)	a	.0 (0)	.0 (0)
55-64	194.8 (23)	a	.0 (0)	.0 (0)
65-74	147.8 (21)	a	.0 (0)	.0 (0)
75-84	67.5 (9)	a	.0 (0)	a
85+	a	.0 (0)	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Glastonbury Health Department per 10,000 Visits by Race, June 1, 2024 - May 31, 2025



RACE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
American Indian or Alaska Native (AI/AN)	a	b (0)	aa	b (0)
Asian (A)	211.6 (8)	a	.0 (0)	a
Black or African American (B)	269.1 (12)	a	.0 (0)	a
Native Hawaiian or Other Pacific Islander (NH/PI)	a	b (0)	b (0)	b (0)
White (W)	199.3 (148)	18.9 (14)	a	a
Other	420.0 (37)	a	.0 (0)	.0 (0)
Unknown / Not Provided (n/a)	267.1 (9)	a	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.

Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Glastonbury Health Department per 10,000 Visits by Ethnicity, June 1, 2024 - May 31, 2025



ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	565.5 (38)	a	aa	a
Not Hispanic or Latino	191.3 (148)	22.0 (17)	a	a
Unknown / Not Provided (n/a)	277.0 (30)	a	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Greenwich Health Department

ED Visits for "Suicidal Ideation and Self Harm" Syndrome in Greenwich Health Department, by Region of Patient Residence, May 2025

REGION OF PATIENT RESIDENCE	CURRENT MONTH RATE PER 100,000 POPULATION	CURRENT MONTH TOTAL VISITS	YEARLY CUMULATIVE RATE PER 100,000 POPULATION	YEARLY CUMULATIVE TOTAL VISITS
Greenwich	42.35	27	178.80	114

Data Source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates were calculated based on 2018 population statistics. These data are preliminary and subject to change as data quality and completeness may vary over time. Of the 38 ED facilities participating in EpiCenter, 0 facilities transmitted data for less than 99% of the days in the specified one-month time frame. Caution should be used when interpreting these results.


Suicidal Ideation and Self Harm in Greenwich Health Department



Total counts of SI/SH visits in Greenwich Health Department, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Demographic Breakdown Graphs in Greenwich Health Department


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Greenwich Health Department per 10,000 Visits by Town, June 1, 2024 - May 31, 2025



TOWN	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Greenwich	115.3 (203)	23.3 (41)	a	10.2 (18)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Greenwich Health Department per 10,000 Visits by Sex, June 1, 2024 - May 31, 2025



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	117.7 (108)	30.5 (28)	a	aa
Male	112.7 (95)	15.4 (13)	a	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Greenwich Health Department per 10,000 Visits by Age, June 1, 2024 - May 31, 2025



AGE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
0-9	a	.0 (0)	.0 (0)	.0 (0)
10-17	390.9 (62)	56.7 (9)	a	a
18-24	376.1 (44)	111.1 (13)	a	a
25-34	204.8 (24)	a	.0 (0)	a
35-44	150.6 (26)	a	.0 (0)	a
45-54	92.6 (16)	a	.0 (0)	a
55-64	63.0 (13)	a	.0 (0)	a
65-74	40.9 (9)	.0 (0)	.0 (0)	.0 (0)
75-84	a	.0 (0)	.0 (0)	.0 (0)
85+	a	a	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Greenwich Health Department per 10,000 Visits by Race, June 1, 2024 - May 31, 2025



RACE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
American Indian or Alaska Native (AI/AN)	.0 (0)	.0 (0)	.0 (0)	.0 (0)
Asian (A)	158.5 (9)	a	a	a
Black or African American (B)	167.6 (9)	a	.0 (0)	a
Native Hawaiian or Other Pacific Islander (NH/PI)	.0 (0)	.0 (0)	.0 (0)	.0 (0)
White (W)	98.3 (107)	23.0 (25)	a	10.1 (11)
Other	103.0 (34)	a	.0 (0)	a
Unknown / Not Provided (n/a)	194.3 (44)	a	a	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.

**Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Greenwich Health Department per 10,000 Visits by Ethnicity,
June 1, 2024 - May 31, 2025**



ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	91.5 (29)	a	aa	a
Not Hispanic or Latino	121.9 (164)	26.0 (35)	a	8.9 (12)
Unknown / Not Provided (n/a)	101.2 (10)	a	.0 (0)	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Guilford Health Department

ED Visits for "Suicidal Ideation and Self Harm" Syndrome in Guilford Health Department, by Region of Patient Residence, May 2025

REGION OF PATIENT RESIDENCE	CURRENT MONTH RATE PER 100,000 POPULATION	CURRENT MONTH TOTAL VISITS	YEARLY CUMULATIVE RATE PER 100,000 POPULATION	YEARLY CUMULATIVE TOTAL VISITS
Guilford	194.46	43	823.05	182

Data Source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates were calculated based on 2018 population statistics. These data are preliminary and subject to change as data quality and completeness may vary over time. Of the 38 ED facilities participating in EpiCenter, 0 facilities transmitted data for less than 99% of the days in the specified one-month time frame. Caution should be used when interpreting these results.


Suicidal Ideation and Self Harm in Guilford Health Department



Total counts of SI/SH visits in Guilford Health Department, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Demographic Breakdown Graphs in Guilford Health Department


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Guilford Health Department per 10,000 Visits by Town, June 1, 2024 - May 31, 2025



TOWN	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Guilford	313.4 (264)	67.7 (57)	a	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Guilford Health Department per 10,000 Visits by Sex, June 1, 2024 - May 31, 2025



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	333.5 (148)	81.1 (36)	a	a
Male	291.3 (116)	52.7 (21)	a	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Guilford Health Department per 10,000 Visits by Age, June 1, 2024 - May 31, 2025



AGE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
0-9	.0 (0)	.0 (0)	.0 (0)	.0 (0)
10-17	515.9 (26)	a	.0 (0)	a
18-24	603.9 (25)	a	a	.0 (0)
25-34	361.7 (17)	170.2 (8)	a	.0 (0)
35-44	360.1 (26)	207.8 (15)	a	a
45-54	489.1 (38)	103.0 (8)	.0 (0)	.0 (0)
55-64	358.6 (35)	a	a	a
65-74	219.5 (34)	a	a	a
75-84	234.3 (38)	a	.0 (0)	.0 (0)
85+	260.4 (25)	a	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Guilford Health Department per 10,000 Visits by Race, June 1, 2024 - May 31, 2025



RACE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
American Indian or Alaska Native (AI/AN)	aa	b (0)	b (0)	b (0)
Asian (A)	a	a	.0 (0)	.0 (0)
Black or African American (B)	522.4 (7)	a	a	.0 (0)
Native Hawaiian or Other Pacific Islander (NH/PI)	b (0)	b (0)	b (0)	b (0)
White (W)	321.2 (248)	63.5 (49)	a	a
Other	192.3 (7)	a	.0 (0)	a
Unknown / Not Provided (n/a)	.0 (0)	.0 (0)	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.

**Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Guilford Health Department per 10,000 Visits by Ethnicity,
June 1, 2024 - May 31, 2025**



ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	186.7 (7)	a	aa	aa
Not Hispanic or Latino	317.3 (249)	68.8 (54)	a	a
Unknown / Not Provided (n/a)	400.0 (8)	a	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Hartford Health & Human Services

ED Visits for "Suicidal Ideation and Self Harm" Syndrome in Hartford Health & Human Services, by Region of Patient Residence, May 2025

REGION OF PATIENT RESIDENCE	CURRENT MONTH RATE PER 100,000 POPULATION	CURRENT MONTH TOTAL VISITS	YEARLY CUMULATIVE RATE PER 100,000 POPULATION	YEARLY CUMULATIVE TOTAL VISITS
Hartford	153.92	188	776.96	949

Data Source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates were calculated based on 2018 population statistics. These data are preliminary and subject to change as data quality and completeness may vary over time. Of the 38 ED facilities participating in EpiCenter, 0 facilities transmitted data for less than 99% of the days in the specified one-month time frame. Caution should be used when interpreting these results.


Suicidal Ideation and Self Harm in Hartford Health & Human Services



Total counts of SI/SH visits in Hartford Health & Human Services, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Demographic Breakdown Graphs in Hartford Health & Human Services


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Hartford Health & Human Services per 10,000 Visits by Town,
June 1, 2024 - May 31, 2025



TOWN	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hartford	238.2 (2323)	26.5 (258)	2.1 (20)	4.0 (39)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Hartford Health & Human Services per 10,000 Visits by Sex,
June 1, 2024 - May 31, 2025



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	180.2 (948)	25.8 (136)	a	4.6 (24)
Male	306.4 (1375)	27.2 (122)	aa	3.3 (15)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Hartford Health & Human Services per 10,000 Visits by Age, June 1, 2024 - May 31, 2025



AGE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
0-9	aa	a	.0 (0)	.0 (0)
10-17	348.3 (206)	33.8 (20)	a	a
18-24	309.5 (291)	40.4 (38)	a	a
25-34	279.3 (438)	33.2 (52)	a	5.7 (9)
35-44	375.5 (574)	35.3 (54)	a	4.6 (7)
45-54	239.2 (273)	34.2 (39)	a	7.0 (8)
55-64	277.7 (356)	24.2 (31)	a	a
65-74	152.6 (127)	14.4 (12)	.0 (0)	.0 (0)
75-84	55.4 (25)	a	.0 (0)	a
85+	a	.0 (0)	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Hartford Health & Human Services per 10,000 Visits by Race, June 1, 2024 - May 31, 2025



RACE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
American Indian or Alaska Native (AI/AN)	a	a	a	.0 (0)
Asian (A)	280.7 (24)	a	.0 (0)	a
Black or African American (B)	237.3 (907)	24.9 (95)	a	3.1 (12)
Native Hawaiian or Other Pacific Islander (NH/PI)	a	.0 (0)	.0 (0)	.0 (0)
White (W)	400.8 (478)	50.3 (60)	a	9.2 (11)
Other	199.9 (822)	21.2 (87)	1.9 (8)	2.9 (12)
Unknown / Not Provided (n/a)	162.6 (82)	17.8 (9)	a	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.

Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Hartford Health & Human Services per 10,000 Visits by Ethnicity, June 1, 2024 - May 31, 2025



ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	200.6 (863)	20.9 (90)	aa	3.3 (14)
Not Hispanic or Latino	283.7 (1379)	32.1 (156)	2.3 (11)	5.1 (25)
Unknown / Not Provided (n/a)	137.1 (81)	20.3 (12)	a	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Housatonic Valley Health District

ED Visits for "Suicidal Ideation and Self Harm" Syndrome in Housatonic Valley Health District, by Region of Patient Residence, May 2025

REGION OF PATIENT RESIDENCE	CURRENT MONTH RATE PER 100,000 POPULATION	CURRENT MONTH TOTAL VISITS	YEARLY CUMULATIVE RATE PER 100,000 POPULATION	YEARLY CUMULATIVE TOTAL VISITS
Housatonic Valley Health District	54.69	42	247.39	190
Sharon	aa	aa	141.24	18
Washington	0.00	0	176.18	35
Southbury	45.30	9	317.56	31
Woodbury	71.71	7	349.35	98
New Milford	74.86	21	a	a
Oxford	a	a	a	a

Data Source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates were calculated based on 2018 population statistics. These data are preliminary and subject to change as data quality and completeness may vary over time. Of the 38 ED facilities participating in EpiCenter, 0 facilities transmitted data for less than 99% of the days in the specified one-month time frame. Caution should be used when interpreting these results.


Suicidal Ideation and Self Harm in Housatonic Valley Health District



Total counts of SI/SH visits in Housatonic Valley Health District, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Demographic Breakdown Graphs in Housatonic Valley Health District


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Housatonic Valley Health District per 10,000 Visits by Town, June 1, 2024 - May 31, 2025



TOWN	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
New Milford	162.6 (197)	36.3 (44)	a	9.9 (12)
Oxford	123.8 (45)	19.3 (7)	.0 (0)	.0 (0)
Sharon	158.6 (18)	a	.0 (0)	a
Southbury	191.9 (111)	32.9 (19)	a	a
Washington	56.9 (7)	aa	.0 (0)	.0 (0)
Woodbury	207.1 (56)	33.3 (9)	a	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Housatonic Valley Health District per 10,000 Visits by Sex, June 1, 2024 - May 31, 2025



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	162.1 (227)	30.0 (42)	a	6.4 (9)
Male	164.3 (207)	31.0 (39)	a	7.1 (9)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Housatonic Valley Health District per 10,000 Visits by Age, June 1, 2024 - May 31, 2025



AGE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
0-9	.0 (0)	.0 (0)	.0 (0)	.0 (0)
10-17	646.3 (89)	116.2 (16)	a	a
18-24	399.2 (60)	113.1 (17)	.0 (0)	a
25-34	319.6 (75)	38.3 (9)	a	a
35-44	180.7 (45)	32.1 (8)	.0 (0)	a
45-54	201.4 (49)	a	.0 (0)	a
55-64	183.1 (66)	38.8 (14)	a	a
65-74	67.7 (27)	20.0 (8)	.0 (0)	a
75-84	34.8 (15)	a	.0 (0)	.0 (0)
85+	26.4 (7)	a	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Housatonic Valley Health District per 10,000 Visits by Race, June 1, 2024 - May 31, 2025



RACE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
American Indian or Alaska Native (AI/AN)	aa	b (0)	aa	b (0)
Asian (A)	a	.0 (0)	.0 (0)	.0 (0)
Black or African American (B)	142.5 (11)	.0 (0)	.0 (0)	.0 (0)
Native Hawaiian or Other Pacific Islander (NH/PI)	b (0)	b (0)	b (0)	b (0)
White (W)	163.0 (362)	32.0 (71)	a	6.3 (14)
Other	209.9 (25)	a	.0 (0)	a
Unknown / Not Provided (n/a)	153.6 (34)	a	.0 (0)	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.

Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Housatonic Valley Health District per 10,000 Visits by Ethnicity, June 1, 2024 - May 31, 2025



ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	156.7 (28)	a	aa	a
Not Hispanic or Latino	164.4 (380)	31.2 (72)	a	6.5 (15)
Unknown / Not Provided (n/a)	152.5 (26)	a	.0 (0)	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Ledge Light Health District

ED Visits for "Suicidal Ideation and Self Harm" Syndrome in Ledge Light Health District, by Region of Patient Residence, May 2025

REGION OF PATIENT RESIDENCE	CURRENT MONTH RATE PER 100,000 POPULATION	CURRENT MONTH TOTAL VISITS	YEARLY CUMULATIVE RATE PER 100,000 POPULATION	YEARLY CUMULATIVE TOTAL VISITS
Ledge Light Health District	84.31	148	426.12	748
Stonington	45.33	12	213.55	11
Ledyard	65.37	10	234.18	62
East Lyme	69.16	13	260.08	26
Groton	70.30	30	261.02	26
Waterford	81.63	16	265.99	50
New London	188.51	52	392.84	77
Lyme	a	a	431.19	184
North Stonington	a	a	503.37	77
Old Lyme	a	a	851.91	235

Data Source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates were calculated based on 2018 population statistics. These data are preliminary and subject to change as data quality and completeness may vary over time. Of the 38 ED facilities participating in EpiCenter, 0 facilities transmitted data for less than 99% of the days in the specified one-month time frame. Caution should be used when interpreting these results.


Suicidal Ideation and Self Harm in Ledge Light Health District



Total counts of SI/SH visits in Ledge Light Health District, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Demographic Breakdown Graphs in Ledge Light Health District


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Ledge Light Health District per 10,000 Visits by Town, June 1, 2024 - May 31, 2025



TOWN	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
East Lyme	142.4 (114)	31.2 (25)	a	21.2 (17)
Groton	161.1 (426)	20.4 (54)	a	11.0 (29)
Ledyard	215.1 (179)	30.0 (25)	a	13.2 (11)
Lyme	140.0 (50)	30.8 (11)	a	a
New London	220.7 (532)	23.7 (57)	a	9.1 (22)
North Stonington	144.5 (18)	56.2 (7)	.0 (0)	a
Old Lyme	139.3 (50)	30.6 (11)	a	a
Stonington	170.0 (147)	24.3 (21)	.0 (0)	9.3 (8)
Waterford	159.2 (165)	21.2 (22)	a	7.7 (8)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Ledge Light Health District per 10,000 Visits by Sex, June 1, 2024 - May 31, 2025



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	177.5 (825)	22.8 (106)	a	11.8 (55)
Male	191.8 (736)	27.4 (105)	aa	9.9 (38)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Ledge Light Health District per 10,000 Visits by Age, June 1, 2024 - May 31, 2025



AGE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
0-9	13.8 (11)	a	.0 (0)	.0 (0)
10-17	383.2 (214)	62.7 (35)	a	34.0 (19)
18-24	312.0 (216)	47.7 (33)	.0 (0)	27.4 (19)
25-34	285.0 (301)	29.4 (31)	a	13.3 (14)
35-44	232.4 (251)	38.0 (41)	a	17.6 (19)
45-54	229.4 (192)	35.9 (30)	.0 (0)	14.3 (12)
55-64	172.5 (187)	15.7 (17)	.0 (0)	6.5 (7)
65-74	107.2 (108)	15.9 (16)	a	a
75-84	54.3 (48)	a	.0 (0)	a
85+	65.5 (32)	a	a	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Ledge Light Health District per 10,000 Visits by Race, June 1, 2024 - May 31, 2025



RACE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
American Indian or Alaska Native (AI/AN)	aa	a	.0 (0)	aa
Asian (A)	167.2 (24)	48.8 (7)	.0 (0)	a
Black or African American (B)	185.4 (186)	21.9 (22)	a	8.0 (8)
Native Hawaiian or Other Pacific Islander (NH/PI)	a	a	.0 (0)	.0 (0)
White (W)	191.9 (1106)	26.0 (150)	1.2 (7)	11.8 (68)
Other	149.6 (214)	19.6 (28)	a	9.1 (13)
Unknown / Not Provided (n/a)	545.5 (21)	a	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.

Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Ledge Light Health District per 10,000 Visits by Ethnicity, June 1, 2024 - May 31, 2025



ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	144.5 (233)	aa	a	aa
Not Hispanic or Latino	193.3 (1278)	26.8 (177)	1.4 (9)	11.9 (79)
Unknown / Not Provided (n/a)	193.6 (51)	a	aa	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Madison Health Department

ED Visits for "Suicidal Ideation and Self Harm" Syndrome in Madison Health Department, by Region of Patient Residence, May 2025

REGION OF PATIENT RESIDENCE	CURRENT MONTH RATE PER 100,000 POPULATION	CURRENT MONTH TOTAL VISITS	YEARLY CUMULATIVE RATE PER 100,000 POPULATION	YEARLY CUMULATIVE TOTAL VISITS
Madison	118.36	21	603.09	107

Data Source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates were calculated based on 2018 population statistics. These data are preliminary and subject to change as data quality and completeness may vary over time. Of the 38 ED facilities participating in EpiCenter, 0 facilities transmitted data for less than 99% of the days in the specified one-month time frame. Caution should be used when interpreting these results.


Suicidal Ideation and Self Harm in Madison Health Department



Total counts of SI/SH visits in Madison Health Department, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Demographic Breakdown Graphs in Madison Health Department


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Madison Health Department per 10,000 Visits by Town, June 1, 2024 - May 31, 2025



TOWN	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Madison	252.3 (160)	39.4 (25)	a	12.6 (8)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Madison Health Department per 10,000 Visits by Sex, June 1, 2024 - May 31, 2025



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	223.6 (74)	30.2 (10)	a	a
Male	283.8 (86)	49.5 (15)	a	a


In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.

Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Madison Health Department per 10,000 Visits by Age, June 1, 2024 - May 31, 2025




In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.

Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Madison Health Department per 10,000 Visits by Race, June 1, 2024 - May 31, 2025



In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.

**Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Madison Health Department per 10,000 Visits by Ethnicity,
June 1, 2024 - May 31, 2025**



ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	a	a	aa	a
Not Hispanic or Latino	262.1 (154)	35.7 (21)	a	a
Unknown / Not Provided (n/a)	a	a	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Manchester Health Department

ED Visits for "Suicidal Ideation and Self Harm" Syndrome in Manchester Health Department, by Region of Patient Residence, May 2025

REGION OF PATIENT RESIDENCE	CURRENT MONTH RATE PER 100,000 POPULATION	CURRENT MONTH TOTAL VISITS	YEARLY CUMULATIVE RATE PER 100,000 POPULATION	YEARLY CUMULATIVE TOTAL VISITS
Manchester	121.11	72	506.29	301

Data Source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates were calculated based on 2018 population statistics. These data are preliminary and subject to change as data quality and completeness may vary over time. Of the 38 ED facilities participating in EpiCenter, 0 facilities transmitted data for less than 99% of the days in the specified one-month time frame. Caution should be used when interpreting these results.


Suicidal Ideation and Self Harm in Manchester Health Department



Total counts of SI/SH visits in Manchester Health Department, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Demographic Breakdown Graphs in Manchester Health Department


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Manchester Health Department per 10,000 Visits by Town, June 1, 2024 - May 31, 2025



TOWN	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Manchester	255.5 (749)	36.8 (108)	2.7 (8)	2.7 (8)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Manchester Health Department per 10,000 Visits by Sex, June 1, 2024 - May 31, 2025



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	246.4 (405)	47.4 (78)	a	aa
Male	266.4 (343)	23.3 (30)	a	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Manchester Health Department per 10,000 Visits by Age, June 1, 2024 - May 31, 2025



AGE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
0-9	a	a	.0 (0)	.0 (0)
10-17	591.1 (96)	80.0 (13)	.0 (0)	a
18-24	365.9 (85)	77.5 (18)	.0 (0)	a
25-34	441.8 (198)	58.0 (26)	a	a
35-44	325.0 (137)	45.1 (19)	.0 (0)	a
45-54	282.5 (102)	30.5 (11)	.0 (0)	.0 (0)
55-64	232.2 (82)	31.1 (11)	a	a
65-74	85.1 (28)	a	a	.0 (0)
75-84	64.9 (15)	a	.0 (0)	.0 (0)
85+	a	.0 (0)	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Manchester Health Department per 10,000 Visits by Race, June 1, 2024 - May 31, 2025



RACE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
American Indian or Alaska Native (AI/AN)	a	a	.0 (0)	.0 (0)
Asian (A)	198.9 (15)	a	.0 (0)	.0 (0)
Black or African American (B)	227.9 (149)	29.1 (19)	.0 (0)	a
Native Hawaiian or Other Pacific Islander (NH/PI)	aa	b (0)	aa	b (0)
White (W)	290.8 (415)	40.6 (58)	4.9 (7)	a
Other	264.5 (96)	27.6 (10)	a	a
Unknown / Not Provided (n/a)	179.7 (73)	36.9 (15)	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.

Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Manchester Health Department per 10,000 Visits by Ethnicity, June 1, 2024 - May 31, 2025



ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	213.6 (78)	24.6 (9)	a	.0 (0)
Not Hispanic or Latino	313.6 (418)	39.8 (53)	a	a
Unknown / Not Provided (n/a)	205.0 (253)	37.3 (46)	a	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Meriden Department of Health and Human Services

ED Visits for "Suicidal Ideation and Self Harm" Syndrome in Meriden Department of Health and Human Services, by Region of Patient Residence, May 2025

REGION OF PATIENT RESIDENCE	CURRENT MONTH RATE PER 100,000 POPULATION	CURRENT MONTH TOTAL VISITS	YEARLY CUMULATIVE RATE PER 100,000 POPULATION	YEARLY CUMULATIVE TOTAL VISITS
Meriden	106.93	65	509.95	310

Data Source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates were calculated based on 2018 population statistics. These data are preliminary and subject to change as data quality and completeness may vary over time. Of the 38 ED facilities participating in EpiCenter, 0 facilities transmitted data for less than 99% of the days in the specified one-month time frame. Caution should be used when interpreting these results.


Suicidal Ideation and Self Harm in Meriden Department of Health and Human Services



Total counts of SI/SH visits in Meriden Department of Health and Human Services, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Demographic Breakdown Graphs in Meriden Department of Health and Human Services


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Meriden Department of Health and Human Services per 10,000 Visits by Town, June 1, 2024 - May 31, 2025



TOWN	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Meriden	201.2 (736)	27.1 (99)	3.8 (14)	4.1 (15)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Meriden Department of Health and Human Services per 10,000 Visits by Sex, June 1, 2024 - May 31, 2025



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	160.5 (327)	23.6 (48)	a	aa
Male	251.3 (407)	31.5 (51)	aa	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Meriden Department of Health and Human Services per 10,000 Visits by Age, June 1, 2024 - May 31, 2025



AGE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
0-9	aa	a	.0 (0)	.0 (0)
10-17	413.7 (94)	52.8 (12)	a	a
18-24	281.9 (88)	54.5 (17)	a	a
25-34	305.0 (165)	40.7 (22)	12.9 (7)	a
35-44	201.5 (99)	24.4 (12)	a	a
45-54	212.0 (98)	21.6 (10)	a	a
55-64	269.6 (134)	30.2 (15)	a	a
65-74	92.4 (34)	a	.0 (0)	.0 (0)
75-84	45.0 (11)	a	.0 (0)	.0 (0)
85+	a	a	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Meriden Department of Health and Human Services per 10,000 Visits by Race, June 1, 2024 - May 31, 2025



RACE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
American Indian or Alaska Native (AI/AN)	a	a	.0 (0)	.0 (0)
Asian (A)	a	a	.0 (0)	.0 (0)
Black or African American (B)	212.2 (114)	35.4 (19)	a	a
Native Hawaiian or Other Pacific Islander (NH/PI)	.0 (0)	.0 (0)	.0 (0)	.0 (0)
White (W)	243.9 (391)	34.3 (55)	a	a
Other	151.4 (211)	15.1 (21)	a	a
Unknown / Not Provided (n/a)	158.1 (12)	a	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.

Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Meriden Department of Health and Human Services per 10,000 Visits by Ethnicity, June 1, 2024 - May 31, 2025



ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	173.1 (257)	aa	5.4 (8)	a
Not Hispanic or Latino	225.4 (470)	33.6 (70)	a	4.8 (10)
Unknown / Not Provided (n/a)	102.4 (9)	a	aa	aa

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Middletown Health Department

ED Visits for "Suicidal Ideation and Self Harm" Syndrome in Middletown Health Department, by Region of Patient Residence, May 2025

REGION OF PATIENT RESIDENCE	CURRENT MONTH RATE PER 100,000 POPULATION	CURRENT MONTH TOTAL VISITS	YEARLY CUMULATIVE RATE PER 100,000 POPULATION	YEARLY CUMULATIVE TOTAL VISITS
Middletown	120.85	57	547.03	258

Data Source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates were calculated based on 2018 population statistics. These data are preliminary and subject to change as data quality and completeness may vary over time. Of the 38 ED facilities participating in EpiCenter, 0 facilities transmitted data for less than 99% of the days in the specified one-month time frame. Caution should be used when interpreting these results.


Suicidal Ideation and Self Harm in Middletown Health Department



Total counts of SI/SH visits in Middletown Health Department, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Demographic Breakdown Graphs in Middletown Health Department


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Middletown Health Department per 10,000 Visits by Town, June 1, 2024 - May 31, 2025



TOWN	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Middletown	257.3 (626)	36.2 (88)	2.9 (7)	9.0 (22)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Middletown Health Department per 10,000 Visits by Sex, June 1, 2024 - May 31, 2025



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	235.5 (310)	37.2 (49)	a	9.9 (13)
Male	281.6 (314)	34.1 (38)	a	8.1 (9)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Middletown Health Department per 10,000 Visits by Age, June 1, 2024 - May 31, 2025



AGE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
0-9	a	aa	.0 (0)	.0 (0)
10-17	737.9 (87)	84.8 (10)	.0 (0)	a
18-24	501.4 (90)	66.9 (12)	a	a
25-34	388.0 (144)	48.5 (18)	a	a
35-44	302.5 (98)	49.4 (16)	a	a
45-54	330.6 (93)	42.7 (12)	.0 (0)	a
55-64	203.1 (71)	25.7 (9)	.0 (0)	a
65-74	98.7 (29)	27.2 (8)	.0 (0)	a
75-84	32.1 (7)	a	.0 (0)	a
85+	a	.0 (0)	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Middletown Health Department per 10,000 Visits by Race, June 1, 2024 - May 31, 2025



RACE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
American Indian or Alaska Native (AI/AN)	.0 (0)	.0 (0)	.0 (0)	.0 (0)
Asian (A)	a	.0 (0)	.0 (0)	.0 (0)
Black or African American (B)	173.1 (93)	24.2 (13)	a	a
Native Hawaiian or Other Pacific Islander (NH/PI)	a	.0 (0)	.0 (0)	.0 (0)
White (W)	302.6 (433)	42.6 (61)	a	9.8 (14)
Other	196.4 (70)	19.6 (7)	.0 (0)	a
Unknown / Not Provided (n/a)	431.0 (25)	120.7 (7)	.0 (0)	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.

Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Middletown Health Department per 10,000 Visits by Ethnicity, June 1, 2024 - May 31, 2025



ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	121.0 (19)	a	a	a
Not Hispanic or Latino	267.3 (520)	39.1 (76)	a	10.3 (20)
Unknown / Not Provided (n/a)	263.4 (87)	aa	.0 (0)	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Milford Health Department

ED Visits for "Suicidal Ideation and Self Harm" Syndrome in Milford Health Department, by Region of Patient Residence, May 2025

REGION OF PATIENT RESIDENCE	CURRENT MONTH RATE PER 100,000 POPULATION	CURRENT MONTH TOTAL VISITS	YEARLY CUMULATIVE RATE PER 100,000 POPULATION	YEARLY CUMULATIVE TOTAL VISITS
Milford	42.06	22	368.97	193

Data Source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates were calculated based on 2018 population statistics. These data are preliminary and subject to change as data quality and completeness may vary over time. Of the 38 ED facilities participating in EpiCenter, 0 facilities transmitted data for less than 99% of the days in the specified one-month time frame. Caution should be used when interpreting these results.


Suicidal Ideation and Self Harm in Milford Health Department



Total counts of SI/SH visits in Milford Health Department, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Demographic Breakdown Graphs in Milford Health Department


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Milford Health Department per 10,000 Visits by Town, June 1, 2024 - May 31, 2025



TOWN	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Milford	248.1 (416)	48.9 (82)	a	12.5 (21)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Milford Health Department per 10,000 Visits by Sex, June 1, 2024 - May 31, 2025



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	215.6 (193)	52.5 (47)	a	15.6 (14)
Male	285.3 (223)	44.8 (35)	a	9.0 (7)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Milford Health Department per 10,000 Visits by Age, June 1, 2024 - May 31, 2025



AGE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
0-9	a	.0 (0)	.0 (0)	.0 (0)
10-17	668.5 (49)	122.8 (9)	.0 (0)	109.1 (8)
18-24	422.0 (33)	166.2 (13)	.0 (0)	a
25-34	452.0 (65)	62.6 (9)	a	a
35-44	397.6 (73)	81.7 (15)	a	a
45-54	359.2 (61)	58.9 (10)	.0 (0)	a
55-64	188.5 (53)	56.9 (16)	a	a
65-74	151.0 (38)	a	.0 (0)	a
75-84	110.9 (28)	a	a	.0 (0)
85+	aa	.0 (0)	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Milford Health Department per 10,000 Visits by Race, June 1, 2024 - May 31, 2025



RACE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
American Indian or Alaska Native (AI/AN)	a	a	.0 (0)	.0 (0)
Asian (A)	a	a	.0 (0)	.0 (0)
Black or African American (B)	327.7 (35)	a	.0 (0)	.0 (0)
Native Hawaiian or Other Pacific Islander (NH/PI)	a	b (0)	aa	aa
White (W)	244.2 (340)	47.4 (66)	a	14.4 (20)
Other	216.9 (27)	a	.0 (0)	a
Unknown / Not Provided (n/a)	a	a	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.

Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Milford Health Department per 10,000 Visits by Ethnicity, June 1, 2024 - May 31, 2025



ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	236.1 (39)	aa	aa	a
Not Hispanic or Latino	250.2 (369)	46.8 (69)	a	12.9 (19)
Unknown / Not Provided (n/a)	216.2 (8)	a	.0 (0)	aa

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Monroe Health Department

ED Visits for "Suicidal Ideation and Self Harm" Syndrome in Monroe Health Department, by Region of Patient Residence, May 2025

REGION OF PATIENT RESIDENCE	CURRENT MONTH RATE PER 100,000 POPULATION	CURRENT MONTH TOTAL VISITS	YEARLY CUMULATIVE RATE PER 100,000 POPULATION	YEARLY CUMULATIVE TOTAL VISITS
Monroe	a	a	179.64	34

Data Source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates were calculated based on 2018 population statistics. These data are preliminary and subject to change as data quality and completeness may vary over time. Of the 38 ED facilities participating in EpiCenter, 0 facilities transmitted data for less than 99% of the days in the specified one-month time frame. Caution should be used when interpreting these results.


Suicidal Ideation and Self Harm in Monroe Health Department



Total counts of SI/SH visits in Monroe Health Department, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Demographic Breakdown Graphs in Monroe Health Department


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Monroe Health Department per 10,000 Visits by Town, June 1, 2024 - May 31, 2025



TOWN	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Monroe	181.1 (79)	43.6 (19)	.0 (0)	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Monroe Health Department per 10,000 Visits by Sex, June 1, 2024 - May 31, 2025



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	186.2 (42)	48.8 (11)	.0 (0)	a
Male	175.7 (37)	38.0 (8)	.0 (0)	aa

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Monroe Health Department per 10,000 Visits by Age, June 1, 2024 - May 31, 2025



AGE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
0-9	a	.0 (0)	.0 (0)	.0 (0)
10-17	521.2 (16)	a	.0 (0)	a
18-24	330.6 (8)	.0 (0)	.0 (0)	.0 (0)
25-34	421.3 (15)	a	.0 (0)	.0 (0)
35-44	241.9 (12)	a	.0 (0)	a
45-54	246.6 (11)	a	.0 (0)	.0 (0)
55-64	155.4 (9)	a	.0 (0)	a
65-74	a	a	.0 (0)	.0 (0)
75-84	a	a	.0 (0)	.0 (0)
85+	.0 (0)	.0 (0)	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Monroe Health Department per 10,000 Visits by Race, June 1, 2024 - May 31, 2025



RACE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
American Indian or Alaska Native (AI/AN)	b (0)	b (0)	b (0)	b (0)
Asian (A)	a	.0 (0)	.0 (0)	.0 (0)
Black or African American (B)	a	a	.0 (0)	a
Native Hawaiian or Other Pacific Islander (NH/PI)	b (0)	b (0)	b (0)	b (0)
White (W)	181.3 (64)	45.3 (16)	.0 (0)	a
Other	185.6 (9)	a	.0 (0)	a
Unknown / Not Provided (n/a)	a	.0 (0)	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.

Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Monroe Health Department per 10,000 Visits by Ethnicity, June 1, 2024 - May 31, 2025



ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	aa	a	.0 (0)	a
Not Hispanic or Latino	179.1 (67)	40.1 (15)	.0 (0)	a
Unknown / Not Provided (n/a)	a	aa	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Naugatuck Valley Health District

ED Visits for "Suicidal Ideation and Self Harm" Syndrome in Naugatuck Valley Health District, by Region of Patient Residence, May 2025

REGION OF PATIENT RESIDENCE	CURRENT MONTH RATE PER 100,000 POPULATION	CURRENT MONTH TOTAL VISITS	YEARLY CUMULATIVE RATE PER 100,000 POPULATION	YEARLY CUMULATIVE TOTAL VISITS
Naugatuck Valley Health District	90.74	115	431.62	547
Shelton	61.06	25	322.39	132
Naugatuck	66.25	21	382.52	64
Seymour	aa	aa	397.49	126
Derby	128.98	16	398.21	24
Ansonia	174.35	33	612.88	116
Beacon Falls	a	a	685.21	85

Data Source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates were calculated based on 2018 population statistics. These data are preliminary and subject to change as data quality and completeness may vary over time. Of the 38 ED facilities participating in EpiCenter, 0 facilities transmitted data for less than 99% of the days in the specified one-month time frame. Caution should be used when interpreting these results.


Suicidal Ideation and Self Harm in Naugatuck Valley Health District



Total counts of SI/SH visits in Naugatuck Valley Health District, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Demographic Breakdown Graphs in Naugatuck Valley Health District


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Naugatuck Valley Health District per 10,000 Visits by Town, June 1, 2024 - May 31, 2025



TOWN	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Ansonia	258.3 (298)	38.1 (44)	a	a
Beacon Falls	211.5 (40)	a	.0 (0)	a
Derby	302.9 (208)	39.3 (27)	a	a
Naugatuck	254.4 (339)	39.8 (53)	a	12.0 (16)
Seymour	236.0 (156)	aa	a	a
Shelton	196.0 (277)	23.3 (33)	.0 (0)	6.4 (9)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Naugatuck Valley Health District per 10,000 Visits by Sex, June 1, 2024 - May 31, 2025



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	205.2 (610)	32.0 (95)	a	10.4 (31)
Male	287.1 (707)	34.9 (86)	aa	5.3 (13)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Naugatuck Valley Health District per 10,000 Visits by Age, June 1, 2024 - May 31, 2025



AGE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
0-9	38.2 (18)	aa	.0 (0)	.0 (0)
10-17	528.1 (158)	83.6 (25)	a	36.8 (11)
18-24	434.9 (165)	60.6 (23)	a	18.5 (7)
25-34	418.4 (296)	48.1 (34)	a	a
35-44	304.8 (216)	48.0 (34)	a	14.1 (10)
45-54	299.3 (173)	39.8 (23)	.0 (0)	a
55-64	227.2 (172)	30.4 (23)	.0 (0)	a
65-74	94.3 (61)	13.9 (9)	.0 (0)	a
75-84	70.4 (39)	12.6 (7)	.0 (0)	a
85+	60.4 (20)	a	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Naugatuck Valley Health District per 10,000 Visits by Race, June 1, 2024 - May 31, 2025



RACE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
American Indian or Alaska Native (AI/AN)	a	.0 (0)	.0 (0)	.0 (0)
Asian (A)	208.3 (11)	a	.0 (0)	.0 (0)
Black or African American (B)	217.4 (166)	34.0 (26)	.0 (0)	9.2 (7)
Native Hawaiian or Other Pacific Islander (NH/PI)	a	a	.0 (0)	.0 (0)
White (W)	256.1 (924)	35.5 (128)	2.2 (8)	8.6 (31)
Other	204.4 (187)	21.9 (20)	a	a
Unknown / Not Provided (n/a)	301.6 (26)	a	a	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.

Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Naugatuck Valley Health District per 10,000 Visits by Ethnicity, June 1, 2024 - May 31, 2025



ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	187.0 (207)	25.3 (28)	a	a
Not Hispanic or Latino	248.6 (1045)	34.3 (144)	2.1 (9)	8.1 (34)
Unknown / Not Provided (n/a)	524.6 (66)	71.5 (9)	a	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


New Britain Health Department

ED Visits for "Suicidal Ideation and Self Harm" Syndrome in New Britain Health Department, by Region of Patient Residence, May 2025

REGION OF PATIENT RESIDENCE	CURRENT MONTH RATE PER 100,000 POPULATION	CURRENT MONTH TOTAL VISITS	YEARLY CUMULATIVE RATE PER 100,000 POPULATION	YEARLY CUMULATIVE TOTAL VISITS
New Britain	133.55	99	596.25	442

Data Source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates were calculated based on 2018 population statistics. These data are preliminary and subject to change as data quality and completeness may vary over time. Of the 38 ED facilities participating in EpiCenter, 0 facilities transmitted data for less than 99% of the days in the specified one-month time frame. Caution should be used when interpreting these results.


Suicidal Ideation and Self Harm in New Britain Health Department



Total counts of SI/SH visits in New Britain Health Department, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Demographic Breakdown Graphs in New Britain Health Department


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in New Britain Health Department per 10,000 Visits by Town, June 1, 2024 - May 31, 2025



TOWN	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
New Britain	207.4 (1190)	20.7 (119)	1.9 (11)	5.9 (34)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in New Britain Health Department per 10,000 Visits by Sex, June 1, 2024 - May 31, 2025



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	176.5 (558)	18.0 (57)	a	5.4 (17)
Male	244.4 (629)	23.7 (61)	a	6.6 (17)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in New Britain Health Department per 10,000 Visits by Age, June 1, 2024 - May 31, 2025



AGE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
0-9	12.7 (8)	.0 (0)	.0 (0)	.0 (0)
10-17	387.9 (136)	57.0 (20)	a	a
18-24	388.6 (206)	32.1 (17)	.0 (0)	a
25-34	245.4 (225)	22.9 (21)	a	a
35-44	231.4 (204)	29.5 (26)	a	a
45-54	190.0 (132)	18.7 (13)	a	a
55-64	254.2 (195)	16.9 (13)	a	a
65-74	103.9 (56)	a	.0 (0)	a
75-84	50.3 (14)	a	a	.0 (0)
85+	70.4 (10)	.0 (0)	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in New Britain Health Department per 10,000 Visits by Race, June 1, 2024 - May 31, 2025



RACE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
American Indian or Alaska Native (AI/AN)	a	.0 (0)	.0 (0)	.0 (0)
Asian (A)	a	a	.0 (0)	a
Black or African American (B)	216.4 (195)	17.8 (16)	a	a
Native Hawaiian or Other Pacific Islander (NH/PI)	1604.9 (13)	a	.0 (0)	.0 (0)
White (W)	264.6 (465)	25.0 (44)	a	7.4 (13)
Other	165.9 (475)	19.2 (55)	a	5.6 (16)
Unknown / Not Provided (n/a)	235.8 (34)	a	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.

Rates of SI/SH ED Visits in Demographic Breakdown Graphs in New Britain Health Department per 10,000 Visits by Ethnicity, June 1, 2024 - May 31, 2025



ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	185.4 (497)	aa	2.6 (7)	6.0 (16)
Not Hispanic or Latino	251.4 (662)	23.2 (61)	a	6.8 (18)
Unknown / Not Provided (n/a)	73.0 (31)	a	aa	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


New Canaan Health Department

ED Visits for "Suicidal Ideation and Self Harm" Syndrome in New Canaan Health Department, by Region of Patient Residence, May 2025

REGION OF PATIENT RESIDENCE	CURRENT MONTH RATE PER 100,000 POPULATION	CURRENT MONTH TOTAL VISITS	YEARLY CUMULATIVE RATE PER 100,000 POPULATION	YEARLY CUMULATIVE TOTAL VISITS
New Canaan	38.70	8	188.66	39

Data Source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates were calculated based on 2018 population statistics. These data are preliminary and subject to change as data quality and completeness may vary over time. Of the 38 ED facilities participating in EpiCenter, 0 facilities transmitted data for less than 99% of the days in the specified one-month time frame. Caution should be used when interpreting these results.


Suicidal Ideation and Self Harm in New Canaan Health Department



Total counts of SI/SH visits in New Canaan Health Department, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Demographic Breakdown Graphs in New Canaan Health Department


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in New Canaan Health Department per 10,000 Visits by Town, June 1, 2024 - May 31, 2025



TOWN	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
New Canaan	150.2 (60)	47.6 (19)	a	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in New Canaan Health Department per 10,000 Visits by Sex, June 1, 2024 - May 31, 2025



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	143.5 (30)	aa	a	a
Male	157.6 (30)	a	aa	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in New Canaan Health Department per 10,000 Visits by Age, June 1, 2024 - May 31, 2025



AGE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
0-9	.0 (0)	.0 (0)	.0 (0)	aa
10-17	612.7 (25)	294.1 (12)	a	a
18-24	400.0 (11)	a	a	.0 (0)
25-34	a	.0 (0)	.0 (0)	.0 (0)
35-44	a	a	.0 (0)	.0 (0)
45-54	a	a	a	.0 (0)
55-64	a	.0 (0)	.0 (0)	.0 (0)
65-74	a	.0 (0)	.0 (0)	.0 (0)
75-84	a	a	.0 (0)	.0 (0)
85+	.0 (0)	.0 (0)	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in New Canaan Health Department per 10,000 Visits by Race, June 1, 2024 - May 31, 2025



RACE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
American Indian or Alaska Native (AI/AN)	b (0)	b (0)	b (0)	b (0)
Asian (A)	a	.0 (0)	.0 (0)	.0 (0)
Black or African American (B)	a	a	a	a
Native Hawaiian or Other Pacific Islander (NH/PI)	b (0)	b (0)	b (0)	b (0)
White (W)	198.3 (46)	64.7 (15)	a	a
Other	a	.0 (0)	.0 (0)	.0 (0)
Unknown / Not Provided (n/a)	57.5 (8)	a	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.

**Rates of SI/SH ED Visits in Demographic Breakdown Graphs in New Canaan Health Department per 10,000 Visits by Ethnicity,
June 1, 2024 - May 31, 2025**



ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	a	aa	aa	.0 (0)
Not Hispanic or Latino	143.1 (50)	45.8 (16)	a	a
Unknown / Not Provided (n/a)	a	a	.0 (0)	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


New Fairfield Health Department

ED Visits for "Suicidal Ideation and Self Harm" Syndrome in New Fairfield Health Department, by Region of Patient Residence, May 2025

REGION OF PATIENT RESIDENCE	CURRENT MONTH RATE PER 100,000 POPULATION	CURRENT MONTH TOTAL VISITS	YEARLY CUMULATIVE RATE PER 100,000 POPULATION	YEARLY CUMULATIVE TOTAL VISITS
New Fairfield	65.98	9	241.94	33

Data Source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates were calculated based on 2018 population statistics. These data are preliminary and subject to change as data quality and completeness may vary over time. Of the 38 ED facilities participating in EpiCenter, 0 facilities transmitted data for less than 99% of the days in the specified one-month time frame. Caution should be used when interpreting these results.


Suicidal Ideation and Self Harm in New Fairfield Health Department



Total counts of SI/SH visits in New Fairfield Health Department, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Demographic Breakdown Graphs in New Fairfield Health Department


**Rates of SI/SH ED Visits in Demographic Breakdown Graphs in New Fairfield Health Department per 10,000 Visits by Town,
June 1, 2024 - May 31, 2025**



TOWN	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
New Fairfield	159.2 (55)	40.5 (14)	a	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


**Rates of SI/SH ED Visits in Demographic Breakdown Graphs in New Fairfield Health Department per 10,000 Visits by Sex,
June 1, 2024 - May 31, 2025**



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	151.0 (26)	aa	a	a
Male	167.4 (29)	a	a	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in New Fairfield Health Department per 10,000 Visits by Age,
June 1, 2024 - May 31, 2025



AGE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
0-9	.0 (0)	.0 (0)	.0 (0)	.0 (0)
10-17	276.7 (7)	a	.0 (0)	a
18-24	454.5 (12)	a	.0 (0)	a
25-34	458.7 (15)	a	a	.0 (0)
35-44	206.5 (7)	a	.0 (0)	.0 (0)
45-54	a	.0 (0)	.0 (0)	.0 (0)
55-64	a	a	a	.0 (0)
65-74	a	.0 (0)	.0 (0)	.0 (0)
75-84	.0 (0)	.0 (0)	.0 (0)	.0 (0)
85+	.0 (0)	.0 (0)	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in New Fairfield Health Department per 10,000 Visits by Race,
June 1, 2024 - May 31, 2025



RACE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
American Indian or Alaska Native (AI/AN)	b (0)	b (0)	aa	aa
Asian (A)	a	b (0)	b (0)	b (0)
Black or African American (B)	.0 (0)	.0 (0)	.0 (0)	.0 (0)
Native Hawaiian or Other Pacific Islander (NH/PI)	b (0)	b (0)	b (0)	b (0)
White (W)	158.9 (46)	41.5 (12)	a	a
Other	a	a	.0 (0)	.0 (0)
Unknown / Not Provided (n/a)	a	a	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.

Rates of SI/SH ED Visits in Demographic Breakdown Graphs in New Fairfield Health Department per 10,000 Visits by Ethnicity, June 1, 2024 - May 31, 2025



ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	a	a	aa	.0 (0)
Not Hispanic or Latino	150.6 (45)	40.2 (12)	a	a
Unknown / Not Provided (n/a)	aa	a	.0 (0)	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


New Haven Health Department

ED Visits for "Suicidal Ideation and Self Harm" Syndrome in New Haven Health Department, by Region of Patient Residence, May 2025

REGION OF PATIENT RESIDENCE	CURRENT MONTH RATE PER 100,000 POPULATION	CURRENT MONTH TOTAL VISITS	YEARLY CUMULATIVE RATE PER 100,000 POPULATION	YEARLY CUMULATIVE TOTAL VISITS
New Haven	295.67	477	1296.75	2092

Data Source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates were calculated based on 2018 population statistics. These data are preliminary and subject to change as data quality and completeness may vary over time. Of the 38 ED facilities participating in EpiCenter, 0 facilities transmitted data for less than 99% of the days in the specified one-month time frame. Caution should be used when interpreting these results.


Suicidal Ideation and Self Harm in New Haven Health Department



Total counts of SI/SH visits in New Haven Health Department, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Demographic Breakdown Graphs in New Haven Health Department


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in New Haven Health Department per 10,000 Visits by Town, June 1, 2024 - May 31, 2025



TOWN	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
New Haven	457.0 (4891)	104.7 (1121)	12.3 (132)	10.7 (115)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in New Haven Health Department per 10,000 Visits by Sex, June 1, 2024 - May 31, 2025



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	350.8 (1938)	99.4 (549)	9.4 (52)	12.1 (67)
Male	570.6 (2953)	110.5 (572)	15.5 (80)	9.3 (48)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in New Haven Health Department per 10,000 Visits by Age, June 1, 2024 - May 31, 2025



AGE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
0-9	20.9 (24)	a	.0 (0)	.0 (0)
10-17	319.9 (206)	71.4 (46)	a	20.2 (13)
18-24	440.2 (401)	95.5 (87)	8.8 (8)	15.4 (14)
25-34	625.3 (1015)	142.3 (231)	20.9 (34)	12.3 (20)
35-44	647.7 (1009)	154.1 (240)	19.9 (31)	21.2 (33)
45-54	731.0 (1029)	144.9 (204)	14.9 (21)	7.8 (11)
55-64	506.8 (778)	140.1 (215)	20.8 (32)	9.8 (15)
65-74	297.4 (285)	66.8 (64)	a	a
75-84	152.0 (89)	34.1 (20)	.0 (0)	a
85+	97.4 (30)	aa	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in New Haven Health Department per 10,000 Visits by Race, June 1, 2024 - May 31, 2025



RACE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
American Indian or Alaska Native (AI/AN)	403.6 (31)	130.2 (10)	a	a
Asian (A)	346.5 (73)	123.4 (26)	aa	a
Black or African American (B)	421.3 (1773)	85.3 (359)	10.0 (42)	8.1 (34)
Native Hawaiian or Other Pacific Islander (NH/PI)	341.5 (14)	a	.0 (0)	.0 (0)
White (W)	557.0 (2211)	140.1 (556)	17.1 (68)	14.9 (59)
Other	359.3 (774)	77.1 (166)	8.8 (19)	9.3 (20)
Unknown / Not Provided (n/a)	361.4 (15)	a	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.

**Rates of SI/SH ED Visits in Demographic Breakdown Graphs in New Haven Health Department per 10,000 Visits by Ethnicity,
June 1, 2024 - May 31, 2025**



ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	386.8 (1385)	98.3 (352)	aa	aa
Not Hispanic or Latino	494.2 (3447)	108.8 (759)	12.0 (84)	10.5 (73)
Unknown / Not Provided (n/a)	401.6 (59)	68.1 (10)	a	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Newtown Health District

ED Visits for "Suicidal Ideation and Self Harm" Syndrome in Newtown Health District, by Region of Patient Residence, May 2025

REGION OF PATIENT RESIDENCE	CURRENT MONTH RATE PER 100,000 POPULATION	CURRENT MONTH TOTAL VISITS	YEARLY CUMULATIVE RATE PER 100,000 POPULATION	YEARLY CUMULATIVE TOTAL VISITS
Newtown Health District	38.32	12	188.40	59
Bridgewater	aa	aa	193.52	53
Newtown	40.16	11	a	a
Roxbury	a	a	a	a

Data Source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates were calculated based on 2018 population statistics. These data are preliminary and subject to change as data quality and completeness may vary over time. Of the 38 ED facilities participating in EpiCenter, 0 facilities transmitted data for less than 99% of the days in the specified one-month time frame. Caution should be used when interpreting these results.


Suicidal Ideation and Self Harm in Newtown Health District



Total counts of SI/SH visits in Newtown Health District, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Demographic Breakdown Graphs in Newtown Health District


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Newtown Health District per 10,000 Visits by Town, June 1, 2024 - May 31, 2025



TOWN	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Bridgewater	a	a	aa	aa
Newtown	176.0 (118)	44.7 (30)	a	14.9 (10)
Roxbury	aa	a	.0 (0)	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Newtown Health District per 10,000 Visits by Sex, June 1, 2024 - May 31, 2025



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	171.9 (71)	46.0 (19)	a	a
Male	168.3 (63)	37.4 (14)	a	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Newtown Health District per 10,000 Visits by Age, June 1, 2024
- May 31, 2025



AGE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
0-9	a	.0 (0)	.0 (0)	.0 (0)
10-17	814.0 (35)	209.3 (9)	a	a
18-24	353.6 (18)	176.8 (9)	.0 (0)	a
25-34	454.5 (29)	a	.0 (0)	.0 (0)
35-44	194.7 (14)	a	a	a
45-54	120.5 (9)	a	a	.0 (0)
55-64	a	a	.0 (0)	a
65-74	105.5 (11)	a	.0 (0)	.0 (0)
75-84	a	.0 (0)	.0 (0)	.0 (0)
85+	a	a	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Newtown Health District per 10,000 Visits by Race, June 1, 2024 - May 31, 2025



RACE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
American Indian or Alaska Native (AI/AN)	b (0)	b (0)	b (0)	aa
Asian (A)	.0 (0)	.0 (0)	.0 (0)	.0 (0)
Black or African American (B)	a	a	.0 (0)	.0 (0)
Native Hawaiian or Other Pacific Islander (NH/PI)	b (0)	b (0)	b (0)	b (0)
White (W)	169.4 (116)	38.0 (26)	a	14.6 (10)
Other	a	a	.0 (0)	a
Unknown / Not Provided (n/a)	151.8 (8)	a	a	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.

Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Newtown Health District per 10,000 Visits by Ethnicity, June 1, 2024 - May 31, 2025



ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	a	a	aa	a
Not Hispanic or Latino	169.6 (121)	43.4 (31)	a	14.0 (10)
Unknown / Not Provided (n/a)	aa	a	.0 (0)	aa

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


North Central District Health Department

ED Visits for "Suicidal Ideation and Self Harm" Syndrome in North Central District Health Department, by Region of Patient Residence, May 2025

REGION OF PATIENT RESIDENCE	CURRENT MONTH RATE PER 100,000 POPULATION	CURRENT MONTH TOTAL VISITS	YEARLY CUMULATIVE RATE PER 100,000 POPULATION	YEARLY CUMULATIVE TOTAL VISITS
North Central District Health Department	86.50	143	425.24	703
Ellington	aa	aa	170.21	27
Enfield	70.62	30	226.45	37
Windsor Locks	95.55	12	342.38	43
Vernon	99.99	30	390.77	166
East Windsor	107.23	12	473.59	53
Stafford	108.75	13	536.63	161
Windham	136.39	34	543.75	65
Suffield	a	a	605.72	151

Data Source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates were calculated based on 2018 population statistics. These data are preliminary and subject to change as data quality and completeness may vary over time. Of the 38 ED facilities participating in EpiCenter, 0 facilities transmitted data for less than 99% of the days in the specified one-month time frame. Caution should be used when interpreting these results.


Suicidal Ideation and Self Harm in North Central District Health Department



Total counts of SI/SH visits in North Central District Health Department, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Demographic Breakdown Graphs in North Central District Health Department


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in North Central District Health Department per 10,000 Visits by Town, June 1, 2024 - May 31, 2025



TOWN	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
East Windsor	265.2 (113)	58.7 (25)	a	16.4 (7)
Ellington	211.1 (101)	50.2 (24)	a	a
Enfield	299.4 (407)	49.3 (67)	5.1 (7)	9.6 (13)
Stafford	237.0 (130)	25.5 (14)	a	a
Suffield	220.0 (72)	73.3 (24)	21.4 (7)	a
Vernon	226.5 (371)	40.3 (66)	4.3 (7)	4.3 (7)
Windham	185.9 (369)	27.7 (55)	a	10.1 (20)
Windsor Locks	249.8 (113)	31.0 (14)	a	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in North Central District Health Department per 10,000 Visits by Sex, June 1, 2024 - May 31, 2025



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	200.3 (793)	39.1 (155)	2.5 (10)	8.8 (35)
Male	271.1 (882)	41.2 (134)	7.4 (24)	6.1 (20)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in North Central District Health Department per 10,000 Visits by Age, June 1, 2024 - May 31, 2025



AGE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
0-9	aa	.0 (0)	.0 (0)	.0 (0)
10-17	575.8 (248)	102.2 (44)	a	16.3 (7)
18-24	406.7 (214)	77.9 (41)	a	20.9 (11)
25-34	348.8 (329)	65.7 (62)	14.8 (14)	10.6 (10)
35-44	310.4 (300)	37.2 (36)	a	7.2 (7)
45-54	274.8 (199)	56.6 (41)	a	a
55-64	224.3 (227)	33.6 (34)	a	6.9 (7)
65-74	128.0 (112)	21.7 (19)	.0 (0)	a
75-84	33.5 (24)	a	.0 (0)	.0 (0)
85+	a	a	.0 (0)	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in North Central District Health Department per 10,000 Visits by Race, June 1, 2024 - May 31, 2025



RACE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
American Indian or Alaska Native (AI/AN)	a	aa	.0 (0)	.0 (0)
Asian (A)	144.9 (12)	a	.0 (0)	.0 (0)
Black or African American (B)	202.4 (112)	63.2 (35)	12.6 (7)	a
Native Hawaiian or Other Pacific Islander (NH/PI)	a	.0 (0)	.0 (0)	.0 (0)
White (W)	263.1 (1308)	41.0 (204)	3.8 (19)	8.6 (43)
Other	140.7 (171)	28.0 (34)	a	a
Unknown / Not Provided (n/a)	184.3 (67)	33.0 (12)	a	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.

Rates of SI/SH ED Visits in Demographic Breakdown Graphs in North Central District Health Department per 10,000 Visits by Ethnicity, June 1, 2024 - May 31, 2025



ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	144.0 (200)	21.6 (30)	a	aa
Not Hispanic or Latino	256.7 (1195)	41.2 (192)	5.2 (24)	9.2 (43)
Unknown / Not Provided (n/a)	240.0 (281)	57.2 (67)	a	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Northeast District Department of Health

ED Visits for "Suicidal Ideation and Self Harm" Syndrome in Northeast District Department of Health, by Region of Patient Residence, May 2025

REGION OF PATIENT RESIDENCE	CURRENT MONTH RATE PER 100,000 POPULATION	CURRENT MONTH TOTAL VISITS	YEARLY CUMULATIVE RATE PER 100,000 POPULATION	YEARLY CUMULATIVE TOTAL VISITS
Northeast District Department of Health	120.22	116	584.52	564
Putnam	75.68	7	170.54	8
Union	108.75	13	aa	aa
Thompson	109.10	10	327.91	27
Plainfield	134.19	20	334.65	17
Brooklyn	141.58	12	355.18	11
Killingly	183.58	33	535.39	64
Canterbury	a	a	578.22	53
Eastford	a	a	644.12	96
Hampton	a	a	755.07	64
Pomfret	a	a	767.69	138
Sterling	a	a	800.00	74
Woodstock	a	a	a	a

Data Source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates were calculated based on 2018 population statistics. These data are preliminary and subject to change as data quality and completeness may vary over time. Of the 38 ED facilities participating in EpiCenter, 0 facilities transmitted data for less than 99% of the days in the specified one-month time frame. Caution should be used when interpreting these results.


Suicidal Ideation and Self Harm in Northeast District Department of Health



Total counts of SI/SH visits in Northeast District Department of Health, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Demographic Breakdown Graphs in Northeast District Department of Health


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Northeast District Department of Health per 10,000 Visits by Town, June 1, 2024 - May 31, 2025



TOWN	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Brooklyn	257.8 (128)	40.3 (20)	.0 (0)	14.1 (7)
Canterbury	156.5 (46)	51.0 (15)	a	a
Eastford	a	a	.0 (0)	.0 (0)
Hampton	aa	a	.0 (0)	a
Killingly	274.0 (307)	33.9 (38)	a	8.9 (10)
Plainfield	181.0 (214)	32.1 (38)	.0 (0)	7.6 (9)
Pomfret	133.0 (24)	a	.0 (0)	.0 (0)
Putnam	325.5 (174)	39.3 (21)	a	a
Sterling	119.2 (22)	a	.0 (0)	a
Thompson	357.4 (101)	35.4 (10)	.0 (0)	.0 (0)
Union	239.2 (129)	26.0 (14)	a	a
Woodstock	236.8 (53)	a	a	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Northeast District Department of Health per 10,000 Visits by Sex, June 1, 2024 - May 31, 2025



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	212.3 (597)	37.7 (106)	a	11.0 (31)
Male	259.6 (619)	26.0 (62)	aa	5.0 (12)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Northeast District Department of Health per 10,000 Visits by Age, June 1, 2024 - May 31, 2025



AGE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
0-9	29.7 (13)	a	.0 (0)	.0 (0)
10-17	660.8 (239)	102.3 (37)	a	19.4 (7)
18-24	524.9 (197)	85.3 (32)	a	a
25-34	356.6 (226)	39.5 (25)	a	14.2 (9)
35-44	322.7 (205)	39.4 (25)	a	14.2 (9)
45-54	249.5 (137)	38.3 (21)	a	a
55-64	168.6 (121)	29.3 (21)	a	9.8 (7)
65-74	68.6 (46)	a	.0 (0)	.0 (0)
75-84	37.3 (20)	a	.0 (0)	.0 (0)
85+	46.8 (13)	.0 (0)	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Northeast District Department of Health per 10,000 Visits by Race, June 1, 2024 - May 31, 2025



RACE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
American Indian or Alaska Native (AI/AN)	a	.0 (0)	.0 (0)	.0 (0)
Asian (A)	311.1 (7)	.0 (0)	.0 (0)	.0 (0)
Black or African American (B)	317.7 (40)	a	.0 (0)	.0 (0)
Native Hawaiian or Other Pacific Islander (NH/PI)	aa	.0 (0)	.0 (0)	.0 (0)
White (W)	234.3 (1119)	33.3 (159)	2.7 (13)	8.4 (40)
Other	167.4 (32)	a	.0 (0)	a
Unknown / Not Provided (n/a)	245.3 (17)	a	.0 (0)	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.

Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Northeast District Department of Health per 10,000 Visits by Ethnicity, June 1, 2024 - May 31, 2025



ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	118.9 (22)	a	a	a
Not Hispanic or Latino	238.8 (1174)	32.5 (160)	2.0 (10)	8.5 (42)
Unknown / Not Provided (n/a)	216.5 (21)	a	a	aa

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Norwalk Health Department

ED Visits for "Suicidal Ideation and Self Harm" Syndrome in Norwalk Health Department, by Region of Patient Residence, May 2025

REGION OF PATIENT RESIDENCE	CURRENT MONTH RATE PER 100,000 POPULATION	CURRENT MONTH TOTAL VISITS	YEARLY CUMULATIVE RATE PER 100,000 POPULATION	YEARLY CUMULATIVE TOTAL VISITS
Norwalk	49.60	45	243.59	221

Data Source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates were calculated based on 2018 population statistics. These data are preliminary and subject to change as data quality and completeness may vary over time. Of the 38 ED facilities participating in EpiCenter, 0 facilities transmitted data for less than 99% of the days in the specified one-month time frame. Caution should be used when interpreting these results.


Suicidal Ideation and Self Harm in Norwalk Health Department



Total counts of SI/SH visits in Norwalk Health Department, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Demographic Breakdown Graphs in Norwalk Health Department


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Norwalk Health Department per 10,000 Visits by Town, June 1, 2024 - May 31, 2025



TOWN	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Norwalk	161.2 (573)	24.2 (86)	a	5.1 (18)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Norwalk Health Department per 10,000 Visits by Sex, June 1, 2024 - May 31, 2025



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	149.8 (286)	25.7 (49)	a	5.2 (10)
Male	174.5 (287)	22.5 (37)	a	4.9 (8)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Norwalk Health Department per 10,000 Visits by Age, June 1, 2024 - May 31, 2025



AGE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
0-9	aa	a	.0 (0)	.0 (0)
10-17	511.5 (127)	84.6 (21)	a	a
18-24	279.2 (71)	43.3 (11)	.0 (0)	a
25-34	218.3 (98)	37.9 (17)	a	a
35-44	159.4 (71)	38.2 (17)	a	a
45-54	217.5 (85)	23.0 (9)	.0 (0)	a
55-64	150.5 (65)	16.2 (7)	.0 (0)	a
65-74	79.4 (30)	a	.0 (0)	.0 (0)
75-84	35.7 (12)	a	.0 (0)	.0 (0)
85+	a	.0 (0)	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Norwalk Health Department per 10,000 Visits by Race, June 1, 2024 - May 31, 2025



RACE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
American Indian or Alaska Native (AI/AN)	.0 (0)	.0 (0)	.0 (0)	.0 (0)
Asian (A)	a	.0 (0)	.0 (0)	.0 (0)
Black or African American (B)	233.0 (138)	27.0 (16)	a	a
Native Hawaiian or Other Pacific Islander (NH/PI)	aa	aa	b (0)	b (0)
White (W)	166.5 (230)	29.7 (41)	a	9.4 (13)
Other	146.2 (29)	a	.0 (0)	a
Unknown / Not Provided (n/a)	128.7 (174)	17.0 (23)	a	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.

**Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Norwalk Health Department per 10,000 Visits by Ethnicity,
June 1, 2024 - May 31, 2025**



ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	121.4 (117)	21.8 (21)	a	a
Not Hispanic or Latino	180.8 (380)	26.6 (56)	a	7.6 (16)
Unknown / Not Provided (n/a)	155.3 (76)	18.4 (9)	a	aa

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Orange Health Department

ED Visits for "Suicidal Ideation and Self Harm" Syndrome in Orange Health Department, by Region of Patient Residence, May 2025

REGION OF PATIENT RESIDENCE	CURRENT MONTH RATE PER 100,000 POPULATION	CURRENT MONTH TOTAL VISITS	YEARLY CUMULATIVE RATE PER 100,000 POPULATION	YEARLY CUMULATIVE TOTAL VISITS
Orange	77.33	11	323.37	46

Data Source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates were calculated based on 2018 population statistics. These data are preliminary and subject to change as data quality and completeness may vary over time. Of the 38 ED facilities participating in EpiCenter, 0 facilities transmitted data for less than 99% of the days in the specified one-month time frame. Caution should be used when interpreting these results.


Suicidal Ideation and Self Harm in Orange Health Department



Total counts of SI/SH visits in Orange Health Department, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Demographic Breakdown Graphs in Orange Health Department


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Orange Health Department per 10,000 Visits by Town, June 1, 2024 - May 31, 2025



TOWN	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Orange	221.7 (87)	48.4 (19)	a	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Orange Health Department per 10,000 Visits by Sex, June 1, 2024 - May 31, 2025



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	193.8 (42)	46.1 (10)	a	a
Male	256.0 (45)	51.2 (9)	a	aa

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Orange Health Department per 10,000 Visits by Age, June 1, 2024 - May 31, 2025



AGE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
0-9	a	.0 (0)	.0 (0)	.0 (0)
10-17	424.5 (9)	a	.0 (0)	.0 (0)
18-24	521.7 (12)	a	.0 (0)	.0 (0)
25-34	613.0 (16)	a	a	a
35-44	a	.0 (0)	.0 (0)	.0 (0)
45-54	a	a	.0 (0)	a
55-64	210.8 (9)	a	.0 (0)	.0 (0)
65-74	192.7 (9)	a	.0 (0)	.0 (0)
75-84	135.0 (10)	a	a	a
85+	149.5 (10)	a	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Orange Health Department per 10,000 Visits by Race, June 1, 2024 - May 31, 2025



RACE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
American Indian or Alaska Native (AI/AN)	b (0)	b (0)	aa	aa
Asian (A)	a	.0 (0)	.0 (0)	.0 (0)
Black or African American (B)	a	a	.0 (0)	.0 (0)
Native Hawaiian or Other Pacific Islander (NH/PI)	b (0)	b (0)	b (0)	b (0)
White (W)	215.0 (71)	48.4 (16)	a	a
Other	342.2 (9)	a	.0 (0)	.0 (0)
Unknown / Not Provided (n/a)	.0 (0)	.0 (0)	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.

Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Orange Health Department per 10,000 Visits by Ethnicity, June 1, 2024 - May 31, 2025



ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	a	a	aa	aa
Not Hispanic or Latino	221.6 (80)	47.1 (17)	a	a
Unknown / Not Provided (n/a)	a	aa	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Quinnipiack Valley Health District

ED Visits for "Suicidal Ideation and Self Harm" Syndrome in Quinnipiack Valley Health District, by Region of Patient Residence, May 2025

REGION OF PATIENT RESIDENCE	CURRENT MONTH RATE PER 100,000 POPULATION	CURRENT MONTH TOTAL VISITS	YEARLY CUMULATIVE RATE PER 100,000 POPULATION	YEARLY CUMULATIVE TOTAL VISITS
Quinnipiack Valley Health District	107.59	108	449.28	451
Hamden	117.33	72	187.37	17
North Haven	121.88	30	393.92	21
Bethany	a	a	430.65	106
Woodbridge	a	a	500.29	307

Data Source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates were calculated based on 2018 population statistics. These data are preliminary and subject to change as data quality and completeness may vary over time. Of the 38 ED facilities participating in EpiCenter, 0 facilities transmitted data for less than 99% of the days in the specified one-month time frame. Caution should be used when interpreting these results.


Suicidal Ideation and Self Harm in Quinnipiack Valley Health District



Total counts of SI/SH visits in Quinnipiack Valley Health District, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Demographic Breakdown Graphs in Quinnipiack Valley Health District


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Quinnipiack Valley Health District per 10,000 Visits by Town,
June 1, 2024 - May 31, 2025



TOWN	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Bethany	268.0 (38)	a	aa	a
Hamden	301.5 (735)	73.8 (180)	6.6 (16)	7.0 (17)
North Haven	258.2 (212)	69.4 (57)	a	11.0 (9)
Woodbridge	198.2 (47)	aa	.0 (0)	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Quinnipiack Valley Health District per 10,000 Visits by Sex,
June 1, 2024 - May 31, 2025



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	271.5 (541)	70.3 (140)	aa	8.5 (17)
Male	297.9 (490)	72.4 (119)	a	8.5 (14)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Quinnipiack Valley Health District per 10,000 Visits by Age, June 1, 2024 - May 31, 2025



AGE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
0-9	a	.0 (0)	.0 (0)	.0 (0)
10-17	479.0 (90)	90.5 (17)	.0 (0)	a
18-24	635.5 (159)	167.9 (42)	a	a
25-34	435.5 (181)	105.9 (44)	a	21.7 (9)
35-44	366.7 (144)	78.9 (31)	a	a
45-54	353.8 (132)	115.3 (43)	a	a
55-64	333.8 (154)	88.9 (41)	a	15.2 (7)
65-74	184.1 (86)	47.1 (22)	a	a
75-84	119.4 (53)	27.0 (12)	a	.0 (0)
85+	aa	21.3 (7)	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Quinnipiack Valley Health District per 10,000 Visits by Race, June 1, 2024 - May 31, 2025



RACE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
American Indian or Alaska Native (AI/AN)	a	a	.0 (0)	.0 (0)
Asian (A)	227.3 (23)	a	.0 (0)	a
Black or African American (B)	317.4 (343)	71.3 (77)	a	7.4 (8)
Native Hawaiian or Other Pacific Islander (NH/PI)	a	.0 (0)	.0 (0)	.0 (0)
White (W)	282.4 (572)	72.1 (146)	4.4 (9)	8.4 (17)
Other	194.3 (75)	80.3 (31)	a	a
Unknown / Not Provided (n/a)	494.3 (13)	a	.0 (0)	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.

Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Quinnipiack Valley Health District per 10,000 Visits by Ethnicity, June 1, 2024 - May 31, 2025



ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	244.7 (126)	aa	a	a
Not Hispanic or Latino	289.6 (883)	70.5 (215)	4.9 (15)	9.2 (28)
Unknown / Not Provided (n/a)	313.8 (23)	a	aa	aa

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Redding Health Department

ED Visits for "Suicidal Ideation and Self Harm" Syndrome in Redding Health Department, by Region of Patient Residence, May 2025

REGION OF PATIENT RESIDENCE	CURRENT MONTH RATE PER 100,000 POPULATION	CURRENT MONTH TOTAL VISITS	YEARLY CUMULATIVE RATE PER 100,000 POPULATION	YEARLY CUMULATIVE TOTAL VISITS
Redding	a	a	263.28	23

Data Source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates were calculated based on 2018 population statistics. These data are preliminary and subject to change as data quality and completeness may vary over time. Of the 38 ED facilities participating in EpiCenter, 0 facilities transmitted data for less than 99% of the days in the specified one-month time frame. Caution should be used when interpreting these results.


Suicidal Ideation and Self Harm in Redding Health Department



Total counts of SI/SH visits in Redding Health Department, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Demographic Breakdown Graphs in Redding Health Department


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Redding Health Department per 10,000 Visits by Town, June 1, 2024 - May 31, 2025



TOWN	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Redding	232.0 (46)	a	.0 (0)	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Redding Health Department per 10,000 Visits by Sex, June 1, 2024 - May 31, 2025



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	294.1 (31)	a	.0 (0)	a
Male	161.5 (15)	a	.0 (0)	aa

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Redding Health Department per 10,000 Visits by Age, June 1, 2024 - May 31, 2025



AGE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
0-9	.0 (0)	.0 (0)	.0 (0)	aa
10-17	803.6 (9)	a	.0 (0)	.0 (0)
18-24	a	.0 (0)	.0 (0)	.0 (0)
25-34	a	a	.0 (0)	a
35-44	569.6 (9)	a	.0 (0)	.0 (0)
45-54	a	.0 (0)	.0 (0)	.0 (0)
55-64	.0 (0)	.0 (0)	.0 (0)	.0 (0)
65-74	489.8 (12)	a	.0 (0)	.0 (0)
75-84	a	a	.0 (0)	.0 (0)
85+	a	.0 (0)	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Redding Health Department per 10,000 Visits by Race, June 1, 2024 - May 31, 2025



RACE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
American Indian or Alaska Native (AI/AN)	b (0)	b (0)	b (0)	aa
Asian (A)	.0 (0)	.0 (0)	.0 (0)	.0 (0)
Black or African American (B)	a	.0 (0)	.0 (0)	.0 (0)
Native Hawaiian or Other Pacific Islander (NH/PI)	b (0)	b (0)	b (0)	b (0)
White (W)	150.0 (26)	a	.0 (0)	.0 (0)
Other	a	a	.0 (0)	a
Unknown / Not Provided (n/a)	858.9 (14)	a	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.

**Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Redding Health Department per 10,000 Visits by Ethnicity,
June 1, 2024 - May 31, 2025**



ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	a	.0 (0)	.0 (0)	aa
Not Hispanic or Latino	209.4 (38)	a	.0 (0)	.0 (0)
Unknown / Not Provided (n/a)	a	a	.0 (0)	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Ridgefield Health Department

ED Visits for "Suicidal Ideation and Self Harm" Syndrome in Ridgefield Health Department, by Region of Patient Residence, May 2025

REGION OF PATIENT RESIDENCE	CURRENT MONTH RATE PER 100,000 POPULATION	CURRENT MONTH TOTAL VISITS	YEARLY CUMULATIVE RATE PER 100,000 POPULATION	YEARLY CUMULATIVE TOTAL VISITS
Ridgefield	31.81	8	174.96	44

Data Source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates were calculated based on 2018 population statistics. These data are preliminary and subject to change as data quality and completeness may vary over time. Of the 38 ED facilities participating in EpiCenter, 0 facilities transmitted data for less than 99% of the days in the specified one-month time frame. Caution should be used when interpreting these results.


Suicidal Ideation and Self Harm in Ridgefield Health Department



Total counts of SI/SH visits in Ridgefield Health Department, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Demographic Breakdown Graphs in Ridgefield Health Department


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Ridgefield Health Department per 10,000 Visits by Town, June 1, 2024 - May 31, 2025



TOWN	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Ridgefield	194.9 (92)	46.6 (22)	.0 (0)	19.1 (9)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Ridgefield Health Department per 10,000 Visits by Sex, June 1, 2024 - May 31, 2025



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	207.5 (51)	48.8 (12)	.0 (0)	a
Male	181.2 (41)	44.2 (10)	.0 (0)	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Ridgefield Health Department per 10,000 Visits by Age, June 1, 2024 - May 31, 2025



AGE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
0-9	.0 (0)	.0 (0)	.0 (0)	.0 (0)
10-17	807.8 (29)	445.7 (16)	.0 (0)	a
18-24	383.1 (10)	.0 (0)	.0 (0)	.0 (0)
25-34	545.5 (15)	a	.0 (0)	.0 (0)
35-44	193.9 (7)	.0 (0)	.0 (0)	.0 (0)
45-54	297.5 (13)	a	.0 (0)	a
55-64	a	.0 (0)	.0 (0)	.0 (0)
65-74	a	a	.0 (0)	a
75-84	a	.0 (0)	.0 (0)	.0 (0)
85+	a	a	.0 (0)	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Ridgefield Health Department per 10,000 Visits by Race, June 1, 2024 - May 31, 2025



RACE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
American Indian or Alaska Native (AI/AN)	aa	b (0)	b (0)	aa
Asian (A)	.0 (0)	.0 (0)	.0 (0)	.0 (0)
Black or African American (B)	.0 (0)	.0 (0)	.0 (0)	.0 (0)
Native Hawaiian or Other Pacific Islander (NH/PI)	b (0)	b (0)	b (0)	b (0)
White (W)	187.1 (76)	36.9 (15)	.0 (0)	19.7 (8)
Other	a	a	.0 (0)	.0 (0)
Unknown / Not Provided (n/a)	288.9 (13)	a	.0 (0)	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.

**Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Ridgefield Health Department per 10,000 Visits by Ethnicity,
June 1, 2024 - May 31, 2025**



ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	aa	a	.0 (0)	a
Not Hispanic or Latino	184.9 (79)	37.4 (16)	.0 (0)	18.7 (8)
Unknown / Not Provided (n/a)	a	a	.0 (0)	aa

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Sherman Health Department

ED Visits for "Suicidal Ideation and Self Harm" Syndrome in Sherman Health Department, by Region of Patient Residence, May 2025

REGION OF PATIENT RESIDENCE	CURRENT MONTH RATE PER 100,000 POPULATION	CURRENT MONTH TOTAL VISITS	YEARLY CUMULATIVE RATE PER 100,000 POPULATION	YEARLY CUMULATIVE TOTAL VISITS
Sherman	a	a	a	a

Data Source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates were calculated based on 2018 population statistics. These data are preliminary and subject to change as data quality and completeness may vary over time. Of the 38 ED facilities participating in EpiCenter, 0 facilities transmitted data for less than 99% of the days in the specified one-month time frame. Caution should be used when interpreting these results.


Suicidal Ideation and Self Harm in Sherman Health Department



Total counts of SI/SH visits in Sherman Health Department, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Demographic Breakdown Graphs in Sherman Health Department

Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Sherman Health Department per 10,000 Visits by Town, June 1, 2024 - May 31, 2025



TOWN	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Sherman	94.2 (10)	.0 (0)	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Sherman Health Department per 10,000 Visits by Sex, June 1, 2024 - May 31, 2025



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	a	.0 (0)	.0 (0)	.0 (0)
Male	a	.0 (0)	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Sherman Health Department per 10,000 Visits by Age, June 1, 2024 - May 31, 2025



AGE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
0-9	.0 (0)	.0 (0)	.0 (0)	.0 (0)
10-17	a	.0 (0)	.0 (0)	.0 (0)
18-24	a	.0 (0)	.0 (0)	.0 (0)
25-34	a	.0 (0)	.0 (0)	.0 (0)
35-44	a	.0 (0)	.0 (0)	.0 (0)
45-54	.0 (0)	.0 (0)	.0 (0)	.0 (0)
55-64	.0 (0)	.0 (0)	.0 (0)	.0 (0)
65-74	.0 (0)	.0 (0)	.0 (0)	.0 (0)
75-84	a	.0 (0)	.0 (0)	.0 (0)
85+	.0 (0)	.0 (0)	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Sherman Health Department per 10,000 Visits by Race, June 1, 2024 - May 31, 2025



RACE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
American Indian or Alaska Native (AI/AN)	aa	b (0)	b (0)	b (0)
Asian (A)	b (0)	b (0)	b (0)	b (0)
Black or African American (B)	b (0)	b (0)	b (0)	b (0)
Native Hawaiian or Other Pacific Islander (NH/PI)	b (0)	b (0)	b (0)	b (0)
White (W)	95.9 (9)	.0 (0)	.0 (0)	.0 (0)
Other	a	.0 (0)	.0 (0)	.0 (0)
Unknown / Not Provided (n/a)	.0 (0)	.0 (0)	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.

Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Sherman Health Department per 10,000 Visits by Ethnicity, June 1, 2024 - May 31, 2025



ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	a	.0 (0)	.0 (0)	.0 (0)
Not Hispanic or Latino	71.6 (7)	.0 (0)	.0 (0)	.0 (0)
Unknown / Not Provided (n/a)	a	.0 (0)	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Somers Health Department

ED Visits for "Suicidal Ideation and Self Harm" Syndrome in Somers Health Department, by Region of Patient Residence, May 2025

REGION OF PATIENT RESIDENCE	CURRENT MONTH RATE PER 100,000 POPULATION	CURRENT MONTH TOTAL VISITS	YEARLY CUMULATIVE RATE PER 100,000 POPULATION	YEARLY CUMULATIVE TOTAL VISITS
Somers	a	a	362.08	39

Data Source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates were calculated based on 2018 population statistics. These data are preliminary and subject to change as data quality and completeness may vary over time. Of the 38 ED facilities participating in EpiCenter, 0 facilities transmitted data for less than 99% of the days in the specified one-month time frame. Caution should be used when interpreting these results.


Suicidal Ideation and Self Harm in Somers Health Department



Total counts of SI/SH visits in Somers Health Department, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Demographic Breakdown Graphs in Somers Health Department


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Somers Health Department per 10,000 Visits by Town, June 1, 2024 - May 31, 2025



TOWN	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Somers	243.5 (78)	53.1 (17)	a	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Somers Health Department per 10,000 Visits by Sex, June 1, 2024 - May 31, 2025



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	190.3 (29)	45.9 (7)	aa	a
Male	292.0 (49)	59.6 (10)	a	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Somers Health Department per 10,000 Visits by Age, June 1, 2024 - May 31, 2025



AGE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
0-9	.0 (0)	.0 (0)	aa	.0 (0)
10-17	760.2 (13)	a	.0 (0)	a
18-24	759.5 (12)	a	.0 (0)	.0 (0)
25-34	712.0 (22)	a	a	a
35-44	374.4 (17)	a	.0 (0)	a
45-54	a	a	.0 (0)	a
55-64	a	a	.0 (0)	.0 (0)
65-74	a	.0 (0)	.0 (0)	.0 (0)
75-84	a	a	.0 (0)	a
85+	a	a	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Somers Health Department per 10,000 Visits by Race, June 1, 2024 - May 31, 2025



RACE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
American Indian or Alaska Native (AI/AN)	b (0)	aa	aa	b (0)
Asian (A)	a	b (0)	b (0)	b (0)
Black or African American (B)	a	.0 (0)	.0 (0)	.0 (0)
Native Hawaiian or Other Pacific Islander (NH/PI)	a	b (0)	b (0)	b (0)
White (W)	259.5 (72)	50.5 (14)	.0 (0)	a
Other	a	a	a	a
Unknown / Not Provided (n/a)	a	.0 (0)	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.

Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Somers Health Department per 10,000 Visits by Ethnicity, June 1, 2024 - May 31, 2025



ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	a	a	a	a
Not Hispanic or Latino	253.9 (72)	42.3 (12)	aa	a
Unknown / Not Provided (n/a)	a	a	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


South Central Health District

ED Visits for "Suicidal Ideation and Self Harm" Syndrome in South Central Health District, by Region of Patient Residence, May 2025

REGION OF PATIENT RESIDENCE	CURRENT MONTH RATE PER 100,000 POPULATION	CURRENT MONTH TOTAL VISITS	YEARLY CUMULATIVE RATE PER 100,000 POPULATION	YEARLY CUMULATIVE TOTAL VISITS
South Central Health District	61.30	40	350.95	229
Southington	aa	aa	313.13	136
Plainville	108.31	19	421.82	74
Middlefield	a	a	444.34	19

Data Source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates were calculated based on 2018 population statistics. These data are preliminary and subject to change as data quality and completeness may vary over time. Of the 38 ED facilities participating in EpiCenter, 0 facilities transmitted data for less than 99% of the days in the specified one-month time frame. Caution should be used when interpreting these results.


Suicidal Ideation and Self Harm in South Central Health District



Total counts of SI/SH visits in South Central Health District, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Demographic Breakdown Graphs in South Central Health District


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in South Central Health District per 10,000 Visits by Town, June 1, 2024 - May 31, 2025



TOWN	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Middlefield	233.4 (33)	56.6 (8)	a	a
Plainville	208.9 (156)	32.1 (24)	a	aa
Southington	167.5 (307)	23.5 (43)	a	3.8 (7)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in South Central Health District per 10,000 Visits by Sex, June 1, 2024 - May 31, 2025



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	183.5 (275)	28.7 (43)	a	aa
Male	180.9 (221)	26.2 (32)	a	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in South Central Health District per 10,000 Visits by Age, June 1, 2024 - May 31, 2025



AGE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
0-9	a	.0 (0)	.0 (0)	.0 (0)
10-17	506.2 (77)	a	.0 (0)	a
18-24	355.3 (63)	79.0 (14)	a	a
25-34	351.0 (106)	33.1 (10)	.0 (0)	a
35-44	223.4 (69)	32.4 (10)	.0 (0)	a
45-54	203.5 (54)	30.1 (8)	a	a
55-64	217.6 (78)	50.2 (18)	a	a
65-74	79.6 (29)	a	.0 (0)	a
75-84	28.8 (11)	a	a	.0 (0)
85+	aa	a	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in South Central Health District per 10,000 Visits by Race, June 1, 2024 - May 31, 2025



RACE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
American Indian or Alaska Native (AI/AN)	.0 (0)	.0 (0)	.0 (0)	.0 (0)
Asian (A)	229.2 (8)	a	a	.0 (0)
Black or African American (B)	259.6 (27)	a	.0 (0)	a
Native Hawaiian or Other Pacific Islander (NH/PI)	b (0)	b (0)	b (0)	b (0)
White (W)	172.6 (393)	26.8 (61)	a	6.1 (14)
Other	215.7 (53)	a	.0 (0)	.0 (0)
Unknown / Not Provided (n/a)	283.0 (15)	a	.0 (0)	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.

Rates of SI/SH ED Visits in Demographic Breakdown Graphs in South Central Health District per 10,000 Visits by Ethnicity, June 1, 2024 - May 31, 2025



ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	247.2 (56)	aa	aa	a
Not Hispanic or Latino	175.6 (427)	26.7 (65)	a	5.3 (13)
Unknown / Not Provided (n/a)	204.1 (13)	a	.0 (0)	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


South Windsor Health Department

ED Visits for "Suicidal Ideation and Self Harm" Syndrome in South Windsor Health Department, by Region of Patient Residence, May 2025

REGION OF PATIENT RESIDENCE	CURRENT MONTH RATE PER 100,000 POPULATION	CURRENT MONTH TOTAL VISITS	YEARLY CUMULATIVE RATE PER 100,000 POPULATION	YEARLY CUMULATIVE TOTAL VISITS
South Windsor	63.63	17	273.21	73

Data Source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates were calculated based on 2018 population statistics. These data are preliminary and subject to change as data quality and completeness may vary over time. Of the 38 ED facilities participating in EpiCenter, 0 facilities transmitted data for less than 99% of the days in the specified one-month time frame. Caution should be used when interpreting these results.


Suicidal Ideation and Self Harm in South Windsor Health Department



Total counts of SI/SH visits in South Windsor Health Department, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Demographic Breakdown Graphs in South Windsor Health Department


**Rates of SI/SH ED Visits in Demographic Breakdown Graphs in South Windsor Health Department per 10,000 Visits by Town,
June 1, 2024 - May 31, 2025**



TOWN	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
South Windsor	211.5 (158)	36.1 (27)	a	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


**Rates of SI/SH ED Visits in Demographic Breakdown Graphs in South Windsor Health Department per 10,000 Visits by Sex,
June 1, 2024 - May 31, 2025**



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	195.4 (79)	34.6 (14)	a	a
Male	230.5 (79)	37.9 (13)	a	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in South Windsor Health Department per 10,000 Visits by Age, June 1, 2024 - May 31, 2025



AGE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
0-9	a	a	.0 (0)	.0 (0)
10-17	651.2 (28)	a	.0 (0)	a
18-24	1000.0 (41)	170.7 (7)	a	a
25-34	307.4 (19)	a	.0 (0)	.0 (0)
35-44	204.1 (17)	a	.0 (0)	a
45-54	182.7 (11)	a	a	.0 (0)
55-64	221.7 (20)	a	.0 (0)	.0 (0)
65-74	105.8 (10)	.0 (0)	.0 (0)	.0 (0)
75-84	a	a	.0 (0)	a
85+	a	a	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in South Windsor Health Department per 10,000 Visits by Race, June 1, 2024 - May 31, 2025



RACE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
American Indian or Alaska Native (AI/AN)	.0 (0)	.0 (0)	.0 (0)	.0 (0)
Asian (A)	a	a	.0 (0)	.0 (0)
Black or African American (B)	300.0 (15)	a	a	.0 (0)
Native Hawaiian or Other Pacific Islander (NH/PI)	aa	b (0)	b (0)	aa
White (W)	216.3 (120)	37.9 (21)	a	a
Other	149.3 (10)	a	a	.0 (0)
Unknown / Not Provided (n/a)	283.0 (9)	a	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.

Rates of SI/SH ED Visits in Demographic Breakdown Graphs in South Windsor Health Department per 10,000 Visits by Ethnicity, June 1, 2024 - May 31, 2025



ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	a	a	.0 (0)	aa
Not Hispanic or Latino	254.5 (129)	41.4 (21)	a	a
Unknown / Not Provided (n/a)	aa	a	a	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Stamford Health Department

ED Visits for "Suicidal Ideation and Self Harm" Syndrome in Stamford Health Department, by Region of Patient Residence, May 2025

REGION OF PATIENT RESIDENCE	CURRENT MONTH RATE PER 100,000 POPULATION	CURRENT MONTH TOTAL VISITS	YEARLY CUMULATIVE RATE PER 100,000 POPULATION	YEARLY CUMULATIVE TOTAL VISITS
Stamford	46.83	63	254.99	343

Data Source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates were calculated based on 2018 population statistics. These data are preliminary and subject to change as data quality and completeness may vary over time. Of the 38 ED facilities participating in EpiCenter, 0 facilities transmitted data for less than 99% of the days in the specified one-month time frame. Caution should be used when interpreting these results.


Suicidal Ideation and Self Harm in Stamford Health Department



Total counts of SI/SH visits in Stamford Health Department, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Demographic Breakdown Graphs in Stamford Health Department


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Stamford Health Department per 10,000 Visits by Town, June 1, 2024 - May 31, 2025



TOWN	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Stamford	148.9 (794)	24.9 (133)	1.5 (8)	5.6 (30)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Stamford Health Department per 10,000 Visits by Sex, June 1, 2024 - May 31, 2025



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	139.2 (392)	31.2 (88)	a	aa
Male	159.4 (401)	17.9 (45)	a	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Stamford Health Department per 10,000 Visits by Age, June 1, 2024 - May 31, 2025



AGE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
0-9	aa	a	.0 (0)	.0 (0)
10-17	498.7 (171)	151.6 (52)	a	37.9 (13)
18-24	282.2 (118)	64.6 (27)	a	a
25-34	234.6 (170)	24.8 (18)	.0 (0)	a
35-44	179.4 (123)	20.4 (14)	a	a
45-54	157.9 (86)	14.7 (8)	a	a
55-64	111.0 (66)	a	.0 (0)	a
65-74	67.5 (35)	a	.0 (0)	a
75-84	31.9 (14)	a	.0 (0)	.0 (0)
85+	a	a	.0 (0)	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Stamford Health Department per 10,000 Visits by Race, June 1, 2024 - May 31, 2025



RACE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
American Indian or Alaska Native (AI/AN)	.0 (0)	aa	.0 (0)	.0 (0)
Asian (A)	101.0 (7)	a	.0 (0)	a
Black or African American (B)	251.8 (90)	44.8 (16)	a	a
Native Hawaiian or Other Pacific Islander (NH/PI)	.0 (0)	.0 (0)	.0 (0)	.0 (0)
White (W)	128.6 (107)	21.6 (18)	a	a
Other	102.6 (49)	23.0 (11)	a	a
Unknown / Not Provided (n/a)	150.7 (541)	24.2 (87)	a	4.2 (15)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.

Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Stamford Health Department per 10,000 Visits by Ethnicity, June 1, 2024 - May 31, 2025



ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	127.2 (225)	23.7 (42)	a	aa
Not Hispanic or Latino	158.3 (515)	25.8 (84)	2.2 (7)	5.2 (17)
Unknown / Not Provided (n/a)	173.6 (54)	22.5 (7)	aa	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Stratford Health Department

ED Visits for "Suicidal Ideation and Self Harm" Syndrome in Stratford Health Department, by Region of Patient Residence, May 2025

REGION OF PATIENT RESIDENCE	CURRENT MONTH RATE PER 100,000 POPULATION	CURRENT MONTH TOTAL VISITS	YEARLY CUMULATIVE RATE PER 100,000 POPULATION	YEARLY CUMULATIVE TOTAL VISITS
Stratford	82.12	43	393.43	206

Data Source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates were calculated based on 2018 population statistics. These data are preliminary and subject to change as data quality and completeness may vary over time. Of the 38 ED facilities participating in EpiCenter, 0 facilities transmitted data for less than 99% of the days in the specified one-month time frame. Caution should be used when interpreting these results.


Suicidal Ideation and Self Harm in Stratford Health Department



Total counts of SI/SH visits in Stratford Health Department, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Demographic Breakdown Graphs in Stratford Health Department


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Stratford Health Department per 10,000 Visits by Town, June 1, 2024 - May 31, 2025



TOWN	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Stratford	190.6 (404)	27.8 (59)	a	5.7 (12)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Stratford Health Department per 10,000 Visits by Sex, June 1, 2024 - May 31, 2025



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	176.8 (208)	28.9 (34)	aa	a
Male	207.8 (196)	26.5 (25)	a	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Stratford Health Department per 10,000 Visits by Age, June 1, 2024 - May 31, 2025



AGE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
0-9	a	a	aa	.0 (0)
10-17	398.3 (47)	59.3 (7)	.0 (0)	a
18-24	372.7 (60)	80.7 (13)	.0 (0)	a
25-34	303.2 (75)	36.4 (9)	.0 (0)	a
35-44	240.3 (61)	a	.0 (0)	.0 (0)
45-54	210.1 (52)	28.3 (7)	a	a
55-64	159.6 (47)	a	.0 (0)	a
65-74	101.9 (27)	26.4 (7)	.0 (0)	a
75-84	98.6 (21)	a	.0 (0)	.0 (0)
85+	aa	a	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Stratford Health Department per 10,000 Visits by Race, June 1, 2024 - May 31, 2025



RACE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
American Indian or Alaska Native (AI/AN)	.0 (0)	aa	aa	.0 (0)
Asian (A)	368.9 (9)	a	.0 (0)	.0 (0)
Black or African American (B)	181.4 (100)	34.5 (19)	.0 (0)	a
Native Hawaiian or Other Pacific Islander (NH/PI)	.0 (0)	.0 (0)	.0 (0)	.0 (0)
White (W)	203.6 (210)	31.0 (32)	a	7.8 (8)
Other	165.3 (76)	15.2 (7)	.0 (0)	a
Unknown / Not Provided (n/a)	202.2 (9)	.0 (0)	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.

Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Stratford Health Department per 10,000 Visits by Ethnicity, June 1, 2024 - May 31, 2025



ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	178.2 (102)	aa	a	aa
Not Hispanic or Latino	193.3 (292)	29.8 (45)	aa	7.3 (11)
Unknown / Not Provided (n/a)	272.5 (10)	a	.0 (0)	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Torrington Area Health District

ED Visits for "Suicidal Ideation and Self Harm" Syndrome in Torrington Area Health District, by Region of Patient Residence, May 2025

REGION OF PATIENT RESIDENCE	CURRENT MONTH RATE PER 100,000 POPULATION	CURRENT MONTH TOTAL VISITS	YEARLY CUMULATIVE RATE PER 100,000 POPULATION	YEARLY CUMULATIVE TOTAL VISITS
Torrington Area Health District	101.30	142	491.54	689
Watertown	40.71	9	234.87	13
Middlebury	91.90	7	293.43	10
Plymouth	119.61	14	315.08	24
Litchfield	120.61	10	357.30	79
Thomaston	122.67	11	372.39	15
Torrington	132.92	47	378.36	10
Winchester	193.87	20	410.08	34
Bethlehem	a	a	434.93	39
Canaan	a	a	469.88	55
Cornwall	a	a	592.08	19
Goshen	a	a	789.03	279
Harwinton	a	a	823.96	85
Kent	a	a	a	a
Morris	a	a	a	a
Norfolk	a	a	a	a
North Canaan	a	a	a	a
Salisbury	a	a	a	a
Warren	a	a	a	a

Data Source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates were calculated based on 2018 population statistics. These data are preliminary and subject to change as data quality and completeness may vary over time. Of the 38 ED facilities participating in EpiCenter, 0 facilities transmitted data for less than 99% of the days in the specified one-month time frame. Caution should be used when interpreting these results.


Suicidal Ideation and Self Harm in Torrington Area Health District



Total counts of SI/SH visits in Torrington Area Health District, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Demographic Breakdown Graphs in Torrington Area Health District


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Torrington Area Health District per 10,000 Visits by Town, June 1, 2024 - May 31, 2025



TOWN	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Bethlehem	154.8 (15)	.0 (0)	.0 (0)	.0 (0)
Canaan	167.2 (30)	a	.0 (0)	a
Cornwall	253.8 (25)	a	.0 (0)	a
Goshen	aa	a	.0 (0)	a
Harwinton	152.3 (30)	50.8 (10)	.0 (0)	a
Kent	a	a	.0 (0)	a
Litchfield	202.0 (71)	a	.0 (0)	a
Middlebury	213.2 (43)	34.7 (7)	.0 (0)	a
Morris	152.5 (12)	a	.0 (0)	.0 (0)
Norfolk	133.2 (10)	a	.0 (0)	.0 (0)
North Canaan	273.7 (45)	48.7 (8)	.0 (0)	a
Plymouth	214.0 (111)	28.9 (15)	.0 (0)	a
Salisbury	84.1 (13)	a	.0 (0)	.0 (0)
Thomaston	189.7 (68)	a	.0 (0)	a
Torrington	266.3 (644)	42.6 (103)	5.0 (12)	12.4 (30)
Warren	158.5 (18)	.0 (0)	.0 (0)	.0 (0)
Watertown	254.6 (194)	17.1 (13)	a	a
Winchester	245.4 (192)	29.4 (23)	a	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Torrington Area Health District per 10,000 Visits by Sex, June 1, 2024 - May 31, 2025



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	192.7 (678)	32.7 (115)	2.3 (8)	10.8 (38)
Male	269.1 (808)	28.3 (85)	3.0 (9)	5.0 (15)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Torrington Area Health District per 10,000 Visits by Age, June 1, 2024 - May 31, 2025



AGE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
0-9	35.3 (15)	a	.0 (0)	.0 (0)
10-17	740.1 (268)	138.1 (50)	a	35.9 (13)
18-24	431.3 (181)	47.7 (20)	.0 (0)	16.7 (7)
25-34	419.1 (313)	50.9 (38)	a	a
35-44	305.7 (232)	36.9 (28)	a	11.9 (9)
45-54	266.0 (182)	52.6 (36)	a	13.2 (9)
55-64	173.0 (164)	15.8 (15)	a	7.4 (7)
65-74	97.3 (90)	7.6 (7)	a	a
75-84	33.4 (27)	a	.0 (0)	.0 (0)
85+	27.4 (12)	a	.0 (0)	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Torrington Area Health District per 10,000 Visits by Race, June 1, 2024 - May 31, 2025



RACE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
American Indian or Alaska Native (AI/AN)	a	.0 (0)	aa	.0 (0)
Asian (A)	a	a	.0 (0)	a
Black or African American (B)	320.6 (88)	32.8 (9)	.0 (0)	a
Native Hawaiian or Other Pacific Islander (NH/PI)	.0 (0)	.0 (0)	.0 (0)	.0 (0)
White (W)	229.3 (1236)	29.1 (157)	2.6 (14)	7.6 (41)
Other	189.6 (126)	46.7 (31)	a	10.5 (7)
Unknown / Not Provided (n/a)	212.9 (27)	a	.0 (0)	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.

Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Torrington Area Health District per 10,000 Visits by Ethnicity, June 1, 2024 - May 31, 2025



ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	173.0 (116)	aa	a	a
Not Hispanic or Latino	235.3 (1346)	30.9 (177)	2.8 (16)	8.2 (47)
Unknown / Not Provided (n/a)	181.1 (24)	a	aa	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Trumbull Health Department

ED Visits for "Suicidal Ideation and Self Harm" Syndrome in Trumbull Health Department, by Region of Patient Residence, May 2025

REGION OF PATIENT RESIDENCE	CURRENT MONTH RATE PER 100,000 POPULATION	CURRENT MONTH TOTAL VISITS	YEARLY CUMULATIVE RATE PER 100,000 POPULATION	YEARLY CUMULATIVE TOTAL VISITS
Trumbull	54.30	20	219.93	81

Data Source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates were calculated based on 2018 population statistics. These data are preliminary and subject to change as data quality and completeness may vary over time. Of the 38 ED facilities participating in EpiCenter, 0 facilities transmitted data for less than 99% of the days in the specified one-month time frame. Caution should be used when interpreting these results.


Suicidal Ideation and Self Harm in Trumbull Health Department



Total counts of SI/SH visits in Trumbull Health Department, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Demographic Breakdown Graphs in Trumbull Health Department


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Trumbull Health Department per 10,000 Visits by Town, June 1, 2024 - May 31, 2025



TOWN	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Trumbull	183.7 (182)	33.3 (33)	a	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Trumbull Health Department per 10,000 Visits by Sex, June 1, 2024 - May 31, 2025



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	178.7 (95)	37.6 (20)	a	a
Male	189.5 (87)	28.3 (13)	a	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Trumbull Health Department per 10,000 Visits by Age, June 1, 2024 - May 31, 2025



AGE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
0-9	a	.0 (0)	.0 (0)	.0 (0)
10-17	587.3 (38)	108.2 (7)	a	a
18-24	713.2 (47)	a	a	.0 (0)
25-34	201.3 (16)	a	.0 (0)	a
35-44	204.9 (20)	a	.0 (0)	a
45-54	190.0 (19)	a	.0 (0)	a
55-64	111.8 (12)	a	a	a
65-74	108.2 (13)	a	.0 (0)	.0 (0)
75-84	64.6 (9)	a	.0 (0)	.0 (0)
85+	a	a	.0 (0)	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Trumbull Health Department per 10,000 Visits by Race, June 1, 2024 - May 31, 2025



RACE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
American Indian or Alaska Native (AI/AN)	aa	b (0)	aa	aa
Asian (A)	a	.0 (0)	.0 (0)	.0 (0)
Black or African American (B)	250.3 (20)	a	.0 (0)	.0 (0)
Native Hawaiian or Other Pacific Islander (NH/PI)	.0 (0)	.0 (0)	.0 (0)	.0 (0)
White (W)	196.6 (142)	42.9 (31)	a	a
Other	71.0 (9)	a	.0 (0)	.0 (0)
Unknown / Not Provided (n/a)	270.3 (7)	.0 (0)	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.

Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Trumbull Health Department per 10,000 Visits by Ethnicity, June 1, 2024 - May 31, 2025



ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	121.3 (15)	a	aa	aa
Not Hispanic or Latino	188.9 (160)	33.1 (28)	a	a
Unknown / Not Provided (n/a)	344.8 (7)	a	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Uncas Health District

ED Visits for "Suicidal Ideation and Self Harm" Syndrome in Uncas Health District, by Region of Patient Residence, May 2025

REGION OF PATIENT RESIDENCE	CURRENT MONTH RATE PER 100,000 POPULATION	CURRENT MONTH TOTAL VISITS	YEARLY CUMULATIVE RATE PER 100,000 POPULATION	YEARLY CUMULATIVE TOTAL VISITS
Uncas Health District	130.58	152	593.64	691
Griswold	108.52	17	238.10	17
Lisbon	108.52	17	342.37	12
Montville	118.51	22	360.32	17
Norwich	189.91	76	422.44	18
Bozrah	a	a	435.97	8
Franklin	a	a	468.65	87
Lebanon	a	a	492.61	13
Preston	a	a	502.30	12
Salem	a	a	593.68	93
Sprague	a	a	593.68	93
Voluntown	a	a	802.10	321

Data Source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates were calculated based on 2018 population statistics. These data are preliminary and subject to change as data quality and completeness may vary over time. Of the 38 ED facilities participating in EpiCenter, 0 facilities transmitted data for less than 99% of the days in the specified one-month time frame. Caution should be used when interpreting these results.


Suicidal Ideation and Self Harm in Uncas Health District



Total counts of SI/SH visits in Uncas Health District, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Demographic Breakdown Graphs in Uncas Health District


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Uncas Health District per 10,000 Visits by Town, June 1, 2024 - May 31, 2025



TOWN	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Bozrah	175.4 (24)	a	.0 (0)	.0 (0)
Franklin	158.4 (14)	a	.0 (0)	a
Griswold	198.5 (200)	38.7 (39)	a	10.9 (11)
Lebanon	106.0 (33)	22.5 (7)	.0 (0)	a
Lisbon	198.5 (200)	38.7 (39)	a	10.9 (11)
Montville	198.7 (191)	34.3 (33)	.0 (0)	11.4 (11)
Norwich	257.5 (757)	46.3 (136)	2.7 (8)	11.2 (33)
Preston	135.7 (31)	a	.0 (0)	a
Salem	192.4 (32)	a	.0 (0)	.0 (0)
Sprague	207.1 (39)	a	.0 (0)	a
Voluntown	235.7 (31)	a	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Uncas Health District per 10,000 Visits by Sex, June 1, 2024 - May 31, 2025



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	199.8 (672)	41.0 (138)	a	11.3 (38)
Male	243.1 (679)	36.2 (101)	a	9.3 (26)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Uncas Health District per 10,000 Visits by Age, June 1, 2024 - May 31, 2025



AGE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
0-9	24.9 (14)	a	.0 (0)	.0 (0)
10-17	555.1 (221)	100.5 (40)	a	25.1 (10)
18-24	420.7 (209)	94.6 (47)	a	26.2 (13)
25-34	338.3 (280)	60.4 (50)	a	18.1 (15)
35-44	263.6 (221)	45.3 (38)	a	9.5 (8)
45-54	256.9 (176)	45.3 (31)	a	13.1 (9)
55-64	160.5 (130)	17.3 (14)	.0 (0)	a
65-74	85.1 (64)	17.3 (13)	.0 (0)	a
75-84	46.7 (25)	a	.0 (0)	.0 (0)
85+	36.5 (9)	a	.0 (0)	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Uncas Health District per 10,000 Visits by Race, June 1, 2024 - May 31, 2025



RACE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
American Indian or Alaska Native (AI/AN)	a	.0 (0)	.0 (0)	.0 (0)
Asian (A)	147.7 (14)	a	.0 (0)	.0 (0)
Black or African American (B)	212.1 (137)	34.1 (22)	.0 (0)	13.9 (9)
Native Hawaiian or Other Pacific Islander (NH/PI)	a	.0 (0)	.0 (0)	.0 (0)
White (W)	230.8 (1005)	41.8 (182)	a	11.7 (51)
Other	179.2 (167)	31.1 (29)	a	a
Unknown / Not Provided (n/a)	320.2 (22)	a	a	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.

Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Uncas Health District per 10,000 Visits by Ethnicity, June 1, 2024 - May 31, 2025



ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	196.3 (178)	aa	a	a
Not Hispanic or Latino	223.9 (1158)	39.8 (206)	a	11.2 (58)
Unknown / Not Provided (n/a)	199.5 (16)	a	.0 (0)	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Wallingford Health Department

ED Visits for "Suicidal Ideation and Self Harm" Syndrome in Wallingford Health Department, by Region of Patient Residence, May 2025

REGION OF PATIENT RESIDENCE	CURRENT MONTH RATE PER 100,000 POPULATION	CURRENT MONTH TOTAL VISITS	YEARLY CUMULATIVE RATE PER 100,000 POPULATION	YEARLY CUMULATIVE TOTAL VISITS
Wallingford	65.25	29	296.99	132

Data Source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates were calculated based on 2018 population statistics. These data are preliminary and subject to change as data quality and completeness may vary over time. Of the 38 ED facilities participating in EpiCenter, 0 facilities transmitted data for less than 99% of the days in the specified one-month time frame. Caution should be used when interpreting these results.


Suicidal Ideation and Self Harm in Wallingford Health Department



Total counts of SI/SH visits in Wallingford Health Department, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Demographic Breakdown Graphs in Wallingford Health Department


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Wallingford Health Department per 10,000 Visits by Town, June 1, 2024 - May 31, 2025



TOWN	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Wallingford	218.5 (328)	29.3 (44)	4.7 (7)	4.7 (7)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Wallingford Health Department per 10,000 Visits by Sex, June 1, 2024 - May 31, 2025



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	189.8 (155)	28.2 (23)	a	a
Male	250.0 (171)	30.7 (21)	a	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Wallingford Health Department per 10,000 Visits by Age, June 1, 2024 - May 31, 2025



AGE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
0-9	a	.0 (0)	.0 (0)	.0 (0)
10-17	627.6 (45)	a	.0 (0)	.0 (0)
18-24	419.4 (39)	a	a	a
25-34	441.8 (68)	a	.0 (0)	a
35-44	296.2 (47)	44.1 (7)	a	a
45-54	244.6 (34)	a	a	a
55-64	203.4 (43)	47.3 (10)	a	a
65-74	111.0 (23)	a	.0 (0)	.0 (0)
75-84	97.3 (20)	a	.0 (0)	.0 (0)
85+	a	a	.0 (0)	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Wallingford Health Department per 10,000 Visits by Race, June 1, 2024 - May 31, 2025



RACE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
American Indian or Alaska Native (AI/AN)	.0 (0)	.0 (0)	.0 (0)	.0 (0)
Asian (A)	a	a	.0 (0)	.0 (0)
Black or African American (B)	367.3 (22)	a	.0 (0)	a
Native Hawaiian or Other Pacific Islander (NH/PI)	.0 (0)	.0 (0)	.0 (0)	.0 (0)
White (W)	215.3 (260)	29.8 (36)	5.8 (7)	a
Other	205.2 (37)	a	.0 (0)	.0 (0)
Unknown / Not Provided (n/a)	a	a	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.

Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Wallingford Health Department per 10,000 Visits by Ethnicity, June 1, 2024 - May 31, 2025



ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	223.0 (44)	a	.0 (0)	a
Not Hispanic or Latino	215.4 (275)	30.5 (39)	5.5 (7)	a
Unknown / Not Provided (n/a)	330.9 (9)	aa	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Waterbury Health Department

ED Visits for "Suicidal Ideation and Self Harm" Syndrome in Waterbury Health Department, by Region of Patient Residence, May 2025

REGION OF PATIENT RESIDENCE	CURRENT MONTH RATE PER 100,000 POPULATION	CURRENT MONTH TOTAL VISITS	YEARLY CUMULATIVE RATE PER 100,000 POPULATION	YEARLY CUMULATIVE TOTAL VISITS
Waterbury	138.84	158	660.82	752

Data Source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates were calculated based on 2018 population statistics. These data are preliminary and subject to change as data quality and completeness may vary over time. Of the 38 ED facilities participating in EpiCenter, 0 facilities transmitted data for less than 99% of the days in the specified one-month time frame. Caution should be used when interpreting these results.


Suicidal Ideation and Self Harm in Waterbury Health Department



Total counts of SI/SH visits in Waterbury Health Department, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Demographic Breakdown Graphs in Waterbury Health Department


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Waterbury Health Department per 10,000 Visits by Town, June 1, 2024 - May 31, 2025



TOWN	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Waterbury	231.1 (1790)	26.3 (204)	2.5 (19)	4.6 (36)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Waterbury Health Department per 10,000 Visits by Sex, June 1, 2024 - May 31, 2025



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	185.8 (760)	25.4 (104)	2.0 (8)	5.1 (21)
Male	281.9 (1029)	27.4 (100)	3.0 (11)	4.1 (15)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Waterbury Health Department per 10,000 Visits by Age, June 1, 2024 - May 31, 2025



AGE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
0-9	17.9 (17)	a	a	.0 (0)
10-17	534.1 (254)	69.4 (33)	a	a
18-24	282.8 (196)	39.0 (27)	a	10.1 (7)
25-34	287.8 (354)	38.2 (47)	a	a
35-44	340.4 (406)	31.0 (37)	a	8.4 (10)
45-54	271.3 (266)	22.4 (22)	a	a
55-64	216.0 (212)	26.5 (26)	a	a
65-74	73.7 (49)	a	.0 (0)	a
75-84	51.4 (19)	a	.0 (0)	.0 (0)
85+	42.9 (8)	a	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Waterbury Health Department per 10,000 Visits by Race, June 1, 2024 - May 31, 2025



RACE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
American Indian or Alaska Native (AI/AN)	529.8 (8)	a	a	.0 (0)
Asian (A)	248.8 (10)	aa	.0 (0)	.0 (0)
Black or African American (B)	236.4 (493)	19.7 (41)	a	3.4 (7)
Native Hawaiian or Other Pacific Islander (NH/PI)	.0 (0)	.0 (0)	.0 (0)	.0 (0)
White (W)	252.6 (897)	30.4 (108)	2.5 (9)	7.3 (26)
Other	183.2 (300)	26.3 (43)	a	a
Unknown / Not Provided (n/a)	203.3 (82)	27.3 (11)	.0 (0)	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.

Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Waterbury Health Department per 10,000 Visits by Ethnicity, June 1, 2024 - May 31, 2025



ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	183.5 (626)	24.0 (82)	2.1 (7)	aa
Not Hispanic or Latino	270.9 (1120)	27.3 (113)	2.9 (12)	6.3 (26)
Unknown / Not Provided (n/a)	220.7 (44)	45.1 (9)	.0 (0)	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


West Hartford-Bloomfield Health District

ED Visits for "Suicidal Ideation and Self Harm" Syndrome in West Hartford-Bloomfield Health District, by Region of Patient Residence, May 2025

REGION OF PATIENT RESIDENCE	CURRENT MONTH RATE PER 100,000 POPULATION	CURRENT MONTH TOTAL VISITS	YEARLY CUMULATIVE RATE PER 100,000 POPULATION	YEARLY CUMULATIVE TOTAL VISITS
West Hartford-Bloomfield Health District	61.13	52	277.44	236
Bloomfield	32.71	7	261.69	56
West Hartford	70.68	45	282.73	180

Data Source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates were calculated based on 2018 population statistics. These data are preliminary and subject to change as data quality and completeness may vary over time. Of the 38 ED facilities participating in EpiCenter, 0 facilities transmitted data for less than 99% of the days in the specified one-month time frame. Caution should be used when interpreting these results.


Suicidal Ideation and Self Harm in West Hartford-Bloomfield Health District



Total counts of SI/SH visits in West Hartford-Bloomfield Health District, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Demographic Breakdown Graphs in West Hartford-Bloomfield Health District


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in West Hartford-Bloomfield Health District per 10,000 Visits by Town, June 1, 2024 - May 31, 2025



TOWN	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Bloomfield	160.3 (163)	16.7 (17)	a	a
West Hartford	222.0 (417)	28.8 (54)	a	aa

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in West Hartford-Bloomfield Health District per 10,000 Visits by Sex, June 1, 2024 - May 31, 2025



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	213.2 (348)	27.6 (45)	a	aa
Male	183.7 (232)	20.6 (26)	a	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in West Hartford-Bloomfield Health District per 10,000 Visits by Age, June 1, 2024 - May 31, 2025



AGE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
0-9	a	.0 (0)	.0 (0)	.0 (0)
10-17	560.8 (89)	56.7 (9)	.0 (0)	.0 (0)
18-24	419.6 (77)	98.1 (18)	.0 (0)	a
25-34	289.5 (98)	38.4 (13)	a	a
35-44	204.8 (72)	28.4 (10)	a	a
45-54	208.2 (58)	a	.0 (0)	a
55-64	356.9 (121)	a	.0 (0)	a
65-74	73.5 (26)	a	.0 (0)	a
75-84	42.8 (15)	a	.0 (0)	.0 (0)
85+	aa	a	.0 (0)	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in West Hartford-Bloomfield Health District per 10,000 Visits by Race, June 1, 2024 - May 31, 2025



RACE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
American Indian or Alaska Native (AI/AN)	a	.0 (0)	.0 (0)	.0 (0)
Asian (A)	182.4 (18)	a	.0 (0)	.0 (0)
Black or African American (B)	170.6 (148)	15.0 (13)	a	a
Native Hawaiian or Other Pacific Islander (NH/PI)	aa	.0 (0)	.0 (0)	.0 (0)
White (W)	232.2 (332)	28.7 (41)	a	7.7 (11)
Other	148.1 (60)	27.1 (11)	.0 (0)	a
Unknown / Not Provided (n/a)	209.8 (18)	a	a	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.

Rates of SI/SH ED Visits in Demographic Breakdown Graphs in West Hartford-Bloomfield Health District per 10,000 Visits by Ethnicity, June 1, 2024 - May 31, 2025



ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	218.0 (73)	aa	aa	aa
Not Hispanic or Latino	204.2 (483)	25.4 (60)	a	5.5 (13)
Unknown / Not Provided (n/a)	122.7 (24)	a	.0 (0)	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


West Haven Health Department

ED Visits for "Suicidal Ideation and Self Harm" Syndrome in West Haven Health Department, by Region of Patient Residence, May 2025

REGION OF PATIENT RESIDENCE	CURRENT MONTH RATE PER 100,000 POPULATION	CURRENT MONTH TOTAL VISITS	YEARLY CUMULATIVE RATE PER 100,000 POPULATION	YEARLY CUMULATIVE TOTAL VISITS
West Haven	124.28	69	684.46	380

Data Source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates were calculated based on 2018 population statistics. These data are preliminary and subject to change as data quality and completeness may vary over time. Of the 38 ED facilities participating in EpiCenter, 0 facilities transmitted data for less than 99% of the days in the specified one-month time frame. Caution should be used when interpreting these results.


Suicidal Ideation and Self Harm in West Haven Health Department



Total counts of SI/SH visits in West Haven Health Department, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Demographic Breakdown Graphs in West Haven Health Department


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in West Haven Health Department per 10,000 Visits by Town, June 1, 2024 - May 31, 2025



TOWN	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
West Haven	346.4 (878)	74.6 (189)	a	8.7 (22)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in West Haven Health Department per 10,000 Visits by Sex, June 1, 2024 - May 31, 2025



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	262.8 (367)	74.5 (104)	a	9.3 (13)
Male	448.1 (510)	73.8 (84)	a	7.9 (9)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in West Haven Health Department per 10,000 Visits by Age, June 1, 2024 - May 31, 2025



AGE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
0-9	a	a	.0 (0)	.0 (0)
10-17	485.1 (80)	91.0 (15)	a	a
18-24	463.1 (93)	89.6 (18)	.0 (0)	a
25-34	730.8 (256)	125.6 (44)	a	a
35-44	443.4 (150)	76.9 (26)	.0 (0)	a
45-54	332.7 (86)	77.4 (20)	a	a
55-64	338.1 (116)	110.8 (38)	a	a
65-74	174.6 (50)	48.9 (14)	.0 (0)	a
75-84	158.0 (33)	43.1 (9)	.0 (0)	.0 (0)
85+	aa	a	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in West Haven Health Department per 10,000 Visits by Race, June 1, 2024 - May 31, 2025



RACE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
American Indian or Alaska Native (AI/AN)	a	.0 (0)	.0 (0)	.0 (0)
Asian (A)	172.9 (12)	a	.0 (0)	.0 (0)
Black or African American (B)	345.9 (240)	64.9 (45)	a	a
Native Hawaiian or Other Pacific Islander (NH/PI)	.0 (0)	a	.0 (0)	.0 (0)
White (W)	399.8 (512)	91.3 (117)	a	12.5 (16)
Other	233.1 (108)	43.2 (20)	.0 (0)	a
Unknown / Not Provided (n/a)	a	a	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.

Rates of SI/SH ED Visits in Demographic Breakdown Graphs in West Haven Health Department per 10,000 Visits by Ethnicity, June 1, 2024 - May 31, 2025



ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	255.6 (185)	aa	aa	a
Not Hispanic or Latino	387.2 (685)	79.7 (141)	a	9.0 (16)
Unknown / Not Provided (n/a)	190.0 (8)	a	.0 (0)	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Westbrook Health Department

ED Visits for "Suicidal Ideation and Self Harm" Syndrome in Westbrook Health Department, by Region of Patient Residence, May 2025

REGION OF PATIENT RESIDENCE	CURRENT MONTH RATE PER 100,000 POPULATION	CURRENT MONTH TOTAL VISITS	YEARLY CUMULATIVE RATE PER 100,000 POPULATION	YEARLY CUMULATIVE TOTAL VISITS
Westbrook	176.11	12	410.92	28

Data Source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates were calculated based on 2018 population statistics. These data are preliminary and subject to change as data quality and completeness may vary over time. Of the 38 ED facilities participating in EpiCenter, 0 facilities transmitted data for less than 99% of the days in the specified one-month time frame. Caution should be used when interpreting these results.


Suicidal Ideation and Self Harm in Westbrook Health Department



Total counts of SI/SH visits in Westbrook Health Department, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Demographic Breakdown Graphs in Westbrook Health Department


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Westbrook Health Department per 10,000 Visits by Town, June 1, 2024 - May 31, 2025



TOWN	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Westbrook	163.3 (54)	21.2 (7)	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Westbrook Health Department per 10,000 Visits by Sex, June 1, 2024 - May 31, 2025



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	140.8 (24)	a	.0 (0)	.0 (0)
Male	187.4 (30)	a	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Westbrook Health Department per 10,000 Visits by Age, June 1, 2024 - May 31, 2025



AGE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
0-9	.0 (0)	.0 (0)	.0 (0)	.0 (0)
10-17	a	a	.0 (0)	.0 (0)
18-24	a	a	.0 (0)	.0 (0)
25-34	511.9 (15)	a	.0 (0)	.0 (0)
35-44	a	.0 (0)	.0 (0)	.0 (0)
45-54	a	a	.0 (0)	.0 (0)
55-64	a	a	.0 (0)	.0 (0)
65-74	a	a	.0 (0)	.0 (0)
75-84	137.2 (9)	a	.0 (0)	.0 (0)
85+	a	.0 (0)	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Westbrook Health Department per 10,000 Visits by Race, June 1, 2024 - May 31, 2025



RACE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
American Indian or Alaska Native (AI/AN)	b (0)	b (0)	b (0)	b (0)
Asian (A)	.0 (0)	.0 (0)	.0 (0)	.0 (0)
Black or African American (B)	a	a	.0 (0)	.0 (0)
Native Hawaiian or Other Pacific Islander (NH/PI)	b (0)	b (0)	b (0)	b (0)
White (W)	161.7 (46)	a	.0 (0)	.0 (0)
Other	a	.0 (0)	.0 (0)	.0 (0)
Unknown / Not Provided (n/a)	a	.0 (0)	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.

**Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Westbrook Health Department per 10,000 Visits by Ethnicity,
June 1, 2024 - May 31, 2025**



ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	a	.0 (0)	.0 (0)	.0 (0)
Not Hispanic or Latino	169.1 (47)	25.2 (7)	.0 (0)	.0 (0)
Unknown / Not Provided (n/a)	a	.0 (0)	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Wilton Health Department

ED Visits for "Suicidal Ideation and Self Harm" Syndrome in Wilton Health Department, by Region of Patient Residence, May 2025

REGION OF PATIENT RESIDENCE	CURRENT MONTH RATE PER 100,000 POPULATION	CURRENT MONTH TOTAL VISITS	YEARLY CUMULATIVE RATE PER 100,000 POPULATION	YEARLY CUMULATIVE TOTAL VISITS
Wilton	a	a	129.83	24

Data Source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates were calculated based on 2018 population statistics. These data are preliminary and subject to change as data quality and completeness may vary over time. Of the 38 ED facilities participating in EpiCenter, 0 facilities transmitted data for less than 99% of the days in the specified one-month time frame. Caution should be used when interpreting these results.


Suicidal Ideation and Self Harm in Wilton Health Department



Total counts of SI/SH visits in Wilton Health Department, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Demographic Breakdown Graphs in Wilton Health Department


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Wilton Health Department per 10,000 Visits by Town, June 1, 2024 - May 31, 2025



TOWN	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Wilton	118.6 (47)	30.3 (12)	a	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Wilton Health Department per 10,000 Visits by Sex, June 1, 2024 - May 31, 2025



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	134.3 (27)	aa	aa	a
Male	102.5 (20)	a	a	aa

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Wilton Health Department per 10,000 Visits by Age, June 1, 2024 - May 31, 2025



AGE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
0-9	a	.0 (0)	.0 (0)	.0 (0)
10-17	429.0 (13)	a	.0 (0)	.0 (0)
18-24	364.4 (9)	a	.0 (0)	.0 (0)
25-34	366.5 (7)	a	a	a
35-44	a	a	a	a
45-54	a	.0 (0)	.0 (0)	.0 (0)
55-64	a	a	.0 (0)	.0 (0)
65-74	a	.0 (0)	.0 (0)	.0 (0)
75-84	.0 (0)	.0 (0)	.0 (0)	.0 (0)
85+	.0 (0)	.0 (0)	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Wilton Health Department per 10,000 Visits by Race, June 1, 2024 - May 31, 2025



RACE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
American Indian or Alaska Native (AI/AN)	b (0)	aa	b (0)	aa
Asian (A)	.0 (0)	.0 (0)	.0 (0)	.0 (0)
Black or African American (B)	a	a	a	.0 (0)
Native Hawaiian or Other Pacific Islander (NH/PI)	b (0)	b (0)	b (0)	b (0)
White (W)	137.4 (42)	36.0 (11)	a	a
Other	a	.0 (0)	.0 (0)	.0 (0)
Unknown / Not Provided (n/a)	a	.0 (0)	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.

Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Wilton Health Department per 10,000 Visits by Ethnicity, June 1, 2024 - May 31, 2025



ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	a	aa	aa	.0 (0)
Not Hispanic or Latino	118.0 (42)	28.1 (10)	a	a
Unknown / Not Provided (n/a)	a	a	.0 (0)	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Windsor Health Department

ED Visits for "Suicidal Ideation and Self Harm" Syndrome in Windsor Health Department, by Region of Patient Residence, May 2025

REGION OF PATIENT RESIDENCE	CURRENT MONTH RATE PER 100,000 POPULATION	CURRENT MONTH TOTAL VISITS	YEARLY CUMULATIVE RATE PER 100,000 POPULATION	YEARLY CUMULATIVE TOTAL VISITS
Windsor	84.96	25	380.64	112

Data Source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates were calculated based on 2018 population statistics. These data are preliminary and subject to change as data quality and completeness may vary over time. Of the 38 ED facilities participating in EpiCenter, 0 facilities transmitted data for less than 99% of the days in the specified one-month time frame. Caution should be used when interpreting these results.


Suicidal Ideation and Self Harm in Windsor Health Department



Total counts of SI/SH visits in Windsor Health Department, through time periods March 1, 2025 - May 31, 2025, compared to the corresponding months of the previous two years. These data are preliminary and subject to change as data quality and completeness may vary over time. Total counts between 1 and 6 and associated rates are suppressed for confidentiality purposes.

Demographic Breakdown Graphs in Windsor Health Department


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Windsor Health Department per 10,000 Visits by Town, June 1, 2024 - May 31, 2025



TOWN	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Windsor	212.5 (227)	30.0 (32)	a	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Windsor Health Department per 10,000 Visits by Sex, June 1, 2024 - May 31, 2025



SEX	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Female	181.5 (108)	23.5 (14)	a	a
Male	251.7 (119)	38.1 (18)	aa	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events ("a"). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell ("aa"). Rates based on counts less than 20 are not calculated due to the instability of rates ("b"). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Windsor Health Department per 10,000 Visits by Age, June 1, 2024 - May 31, 2025



AGE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
0-9	a	.0 (0)	.0 (0)	.0 (0)
10-17	536.7 (30)	a	.0 (0)	.0 (0)
18-24	477.4 (39)	85.7 (7)	a	a
25-34	250.0 (40)	43.8 (7)	a	.0 (0)
35-44	277.6 (36)	a	.0 (0)	a
45-54	219.7 (27)	a	.0 (0)	a
55-64	187.9 (27)	a	.0 (0)	.0 (0)
65-74	163.4 (19)	a	.0 (0)	.0 (0)
75-84	a	a	.0 (0)	.0 (0)
85+	a	.0 (0)	.0 (0)	.0 (0)

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.


Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Windsor Health Department per 10,000 Visits by Race, June 1, 2024 - May 31, 2025



RACE	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
American Indian or Alaska Native (AI/AN)	a	.0 (0)	.0 (0)	.0 (0)
Asian (A)	a	a	.0 (0)	a
Black or African American (B)	146.3 (73)	18.0 (9)	a	a
Native Hawaiian or Other Pacific Islander (NH/PI)	b (0)	b (0)	b (0)	b (0)
White (W)	302.2 (112)	43.2 (16)	a	a
Other	192.6 (27)	a	.0 (0)	.0 (0)
Unknown / Not Provided (n/a)	233.9 (8)	a	.0 (0)	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.

**Rates of SI/SH ED Visits in Demographic Breakdown Graphs in Windsor Health Department per 10,000 Visits by Ethnicity,
June 1, 2024 - May 31, 2025**



ETHNICITY	SUICIDAL IDEATION RATE (COUNTS)	SUICIDE ATTEMPT RATE (COUNTS)	SA BY ASPHYXIATION RATE (COUNTS)	SA BY POISONING RATE (COUNTS)
Hispanic or Latino	180.5 (22)	aa	aa	.0 (0)
Not Hispanic or Latino	219.4 (190)	32.3 (28)	a	a
Unknown / Not Provided (n/a)	187.5 (15)	a	.0 (0)	a

In keeping with confidentiality regulations, numbers and rates are not disclosed for counts between one and six events (“a”). Fields with counts of 7 or greater may be suppressed to preserve censoring of another cell (“aa”). Rates based on counts less than 20 are not calculated due to the instability of rates (“b”). These data are preliminary, and data quality and completeness may vary over time.